Stimulated Raman adiabatic passage in a multi-level atom

A. D. Boozer

Norman Bridge Laboratory of Physics 12-33, California Institute of Technology, Pasadena, CA 91125 (Dated: October 25, 2018)

We present a general formalism for describing stimulated Raman adiabatic passage in a multilevel atom. The atom is assumed to have two ground state manifolds a and b and an excited state manifold e, and the adiabatic passage is carried out by resonantly driving the a - e and b - etransitions with time-dependent fields. Our formalism gives a complete description of the adiabatic passage process, and can be applied to systems with arbitrary numbers of degenerate states in each manifold and arbitrary couplings of the a - e and b - e transitions. We illustrate the formalism by applying it to both a simple toy model and to adiabatic passage in the Cesium atom.

PACS numbers: 32.80.Qk

I. INTRODUCTION

A number of techniques for coherently manipulating atomic systems are based on the idea of adiabatically varying the parameters of a time-dependent Hamiltonian. One such example is the technique of stimulated Raman adiabatic passage (STIRAP), which can be used to coherently transfer population between the two ground states of a three-level atom in the lambda configuration [1, 2, 3]. The STIRAP technique involves driving the atom with a pair of timedependent fields that couple the two ground states to the excited state, and relies on the fact that the Hamiltonian for the system has an instantaneous eigenstate, called the dark state, that contains no excited state component. In general this dark state is a superposition of the two ground states, where the overlap of the dark state with each ground state depends on the ratio of the powers in the two fields. Population is transfered from the first ground state to the second by adiabatically varying these powers in such a way that initially the dark state overlaps entirely with the first ground state, during the process the dark state is a superposition of the two ground states, and after the process has been completed the dark state overlaps entirely with the second ground state. The STIRAP technique has been studied experimentally [4, 5, 6, 7, 8, 9, 10], and has formed the basis for numerous theoretical proposals [11, 12, 13, 14]. In addition, STIRAP has been generalized to multi-level systems [15, 16, 17, 18], opening up new possibilities for creating superposition states [19, 20, 21, 22, 23].

Here we present a general formalism for describing STIRAP in a multi-level atom. The atom is assumed to have two ground state manifolds a and b and an excited state manifold e, where each manifold consists of an arbitrary number of degenerate states, and the adiabatic passage is carried out by resonantly driving the a - e and b - e transitions with time-dependent fields. The Hamiltonian for the system is

$$H = \frac{\Omega}{2}\cos\theta \left(A_b + A_b^{\dagger}\right) - \frac{\Omega}{2}\sin\theta \left(A_a + A_a^{\dagger}\right),\tag{1}$$

where Ω is a time-independent Rabi frequency that characterizes the strength of the fields, θ is a time-dependent parameter that is varied to carry out the adiabatic passage, and A_a and A_b are lowering operators that connect states in manifold e to states in manifolds a and b. We sweep θ from 0 to $\pi/2$ to transfer states from manifold a to manifold b, and we sweep θ from $\pi/2$ to 0 to transfer states from manifold b.

Let us denote the Hilbert spaces for manifolds a, b, and e by $\mathcal{H}_a, \mathcal{H}_b$, and \mathcal{H}_e . We will show that \mathcal{H}_a and \mathcal{H}_b can be decomposed as follows:

$$\mathcal{H}_a = \mathcal{H}_a^{\lambda} \oplus \mathcal{H}_a^{d} \oplus \mathcal{H}_a^{\prime} \tag{2}$$

$$\mathcal{H}_{b} = \mathcal{H}_{b}^{\lambda} \oplus \mathcal{H}_{b}^{d} \oplus \mathcal{H}_{b}^{\prime}. \tag{3}$$

Under adiabatic passage from a to b, states in \mathcal{H}_a^{λ} coherently evolve into states in \mathcal{H}_b^{λ} , states in \mathcal{H}_a^{d} remain unchanged, and states in \mathcal{H}_a' are driven to the excited state manifold and scatter incoherently. Similarly, for adiabatic passage from b to a, states in \mathcal{H}_b^{λ} coherently evolve into states in \mathcal{H}_a^{λ} , states in \mathcal{H}_b^{d} remain unchanged, and states in \mathcal{H}_b' are driven to the excited state manifold and scatter incoherently. The coherent evolution from \mathcal{H}_a^{λ} to \mathcal{H}_b^{λ} is described by a unitary transformation $U : \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$, and the coherent evolution from \mathcal{H}_b^{λ} to \mathcal{H}_a^{λ} is described by the unitary transformation $U^{\dagger} : \mathcal{H}_b^{\lambda} \to \mathcal{H}_a^{\lambda}$. Given arbitrary operators A_a and A_b , our goal is to perform the Hilbert space decompositions described in equations (2) and (3) and to calculate the unitary transformation U.

The paper is organized as follows. In section II, we show how to preform the Hilbert space decompositions described in equations (2) and (3). In section III, we calculate the unitary transformation $U: \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$, and consider in detail the special case dim $\mathcal{H}_a^{\lambda} = \dim \mathcal{H}_b^{\lambda} = 2$. The formalism developed in sections II and III gives a complete description of the adiabatic transfer process, and in section IV we illustrate this formalism by applying it to a simple toy model. Finally, in section V we use the formalism to analyze adiabatic passage in the Cesium atom.

II. HILBERT SPACE DECOMPOSITIONS

We will first show how to perform the Hilbert space decompositions described in equations (2) and (3) for a given pair of atomic lowering operators A_a and A_b . Let \mathcal{H}_a^d be the space of states in manifold a that are dark to the $a \to e$ transition, let \mathcal{H}_b^d be the space of states in manifold b that are dark to the $b \to e$ transition, and let \mathcal{H}_e^d be the space of states in manifold e that are dark to the $e \to b$ transition. Note that \mathcal{H}_a^d , \mathcal{H}_b^d , and \mathcal{H}_e^d are just the null spaces of the operators A_a^{\dagger} , A_b^{\dagger} , and A_b :

$$\mathcal{H}_{a}^{d} = \{ |\psi_{a}\rangle \in \mathcal{H}_{a} \mid A_{a}^{\dagger} |\psi_{a}\rangle = 0 \}$$

$$\tag{4}$$

$$\mathcal{H}_b^d = \{ |\psi_b\rangle \in \mathcal{H}_b \mid A_b^{\dagger} |\psi_b\rangle = 0 \}$$
(5)

$$\mathcal{H}_{e}^{d} = \{ |\psi_{e}\rangle \in \mathcal{H}_{e} \mid A_{b} |\psi_{e}\rangle = 0 \}.$$
(6)

Define \mathcal{H}_a^{\perp} , \mathcal{H}_b^{\perp} , and \mathcal{H}_e^{\perp} to be the complements of these spaces in \mathcal{H}_a , \mathcal{H}_b , and \mathcal{H}_e :

$$\mathcal{H}_a = \mathcal{H}_a^{\perp} \oplus \mathcal{H}_a^d \tag{7}$$

$$\begin{aligned} \mathcal{H}_{a} &= \mathcal{H}_{a}^{\perp} \oplus \mathcal{H}_{a}^{\alpha} \end{aligned} \tag{1} \\ \mathcal{H}_{b} &= \mathcal{H}_{b}^{\perp} \oplus \mathcal{H}_{b}^{d} \end{aligned} \tag{8} \\ \mathcal{H}_{e} &= \mathcal{H}_{e}^{\perp} \oplus \mathcal{H}_{e}^{d}. \end{aligned} \tag{9}$$

$$\mathcal{H}_e = \mathcal{H}_e^{\perp} \oplus \mathcal{H}_e^a. \tag{9}$$

Clearly, states in \mathcal{H}_a^d and \mathcal{H}_b^d are dark states of H. In addition, H has dark states of the form

$$|\Lambda\rangle = \cos\phi \,|\psi_a\rangle + \sin\phi \,|\psi_b\rangle,\tag{10}$$

where $|\psi_a\rangle \in \mathcal{H}_a^{\perp}$ and $|\psi_b\rangle \in \mathcal{H}_b^{\perp}$. We will call such states lambda dark states, and say that $|\psi_a\rangle$ and $|\psi_b\rangle$ form a lambda pair. Since $H|\Lambda\rangle = 0$, we have that

$$\cos\theta\sin\phi A_b^{\dagger}|\psi_b\rangle = \sin\theta\cos\phi A_a^{\dagger}|\psi_a\rangle. \tag{11}$$

This equation must hold for all values of θ , so ϕ must be related to θ by

$$\tan \phi = \lambda \tan \theta \tag{12}$$

for some value λ . Thus, states $|\psi_a\rangle$ and $|\psi_b\rangle$ are related by

$$\lambda A_b^{\dagger} |\psi_b\rangle = A_a^{\dagger} |\psi_a\rangle. \tag{13}$$

Note that by using equation (12), we can also express $|\Lambda\rangle$ as

$$|\Lambda\rangle = (\cos^2\theta + \lambda^2 \sin^2\theta)^{-1/2} (\cos\theta |\psi_a\rangle + \lambda \sin\theta |\psi_b\rangle).$$
(14)

Define \mathcal{H}_a^{λ} to be the space of states $|\psi_a\rangle \in \mathcal{H}_a^{\perp}$ such that $A_a^{\dagger}|\psi_a\rangle \in \mathcal{H}_e^{\perp}$, and define \mathcal{H}_a' to be the complement of \mathcal{H}_a^{λ} in \mathcal{H}_a^{\perp} :

$$\mathcal{H}_{a}^{\perp} = \mathcal{H}_{a}^{\lambda} \oplus \mathcal{H}_{a}^{\prime}. \tag{15}$$

Note that from the definitions of \mathcal{H}'_a and \mathcal{H}^d_e , it follows that $\dim \mathcal{H}'_a \leq \dim \mathcal{H}^d_e$. We will now show that for every normalized state $|\psi_a\rangle \in \mathcal{H}^\lambda_a$, we can construct a normalized state $|\psi_b\rangle \in \mathcal{H}^\perp_b$ such that $|\psi_a\rangle$ and $|\psi_b\rangle$ form a lambda pair. First, note that we can view the raising operator A^{\dagger}_a as a mapping $A^{\dagger}_a: \mathcal{H}_a \to \mathcal{H}_e$. Since the image of \mathcal{H}^λ_a under A^{\dagger}_a lies entirely in \mathcal{H}^\perp_e , we can define a new mapping $R^{\dagger}_a: \mathcal{H}^\lambda_a \to \mathcal{H}^\perp_e$ by

$$R_a^{\dagger}|\psi_a\rangle \equiv A_a^{\dagger}|\psi_a\rangle,\tag{16}$$

where $|\psi_a\rangle$ is an arbitrary state in \mathcal{H}_a^{λ} . Similarly, given the definitions of \mathcal{H}_b^{\perp} and \mathcal{H}_e^{\perp} , we can define mappings $R_b^{\dagger}: \mathcal{H}_b^{\perp} \to \mathcal{H}_e^{\perp}$ and $R_b: \mathcal{H}_e^{\perp} \to \mathcal{H}_b^{\perp}$ by

$$R_b^{\dagger} |\psi_b\rangle \equiv A_b^{\dagger} |\psi_b\rangle \tag{17}$$

$$A_b |\psi_e\rangle \equiv A_b |\psi_e\rangle, \tag{18}$$

where $|\psi_b\rangle$ and $|\psi_e\rangle$ are arbitrary states in \mathcal{H}_b^{\perp} and \mathcal{H}_e^{\perp} . Note that the only state in \mathcal{H}_a^{λ} that lies in the null space of A_a^{\dagger} is the null state, the only state in \mathcal{H}_b^{\perp} that lies in the null space of A_b^{\dagger} is the null state, and the only state in \mathcal{H}_e^{\perp} that lies in null space of A_b is the null state; thus, the null space of R_a^{\dagger} , R_b^{\dagger} , and R_b are trivial. This means that the mapping $R_b^{\dagger}R_b: \mathcal{H}_e^{\perp} \to \mathcal{H}_e^{\perp}$ is invertible, and we can define a mapping $M: \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\perp}$ by

$$M = R_b \, (R_b^{\dagger} R_b)^{-1} \, R_a^{\dagger}. \tag{19}$$

Define \mathcal{H}_b^{λ} to be the image of M, and define \mathcal{H}_b' to be the complement of \mathcal{H}_b^{λ} in \mathcal{H}_b^{\perp} :

$$\mathcal{H}_b^{\perp} = \mathcal{H}_b^{\lambda} \oplus \mathcal{H}_b'. \tag{20}$$

Note that because the null spaces of R_a^{\dagger} , R_b^{\dagger} , and R_b are all trivial, the null space of M is also trivial, and therefore $\dim \mathcal{H}_b^{\lambda} = \dim \mathcal{H}_a^{\lambda}$. Given a normalized state $|\psi_a\rangle \in \mathcal{H}_a^{\lambda}$, define λ by

$$\lambda = \langle \psi_a | M^{\dagger} M | \psi_a \rangle^{1/2}, \tag{21}$$

and define a normalized state $|\psi_b\rangle \in \mathcal{H}_b^{\lambda}$ by

$$|\psi_b\rangle = \frac{1}{\lambda} M |\psi_a\rangle. \tag{22}$$

Using equations (19) and (22), we find that

$$\lambda A_b^{\dagger} |\psi_b\rangle = \lambda R_b^{\dagger} |\psi_b\rangle = R_b^{\dagger} M |\psi_a\rangle = R_b^{\dagger} R_b \left(R_b^{\dagger} R_b \right)^{-1} R_a^{\dagger} |\psi_a\rangle = R_a^{\dagger} |\psi_a\rangle = A_a^{\dagger} |\psi_a\rangle. \tag{23}$$

Thus, states $|\psi_b\rangle$ and $|\psi_a\rangle$ satisfy equation (13) and therefore form a lambda pair.

We claim that none of the states in \mathcal{H}'_a can form lambda pairs with states in \mathcal{H}^{\perp}_b . To see this, consider a superposition of states $|\psi_a\rangle \in \mathcal{H}'_a$ and $|\psi_b\rangle \in \mathcal{H}^{\perp}_b$:

$$|\phi\rangle = c_a |\psi_a\rangle + c_b |\psi_b\rangle. \tag{24}$$

Because of the way we have defined \mathcal{H}'_a , there must be a state $|\psi_e\rangle \in \mathcal{H}^d_e$ such that

$$\langle \psi_e | A_a^{\dagger} | \psi_a \rangle \neq 0. \tag{25}$$

Since $|\psi_e\rangle \in \mathcal{H}_e^d$ we have that $A_b |\psi_e\rangle = 0$, so

$$\langle \psi_e | A_b^{\dagger} | \psi_b \rangle = 0, \tag{26}$$

and therefore

$$\langle \psi_e | H | \phi \rangle = -\frac{\Omega}{2} \sin \theta \, \langle \psi_e | A_a^{\dagger} | \psi_a \rangle \, c_a. \tag{27}$$

Thus, for $c_a \neq 0$ and $\sin \theta \neq 0$ we have that $H|\phi\rangle \neq 0$, so $|\phi\rangle$ cannot be a lambda dark state.

Since all the states in $\mathcal{H}_{a}^{\lambda}$ form lambda pairs with states in $\mathcal{H}_{b}^{\lambda}$, and none of the states in \mathcal{H}_{a}^{\prime} form lambda pairs with states in $\mathcal{H}_{b}^{\lambda}$, it follows that none of the states in \mathcal{H}_{b}^{\prime} form lambda pairs with states in \mathcal{H}_{a}^{\perp} . Thus, states in \mathcal{H}_{a}^{\prime} . Thus, states in \mathcal{H}_{b}^{\prime} , do not form dark states of H, and under adiabatic passage they are driven to the excited state manifold and scatter incoherently.

III. UNITARY TRANSFORMATION

In the previous section we defined Hilbert spaces \mathcal{H}_a^{λ} and \mathcal{H}_b^{λ} , which are subspaces of the total Hilbert spaces for ground state manifolds a and b. We will now show that under adiabatic passage from a to b states in \mathcal{H}_a^{λ} coherently evolve into states in \mathcal{H}_b^{λ} , and we will derive the unitary transformation $U : \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$ that describes this evolution.

First, choose an orthonormal basis $\{|\psi_{a1}\rangle, \cdots, |\psi_{an}\rangle\}$ for \mathcal{H}_a^{λ} , and use the mapping M given in equation (19) to construct a normalized basis $\{|\psi_{b1}\rangle, \cdots, |\psi_{bn}\rangle\}$ for \mathcal{H}_b^{λ} , where $|\psi_{bj}\rangle$ is defined by

$$|\psi_{bj}\rangle = \frac{1}{\lambda_j} M |\psi_{aj}\rangle \tag{28}$$

$$\lambda_j = \langle \psi_{aj} | M^{\dagger} M | \psi_{aj} \rangle^{1/2}.$$
⁽²⁹⁾

Note that the basis states for \mathcal{H}_b^{λ} will not necessarily be mutually orthogonal. The states $|\psi_{aj}\rangle$ and $|\psi_{bj}\rangle$ form a lambda pair, and define a lambda dark state that is given by

$$|\Lambda_j(\theta)\rangle = \cos\phi_j(\theta) |\psi_{aj}\rangle + \sin\phi_j(\theta) |\psi_{bj}\rangle, \tag{30}$$

where

$$\phi_j(\theta) = \tan^{-1}(\lambda_j \tan \theta). \tag{31}$$

The states $\{|\Lambda_1\rangle, \dots, |\Lambda_n\rangle\}$ form a basis for the lambda dark states, so we can express a general lambda dark state $|\Lambda\rangle$ as

$$|\Lambda\rangle = \sum_{j} c_{j} |\Lambda_{j}\rangle.$$
(32)

In the adiabatic limit, the time evolution of $|\Lambda\rangle$ is given by Schrödinger's equation:

$$i\frac{d}{dt}|\Lambda\rangle = H|\Lambda\rangle = 0. \tag{33}$$

Thus, substituting for $|\Lambda\rangle$, we find that

$$\sum_{j} (\dot{c}_{j} |\Lambda_{j}\rangle + c_{j} \dot{\phi}_{j} |\bar{\Lambda}_{j}\rangle) = 0, \qquad (34)$$

where the dots indicate derivatives with respect to θ , and where we have defined

$$|\bar{\Lambda}_{j}\rangle = \frac{d}{d\phi_{j}}|\Lambda_{j}\rangle = -\sin\phi_{j}|\psi_{aj}\rangle + \cos\phi_{j}|\psi_{bj}\rangle.$$
(35)

Taking the inner product of equation (34) with $\langle \Lambda_k |$, we obtain

$$\sum_{j} (\dot{c}_{j} \langle \Lambda_{k} | \Lambda_{j} \rangle + c_{j} \dot{\phi}_{j} \langle \Lambda_{k} | \bar{\Lambda}_{j} \rangle) = 0.$$
(36)

Since $\{|\Lambda_1\rangle, \dots, |\Lambda_n\rangle\}$ is a complete basis for the lambda dark states, the matrix $\langle \Lambda_k | \Lambda_j \rangle$ is invertible; we will denote its inverse by L_{ik} :

$$\sum_{k} L_{ik} \langle \Lambda_k | \Lambda_j \rangle = \delta_{ij}. \tag{37}$$

If we multiply equation (36) by L_{ik} and then sum over k, we obtain the following equations of motion for the expansion coefficients c_i :

$$\dot{c}_i = -\sum_j \sum_k L_{ik} \langle \Lambda_k | \bar{\Lambda}_j \rangle \, \dot{\phi}_j \, c_j.$$
(38)

Note that we can express an arbitrary state $|\psi_a\rangle\in\mathcal{H}^{\lambda}_a$ as

$$|\psi_a\rangle = \sum_j c_j(0) |\psi_{aj}\rangle = \sum_j c_j(0) |\Lambda_j(0)\rangle.$$
(39)

for some set of amplitudes $c_j(0)$. We can then integrate equation (38) subject to these initial conditions to obtain a state

$$U|\psi_a\rangle = \sum_j c_j(\pi/2) |\Lambda_j(\pi/2)\rangle = \sum_j c_j(\pi/2) |\psi_{bj}\rangle.$$
(40)

This defines the unitary transformation U.

A. Example: dim $\mathcal{H}_a^{\lambda} = \dim \mathcal{H}_b^{\lambda} = 2$

As an example, we will write down the equations of motion explicitly for the case dim $\mathcal{H}_{a}^{\lambda} = \dim \mathcal{H}_{b}^{\lambda} = 2$. We choose an orthonormal basis of states $\{|\psi_{a1}\rangle, |\psi_{a2}\rangle\}$ for $\mathcal{H}_{a}^{\lambda}$, use equation (28) to obtain a basis of states $\{|\psi_{b1}\rangle, |\psi_{b2}\rangle\}$ for $\mathcal{H}_{b}^{\lambda}$, and use equation (29) to obtain the values λ_{1} and λ_{2} . The matrices $\langle \Lambda_{k}|\Lambda_{j}\rangle$ and $\langle \Lambda_{k}|\bar{\Lambda}_{j}\rangle$ are given by

$$\langle \Lambda_k | \Lambda_j \rangle = \begin{pmatrix} 1 & z \sin \phi_1 \sin \phi_2 \\ z^* \sin \phi_1 \sin \phi_2 & 1 \end{pmatrix}$$
(41)

$$\langle \Lambda_k | \bar{\Lambda}_j \rangle = \begin{pmatrix} 0 & z \sin \phi_1 \cos \phi_2 \\ z^* \cos \phi_1 \sin \phi_2 & 0 \end{pmatrix}, \tag{42}$$

where

$$z = \langle \psi_{b1} | \psi_{b2} \rangle. \tag{43}$$

The inverse of $\langle \Lambda_k | \Lambda_j \rangle$ is

$$L_{ik} = (1 - |z|^2 \sin^2 \phi_1 \sin^2 \phi_2)^{-1} \begin{pmatrix} 1 & -z \sin \phi_1 \sin \phi_2 \\ -z^* \sin \phi_1 \sin \phi_2 & 1 \end{pmatrix}.$$
 (44)

Substituting these matrices into equation (38), we find that the equations of motion for c_1 and c_2 are

$$\begin{pmatrix} \dot{c}_1 \\ \dot{c}_2 \end{pmatrix} = (1 - |z|^2 \sin^2 \phi_1 \sin^2 \phi_2)^{-1} \begin{pmatrix} |z|^2 \sin \phi_1 \cos \phi_1 \sin^2 \phi_2 & -z \sin \phi_1 \cos \phi_2 \\ -z^* \cos \phi_1 \sin \phi_2 & |z|^2 \sin \phi_2 \cos \phi_2 \sin^2 \phi_1 \end{pmatrix} \begin{pmatrix} \dot{\phi}_1 c_1 \\ \dot{\phi}_2 c_2 \end{pmatrix},$$
(45)

and from equation (31) we have that

$$\cos\phi_k = (\cos^2\theta + \lambda_k^2 \sin^2\theta)^{-1/2} \cos\theta \tag{46}$$

$$\sin \phi_k = (\cos^2 \theta + \lambda_k^2 \sin^2 \theta)^{-1/2} \lambda_k \sin \theta \tag{47}$$

$$\dot{\phi}_k = \lambda_k \left(\cos^2\theta + \lambda_k^2 \sin^2\theta\right)^{-1}.$$
(48)

Given λ_1 , λ_2 , and z, these equations of motion can be integrated to obtain the unitary transformation $U : \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$. For certain special cases, we can perform the integration analytically and write down the explicit form of U.

First, suppose $|\psi_{b1}\rangle$ and $|\psi_{b2}\rangle$ are orthogonal. Then z = 0 and the equations of motion reduce to $\dot{c}_1 = \dot{c}_2 = 0$, so the unitary transformation $U : \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$ is given by

$$U|\psi_{a1}\rangle = |\psi_{b2}\rangle \tag{49}$$

$$U|\psi_{a2}\rangle = |\psi_{b2}\rangle. \tag{50}$$

Next, suppose $\lambda_1 = \lambda_2$, so there is a single angle $\phi = \phi_1 = \phi_2$ that characterizes both lambda dark states. Also, for simplicity, assume that z is real. Then we can express the equations of motion as

$$\begin{pmatrix} c_1' \\ c_2' \end{pmatrix} = z \sin \phi \cos \phi \left(1 - z^2 \sin^4 \phi\right)^{-1} \begin{pmatrix} z \sin^2 \phi & -1 \\ -1 & z \sin^2 \phi \end{pmatrix} \begin{pmatrix} c_1 \\ c_2 \end{pmatrix},$$
(51)

where primes denote derivatives with respect to ϕ . We can decouple these equations by defining new variables $\eta_{\pm} = c_1 \pm c_2$:

$$\eta'_{\pm} = \mp z \sin \phi \cos \phi \, (1 \pm z \, \sin^2 \phi)^{-1} \, \eta_{\pm}. \tag{52}$$

These equations can be integrated to give

$$\eta_{\pm}(\phi) = (1 \pm z \sin^2 \phi)^{-1/2} \eta_{\pm}(0).$$
(53)

Thus,

$$c_1(\phi) = \frac{1}{2} \left[(1 + z \sin^2 \phi)^{-1/2} \left(c_1(0) + c_2(0) \right) + (1 - z \sin^2 \phi)^{-1/2} \left(c_1(0) - c_2(0) \right) \right]$$
(54)

$$c_2(\phi) = \frac{1}{2} [(1 + z \sin^2 \phi)^{-1/2} (c_1(0) + c_2(0)) - (1 - z \sin^2 \phi)^{-1/2} (c_1(0) - c_2(0))].$$
(55)

 e_+ e_0 b_{\pm} b_0 a_{-} a_+ a_0

FIG. 1: Level diagram for the example system. Horizontal lines indicate states in ground state manifolds a, b and excited state manifold e; diagonal lines indicate transitions coupled by A_a and A_a^{\dagger} ; vertical lines indicate transitions coupled by A_b and A_b^{\dagger} .

For adiabatic passage from a to b we sweep θ from 0 to $\pi/2$, and from equation (31) we see that ϕ also sweeps from 0 to $\pi/2$. Thus, after the adiabatic passage has been completed $\phi = \pi/2$, and the unitary transformation $U: \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$ is given by

$$U|\psi_{a1}\rangle = \alpha |\psi_{b1}\rangle + \beta |\psi_{b2}\rangle \tag{56}$$

$$U|\psi_{a2}\rangle = \beta |\psi_{b1}\rangle + \alpha |\psi_{b2}\rangle, \tag{57}$$

where

$$\alpha = \frac{1}{2}((1+z)^{-1/2} + (1-z)^{-1/2})$$
(58)

$$\beta = \frac{1}{2}((1+z)^{-1/2} - (1-z)^{-1/2}).$$
(59)

IV. EXAMPLE SYSTEM

We will now illustrate the formalism developed in sections II and III with a simple example. Consider an atom that has the following internal states:

$$\mathcal{H}_a = \operatorname{span}\{|a_+\rangle, |a_0\rangle, |a_-\rangle\} \tag{60}$$

$$\mathcal{H}_b = \operatorname{span}\{|b_+\rangle, |b_0\rangle, |b_-\rangle\}$$
(61)

$$\mathcal{H}_e = \operatorname{span}\{|e_+\rangle, |e_0\rangle, |e_-\rangle\}.$$
(62)

Define atomic lowering operators A_a and A_b by

$$A_b = |b_+\rangle\langle e_+| + |b_0\rangle\langle e_0| + |b_-\rangle\langle e_-| \tag{63}$$

$$A_{a} = |a_{+}\rangle(\langle e_{+}| + \langle e_{0}|) + |a_{-}\rangle(\langle e_{-}| + \langle e_{0}|).$$
(64)

The transitions coupled by these operators are shown in Figure 1.

We will first apply the results of section II to find the decompositions of Hilbert spaces \mathcal{H}_a and \mathcal{H}_b . There is a single dark state $|a_0\rangle$ for the $a \to e$ transition, and there are no dark states for the $b \to e$ and $e \to b$ transitions, so

$$\mathcal{H}_a^d = \operatorname{span}\{|a_0\rangle\} \tag{65}$$

$$\mathcal{H}_a^{\perp} = \operatorname{span}\{|a_{\pm}\rangle\} \tag{66}$$

$$\mathcal{H}_b^d = \{\} \tag{67}$$

$$\mathcal{H}_b^{\perp} = \mathcal{H}_b \tag{68}$$

$$\mathcal{H}_e^d = \{\} \tag{69}$$

$$\mathcal{H}_e^{\perp} = \mathcal{H}_e. \tag{70}$$

Since $A_a^{\dagger}|\psi_a\rangle \in \mathcal{H}_e^{\perp}$ for every state $|\psi_a\rangle \in \mathcal{H}_a^{\perp}$, we find that

$$\mathcal{H}_{a}^{\lambda} = \mathcal{H}_{a}^{\perp} = \operatorname{span}\{|a_{\pm}\rangle\}$$
(71)

$$\mathcal{H}'_a = \{\}. \tag{72}$$



The mapping $M: \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\perp}$ is given by

$$M = (|b_+\rangle + |b_0\rangle)\langle a_+| + (|b_-\rangle + |b_0\rangle)\langle a_-|.$$

$$\tag{73}$$

We can use this mapping to define states $|B_{\pm}\rangle$ that form lambda pairs with states $|a_{\pm}\rangle$:

$$|B_{\pm}\rangle = \frac{1}{\lambda_{\pm}}M|a_{\pm}\rangle = (1/\sqrt{2})(|b_0\rangle + |b_{\pm}\rangle),\tag{74}$$

where

$$\lambda_{\pm} = \langle a_{\pm} | M^{\dagger} M | a_{\pm} \rangle^{1/2} = \sqrt{2}. \tag{75}$$

Note that $|B_+\rangle$ and $|B_-\rangle$ are not orthogonal:

$$z = \langle B_+ | B_- \rangle = 1/2. \tag{76}$$

From the results of section II, it follows that

$$|\Lambda_{\pm}\rangle = \cos\phi(\theta) |a_{\pm}\rangle + \sin\phi(\theta) |B_{\pm}\rangle \tag{77}$$

are lambda dark states of H, where

$$\phi(\theta) = \tan^{-1}(\sqrt{2}\tan\theta). \tag{78}$$

Define a state $|s\rangle$ in \mathcal{H}_b that is orthogonal to both $|B_+\rangle$ and $|B_-\rangle$:

$$|s\rangle = (1/\sqrt{3})(|b_{-}\rangle - |b_{0}\rangle + |b_{+}\rangle).$$
 (79)

Since the image of M is span{ $|B_{\pm}\rangle$ }, we find that

$$\mathcal{H}_{b}^{\lambda} = \operatorname{span}\{|B_{\pm}\rangle\} \tag{80}$$

$$\mathcal{H}_b' = \operatorname{span}\{|s\rangle\}.$$
(81)

Now that we have decomposed the Hilbert spaces \mathcal{H}_a and \mathcal{H}_b , let us apply the results of section III to calculate the unitary transformation $U : \mathcal{H}_a^{\lambda} \to \mathcal{H}_b^{\lambda}$. We first note that a general lambda dark state of H is a superposition of $|\Lambda_+\rangle$ and $|\Lambda_-\rangle$:

$$|\Lambda\rangle = c_1|\Lambda_+\rangle + c_2|\Lambda_-\rangle. \tag{82}$$

Since $\lambda_{+} = \lambda_{-}$, the equations of motion for c_{1} and c_{2} are given by equation (51). As was shown in section III A, these equations of motion can be integrated to give $U : \mathcal{H}_{a}^{\lambda} \to \mathcal{H}_{b}^{\lambda}$:

$$U|a_{+}\rangle = \alpha |B_{+}\rangle + \beta |B_{-}\rangle \tag{83}$$

$$U|a_{-}\rangle = \beta |B_{+}\rangle + \alpha |B_{-}\rangle, \tag{84}$$

where α and β are given by equations (58) and (59) with z = 1/2.

The Hilbert space decompositions and unitary transformation U give a complete description of the behavior of the example system under adiabatic passage: for adiabatic passage from a to b, states $|a_{\pm}\rangle$ coherently evolve into states $U|a_{\pm}\rangle$ and state $|a_0\rangle$ remains unchanged; for adiabatic passage from b to a, states $U|a_{\pm}\rangle$ coherently evolve into states $|a_{\pm}\rangle$, and state $|s\rangle$ is driven to the excited state manifold and scatters incoherently.

It is interesting to note that if we start in state $|a_+\rangle$ and perform adiabatic passage from a to b, population is transferred to $|b_-\rangle$ despite the fact that $\langle b_-|A_b A_a^{\dagger}|a_+\rangle = 0$. The population reaches state $|b_-\rangle$ by passing through state $|a_-\rangle$; at time t the population in $|a_-\rangle$ is given by

$$P(|a_{-}\rangle) = |c_2(\phi)|^2 \cos^2 \phi, \qquad (85)$$

where $c_2(\phi)$ is given by equation (54) with $c_1(0) = 1$, $c_2(0) = 0$, and where $\phi = \tan^{-1}(\sqrt{2}\tan\theta(t))$.



FIG. 2: Level diagram for Cesium. The two hyperfine ground state manifolds $6S_{1/2}$, F = 3 and $6S_{1/2}$, F = 4 correspond to manifolds *a* and *b* in our theory, and one of the excited state hyperfine manifolds, either $6P_{3/2}$, F' = 3 or $6P_{3/2}$, F' = 4, corresponds to manifold *e*.

V. ADIABATIC PASSAGE IN CESIUM

In order to show how the formalism developed in sections II and III applies in a more physical context, we will use it to analyze adiabatic passage in the Cesium atom. A level diagram for Cesium is shown in Figure 2; the two hyperfine ground state manifolds $6S_{1/2}$, F = 3 and $6S_{1/2}$, F = 4 correspond to manifolds a and b, and one of the excited state hyperfine manifolds, either $6P_{3/2}$, F' = 3 or $6P_{3/2}$, F' = 4, corresponds to manifold e. For simplicity, we will denote the $6S_{1/2}$, F = 3 and $6S_{1/2}$, F = 4 ground state manifolds by g_3 and g_4 , and the $6P_{3/2}$, F' = 3 and $6P_{3/2}$, F' = 4 excited state manifolds by e_3 and e_4 .

Adiabatic passage between manifolds g_3 and g_4 is performed by driving the atom with a pair of classical fields that connect these manifolds to the excited state manifold $e_{F'}$. The field driving the $g_F \leftrightarrow e_{F'}$ transition corresponds to an atomic lowering operator that is given by

$$A_F = \vec{A}_F \cdot \hat{\epsilon}_F,\tag{86}$$

where $\hat{\epsilon}_F$ is the polarization of the field. The operator \vec{A}_F is defined by

$$\vec{A}_{F}^{\dagger} \equiv \sum_{m'} \sum_{m} \sum_{q=-1}^{1} \beta(F', F) \langle F', m' | 1, q; F, m \rangle | F', m' \rangle \langle F, m | \hat{e}_{q}^{*}, \tag{87}$$

where $\langle F', m'|1, q; F, m \rangle$ is the Clebsch-Gordan coefficient that connects ground state $|F, m \rangle$ to excited state $|F', m' \rangle$ via polarization \hat{e}_q^* ,

$$\hat{e}_{\pm 1} = \mp \frac{1}{\sqrt{2}} (\hat{x} \pm i\hat{y})$$
(88)

$$\hat{e}_0 = \hat{z}, \tag{89}$$

is a orthonormal basis of polarization vectors, and $\beta(F', F)$ is given by the following table:

$$\begin{bmatrix} F' & 3 & 3 & 4 & 4 \\ F & 3 & 4 & 3 & 4 \\ \beta(F',F) & \sqrt{3/4} & \sqrt{1/4} & \sqrt{5/12} & \sqrt{7/12} \end{bmatrix}$$
(90)

In the following sections we apply the results of section II to perform the Hilbert space decompositions given in equations (2) and (3) for adiabatic passage via both the F' = 3 and F' = 4 excited state manifolds.

For the $g_4 \leftrightarrow e_3$ transition there are two dark states $|d_{4e}\rangle$, $|d_{4o}\rangle$ in g_4 (these dark states are calculated in Appendix A 2), and there are no dark states in e_3 , so

$$\mathcal{H}_4^d = \operatorname{span}\{|d_{4e}\rangle, |d_{4o}\rangle\} \tag{91}$$

$$\mathcal{H}_e^d = \{\}. \tag{92}$$

For the $g_3 \leftrightarrow e_3$ transition there is a single dark state $|d_3\rangle$ in g_3 (this dark state is calculated in Appendix A1), so

$$\mathcal{H}_3^d = \operatorname{span}\{|d_3\rangle\}. \tag{93}$$

From the dimensions of \mathcal{H}_3^d , \mathcal{H}_4^d , and \mathcal{H}_e^d , we can work out the dimensions of all the Hilbert spaces in the decompositions of \mathcal{H}_3 and \mathcal{H}_4 . First, note that because dim $\mathcal{H}_e^d = 0$ and dim $\mathcal{H}_3' \leq \dim \mathcal{H}_e^d$, we must have that dim $\mathcal{H}_3' = 0$. Next, since the dimensions of \mathcal{H}_3^λ , \mathcal{H}_3^d , and \mathcal{H}_3' must sum to 7, we find that dim $\mathcal{H}_3^\lambda = 6$. Finally, since dim $\mathcal{H}_4^\lambda = \dim \mathcal{H}_3^\lambda = 6$ and the dimensions of \mathcal{H}_4^λ , \mathcal{H}_4^d , and \mathcal{H}_4' must sum to 9, we find that dim $\mathcal{H}_4' = 1$. Thus, the dimensions of the Hilbert spaces are

\mathbf{F}	$\dim \mathcal{H}_F^\lambda$	$\dim \mathcal{H}_F^d$	$\dim \mathcal{H}'_F$
3	6	1	0
4	6	2	1

Note that these dimensions are independent of the polarizations of the classical fields.

1. Example:
$$\hat{\epsilon}_3 = \hat{\epsilon}_4 = \hat{z}$$

The Hilbert space decompositions are

$$\mathcal{H}_{3}^{d} = \operatorname{span}\{|3,0\rangle\} \tag{94}$$

$$\mathcal{H}_{3} = \{\}$$

$$\mathcal{H}_{2}^{\lambda} = \operatorname{span}\{|3, \pm 1\rangle, |3, \pm 2\rangle, |3, \pm 3\rangle\}$$

$$(95)$$

$$\mathcal{H}_{2}^{\lambda} = \operatorname{span}\{|3, \pm 1\rangle, |3, \pm 2\rangle, |3, \pm 3\rangle\}$$

$$(96)$$

$$\mathcal{H}_{4}^{d} = \operatorname{span}\{|4, \pm 4\rangle\}$$
(97)

$$\mathcal{H}'_4 = \operatorname{span}\{|4,0\rangle\} \tag{98}$$

$$\mathcal{H}_4^{\lambda} = \operatorname{span}\{|4, \pm 1\rangle, |4, \pm 2\rangle, |4, \pm 3\rangle\}.$$
(99)

States $|3, m\rangle$ and $|4, m\rangle$ are lambda pairs for $m = \pm 1, \pm 2, \pm 3$. Since the lambda dark states corresponding to these pairs are mutually orthogonal, equation (38) decouples and the unitary transformation $U : \mathcal{H}_3^{\lambda} \to \mathcal{H}_4^{\lambda}$ can be written down explicitly:

$$U = \sum_{m} |4, m\rangle \langle 3, m|, \tag{100}$$

where the sum is taken over $m = \pm 1, \pm 2, \pm 3$.

2. Example: $\hat{\epsilon}_3 = \hat{z}, \ \hat{\epsilon}_4 = \hat{x}$

The Hilbert space decompositions are

$$\mathcal{H}_{3}^{d} = \operatorname{span}\{|3,0\rangle\} \tag{101}$$

$$\mathcal{H}_3' = \{\} \tag{102}$$

 $\mathcal{H}_{3}^{\lambda} = \operatorname{span}\{|3,\pm1\rangle, |3,\pm2\rangle, |3,\pm3\rangle\}$ $\mathcal{H}_{4}^{\lambda} = \operatorname{span}\{|d_{4e}\rangle, |d_{4e}\rangle\}$ (103)
(104)

$$\mathcal{H}_{4} = \operatorname{span}\{|a_{4e}\rangle, |a_{4o}\rangle\} \tag{104}$$
$$\mathcal{H}_{4} = \operatorname{span}\{|s\rangle\} \tag{105}$$

$$\ell_4' = \operatorname{span}\{|s\rangle\} \tag{105}$$

$$\mathcal{H}_4^{\lambda} = \operatorname{span}\{|B_{\pm 1}\rangle, |B_{\pm 2}\rangle, |B_{\pm 3}\rangle\}, \tag{106}$$

where

$$|s\rangle \equiv (1/\sqrt{2})(|4,1\rangle - |4,-1\rangle)$$
 (107)

and the dark states are given by

$$d_{4e} \rangle = (1/8\sqrt{2}) \left(|4,4\rangle + \sqrt{28} |4,2\rangle + \sqrt{70} |4,0\rangle + \sqrt{28} |4,-2\rangle + |4,-4\rangle \right)$$
(108)

$$|d_{4o}\rangle = (1/4) (|4,3\rangle + \sqrt{7} |4,1\rangle + \sqrt{7} |4,-1\rangle + |4,-3\rangle).$$
(109)

We have defined states $|B_{\pm 1}\rangle$, $|B_{\pm 2}\rangle$, and $|B_{\pm 3}\rangle$ that form lambda pairs with states $|3, \pm 1\rangle$, $|3, \pm 2\rangle$, and $|3, \pm 3\rangle$; they are given by

$$|B_{\pm 3}\rangle = (1/8\sqrt{254})(127|4,\pm 4\rangle - 2\sqrt{7}|4,\pm 2\rangle - \sqrt{70}|4,0\rangle - 2\sqrt{7}|4,\pm 2\rangle - |4,\pm 4\rangle)$$
(110)

$$|B_{\pm 2}\rangle = (1/4\sqrt{15})(15|4,\pm 3\rangle - \sqrt{7}|4,\pm 1\rangle - \sqrt{7}|4,\mp 1\rangle - |4,\mp 3\rangle)$$
(111)

$$|B_{\pm 1}\rangle = (1/24\sqrt{638}) (99 | 4, \pm 4\rangle + 198\sqrt{7} | 4, \pm 2\rangle - 29\sqrt{70} | 4, 0\rangle - 58\sqrt{7} | 4, \pm 2\rangle - 29 | 4, \pm 4\rangle), \tag{112}$$

and the corresponding λ values are

$$\lambda_{\pm 3} = \sqrt{10287/1792} \tag{113}$$

$$\lambda_{\pm 2} = \sqrt{45/14} \tag{114}$$

$$\lambda_{\pm 1} = \sqrt{8613/8960.} \tag{115}$$

The unitary transformation $U : \mathcal{H}_3^{\lambda} \to \mathcal{H}_4^{\lambda}$ can be obtained by numerically integrating equation (38) using the above expressions for the states and λ values. We can say something about the structure of this unitary transformation by noting that the polarizations of the classical fields impose the selection rule $\Delta m = \pm 1$. Thus, it is useful to decompose \mathcal{H}_3^{λ} and \mathcal{H}_4^{λ} into subspaces of even and odd Zeeman states:

$$\mathcal{H}_3^{\lambda} = \mathcal{H}_3^{\lambda e} \oplus \mathcal{H}_3^{\lambda o} \tag{116}$$

$$\mathcal{H}_4^{\lambda} = \mathcal{H}_4^{\lambda e} \oplus \mathcal{H}_4^{\lambda o}, \tag{117}$$

where

$$\mathcal{H}_{3}^{\lambda e} = \operatorname{span}\{|3, \pm 2\rangle\} \tag{118}$$

$$\mathcal{H}_{3}^{\lambda o} = \operatorname{span}\{|3,\pm1\rangle, |3,\pm3\rangle\}$$
(119)

$$\mathcal{H}_4^{\lambda o} = \operatorname{span}\{|B_{\pm 2}\rangle\} \tag{120}$$

$$\mathcal{H}_4^{\lambda e} = \operatorname{span}\{|B_{\pm 1}\rangle, |B_{\pm 3}\rangle\}.$$
(121)

The selection rule implies that U maps $\mathcal{H}_{3}^{\lambda e}$ to $\mathcal{H}_{4}^{\lambda o}$ and $\mathcal{H}_{3}^{\lambda o}$ to $\mathcal{H}_{4}^{\lambda e}$. Since dim $\mathcal{H}_{3}^{\lambda e}$ = dim $\mathcal{H}_{4}^{\lambda o}$ = 2 and $\lambda_{+2} = \lambda_{-2}$, we can use the results of section III A to write down the unitary transformation $U : \mathcal{H}_{3}^{\lambda e} \to \mathcal{H}_{4}^{\lambda o}$ explicitly:

$$U|3,+2\rangle = \alpha |B_{+2}\rangle + \beta |B_{-2}\rangle \tag{122}$$

$$U|3,-2\rangle = \beta |B_{+2}\rangle + \alpha |B_{-2}\rangle, \qquad (123)$$

where α and β are given by equations (58) and (59) with $z = \langle B_{+2} | B_{-2} \rangle = -1/15$.

B. Adiabatic passage via the F' = 4 manifold

For the $g_4 \leftrightarrow e_4$ transition there is one dark state $|d_4\rangle$ in g_4 and one dark state $|d_e\rangle$ in e_4 (these dark states are calculated in Appendix A 1), so

$$\mathcal{H}_4^d = \operatorname{span}\{|d_4\rangle\} \tag{124}$$

$$\mathcal{H}_e^d = \operatorname{span}\{|d_e\rangle\}. \tag{125}$$

For the $g_3 \leftrightarrow e_4$ transition there are no dark states in g_3 , so

$$\mathcal{H}_3^d = \{\}. \tag{126}$$

As with adiabatic passage via F' = 3, we can use the dimensions of \mathcal{H}_3^d , \mathcal{H}_4^d , and \mathcal{H}_e^d to say something about the dimensions of the other Hilbert spaces in the decomposition of \mathcal{H}_3 and \mathcal{H}_4 . For adiabatic passage via F' = 4, however, there are two separate cases to consider: since dim $\mathcal{H}_3' \leq \dim \mathcal{H}_e^d$ and dim $\mathcal{H}_e^d = 1$, we find that dim \mathcal{H}_3' can be either 0 or 1. For dim $\mathcal{H}'_3 = 0$ the dimensions of the Hilbert spaces are

F	$\dim \mathcal{H}_F^{\lambda}$	$\dim \mathcal{H}_F^d$	$\dim \mathcal{H}'_F$
3	7	0	0
4	7	1	1

and for $\dim \mathcal{H}'_3 = 1$ the dimensions of the Hilbert spaces are

F	$\dim \mathcal{H}_F^\lambda$	$\dim \mathcal{H}_F^d$	$\dim \mathcal{H}'_F$
3	6	0	1
4	6	1	2

Thus, for adiabatic passage via F' = 4 the dimensions of the Hilbert spaces depend on the polarizations of the classical fields.

1. Example: $\hat{\epsilon}_3 = \hat{\epsilon}_4 = \hat{z}$

For this example dim $\mathcal{H}'_3 = 1$, and the Hilbert space decompositions are

$$\mathcal{H}_{3}^{d} = \{\} \tag{127}$$

$$\mathcal{H}'_{3} = \operatorname{span}\{|3,0\rangle\}$$
(128)
$$\mathcal{H}'_{3} = \operatorname{span}\{|2,+1\rangle, |2,+2\rangle, |2,+2\rangle\}$$
(129)

$$\mathcal{H}_{3}^{d} = \operatorname{span}\{|3,\pm1\rangle, |3,\pm2\rangle, |3,\pm3\rangle\}$$

$$(129)$$

$$\mathcal{H}_{3}^{d} = \operatorname{span}\{|4,0\rangle\}$$

$$(120)$$

$$\mathcal{H}_4^{\prime} = \operatorname{span}\{|4,0\rangle\} \tag{130}$$

$$\mathcal{H}_4^{\prime} = \operatorname{span}\{|4,+4\rangle\} \tag{131}$$

$$\mathcal{H}_4 = \operatorname{span}\{|4, \pm 4\rangle\} \tag{131}$$

$$\mathcal{H}_{4}^{\lambda} = \operatorname{span}\{|4,\pm1\rangle, |4,\pm2\rangle, |4,\pm3\rangle\}.$$
(132)

States $|3,m\rangle$ and $|4,m\rangle$ are lambda pairs for $m = \pm 1, \pm 2, \pm 3$. Since the lambda dark states corresponding to these pairs are mutually orthogonal, equation (38) decouples, and the unitary transformation $U: \mathcal{H}_3^{\lambda} \to \mathcal{H}_4^{\lambda}$ can be written down explicitly:

$$U = \sum_{m} |4, m\rangle \langle 3, m|, \tag{133}$$

where the sum is taken over $m = \pm 1, \pm 2, \pm 3$.

2. Example: $\hat{\epsilon}_3 = \hat{x}, \ \hat{\epsilon}_4 = \hat{z}$

For this example dim $\mathcal{H}'_3 = 1$, and the Hilbert space decompositions are

$$\mathcal{H}_3^a = \{\} \tag{134}$$

$$\mathcal{H}'_{3} = \operatorname{span}\{|-\rangle\} \tag{135}$$

$$\mathcal{H}_{3}^{a} = \operatorname{span}\{|3, \pm 2\rangle, |3, \pm 3\rangle, |3, 0\rangle, |+\rangle\}$$

$$\mathcal{H}_{4}^{d} = \operatorname{span}\{|4, 0\rangle\}$$
(136)
(137)

$$\mathcal{H}_4 = \operatorname{span}\{|4,0\rangle\} \tag{137}$$

$$\mathcal{H}_4 = \operatorname{span}\{|s_e\rangle, |s_o\rangle\}$$
(138)

$$\mathcal{H}_{4}^{\lambda} = \operatorname{span}\{|B_{\pm 2}\rangle, |B_{\pm 3}\rangle, |B_{0}\rangle, |B_{+}\rangle\},$$
(139)

where

$$|\pm\rangle \equiv (1/\sqrt{2})(|3,1\rangle \pm |3,-1\rangle) \tag{140}$$

and

$$|s_e\rangle \equiv (1/4) (|4,4\rangle + \sqrt{7}|4,2\rangle - \sqrt{7}|4,-2\rangle - |4,-4\rangle)$$
(141)

$$|s_{o}\rangle \equiv (1/\sqrt{32}) (3|4,3\rangle + \sqrt{7}|4,1\rangle - \sqrt{7}|4,-1\rangle - 3|4,-3\rangle).$$
(142)

We have defined states $|B_+\rangle$, $|B_0\rangle$, $|B_{\pm 2}\rangle$, and $|B_{\pm 3}\rangle$ that form lambda pairs with states $|+\rangle$, $|3,0\rangle$, $|3,\pm 2\rangle$, and $|3,\pm3\rangle$; they are given by

$$|B_{\pm 3}\rangle = (1/\sqrt{8})(\sqrt{7}|4,\pm 4\rangle - |4,\pm 2\rangle)$$
(143)

$$|B_{\pm 2}\rangle = (1/4)(\sqrt{7}|4,\pm 3\rangle - 3|4,\pm 1\rangle)$$
 (144)

$$|B_0\rangle = (1/\sqrt{2})(|4,1\rangle + |4,-1\rangle)$$
(145)

$$|B_{+}\rangle = (1/\sqrt{2})(|4,2\rangle + |4,-2\rangle),$$
 (146)

and the corresponding λ values are

$$\lambda_{\pm 3} = \sqrt{25/49} \tag{147}$$

$$\lambda_{\pm 2} = \sqrt{200/147} \tag{148}$$

$$\lambda_0 = \sqrt{250/49} \tag{149}$$

$$\lambda_{+} = \sqrt{375/392}.$$
 (150)

The unitary transformation $U : \mathcal{H}_3^{\lambda} \to \mathcal{H}_4^{\lambda}$ can be obtained by numerically integrating equation (38) using the above expressions for the states and λ values. As with the example given in section VA2, the polarizations of the classical fields impose the selection rule $\Delta m = \pm 1$, so it is useful to decompose \mathcal{H}_3^{λ} and \mathcal{H}_4^{λ} into subspaces of even and odd Zeeman states:

$$\mathcal{H}_3^{\lambda} = \mathcal{H}_3^{\lambda e} \oplus \mathcal{H}_3^{\lambda o} \tag{151}$$

$$\mathcal{H}_4^{\lambda} = \mathcal{H}_4^{\lambda e} \oplus \mathcal{H}_4^{\lambda o}, \tag{152}$$

where

$$\mathcal{H}_{3}^{\lambda e} = \operatorname{span}\{|3,0\rangle, |3,\pm 2\rangle\} \tag{153}$$

$$\mathcal{H}_{3}^{\lambda o} = \operatorname{span}\{|+\rangle, |3, \pm 3\rangle\} \tag{154}$$

$$\mathcal{H}_{4}^{\lambda o} = \operatorname{span}\{|B_{1}\rangle, |B_{\pm 2}\rangle\}$$

$$\mathcal{H}_{4}^{\lambda o} = \operatorname{span}\{|B_{0}\rangle, |B_{\pm 2}\rangle\}$$

$$(155)$$

$$\mathcal{H}^{\lambda e} = \operatorname{span}\{|B_{\pm}\rangle, |B_{\pm 2}\rangle\}$$

$$(156)$$

$$\mathcal{H}_{4}^{\lambda e} = \operatorname{span}\{|B_{+}\rangle, |B_{\pm 3}\rangle\}.$$
(156)

The selection rule implies that U maps $\mathcal{H}_3^{\lambda e}$ to $\mathcal{H}_4^{\lambda o}$ and $\mathcal{H}_3^{\lambda o}$ to $\mathcal{H}_4^{\lambda e}$.

3. Example: $\hat{\epsilon}_3 = \hat{\epsilon}_4 = \hat{e}_{+1}$

For this example dim $\mathcal{H}'_3 = 0$, and the Hilbert space decompositions are

$$\mathcal{H}_3^a = \{\} \tag{157}$$

$$\mathcal{H}_3' = \{\beta \} \tag{158}$$

$$\mathcal{H}_3 = \operatorname{span}\{\} \tag{158}$$

$$\mathcal{H}_{3}^{\circ} = \operatorname{span}\{|3,0\rangle, |3,\pm1\rangle, |3,\pm2\rangle, |3,\pm3\rangle\}$$

$$\mathcal{H}_{4}^{\circ} = \operatorname{span}\{|4,4\rangle\}$$

$$(159)$$

$$\mathcal{H}_4^a = \operatorname{span}\{|4,4\rangle\} \tag{160}$$

$$\mathcal{H}_4' = \operatorname{span}\{|4, -4\rangle\} \tag{161}$$

$$\mathcal{H}_4^{\lambda} = \operatorname{span}\{|4,0\rangle, |4,\pm1\rangle, |4,\pm2\rangle, |4,\pm3\rangle\}.$$
(162)

States $|3,m\rangle$ and $|4,m\rangle$ are lambda pairs for $m = 0, \pm 1, \pm 2, \pm 3$. Since the lambda dark states corresponding to these pairs are mutually orthogonal, equation (38) decouples, and the unitary transformation $U: \mathcal{H}_3^{\lambda} \to \mathcal{H}_4^{\lambda}$ can be written down explicitly:

$$U = \sum_{m=-3}^{3} |4, m\rangle \langle 3, m|.$$
(163)

VI. CONCLUSION

We have presented a general formalism for describing stimulated Raman adiabatic passage in a multi-level atom with ground state manifolds a and b and excited state manifold e, where each manifold consists of an arbitrary number of degenerate states. This formalism describes how the Hilbert spaces for manifolds a and b decompose into subspaces, each of which evolves in its own characteristic way under adiabatic passage. In particular, we identified subspaces \mathcal{H}_a^{λ} and \mathcal{H}_b^{λ} that coherently evolve into one another under adiabatic passage, and calculated the unitary transformation that describes this evolution. We have illustrated the formalism with a simple toy model, and used it to analyze adiabatic passage in the Cesium atom. The formalism gives a complete description of the adiabatic passage process, and should be useful for analyzing adiabatic passage in a wide variety of atomic systems.

Acknowledgments

The author would like to thank A. Boca and T. E. Northup for helpful suggestions.

APPENDIX A: DARK STATES

Here we calculate the dark states for an optical field driving an $F \to F$ or $F \to F - 1$ transition. We will choose a coordinate system such that the field propagates along the \hat{z} axis, and define a basis of Zeeman states relative to this quantization axis. The polarization $\hat{\epsilon}$ of the field can be expressed as

$$\hat{\epsilon} = \alpha_+ \hat{e}_{+1} + \alpha_- \hat{e}_{-1},\tag{A1}$$

where $\hat{e}_{\pm 1}$ are given by equation (88). If $|d\rangle$ is a dark state of the field, then

$$\hat{\epsilon} \cdot \vec{A}^{\dagger} | d \rangle = 0. \tag{A2}$$

Thus, for every state $|F', m'\rangle$ in the excited state manifold, we have that

$$\sum_{m} \langle F', m' | \hat{\epsilon} \cdot \vec{A}^{\dagger} | F, m \rangle c_m = 0, \tag{A3}$$

where

$$c_m \equiv \langle F, m | d \rangle. \tag{A4}$$

Using equation (87) to substitute for \vec{A}_{F}^{\dagger} , we obtain the following dark state conditions:

$$F', m|1, +1; F, m-1\rangle \alpha_{+}c_{m-1} + \langle F', m|1, -1; F, m+1\rangle \alpha_{-}c_{m+1} = 0$$
(A5)

for $-F' \leq m \leq F'$. We will now consider $F \to F$ and $F \to F - 1$ transitions as separate cases.

1. Dark state for an $F \rightarrow F$ transition

The Clebsch-Gordan coefficients for -F < m < F are given by

$$\langle F, m|1, +1; F, m-1 \rangle = -\left(\frac{(F+m)(F+1-m)}{2F(F+1)}\right)^{1/2}$$
 (A6)

$$\langle F, m|1, -1; F, m+1 \rangle = + \left(\frac{(F-m)(F+1+m)}{2F(F+1)}\right)^{1/2}.$$
 (A7)

Thus, the dark state conditions are

$$\sqrt{(F+m)(F+1-m)} \alpha_{+} c_{m-1} = \sqrt{(F-m)(F+1+m)} \alpha_{-} c_{m+1}$$
(A8)

for -F < m < F, and

$$\alpha_{+}c_{F-1} = \alpha_{-}c_{-(F-1)} = 0. \tag{A9}$$

For each value of F there is single dark state that meets these conditions. The dark state for a $3 \rightarrow 3$ transition is

$$|d_{3}\rangle = N(\sqrt{5}\,\alpha_{+}^{3}|3,3\rangle + \sqrt{3}\,\alpha_{+}^{2}\alpha_{-}|3,1\rangle + \sqrt{3}\,\alpha_{+}\alpha_{-}^{2}|3,-1\rangle + \sqrt{5}\,\alpha_{-}^{3}|3,-3\rangle),\tag{A10}$$

and the dark state for a $4 \rightarrow 4$ transition is

$$|d_4\rangle = N(\sqrt{35}\,\alpha_+^4|4,4\rangle + \sqrt{20}\,\alpha_+^3\alpha_-|4,2\rangle + \sqrt{18}\,\alpha_+^2\alpha_-^2|4,0\rangle + \sqrt{20}\,\alpha_+\alpha_-^3|4,-2\rangle + \sqrt{35}\,\alpha_-^4|4,-4\rangle), \tag{A11}$$

where N is a normalization constant that depends on α_{\pm} .

2. Dark states for an $F \rightarrow F - 1$ transition

The Clebsch-Gordan coefficients for -F < m < F are given by

$$\langle F-1, m|1, +1; F, m-1 \rangle = \left(\frac{(F-m)(F+1-m)}{2F(2F+1)} \right)^{1/2}$$
 (A12)

$$\langle F-1, m|1, -1; F, m+1 \rangle = \left(\frac{(F+m)(F+1+m)}{2F(2F+1)}\right)^{1/2}.$$
 (A13)

Thus, the dark state conditions are

$$\sqrt{(F-m)(F+1-m)}\,\alpha_{+}c_{m-1} = -\sqrt{(F+m)(F+1+m)}\,\alpha_{-}c_{m+1}.$$
(A14)

for -F < m < F. For each value of F there are two dark states that meet these conditions. The dark states for a $4 \rightarrow 3$ transition are

$$|d_{4e}\rangle = N(\alpha_{+}^{4}|4,4\rangle - \sqrt{28}\,\alpha_{+}^{3}\alpha_{-}|4,2\rangle + \sqrt{70}\,\alpha_{+}^{2}\alpha_{-}^{2}|4,0\rangle - \sqrt{28}\,\alpha_{+}\alpha_{-}^{3}|4,-2\rangle + \alpha_{-}^{4}|4,-4\rangle) \tag{A15}$$

$$|d_{4o}\rangle = N(\alpha_{+}^{3}|4,3\rangle - \sqrt{7}\,\alpha_{+}^{2}\alpha_{-}|4,1\rangle + \sqrt{7}\,\alpha_{+}\alpha_{-}^{2}|4,-1\rangle - \alpha_{-}^{3}|4,-3\rangle), \tag{A16}$$

where N is a normalization constant that depends on α_{\pm} .

- [1] F. T. Hioe, Phys. Lett. A 99, 150 (1983).
- [2] J. Oreg, F. T. Hioe, and J. H. Eberly, Phys. Rev. A 29, 690 (1984).
- [3] J. R. Kuklinski, U. Gaubatz, F. T. Hioe, and K. Bergmann, Phys. Rev. A 40, 6741 (1989).
- [4] U. Gaubatz, P. Rudecki, M. Becker, S. Schiemann, M. Külz, and K. Bergmann, Chem. Phys. Lett. 149, 463 (1988).
- [5] U. Gaubatz, P. Rudecki, S. Schiemann, and K. Bergmann, J. Chem. Phys. 92, 5363 (1990).
- [6] H. G. Rubahn, E. Konz, S. Schiemann, and K. Bergmann, Z. Phys. D 22, 401 (1991).
- [7] B. Broers, H. B. van Linden van den Heuvell, and L. D. Noordam, Phys. Rev. Lett. 69, 2062 (1992).
- [8] S. Schiemann, A. Kuhn, S. Steuerwald, and K. Bergmann, Phys. Rev. Lett. 71, 3637 (1993).
- [9] M. Weitz, B. C. Young, and S. Chu, Phys. Rev. Lett. 73 2563 (1994).
- [10] A. D. Boozer, A. Boca, R. Miller, T. E. Northup, and H. J. Kimble, Phys. Rev. Lett. 98, 193601 (2007)
- [11] P. Marte, P. Zoller, and J. L. Hall, Phys. Rev. A 44 R4118 (1991)
- [12] R. G. Unanyan, M. Fleischhaur, B. W. Shore, and K. Bergmann, Opt. Commun. 155 144 (1998).
- [13] H. Theuer, R. Unanyan, C. Habscheid, K. Klein, and K. Bergmann, Opt. Express 4 77 (1999).
- [14] R. G. Unanyan, B. W. Shore, and K. Bergmann, Phys. Rev. A 59 2910 (1999).
- [15] B. W. Shore, J. Martin, M. P. Fewell, and K. Bergmann Phys. Rev. A 52, 566 (1995)
- [16] J. Martin, B. W. Shore, K. Bergmann Phys. Rev. A 52, 583 (1995)
- [17] Z. Kis and S. Stenholm, Phys. Rev. A 64, 063406 (2001)
- [18] Z. Kis, A. Karpati, B. W. Shore, and N. V. Vitanov, Phys. Rev. A 70, 053405 (2004)
- [19] B. Y. Chang, I. R. Solá, V. S. Malinovsky, and J. Santamar, Phys. Rev. A 64 033420 (2001).
- [20] Z. Kis and S. Stenholm, J. Mod. Opt. 49, 111, (2002)
- [21] A. Karpati and Z. Kis, J. Phys. B 36, 905 (2003).
- [22] Z. Kis, N. V. Vitanov, A. Karpati, C. Barthel, and K. Bergmann, Phys. Rev. A 72, 033403 (2005)
- [23] I. Thanopulos, P. Král, and M. Shapiro. Phys. Rev. Lett. 92, 113003 (2004)