

Observation of Intensity Statistics of Light Transmitted Through 3D Random Media

Tom Strudley,^{1,*} Duygu Akbulut,^{2,3,*} Willem L. Vos,² Ad Lagendijk,² Allard P. Mosk,² and Otto L. Muskens^{1,†}

¹*Faculty of Physical and Applied Sciences, University of Southampton, Highfield, Southampton SO17 1BJ, UK*

²*Complex Photonic Systems (COPS), MESA+ Institute for Nanotechnology, University of Twente, P.O.Box 217, 7500 AE Enschede, The Netherlands*

³*Present address: ASML, Flight Forum 1900, 5657 EZ Eindhoven, The Netherlands*

We experimentally observe the spatial intensity statistics of light transmitted through three-dimensional isotropic scattering media. The intensity distributions measured through layers consisting of zinc oxide nanoparticles differ significantly from the usual Rayleigh statistics associated with speckle, and instead are in agreement with the predictions of mesoscopic transport theory, taking into account the known material parameters of the samples. Consistent with the measured spatial intensity fluctuations, the total transmission fluctuates. The magnitude of the fluctuations in the total transmission is smaller than expected on the basis of quasi-one-dimensional (1D) transport theory, which indicates that quasi-1D theories cannot fully describe these open three-dimensional media.

Understanding the flow of light in three-dimensional (3D) scattering environments is important for a variety of applications ranging from new developments in biomedical imaging¹ to energy harvesting², spectroscopy^{3,4}, information control⁶ and lighting⁵. Often, light transport in such media can be approximated as a series of uncorrelated, random events. However, interference between scattered fields can give rise to mesoscopic effects that can reveal valuable information on the properties of the medium and the transport process. In quantum transport theory for electrons, mesoscopic correlations originate from the crossing of many possible trajectories inside the medium⁷. The analogy between electrons and matter waves with classical waves such as light and sound allows a direct mapping of concepts from mesoscopic transport theory. The crossing probabilities of wave paths and the resulting correlations are described by a single parameter, the dimensionless conductance g , which is equal to the average number of open transmission eigenchannels. In a waveguide geometry, g is defined as $g = N\langle T_a \rangle$, with N the total number of transmission eigenchannels that light in the incident free-space modes can couple to and $\langle T_a \rangle \approx l_{tr}/L$ is the ensemble averaged transmission probability of light, with l_{tr} the transport mean free path and L the thickness.

Statistical methods have been widely employed in the study of wave transport through disordered systems to extract mesoscopic transport contributions^{8–18}. The dimensionality of the experiment is of paramount importance. Quasi one-dimensional (1D) waveguides allow the direct observation of light propagation in the strongly mesoscopic regime, including Anderson localization^{11,12}. In a study conducted with visible light using stacks of glass slides, deviations from Rayleigh statistics were observed in the crossover from the 1D to the quasi-1D regime¹⁹. In a 2D study using near-infrared light a deviation from Rayleigh statistics was observed²⁰. Of interest also are observations of freak wave phenomena in quasi 2D resonators²¹. The case of 3D random media is of special interest, as only in 3D a phase transition to localization is expected. In 3D materials however, the




FIG. 1. Experimental setup. HeNe: laser ($\lambda = 632.8$ nm, $P = 5$ mW). ZnO: sample. Objective 1: $100\times$ 0.9-NA objective. Objective 2: $100\times$ 1.3-NA oil immersion objective. L: 200 mm focal length lens. P: polarizer. CCD: camera sensor.

effects of interference are generally much weaker because the large available phase space leads to a reduced probability for trajectories to cross. Mesoscopic effects for light in 3D media are therefore generally quite subtle and difficult to measure^{9,17,18,22}. Intensity statistics deviating from Rayleigh statistics in 3D have only been observed in strongly anisotropic disordered mats of semiconductor nanowires¹⁶. In the intensity statistics of light transmitted through isotropic 3D media no deviations from Rayleigh statistics have been observed to date. The observation of transmission statistics beyond the Rayleigh regime is a crucial test for the extension of mesoscopic transport theory to these inherently open 3D media.

Here we present measurements of the intensity fluctuations in the transmission of light through 3D layers of ZnO particles with an average size of 200 nm. Transmission was recorded spatially using a high numerical aperture (NA) transmission microscope as shown in Fig. 1 and described in more detail in Ref.¹⁶. Light from a Helium-Neon laser was focused on the incident surface of the sample. The spatial distribution of transmitted light at ZnO-glass interface was imaged onto a camera, in a cross-polarized configuration.

We performed measurements in two configurations, ‘in-focus’ (IF) and ‘out-of-focus’ (OF) illumination, corresponding to illumination spots with a width at $1/e$ of less than $0.5\ \mu\text{m}$ and $25\ \mu\text{m}$, respectively. In each configuration, 1000 images were captured per dataset, translating the sample over $1\ \mu\text{m}$ for each consecutive image.




FIG. 2. [wide figure] (a-c) Histograms of the intensity distribution $P(s_{ab})$ of fields transmitted through samples of thickness $L =$ (a) $6 \mu\text{m}$, (b) $11 \mu\text{m}$, and (c) $30 \mu\text{m}$. Red and black data points: Mean of normalized histograms of six different datasets captured IF and OF, respectively. Error bars: standard error of the normalized histograms. Dashed line, green: Rayleigh statistics with reduced contrast of $c = 0.95$. Solid line, blue: Plot of Eq. 1 with g from fits of (d-f). (d-f) Moments of the intensity distributions of transmitted fields for IF (red dots) and OF (black diamonds) configurations. Dashed line, green: Fits of first 5 OF moments using Rayleigh theory with $c = 0.949 \pm 0.002$ (d, f) and $c = 0.946$ (e). Solid line, blue: Fits of IF moments with Eq. 2 for $g = 42 \pm 5$ (d), $g = 35 \pm 4$ (e) and $g = 57 \pm 7$ (f).

At this distance, the speckle patterns of any two consecutive images were found to be completely different. A total number of 6 datasets per sample were recorded in a procedure identical to that followed in Ref.¹⁶, in brief: For each dataset, the captured images were averaged to obtain an average spatial intensity distribution. The total transmitted intensity for each sample position was obtained by summing the total intensity in the corresponding image. In order to divide out any sample variations over long length scales, the total transmission was normalized to a moving average over $10 \mu\text{m}$. This distance is shorter than the typical sample variations, and longer than the mesoscopic correlation length in the system. A constant background corresponding to the dark counts of the camera was subtracted from all captured images. Finally, each image was cropped to the area of interest and divided pixel by pixel by the average intensity image to obtain the normalized intensity $s_{ab} = T_{ab} / \langle T_{ab} \rangle$, where a denotes an input mode and b an output mode, and the brackets denote ensemble averaging. This procedure divides out the envelope in the intensity due to diffusion. All intensities for the 6 datasets were collected into a single histogram, to obtain $P(s_{ab})$ vs s_{ab} . After collection of

the IF histogram, the illumination objective was moved out of focus by $25 \mu\text{m}$ and the measurement was repeated in this ‘out-of-focus’ (OF) configuration. The number of transmission channels addressed by the incident field is large when OF and small when IF. Thus, the measurement made when OF serves as a reference for the case of large g and negligible mesoscopic corrections, whereas the measurements performed when IF are expected to give rise to strong mesoscopic fluctuations.

In Fig. 2 we show the spatial intensity histograms $P(s_{ab})$ vs s_{ab} using the data captured IF and OF for the samples of $L = 6 \mu\text{m}$ (a), $11 \mu\text{m}$ (b) and $30 \mu\text{m}$ (c). The OF data is expected to follow Rayleigh statistics, $P(s_{ab}) = \exp(-s_{ab})$, however due to experimental aberrations the tail of the OF distribution is slightly suppressed and it is described by $P(s_{ab}) = \exp(-s_{ab}/c)$, where the speckle contrast parameter $c = 0.95$ models the experimental reduction in contrast. The histograms of the data captured IF show a heavy tail at high speckle intensities, which is not present in the data captured OF and therefore is a direct signal of mesoscopic fluctuations.

We compared the histogram of s_{ab} in Fig. 2 for IF with a theoretical model for the mesoscopic distribution, given




FIG. 3. Histograms of the total transmission s_a for (a) IF and (b) OF, for ZnO samples of thickness $L = 6 \mu\text{m}$ (open diamonds, blue), $11 \mu\text{m}$ (dots, red) and $30 \mu\text{m}$ (diamonds, black). Lines: Gaussian fits. Variances of distributions are shown in Table I.

by ²³⁻²⁶

$$P(s_{ab}) = \exp\left(-\frac{s_{ab}}{c}\right) \left\{ 1 + \frac{1}{3g} \left(\left(\frac{s_{ab}}{c}\right)^2 - 4\frac{s_{ab}}{c} + 2 \right) \right\}. \quad (1)$$

A robust method to analyze distributions is to fit their moments. An analytical expression of the moments of the intensity distribution was developed by Kogan *et al.*^{25,26} and reads

$$\langle s_{ab}^N \rangle = N! \left(\frac{\langle s_{ab} \rangle c}{2ig^{1/2}} \right)^N H_N(ig^{1/2}), \quad (2)$$

with H_N the Hermite polynomial of order N . The moments of the measured distributions are shown in Fig. 2d-f. We see a large difference between the OF (black diamonds) and IF (red dots) moments. The analytical expression (2) was fitted to the first five moments of the data, using the contrast c and the dimensionless conductance g as the free parameters. The fits to the first 5 moments of the OF histogram resulted in g values on the order of 10^5 , indicating that we can not distinguish them from a Rayleigh distribution (infinite g). We use the OF fits to obtain the contrast values c with values indicated in the figure. For moments $N > 6$, the statistical variations due to rare events give rise to a large uncertainty

| ZnO thickness | $\frac{\text{var}(s_{ab}^{\text{IF}})}{\text{var}(s_{ab}^{\text{OF}})} - 1$ | $\text{var}(s_a^{\text{IF}})$ | $\text{var}(s_a^{\text{OF}})$ |
|------------------|---|-------------------------------|-------------------------------|
| 6 μm | 3.2×10^{-2} | 9.1×10^{-3} | 3.6×10^{-4} |
| 11 μm | 3.7×10^{-2} | 8.1×10^{-3} | 3.9×10^{-4} |
| 30 μm | 2.0×10^{-2} | 1.0×10^{-2} | 3.7×10^{-4} |

TABLE I. Measured variances of the intensity distributions.

and we did not include these moments in the fits. The first 5 moments of the IF distribution were fit using only g as a free parameter, with the experimental contrast parameter c fixed by the OF data. Best fits (shown in Fig. 2d-f) were found for $g = 42 \pm 5$ for the 6- μm sample, $g = 35 \pm 4$ for the 11- μm sample, and $g = 57 \pm 7$ for the 30- μm sample. The fits agree with the data up to the 10th moment, indicating that mesoscopic theory describes the observed intensity fluctuations well.

A 3D medium differs from a waveguide in the fact that energy can spread out in the transverse direction. This geometry has been modeled as a waveguide of expanding width^{17,18} with an effective conductance parameter g that increases with N and l_{tr} , but saturates with increasing sample thickness L . In the case of an incident beam that is tightly focussed on the sample the expanding waveguide model predicts a conductance $g = (8l_{\text{tr}}k^2/15)w_{\text{min}}$. Here k represents the wavevector inside the medium and $w_{\text{min}} = al_{\text{tr}}$ is the minimum width of the incident spot inside the sample, where a is a constant expected to be close to unity. A later elegant approach²⁷ obtains similar results. We use the previously measured values $l_{\text{tr}} = 0.7 \pm 0.2 \mu\text{m}$ and $n_{\text{eff}} = 1.4 \pm 0.1$ ²⁸ in the expanding waveguide formalism and find g in the range $(50.47 \pm 29.73)a$, in good agreement with the fits to the histograms.

In addition to the spatial intensity statistics, our experimental configuration provides measurements of the total transmitted intensity. For this purpose, we integrated the total counts in each camera image, which we normalized to the ensemble average to obtain the normalized total transmission s_a . Figure 3 shows the IF and OF distributions $P(s_a)$ for the two samples under study. The total transmission is the sum of a large number of independent speckle spots, and the exponential distribution converts to a Gaussian with a variance inversely proportional to the number of independent transmission channels g . The OF data shows a correspondingly narrow distribution, which is very similar for the three samples under study. The IF data showed a much broader distribution indicating a reduction of the number of contributing ‘open’ channels g , again with little variation between the three samples. The measured variances for both the s_a and the s_{ab} distributions are summarized in Table I. For the latter we corrected the IF variance for the finite speckle contrast by normalizing to the OF variance. For the quasi-1D geometry of a waveguide, random matrix theory predicts the relation $\text{var}s_{ab} = 1 + 2\text{var}(s_a)$ ¹¹. It is unknown whether this theoretical relation can be extended in unmodified form for vector waves in 3D media.

Table I shows that the measured variance of the total transmission $\text{var}(s_a)$ is smaller than expected from quasi-1D random matrix theory for all but the thickest sample. The fact that this deviation appears for an isotropic 3D medium as well as for highly anisotropic nanowires¹⁶ indicates that the quasi-1D theory cannot generally be applied to 3D geometries.

In conclusion, we have presented measurements of the intensity statistics of light transmitted through three-dimensional isotropic ZnO scattering media. The results show deviations from Rayleigh statistics. Using an analysis of the moments of the distribution we obtain values of the dimensionless conductance g of around 40, in agreement with predictions based on previously reported sample parameters. This is the first direct observation through intensity statistics of strong mesoscopic

effects of light transmitted through isotropically scattering 3D samples. Our results show a good agreement of the modes of the intensity distribution with transport theory. However, the ratio between the variances of the total transmission and the speckle transmission differs from the predictions of quasi-1D theory. Ultimately, mesoscopic effects affect important applications such as wavefront shaping and time reversal methods⁶, and spectroscopy^{3,4}. Our results show that the regime where mesoscopic fluctuations are measurable is accessible using conventional scattering materials, opening up new avenues for experimental investigation.

This work is supported by FOM-NWO, FOM program “Stirring of light” and ERC grant 279248. O.M. acknowledges support by EPSRC through fellowship EP/J016918/1.

-
- * These authors contributed equally
 † Corresponding author: O.Muskens@soton.ac.uk
- ¹ J. Jang, J. Lim, H. Yu, H. Choi, J. Ha, J.-H. Park, W.-Y. Oh, W. Jang, S. Lee, and Y. Park, *Opt. Express* **21**, 2890 (2013).
 - ² K. Vynck, M. Burrelli, F. Riboli, D. S. Wiersma, *Nature Mater.* **11**, 1017 (2012).
 - ³ B. Redding, S. F. Liew, R. Sarma, H. Cao, *Nat. Photon.* **7**, 746 (2013)
 - ⁴ M. Mazilu, T. Vettenburg, A. Di Falco, K. Dholakia, *Opt. Lett.* **39**, 96 (2014)
 - ⁵ V. Y. F. Leung, A. Lagendijk, T. W. Tukker, A. P. Mosk, W. L. IJzerman, and W. L. Vos, *Opt. Express* **22**, 8190 (2014).
 - ⁶ A.P. Mosk, G. Lerosey, A. Lagendijk, and M. Fink, *Nature Photon.* **6**, 283 (2012).
 - ⁷ E. Akkermans and G. Montambaux, *Mesoscopic physics of electrons and photons*, Cambridge University Press, 2007.
 - ⁸ N. Garcia and A. Z. Genack, *Phys. Rev. Lett.* **63**, 1678 (1989).
 - ⁹ J. F. de Boer, M. C. W. van Rossum, M. P. van Albada, Th. M. Nieuwenhuizen, A. Lagendijk, *Phys. Rev. Lett.* **73**, 2567 (1994).
 - ¹⁰ M. Stoytchev, A. Z. Genack, *Phys. Rev. Lett.* **79**, 309 (1997).
 - ¹¹ A. A. Chabanov, M. Stoytchev, A. Z. Genack, *Nature* **404**, 850 (2000).
 - ¹² A. Peña, A. Girschik, F. Libisch, S. Rotter, A. A. Chabanov, *Nat. Commun.* **5**, 3488 (2014)
 - ¹³ X. Zhang and Z.-Q. Zhang, *Phys. Rev. B* **65**, 245115 (2002).
 - ¹⁴ H. Hu, A. Strybulevych, J. H. Page, S. E. Skipetrov, B. A. van Tiggelen, *Nature Phys.* **4**, 945 (2008).
 - ¹⁵ S. Smolka, H. Thyrrstrup, L. Sapienza, T. B. Lehmann, K. R. Rix, L. S. Froufe-Perez, P. D. Garcia, P. Lodahl, *New J. of Phys.* **13**, 063044 (2011)
 - ¹⁶ T. Strudley, T. Zehender, C. Blejean, E. P. A. M. Bakkers, and O. L. Muskens, *Nat. Photon.* **7**, 413 (2013).
 - ¹⁷ F. Scheffold, W. Härtl, G. Maret, E. Matijević, *Phys. Rev. B* **56**, 10942 (1997).
 - ¹⁸ F. Scheffold, G. Maret, *Phys. Rev. Lett.* **81**, 5800 (1998).
 - ¹⁹ J. Park, S. Zhang, A. Z. Genack, *Phys. Rev. E* **82**, 045101 (2010).
 - ²⁰ F. Riboli, P. Barthelemy, S. Vignolini, F. Intonti, A. De Rossi, S. Combrie, D. S. Wiersma, *Opt. Lett.* **36**, 127 (2011).
 - ²¹ R. Höhmann, U. Kuhl, H.-J. Stöckmann, L. Kaplan, E. J. Heller, *Phys. Rev. Lett.* **104**, 093901 (2010).
 - ²² J. F. de Boer, M. P. van Albada, A. Lagendijk, *Phys. Rev. B* **45**, 658 (1992).
 - ²³ N. Shnerb, M. Kaveh, *Phys. Rev. B* **43**, 1279 (1991).
 - ²⁴ Th. M. Nieuwenhuizen, M. C. W. van Rossum, *Phys. Rev. Lett.* **74**, 2674 (1995).
 - ²⁵ E. Kogan, M. Kaveh, R. Baumgartner, R. Berkovits, *Phys. Rev. B*, **48**, 9404 (1993).
 - ²⁶ Equations 1 and 2 were adapted by us to account for the experimental speckle contrast parameter c .
 - ²⁷ A. García-Martín, F. Scheffold, M. Nieto-Vesperinas, and J. J. Sáenz, *Phys. Rev. Lett.* **88**, 143901 (2002).
 - ²⁸ I. M. Vellekoop, E. G. van Putten, A. Lagendijk, and A. P. Mosk, *Opt. Express* **16**, 67 (2008).