A method to measure the transition energy γ_t of the isochronously tuned storage ring

R. J. Chen^a, X. L. Yan^a, W. W. Ge^{a,b}, Y. J. Yuan^{a,*}, M. Wang^{a,f,*}, M. Z. Sun^a, Y. M. Xing^a, P. Zhang^{a,b}, C. Y. Fu^{a,b}, P. Shuai^a,

X. Xu^a, Y. H. Zhang^{a,f}, T. Bao^a, X. C. Chen^{a,c}, X. J. Hu^a, W. J. Huang^{a,e}, H. F. Li^{a,b}, J. H. Liu^{a,b}, Yu. A. Litvinov^{a,c},

S. A. Litvinov^{a,c}, L. J. Mao^a, B. Wu^a, H. S. Xu^{a,f}, J. C. Yang^a, D. Y. Yin^a, Q. Zeng^{a,d}, X. H. Zhang^a, W. H. Zheng^a, X. H. Zhou^{a,f},

X. Zhou^a

^aCAS Key Laboratory of High Precision Nuclear Spectroscopy and

Center for Nuclear Matter Science, Institute of Modern Physics, Chinese Academy of Sciences, Lanzhou 730000, China

^bUniversity of Chinese Academy of Sciences, Beijing, 100049, People's Republic of China

Clas Key Laboratory of High Precision Nuclear Spectroscopy and
Center for Nuclear Matter Science, Indiana Spectroscopy and
Modern Physics, Mathemal Laboratory of Lience, Harphan 20000, Prople's Republic of China

 ¹Decampting of Chinase Academy of Sciences, Barlyng, 100499, People's Republic of China

 ¹Decampting of Chinase Academy of Sciences, Barlyng, 100499, People's Republic of China

 ¹Decampting of Sciences, Mathemal Laboratory of Heavy Ion Accelerator Foculty in Lanzhou and

 Durbersity of Sciences, Journal Observing, Institute of Modern Physics, Chinese Academy of Sciences, Lanzhou 700000, People's Republic of China.**Abstract**The Isochronous Mass Spectrometry (IMS) is a powerful technique developed in heavy-ion storage rings for measuring masses of

 very short-lived exotic nuclei. The IMS is based on the isochronous setting of the ring. One of the main parameters of this setting is

 the transition energy y. It has been a challenge to determine the y and especially to monitor the variation of y during experimental

 the ring acceptance is a source of systematic uncertainty of measured masses. With the cinstallation of two time-of-flight (TOF)

 detectors, the velocity of each stored ion and its revolution time are simultaneously available for the analysis. These quantities

 Hour principed of the IMS is expressed by

 the following equation (1), which connects the revolution fitting are simultaneously available for the analysis. These quantities

 the resolution time are simultaneously available for the analysis. These quantities

 Hour and the new-generation storage ring facilities FAIR in Germany and HIAF in China.
 The the during properties. Their accurate knowledge is particularly important for nuclear structure and nuclea

imental cooler-storage ring CSRe at the Institute of Modern Physics in Lanzhou [11-18], and at the rare-ion storage ring R3 at the RIKEN Nishina Center in Tokyo [19-24]. The discussion in this paper is based on the experimental results obtained at the CSRe [25]. However, the conclusions are valid for IMS experiments at all present and future storage ring facilities [6].

Email addresses: yuanyj@impcas.ac.cn(Y. J. Yuan), wangm@impcas.ac.cn(M. Wang)

$$\frac{\Delta T}{T} = \frac{1}{\gamma_t^2} \frac{\Delta(m/q)}{m/q} - \left(1 - \frac{\gamma^2}{\gamma_t^2}\right) \frac{\Delta v}{v},\tag{1}$$

condition for the latter is that the energy of the ions corresponds to $\gamma = \gamma_t$. In this mode, the revolution times of ions with same m/q but with different velocities v are compensated by different lengths of their orbits [27]. If the second term in equation (1) can be neglected then the revolution time (T) depends only on the mass-to-charge ratio (m/q). This is the basis of the IMS mass measurements [28].

Due to the fixed magnetic rigidity, $B\rho = mv\gamma/q$, of the transport lines and the injection into the ring, nuclides with different m/q values inevitably have different mean velocities. In a re-

^{*}Corresponding authors

Preprint submitted to Nuclear Instruments and Methods in Physics Research Section A

alistic experiment, the simultaneously covered $\Delta(m/q)/(m/q)$ range is about 10%, and thus the treatment of ions with $\gamma \neq \gamma_t$ is an essential issue. Furthermore, the emittance of the secondary ions after the nuclear production reaction is –as a rule– larger than the acceptance of the storage ring [29]. Thus, the knowledge of the γ_t as a function of storage ring acceptance is also important.

If the isochronous condition $\gamma = \gamma_t$ is not strictly fulfilled within the momentum acceptance of the storage ring, the revolution time spread $\Delta T/T$ is determined by the momentum acceptance of the storage ring $\Delta P/P$ and the slip factor, η . For the case of the CSRe, the $\Delta P/P \sim 0.1\%$ [25]. For the ions with same m/q, equation (1) can be rewritten as:

$$\frac{\Delta T}{T} = -\eta \frac{\Delta P}{P} = -\left(\frac{1}{\gamma^2} - \frac{1}{\gamma_t^2}\right) \frac{\Delta P}{P}.$$
(2)

The mass resolving power is directly connected to $\Delta T/T$. There are various methods to reduce $\Delta T/T$ [30]. One method is to tune the γ_i in dependence to $\Delta P/P$ such that the η parameter is minimal [31–33]. This method is especially important for ions with $\gamma \approx \gamma_i$.

Another method is to reduce the ring injection acceptance $\Delta P/P$ by using a mechanical slit. This is the so-called $B\rho$ -tagging method [10, 34, 35]. Indeed, the mass resolving power can significantly be increased at a cost of a dramatically reduced transmission. The later hinders any practical application of the method in mass measurements of rarely produced nuclides. The experiments employing the $B\rho$ -tagging have shown that additional measurement of velocities or magnetic rigidities of each ion can be used to reduce $\Delta T/T$ also for non-isochronous particles [36].

In all the approaches above the knowledge of γ_t as a function of the ring acceptance is indispensable. However, up to now it has been a challenge to deduce the γ_t .

An effective method developed at the ESR uses the electron cooling of primary beam ions [27]. The velocity of the particles is defined by the cooler to better than $\Delta v/v \approx 10^{-5}$. The storage ring acceptance is scanned by changing the ion velocity and the corresponding revolution frequencies are used to extract the γ_i . Since the m/q-values of the ions of interest are not equal to the m/q of the primary beam ions, the setting of the storage ring is not isochronous for the primary beam ions. The extraction of the γ_i is possible assuming that the particles with the same magnetic rigidity travel on exactly the same orbits in the ring [27, 37]. It is also clear that this method can not be used for online monitoring of γ_i .

At the CSRe, the information on the γ_t is obtained from the widths of peaks in the measured revolution time spectra. However, this method is largely affected by the instabilities of magnetic fields of ring magnets. Although, various corrections of the magnetic field instabilities can be applied [12], only the γ -value averaged over the ring acceptance could so far be accessed.

In this paper, we introduce a new method which can be used to determine the γ_t precisely by using measured data. The measurements of velocities of each stored ion has been recently implemented at the CSRe [38–40]. On the one hand, this allowed us improving the mass resolving power of the IMS without losing valuable statistics. On the other hand, it is possible to measure the γ_{l} as a function of storage ring acceptance.

2. Basic equations

In the IMS experiments, the revolution times are measured by dedicated time-of-flight (ToF) detectors [41, 42]. Such detector is equipped with a thin foil which is penetrated by revolving ions at each revolution. In the CSRe ToF detector a 20 $\mu g/cm^2$ carbon foil is used [42, 43]. Secondary electrons released from the foil surface due to the passing ions are guided isochronously by perpendicularly arranged electrostatic and magnetic fields to a set of micro-channel plates (MCP). The signals from the MCPs [42, 43] are directly input into a fast oscilloscope. In the discussed experiments we employed a digital oscilloscope at a sampling rate of 50 GHz. The detection efficiency of each ion at every revolution varied from 20 to 70%, depending on the charge of the ions and the overall number of stored ions. The recording time was 200 μ s triggered by the injection of the ions into the CSRe, which corresponds to ~ 300 revolutions. Several tens of signals could be obtained for each ion during the recording time. They were used to determine the mean revolution time. For this purpose the signals from each ion were fitted by a second order polynomial function with fit coefficients *A*₀, *A*₁, and *A*₂. [13–16, 44]:

$$time = A_0 + A_1 Turn + A_2 Turn^2, \tag{3}$$

where *time* stands for the time after the injection of ions into the ring as measured by the oscilloscope and *turn* indicates the revolution number. The revolution time of the ion is determined as a slope of the fit function (3) at a given turn number:

$$T(Turn) = \frac{d(time)}{d(Turn)} = A_1 + 2A_2Turn$$
(4)

It is clear from equation (4) that the extracted revolution time is different at different turn numbers. The main reason for this is the energy loss of particles in the carbon foil of the TOF detector. The difference of revolution times in two adjacent turns can be written as:

$$\delta T = T(Turn + 1) - T(Turn) = 2A_2.$$
⁽⁵⁾

The relative momentum change of an ion $\delta P/P$ due to the passage through the detector foil is connected to the change in kinetic energy, $\delta E_k/E_k$, as:

$$\frac{\delta P}{P} = \frac{\gamma}{\gamma + 1} \frac{\delta E_k}{E_k},\tag{6}$$

where E_k and δE_k are the kinetic energy and an average energy loss in the foil. The energy loss of ions at each revolution follows the Landau distributions. Since the measurements are performed for several hundreds revolutions, the δE_k represents the average energy loss.

By combining equations (6) and (2) we can rewrite:




Figure 1: (Colour online) Panels (a) and (b) show the distributions of revolution times and A_2 coefficients for ¹⁵O ions, respectively. Experimental and calculated with equation (8) average A_2 coefficients as a function of the revolution time of stored ions are shown in panel (c). The black open rectangles indicate the experimental data acquired for one hour. The red filled circles indicate the calculated results for γ =1.3971 and the thickness of carbon foil $d = 21.6 \ \mu g/cm^2$. The upper and lower dashed lines are for nuclei with $T_z = (N-Z)/2=-1/2$ and $T_z=-1$, respectively. The isochronous setting of the CSRe was optimised for ions around 615 ns.

$$\frac{\delta T}{T} = -\left(\frac{1}{\gamma^2} - \frac{1}{\gamma_t^2}\right) \frac{\gamma}{\gamma + 1} \frac{\delta E_k}{E_k}.$$
(7)

By inserting equation (5) into equation (7), we can get the expression for A_2 coefficient:

$$A_2 = -\frac{1}{2} \left(\frac{1}{\gamma^2} - \frac{1}{\gamma_t^2} \right) \frac{\gamma}{\gamma + 1} \frac{\delta E_k}{E_k} T.$$
(8)

According to equation (8), the A_2 coefficient is determined by the parameters of the ion (the relativistic Lorentz factor γ , the average energy loss δE_k , the kinetic energy E_k , and the revolution time *T*) and by the ring parameter γ_t .

In the case of the CSRe set into the isochronous mode with γ_t =1.395, a reference –isochronous–⁵²Co²⁷⁺ ion with m/q = 1.9240126(3) [45] has the kinetic energy E_k = 372 A MeV. The average energy loss due to a 20 μ g/cm² carbon foil is about δE_k = 0.0416 MeV (0.0008 A MeV) [46]. With the revolution time T = 614184.9 ps, corresponding to the central orbit length of 128801 mm [25], A_2 can be estimated with equation (8) to be about 0.0012 ps/*Turn*².

3. Comparison with experimental data

Each stored nuclide has its specific revolution time determined by its mass-over-charge ratio. The distribution of revolution times and A_2 for ¹⁵O ions are shown in Figure 1 (a) and (b),

respectively. The revolution times spread for ¹⁵O ions is about σ_T =6.9 ps and the average revolution time \overline{T} is 605.9299(7) ns. The A₂ spread for ¹⁵O ions is about σ_{A2} =0.001 ps/Turn² and the average A_2 is -0.0019(1) ps/Turn². The relation between average revolution time of each nuclide and its corresponding average A_2 coefficient is shown in Figure 1 (c). The open rectangles represent the experimental data obtained for one hour at the CSRe [17]. The red filled circles represent results calculated by using equation (8) assuming $\gamma = 1.3971$ and the thickness of carbon foil $d = 21.6 \ \mu g/cm^2$. It is noted that the γ of each ion species was calculated by its average revolution time \overline{T} and central orbit C = 128801 mm. The arrow indicates the ¹⁵O ions. Nuclei belonging to different isospin series, characterised by $T_z = (N - Z)/2$, have different transmissions and mean kinetic energies [47]. Thus, the upper and lower dashed lines are for nuclei with $T_z = -1/2$ and and $T_z = -1$, respectively. The absolute value of the average $\overline{A_2}$ is close to 0 around $\overline{T} = 615$ ns and becomes larger when moving away from it. The calculations qualitatively agree with the experimental data. To quantify the agreement, the χ^2 can be used. It is defined as:

$$\chi^{2} = \sum_{i=1}^{N} \frac{(\overline{A_{2,i}^{exp.}} - A_{2,i}^{theo.})^{2}}{e_{\overline{A_{2,i}^{exp.}}}^{2}}.$$
(9)

Here *i* presents the *i*th nuclide and *N* presents the total number of nuclei in the comparison. The $\overline{A_{2,i}^{exp.}}$ and $A_{2,i}^{theo.}$ are the experimental average and theoretical A_2 coefficient for the *i*th nuclide. The $e_{\overline{A_{2,i}^{exp.}}}$ value is the uncertainty of $\overline{A_{2,i}^{exp.}}$ value for the *i*th nuclide. The χ^2 =15.4 was obtained for the data illustrated in Figure 1.

The sensitivity of calculations to the thickness of carbon foil d and the γ_t can be tested. Four left panels of Figure 2 (a1)-(a4) show the calculations performed for four γ_t values varied from 1.3896 to 1.4046 in steps of 0.0005 and a fixed thickness of carbon foil $d = 21.6 \ \mu g/cm^2$. Since the kinetic energy of the ions is high, the average energy loss can safely be assumed to be proportional to the thickness of the foil. Four right panels of Figure 2 (b1)-(b4) show the calculations performed for four thicknesses of carbon foil varied from $d = 17.1 \ \mu g/cm^2$ to $d = 26.1 \ \mu g/cm^2$ in steps of 3 $\mu g/cm^2$ and a fixed $\gamma_t = 1.3971$.

It can be seen that the description of the experimental data is very sensitive to the assumed thickness of the foil *d* and γ_t . One can employ this sensitivity to estimate both parameters from the measured data. Figure 3 shows the χ^2 values for different *d* and γ_t as a contour plot. The three shown contours illustrate three confidence levels of 68.5%, 95.4% and 99.7%. From the minimum of the χ^2 distribution and one standard deviation ellipse, the thickness of carbon foil $d = 21.6 \pm 1.4 \ \mu g/cm^2$ and $\gamma_t = 1.3971 \pm 0.0005$ can be deduced.

4. Variation of γ_t in time

Due to the instabilities of magnetic fields of the storage ring magnets, the γ_t can vary in time. Therefore, the measured γ_t




Figure 2: (Colour online) The same as Figure 1, but (i) for the fixed foil thickness $d = 21.6 \ \mu g/cm^2$ and four different $\gamma_t = 1.3896$, 1.3946, 1.3996, and 1.4046 (panels (a1)-(a4), respectively), and (ii) for the fixed $\gamma_t = 1.3971$ and four different foil thicknesses d = 17.1, 20.1, 23.1, and 26.1 $\mu g/cm^2$ (panels (b1)-(b4), respectively).




Figure 3: Agreement between experimental and calculated data assuming various thicknesses of carbon foil and the γ values. The χ^2 is defined by equation (9). The three ellipses represent contours for confident levels of 68.5%, 95.4% and 99.7%. The black point indicates the overall χ^2 minimum.




Figure 4: (Colour online) The dependence of γ_i (a) and the thickness of carbon foil *d* (b) as a function of time.

represents the γ_t averaged over the measurement period. Furthermore, there is no information on the dependence of the γ_t as a function of the storage ring acceptance.

Figure 4 shows the behavior of d and γ_t over one day measurement time in one-hour steps as measured for in a recent experiment where the ${}^{52}Co^{27+}$ ions was set as the reference for the isochronous setting [17]. The d and γ_t parameters are deduced at each step from the corresponding minimal χ^2 values. During the time period illustrated in Figure 4, two adjustments of the CSRe were performed. At first, the setting of CSRe quadrupoles was modified at about 11:00 time mark, which is indicated as "Setting 1" in Figure 4. This modification caused the change of γ_t from 1.396 to 1.402. The latter is indicated as "Setting 2" in Figure 4. At about 18:30 time mark, a mechanical slit in the CSRe has been implemented, "Setting-3", which reduced the storage acceptance of the ring. This caused the γ_t change from 1.402 to 1.400. The latter change indicates that the γ_t is not constant over the acceptance of the CSRe. Although the average foil thickness shall not change in time and the value of d can be fixed in the calculations, it will be shown that the developed tool enables us for testing the homogeneity of the foil thickness over the foil area.

The characterisation of isochronous settings is conventionally done by plotting the standard deviations, σ_t , of revolution time distributions of all nuclides versus their mean revolution times. This is illustrated in Figure 5 where the data for settings 1-3 are presented. The best isochronous ions are found at 615.808 ns, 612.977 ns and 613.889 ns, respectively. By taking into account the length of the CSRe central orbital (128801 mm), the corresponding γ_t values are 1.396, 1.402, and 1.400. These rough estimated γ_t values agree well with the ones shown in Figure 4. Although the γ_t changes for different settings, the foil thickness stays within uncertainties, as expected, almost constant. The calculated thickness of the foil is 22.3 \pm 1.3 μ g/cm².

5. Variation of γ_t over the ring acceptance

With the installation of two ToF detectors in the CSRe, the measurements of velocities of each stored ions are enabled. This allows us to independently evaluate the dependence of γ_t on the $\Delta P/P$ or equivalently on the orbital pass length, *C*.




Figure 5: Standard deviations, σ_r , of revolution time distributions of different nuclides as a function of their mean revolution times. Panels (a), (b) and (c) show the data for settings 1, 2 and 3 (see Figure 4), respectively. The insert in (a) shows the revolution time distribution for ⁵⁴Ni ions. The dashed lines indicate the corresponding isochronous settings.




Figure 6: The number of injected ions (a), the γ_t (b) and the foil thickness *d* (c) as a function of orbital length *C'* (see text).

The accuracy of the time determination of a single ToF detector is ~18 ps. The distance between the two ToF detectors is 18034(1) mm, corresponding to the time-of-flight of about 87 ns. The relative accuracy of the velocity measurement is about 1×10^{-4} . The orbital length for each ion can be calculated with [39]:

$$C = vT = \frac{L}{t_2 - t_1 - \Delta t_{cable2-1}}T,$$
 (10)

where C, v, T, L, t_2 , t_1 , $\Delta t_{cable2-1}$ are the orbital length, velocity, revolution time, distance between the two ToF detectors, time measured by the second ToF detector, time measured by the first ToF detector, and time delay due to the different cable lengths between two TOF detectors and the oscilloscope, respectively.

The exact value of $\Delta t_{cable2-1}$ is not available for the presented measurements. It will be accurately determined in the future. In the calculation of the orbital length here we used $\Delta t_{cable2-1} = 0$ ps, which causes the calculated orbit lengths, C', to be shifted from their real values, C. However, the shape of the γ_t as a function of orbital length will be preserved.

The distribution of injected ions as a function of the orbital length is shown in Figure 6 (a). All available data are subdivided into groups according to their orbital lengths. Each bin is about 10 mm. The average γ_t and the foil thickness *d* can be determined for each of these groups. It can be seen in Figure 6 (b) that the γ_t stays nearly constant in the range of orbit lengths from 128700 mm to 128900 mm, and that it changes rapidly for lower orbit lengths.

The thickness of the carbon foil as a function of the orbital length is shown in Figure 6 (c). The mean value is estimated to be $39.2\pm6 \ \mu g/cm^2$, which is reasonable due to the two ToF detectors with two foils of $\sim 20 \ \mu g/cm^2$ each. This technique may be helpful for measurements of the thicknesses of ultra-thin solid foils or internal targets or even rest-gas pressure. Since the orbital length *C* can be translated into the transverse coordinate, the variation of the material thickness in its radial direction might be possible to deduce.

6. Conclusion

An analysis of the acquired experimental data from IMS mass measurements has been performed. The second coefficient, A_2 , of the parabolic fit of the measured time versus the revolution number of the ion in the ring is determined by the relativistic Lorentz factor γ , the kinetic energy E_k , revolution time T, and the average energy loss ΔE_k of the ion as well as by the transition energy of the ring γ_i . By comparing the calculated and experimental A_2 coefficients, the average γ_t and the thickness of the detector foil d can accurately be obtained. By combining the velocity measurement of each stored ion, which became recently enabled in the IMS experiments with two timeof-flight detectors, the dependence of the γ_t as a function of orbital length C can be obtained. Since the online data can directly be used for such investigations, the developed method is expected to be used as an online monitor of the γ_t . In addition, this method may be applied to measure thicknesses of ultra-thin materials.

The presented method is of importance for the future experiments at the presently running storage rings facilities [48]. Furthermore, it is indispensable for the IMS experiments planned at the next-generation radioactive-ion beam facilities FAIR in Germany [49] and HIAF in China [50]. For instance, the IMS measurements are planned in the collector ring, CR, at FAIR [51], where no electron cooling is foreseen. The determination of the γ was proposed based on the variation of the primary beam energy in the main accelerator. Since the installation of two ToF detectors in the CR is foreseen, the characterisation of the γ will be straightforward by using the developed here method.

Acknowledgments

This work is supported in part by National Key R&D Program of China (Contract No. 2016YFA0400504), the NSFC (Grant Nos. 11605252, U1232208, U1432125, 11205205, 11035007, 11605248), the Helmholtz-CAS Joint Research Group HCJRG-108, the External Cooperation Program of the CAS (GJHZ1305), the 973 Program of China (No. 2013CB834401), and by the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No 682841 "ASTRUm").

References

References

- [1] D. Lunney, et al., Rev. Mod. Phys. 75 (2003) 1021.
- [2] K. Blaum, Phys. Rep. 425 (2006) 1.
- [3] K. Blaum and Yu. A. Litvinov (Eds.), "100 Years of Mass Spectrometry", Int. J. Mass Spectr. 349-350 (2013) 1.
- [4] Yu. A. Litvinov, et al., Acta Phys. Polonica B 41 (2010) 511.
- [5] F. Bosch, et al., Prog. Part. Nucl. Phys. 73 (2013) 84.
- [6] Y.H. Zhang, et al., Phys. Scripta 91 (2016) 073002.
- [7] M. Hausmann, et al., Hyp. Int. 132 (2001) 283.
- [8] J. Stadlmann, et al., Phys. Lett. B 586 (2004) 27.
- [9] B. Sun, et al., Nucl. Phys. A 812 (2008) 1.
- [10] R. Knöbel, et al., Eur. Phys. J. A 52 (2016) 138.
- [11] W. Meng, et al., Int. J. Mod. Phys. E 18 (2009) 352.
- [12] X. L. Tu, et al., Nucl. Instr. Meth. Phys. Res. A 654 (2011) 213.
- [13] X. L. Tu, et al., Phys. Rev. Lett. 106 (2011) 112501.
- [14] Y. H. Zhang, et al., Phys. Rev. Lett. 109 (2012) 102501.
- [15] X. L. Yan, et al., Astroph. J. Lett. 766 (2013) L8.
- [16] P. Shuai, et al., Phys. Lett. B 735 (2014) 327.
- [17] X. Xu, et al., Phys. Rev. Lett. 117 (2016) 182503.
- [18] P. Zhang et al., Phys. Lett. B 767 (2017) 20.
- [19] A. Ozawa, et al., Prog. Theor. Exp. Phys. 2012 (2012) 03C002.
- [20] T. Yamaguchi, et al., Int. J. Mass Spectr. 349-350 (2013) 240.
- [21] Y. Yamaguchi, et al., Nucl. Instr. Meth. Phys. Res. B 317 (2013) 629.
- [22] M. Wakasugi, et al., JPS Conf. Proc. 6 (2015) 010020.
- [23] Y. Yamaguchi, et al., Phys. Scripta T 166 (2015) 014056.
- [24] T. Yamaguchi, et al., Phys. Scripta T 166 (2015) 014039.
- [25] J. W. Xia, et al., Nucl. Instr. Meth. Phys. Res. A 488 (2002) 11.
- [26] H. Wollnik, Nucl. Instr. Meth. Phys. Res. A 258 (1987) 289.
- [27] M. Hausmann, et al., Nucl. Instr. Meth. Phys. Res. A 446 (2000) 569.
- [28] B. Franzke, et al., Mass Spectr. Rev. 27 (2008) 428.
- [29] H. Geissel, et al., Annu. Rev. Nucl. Part. Sci. 45 (1995) 163.
- [30] R. J. Chen, et al., Phys. Scripta T 166 (2015) 014044.
- [31] A. Dolinskii, et al., Nucl. Instr. Meth. Phys. Res. A 574 (2007) 207.
- [32] A. Dolinskii, et al., Nucl. Instr. Meth. Phys. Res. B 266 (2008) 4579.
- [33] S. Litvinov, et al., Nucl. Instr. Meth. Phys. Res. A 724 (2013) 20.
- [34] H. Geissel, et al., Hyperfine Int. 173 (2006) 49.

- [35] R. Knöbel, et al., Phys. Lett. B 754 (2016) 288.
- [36] H. Geissel, et al., J. Phys. G 31 (2005) S1779.
- [37] X. L. Yan, et al., Phys. Scripta T 166 (2015) 014045.
- [38] Y. M. Xing, et al., Phys. Scripta T 166 (2015) 014010.
- [39] X. Xu, et al., Chin. Phys. C 39 (2015) 106201.
- [40] P. Shuai, et al., Nucl. Instr. Meth. Phys. Res. B 376 (2016) 311.
- [41] J. Trötscher, et al., Nucl. Instr. Meth. Phys. Res. B 70 (1992) 455.
- [42] B. Mei, et al., Nucl. Instr. Meth. Phys. Res. A 624 (2010) 109.
- [43] W. Zhang, et al., Nucl. Instr. Meth. Phys. Res. A 755 (2014) 38.
- [44] X. L. Tu, et al., Phys. Scripta T 166 (2015) 014009.
- [45] W. J. Huang *et al.*, Chin. Phys. C **41** (2017) 030002.
- [46] O. Tarasov, D. Bazin, Nucl. Instr. Meth. Phys. Res. B 266 (2008) 4657.
- [47] X. L. Tu, et al., Phys. Rev. C 95 (2017) 014610.
- [48] Yu. A. Litvinov, et al., Nucl. Instr. Meth. Phys. Res. B 317 (2013) 603.
- [49] FAIR Baseline Technical Report, 2006,
- http://www.fair-center.eu/fileadmin/fair/publications_FAIR/FAIR_BTR_4.pdf.
- [50] J. Yang, et al., Nucl. Instr. Meth. Phys. Res. B 317 (2013) 263.
- [51] P. M. Walker, et al., Int. J. Mass Spectr. 349-350 (2013) 247.