# Flow of unitary matrices: Real-space winding numbers in one and three dimensions

Fumina Hamano and Takahiro Fukui Department of Physics, Ibaraki University, Mito 310-8512, Japan (Dated: May 22, 2024)

The notion of the flow introduced by Kitaev is a manifestly topological formulation of the winding number on a real lattice. First, we show in this paper that the flow is quite useful for practical numerical computations for systems without translational invariance. Second, we extend it to three dimensions. Namely, we derive a formula of the flow on a three-dimensional lattice, which corresponds to the conventional winding number when systems have translational invariance.

## I. INTRODUCTION

Topological classification of states in condensed matter physics [1–6] has been extended to various systems that are not necessarily so regular. For example, topologically-protected edge modes were reported in geophysics as well as biophysics [7, 8]. In real circumstances such systems are far from regular, which does not allow to calculate the Berry curvature as a function of the wave vectors. Nevertheless, topological protection ensures robustness of the topological edge states. Accordingly, direct computational schemes of topological invariants for various irregular systems have become increasingly important.

For disordered and/or interacting systems, there are many attempts at computing topological invariants in real spaces. One way is the use of the twisted boundary conditions, where twist angles play a role of the wave vectors [9]. However, note that the integration of the Berry curvature over the twist angles has no clear physical reason: Topological numbers should be basically attributed to fixed boundary conditions. Indeed, in the case of the Chern number, if one uses the discretized plaquette method [10] for a sufficiently large system, just one plaquette, in principle, reproduces the correct Chern number [11]. The merit of this method is that it is always integral, and for clean noninteracting systems, it reduces to the topological invariants based on the Berry curvatures. Another way is based on the direct real space representations of topological invariants [12–23]. The Zak phase is the typical example of them [24], which is also the basis of the quantum mechanical theory of electric polarization in crystalline insulators [25, 26]. However, the topological nature of them seems unclear at first sight.

In this paper, we restrict our discussions to winding numbers of unitary matrices in odd dimensions. As mentioned above, such real space representations are more or less based on the quantum mechanical position operators. However, Kitaev [12] has proposed quite useful notion, the flow of the unitary matrices. This is equivalent to the Zak-like representation by the use of the position operators if the systems have translational symmetry. Moreover, the flow in one dimension is manifestly topological. The purpose of the paper is firstly to show the usefulness of the flow also in the practical computations, and secondly to present the three-dimensional extension of the

flow. Recently, a method of computing a winding number in a discretized wave vector space in three dimensions has been proposed in Ref. [27]. The three dimensional flow in this paper is an alternative discrete formulation of the three dimensional winding number.

# II. FLOW OF UNITARY MATRICES IN ONE DIMENSION

In this section, we review the flow of unitary matrices introduced by Kitaev [12], using the Su-Schrieffer-Heeger (SSH) model [28] as a typical example.

#### A. SSH model

Let us start with the generalized SSH model described by the Hamiltonian on an infinite lattice,

$$H = c_A^{\dagger} \Delta c_B + c_B^{\dagger} \Delta^{\dagger} c_A, \tag{1}$$

where  $c_A^{\dagger}=(\ldots,c_{A,-1}^{\dagger},c_{A,0}^{\dagger},c_{A,1}^{\dagger},c_{A,2}^{\dagger},\ldots)$ , and likewise for  $c_B$ , and the hopping matrix  $\Delta$  is defined by

$$\Delta = \begin{pmatrix} \ddots & & & & & \\ & t_1 & & & & \\ & t_2 & t_1 & & & \\ & t_3 & t_2 & t_1 & & & \\ & & t_3 & t_2 & t_1 & & & \\ & & & t_3 & t_2 & t_1 & & \\ & & & & t_3 & t_2 & t_1 & & \\ & & & & & \ddots \end{pmatrix} . \tag{2}$$

Note that  $t_3$  is a specific hopping for a nontrivial high winding number [16, 21]. For the bulk system without disorder, the Fourier transformation gives  $\Delta = t_1 + t_2 e^{ik} + t_3 e^{2ik}$ . Now, let us try to calculate the winding number in the lattice space, using the flow of Kitaev. To this end, let us unitarize the matrix  $\Delta$  by using the singular value decomposition  $\Delta = VGW^{\dagger}$  such that

$$U = VW^{\dagger}. (3)$$

Let us separate the one-dimensional lattice sites labeled by j into two regions, say,  $j \ge 0$  and j < 0 and let us call

them region A = 1 and 2, respectively. Now, according to Kitaev [12], we introduce the flow of U as

$$\mathcal{F}_{1}(U) = \sum_{j \in 1, k \in 2} \left( |U_{jk}|^{2} - |U_{kj}|^{2} \right)$$

$$\equiv \sum_{j \geq 0, k < 0} \left( U_{kj}^{\dagger} U_{jk} - U_{jk}^{\dagger} U_{kj} \right). \tag{4}$$

Let us define the projector onto region 1 as  $\Pi_1 \equiv \Pi$ , where  $\Pi_{ij} = \delta_{ij}$  for  $i \geq 0$  and  $\Pi_{ij} = 0$  otherwise, and the projector onto region 2 as  $\Pi_2 \equiv \mathbb{1} - \Pi$ . Then, the flow can be written as

$$\mathcal{F}_1(U) = \operatorname{Tr}\left(\epsilon^{AB} U^{\dagger} \Pi_A U \Pi_B\right) = \operatorname{Tr}\left(U \Pi U - \Pi\right)$$
$$= \operatorname{Tr} U^{\dagger} [\Pi, U]. \tag{5}$$

When a system has translational invariance, this reduces to Eqs. (A3) and (A5),

$$\mathcal{F}_1(U) = \mathcal{W}_1(U) \equiv \frac{i}{2\pi} \int dq \operatorname{tr} U_q^{\dagger} \partial_q U_q,$$
 (6)

where  $W_1(U)$  is the conventional winding number of the unitary matrix U defined in the Fourier space. In the present case of the SSH model,  $U_q$  is just a single complex number, so that the trace in Eq. (6) is not necessary. Without translational symmetry, the winding number  $W_1$  cannot be defined, whereas the flow  $\mathcal{F}_1$  is well-defined.

For an infinite system, two matrices inside Tr in Eq. (5) are infinite dimensional, so that the Tr operation should be carried out after the subtraction of the two matrices. It should be noted that  $U^{\dagger}\Pi U$  is a projector having 0 or 1 eigenvalues. Thus,  $\mathcal{F}_1$  is integer-valued. Moreover, it is manifestly topological, since even if a site in region 1 is assigned to region 2, the flow is invariant as Kitaev showed [12]. While the flow counts the difference of eigenvalue 1 between  $U^{\dagger}\Pi U$  and  $\Pi$ , we can give an alternative formulation which counts the difference of 0's, as presented in Appendix B. This may be a kind of the index theorem.

As proposed by Kitaev, the above trace can be evaluated as if it were for finite dimensional matrices, when one introduces the truncation projector  $\Pi^{(L)}$ 

$$\mathcal{F}_1 = \operatorname{Tr} \Pi^{(L)} U^{\dagger} \Pi U - \operatorname{Tr} \Pi^{(L)} \Pi, \tag{7}$$

where

$$\Pi_{ij}^{(L)} = \begin{cases} \delta_{ij} & (-L \le i \le L - 1) \\ 0 & (\text{otherwise}) \end{cases}$$
 (8)

This formula may be useful for practical numerical applications, although it spoils the integer nature of  $\mathcal{F}_1$ . Below, let us show some examples.

## 1. Topological phase

The topological phase of the conventional SSH model  $(t_3 = 0)$  is adiabatically deformed to the model with

 $t_1 = 0$  and  $t_2 = 1$  [29]. In this case,  $\Delta$  is already a unitary matrix without using the singular value decomposition (3), and we find

$$U^{\dagger}\Pi U = \begin{pmatrix} \ddots & & & & \\ & 0 & & & \\ & & 1 & & \\ & & & 1 & \\ & & & 1 & \\ & & & 1 & \\ & & & 1 & \\ & & & 1 & \\ & & & \ddots & \\ & \equiv \operatorname{diag}(\dots, 0, 0, 1 | 1, 1, 1, \dots), \\ \Pi = \operatorname{diag}(\dots, 0, 0, 0 | 1, 1, 1, \dots), \tag{9}$$

where the straight lines in the matrix stand for the boundaries separated by  $\Pi_{1,2}$ . Thus, we have  $\mathcal{F}_1 = 1$ .

#### 2. Trivial phase

Let us set  $t_2 = 0$  and  $t_1 = 1$ . Then,  $\Delta = 1$  is a unitary matrix. In this case,  $U^{\dagger}\Pi U = \Pi$ . Thus, we have  $\mathcal{F}_1 = 0$ .

# B. Finite systems with the periodic boundary condition

For numerical calculations, we inevitably use finite systems. With the periodic boundary condition,  $\Delta$  in Eq. (2) becomes

$$\Delta = \begin{pmatrix} t_1 & & & t_3 & t_2 \\ t_2 & t_1 & & & & t_3 \\ t_3 & t_2 & t_1 & & & \\ & & \ddots & & & \\ & & t_2 & t_1 & & \\ & & & t_3 & t_2 & t_1 \\ & & & & t_3 & t_2 & t_1 \end{pmatrix}. \tag{10}$$

Let us assume that the number of the unit cells of the SSH model is finite, 2N. The matrix  $\Delta$  is then  $2N \times 2N$  matrix. Let us separate the sites into two sets  $0 \le j \le N-1$  and  $-N \le j \le -1$ , called region 1 and 2, respectively, and introduce corresponding projectors  $\Pi_1 \equiv \Pi$  and  $\Pi_2 \equiv 1 - \Pi$ , similarly in the infinite system.

### 1. Topological phase

As in the case of the infinite lattice, the matrix U with winding number 1 is adiabatically deformed into

$$U = \begin{pmatrix} 0 & & & 1 \\ 1 & 0 & & & \\ & 1 & 0 & & \\ & & \ddots & & \\ & & & 0 & \\ & & & 1 & 0 \\ & & & 1 & 0 \end{pmatrix}. \tag{11}$$

The top right matrix element  $U_{-N,N-1}=1$  is due to the periodic boundary condition. This matrix U is unitary, and we have

$$U^{\dagger}\Pi U = \text{diag}(0, 0, \dots, 0, 1|1, 1, \dots, 1, 0), \tag{12}$$

The finite size effect is manifest as the matrix element  $(U^{\dagger}\Pi U)_{N-1,N-1} = 0$  (the last 0 in the above): For the infinite 1D chain, the projector  $\Pi$  chooses the space  $j \geq 0$  which has only one boundary at j=0, whereas in the periodic chain, the projector gives rise to two boundaries. Therefore, we have  $\mathcal{F}_1 = 0$  for the finite size system even for the SSH model in the topological phase. This is also expected from the conventional identity associated with the trace,  $\operatorname{Tr} U^{\dagger}\Pi U = \operatorname{Tr} UU^{\dagger}\Pi = \operatorname{Tr}\Pi$ , holds for finite dimensional matrices. Nevertheless, the truncation projector  $\Pi^{(L)}$  in (8) is useful, in practice, even for finite systems. Namely, we have for Eq. (12),

$$\mathcal{F}_1 = \operatorname{Tr} \Pi^{(L)} (U^{\dagger} \Pi U - \Pi) = 1, \tag{13}$$

where  $\Pi^{(L)}$  is defined by Eq. (8), if one chooses L as  $1 \le L \le N - 1$ .




FIG. 1: The flow (13) as a function of the truncation size L for the finite unitary matrix (10) under the periodic boundary condition with  $t_2 = 1.5, 1.05, 0.95, 0.5$ . The other parameters  $t_1 = 1$  and  $t_3 = 0$  and the system size 2N = 100 are fixed.  $\mathcal{F}_1 = 0$  at L = N reflects the fact that finite size systems always show the trivial flow without the truncation.

In Fig. 1, we show the flow as a function of the truncation size L near the SSH transition point  $t_1 = t_2$  ( $t_3 = 0$ ).

It turns out that the flow does not so strongly depend on L, and the size,  $L \sim N/2$ , may be suitable to reproduce the correct topological transition.

## C. Application to the SSH model with disorder




FIG. 2: The flow as a function of the disorder strength W of the generalized SSH model with size  $2N=100,\,200,\,300$  and 500 averaged over 100 ensembles.

As an example of the calculation of the flow, we examine the generalized SSH model studied in [16, 21], which gives topological transition due to disorder. We set

$$t_{1,j} = 0 + \delta t_{1,j},$$
  

$$t_{2,j} = 1 + \delta t_{2,j},$$
  

$$t_{3} = -2,$$
(14)

where  $\delta t_{1,j} \in [-W/2, W/2]$  and  $\delta t_{2,j} \in [-W/4, W/4]$  are random parameters. In Fig. 2, we show the flow  $\mathcal{F}_1$  as a function of the disorder strength for the generalized SSH model. It turns out that the flow can reveal the topological transitions quantitatively, and thus the truncation scheme works around the transition points of dirty systems.

## III. FLOW IN THREE DIMENSIONS

The flow introduced by Kitaev is basically for one dimension, but the same idea leads to the Chern number in two dimensions, which is represented by the projectors to the occupied states on a lattice [12]. In this section, we further generalize the flow to three dimensions, and derive the real space winding number on a three dimensional lattice.

## A. Winding number

Let  $U_q$  be a unitary matrix as a function of the wave vector  $q = (q_x, q_y, q_z)$ . Then, the winding number of  $U_q$ is defined by

$$W_3(U) = \frac{1}{24\pi^2} \int d^3q \epsilon^{\mu\nu\rho} \operatorname{tr} \left( U^{\dagger} \partial_{\mu} U U^{\dagger} \partial_{\nu} U U^{\dagger} \partial_{\rho} U \right), \tag{15}$$

where  $\partial_{\mu} \equiv \partial_{q_{\mu}}$ . On a lattice, the site-dependence of the matrix U is generically denoted as  $U_{jk}$ , where  $j=(j_x,j_y,j_z)$  and k label two sites. In the present case with translational invariance, we assume  $U_{jk}=U_{j-k}$ . Then,  $U_{j-k}$  is related with  $U_q$  via the Fourier transformation,

$$U_{j-k} = \int_{-\pi}^{\pi} \frac{d^3 q}{(2\pi)^3} e^{iq \cdot (j-k)} U_q.$$
 (16)

Using Eq. (A5), the winding number (15) can be rewritten in the real space as

$$W_3(U) = \frac{\pi i}{3} \operatorname{tr} \left( \epsilon^{\mu\nu\rho} U^{\dagger}[X_{\mu}, U] U^{\dagger}[X_{\nu}, U] U^{\dagger}[X_{\rho}, U] \right), \tag{17}$$

where  $X_{\mu,ij} = i_{\mu}\delta_{ij}$  is the position operator. Equation (A3) further leads to

$$\mathcal{W}_{3}(U) = \frac{\pi i}{3} \operatorname{Tr} \left( \epsilon^{\mu\nu\rho} U^{\dagger} [\Pi_{\mu}, U] U^{\dagger} [\Pi_{\nu}, U] U^{\dagger} [\Pi_{\rho}, U] \right) 
= -\frac{\pi i}{3} \operatorname{Tr} \left( \epsilon^{\mu\nu\rho} U^{\dagger} \Pi_{\mu} U \Pi_{\nu} U^{\dagger} \Pi_{\rho} U \right) 
\equiv -\frac{\pi i}{3} w_{3}(U, \Pi_{x}, \Pi_{y}, \Pi_{z})$$
(18)

where  $\Pi_{\mu}$  is the projector onto the nonnegative  $\mu$ -direction,  $(\Pi_{\mu})_{jk} = \delta_{jk}$  for  $j_{\mu} \geq 0$  and = 0 otherwise.

# B. Flow

Let us separate the three-dimensional lattice spanned by  $j=(j_x,j_y,j_z)$  into four regions denoted by A=1,2,3,4 and introduce corresponding projectors  $\Pi_A$ . For example, we can choose each region such that  $j_x\geq 0, j_y\geq 0, j_z<0$   $(A=1), j_x<0, j_y\geq 0, j_z<0$   $(A=2), j_z\geq 0$  (A=3), and  $j_y<0, j_z<0$  (A=4). We assume  $\Pi_A\Pi_B=\delta_{AB}\Pi_A$  and  $\sum_A\Pi_A=1$  with A=1,2,3,4, for simplicity. Define the flow by

$$\mathcal{F}_3(U) = -2\pi i \operatorname{Tr} \left( \epsilon^{ABCD} U^{\dagger} \Pi_A U \Pi_B U^{\dagger} \Pi_C U \Pi_D \right). \tag{19}$$

This may be a generalized definition of the flow (5) to three dimensions. Using  $\Pi_4 = 1 - (\Pi_1 + \Pi_2 + \Pi_3)$ , we have

$$\mathcal{F}_3(U) = -2\pi i \operatorname{Tr} \left( \epsilon^{ABC} U^{\dagger} \Pi_A U \Pi_B U^{\dagger} \Pi_C U \right),$$
  

$$\equiv -2\pi i f_3(U, \Pi_1, \Pi_2, \Pi_3)$$
(20)

where A, B, C are restricted to A, B, C = 1, 2, 3. What is important here is that any two regions among 1,2,3, and 4 share not only lines but also finite areas around generic contact point of all the regions 1,2,3, and 4. Then, the flow is kept unchanged under the deformation of the regions, as shown in Appendix C. In this sense, we claim that the flow defined above is manifestly topological.

So far we have defined the winding number (18) and the flow (20) in three dimensions. Next, we have to consider the relationship between  $w_3$  and  $f_3$ . The projector  $\Pi_x$  is divided into

$$\Pi_x = \sum_{i,j=\pm} \Pi_{+ij}.$$
 (21)

where  $\Pi_{+++}$  is the projector onto  $j_x \geq 0$ ,  $j_y \geq 0$ , and  $j_z \geq 0$ ,  $\Pi_{++-}$  is the projector onto  $j_x \geq 0$ ,  $j_y \geq 0$ , but  $j_z < 0$ , and so on. Then, we obtain

$$w_3(U,\Pi_x,\Pi_y,\Pi_z) = \sum_{i,j,k,l,m,n=\pm} w_3(U,\Pi_{+ij},\Pi_{k+l},\Pi_{mn+}),$$
(22)

In this summation, contributions are three kinds,  $\pm f_3/2$  and zero. To be concrete, let us assign the vector  $v_{ijk} = (i, j, k)^T$  for  $\Pi_{ijk}$ , where  $\pm$  in  $\Pi_{ijk}$  mean  $\pm 1$  in (i, j, k), and calculate the determinant  $\det(v_{+ij}, v_{k+l}, v_{mn+})$ . If it vanishes, corresponding  $w_3$  vanishes. For nonzero determinant, let us define the sign of the determinant, s. Then, we have  $w_3(\Pi_{+ij}, \Pi_{k+l}, \Pi_{mn+}) = s f_3/2$ . Exceptions are the cases where three regions spanned by three projectors  $\Pi_{+ij}, \Pi_{k+l}$ , and  $\Pi_{mn+}$  separate the remaining region into two disconnected regions such as  $\Pi_{++-}, \Pi_{-++}$ , and  $\Pi_{+-+}$ . These are vanishing, even though the determinants are finite. Thus, in the summation above, there are 15 positive-sign terms and 3 negative-sign terms which give finite contributions. We finally reach

$$w_3(U,\Pi_x,\Pi_y,\Pi_z) = 6f_3(U,\Pi_1,\Pi_2,\Pi_3),$$
 (23)

from which it follows

$$\mathcal{F}_3(U) = \mathcal{W}_3(U). \tag{24}$$

Note that the flow (20) is well-defined in the absence of translational symmetry. As in the case of one dimension, for numerical computations using finite size systems, the flow in three dimensions also vanishes trivially. Nevertheless, as discussed in Sec. IIB, the truncation scheme enables to obtain an approximate winding number. Namely,

$$\mathcal{F}_3(U) = -2\pi i \operatorname{Tr} \left( \epsilon^{ABC} \Pi^{(L)} U^{\dagger} \Pi_A U \Pi_B U^{\dagger} \Pi_C U \right),$$
(25)

is useful for numerical computations, where for simplicity, we assume the truncation projector  $\Pi^{(L)}$  as

$$\Pi_{ij}^{(L)} = \begin{cases}
\delta_{ij} & (-L \le i_x, i_y, i_z \le L - 1) \\
0 & (\text{otherwise})
\end{cases}$$
(26)

for a finite lattice system,  $-N \leq i_x, i_y, i_z \leq N-1$ .




FIG. 3: The flow  $\mathcal{F}_3$  for (N,L)=(3,2), (4,3), (4,2), and (5,2) systems. The blue straight lines show the exact winding numbers,  $\mathcal{W}_3=-2,1,0$  for |m|<1,1<|m|<3, and 3<|m|, respectively, where we have set t=b=1.

# C. Application to the Wilson-Dirac model

Recently, Shiozaki examined the Wilson-Dirac operator for his discrete formula of the winding number [27]. Let us compute the flow of the same model to check the validity of Eq. (25). The Wilson-Dirac operator is defined by

$$D = t\sigma^{\mu} \sin k_{\mu} - i(m + b \sum_{\mu} \cos k_{\mu})$$
$$= \frac{t}{2i} \sigma^{\mu} (\delta_{\mu} - \delta_{\mu}^{*}) - i \left[ m + \frac{b}{2} \sum_{\mu} (\delta_{\mu} + \delta_{\mu}^{*}) \right]. \quad (27)$$

The second line above is the operator represented on the lattice denoted by the forward and backward shift operators to the  $\mu$  direction,  $\delta_{\mu}f_{j} = f_{j+\hat{\mu}}$  and  $\delta_{\mu}^{*}f_{j} = f_{j-\hat{\mu}}$ , where  $\hat{\mu}$  is the unit vector toward  $\mu$  direction.

In Fig. 3, we show numerical results of the flow for the Wilson-Dirac operator (27) unitarized by the use of the singular value decomposition. Contrary to the case of one dimension, the number of lattice sites to each direction are very limited. Nevertheless, it turns out that the exact winding number is qualitatively reproduced as a function of m.

# IV. SUMMARY AND DISCUSSIONS

The flow of a unitary matrix introduced by Kitaev is a manifestly topological formulation of the winding number represented on a real lattice. Applying to a disordered model with topological transitions, we showed that the flow is quite useful for numerical computations with a suitable truncation scheme. We also extended the notion of the flow into three dimensions. In such a three dimensional formulation, our formula reproduces a qualitative feature of the winding number for the Wilson-Dirac operator. However, to reveal the quantitative properties,

e.g. a topological transition of a dirty system, requires numerical ingenuity.

### Acknowledgments

This work was supported in part by a Grant-in-Aid for Scientific Research (22K03448) from the Japan Society for the Promotion of Science.

#### Appendix A: Projectors and position operators

Let i denote a site on a lattice. For the time being, we consider the one-dimensional case. Let  $\theta_i$  be the discrete step function defined by  $\theta_i = 1$  for  $i \geq 0$  and  $\theta_i = 0$  for i < 0. Then, the projection operator can be written as  $\Pi_{ij} = \theta_i \delta_{ij}$ . Let X be the position operator defined by  $X_{ij} = i\delta_{ij}$ . Let  $A_{ij}$  and  $B_{ij}$  be matrices which depend on the i and j sites. Then, we have

$$[\Pi, B]_{ij} = (\theta_i - \theta_j) B_{ij}$$
  

$$[X, B]_{ij} = (i - j) B_{ij}.$$
(A1)

Thus,

$$(A[\Pi, B])_{ij} = \sum_{k} A_{ik} (\theta_k - \theta_j) B_{kj},$$
  
 $(A[X, B])_{ij} = \sum_{k} A_{ik} (k - j) B_{kj}.$  (A2)

For a system with translational invariance, we assume  $A_{ij} = A_{i-j}$ . Let Tr be the trace over the matrix  $A_{ij}$  as well as over the site i, i.e.,  $\operatorname{Tr} A = \sum_i \operatorname{tr} A_{ii}$ . Then,

$$\operatorname{Tr}(A[\Pi, B]) = \sum_{i,k} \operatorname{tr} A_{i-k}(\theta_k - \theta_i) B_{k-i}$$

$$= \sum_{i,k} \operatorname{tr} A_{-k}(\theta_{i+k} - \theta_i) B_k$$

$$= \sum_{i,k} \operatorname{tr} A_{-k} k B_k = \operatorname{tr}(A[X, B]), \quad (A3)$$

where we have used  $\sum_{i} (\theta_{i+j} - \theta_{i+k}) = j - k$ . Note that the last equation does not depends on i for translational invariance, as can be seen from Eq. (A2) in the case of i = j.

Translational invariance also enables to make the Fourier transformation

$$A_j = \int_{-\pi}^{\pi} \frac{dq}{2\pi} e^{iqj} A_q. \tag{A4}$$

It follows that

$$\operatorname{tr}(A[X,B]) = \frac{i}{2\pi} \int_{-\pi}^{\pi} dq \operatorname{tr} A_q \partial_q B_q.$$
 (A5)

The above  $\Pi$ -X correspondence (A3) is valid only in the case of the trace of matrices including a single commutator of  $\Pi$  and X. In the three dimensional case, the

winding number has three commutators of  $X_{\mu}$  and  $\Pi_{\mu}$ , but they are different directions. Therefore, Eq. (A3) can be applied.

# Appendix B: The flow represented by zero modes

Given a unitary matrix, we can define a Hermitian matrix in doubly extended space. In this section, we show that the flow has an intimate relationship with the zero modes of such a Hermitian matrix. It may be a kind of the index theorem.

From a unitary matrix (3), let us define the Hermitian operator (or the SSH-like Hamiltonian but with the projector) as

$$\begin{split} H &= \left( \begin{array}{c} \Pi U \\ U^{\dagger} \Pi \end{array} \right) \\ &= \left( \begin{array}{c} \Pi \\ \mathbb{1} \end{array} \right) \left( \begin{array}{c} U \\ U^{\dagger} \end{array} \right) \left( \begin{array}{c} \Pi \\ \mathbb{1} \end{array} \right). \end{split} \tag{B1}$$

For a while, we consider the infinite system in Sec. II B. This operator H has chiral symmetry

$$\Gamma H \Gamma^{-1} = -H, \quad \Gamma \equiv \begin{pmatrix} \mathbb{1} \\ -\mathbb{1} \end{pmatrix},$$
 (B2)

where 1 stands for the identity matrix in the space of U. Note that

$$H^2 = \begin{pmatrix} \Pi \\ U^{\dagger} \Pi U \end{pmatrix}. \tag{B3}$$

Then, the flow (5) can be written by

$$\mathcal{F}_1 = -\widetilde{\operatorname{Tr}} \, \Gamma H^2,$$
 (B4)

where  $\widetilde{\text{Tr}}$  stands for the trace in the extended space. Using  $\widetilde{\text{Tr}} \Gamma = 0$ , we have

$$\mathcal{F}_1 = \widetilde{\operatorname{Tr}} \, \Gamma(1 - H^2).$$
 (B5)

The operator H has eigenvalues  $\pm 1$  and 0. Let  $\varphi_n$   $(n=1,2,\ldots)$  be the wave function of H with eigenvalues 1. Then, because of chiral symmetry, the wave functions with eigenvalue -1 denoted by  $\varphi_{-n}$  can be given by  $\varphi_{-n} = \Gamma \varphi_n \ (n=1,2,\ldots)$ . Namely, the  $\pm 1$  energy states are always paired. Let  $\varphi_{0m} \ (m=1,2,\ldots)$  be the wave function of H with eigenvalue 0. Such zero energy states can be chosen as the eigenstates of  $\Gamma$ . Therefore, the zero modes are classified as  $\varphi_{0m}^{\pm}$ , where  $\Gamma \varphi_{0m}^{\pm} = \pm \varphi_{0m}^{\pm}$ . To be concrete, they are solutions of

$$U^{\dagger} \Pi \varphi_{0m}^{+} = 0, \quad \Pi U \varphi_{0m}^{-} = 0.$$
 (B6)

Using the eigenfunctions, the flow can be expressed as

$$\mathcal{F}_1 = \sum_{m} \varphi_{0m}^{\dagger} \Gamma \varphi_{0m} = \#(+) - \#(-).$$
 (B7)

Namely, the flow is just the difference of the numbers of the zero modes of H. However, note that this is just a formal result, since  $\#(\pm)$  are respectively infinite. Therefore, some regularization should be needed. Moreover, the flow vanishes for finite systems.

For practical purposes, the truncation scheme mentioned in the text is also useful:

$$\mathcal{F}_{1} = \widetilde{\operatorname{Tr}} \, \Gamma \widetilde{\Pi}^{(L)} (1 - H^{2})$$

$$= \sum_{m} \varphi_{0m} \Gamma \widetilde{\Pi}^{(L)} \varphi_{0m}$$

$$= \sum_{m} \varphi_{0m}^{+} \widetilde{\Pi}^{(L)} \varphi_{0m}^{+} - \sum_{m} \varphi_{0m}^{-} \widetilde{\Pi}^{(L)} \varphi_{0m}^{-}, \qquad (B8)$$

where  $\widetilde{\Pi}^{(L)} \equiv \operatorname{diag}(\Pi^{(L)}, \Pi^{(L)})$  stands for the projector  $\Pi^{(L)}$  extended to the doubled space of H. This formula is valid for finite systems.

#### Appendix C: Flow as a topological invariance

We show that the flow in three dimensions is manifestly topological. To this end, let us define a current in three dimensions,

$$f_{i_1 i_2 i_3 i_4} = \epsilon^{abcd} U_{i_a i_b}^{\dagger} U_{i_b i_c} U_{i_c i_d}^{\dagger} U_{i_d i_a},$$
 (C1)

where  $i_a$  (a = 1, 2, 3, 4) specifies a site in three dimensions. By definition,  $f_{i_1 i_2 i_3 i_4}$  is antisymmetric in all four indices  $i_a$ . We first show that the current is conserved at each site,

$$\sum_{i_{4}} f_{i_{1}i_{2}i_{3}i_{4}}$$

$$= \epsilon^{abc} \left[ U_{i_{a}i_{b}}^{\dagger} U_{i_{b}i_{c}} U_{i_{c}i_{4}}^{\dagger} U_{i_{4}i_{a}} - U_{i_{a}i_{b}}^{\dagger} U_{i_{b}i_{4}} U_{i_{4}i_{c}}^{\dagger} U_{i_{c}i_{a}} + U_{i_{a}i_{b}}^{\dagger} U_{i_{b}i_{c}} U_{i_{c}i_{a}} - U_{i_{4}i_{a}}^{\dagger} U_{i_{a}i_{b}} U_{i_{b}i_{c}}^{\dagger} U_{i_{c}i_{4}} \right]$$

$$= \epsilon^{abc} \left[ U_{i_{a}i_{b}}^{\dagger} U_{i_{b}i_{a}} \delta_{i_{a}i_{c}} - U_{i_{a}i_{b}}^{\dagger} U_{i_{b}i_{a}} \delta_{i_{b}i_{c}} + U_{i_{a}i_{c}}^{\dagger} U_{i_{c}i_{a}} \delta_{i_{a}i_{b}} - U_{i_{b}i_{a}}^{\dagger} U_{i_{a}i_{b}} \delta_{i_{a}i_{c}} \right]$$

$$= \epsilon^{abc} \delta_{i_{a}i_{c}} \left[ U_{i_{a}i_{b}}^{\dagger} U_{i_{b}i_{a}} + U_{i_{b}i_{a}}^{\dagger} U_{i_{a}i_{b}} - U_{i_{b}i_{a}}^{\dagger} U_{i_{a}i_{b}} \right]$$

$$= 0, \qquad (C2)$$

where a, b, c are restricted to 1,2,3. Using the current, we can write the flow  $\mathcal{F}_3$  such that

$$\mathcal{F}_3(U) = 2\pi i \sum_{i_1 \in 1} \sum_{i_2 \in 2} \sum_{i_3 \in 3} \sum_{i_4 \in 4} f_{i_1 i_2 i_3 i_4}, \quad (C3)$$

where 1, 2, 3, 4 stand for the regions in the three dimensional lattice introduce above Eq. (19).

Next, let us show that the flow (C3) is topological, since the flow is invariant even if a site in a region is assigned to another region, implying that the flow does not depend on the detailed shapes of regions 1,2,3, and 4. Let  $i_0 \in 1$  be a site in region 1, and let 1' be the set of sites in region 1 except for  $i_0$ , i.e.,  $1 = i_0 + 1'$ . Then,

$$\mathcal{F}_3 = 2\pi i f_{1234} \equiv 2\pi i \left( f_{1'234} + f_{i_0234} \right), \qquad (C4)$$

where  $f_{1ijk} = \sum_{l \in I} f_{lijk}$ , and so on. Let us assign  $i_0$  in region 2. Then, the flow becomes

$$\mathcal{F}_{3}' = 2\pi i \left( f_{1'234} + f_{1'i_{0}34} \right). \tag{C5}$$

The difference is

$$\mathcal{F}_{3} - \mathcal{F}_{3}' = 2\pi i \left( f_{i_{0}234} - f_{1'i_{0}34} \right)$$
$$= 2\pi i \left( f_{i_{0}234} + f_{i_{0}1'34} \right) \tag{C6}$$

On the other hand, the conservation of the current (C2)

can be written as

$$f_{1'jkl} + f_{i_0jkl} + f_{2jkl} + f_{3jkl} + f_{4jkl} = 0,$$
 (C7)

for fixed j, k, l, when  $i_0 \in 1$ . Sum over  $j \in 3$  and  $k \in 4$  in the above conservation law yields

$$0 = f_{1'34l} + f_{i_034l} + f_{234l} + f_{334l} + f_{434l}$$
  
=  $f_{1'34l} + f_{i_034l} + f_{234l}$ . (C8)

Setting  $l = i_0$ , we have

$$0 = f_{1'34i_0} + f_{i_034i_0} + f_{234i_0} = f_{1'34i_0} + f_{234i_0}$$
 (C9)

It follows from Eq. (C6) that  $\mathcal{F}_3 = \mathcal{F}_3'$ .

- [1] M. R. Zirnbauer, Journal of Mathematical Physics 37, 4986 (1996), URL https://doi.org/10.1063/1.531675.
- [2] A. Altland and M. R. Zirnbauer, Physical Review B 55, 1142 (1997), URL http://link.aps.org/doi/10.1103/ PhysRevB.55.1142.
- [3] A. P. Schnyder, S. Ryu, A. Furusaki, and A. W. W. Ludwig, Physical Review B 78, 195125 (2008), URL http://link.aps.org/doi/10.1103/PhysRevB.78.195125.
- [4] A. Kitaev (2009), 0901.2686, URL http://arXiv.org/ abs/0901.2686.
- [5] J. C. Y. Teo and C. L. Kane, Physical Review B 82 (2010), URL http://link.aps.org/doi/10.1103/ PhysRevB.82.115120.
- [6] K. Shiozaki and M. Sato, Physical Review B 90, 165114 (2014), URL https://link.aps.org/doi/10. 1103/PhysRevB.90.165114.
- [7] P. Delplace, J. B. Marston, and A. Venaille, Science 358, 1075 (2017), URL https://science.sciencemag.org/ content/sci/358/6366/1075.full.pdf.
- [8] L. Yamauchi, T. Hayata, M. Uwamichi, T. Ozawa, and K. Kawaguchi, Chirality-driven edge flow and non-hermitian topology in active nematic cells (2020), 2008.10852.
- [9] Q. Niu, D. Thouless, and Y.-S. Wu, Physical Review B 31, 3372 (1985), URL http://link.aps.org/doi/10. 1103/PhysRevB.31.3372.
- [10] T. Fukui, Y. Hatsugai, and H. Suzuki, Journal of the Physical Society of Japan 74, 1674 (2005), URL http: //dx.doi.org/10.1143/JPSJ.74.1674.
- [11] K. Kudo, H. Watanabe, T. Kariyado, and Y. Hatsugai, Phys. Rev. Lett. 122, 146601 (2019), URL https:// link.aps.org/doi/10.1103/PhysRevLett.122.146601.
- [12] A. Kitaev, Annals of Physics 321, 2 (2006), cond-mat/0506438, URL http://arXiv.org/abs/cond-mat/0506438.
- [13] E. Prodan, Phys. Rev. B 80, 125327 (2009), URL https: //link.aps.org/doi/10.1103/PhysRevB.80.125327.
- [14] E. Prodan, New Journal of Physics 12, 065003 (2010), URL https://dx.doi.org/10.1088/1367-2630/ 12/6/065003.
- [15] R. Bianco and R. Resta, Phys. Rev. B 84, 241106 (2011), URL https://link.aps.org/doi/10.1103/PhysRevB.

- 84.241106
- [16] J. Song and E. Prodan, Phys. Rev. B 89, 224203 (2014), URL https://link.aps.org/doi/10.1103/PhysRevB. 89.224203.
- [17] M. D. Caio, G. Möller, N. R. Cooper, and M. J. Bhaseen, Nature Physics 15, 257 (2019), URL https://doi.org/ 10.1038/s41567-018-0390-7.
- [18] B. Irsigler, J.-H. Zheng, and W. Hofstetter, Phys. Rev. A 100, 023610 (2019), URL https://link.aps.org/doi/ 10.1103/PhysRevA.100.023610.
- [19] A. Marrazzo and R. Resta, Phys. Rev. Lett. 122, 166602 (2019), URL https://link.aps.org/doi/10. 1103/PhysRevLett.122.166602.
- [20] U. Gebert, B. Irsigler, and W. Hofstetter, Phys. Rev. A 101, 063606 (2020), URL https://link.aps.org/doi/ 10.1103/PhysRevA.101.063606.
- [21] L. Lin, Y. Ke, and C. Lee, Phys. Rev. B 103, 224208 (2021), URL https://link.aps.org/doi/10. 1103/PhysRevB.103.224208.
- [22] J. Sykes and R. Barnett, Phys. Rev. B 103, 155134 (2021), URL https://link.aps.org/doi/10. 1103/PhysRevB.103.155134.
- [23] A. L. C. Hayward, E. Bertok, U. Schneider, and F. Heidrich-Meisner, Phys. Rev. A 103, 043310 (2021), URL https://link.aps.org/doi/10.1103/PhysRevA. 103.043310.
- [24] J. Zak, Physical Review Letters 62, 2747 (1989), URL http://link.aps.org/doi/10.1103/PhysRevLett.62. 2747.
- [25] R. D. King-Smith and D. Vanderbilt, Physical Review B 47, 1651 (1993), URL https://link.aps.org/doi/10. 1103/PhysRevB.47.1651.
- [26] D. Vanderbilt and R. D. King-Smith, Physical Review B 48, 4442 (1993), URL http://link.aps.org/doi/10. 1103/PhysRevB.48.4442.
- [27] K. Shiozaki, A discrete formulation for three-dimensional winding number (2024), 2403.05291.
- [28] W. P. Su, J. R. Schrieffer, and A. J. Heeger, Physical Review Letters 42, 1698 (1979), URL https://link.aps.org/doi/10.1103/PhysRevLett.42.1698.
- [29] S. Ryu and Y. Hatsugai, Physical Review Letters 89, 077002 (2002), URL http://link.aps.org/doi/10.

1103/PhysRevLett.89.077002.