Wideband tunable cavity development for axion dark matter searches using a piezoelectric motor in combination with gears

A. K. Yi, a,1 T. Seong, b,1 S. Lee, b S. Ahn, b B. I. Ivanov, b S. V. Uchaikin, b B. R. Ko, d,2 and Y. K. Semertzidis b,c

E-mail: brko@korea.ac.kr

ABSTRACT: Most search experiments sensitive to quantum chromodynamics axion dark matter benefit from microwave cavities, as electromagnetic resonators, that enhance the detected axion signal power and thus the experimental sensitivity drastically. As the possible axion mass spans multiple orders of magnitude, microwave cavities must be tunable and it is desirable for the cavity to have a tunable frequency range that is as wide as possible. Since the tunable frequency range generally increases as the dimension of the conductor tuning rod increases for a given cylindrical conductor cavity system, we developed a cavity system with a large dimensional tuning rod in order to increase this. We, for the first time, employed not only a piezoelectric motor, but also gears to drive a large and accordingly heavy tuning rod, where such a combination to increase driving power can be adopted for extreme environments as is the case for axion dark matter experiments: cryogenic, high-magnetic-field, and high vacuum. Thanks to such higher power derived from the piezoelectric motor and gear combination, we realized a wideband tunable cavity whose frequency range is about 42% of the central resonant frequency of the cavity, without sacrificing the experimental sensitivity too much.

^aSLAC National Accelerator Laboratory, 2575 Sand Hill Rd., Menlo Park, California 94025, USA

^b Center for Axion and Precision Physics Research (CAPP), Institute for Basic Science (IBS), Daejeon 34051, Republic of Korea

^cDepartment of Physics, Korea Advanced Institute of Science and Technology (KAIST), Daejeon 34141, Republic of Korea

^dDepartment of Accelerator Science, Korea University, Sejong 30019, Republic of Korea

¹These authors contributed equally.

²Corresponding author

| C | ontents | |
|---|--|---|
| 1 | Introduction | 1 |
| 2 | Cavity system | 2 |
| 3 | Heating from the piezoelectric motor operation | 4 |
| 4 | Validation of the cavity performance | 6 |
| | 4.1 $Q_0(\nu)$ measurements | 6 |
| | 4.2 Δv measurements | 7 |
| 5 | Summary | 9 |

1 Introduction

The quantum chromodynamics (QCD) axion or axion [1, 2] is a very natural solution for the strong CP problem in the Standard Model of particle physics (SM) [3–7] proposed by Peccei and Quinn [8], and is predicted to be massive, stable, cold, and weakly interacting with the SM [9–11]. Such axion characteristics meet those of cold dark matter (CDM) which is believed to constitute about 85% of the matter in our Universe [12]. The QCD axion is one of the leading CDM candidates and in this context is referred to as axion dark matter and the axion haloscope search [13, 14] is the only search method sensitive to axion dark matter to date thanks to resonant conversion from axions to photons with help from a resonant cavity when the axion mass m_a matches the cavity mode frequency v, $m_a = hv/c^2$.

As the unknown axion mass and resonant conversion by the microwave cavity are the most important factors for this search, the figure of merit in axion haloscope searches is the scanning rate [15] proportional to $B^4V^2C_{\text{mode}}^2Q_{L_{\text{mode}}}/T_n^2$, where B is the magnetic field inside the cavity volume, V is the cavity volume, C_{mode} is the cavity mode-dependent form factor [16], $Q_{L_{\text{mode}}}$ is the loaded quality factor of the cavity mode, and T_n is the system noise temperature. Among those parameters, the cavity is related to the parameters V, C_{mode} , and $Q_{L_{\text{mode}}}$. The cavity geometry is typically cylindrical for axion haloscope searches using solenoid magnets and the employed cavity modes have an electromagnetic field profile similar to that of the TM_{010} mode of a cylinder to maximize the C_{mode} . Frequency tuning is generally performed by moving the tuning rod such that its position moves in the radial direction [17]; rarely is it ever tuned vertically. The power dissipated by the driving of the tuning rod could increase the physical temperature of the cavity, and subsequently the T_n , implying that the cavity could affect T_n as well.

The axion parameter space that the axion haloscopes will have to search for is enormously wide even if it is limited to the microwave region in light of the best scanning rate to date [18] and axion haloscopes can usually expand the parameter space by using several cavity systems with

different dimensions of the cavity walls or tuning rods. However, such cavity production itself is by no means trivial. Therefore, it is highly desirable for the cavities to have tunable frequency ranges as wide as possible, as long as the experimental sensitivity is retained. For a cylindrical conductor cavity with a cylindrical conductor tuning rod, the cavity mode frequencies and their tuning range are generally proportional to the diameter of the tuning rod for a given cavity diameter. According to the cavity simulations [19, 20] for the aforementioned frequency tuning [17], the tunable range of a cavity system with a tuning rod dimension of about a tenth of the cavity barrel is at best 30% with respect to the central frequency of the tuning range.

In this work, we developed a cavity system with a large, and therefore heavy, tuning rod to increase the frequency tuning range. With a piezoelectric motor in combination with gears, we were able to drive a heavy tuning rod and realized a wideband tunable cavity whose frequency range is about 42% with respect to the central frequency of the tuning range without compromising the experimental sensitivity too much. Since the cavity mode frequencies increase accordingly with the dimension of the conductor tuning rod, the increase from 30 to 42% actually corresponds to increasing the absolute frequency range by a factor of about 1.8, which is nontrivial. Note that this is the first time that a piezoelectric motor and gear combination has been employed in order to drive stronger power in the extreme environment associated to axion dark matter experiments, i.e., cryogenic, high-magnetic-field, and high vacuum.

2 Cavity system

The cavity system constitutes a cylinder and a cylindrical tuning rod, where the inner diameter of the cylinder is 262 mm and the outer diameter of the tuning rod is 68 mm. The heights of the cylinder and the tuning rod are 560 and 559 mm, respectively, and thus the gaps between the end caps of the cavity and the tuning rod are 0.5 mm. Figure 1 shows the lateral and top views of the cavity system. In light of the cavity dimensions, it can be placed in the magnet bore of the CAPP-12TB experiment [18, 22]. They are all OFHC (oxygen free high conductive) copper except for an alumina axle of the tuning rod. In order to avoid crank arms linking the axle and rod, our tuning rod has an off-axis axle developed in Ref. [21]. With this off-axis axle located 70.5 mm away from the cavity center, the tuning rod sweeps a part of the cavity volume resulting in a frequency range of about 0.99 to 1.19 GHz. In order to extend the frequency tuning range, the axle can be shifted 47 mm toward the cavity center from the aforementioned axle location, which extends it up to about 1.51 GHz. The total frequency tuning range is about 0.52 GHz that corresponds to about 42% with respect to the central frequency of the tuning range.

The large tuning rod, which weighs about 5 kg as shown in Fig. 2, was driven by a piezoelectric motor manufactured by attocube [23] in combination with gears. The gear reduction ratio is about 69.4:1 resulting from the combination of two 200-tooth and two 24-tooth plain gears as shown in Fig. 3. The moment of inertia or rotational inertia of the tuning rod considered in this work is about 32 times larger than the tuning rod for the cavity used in our previous work [18, 22], where the tuning mechanism driver was solely a piezoelectric motor. Therefore, the gear reduction ratio of about 69.4 we chose in principle is a double of the necessary power and would provide enough marginal power to handle the rotational inertia by the tuning rod considered in this work unless other significant issues appear.




Figure 1. Overall of the cavity system. (a) is a lateral cutaway view showing the green colored tuning rod. (b) and (c) are top views with the end caps removed, where they show the tuning rod and axle locations for tuning the lowest and highest resonance frequencies, respectively. Note the grey colored alumina axle and eight OFHC copper screws on the end cap of the tuning rod are shown in (b) and (c) together with many screw holes in the cavity barrel. As one can see in (a), the yellow turrets with dark grey colored ceramic ball bearings mounted on the end caps align the axle. (d) is a zoomed view around the bottom turret where the three ball bearings are in there and the uppermost bearing supports the tuning rod. Albeit different colors, they are all OFHC copper except for the alumina axle with grey color.



Figure 2. Tuning rod mass measured with an electronic scale.

The frequency range of 0.52 GHz could be realized by sweeping the tuning rod from the cavity center to the cavity wall with an axle located 47 mm away from the cavity center, but it is necessary to have additional crank arms to link the axle and the rod. Crank arms must be made of dielectric materials as opposed to conductors to avoid unwanted capacitive effects, but are likely too brittle to support our heavy tuning rod. Furthermore, it increases the rotational inertia of the tuning rod, hence an increase to the necessary driving power for the frequency tuning mechanism. As shown




Figure 3. (a) shows the piezoelectric motor in combination with two 200-tooth and two 24-tooth gears, (b) the overall structure and dimensions of the tuning mechanism driver. The tuning mechanism driver installed on the end cap of the cavity top is shown in (c).

in Fig. 3(b), our tuning mechanism driver is modularized, and therefore it is trivial to put the driver on another tuning axle location once the tuning rod's position is switched.

3 Heating from the piezoelectric motor operation

The benefit from the frequency tuning mechanism employing the piezoelectric motor is that the attocube piezoelectric motor ANR240 can be operated in cryogenic, high-magnetic-field, and high vacuum environments [23], which is the typical axion haloscope search environment. On the

other hand, the piezoelectric motor operation generates unavoidable heat mostly from the power dissipated by the actuator. This heat load is proportional to the number of the piezoelectric motor steps n_{steps} . With the gear combination developed in this work, the required n_{steps} would increase in order to move through frequencies at a reasonable pace such that the experimental sensitivity is relatively preserved. We measured the heat load on a dilution fridge LD400 manufactured by Bluefors Oy [24]. Only a piezoelectric motor, without the cavity¹, was installed on the mixing chamber (mc) plate of the Bluefors dilution fridge, establishing a good thermal link between the two to mimic our axion dark matter search experimental conditions. A time delay of 60 s was applied after the piezoelectric motor operation, and afterwards we measured the temperature difference of the mixing chamber ΔT_{mc} depending on n_{steps} and the piezo driving frequency or signal repetition rate f_d for a given piezoelectric motor input voltage V_p of 50 V. The base temperature of the mixing chamber was about 40 mK. The blue solid line and red dashed lines in Fig. 4 denote the measured ΔT_{mc} using f_d of 500 Hz and 1000 Hz, respectively. It is usually necessary to have such a time




Figure 4. $\Delta T_{\rm mc}$ of $n_{\rm steps}$. The blue solid line and the red dashed lines denote measured $\Delta T_{\rm mc}(n_{\rm steps})$ with two different piezoelectric motor input driving frequencies of 500 Hz and 1000 Hz, respectively, for a given piezoelectric motor input parameter $V_p = 50$ V.

delay after the frequency tuning to stabilize the system and depends on the target sensitivity of the experiment, e.g., 30 s for the CAPP-12TB experiment [18], where n_{steps} was about 10 for a frequency step of 10 kHz. We also applied a 1 s delay for every fifth piezoelectric motor step, e.g., 1 s delay in every 100 s for an n_{steps} of 500. Assuming a good thermal link between the mixing chamber and cavity, and this ΔT_{mc} is usually approximately the cavity physical temperature increase ΔT_{cavity} . The ΔT_{cavity} subsequently increases the T_n , thus it is crucial to prevent such heat load to maintain the experimental sensitivity. As shown in Fig. 4, the temperature increase at the Bluefors dilution fridge is about 10 mK due to the piezoelectric motor operation with an n_{steps} of about 200 and about

¹Our Bluefors dilution fridge cannot afford either the cavity dimension and weight.

30 mK when n_{steps} is about 500, with the aforementioned parameters. While the former is accepted for experiments depending on their experimental sensitivity, but the latter is not for the CAPP-12TB sensitivity [18]. Due to ongoing experiment, the DRS-1000 dilution fridge manufactured by Leiden cryogenics BV [25] was unavailable for use, and we could not consider the case with the DRS-1000 dilution fridge whose cooling power was measured to be 1 mW at 90 mK [18]. Using the relation $\dot{Q}_{\text{mc}} = 84\dot{n}_3 T_{\text{mc}}^2$ and the Bluefors specifications [24], we could expect three times stronger cooling power from the DRS-1000 fridge compared to that from the Bluefors fridge, where \dot{Q}_{mc} is the cooling power at the mixing chamber and \dot{n}_3 the ³He molar circulation rate. Hence, we could expect less temperature increase due to the piezoelectric operation with the same parameters in the DRS-1000 dilution fridge. Note that the temperature increase is practically independent of the driving frequency of a piezoelectric motor, according to our measurements shown in Fig. 4 for the given experimental conditions.

4 Validation of the cavity performance

The cavity performance was first checked by measuring the cavity unloaded quality factor of the cavity mode as a function of the cavity mode frequency, $Q_0(v)$. Δv depending on V_p , f_d , and n_{steps} were then also measured for further validation of the cavity performance. We performed these measurements on a 4-K cryocooler due to a few aforementioned unavoidable reasons, but do not expect significant drawbacks even in an O(10 mK) environment with the reasons described in the text below.

4.1 $Q_0(\nu)$ measurements

The $Q_L(\nu)$ measurements were performed over the full rotation of the tuning rod. In order to get Q_0 from Q_L , we also measured the reflection of the antenna coupled to the cavity. Following the procedure using the Smith chart data [26, 27], we obtained the coupling coefficient β . The Q_0 was then calculated from the relation $Q_0 = (1 + \beta)Q_L$. The results are shown in Fig. 5 which were obtained from the full clockwise rotation of the tuning rod. The results from driving in the opposite direction were similar and left out. As shown in Fig. 5, our tunable cavity developed in this work shows not only good quality factors over the full range of the resonance frequency, but also the capability of the full rotation of the tuning rod by the tuning mechanism driver with the piezoelectric motor combination with gears.

We noted that the transmission line calibration between the network analyzer (NA) and cavity using the NA calibration kits is crucial to measure the coupling coefficient β , and subsequently Q_0 as shown in Fig. 5, where the calibration was applied to the left, but not to the right. Since the cavity is approximately symmetric in the azimuthal coordinates, without any external coupling effects Q_0 should be also be symmetric in those coordinates as shown in the left plot of Fig. 5.

Although the $Q_0(\nu)$ measurements were done in temperatures of about 4 K for the cavity, their values would not change even in an O(10 mK) environment due to the anomalous skin effect in metals [28], i.e., copper for our cavity.




Figure 5. Left and right show the $Q_0(\nu)$ measurements with $V_p = 60$ V and $f_d = 1500$ Hz and those of 50 V and 1000 Hz, respectively. The red solid lines and blue dots were obtained by the clockwise tuning rod rotation from 0° to 180° and from 180° to 360°, respectively, where the tuning rod rotation angle of 0° corresponds to Fig. 1(b). Due to the larger frequency tuning step with the larger driving power, the left data was measured relatively less times compared to the right data. The calibration using network analyzer calibration kits was applied for the left data, but not for the right data. The two mode crossings around 1 GHz and 1.08 GHz are also identified from cavity simulations [19, 20], where in the former and the latter the intruder mode's frequency remained throughout the crossing while the signal cavity mode moved through it and in the latter an "avoided crossing" happened [21].

4.2 $\Delta \nu$ measurements

These $\Delta \nu$ measurements were also performed in temperatures of about 4 K, and therefore the stored power in the piezoelectric motor system is expected to be degraded in an O(10 mK) environment due to the temperature dependence of capacitance. First we measured the temperature dependent capacitance C(T) to see how much power degradation is expected when it operates in an O(10 mK) environment. The C(T) can be measured directly from the attocube systems' piezo motor controller ANC350 [23] and was measured down to a temperature of about 40 mK on the aforementioned Bluefors dilution fridge LD400. Figure 6 shows the C(T) measurement resulting in $\frac{C(40 \text{ mK})}{C(4 \text{ K})} \sim 0.93$, where the factor 0.93 is also true for the piezoelectric motor's driving power for a given V_p . As mentioned in Sec. 2, the chosen gear reduction ratio is a double of the necessary power, so we do not expect significant effects from the piezo power degradation in an O(10 mK) environment.

For the Δv measurements, we limited the tuning range from 1.09 to 1.10 GHz to compare the cavity system here with the one used in the CAPP-12TB experiment [18]. The Δv of the CAPP-12TB experiment was about 10 kHz resulting from an n_{steps} of about 10, $V_p = 50$ V, and $f_d = 1000$ Hz. The frequency tuning with the tuning mechanism parameters did not introduce significant heat load to the system, which was one of the key ingredients that resulted in the success of the CAPP-12TB experiment. Note that this is not a like-for-like comparison due to the different cavity regions swept by different tuning mechanisms, but to check if the experimental sensitivity in this work is comparable to that of CAPP-12TB reflecting every experimental aspect as much as possible.

The left plot of Fig. 7 shows the $\Delta v(f_d)$ for an n_{steps} of 500, where the blue rectangles and




Figure 6. Measurements for the C(T) of the piezoelectric motor system from room temperature to 40 mK on the dilution fridge.

the black triangles were measured with V_p of 60 V and 50 V, respectively. The linear fit for the blue rectangles denotes $\Delta v(f_d) = 0.83 + 0.0047 f_d$ and that for the black triangles $\Delta v(f_d) =$ $0.78 + 0.0032 f_d$, respectively. Therefore, the Δv is about 4 kHz from the tuning mechanism conditions, $n_{\text{steps}} = 500$, $V_p = 50$ V, and $f_d = 1000$ Hz, whose conditions could increase the $T_{\rm mc}$ of about 30 mK already for a dilution fridge system according to our measurements shown in Fig. 4. In order to utilize the tuning mechanism developed here, we can employ a $\Delta \nu$ of 2 kHz and approximately a fifth of $\Delta t_{10 \text{ kHz}}$ per each tuning step if $\Delta t_{10 \text{ kHz}}$ is that for the case with a $\Delta \nu$ of 10 kHz. This relatively finer tuning step approach that has been employed by the Axion Dark Matter eXperiment [29–32] does not degrade the statistical sensitivity, but would elongate the scanning rate depending on the aforementioned time delay for the system stabilization, mainly cooling. In order to find the n_{steps} for the finer tuning step of 2 kHz, we measured $\Delta v(n_{\text{steps}})$ with $V_p = 50 \text{ V}$ which is shown as the blue rectangles in the right plot of Fig. 7. From the linear parametrization of the rectangles $\Delta v(n_{\text{steps}}) = 0.374 + 0.0071 n_{\text{steps}}$, we found $n_{\text{steps}} = 230$ results in $\Delta v \sim 2$ kHz. Since we found no significant temperature increase with a higher f_d as shown in Fig. 4, we also measured them with a higher f_d of 1500 Hz which is shown as the black triangles in the same plot. From the linear fit of the triangles $\Delta v(n_{\text{steps}}) = 0.213 + 0.01081 n_{\text{steps}}$, we found $n_{\text{steps}} = 170$ results in $\Delta v \sim 2$ kHz. Taking into consideration the results shown in Fig. 4, the $\Delta T_{\rm mc}$ from the piezoelectric motor operation with $n_{\text{steps}} = 170$, $V_p = 50$ V, and $f_d = 1500$ Hz, would be less than 10 mK at an axion dark matter experiment employing the Bluefors LD400. One can naïvely expect further suppression of $\Delta T_{\rm mc}$ at the experiment employing the Leiden DRS-1000 thanks to its stronger cooling power, and the cooling time is also expected to be shorter. With three times stronger cooling power we can assume a time delay of 20 s, which changes the total running time to move 10 kHz to 600 s. This is 13% longer than the CAPP-12TB case [18], but is still in a generally

acceptable range.




Figure 7. Left shows the $\Delta \nu$ measurements as a function of f_d for an n_{steps} of 500, where the blue rectangles and the black triangles were measured with V_p of 60 V and 50 V, respectively. Right shows the $\Delta \nu$ measurements as a function of n_{steps} with a V_p of 50 V, where the blue rectangles and the black triangles were measured with f_d of 1000 Hz and 1500 Hz, respectively. The red lines are the fits described in the text.

5 Summary

We developed a wideband tunable cavity system for axion dark matter search experiments. Our cavity system employed a large and accordingly heavy tuning rod to increase the frequency tuning range. With a piezoelectric motor in combination with gears, we were able to drive a heavy tuning rod and realized a wideband tunable cavity whose frequency range is about 42% of the central frequency of the tuning range. By employing a relatively finer tuning step of 2 kHz, we expect insignificant experimental sensitivity drop-off even compared with the experimental sensitivity coming from the best scanning rate to date [18]. This first tuning mechanism driver with a piezoelectric motor in combination with gears can drive much bigger power than that with the piezoelectric motor only. Our approach therefore can be useful to axion dark matter search experiments requiring heavy tuning mechanisms with several conductor tuning rods toward higher frequencies or a large dielectric chunk of tuning rod toward lower frequencies, and also to drive heavy loads under extreme environments.

Acknowledgments

This work was supported by the Institute for Basic Science (IBS) under Project Code No. IBS-R017-D1-2024-a00 and the Korea University Grant No..... B. R. Ko acknowledges G. Rybka suggested the tuning mechanism driver idea.

References

- [1] S. Weinberg, Phys. Rev. Lett. 40 (1978) 223.
- [2] F. Wilczek, Phys. Rev. Lett. 40 (1978) 279.

- [3] G. 't Hooft, Phys. Rev. Lett, 37 (1976) 8.
- [4] G. 't Hooft, Phys. Rev. D 14 (1976) 3432; 18 (1978) 2199(E).
- [5] J. H. Smith, E. M. Purcell, and N. F. Ramsey, Phys. Rev. 108 (1957) 120.
- [6] W. B. Dress, P. D. Miller, J. M. Pendlebury, P. Perrin, and N. F. Ramsey, Phys. Rev. D 15 (1977) 9.
- [7] I. S. Altarev et al., Nucl. Phys. A341 (1980) 269.
- [8] R. D. Peccei and H. R. Quinn, Phys. Rev. Lett. 38 (1977) 1440.
- [9] J. Preskill, M. B. Wise, and F. Wilczek, Phys. Lett. **120B** (1983) 127.
- [10] L. F. Abbott and P. Sikivie, Phys. Lett. **120B** (1983) 133.
- [11] M. Dine and W. Fischler, Phys. Lett. **120B** (1983) 137.
- [12] P. A. R. Ade et al. (Planck Collaboration), Astron. Astrophys. 594 (2016) A13.
- [13] P. Sikivie, Phys. Rev. Lett. **51** (1983) 1415.
- [14] P. Sikivie, Phys. Rev. D 32 (1985) 2988.
- [15] L. Krauss, J. Moody, F. Wilczek, and D. E. Morris, Phys. Rev. Lett. 55 (1985) 1797.
- [16] B. R. Ko et al., Phys. Rev. D 94 (2016) 111702(R).
- [17] C. Hagmann, P. Sikivie, N. Sullivan, D. B. Tanner, and S.-I. Cho, Rev. Sci. Instrum. 61 (1990) 1076.
- [18] Andrew K. Yi et al., Phys. Rev. Lett. 130 (2023) 071002.
- [19] www.cst.com.
- [20] www.comsol.com.
- [21] Nicholas M. Rapidis, Samantha M. Lewis, and Karl A. van Bibber, Rev. Sci. Intrum. **90** (2019) 024706.
- [22] Saebyeok Ahn et al., arXiv:2010.00169.
- [23] www.attocube.com.
- [24] https://bluefors.com.
- [25] leidencryogenics.nl.
- [26] S. Lee, S. Ahn, J. Choi, B. R. Ko, and Y. K. Semertzidis, Phys. Rev. Lett. 124 (2020) 101802.
- [27] J. Choi, S. Ahn, B. R. Ko, S. Lee, and Y. K. Semertzidis, Nucl. Instrum. Methods Phys. Res., Sect. A **1013** (2021) 165667.
- [28] Pippard, A. B., Proc. Roy. Soc., A. 191 (1947) 385.
- [29] S. J. Asztalos et al., Phys. Rev. D 64 (2001) 092003.
- [30] N. Du et al. (ADMX Collaboration), Phys. Rev. Lett. 120 (2018) 151301.
- [31] T. Braine et al. (ADMX Collaboration), Phys. Rev. Lett. 124 (2020) 101303.
- [32] C. Bartram et al. (ADMX Collaboration), Phys. Rev. Lett. 127 (2021) 261803.