Nature of Andreev bound states in Josephson junctions of triple-point semimetals

Ipsita Mandal^{*}

Department of Physics, Shiv Nadar Institution of Eminence (SNIoE), Gautam Buddha Nagar, Uttar Pradesh 201314, India and

Freiburg Institute for Advanced Studies (FRIAS), University of Freiburg, D-79104 Freiburg, Germany

We study superconductor-barrier-superconductor (S-B-S) Josephson junctions constructed out of two-dimensional and three-dimensional triple-point semimetals, which feature a threefold degeneracy at a single nodal point. We assume a weak and homogeneous s-wave pairing in each superconducting region, and a potential difference is applied across a piece of normal-state semimetal to create the barrier region. We apply the BdG formalism to compute the wavefunctions of the subgap Andreev bound states (ABSs), considering the thin-barrier limit, in a piecewise-continuous manner. The appropriate boundary conditions at the S-B and B-S junctions allow us to compute the discrete energy eigenvalues $\pm |\varepsilon|$ of the ABSs. We get two distinct solutions for $|\varepsilon|$. This result is different from the S-B-S set-ups in graphene and Weyl semimetals (each featuring twofold-degenerate nodal points), where one obtains only one solution for $|\varepsilon|$. Although the three bands of the triple-point fermions comprise a nondispersive flat band, the multifold nature of the bandstructure is responsible for this difference. We also illustrate the behaviour of the Josephson current flowing across the S-B-S junction, contributed by the two pairs of ABSs.

CONTENTS

I. Introduction	1
II. 2d modelA. S-B-S junctions oriented perpendicular to the x-directionB. Results	3 4 6
II. 3d modelA. S-B-S junctions oriented perpendicular to the z-directionB. Results	8 9 11
V. Summary and outlook	11
V. Acknowledgments	12
References	12

I. INTRODUCTION

Since the last decade, there has been intensive studies of bandstructures harbouring symmetry-protected band-crossing points in the Brillouin zone (BZ) [1–5], giving rise to semimetals. The low-energy $\mathbf{k} \cdot \mathbf{p}$ Hamiltonian near the band-crossings give rise to quasiparticles carrying pseudospin values equal to ς , when $(2\varsigma + 1)$ bands touch at the degeneracy point. We note that whereas in high-energy physics, a relativistic electron is described by a spin-1/2 fermion (fixed by Lorentz invariance), the pseudospin of an emergent fermionic excitation (still having the spin-1/2 value) in nonrelativistic condensed matter physics depends on the irreducible representations of the little group of lattice symmetries at high-symmetry points in the BZ for each of the 230 space groups [3]. The dimensionality of the irreducible representation corresponds to the number of bands crossing at the high-symmetry point. In particular, a threefold-degeneracy can arise in a crystal lattice, when the nodal point is protected by (I) symmorphic rotation, combined with mirror symmetries [6–8], or (II) nonsymmorphic symmetries [3]. A schematic illustration of the triply-degenerate nodal point is shown in Fig. 1(a).

^{*} ipsita.mandal@snu.edu.in

In this paper, we focus on triple-point fermionic qualiparticles carrying preseudospin value $\varsigma = 1$, whose effective low-energy continuum Hamiltonian is of the form $\mathbf{k} \cdot \mathbf{S}$, where \mathbf{S} represents the vector of the three matrices which form the spin-1 representation of the SO(3) group. This leads to the emergence of two-dimensional (2d) and threedimensional (3d) semimetals with pseudospin-1 quasiparticles [5–21], sometimes dubbed as "Maxwell fermions" [9], since their pseudospin quantum number is analogous to the spin-1 quantum number of the photons (which are described by the Maxwell equations). The 3d versions with linear isotropic dispersion are the straightforward generalizations of the Weyl semimetal Hamiltonian $\mathbf{k} \cdot \boldsymbol{\sigma}$, with $\boldsymbol{\sigma}$ representing the vector operator consisting of the three Pauli matrices, thus representing the spin-1/2 representation of the SO(3) group. One can show that the threefold degeneracies carry Chern numbers ± 2 [3, 21–23], analogous to the pseudospin-3/2 Rarita-Schwinger-Weyl (RSW) semimetals [19, 21–30] harbouring fourfold-degenerate nodal points, thus reflecting the nontrivial topological character of the corresponding bandstructures. Here, we continue the ongoing efforts to unravel the distinct signatures of the triple-point quasiparticles via various transport properties [14, 15, 19–21]. In particular, the transport property under consideration will be the Josephson current I_J [31–33] arising in configurations consisting of junctions between the normal (abbreviated by "N") and the superconducting (abbreviated by "S") phases of 2d and 3d pseudospin-1 semimetals.

When two superconducting regions are coupled to each other by a weak link between them, I_J is the equilibrium dissipationless current flowing across the junction. Since the Andreev surface states of the two superconductors hybridize to form Andreev bound states (ABSs) at the junction, they contribute to I_J . Here, we extend the study of such Josephson effects in 2d and 3d semimetals [30, 34–39], where the superconducting regions consist of homogeneous s-wave pairing, and the weak link is created by introducing a tunneling barrier. One can consider two alternative arrangements: (I) S-N-S junctions [34, 35]; (II) S-B-S (where "B" indicates a rectangular potential barrier in the N region) junctions [30, 36–40]. In experiments, superconductivity can be induced in the appropriate region via proximity-effect by placing a conventional s-wave superconductor on top of an electrode made of the semimetal [41], and the barrier regoin can be created by applying a gate voltage V_0 across N. The schematics of an S-B-S set-up is illustrated in Fig. 1(b), where we demarcate the left superconducting region as "region II", the middle barrier region as "region II", and the right superconducting region as "region III". We will focus on the short-barrier regime, which implies that the barrier thickness L along the propagation direction is taken to be $L \ll \xi$, where ξ is the superconducting coherence length. In other words, ξ denotes the length scale over which the probability of the wavefunctions of the ABSs decay inside the superconductor, as we move away from the junction location.

Let us set up some notations to characterize the S-B-S configuration. We denote the complex superconducting order parameter by $\Delta = \Delta_0 e^{i\varphi}$, with φ representing the phase variable. Denoting the energy of the eigenstates by ε , a set of discrete states are obtained for $|\varepsilon| < \Delta_0$, which are the ABSs refereed to in the discussions above. They are also known as the subgap excitations because their energy values lie within the superconducting gap region. The eigenstates with $|\varepsilon| > \Delta_0$ form a continuum, which do not decay within the bulk of the superconductors. Because three bands cross at a single nodal point of a triple-point semimetal, the nature of the ABSs must be different from those arising in the Dirac [34, 36], semi-Dirac [40], Weyl [38], multi-Weyl [38, 39], and RSW [30] semimetals. In particular, for doubly-degenerate nodal points, when the propagation direction is along an axis where dispersion is linear-in-momentum, it has been found that [34, 36, 38] that the energy of the ABSs in the thin-barrier-limit is given by $\varepsilon = \pm \Delta_0 \sqrt{1 - T_N \sin^2(\varphi_{12}/2)}$. Here, φ_{12} is the difference of the superconducting phases on the two sides of the barrier region [cf. Fig. 1(b)], and T_N is the transmission coefficient in an analogous set-up with the two superconducting regions replaced by the normal state of the semimetal. This simple relation arises from the fact that the solution for $\beta \equiv \varepsilon/\Delta_0$ is obtained from a polynomial equation of the form $\tilde{\mathcal{B}} \cos(2\beta) + \tilde{\mathcal{C}} \cos \varphi_{12} = 0$ [36], where $\tilde{\mathcal{B}}$ and $\tilde{\mathcal{C}}$ are purely functions of the barrier strength V_0 , the Fermi energy E_F , and the magnitude of the perpendicular-to-propagation momentum component k_{\perp} . However, such a simple equation does not arise for generic cases, as exemplified by earlier studies on semi-Dirac [40] and RSW [30] semimetals.

We consider the propagation of quasiparticles and quasiholes in a slab with a side-length W, where W is assumed to be large enough to impose periodic boundary conditions. The slab is 2d (3d) when we consider a 2d (3d) pseudospin-1 semimetal. As pointed out earlier, we will compute the energy values of the ABSs in the thin-barrier-limit (also known as the short-barrier regime), which is quantified by the relations $V_0 \to \infty$ and $L \to 0$, with $\chi \equiv V_0 L$ held fixed at a finite value. In this limit, the ABSs are found to be the dominant contributors to the total Josephson current I_J [34, 42–44], because the contributions from the excited states in the continuumare smaller by a factor of L/ξ .

The paper is organized as follows. In Sec. II, we consider the 2d triple-point fermions and derive the discrete spectrum for the ABSs resulting from an S-B-S configuration. Therein, we explain how the S-B-S junction is constructed, for theoretical analysis, via the the electron-like and hole-like wavefunctions and the Bogoliubov–de Gennes (BdG) Hamiltonian. This is followed by Sec. III, where we repeat the same exercise for the 3d version of the triple-point fermions. Finally, we end with a summary and an outlook in Sec. IV.



FIG. 1. Schematics of the (a) dispersion abound a triply-degenerate nodal point; (b) S-B-S junction configuration. For the psedispin-1 semimetal, two of the bands have isotropic linear-in-momentum dispersion behaviour, while the third one is a flat band with momentum-independent constant energy.

II. 2D MODEL

The 2d pseudospin-1 quasiparticles are the generalizations of the pseudospin-1/2 Dirac quasiparticles in graphene at half-filling. They can be realized in 2d tight-binding models for cold fermionic atoms in square optical lattices [9] and, via first principle calculations, have been predicted to exist in materials like phosphorene oxide [10], hexacoordinated Mg₂C monolayer [11], and monolayer dialkali-metal monoxides (e.g., Na₂O and K₂O) [12]. Working in natural units (with \hbar set to unity), the effective low-energy continuum Hamiltonian, in the vicinity of a nodal point, is given by

$$\mathcal{H}_{2d}(\mathbf{k}) = v_F \left(k_x \,\mathcal{S}_x + k_y \,\mathcal{S}_y \right). \tag{1}$$

Here, $\mathbf{k} = k_x \,\hat{\mathbf{x}} + k_y \,\hat{\mathbf{y}}$, and $\boldsymbol{\mathcal{S}}$ represents the vector spin-1 operator with the three components

$$S_x = \frac{1}{\sqrt{2}} \begin{pmatrix} 0 & 1 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}, \quad S_y = \frac{1}{\sqrt{2}} \begin{pmatrix} 0 & -i & 0 \\ i & 0 & -i \\ 0 & i & 0 \end{pmatrix}, \quad S_z = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & -1 \end{pmatrix}, \quad (2)$$

and v_F denotes the magnitude of the Fermi velocity. Henceforth, we will set $v_F = 1$ for the sake of simplifying the notations.

The energy eigenvalues are given by

$$\varepsilon_s(\mathbf{k}) = s \, k \text{ and } \varepsilon_0(\mathbf{k}) = 0,$$
(3)

where $k = |\mathbf{k}|$ and $s \in \{+, -\}$, showing that two linearly-dispersing bands and a nondispersive flat band cross at k = 0 [cf. Fig. 1(a)]. Clearly, the "+" and "-" signs refer to the linearly-dispersing conduction and valence bands, respectively. A set of orthogonal eigenvectors is captured by

$$\Psi_{s}(\mathbf{k}) = \left(\frac{k}{k_{x} + i k_{y}} - \sqrt{2} s - \frac{k}{k_{x} - i k_{y}}\right)^{T} \text{(for energy = s k)}$$

and
$$\Psi_{0}(\mathbf{k}) = \left(-k_{x} + i k_{y} - 0 - k_{x} + i k_{y}\right)^{T} \text{(for the flat band)}.$$
 (4)

The current density operator for this system is captured by $\check{\mathbf{j}}_{2d}(\mathbf{k}) = \nabla_{\mathbf{k}} \mathcal{H}_{2d}(\mathbf{k}) = \mathcal{S}_x \hat{\mathbf{x}} + \mathcal{S}_y \hat{\mathbf{y}}$. Therefore, for a wavefunction $\psi \equiv (c_1 \quad c_2 \quad c_3)^T$, we have

$$\psi^{\dagger} \check{\mathbf{j}}_{2d} \,\psi = \sqrt{2} \operatorname{Re} \left[c_2^* \left(c_1 + c_3 \right) \right] \hat{\mathbf{x}} + \sqrt{2} \operatorname{Im} \left[c_2^* \left(c_1 - c_3 \right) \right] \hat{\mathbf{y}} \,. \tag{5}$$

This immediately tells us that the contribution of the flat-band wavefunction to the local current density is $\Psi_0^{\dagger} \mathbf{j} \Psi_0 = \mathbf{0}$, showing that it does not contribute to transport [18, 19]. Hence, we need to consider only Ψ_{\pm} for computing transport properties.

4

Eq. (5) also tells us that if the quasiparticles encounter a perpendicular barrier, say at $x = x_0$, while propagating along the x-direction, the conservation of the probability current density leads to the two boundary conditions [16, 28]

$$\lim_{\delta \to 0} \left[c_1(x_0 - \delta) + c_3(x_0 - \delta) \right] = \lim_{\delta \to 0} \left[c_1(x_0 + \delta) + c_3(x_0 + \delta) \right] \text{ and } \lim_{\delta \to 0} c_2(x_0 - \delta) = \lim_{\delta \to 0} c_2(x_0 + \delta) \,, \tag{6}$$

which we will employ in our derivations. If the Fermi energy cuts the dispersion profile at an energy value E, then, for propagation along the x-direction, the wavefunction will have the exponential factor $e^{i \operatorname{sgn}(E) k_x x}$, where $k_x = \sqrt{E^2 - k_\perp^2}$ and $k_\perp = |k_y|$.

A. S-B-S junctions oriented perpendicular to the x-direction

Here we consider the propagation of the quasiparticles/quasiholes along the x-axis. Setting up the S-B-S configuration as shown in Fig. 1(b), we model the superconducting pair potential as

$$\Delta(x) = \begin{cases} \Delta_0 e^{i\,\varphi_1} \,\mathcal{S}_0 & \text{for } x \le 0\\ 0 & \text{for } 0 < x < L , \quad \mathcal{S}_0 = \mathbb{1}_{3 \times 3} ,\\ \Delta_0 e^{i\,\varphi_2} \,\mathcal{S}_0 & \text{for } x \ge L \end{cases}$$
(7)

representing Cooper pairing in the s-wave channel. Due to the presence of the barrier region, we need to consider the potential energy

$$V(x) = \begin{cases} 0 & \text{for } x \le 0 \text{ and } x \ge L \\ V_0 & \text{for } 0 < x < L \end{cases}.$$
(8)

The resulting BdG Hamiltonian is given by

$$H = \frac{1}{2} \sum_{\mathbf{k}} \Psi_{\mathbf{k}}^{\dagger} H_{BdG}(\mathbf{k}) \Psi_{\mathbf{k}}, \quad \Psi_{\mathbf{k}} = \begin{pmatrix} c_1(\mathbf{k}) & c_2(\mathbf{k}) & c_3(\mathbf{k}) & c_1^{\dagger}(-\mathbf{k}) & c_2^{\dagger}(-\mathbf{k}) & c_3^{\dagger}(-\mathbf{k}) \end{pmatrix}^T,$$

$$H_{BdG}(\mathbf{k}) = \begin{pmatrix} \mathcal{H}_{2d}(\mathbf{k}) - E_F + V(x) & \Delta(x) \\ \Delta^{\dagger}(x) & E_F - V(x) - \mathcal{H}_{2d}^T(-\mathbf{k}) \end{pmatrix},$$
(9)

where the subscripts $\{1, 2, 3\}$ on the fermionic creation and annihilation operators represent the three distinct band indices. We will work assuming the energy-scale hierarchies $V_0 \gg E_F \gg \Delta_0$ and $(V_0 - E_F) \gg E_F$. While the condition $\Delta_0 \ll E_F$ ensures that the mean-field approximation, applicable for using the BdG formalism, is valid, the second condition $(V_0 - E_F) \gg E_F$ results from taking the thin-barrier limit.

The electron-like and the hole-like BdG quasiparticles are obtained from the eigenvalue equation

$$H_{\rm BdG}(\mathbf{k} \to -i\boldsymbol{\nabla}_{\mathbf{r}})\,\psi_{\mathbf{k}}(\mathbf{r}) = \varepsilon\,\psi_{\mathbf{k}}(\mathbf{r})\,,\tag{10}$$

where $\mathbf{r} = x \,\hat{\mathbf{x}} + y \,\hat{\mathbf{y}}$ is the 2d position vector. If $\psi_N(\mathbf{k})$ is an eigenfunction of $\mathcal{H}_{2d}(\mathbf{k})$ (with the superconducting phase factor of φ), then the electron-like and hole-like eigenfunctions of $H_{BdG}(\mathbf{k})$ are given by the expressions [45]

$$\psi_e^T(\mathbf{k}) = \left(\psi_N^T(\mathbf{k}) \quad \frac{(\varepsilon - \Omega) \, e^{-i\,\varphi}}{\Delta_0} \, \psi_N^T(\mathbf{k})\right) \text{ and } \psi_h^T(\mathbf{k}) = \left(\psi_N^T(\mathbf{k}) \quad \frac{(\varepsilon + \Omega) \, e^{-i\,\varphi}}{\Delta_0} \, \psi_N^T(\mathbf{k})\right),\tag{11}$$

respectively, where

$$\Omega = i \sqrt{\Delta_0^2 - \varepsilon^2} \,. \tag{12}$$

We also define the quantity

$$\beta = \arccos(\varepsilon/\Delta_0), \tag{13}$$

which will be used extensively in the expressions that follow.

Because the propagation direction is along the x-axis, the translation symmetry is broken in that direction, whereas the transverse momentum component k_y is conserved across the S-B and B-S junctions. We denote the polar angle as $\theta = \arctan(k_y/k_x)$. Using Eqs. (4) and (11), let us now elucidate the form of the eigenfunction

$$\Psi(\mathbf{r},k_{\perp}) = \psi_I(\mathbf{r},k_{\perp})\,\Theta(-x) + \psi_{II}(\mathbf{r},k_{\perp})\,\Theta(x)\,\Theta(L-x) + \psi_{III}(\mathbf{r},k_{\perp})\,\Theta(x-L)\,,$$

expressed in a piecewise manner for the three regions, where we set the the Fermi energy at E_F for the corresponding normal states (i.e., for $\Delta_0 = 0$) in the regions I and III.

1. In the right superconductor region, the wavefunction localizing at the interface is described by a linear combination of the following form (as explained, for example, in chapter 5 of Ref. [46]):

$$\psi_{III}(\mathbf{r}, k_{\perp}) = a_r \,\psi_{er}(\mathbf{r}, \theta_r) + b_r \,\psi_{hr}(\mathbf{r}, \dot{\theta}_r) \,, \tag{14}$$

where

$$\psi_{er}(\mathbf{r},\theta_r) = \frac{e^{i\{k_y \, y \, + \, k_x^{er} \, (x-L)\}}}{\sqrt{2}} \left(e^{i\,\beta - i\,\theta_r} \, \sqrt{2} \, e^{i\,\beta} \, e^{i\,\beta + i\,\theta_r} \, e^{-i\,\varphi_2 - i\,\theta_r} \, \sqrt{2} \, e^{-i\,\varphi_2} \, e^{-i\,\varphi_2} \, e^{-i\,\varphi_2 + i\,\theta_r} \right)^T,$$

$$\sin\theta_r \simeq \frac{k_\perp}{E_F}, \quad k_x^{er} \simeq k_{\rm mod} + i\,\kappa, \quad k_{\rm mod} \simeq \sqrt{E_F^2 - k_\perp^2}, \quad \kappa = \frac{E_F \,\Delta_0 \sin\beta}{k_{\rm mod}}, \quad \tan\theta_r \simeq \frac{k_\perp}{k_{\rm mod}}, \quad (15)$$

and

$$\psi_{hr}(\mathbf{r},\tilde{\theta}_r) = \frac{e^{i\left\{k_y \, y \, + \, k_x^{hr} \, (x-L)\right\}}}{\sqrt{2}} \left(e^{-i\,\beta-i\,\theta_r} \, \sqrt{2} \, e^{-i\,\beta} \, e^{-i\,\beta+i\,\theta_r} \, e^{-i\,\varphi_2-i\,\theta_r} \, \sqrt{2} \, e^{-i\,\varphi_2} \, e^{-i\,\varphi_2+i\,\theta_r}\right)^T,$$

$$\sin\tilde{\theta}_r \simeq \frac{k_\perp}{E_F}, \quad k_x^{hr} \simeq -k_{\rm mod} + i\,\kappa, \quad \tan\tilde{\theta}_r \simeq \frac{k_\perp}{-k_{\rm mod}}.$$
(16)

2. In the normal state region, the wavefunction comprises a linear combination with the parametrization

$$\psi_{II}(\mathbf{r},k_{\perp}) = a\,\psi_{e+}(\mathbf{r},\theta_n) + b\,\psi_{e-}(\mathbf{r},\theta_n) + c\,\psi_{h+}(\mathbf{r},\tilde{\theta}_n) + d\,\psi_{h-}(\mathbf{r},\tilde{\theta}_n)\,,\tag{17}$$

where

$$\psi_{e+}(\mathbf{r},\theta_n) = e^{i(k_y \, y \, + \, k_x^e \, x)} \, f_1(\theta_n) \,, \quad f_1(\theta_n) = \begin{pmatrix} e^{-i\,\theta_n} & \sqrt{2} & e^{i\,\theta_n} & 0 & 0 & 0 \end{pmatrix}^T \,, \quad \psi_{e-}(\mathbf{r},\theta_n) = e^{i(k_y \, y \, - \, k_x^e \, x)} \, f_1(\pi - \theta_n) \,, \\ k_x^e = -\sqrt{(V_0 - E_F - \varepsilon)^2 - k_\perp^2} \,, \quad \cos\theta_n = \frac{k_x^e}{\varepsilon + E_F - V_0} \,, \quad \sin\theta_n = \frac{k_\perp}{\varepsilon + E_F - V_0} \,, \quad (18)$$

and

$$\psi_{h+}(\mathbf{r},\tilde{\theta}_{n}) = e^{i\left(k_{y}\,y + k_{x}^{h}\,x\right)} f_{2}(\tilde{\theta}_{n}), \quad f_{2}(\tilde{\theta}_{n}) = \left(0 \ 0 \ 0 \ e^{-i\,\tilde{\theta}_{n}} - \sqrt{2} \ e^{i\,\tilde{\theta}_{n}}\right)^{T},$$

$$\psi_{h-}(\mathbf{r},\tilde{\theta}_{n}) = e^{i\left(k_{y}\,y - k_{x}^{h}\,x\right)} f_{2}(\pi - \tilde{\theta}_{n}), \quad k_{x}^{h} = \sqrt{\left(V_{0} - E_{F} + \varepsilon\right)^{2} - k_{\perp}^{2}},$$

$$\cos\tilde{\theta}_{n} = \frac{k_{x}^{h}}{\varepsilon - E_{F} + V_{0}}, \quad \sin\tilde{\theta}_{n} = \frac{k_{\perp}}{\varepsilon - E_{F} + V_{0}}.$$
(19)

3. In the left superconductor region, the linear combination, describing the the wavefunction localizing at the interface, must be expressed as

$$\psi_I(\mathbf{r}, k_\perp) = a_l \,\psi_{el}(\mathbf{r}, \theta_r) + b_l \,\psi_{hl}(\mathbf{r}, \theta_r) \,, \tag{20}$$

where

$$\left\{\psi_{el}(\mathbf{r},\theta_r),\,\psi_{hl}(\mathbf{r},\tilde{\theta}_r)\right\} = \left\{\psi_{er}(\mathbf{r},\pi-\theta_r),\,\psi_{hr}(\mathbf{r},\pi-\tilde{\theta}_r)\right\}\Big|_{\varphi_2\to\varphi_1,\,(x-L)\to x}.$$
(21)

This essentially amounts to flipping the signs of $\{k_x^{er}, k_x^{hr}\}$, because the left-moving electron-like and hole-like wavefunctions are of relevance in region I, which have the exponentially decaying behaviour [46].

Since the final results depend on the phase difference $\varphi_{12} = \varphi_2 - \varphi_1$, for simplification of the notations, we can set $\varphi_1 = 0$ and $\varphi_2 = \varphi_{12}$, without any loss of generality. Imposing the continuity of the probability current density at the junctions located at x = 0 and x = L, we get the following conditions [cf. Eq. (6)]:

$$[\psi_{I}(0,y,k_{\perp})]_{1,1} + [\psi_{I}(0,y,k_{\perp})]_{1,3} = [\psi_{II}(0,y,k_{\perp})]_{1,1} + [\psi_{II}(0,y,k_{\perp})]_{1,3}, \quad [\psi_{I}(0,y,k_{\perp})]_{1,2} = [\psi_{II}(0,y,k_{\perp})]_{1,2}, \\ [\psi_{I}(0,y,k_{\perp})]_{1,4} + [\psi_{I}(0,y,k_{\perp})]_{1,6} = [\psi_{II}(0,y,k_{\perp})]_{1,4} + [\psi_{II}(0,y,k_{\perp})]_{1,6}, \quad [\psi_{I}(0,y,k_{\perp})]_{1,5} = [\psi_{II}(0,y,k_{\perp})]_{1,5}, \\ [\psi_{II}(L,y,k_{\perp})]_{1,1} + [\psi_{II}(L,y,k_{\perp})]_{1,3} = [\psi_{III}(L,y,k_{\perp})]_{1,1} + [\psi_{III}(L,y,k_{\perp})]_{1,3}, \quad [\psi_{II}(L,y,k_{\perp})]_{1,2} = [\psi_{III}(L,y,k_{\perp})]_{1,2}, \\ [\psi_{II}(L,y,k_{\perp})]_{1,4} + [\psi_{II}(L,y,k_{\perp})]_{1,6} = [\psi_{III}(L,y,k_{\perp})]_{1,4} + [\psi_{III}(L,y,k_{\perp})]_{1,6}, \quad [\psi_{II}(L,y,k_{\perp})]_{1,5} = [\psi_{III}(L,y,L,k_{\perp})]_{1,5}$$

We note that the subgap ABSs are localized near the S-B and B-S junctions with the localization length $\sim \kappa^{-1}$, because they decay exponentially as we move away from the junction location into the bulk of one of the superconducting regions.



FIG. 2. Behaviour of $|\varepsilon|$ against k_{\perp} [subfigures (a) and (b)] and φ_{12} [subfigures (c) and (d)], for some representative values of the remaining parameters (shown in the plotlabels).

B. Results

The thin-barrier limit is physically equivalent to a Dirac-delta potential barrier. However, since we do not have any constraint on the derivatives of the componets of the wavefunction across the junctions, which follows from the linear-inmomentum dispersion, the standard delta-function-potential approximation [40, 43, 47] for thin barriers cannot be used here [36]. Instead, we need to start with Eq. (22), and impose the approximations

$$k_x^e L \to -\chi \text{ and } k_x^h L \to \chi$$
 (23)

in the exponential factors representing plane waves propagating along the x-axis. Furthermore, the ε -dependence disappears from the polar angles, since $-\theta_n \simeq \tilde{\theta}_n \simeq \arcsin\left(\frac{V_0 - E_F}{k_\perp}\right)$.

From the four combinations of the components of the wavefunction appearing at each of the two boundaries, as shown in Eq. (22), we get $2 \times 4 = 8$ linear homogeneous equations in the 8 variables $\{a_l, b_l, a, b, c, d, a_r, b_r\}$, which constitute the 8 unknown coefficients of the wavefunction. The overall *x*-independent factors of $e^{i k_y y}$ cancel out equation by equation.



FIG. 3. The first two subfigures show the energy ε of the two pairs of the Andreev bound states against the $k_{\perp}-\varphi_{12}$ plane, for (a) $V_0 = 50$, L = 0.01, and $E_F = 1$; (b) $V_0 = 100$, L = 0.1, and $E_F = 1$. Subfigures (c) and (d) illustrate the behaviour of the total Josephson current ($\propto \tilde{I}$) in arbitrary units, as a function of φ_{12} , obtained at $k_B T = 0.005 \Delta_0$, for the same sets of parameter values as used in (a) and (b), respectively.

Let M be the 8×8 matrix constructed from the coefficients of these 8 coefficients, whose explicit form is given by

$$M = \begin{pmatrix} -e^{i\beta}\cos\theta_r \ e^{-i\beta}\cos\theta_r & 0 & 0 & -\sqrt{2}\cos\theta_n & \sqrt{2}\cos\theta_n & 0 & 0 \\ e^{i\beta} \ e^{-i\beta} & 0 & 0 & -\sqrt{2} & -\sqrt{2} & 0 & 0 \\ -\cos\theta_r \ \cos\theta_r & 0 & 0 & 0 & 0 & -\sqrt{2}\cos\theta_n & \sqrt{2}\cos\theta_n \\ 1 \ 1 \ 0 & 0 & 0 & 0 & 0 & \sqrt{2} & \sqrt{2} \\ 0 \ 0 \ e^{i\beta}\cos\theta_r \ -e^{-i\beta}\cos\theta_r \ -\sqrt{2}e^{i\chi}\cos\theta_n & \sqrt{2}e^{-i\chi}\cos\theta_n & 0 & 0 \\ 0 \ 0 \ e^{i\beta} \ e^{-i\beta} \ e^{-i\beta} \ -\sqrt{2}e^{i\chi} \ -\sqrt{2}e^{-i\chi} \ 0 & 0 \\ 0 \ 0 \ e^{-i\varphi_{12}}\cos\theta_r \ -e^{-i\varphi_{12}}\cos\theta_r \ 0 & 0 & -\sqrt{2}e^{i\chi}\cos\theta_n & \sqrt{2}e^{-i\chi}\cos\theta_n \\ 0 \ 0 \ 1 \ 1 \ 0 & 0 & \sqrt{2}e^{i(\varphi_{12}+\chi)} & \sqrt{2}e^{i(\varphi_{12}-\chi)} \end{pmatrix}$$

$$(24)$$

The consistency of the 8 equations is ensured by the condition det M = 0. After some row and column operations on the

matrix M, we can bring it to the form det $\tilde{M} = 0$, where

	$(-\cos\beta\cos\theta_r)$	$-i\sin\beta\cos\theta_r$	0	0	$\cos \theta_n$	0	0	0	•
=	$i\sin\beta$	$\cos \beta$	0	0	0	1	0	0	
	$-\cos \theta_r$	0	0	0	0	0	$-\cos\theta_n$	0	
	0	1	0	0	0	0	0	1	
	0	0	$\cos\beta\cos\theta_r$	$i\sin\beta\cos\theta_r$	$\cos\chi\cos\theta_n$	$i\sin\chi\cos\theta_n$	0	0	·
	0	0	$i\sineta$	$\cos eta$	$i\sin\chi$	$\cos \chi$	0	0	
	0	0	$e^{-i\varphi_{12}}\cos\theta_r$	0	0	0	$-\cos\chi\cos\theta_n$	$-i\sin\chi\cos\theta_n$	
	\ 0	0	0	1	0	0	$i e^{i \varphi_{12}} \sin \chi$	$e^{i arphi_{12}} \cos \chi$ /	/
									(25)

The resulting equation takes the form of

$$\mathcal{A}\sin(2\beta) + \mathcal{B}\cos(2\beta) + \mathcal{C} = 0, \qquad (26)$$

where

 \tilde{M}

$$\mathcal{A} = -2\sin(2\chi)\cos\theta_n\cos\theta_r\left(\cos^2\theta_n + \cos^2\theta_r\right),$$

$$\mathcal{B} = \sin^2\chi\left(\cos^4\theta_n + \cos^4\theta_r\right) - [3\cos(2\chi) + 1]\cos^2\theta_n\cos^2\theta_r$$

$$\mathcal{C} = 4\cos\varphi_{12}\cos^2\theta_n\cos^2\theta_r - \sin^2\chi\left(\cos^2\theta_r - \cos^2\theta_n\right)^2.$$
 (27)

Consequently, using Eq. (13), we get two pairs of ABS energy values equal to $\pm |\varepsilon|$, where

$$|\varepsilon| = \frac{\Delta_0}{\sqrt{2}} \sqrt{1 - \frac{\mathcal{B}\mathcal{C} \pm |\mathcal{A}| \sqrt{\mathcal{A}^2 + \mathcal{B}^2 - \mathcal{C}^2}}{\mathcal{A}^2 + \mathcal{B}^2}} \,.$$
(28)

In Fig. 2, we show the variation of $|\varepsilon|$ as a function of (a) k_{\perp} (with φ_{12} held fixed), and (b) ϕ_{12} (with k_{\perp} held fixed), for some representative values of V_0 and L. Since C is a function of $\cos \varphi_{12}$ [cf. Eq. (27)], it follows from Eq. (28) that the subgap energies are periodic in φ with period 2π , which is also evident from the curves shown in the lower panel of Fig. 2. In addition, we have plotted the behaviour of $\pm |\varepsilon|$ as functions of φ and k_{\perp} in the upper panel of Fig. 3, thus illustrating the dependence of the subgap energies on both these variables in a combined way. Subfigures Fig. 3(a) and Fig. 3(b) show the behaviour for two sets of values of the remaining junction variables V_0 and L, with E_F kept fixed at unity.

Restoring the \hbar factors, the Josephson current density across the S-B-S junction, at a temperature T, is given by [34, 43]

$$I_J(\varphi) = -\frac{2e}{\hbar} \frac{W}{2\pi} \sum_{n=1}^4 \int dk_y \frac{\partial \epsilon_n}{\partial \varphi} f(\epsilon_n), \qquad (29)$$

where ϵ_n labels the energy values of the four ABSs, arising from the two distinct values of $|\varepsilon|$. Here, $f(\zeta) = 1/(1 + e^{\frac{\zeta}{k_B T}})$ is the Fermi-Dirac distribution function, with k_B being the Boltzmann constant. The lower panel of Fig. 3 shows the behaviour of I_J as a function of φ , scaled by the appropriate numbers/variables (which we label as \tilde{I}), for two sets of representative parameters.

III. 3D MODEL

The 3d pseudospin-1 quasiparticles are the generalizations of the pseudospin-1/2 quasiparticles in Weyl semimetals, with the nodal points acting as sources/sinks of Berry flux, acting as Berry curvature monopoles of magnitude 2 [3, 6]. They can be realized in 3d tight-binding models for cold fermionic atoms in cubic optical lattices [9] and, via ab initio simulations, have been identified in materials like TaN, NbN, and WC-type ZrTe [6–8, 13]. Analogous to Eq. (1), the effective low-energy continuum Hamiltonian, in the vicinity of a nodal point, is given by

$$\mathcal{H}_{3d}(\mathbf{k}) = v_F \left(k_x \,\mathcal{S}_x + k_y \,\mathcal{S}_y + k_z \,\mathcal{S}_z \right). \tag{30}$$

We again adopt the simplication of setting v_F to unity. The energy eigenvalues are again given by Eq. (3), with **k** now being equal to $k_x \hat{\mathbf{x}} + k_y \hat{\mathbf{y}} + k_z \hat{\mathbf{z}}$. A set of orthogonal eigenvectors is captured by

$$\Psi_{s}(\mathbf{k}) = \left(\frac{2k_{z}(k_{z}+s\,k)+k_{x}^{2}+k_{y}^{2}}{(k_{x}+i\,k_{y})^{2}} - \frac{\sqrt{2}(k_{z}+s\,k)}{k_{x}+i\,k_{y}} - 1\right)^{T} \text{(for energy } = s\,k)$$

and
$$\Psi_{0}(\mathbf{k}) = \left(\frac{-k_{x}+i\,k_{y}}{k_{x}+i\,k_{y}} - \frac{\sqrt{2}k_{z}}{k_{x}+i\,k_{y}} - 1\right)^{T} \text{(for the flat band)}.$$
 (31)

The 3d current density operator takes the form $\check{\mathbf{j}}_{3d}(\mathbf{k}) = \nabla_{\mathbf{k}} \mathcal{H}_{3d}(\mathbf{k}) = \mathcal{S}_x \, \hat{\mathbf{x}} + \mathcal{S}_y \, \hat{\mathbf{y}} + \mathcal{S}_z \, \hat{\mathbf{z}}$. The current density vector from the wavefunction $\psi \equiv (c_1 \quad c_2 \quad c_3)^T$ is

$$\psi^{\dagger} \check{\mathbf{j}}_{3d} \,\psi = \sqrt{2} \operatorname{Re} \left[c_2^* \left(c_1 + c_3 \right) \right] \hat{\mathbf{x}} + \sqrt{2} \operatorname{Im} \left[c_2^* \left(c_1 - c_3 \right) \right] \hat{\mathbf{y}} + \left[\left| c_1 \right|^2 - \left| c_3 \right|^2 \right] \hat{\mathbf{z}} \,. \tag{32}$$

This again leads to a vanishing contribution from the flat-band wavefunction.

Eq. (32) also tells us that if the quasiparticles encounter a perpendicular barrier, say at $z = z_0$, while propagating along the z-direction, the conservation of the probability current density leads to the two boundary conditions [20]

$$\lim_{\delta \to 0} c_1(x_0 - \delta) = \lim_{\delta \to 0} c_1(x_0 + \delta) \text{ and } \lim_{\delta \to 0} c_3(x_0 - \delta) = \lim_{\delta \to 0} c_3(x_0 + \delta),$$
(33)

which we will implement in our derivations. In this case, if the Fermi energy cuts the dispersion profile at an energy value E, the wavefunction will have the exponential factor $e^{i \operatorname{sgn}(E) k_z z}$, where $k_z = \sqrt{E^2 - k_\perp^2}$ and $k_\perp = \sqrt{k_x^2 + k_y^2}$.

A. S-B-S junctions oriented perpendicular to the z-direction

Here we consider the propagation of the quasiparticles/quasiholes along the z-axis. Setting up the S-B-S configuration as shown in Fig. 1(b), we model the superconducting pair potential as

$$\Delta(z) = \begin{cases} \Delta_0 e^{i\varphi_1} \mathcal{S}_0 & \text{for } z \le 0\\ 0 & \text{for } 0 < z < L , \quad \mathcal{S}_0 = \mathbb{1}_{3\times 3} ,\\ \Delta_0 e^{i\varphi_2} \mathcal{S}_0 & \text{for } z \ge L \end{cases}$$
(34)

representing Cooper pairing in the s-wave channel. Due to the presence of the barrier region, we need to consider the potential energy

$$V(z) = \begin{cases} 0 & \text{for } z \le 0 \text{ and } z \ge L \\ V_0 & \text{for } 0 < z < L \end{cases}.$$
 (35)

The resulting BdG Hamiltonian is given by

$$H = \frac{1}{2} \sum_{\mathbf{k}} \Psi_{\mathbf{k}}^{\dagger} H_{BdG}(\mathbf{k}) \Psi_{\mathbf{k}}, \quad \Psi_{\mathbf{k}} = \begin{pmatrix} c_1(\mathbf{k}) & c_2(\mathbf{k}) & c_3(\mathbf{k}) & c_1^{\dagger}(-\mathbf{k}) & c_2^{\dagger}(-\mathbf{k}) & c_3^{\dagger}(-\mathbf{k}) \end{pmatrix}^T,$$

$$H_{BdG}(\mathbf{k}) = \begin{pmatrix} \mathcal{H}_{3d}(\mathbf{k}) - E_F + V(z) & \Delta(z) \\ \Delta^{\dagger}(z) & E_F - V(z) - \mathcal{H}_{3d}^T(-\mathbf{k}) \end{pmatrix},$$
(36)

where the subscripts $\{1, 2, 3\}$ on the fermionic creation and annihilation operators represent the three distinct band indices. Analogous to the 3d case, we assume the energy-scale hierarchies $V_0 \gg E_F \gg \Delta_0$ and $(V_0 - E_F) \gg E_F$.

The electron-like and the hole-like BdG quasiparticles are obtained from the eigenvalue equation

$$H_{\rm BdG}(\mathbf{k} \to -i\boldsymbol{\nabla}_{\mathbf{r}})\,\psi_{\mathbf{k}}(\mathbf{r}) = \varepsilon\,\psi_{\mathbf{k}}(\mathbf{r})\,,\tag{37}$$

where $\mathbf{r} = x \hat{\mathbf{x}} + y \hat{\mathbf{y}} + z \hat{\mathbf{z}}$ is the 3d position vector. If $\psi_N(\mathbf{k})$ is an eigenfunction of $\mathcal{H}_{3d}(\mathbf{k})$ (with the superconducting phase factor of φ), then the electron-like and hole-like eigenfunctions of $H_{BdG}(\mathbf{k})$ are given by the same relations as shown in Eq. (11).

Since the propagation direction is along the z-axis, the translation symmetry is broken in that direction, whereas the transverse momentum components k_x and k_y are conserved across the S-B and B-S junctions. We denote the azimuthal angle in the $k_x k_y$ -plane as $\phi = \arctan(k_y/k_x)$. Using Eqs. (31) and (11), let us now elucidate the form of the eigenfunction

$$\Psi(\mathbf{r},k_{\perp}) = \psi_I(\mathbf{r},k_{\perp})\,\Theta(-z) + \psi_{II}(\mathbf{r},k_{\perp})\,\Theta(z)\,\Theta(L-z) + \psi_{III}(\mathbf{r},k_{\perp})\,\Theta(z-L)\,,$$

expressed in a piecewise manner for the three regions, where we set the the Fermi energy at E_F for the corresponding normal states (i.e., for $\Delta_0 = 0$) in the regions I and III.

1. In the right superconductor region, the wavefunction localizing at the interface is described by a linear combination of the following form (see chapter 5 of Ref. [46]):

$$\psi_{III}(\mathbf{r}, k_{\perp}) = a_r \,\psi_{er}(\mathbf{r}, \theta_r) + b_r \,\psi_{hr}(\mathbf{r}, \theta_r) \,, \tag{38}$$

where

$$\psi_{er}^{T}(\mathbf{r},\theta_{r}) = e^{i\{k_{x}\,x + k_{y}\,y + k_{z}^{er}\,(z-L)\}} e^{-i\,\phi\,\mathcal{S}_{0}\otimes\mathcal{S}_{z}} \\ \times \left(\frac{e^{i\,\beta}(1+\cos\theta_{r})}{\sqrt{2}} e^{i\,\beta}\sin\theta_{r} \frac{e^{i\,\beta}(1-\cos\theta_{r})}{\sqrt{2}} \frac{e^{-i\,\varphi_{2}}(1+\cos\theta_{r})}{\sqrt{2}} e^{-i\,\varphi_{2}}\sin\theta_{r} \frac{e^{-i\,\varphi_{2}}(1-\cos\theta_{r})}{\sqrt{2}}\right), \\ \sin\theta_{r} \simeq \frac{k_{\perp}}{E_{F}}, \quad k_{z}^{er} \simeq k_{\mathrm{mod}} + i\,\kappa, \quad k_{\mathrm{mod}} \simeq \sqrt{E_{F}^{2} - k_{\perp}^{2}}, \quad \kappa = \frac{E_{F}\,\Delta_{0}\sin\beta}{k_{\mathrm{mod}}}, \quad \tan\theta_{r} \simeq \frac{k_{\perp}}{k_{\mathrm{mod}}}, \tag{39}$$

$$\psi_{hr}^{T}(\mathbf{r},\tilde{\theta}_{r}) = e^{i\left\{k_{x}x + k_{y}y + k_{z}^{hr}(z-L)\right\}} e^{-i\phi S_{0} \otimes S_{z}} \times \left(\frac{e^{-i\beta}(1+\cos\tilde{\theta}_{r})}{\sqrt{2}} e^{-i\beta}\sin\tilde{\theta}_{r} \frac{e^{-i\beta}(1-\cos\tilde{\theta}_{r})}{\sqrt{2}} e^{-i\varphi_{2}}(1+\cos\tilde{\theta}_{r})\right) e^{-i\varphi_{2}} \sin\theta_{r} \frac{e^{-i\varphi_{2}}(1-\cos\tilde{\theta}_{r})}{\sqrt{2}},$$

$$\sin\tilde{\theta}_{r} \simeq \frac{k_{\perp}}{E_{F}}, \quad k_{z}^{hr} \simeq -k_{\mathrm{mod}} + i\kappa, \quad \tan\tilde{\theta}_{r} \simeq \frac{k_{\perp}}{-k_{\mathrm{mod}}},$$

$$(40)$$

2. In the normal state region, we will have a linear combination of the following form:

$$\psi_{II}(\mathbf{r},k_{\perp}) = a\,\psi_{e+}(\mathbf{r},\theta_n) + b\,\psi_{e-}(\mathbf{r},\theta_n) + c\,\psi_{h+}(\mathbf{r},\bar{\theta}_n) + d\,\psi_{h-}(\mathbf{r},\bar{\theta}_n)\,,\tag{41}$$

where

$$\psi_{e+}^{T}(\mathbf{r},\theta_{n}) = e^{i(k_{x}x + k_{y}y + k_{z}^{e}z)} f_{1}(\theta_{n}), \quad f_{1}(\theta_{n}) = e^{-i\phi S_{0} \otimes S_{z}} \left(1 + \cos \theta_{n} \sqrt{2} \sin \theta_{n} \ 1 - \cos \theta_{n} \ 0 \ 0 \ 0\right),$$

$$\psi_{e-}^{T}(\mathbf{r},\theta_{n}) = e^{i(k_{x}x + k_{y}y - k_{z}^{e}z)} f_{1}(\pi - \theta_{n}),$$

$$k_{z}^{e} = -\sqrt{(V_{0} - E_{F} - \varepsilon)^{2} - k_{\perp}^{2}}, \quad \cos \theta_{n} = \frac{k_{z}^{e}}{\varepsilon + E_{F} - V_{0}}, \quad \sin \theta_{n} = \frac{k_{\perp}}{\varepsilon + E_{F} - V_{0}}, \quad (42)$$

$$\psi_{h+}^{T}(\mathbf{r},\tilde{\theta}_{n}) = e^{i\left(k_{x}x + k_{y}y + k_{z}^{h}z\right)} f_{2}(\tilde{\theta}_{n}), \quad f_{2}(\tilde{\theta}_{n}) = e^{-i\phi S_{0} \otimes S_{z}} \left(0 \ 0 \ 0 \ 1 + \cos \tilde{\theta}_{n} - \sqrt{2} \sin \tilde{\theta}_{n} \ 1 - \cos \tilde{\theta}_{n}\right),$$

$$\psi_{h-}^{T}(\mathbf{r},\tilde{\theta}_{n}) = e^{i\left(k_{x}x + k_{y}y - k_{z}^{h}z\right)} f_{2}(\pi - \tilde{\theta}_{n}),$$

$$k_{z}^{h} = \sqrt{\left(V_{0} - E_{F} + \varepsilon\right)^{2} - k_{\perp}^{2}}, \quad \cos \tilde{\theta}_{n} = \frac{k_{z}^{h}}{\varepsilon - E_{F} + V_{0}}, \quad \sin \tilde{\theta}_{n} = \frac{k_{\perp}}{\varepsilon - E_{F} + V_{0}},$$
(43)

3. In the left superconductor region, we will have a linear combination of the following form:

$$\psi_I(\mathbf{r}, k_\perp) = a_l \,\psi_{el}(\mathbf{r}, \theta_r) + b_l \,\psi_{hl}(\mathbf{r}, \theta_r) \,, \tag{44}$$

where

$$\left\{\psi_{el}(\mathbf{r},\theta_r),\,\psi_{hl}(\mathbf{r},\tilde{\theta}_r)\right\} = \left\{\psi_{er}(\mathbf{r},\pi-\theta_r),\,\psi_{hr}(\mathbf{r},\pi-\tilde{\theta}_r)\right\}\Big|_{\varphi_2\to\varphi_1,\,(z-L)\to z}.$$
(45)

This amounts to flipping the signs of $\{k_z^{er}, k_z^{hr}\}$, which is because we need to consider here the left-moving electronlike and hole-like wavefunctions [46]. The "left-moving" wavefunctions are physically admissible in this region, because they are the ones which decay exponentially. Since the final results depend on the phase difference $\varphi_{12} = \varphi_2 - \varphi_1$, for simplification of the notations, we can set $\varphi_1 = 0$ and $\varphi_2 = \varphi_{12}$, without any loss of generality. Imposing the continuity of the probability current density at the junctions located at z = 0 and z = L, we get the following conditions [cf. Eq. (33)]:

$$\begin{aligned} [\psi_{I}(x,y,0,k_{\perp})]_{1,1} &= [\psi_{II}(x,y,0,k_{\perp})]_{1,1}, \quad [\psi_{I}(x,y,0,k_{\perp})]_{1,3} = [\psi_{II}(x,y,0,k_{\perp})]_{1,3}, \\ [\psi_{I}(x,y,0,k_{\perp})]_{1,4} &= [\psi_{II}(x,y,0,k_{\perp})]_{1,4}, \quad [\psi_{I}(x,y,0,k_{\perp})]_{1,6} = [\psi_{II}(x,y,0,k_{\perp})]_{1,6}, \\ [\psi_{II}(x,y,L,k_{\perp})]_{1,1} &= [\psi_{III}(x,y,L,k_{\perp})]_{1,1}, \quad [\psi_{II}(x,y,L,k_{\perp})]_{1,3} = [\psi_{III}(x,y,L,k_{\perp})]_{1,3}, \\ [\psi_{II}(x,y,L,k_{\perp})]_{1,4} &= [\psi_{III}(x,y,L,k_{\perp})]_{1,4}, \quad [\psi_{II}(x,y,L,k_{\perp})]_{1,6} = [\psi_{III}(x,y,L,k_{\perp})]_{1,6}. \end{aligned}$$
(46)

B. Results

In order to implement the thin-barrier limit, we start with Eq. (6), and impose the approximations

$$k_z^e L \to -\chi \text{ and } k_z^h L \to \chi$$
(47)

in the exponential factors representing plane waves propagating along the z-axis, as explained in the 2d case. Here too, the ε -dependence disappears from the polar angles, since $-\theta_n \simeq \tilde{\theta}_n \simeq \arcsin\left(\frac{V_0 - E_F}{k_\perp}\right)$.

From the four combinations of the components of the wavefunction appearing at each of the two boundaries, as shown in Eq. (46), we get $2 \times 4 = 8$ linear homogeneous equations in the 8 variables $\{a_l, b_l, a, b, c, d, a_r, b_r\}$, which constitute the 8 unknown coefficients of the wavefunction. In the resulting equations, both the overall z-independent factors of $e^{i(k_x x + k_y y)}$ and the phase factors introduced by the action of $e^{-i\phi S_0 \otimes S_z}$ cancel out component by component. Let \check{M} be the 8×8 matrix constructed from the coefficients of these 8 coefficients, whose explicit form is given by

$$= \begin{pmatrix} \frac{-e^{i\beta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{-i\beta}\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & \cos^{2}\left(\frac{\theta_{n}}{2}\right) & \sin^{2}\left(\frac{\theta_{n}}{2}\right) & 0 & 0 \\ \frac{-e^{i\beta}\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{2\sqrt{2}} & \frac{-e^{-i\beta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{2\sqrt{2}} & 0 & 0 & \frac{\sin^{2}\left(\frac{\theta_{n}}{2}\right)}{2} & \frac{\cos^{2}\left(\frac{\theta_{n}}{2}\right)}{2} & 0 & 0 \\ \frac{-\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & 0 & 0 & \sin^{2}\left(\frac{\theta_{n}}{2}\right) & \cos^{2}\left(\frac{\theta_{n}}{2}\right) \\ \frac{-\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & 0 & 0 & \sin^{2}\left(\frac{\theta_{n}}{2}\right) & \cos^{2}\left(\frac{\theta_{n}}{2}\right) \\ \frac{-\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & 0 & 0 & \sin^{2}\left(\frac{\theta_{n}}{2}\right) & \cos^{2}\left(\frac{\theta_{n}}{2}\right) \\ \frac{-\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right) & 0 & 0 \\ \frac{-\cos^{2}\left(\frac{\theta_{n}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\beta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right) & 0 & 0 \\ 0 & 0 & \frac{-e^{i\beta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{-i\beta}\cos^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & e^{i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) \\ 0 & 0 & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right) \\ 0 & 0 & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right) \\ 0 & 0 & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right)} \\ 0 & 0 & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) \\ 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{-i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right) \\ 0 & 0 & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{T}}{2}\right)}{\sqrt{2}} & 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) \\ 0 & 0 & e^{i\chi}\cos^{2}\left(\frac{\theta_{n}}{2}\right) & e^{i\chi}\sin^{2}\left(\frac{\theta_{n}}{2}\right)}{\sqrt{2}} & \frac{-e^{i\theta}\sin^{2}\left(\frac{\theta_{n}}{2}\right)}{\sqrt{2$$

The consistency of the 8 equations is ensured by the condition det $\dot{M} = 0$. After some row and column operations on the matrix M, we can bring it to the form which turns out to be the same as Eq. (26). Hence, the results for the 2d case ABSs are valid for the 3d case as well.

IV. SUMMARY AND OUTLOOK

To summarize, we have explicitly computed the expressions for energy values of the subgap ABSs in Josephson junctions. built with 2d and 3d triple-point fermions, in the thin-barrier limit. We have assumed a weak and homogeneous s-wave pairing in each superconducting region, which can be created via proximity effect by placing a superconducting electrode near it [41]. The barrier region can be implemented by applying a voltage of magnitude V_0 across a piece of semimetal in its normal state. By constructing the appropriate BdG Hamiltonian, we have determined the wavefunction in a piecewise continuous manner, which localizes near the S-B and B-S junctions. On enforcing the consistency of the equations obtained from matching the boundary conditions, which results from the vanishing of the relevant determinant, we have found an equation consisting of the trigonometric functions $\cos(2\beta)$ and $\sin(2\beta)$. In fact, this equation is the same for both the 2d and 3d cases. The solutions for $\cos \beta$ give the absolute energy values $|\varepsilon|$ of the ABSs. We have shown the closed-form analytical expressions for $|\varepsilon|$, which turns out to be two distinct functions [cf. Eq. (28)]. We would like to point out that, although each of the two $|\varepsilon|$ -expressions is a function of $\cos \phi_{12}$, the dependence is not of the form $\epsilon_{abs}^{lin} \equiv \Delta_0 \sqrt{1 - T_N \sin^2(\varphi_{12}/2)}$, found for two-band semimetals when the propagation direction is along a liearly dispersing direction [34, 36, 38] (as discussed in the introduction section). This follows from the fact that increasing the number of bands changes equations to be solved in the variables $\sin(2\beta)$ and $\cos(2\beta)$, arising as trigonomatric functions of β . In other words, when the equation reduces to the simple form of $\tilde{\mathcal{B}}\cos(2\beta) + \tilde{\mathcal{C}}\cos\varphi_{12} = 0$, solutions of the form ϵ_{abs}^{lin} emerge. However, for multifold fermions, such a simplicity is lost, giving rise to multiple solutions of $|\varepsilon|$ as another artifact (see, for example Ref. [30], where the case of an isotropic RSW semimetal with fourfold-degenerate nodal points has been studied). An analogous increase in the complexity of the equation is also caused when the propagation direction is along a momentum direction along which the semimetal dispersion exhibit a nonlinear dependence (as seen in Ref. [40], where the case of a semi-Dirac semimetal has been investigated).

In the future, it will be worthwhile to investigate the Josephson effects in twofold and multifold semimetals with nonlinear-dispersion directions [29, 38, 39, 48–51], by considering the propagation of the quasiparticles/quasiholes along such an axis. Other interesting avenues to explore will be to consider S-N-S or S-B-S junctions for higher angular momentum channels (e.g., d-wave symmetric pairing channel [25]) and for FFLO pairings [37, 39].

V. ACKNOWLEDGMENTS

This research, leading to the results reported, has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement number 754340.

- [1] A. A. Burkov and L. Balents, Weyl semimetal in a topological insulator multilayer, Phys. Rev. Lett. 107, 127205 (2011).
- [2] B. Yan and C. Felser, Topological materials: Weyl semimetals, Annual Review of Condensed Matter Physics 8, 337 (2017).
- [3] B. Bradlyn, J. Cano, Z. Wang, M. G. Vergniory, C. Felser, R. J. Cava, and B. A. Bernevig, Beyond Dirac and Weyl fermions: Unconventional quasiparticles in conventional crystals, Science 353 (2016).
- [4] C. Fang, M. J. Gilbert, X. Dai, and B. A. Bernevig, Multi-Weyl topological semimetals stabilized by point group symmetry, Phys. Rev. Lett. 108, 266802 (2012).
- [5] B. Q. Lv, Z.-L. Feng, J.-Z. Zhao, N. F. Q. Yuan, A. Zong, K. F. Luo, R. Yu, Y.-B. Huang, V. N. Strocov, A. Chikina, A. A. Soluyanov, N. Gedik, Y.-G. Shi, T. Qian, and H. Ding, Observation of multiple types of topological fermions in PdBiSe, Phys. Rev. B 99, 241104 (2019).
- [6] Z. Zhu, G. W. Winkler, Q. Wu, J. Li, and A. A. Soluyanov, Triple point topological metals, Phys. Rev. X 6, 031003 (2016).
- [7] H. Weng, C. Fang, Z. Fang, and X. Dai, Topological semimetals with triply degenerate nodal points in θ-phase tantalum nitride, Phys. Rev. B 93, 241202 (2016).
- [8] H. Weng, C. Fang, Z. Fang, and X. Dai, Coexistence of Weyl fermion and massless triply degenerate nodal points, Phys. Rev. B 94, 165201 (2016).
- [9] Y.-Q. Zhu, D.-W. Zhang, H. Yan, D.-Y. Xing, and S.-L. Zhu, Emergent pseudospin-1 Maxwell fermions with a threefold degeneracy in optical lattices, Phys. Rev. A 96, 033634 (2017).
- [10] L. Zhu, S.-S. Wang, S. Guan, Y. Liu, T. Zhang, G. Chen, and S. A. Yang, Blue phosphorene oxide: Strain-tunable quantum phase transitions and novel 2d emergent fermions, Nano Letters 16, 6548 (2016).
- [11] S.-S. Wang, Y. Liu, Z.-M. Yu, X.-L. Sheng, L. Zhu, S. Guan, and S. A. Yang, Monolayer Mg₂C: Negative Poisson's ratio and unconventional two-dimensional emergent fermions, Phys. Rev. Mater. 2, 104003 (2018).
- [12] C. Hua, S. Li, Z.-A. Xu, Y. Zheng, S. A. Yang, and Y. Lu, Tunable topological energy bands in 2d dialkali-metal monoxides, Advanced Science 7, 1901939 (2020).
- [13] P. Tang, Q. Zhou, and S.-C. Zhang, Multiple types of topological fermions in transition metal silicides, Phys. Rev. Lett. 119, 206402 (2017).
- [14] R. Shen, L. B. Shao, B. Wang, and D. Y. Xing, Single Dirac cone with a flat band touching on line-centered-square optical lattices, Phys. Rev. B 81, 041410 (2010).
- [15] Z. Lan, N. Goldman, A. Bermudez, W. Lu, and P. Ohberg, Dirac-Weyl fermions with arbitrary spin in two-dimensional optical superlattices, Phys. Rev. B 84, 165115 (2011).
- [16] D. F. Urban, D. Bercioux, M. Wimmer, and W. Häusler, Barrier transmission of Dirac-like pseudospin-one particles, Phys. Rev. B 84, 115136 (2011).
- [17] P. He, X. Shen, D.-W. Zhang, and S.-L. Zhu, Simulating the Klein tunneling of pseudospin-one Maxwell particles with trapped ions, Physics Letters A 383, 2462 (2019).
- [18] H.-Y. Xu and Y.-C. Lai, Revival resonant scattering, perfect caustics, and isotropic transport of pseudospin-1 particles, Phys. Rev. B 94, 165405 (2016).
- [19] I. Mandal, Transmission in pseudospin-1 and pseudospin-3/2 semimetals with linear dispersion through scalar and vector potential barriers, Physics Letters A 384, 126666 (2020).
- [20] S. Nandy, K. Sengupta, and D. Sen, Transport across junctions of pseudospin-one fermions, Phys. Rev. B 100, 085134 (2019).

- [21] S. Sekh and I. Mandal, Circular dichroism as a probe for topology in three-dimensional semimetals, Phys. Rev. B 105, 235403 (2022).
- [22] I. Boettcher, Interplay of topology and electron-electron interactions in Rarita-Schwinger-Weyl semimetals, Phys. Rev. Lett. 124, 127602 (2020).
- [23] S. Sekh and I. Mandal, Magnus Hall effect in three-dimensional topological semimetals, European Physical Journal Plus 137, 736 (2022).
- [24] L. Liang and Y. Yu, Semimetal with both Rarita-Schwinger-Weyl and Weyl excitations, Phys. Rev. B 93, 045113 (2016).
- [25] J. M. Link, I. Boettcher, and I. F. Herbut, d-wave superconductivity and Bogoliubov-Fermi surfaces in Rarita-Schwinger-Weyl semimetals, Phys. Rev. B 101, 184503 (2020).
- [26] H. Isobe and L. Fu, Quantum critical points of $j = \frac{3}{2}$ Dirac electrons in antiperovskite topological crystalline insulators, Phys. Rev. B **93**, 241113 (2016).
- [27] R. Zhu and P. M. Hui, Shot noise and Fano factor in tunneling in three-band pseudospin-1 Dirac–Weyl systems, Physics Letters A 381, 1971 (2017).
- [28] A. Fang, Z. Q. Zhang, S. G. Louie, and C. T. Chan, Klein tunneling and supercollimation of pseudospin-1 electromagnetic waves, Phys. Rev. B 93, 035422 (2016).
- [29] I. Mandal, Transmission and conductance across junctions of isotropic and anisotropic three-dimensional semimetals, European Physical Journal Plus **138**, 1039 (2023).
- [30] I. Mandal, Andreev bound states in superconductor-barrier-superconductor junctions of Rarita-Schwinger-Weyl semimetals, Physics Letters A 503, 129410 (2024).
- [31] B. D. Josephson, Coupled Superconductors, Rev. Mod. Phys. 36, 216 (1964).
- [32] K. K. Likharev, Superconducting weak links, Rev. Mod. Phys. 51, 101 (1979).
- [33] J. R. Waldram, The Josephson effects in weakly coupled superconductors, Reports on Progress in Physics 39, 751 (1976).
- [34] M. Titov and C. W. J. Beenakker, Josephson effect in ballistic graphene, Phys. Rev. B 74, 041401 (2006).
- [35] D. Bolmatov and C.-Y. Mou, Josephson effect in graphene SNS junction with a single localized defect, Physica B: Condensed Matter 405, 2896 (2010).
- [36] M. Maiti and K. Sengupta, Josephson effect in graphene superconductor/barrier/superconductor junctions: Oscillatory behavior of the Josephson current, Phys. Rev. B 76, 054513 (2007).
- [37] K. A. Madsen, E. J. Bergholtz, and P. W. Brouwer, Josephson effect in a Weyl SNS junction, Phys. Rev. B 95, 064511 (2017).
- [38] K. Kulikov, D. Sinha, Y. M. Shukrinov, and K. Sengupta, Josephson junctions of Weyl and multi-Weyl semimetals, Phys. Rev. B 101, 075110 (2020).
- [39] D. Sinha, Josephson effect in type-I Weyl semimetals, Phys. Rev. B 102, 085144 (2020).
- [40] I. Mandal, Andreev bound states in Josephson junctions of semi-Dirac semimetals, Physica B: Condensed Matter 683, 415918 (2024).
- [41] M. D. Bachmann, N. Nair, F. Flicker, R. Ilan, T. Meng, N. J. Ghimire, E. D. Bauer, F. Ronning, J. G. Analytis, and P. J. W. Moll, Inducing superconductivity in Weyl semimetal microstructures by selective ion sputtering, Science Advances 3, e1602983 (2017).
- [42] C. W. J. Beenakker and H. van Houten, The Superconducting Quantum Point Contact, in *Nanostructures and Mesoscopic Systems*, edited by W. P. Kirk and M. A. Reed (Academic Press, 1992) pp. 481–497.
- [43] A. Zagoskin, Quantum Theory of Many-Body Systems: Techniques and Applications, Graduate Texts in Physics (Springer International Publishing, 2016).
- [44] S. Kashiwaya and Y. Tanaka, Tunnelling effects on surface bound states in unconventional superconductors, Reports on Progress in Physics 63, 1641 (2000).
- [45] C. Timm, Theory of Superconductivity: Lecture Notes (2020-2023).
- [46] Y. Asano, Andreev Reflection in Superconducting Junctions, SpringerBriefs in Physics (Springer Nature Singapore, 2021).
- [47] H. J. Kwon, K. Sengupta, and V. M. Yakovenko, Fractional ac Josephson effect in p- and d-wave superconductors, European Physical Journal B 37, 349 (2004).
- [48] Y.-H. Deng, H.-F. Lü, S.-S. Ke, Y. Guo, and H.-W. Zhang, Quantum tunneling through a rectangular barrier in multi-Weyl semimetals, Phys. Rev. B 101, 085410 (2020).
- [49] I. Mandal and A. Sen, Tunneling of multi-Weyl semimetals through a potential barrier under the influence of magnetic fields, Physics Letters A 399, 127293 (2021).
- [50] I. Boettcher and I. F. Herbut, Superconducting quantum criticality in three-dimensional Luttinger semimetals, Phys. Rev. B 93, 205138 (2016).
- [51] I. Mandal, Fate of superconductivity in three-dimensional disordered Luttinger semimetals, Annals of Physics 392, 179 (2018).