

Taming Acoustic Cavitation

David Fernandez Rivas*, Bram Verhaagen, Oscar R. Enríquez,
Michel Versluis, Andrea Prosperetti, Han Gardeniers, Detlef Lohse
*MESA+ Institute for Nanotechnology, University of Twente
Enschede, The Netherlands*

September 15, 2021

Abstract

In this fluid dynamics video we show acoustic cavitation occurring from pits etched on a silicon surface. By immersing the surface in a liquid, gas pockets are entrapped in the pits which upon ultrasonic insonation, are observed to shed cavitation bubbles. Modulating the driving pressure it is possible to induce different behaviours based on the force balance that determines the interaction among bubbles and the silicon surface. This system can be used for several applications like sonochemical water treatment, cleaning of surfaces with deposited materials such as biofilms [1].

1 Technical Details of the submitted video

The experimental setup presented in Fig.1, shows the components used to generate cavitation from micropits etched on silicon surfaces. The piezo is controlled by an amplified wave generator signal. This system can provide top and side views of the cavitation events provided by the nucleation of bubbles from artificial crevices etched into a smooth silicon surface.

Chemical and most physical effects of ultrasound arise from the collapse of bubbles in a sonicated liquid. Improvements on sonochemical efficiency in microreactors have been reported recently using pits micromachined on a silicon surface [2]. The main advantage of this method is that the location of cavitation occurrence is known a priori, which allows a detailed study of several relevant aspects of sonochemistry, such as sonoluminescence and

*dfrivascu@gmail.com

other effects such as erosion, cleaning action of bubbles, shock waves, jetting, streaming, etc. [3, 4, 5]; all of which have been difficult to address in the past, given the rather randomness of cavitating bubbles associated phenomena.

Links to videos: [50 MB](#) and [11 MB](#).




Figure 1: Illustration of the experimental setup.

References

- [1] Fernandez Rivas, D., Cintas, P., Gardeniers, J.G.E., “**M**erging microfluidics and sonochemistry: towards greener and more efficient micro-sono-reactors”. In typesetting in Chem. Commun., DOI: 10.1039/C2CC33920J (2012).
- [2] Fernandez Rivas, D., A. Prosperetti, A.G. Zijlstra, D. Lohse, J. G. E. Gardeniers “**E**fficient Sonochemistry through Microbubbles Generated with Micromachined Surfaces”, *Angewandte Chemie International Edition*, 49: 9699 - 9701. doi: 10.1002/anie.201005533, (2010).
- [3] Fernandez Rivas, D., Verhaagen, B., Seddon, J., Jiang, L.M., Zijlstra, A. G., van der Sluis, L., Versluis, M., Prosperetti, A., Lohse, D. and Gardeniers, J.G.E. “**L**ocalized removal of deposited layers by cavitation microbubbles”. *Biomicrofluidics*, (6), 034114 (2012).
- [4] Fernandez Rivas, D., Stricker, L., Zijlstra, A. G., Gardeniers, J.G.E., Lohse, D. and Prosperetti, A. “**U**ltrasound nucleated bubbles and their sonochemical radical production”. Accepted for publication in *Ultrasonic Sonochemistry* in press, doi:10.1016/j.ultsonch.2012.07.024, (2012).
- [5] Fernandez Rivas, D., Ashokkumar, M., Leong, T., Yasui, K., Tuziuti, T., Kentish, S., Lohse, D. and Gardeniers, H.J.G.E. “**S**onoluminescence and sonochemiluminescence from a microreactor”. *Ultrasonic Sonochemistry*. (19) 1252-1259. (2012).