Polish Astrophysics: The First Half-Century, 1923 - 1973

S. M. Rucinski¹

1. Department of Astronomy and Astrophysics, University of Toronto, 60 St.George Street, Toronto, ON, Canada M5S 3H4

An attempt is made to evaluate progress of the Polish astrophysical research of stars and of the inter-stellar medium (ISM) on the basis of scientific paper citations in the ADS database¹. Rather modest citation levels were observed in the years before the mid-1950's. In the years 1958 – 1973, thanks to the partly opened foreign contacts and to strong support from astronomers of the older generation, work of a number of young, energetic enthusiasts reached the world science levels and formed a strong basis for the well recognized, international successes of the next generations.

1 Introduction

I feel honoured and very pleased being given an opportunity to deliver my talk in Toruń. This is happening exactly 60 years after I spent one month at the Piwnice Observatory learning the ropes in basic astronomy during my academic studies at the Warsaw University. My goal is not related to personal experiences, however: The task is of evaluating progress of the Polish astrophysics since the formation of our Society in 1923. It would be a very ambitious goal if intended to encompass the whole hundred years of the Polish Astronomical Society. While it is extremely encouraging and pleasing to witness the current, well-grounded position of the Polish astrophysics, it may be sufficiently interesting to look at the first half of those hundred years, the events-laden years 1923 – 1973. The tool used will be publication citations as currently listed in the Astrophysics Data System (ADS) in the United States. The main advantage of the ADS records is that they form an objective measure of tangible contribution to the world's science. It is an unbiased view and is open to access to anybody interested. It has been serving for many purposes, among them as professional-progress performance indicators for job and grant applications. The ADS system is known for its high accuracy, ease of use and the excellent, professional maintenance.

The term "astrophysics" was rarely used in the 1920's. A glance at the majority of papers of that time shows astronomy still concentrated on stellar positions and motions of the Solar System bodies. Group spatial motions of stars are studied using newly-developed mathematical tools, but observational accuracy lags behind and sets severe limits on a more substantial progress. Studies of physical properties of celestial bodies had then only started; it is only now that we recognize some research of that time as astrophysical in nature. In 1920, the "Great Debate" between Shapley and Curtis confronts the Big Question: Is the Milky Way – with the already recognized off-centre solar position – the whole Universe? Or – to the contrary – perhaps, the small, seemingly insignificant "spiral nebulae" at its periphery – apparently avoiding

¹This research has made use of NASA Astrophysics Data System Bibliographic Services.

the Milky Way plane – similar to it? Soon, in October 1923, Edwin Hubble, using the 100-inch telescope located in an excellent climate, finds that the largest of these "spiral nebulae", the one in Andromeda, has stars identical to those in the Milky Way. This discovery may count as the birth of the stellar astrophysics; coincidently, it is the year when our Society starts its existence.

The following half century, 1923 - 1973, sees the progressively more extensive application of the astrophysical work-horse, the spectrograph. It is also the time of revolutionary improvements in sensitivity and wavelength coverage of light detectors, first through rapidly improved photographic plate emulsions, then with the very sensitive photomultiplier – the first device of the modern, electronic era. The two directions, the stellar astrophysics and the astrophysics of the inter-stellar matter (ISM) start dominating astronomy and acquire the name of astrophysics.



Fig. 1: The number of cited, multiple-author papers per year (the red line) is compared with the total number of cited Polish publications (the black line).

2 The citation data

The present analysis has been done in the most straightforward way, without any claims of professionalism in handling of bibliographical data. It was started by forming a list of names of astronomers known to the author as professionally active in the period 1923 - 1973. The list was slightly expanded during the lecture of already selected publications. An author on the list continued to be considered when any citations of his/her works appeared in the ADS, otherwise the name was dropped. Each paper was checked for its content which had to be on astrophysics of stars or of the ISM. These two categories were considered separately with a possibility of a minor overlap for stars observed using the polarimetric techniques; the object studied was used as the criterion for inclusion in either of the two categories. The data noted were, for each author (i) and each paper (j): (1) the number of citations for the paper c_{ij} as of June 2023, (2) the number of co-authors (k_{ij}) of that paper.

The final total number of the author/citation entries was 452. Subsequently, the citations have been used in the normalized form, c_{ij}/k_{ij} ; only such a form is a fair measure of the publication performance. The number of Polish astronomers contributing was 59. Some papers were co-authored by foreign collaborators; then their presence reduced the normalized count for the domestic authors. The total number of cited papers was 396, in that as many as 303 were single-author publications. Thus, the relative contribution of the multi-authored papers was $23.5 \pm 2.6\%$ with the uncertainty estimated from the yearly statistics. We note that the dominance of the single-author papers is entirely opposite to the current tendency of work in large teams. Figure 1 shows the number of multi-author papers compared with the yearly totals. As we will see later (Figure 4 and the accompanying text), the author teams remained moderate in size throughout the whole period.



Fig. 2: The individual normalized citations for papers on stellar astrophysics (red dots) and the ISM (blue dots). The greyed region shows the time of the second World War. The horizontal line delineates the region of normalized citations < 100 shown in the expanded scale below. Similarly, the vertical orange line demarcates the last considered decade 1963 - 1973.

Figure 2 brings the essential statistics: Each point shows a normalized citation in years 1923 to 1973; the normalized citations below 100 are shown in the expanded scale in the lower part of the figure. The citation numbers are low through the whole considered period until the years 1956–1958: The early Polish astrophysics is almost invisible in the world science. The first cited astrophysical paper is that by Stanisław Szeligowski (1926) in Wilno who worked on pulsating stars currently recognized as of the SX Phe type; the material was supplied by Dutch astronomers from Johannesburg in South Africa. The first spectroscopic paper was by Wilhelmina Iwanowska (1936) who worked in Stockholm and published the results in the "Stockholm Annals" – one of several observatory publications existing at that time (we return to this subject later).

Two other early papers may require a special attention. The paper by Tadeusz Banachiewicz (1942) carries the place and date of submission to the Astronomical Journal (AJ) of "Cracow 1941". The degree of civilian-directed and intellectual-directed terror which was taking place at that time is well documented and well known to the inhabitants of Poland, so it is hard to believe that the paper had been written and then did reach the AJ Editors in 1942. It contains a description of an efficient use of the Cracovians – a mathematical tool developed by Banachiewicz – for solution of linear equations formed as an intermediate stage during least-squares parametric fits. It was not only a miracle that the paper appeared during that time, but that it also acquired as many as 9 citations, a high number for a publication from before the mid-1950's. Although written in general terms, this paper of Banachiewicz played a role in early analyses of light-curves of eclipsing-binary stars; the derivation via the "Cracovian square root" was much simpler and less prone to mistakes in manual work than the standard Cramer's (determinant-based) approach. (An aside comment: The Cracovians are definitely not differently-indexed matrices².)

Another paper worth a note is an extensive work in "Astrophysica Norvegica" by Jeremi Wasiutynski (1946). It is actually a collection of studies – apparently forming his PhD Thesis – on several aspects of stellar astrophysics. It appeared in a book form; parts of it may be still useful in some circumstances. The study had the largest number of citations (47) in the period before the large increase of the mid-1950's. Wasiutyński moved to Norway before the war and remained there retaining close contacts with Poland. His study is surprisingly modern for the time; he was one of the first to consider the very new results on thermo-nuclear energy generation in stars and their impact on the models of stellar structure. He widely utilized power-law approximations and polytropic equations for the stellar structure, a rather novel approach of that time.

We note that the impressive career of Bohdan Paczyński started during the years considered here. This period witnessed his first cited paper (with Ginter et al. (1958)) currently at 1.33 normalized citations and then – within a few years – a dramatic increase of the citations reaching 756 and then 1218 citations for his two continually popular review papers, Paczyński (1970) and Paczyński (1971). Both were his single-author publications.

3 The decade of the great success: 1963 – 1973

A big change in the citation levels is noticeable in Figure 2 within a few years around 1956 – 1963. This was the time of important changes when scientific information started flowing through the formerly impenetrable political borders. Polish astronomers fully utilized these opportunities; a few were even able to travel and work in Western observatories. There was a lot to catch up: Astronomical instrumentation practically did not exist, destroyed or stolen by the invaders, with remnants

 $^{^{2}} https://www.impan.pl/zakopane/34/Koronski.pdf$

of dubious use for astrophysics. The generation of pre-war-educated senior teachers was instrumental in creating a new atmosphere where enthusiastic, energetic young scientists could start modern, astrophysical research. The accessible areas were: observationally – photometry of a multitude of types of variable stars and of the ISM, theoretically – the internal structure of stars and magnetohydro-gravito-dynamical instabilities in the ISM. The citation levels went up dramatically during the years 1956 – 1963 from a few per year to tens and then hundreds per paper: Suddenly Polish astronomers became visible in the world. The transformation was amazingly fast so that – by about 1963 – the numbers of cited papers as well as normalized citations per paper reached world standards. As shown in Figure 3, the last decade is characterized by a broad distribution of generally high numbers of citations. The modern Polish astrophysics started its existence.



Fig. 3: The individual normalized citations for papers on stellar astrophysics (red dots) and the ISM (blue dots) for the last decade, 1963 - 1973. The data for that decade are the same as in Figure 2 but here shown in the logarithmic vertical scale. The corresponding distribution of the summed normalized citations is shown in the right panel.

The data for the decade 1963 - 1973, as shown in Figure 3, appear to indicate a very broad distribution of the normalized-citations characterized by a median of 8.5 and a mean value of 31, both calculated in linear units; the numbers are for the ensemble of the single- and multi-authored papers. The distribution looks somewhat similar to a Gaussian, but obviously this is a gross simplification: Points at the citation level of exactly unity correspond to single-author, singly-cited papers while the fractional normalized citations are for poorly cited, multi-authored papers. The tail at >500 is defined by three single-author papers which even currently keep on acquiring high citations.

Did the progressively more common team-work papers in the decade 1963 - 1973 show any advantage of that new style of work from the point of view of the normalized citations? An attempt to answer this question is somewhat surprising by being...



Fig. 4: The normalized citations for the last decade, 1963 - 1973, are shown in the logarithmic scale. They are split into groups depending on the number of co-authors (the vertical scale). The division of symbols for the two groups of stellar (red) and ISM (blue) astrophysical papers is the same as used in previous figures.

negative. This is demonstrated in Figure 4 where we see a gentle progression to *smaller* numbers for the increasing team size: The single-authored papers show the mean normalized citation of 40, those with 2 authors of 15, with 3 authors of 9. The new style of research was apparently only starting to be become popular. We note that handling of large datasets was still difficult at that time and computers – which simplify the team work – were still rather rarely used. A first indication of "citation-profitable", multi-author study may be the case of the catalogue paper of Wiesław Wiśniewski who worked in a team of four authors led by the famous photometrist H.L. Johnson et al. (1966): The normalized citation of 281.25 (=1125/4) is still a very high number.

4 Where were the papers published?

Polish astrophysical papers of the half-century 1923 - 1973 appeared in many different publications. Virtually all (98.7%) were written in English; only a few papers with modest citation numbers were written in German and Russian.

An attempt to illustrate the wide range of types of publications is demonstrated in Figure 5. The publications were divided into seven categories arranged by to the summed normalized count for a given category. Thus, at the right with the largest total count, we see Acta Astronomica (AcA) which apparently was the best publication vehicle for the Polish astronomical community; it published papers acquiring citations in a wide range, from very small to impressive numbers approaching one thousand. The publication, founded in 1925 by Banachiewicz has flourished after its move to Warsaw in 1967 and remains the very important publication tool in this country.



Fig. 5: The normalized citations for the half-century 1923 to 1973 – with the coloured symbols as in the previous figures – are divided into seven categories, as described in the text. The orange line in the upper part of the figure gives the summary normalized-citation count for each category.

Citations resulting from the US publications (**US**), *The Astronomical Journal* and *The Astrophysical Journal*, produced a large combined citation count. This shows that the young, energetic astronomers were amazingly efficient in utilizing the relatively short interval when US observatories were open to the Polish astronomers of that time.

The two next categories, the invited, in-depth articles in books (**Book**) and the conference reviews (**Conf**) papers are somewhat similar in style. The first category is practically by now extinct (the remaining publication is *The Annual Review of Astronomy and Astrophysics*), but several similar, by-invitation publications existed and competed at that time. Invited contributions by young Polish astronomers (Serkowski, 1962; Kruszewski, 1966; Smak, 1966; Paczyński, 1971) were a clear sign of their recognized prestigious position in the world science.

The observatory publications (**Obs**) have all disappeared by now. They were related to specific observatories and published large table or figure collections, all in view of the currently difficult-to-imagine absence of any media able to convey large datasets: All data had to be re-typed or re-plotted for any any subsequent use. The mentioned publications by Iwanowska (1936) or Wiśniewski (Johnson et al., 1966) belonged to this category.

Independent national journals (**EU**) were popular in Europe in the years 1923 - 1973, but in the 1960's many struggled with lack of attractive material. Prompted by the creation of the European Southern Observatory in 1962, several of them got amalgamated in 1968 into Astronomy and Astrophysics. Among the already mentioned papers – and excluding those in Acta Astronomica – the papers by Szeligowski (1926) or Wasiutynski (1946) appeared in such by-now defunct publications.

Finally the *Information Bulletin of Variable Stars* (**IBVS**) from Budapest. It is singled out here as a separate category because of its great popularity among Polish

astronomers of that time; it was because a large amount of their research concerned variable stars. The bulletin provided quickly released and – in spite of a limited scope – sometimes extensively cited publications. The Bulletin ceased to exist in 2019.

5 Conclusions

The available normalized-citations data for the astrophysical papers in the ADS system form an unbiased record of the large, important changes in the Polish astronomy in the years 1923 – 1973. After a long period of protracted difficulties, astrophysics of stars and of the inter-stellar medium (ISM) rapidly developed in years 1956 – 1963 reaching a high, world level in the last considered decade, 1963 – 1973. The development was mainly due to the opening of the borders to the scientific information flow. The first, bulky ("main-frame") computers permitted revolutionary work on stellar models. The dramatically improved sensitivity and accuracy of recently-introduced photomultipliers permitted observational studies of the interstellar dust. We should note that lack of access to spectrographs on large telescopes still restricted detailed work on stellar atmospheres and on the gaseous phase of the ISM.

The presented work has a limitation: The inquiry of the ADS in June 2023 gives an instantaneous "frozen-in" view of the citations record. While this is useful as a first-look view, it does not give any information on how citations varied in time. We see some popular papers still acquiring new citations, while some papers stopped doing so long time ago. Is this a sign of a more general value *versus* a short-lasting, but very timely contribution? A study of the citation time-profiles could be an interesting addition to the current analysis.

Acknowledgements. I would like to thank the Polish Astronomical Society, represented by the President Prof. Marek Sarna, for the invitation to deliver the talk about beginnings of the Polish astrophysics and for the related travel support from the Society.

References

Banachiewicz, T., AJ 50, 38 (1942)

Ginter, J., Paczyński, B., Wernik, A., Acta Astron. 8, 48 (1958)

Iwanowska, W., Stockholms Observatoriums Annaler 12, 5.1 (1936)

Johnson, H. L., Mitchell, R. I., Iriarte, B., Wisniewski, W. Z., Communications of the Lunar and Planetary Laboratory 4, 99 (1966)

Kruszewski, A., Advances in Astronomy and Astrophysics 4, 233 (1966)

Paczyński, B., Acta Astron. 20, 47 (1970)

Paczyński, B., ARA&A 9, 183 (1971)

Serkowski, K., Advances in Astronomy and Astrophysics 1, 289 (1962)

Smak, J. I., ARA&A 4, 19 (1966)

Szeligowski, S., Bull. Astron. Inst. Netherlands 3, 177 (1926)

Wasiutynski, J., Astrophysica Norvegica 4, 1 (1946)