

# Data Tables for Lorentz and CPT Violation

V. Alan Kostelecký<sup>a</sup> and Neil Russell<sup>b</sup>

<sup>a</sup>*Physics Department, Indiana University, Bloomington, IN 47405*

<sup>b</sup>*Physics Department, Northern Michigan University, Marquette, MI 49855*

January 2024 update of *Reviews of Modern Physics* **83**, 11 (2011) [arXiv:0801.0287]

This work tabulates measured and derived values of coefficients for Lorentz and CPT violation in the Standard-Model Extension. Summary tables are extracted listing maximal attained sensitivities in the matter, photon, neutrino, and gravity sectors. Tables presenting definitions and properties are also compiled.

## CONTENTS

I. Introduction	1
II. Summary tables	2
III. Data tables	3
IV. Properties tables	6
A. Minimal QED extension	6
B. Minimal SME	7
C. Nonminimal sectors, Minkowski spacetime	8
D. Nonminimal sectors, Riemann spacetime	10
E. Linearized gravity	11
References	13
Table 1: List of tables	20
Summary tables S2–S5	22
Data tables D6–D51	28
Properties tables P52–P76	132

## I. INTRODUCTION

Recent years have seen a renewed interest in experimental tests of Lorentz and CPT symmetry. Observable signals of Lorentz and CPT violation can be described in a model-independent way using effective field theory [1].

The general realistic effective field theory for Lorentz violation is called the Standard-Model Extension (SME) [2, 3]. It includes the Standard Model coupled to General Relativity along with all possible operators for Lorentz violation. Both local and global Lorentz violations are incorporated, along with diffeomorphism, translation, and gravitational-gauge violations [4]. Since CPT violation in realistic field theories is accompanied by Lorentz violation [5], the SME also describes general CPT violation. Reviews of the SME can be found in Refs. [6–10].

Each Lorentz-violating term in the Lagrange density of the SME is constructed as the coordinate-independent product of a coefficient for Lorentz violation with a Lorentz-violating operator. The Lorentz-violating physics associated with any operator is therefore controlled by the corresponding coefficient, and so any ex-

perimental signal for Lorentz violation can be expressed in terms of one or more of these coefficients.

The Lorentz-violating operators in the SME are systematically classified according to their mass dimension, and operators of arbitrarily large dimension can appear. At any fixed dimension, the operators are finite in number and can in principle be enumerated. A limiting case of particular interest is the minimal SME, which can be viewed as the restriction of the SME to include only Lorentz-violating operators of mass dimension four or less. The corresponding coefficients for Lorentz violation are dimensionless or have positive mass dimension.

We compile 46 *data tables* for these SME coefficients, including both existing experimental measurements and theory-derived limits. Each of these data tables provides information about the results of searches for Lorentz violation for a specific sector of the SME. For each measurement or constraint, we list the relevant coefficient or combination of coefficients, the result as presented in the literature, the context in which the search was performed, and the source citation. The tables include results available from the literature up to December 31, 2023.

The scope of the searches for Lorentz violation listed in the data tables can be characterized roughly in terms of depth, breadth, and refinement. Deep searches yield great sensitivity to a small number of SME coefficients. Broad searches cover substantial portions of the coefficient space, usually at a lesser sensitivity. Searches with high refinement disentangle combinations of coefficients. In the absence of a compelling signal for Lorentz violation, all types of searches are necessary to obtain complete coverage of the possibilities.

As a guide to the scope of the existing searches, we extract from the data tables four *summary tables* covering the sectors for matter (electrons, protons, neutrons, and their antiparticles), photons, neutrinos, and gravity. These summary tables list our best estimates for the maximal attained sensitivities to the relevant SME coefficients in the corresponding sectors. Each entry in the summary tables is obtained under the assumption

that only one coefficient is nonzero. The summary tables therefore provide information about the overall search depth and breadth, at the cost of masking the search refinement.

In addition to the data tables and the summary tables, we also provide 25 *properties tables* listing some features and definitions of the SME and the coefficients for Lorentz violation. The Lagrange densities for the minimal QED extension in Riemann spacetime, for the minimal SME in Riemann-Cartan spacetime, for a non-minimal Dirac fermion in Minkowski spacetime, for the nonminimal photon sector in Minkowski spacetime, for all gravity-gauge-lepton-quark-Higgs terms with operators of dimension  $\leq 6$ , and for linearized gravity are provided in tabulated form. The mass dimensions of the operators for Lorentz violation and their properties under the various discrete spacetime transformations are displayed. Standard combinations of SME coefficients that appear in the literature are listed. Along with the data tables and the summary tables, the properties tables can be used to identify open directions for future searches. Among these are first measurements of unconstrained coefficients, improved sensitivities to constrained coefficients, and studies disentangling combinations of coefficients.

The organization of the tables is as follows. Table 1 contains a list of all tables. The four summary tables are presented next, Tables S2–S5. These are followed by the 46 data tables, Tables D6–D51. The 25 properties tables appear last, Tables P52–P76.

A description of the summary tables is given in Sec. II. Information about the format and content of the data tables is presented in Sec. III, while Sec. IV provides an overview of the properties tables. The bibliography follows Sec. IV, and it covers the text and all the tables.

## II. SUMMARY TABLES

The four summary tables (Tables S2–S5) list maximal experimental sensitivities attained for coefficients in the matter, photon, neutrino, and gravity sectors of the minimal SME. To date, there is no confirmed experimental evidence supporting Lorentz violation. A few measurements suggest nonzero coefficients at weak confidence levels. These latter results have been excluded in constructing the summary tables but are listed in the data tables. Also excluded are results based on the reported  $6\sigma$  difference between the speeds of muon neutrinos and light in the OPERA experiment [11], which has since been identified as a systematic effect [12].

In the four summary tables, each displayed sensitivity value represents our conservative estimate of a  $2\sigma$  limit, given to the nearest order of magnitude, on the modulus of the corresponding coefficient. Our rounding convention is logarithmic: a factor greater than or equal to  $10^{0.5}$




FIG. 1. Standard Sun-centered inertial reference frame [13].

rounds to 10, while a factor less than  $10^{0.5}$  rounds to 1. In a few cases, tighter results may exist when suitable theoretical assumptions are adopted; these results can be found in the data tables that follow.

Where observations involve a linear combination of the coefficients appearing in the summary tables, the displayed sensitivity for each coefficient assumes for definiteness that no other coefficient contributes. Some caution is therefore advisable in applying the results in these summary tables to situations involving two or more nonzero coefficient values. Care in applications is also required because under some circumstances certain coefficients can be intrinsically unobservable or can be absorbed into others by field or coordinate redefinitions, as described in Sec. IV A.

In presenting the physical sensitivities, we adopt natural units with  $\hbar = c = \epsilon_0 = k_B = 1$  and express mass units in GeV. Our values are reported in the standard Sun-centered inertial reference frame [13] widely used in the literature. This frame is illustrated in Fig. 1. The origin of the time coordinate  $T$  is at the 2000 vernal equinox. The  $Z$  axis is directed north and parallel to the rotational axis of the Earth at  $T = 0$ . The  $X$  axis points from the Sun towards the vernal equinox, while the  $Y$  axis completes a right-handed system. Some further details about this frame, including transformations to other standard frames, can be found in Section III A and Appendix C of Ref. [14].

Table S2 lists the maximal attained sensitivities involving electrons, protons, neutrons, and their antiparticles. For each distinct massive spin-half Dirac fermion in the minimal SME in Minkowski spacetime, there are 44 independent observable combinations of coefficients for Lorentz violation in the nonrelativistic limit. Of these,

20 also control CPT violation. The 44 combinations are conventionally chosen as the tilde coefficients shown. The definitions of these 44 tilde coefficients in terms of coefficients in the minimal SME are listed in Table P54. All the definitions appear elsewhere in the literature [13] except the four combinations  $\tilde{b}_J^*$  and  $\tilde{c}_{TT}$ . The three tilde coefficients  $\tilde{b}_J^*$  are the antimatter equivalent of the tilde coefficients  $\tilde{b}_J$ . They appear in nonrelativistic studies of antimatter properties, such as the hyperfine transitions of antihydrogen [15]. The tilde coefficient  $\tilde{c}_{TT}$  is a simple scaling of the coefficient  $c_{TT}$  in the minimal SME, introduced here to ensure completeness of the set of tilde coefficients. All tilde coefficients have dimensions of GeV in natural units. In Table S2, a superscript indicating the particle species of relevance is understood on all coefficients. For example, the first line of the table presents limits on three different tilde coefficients,  $\tilde{b}_X^e$ ,  $\tilde{b}_X^p$ ,  $\tilde{b}_X^n$ . In the table, a dash indicates that no sensitivity to the coefficient has been identified to date. A few maximal sensitivities are obtained by applying the inverse of the definitions in Table P54 to data in Tables D6, D9, and D10. These inverses are presented in Table P55.

Table S3 displays the maximal attained sensitivities to coefficients for Lorentz violation in the photon sector. The first section of Table S3 concerns those few coefficients in the photon sector of the full SME that control isotropic Lorentz violation in the Sun-centered frame. Exactly one such coefficient exists for each operator of mass dimension  $d$  [16]. The operators also violate CPT when  $d$  is odd. The table displays maximal attained sensitivities to isotropic Lorentz violation from operators of dimension  $3 \leq d \leq 9$ . The next two sections of Table S3 concern the minimal photon sector. There are 23 observable coefficient combinations for photons in the minimal SME, of which four also control CPT violation. Four rows of the table concern combinations of these four coefficients, which have dimensions of GeV in natural units. The remaining rows in these parts of the table display maximal sensitivities to 10 spherical and 9 tilde coefficients, which are convenient combinations of the 19 dimensionless coefficients in the minimal SME. The definitions of all 23 combinations of coefficients in the minimal SME are taken from the literature [14, 17] and are provided in Table P56. The final part of Table S3 provides the 36 independent coefficients for the non-minimal photon sector with  $d = 5$ , along with existing two-sided maximal sensitivities. The definitions of these coefficients are given in Refs. [14, 17] and are reproduced in Table P64.

Table S4 lists the maximal attained sensitivities to a subset of the coefficients controlling Lorentz-violating mixing and propagation of the three flavors  $\nu_e$ ,  $\nu_\mu$ ,  $\nu_\tau$  of left-handed neutrinos and antineutrinos in the SME. In this table, each numerical value gives the limit on the modulus of the corresponding coefficient. A dash

indicates that no sensitivity to the coefficient has been identified as yet. The first 14 rows of the table concern cartesian coefficients governing neutrino mixing for operator dimensions  $d = 3$  and  $d = 4$ . All these flavor-mixing coefficients are complex, so bounds on both real and imaginary parts are provided. A subscript  $e\mu$ ,  $e\tau$ , or  $\mu\tau$  indicating the specific flavor mixing is understood on each coefficient and can be identified by the column heading. For example, the entry in the first row and second column provides the constraint  $|\text{Re}(a_L)_{e\mu}^T| < 10^{-20}$  GeV. The last eight rows of Table S4 concern spherical coefficients in the nonminimal neutrino sector, which are defined in the literature [18] and listed in Table P66. These eight rows list maximal attained sensitivities to isotropic oscillation-free operators of dimension  $3 \leq d \leq 10$  controlling propagation, along with isotropic mixing operators of dimension  $3 \leq d \leq 10$  controlling  $\nu_e \leftrightarrow \nu_\mu$  and  $\nu_\mu \leftrightarrow \nu_\tau$  oscillations. One isotropic coefficient of each type exists for each  $d$ , and the corresponding operators violate CPT when  $d$  is odd.

Table S5 displays the maximal attained sensitivities to certain coefficients for Lorentz violation involving the gravity sector of the minimal SME. Two classes of coefficients can be distinguished in this context: ones appearing in the matter sector, and ones appearing in the pure-gravity sector. For the first class, Table S5 contains results for the 24 coefficients  $\bar{a}_\mu^e$ ,  $\bar{a}_\mu^p$ ,  $\bar{a}_\mu^n$  and  $\bar{c}_\mu^e$ ,  $\bar{c}_\mu^p$ ,  $\bar{c}_\mu^n$  involving the electron, proton, and neutron sectors. These observables are associated with CPT-odd operators. The prefactor  $\alpha$  is a model-dependent number [19]. For the second class, the table displays nine combinations of the nine dimensionless coefficients for Lorentz violation  $\bar{s}^{\mu\nu}$ .

### III. DATA TABLES

We present 46 data tables compiled from the existing literature. Some of these include results restricted to the minimal SME, others list bounds on nonminimal coefficients, and a few contain data involving both minimal and nonminimal sectors. The 46 tables cover the electron sector (Tables D6–D8), the proton sector (Tables D9–D11), the neutron sector (Tables D12–D14), the photon sector (Tables D15–D21), nonminimal QED couplings (Table D22), the charged-lepton sector (Tables D23–D29), the neutrino sector (Tables D30–D37), the quark sector (Tables D38–D40), the electroweak sector (Table D41), the gluon sector (Table D42), and the gravity sector (Tables D43–D51).

Each of these 46 data tables contains four columns. The first column lists the coefficients for Lorentz violation or their relevant combinations. Results for coefficients of the same generic type are grouped together. Certain results involve combinations of coefficients across more than one sector; each of these has been listed only once in the table deemed most appropriate. Some mi-

nor changes in notation or format have been introduced as needed, but for the most part the results are quoted as they appear in the cited references. Definitions for standard combinations of coefficients are provided in the properties tables that follow. A few authors use unconventional notation; where immediate, the match to the standard notation is shown. Parentheses enclosing a pair of indices on a coefficient indicate symmetrization without a factor of two.

The second column contains the measurements and bounds, presented in the same form as documented in the literature. For each generic type of coefficient, the results are listed in reverse chronological order. If no significant figures appear in the quoted limit on an absolute value, the order of magnitude of the limit is given as a power of 10. Where both statistical and systematic errors appear in a given result, they are quoted in that order.

The third column contains a succinct reminder of the physical context in which the bound is extracted, while the fourth column contains the source citations. The reader is referred to the latter for details of experimental and theoretical procedures, assumptions underlying the results, definitions of unconventional notations, and other relevant information. Results deduced on theoretical grounds are distinguished from those obtained via direct experimental measurement by an asterisk placed after the citation.

Tables D6–D14 contain data for the electron, proton, and neutron sectors. These data are organized sequentially, beginning with combinations involving the minimal coefficients  $b_\nu$ ,  $c_{\mu\nu}$ ,  $H_{\mu\nu}$ ,  $d_{\mu\nu}$ ,  $g_{\mu\nu\lambda}$  and followed by combinations involving nonminimal coefficients. For all three sectors, minimal and nonminimal coefficients are displayed in distinct tables. A superscript indicating the particle species of relevance is understood on the coefficients in all these tables. Standard definitions for the minimal coefficients and their combinations are provided in Tables P52 and P54, while definitions for the nonminimal coefficients are given in Tables P61 and P62. Many entries in Tables D6–D14 use coefficients for a single Dirac fermion written in a cartesian basis, but some adopt instead coefficients decomposed using spin-weighted spherical harmonics, which provide a convenient means of enumerating Lorentz-violating fermion operators of arbitrary mass dimension  $d$  [20]. Some entries for the nonminimal sectors appearing in these tables involve nonrelativistic spherical coefficients identified by the superscript NR, which are formed as special linear combinations of spherical coefficients for all dimensions  $d$ , while others involve isotropic ultrarelativistic coefficients denoted by a ring diacritic and the superscript UR. One useful relation is  $c_{TT} \equiv 3\hat{c}^{\text{UR}(4)}/4$ . Some results depend on  $\eta \simeq 23.5^\circ$ , which is the angle between the equatorial and ecliptic planes in the solar system. Note that the existing bounds on observables involving  $a_\nu^e$ ,  $a_\nu^p$ ,  $a_\nu^n$  and  $e_\nu^e$ ,  $e_\nu^p$ ,  $e_\nu^n$  are obtained from gravitational experiments and

are listed with the gravity-sector results in Table D43.

Tables D15 and D16 present the photon-sector data for operator dimensions  $d = 3$  and  $d = 4$ , respectively. Most of the combinations of coefficients for Lorentz violation appearing in the first columns of these tables are defined in Tables P56 and P64. The combinations  $k_{(V)jm}^{(3)}$ ,  $k_{(E)jm}^{(4)}$ , and  $k_{(B)jm}^{(4)}$  arise from analyses [16, 17, 21] using spin-weighted spherical harmonics. The factor of  $\beta_\oplus$  appearing in some places is the speed of the Earth in the standard Sun-centered reference frame, which is about  $10^{-4}$  in natural units.

Tables D17–D21 contain a compilation of some measurements and bounds on coefficients for Lorentz violation in the nonminimal photon sector of the SME. Results are available for a variety of operators of dimensions greater than 4, with the coefficients for  $d = 5$ ,  $d = 6$ ,  $d = 7$ ,  $d = 8$ , and  $d \geq 9$  being placed in distinct tables. The spin-weighted spherical harmonics also provide a convenient basis for classifying photon operators of arbitrary mass dimension  $d$  [16]. The corresponding coefficients in the photon sector are listed in Table P64. Some constraints have been obtained for the vacuum coefficients for Lorentz violation, which are  $c_{(I)jm}^{(d)}$ ,  $k_{(E)jm}^{(d)}$ ,  $k_{(B)jm}^{(d)}$  for even  $d$  and  $k_{(V)jm}^{(d)}$  for odd  $d$ , where the subscripts  $jm$  label the angular-momentum quantum numbers. In the first columns of Tables D17–D21, the various spherical harmonics  ${}_s Y_{jm}(\theta, \phi)$  of spin weight  $s$  are evaluated at specified angles, which are the celestial coordinates of certain astrophysical sources. The conventional spherical harmonics of spin weight 0 are denoted as  $Y_{jm}(\theta, \phi)$ . Measurements are also listed of some vacuum-orthogonal coefficients for Lorentz violation, which are distinguished by a negation diacritic  $\bar{\cdot}$ .

Table D22 provides constraints on nonminimal QED interactions in the SME Lagrange density. Some of these couple the electromagnetic field strength  $F_{\mu\nu}$  to fermion bilinear operators, and the corresponding coefficients are distinguished by a subscript  $F$ . Others involve 4-fermion interactions. The possible terms for  $d = 5$  and 6 are given in Table P65. Constraints have been obtained for several different particle species, and many coefficients in Table D22 are accordingly labeled with a subscript denoting the flavor. Some of the entries in the first column involve bounds on special limits of these coefficients, for which the definitions are given in the corresponding references.

Tables D23–D29 list measurements and bounds on coefficients for Lorentz violation involving the second- and third-generation charged leptons. Results for the muon and its antiparticle for operator dimensions  $d = 3$ ,  $d = 4$ , and  $d \geq 5$  are collected in Tables D23, D24, and D25, respectively. These results are expressed either using the cartesian coefficients specified in the lepton sector of Table P57 or via the spherical basis for Dirac fermions [20] using the spherical coefficients summarized in Table P62. Some nonrelativistic experiments are sensitive to special

linear combinations of spherical coefficients involving all dimensions  $d$ , which are identified by the superscript NR and have properties listed in Table P62. The results for these nonrelativistic coefficients are placed in the tables according to their mass dimension and are separated from other coefficients of definite  $d$  by a horizontal line. A few rows of the muon data tables present limits on nonminimal operators governed by isotropic ultrarelativistic coefficients, denoted by a ring diacritic and the superscript UR, which are also listed in Table P62. Experiments with storage rings studying the muon anomalous magnetic moment are sensitive to combinations of spherical coefficients at each  $d$  that involve boost factors and are denoted with a háček diacritic. These háček coefficients are defined in Table XI of Ref. [22]. The few existing results for the tau and its antiparticle can be found in Table D26. Flavor-changing operators also appear in the charged-lepton sector. Constraints on coefficients governing the corresponding effects are listed in Tables D27–D29.

Tables D30–D37 collect results involving coefficients in the neutrino sector. Limits for neutrino operators of renormalizable dimension appear in Tables D30–D32, while Tables D33–D37 contain results for coefficients in the nonminimal neutrino sector. Most results are for operators of dimension  $2 \leq d \leq 10$ , but a few results in Table D37 concern operators of arbitrary dimension. In compiling the results, a separate table is used for each value of  $d$  in the range  $2 \leq d \leq 8$  and for  $d \geq 9$ . Many of the cartesian coefficients appearing in the first columns of these tables are provided in Table P60. For a general treatment, in parallel with the fermion and photon sectors, a basis using spin-weighted spherical harmonics is useful to classify the neutrino operators [18]. The corresponding sets of spherical coefficients are listed in Table P66. In Tables D30–D37, oscillation-free coefficients are listed before those controlling neutrino mixing, with a horizontal line clarifying the separation where useful. In Table D37, horizontal lines also separate coefficients of different  $d$ . The final section of Table D37 concerns more general models and presents constraints involving combinations of an infinite number of coefficients. In some entries in these tables, orientation information is encoded in the factors  ${}_s\mathcal{N}_{jm}$ , which are defined in Eq. (93) of Ref. [18] and evaluated at specific angles determined by the neutrino propagation direction and the laboratory location. In all these tables, many of the results listed are obtained in the context of specific neutrino models, as described in the cited papers.

Tables D38–D40 present experimental sensitivities to coefficients for operators in the quark sector. Some coefficients appearing in these tables are obtained from experiments with mesons and are composite quantities defined in the corresponding references. They are effective coefficients for which complete analytical expressions are as yet unknown, formed from certain quark-sector coeffi-

cients appearing in Table P57 and from other quantities arising from the quark binding in the mesons. A few rows of Table D39 contain bounds on isotropic ultrarelativistic spherical coefficients [20], denoted by a ring diacritic and the superscript UR. Properties of these coefficients are provided in Table P62.

Tables D41 and D42 concern coefficients in the gauge sectors of the minimal SME. Results for the electroweak sector are listed in Table D41, while those for the gluon sector are in Table D42. The coefficients for the electroweak sector are defined in the gauge and Higgs sections of Table P58. Each gluon-sector coefficient is the analogue of the corresponding photon-sector coefficient defined in Table P56.

Tables D43–D51 present measurements and bounds concerning operators in the minimal and nonminimal gravity sector of the SME. Table D43 includes limits on the matter-sector coefficients  $a_\nu^e$ ,  $a_\nu^p$ ,  $a_\nu^n$ , and  $e_\nu^e$ ,  $e_\nu^p$ ,  $e_\nu^n$ , which arise at  $d = 3$  and  $d = 4$  and are detectable in gravitational experiments. Table D44 involves coefficients in the pure-gravity sector of the minimal SME, all of which occur at  $d = 4$ . The specific combinations appearing in some entries in the first column are defined in the references and are expressed in terms of the coefficients for Lorentz violation listed in the gravity section of Table P58. Tables D45–D47 list existing experimental constraints on coefficients in the nonminimal pure-gravity sector. They include measurements of combinations of coefficients with  $d = 5$  and  $d = 6$  that are observable in nonrelativistic and post-Newton experiments. These coefficients are defined in Eq. (7) of Ref. [23] and Eq. (3) of Ref. [24]. Tables D45–D47 also display constraints on effective spherical coefficients with values  $d \leq 10$  that govern Lorentz violation affecting the propagation of gravitational waves. These effective spherical coefficients are defined in Eq. (7) of Ref. [24] and Eq. (45) of Ref. [25].

Tables D48–D51 list constraints on coefficients governing the fermion-gravity sector in the limit where gravity is linearized about Minkowski spacetime. Relevant terms of mass dimension  $d \leq 5$  in the corresponding Lagrange density are provided in the properties Table P74. Each of the four tables D48–D51 is devoted to a single fermion flavor, including electrons, protons, neutrons, and muons. Many of the bounds listed are deduced from comparisons of experimental results at different elevations, while others are obtained from laboratory measurements. Some of the tilde combinations displayed in these tables contain a repeated index  $\Sigma\Sigma$ , which denotes summation over the individual tilde combinations with indices  $TT$ ,  $XX$ ,  $YY$ ,  $ZZ$  in the Sun-centered frame. The relationships between these tilde combinations and terms in the Lagrange density for linearized gravity are given in the properties Table P75. Some of the constraints listed in Tables D48–D51 are expressed instead in terms of the nonrelativistic coefficients that appear in the nonrelativistic hamiltonian describing the coupling of fermions to the metric

fluctuation in linearized gravity. These nonrelativistic coefficients are displayed in the properties Table P76.

#### IV. PROPERTIES TABLES

The 25 properties tables list various features and definitions related to Lorentz violation. Five tables concern the terms in the restriction of the minimal SME to quantum electrodynamics (QED) in Riemann spacetime. For this theory, which is called the minimal QED extension, the tables include information about the operator structure (Table P52), the action of discrete symmetries (Table P53), and some useful coefficient combinations (Tables P54–P56). Two tables contain information about the matter sector (Table P57) and the gauge and gravity sectors (Table P58) of the minimal SME in Riemann-Cartan spacetime. Another two tables summarize some features of the coefficients for Lorentz violation concerning operators of renormalizable dimension in the neutrino sector. One (Table P59) lists the cartesian coefficients and some of their properties, while the other (Table P60) provides the connection between cartesian and spherical coefficients. Six tables (Tables P61–P66) display information about the operator structure and the spherical coefficients for Lorentz violation in the nonminimal fermion, photon, and neutrino sectors in Minkowski spacetime. Four tables (Tables P67–P70) provide all terms with mass dimension  $\leq 6$  in the Lagrange density of the SME in Riemann spacetime. The remaining tables (Tables P71–P76) concern the gravity sector in the linearized limit, including pure-gravity terms and fermion-gravity couplings.

For these properties tables, our primary conventions are those of Ref. [3]. Greek indices  $\mu, \nu, \lambda, \dots$  refer to curved-spacetime coordinates and Latin indices  $a, b, c, \dots$  to local Lorentz coordinates. The vierbein formalism [26], which relates the two sets of coordinates, is adopted to facilitate the description of spinors on the spacetime manifold. The determinant  $e$  of the vierbein  $e_\mu^a$  is related to the determinant  $g$  of the metric  $g_{\mu\nu}$  by  $e = \sqrt{-g}$ . The conventions for the Dirac matrices  $\gamma^a$  are given in Appendix A of Ref. [3]. The Newton gravitational constant  $G_N$  enters as the combination  $\kappa \equiv 8\pi G_N$ , and it has dimensions of inverse mass squared.

In the Minkowski-spacetime limit, the metric  $g_{\mu\nu}$  is written  $\eta_{\mu\nu}$  with diagonal entries  $(-1, 1, 1, 1)$ . For decompositions into time and space components, we adopt the Sun-centered frame of Fig. 1 and use indices  $J, K, L, \dots$  to denote the three spatial components  $X, Y, Z$ . The sign of the antisymmetric tensor  $\epsilon_{\kappa\lambda\mu\nu}$  is fixed via the component  $\epsilon_{TXYZ} = +1$ , and the antisymmetric symbol in three spatial dimensions is defined with  $\epsilon_{XYZ} = +1$ . Note that some of the literature on the SME in Minkowski spacetime adopts a metric  $\eta_{\mu\nu}$  of opposite sign, following the common present usage in quantum

physics instead of the one in relativity. Under this alternative convention, terms in the Lagrange density with an odd number of index contractions have opposite signs to those appearing in this work. The numerical results for the SME coefficients in the tables are unaffected by the convention.

#### A. Minimal QED extension

Table P52 concerns the minimal QED extension, for which the basic nongravitational fields are a Dirac fermion  $\psi$  and the photon  $A_\mu$ . The electromagnetic field-strength tensor is  $F_{\mu\nu} = \partial_\mu A_\nu - \partial_\nu A_\mu$ . The pure-gravity sector involves the Riemann tensor  $R_{\kappa\lambda\mu\nu}$ , the Ricci tensor  $R_{\mu\nu}$ , the curvature scalar  $R$ , and the cosmological constant  $\Lambda$ . The spacetime covariant derivative  $D_\mu$  corrects local Lorentz indices using the spin connection, corrects spacetime indices using the Cartan connection, and contains the usual gauge field  $A_\mu$  for the photon. The notation  $\overset{\leftrightarrow}{D}_\mu$  is an abbreviation for the difference of two terms, the first with derivative acting to the right and the second acting to the left. Note that Table P52 is restricted to the zero-torsion limit of the minimal SME. The general case [3] involves additional operators constructed with the torsion tensor  $T^\alpha_{\mu\nu}$ . The Minkowski-spacetime limit of QED with nonzero torsion contains terms that mimic Lorentz violation, so searches for Lorentz violation can be used to bound components of the torsion tensor [27, 28]. A similar line of reasoning leads to constraints on components of the nonmetricity tensor from bounds on Lorentz violation [29, 30].

In Table P52, each line specifies one term in the Lagrange density for the QED extension in Riemann spacetime. Both conventional QED terms and ones with Lorentz violation are included. The first column indicates the sector to which the term belongs. The second column lists the coefficient controlling the corresponding operator. Note the standard use of an upper-case letter for the coefficient  $H_{\mu\nu}$ , which distinguishes it from the metric fluctuation  $h_{\mu\nu}$ . The third column shows the number of components for the coefficient. The next three columns list the operator, its mass dimension, and the vierbein factor contracting the coefficient and the operator. The final two columns list the properties of the term under CPT and Lorentz transformations. A CPT-even operator is indicated by a plus sign and a CPT-odd one by a minus sign, while terms violating Lorentz invariance are identified by a check mark.

As an example, consider the fourth row of Table P52. This concerns the term in the fermion sector with coefficient  $a_\mu$  for Lorentz violation. The coefficient has four independent components, which control the four Lorentz-violating operators  $\bar{\psi}\gamma^a\psi$ . The gravitational couplings of this operator are contained in the vierbein product

$ee^\mu{}_a$ . The corresponding term in the Lagrange density for the minimal QED extension in Riemann spacetime is  $\mathcal{L}_a = -ea_\mu e^\mu{}_a \bar{\psi} \gamma^a \psi$ . It has mass dimension 3 and is CPT odd. The Minkowski-spacetime limit of this term can be obtained by the vierbein replacement  $e_\mu{}^a \rightarrow \delta_\mu{}^a$ . The number of index contractions in  $\mathcal{L}_a$  is two, one each for the  $\mu$  and  $a$  indices, so the overall sign of  $\mathcal{L}_a$  is unaffected by the choice of convention for the Minkowski metric.

The properties listed in Table P52 are those of the operators in the Lagrange density rather than those associated with observables. The issue of observability of a given coefficient can be subtle because experiments always involve comparisons of at least two quantities. The point is that in certain tests a given coefficient may produce the same effect on two or more quantities and so may be unobservable, or it may produce effects indistinguishable from those of other coefficients. This situation can often be theoretically understood via a field redefinition that eliminates the coefficient from the relevant part of the Lagrange density without affecting the dynamics of the experiment in question. For example, a constant coefficient  $a_\mu$  in the minimal QED extension in Minkowski spacetime is unobservable in any experiment involving a single fermion flavor because it can be absorbed as a phase shift in the fermion field [2]. The situation changes in Riemann spacetime, where three of the four components of  $a_\mu$  become observables affecting the gravitational properties of the fermion [3]. Another example is provided by the coefficient  $f_\mu$  in the minimal QED extension in Minkowski spacetime, which can be converted into a coefficient of the  $c_{\mu\nu}$  type via a change of spinor basis [31, 32]. Additional subtleties arise because any experiment must always choose definitions of clock ticking rates, clock synchronizations, rod lengths, and rod isotropies. This involves 10 free coordinate choices and implies the unobservability of 10 combinations of coefficients for Lorentz violation [33].

Table P53 lists the properties under discrete-symmetry transformations of the Lorentz-violating operators in the minimal QED extension [34]. The seven transformations considered are charge conjugation C, parity inversion P, time reversal T, and their combinations CP, CT, PT, and CPT. The first column specifies the operator by indicating its corresponding coefficient. Each of the other columns concerns one of the seven transformations. An even operator is indicated by a plus sign and an odd one by a minus sign. The table contains eight rows, one for each of the eight possible combinations of signs under C, P, and T.

Tables P54 and P55 concern the 44 combinations of coefficients for Lorentz violation that frequently appear in experimental analyses involving the fermion sector of the minimal QED extension in Minkowski spacetime in the nonrelativistic limit. These combinations are conventionally denoted by tilde coefficients, and they are

defined by the first two columns of Table P54. Note that six of these combinations,  $\tilde{c}_X$ ,  $\tilde{c}_Y$ ,  $\tilde{c}_Z$ ,  $\tilde{g}_{TX}$ ,  $\tilde{g}_{TY}$ , and  $\tilde{g}_{TZ}$ , are denoted as  $\tilde{c}_{Q,Y}$ ,  $\tilde{c}_{Q,X}$ ,  $\tilde{c}_{XY}$ ,  $\tilde{g}_{Q,Y}$ ,  $\tilde{g}_{Q,X}$ , and  $\tilde{g}_{XY}$ , respectively, in some early publications. The definitions in the table are given for a generic fermion of mass  $m$ . Most applications in the literature involve electrons, protons, neutrons, and their antiparticles, for which the corresponding mass is understood. The final column lists the number of independent components of each coefficient. For matter involving electrons, protons, neutrons, and their antiparticles, there are therefore 132 independent observable coefficients for Lorentz violation in the minimal QED sector of the SME in Minkowski spacetime.

The 44 tilde coefficients in Table P54 are formed from 44 linear combinations of the 76 available coefficients in the minimal SME restricted to a single free fermion in flat spacetime. In this limit, the other 32 degrees of freedom can be removed by field redefinitions. Table P55 lists each of these 44 linear combinations and gives its equivalent in terms of tilde coefficients. For brevity, some of the 44 linear combinations are expressed using the definitions

$$d_{\mu\nu}^\pm = \frac{1}{2}(d_{\mu\nu} \pm d_{\nu\mu}), \quad g^{(A)\mu} = \frac{1}{6}\epsilon^{\alpha\beta\gamma\mu} g_{\alpha\beta\gamma},$$

$$g_{\mu\nu\lambda}^{(M)} = \frac{1}{3}(g_{\mu\nu\lambda} + g_{\mu\lambda\nu} + \eta_{\mu\lambda} g_{\nu\alpha\beta} \eta^{\alpha\beta}) - (\mu \leftrightarrow \nu).$$

The map between the two coefficient sets can be block-diagonalized [35], and this is reflected in Table P55 by horizontal lines separating each block. The number of independent degrees of freedom in each block is provided in the third column of the table.

Table P56 presents definitions for certain combinations of the 23 coefficients for Lorentz violation in the photon sector of the minimal QED extension in Minkowski spacetime. This table has five sections. The first section consists of five rows listing 19 widely used combinations of the 19 coefficients for CPT-even Lorentz violation. The second section provides 10 alternative combinations involving the 10 CPT-even Lorentz-violating operators relevant to leading-order birefringence [14]. The remaining three sections list four combinations of the four coefficients for CPT-odd Lorentz violation, followed by 19 combinations of the 19 coefficients for CPT-even Lorentz violation. The 23 combinations in these last three sections appear when a basis of spin-weighted spherical harmonics is adopted.

## B. Minimal SME

Table P57 concerns the fermion-sector terms in the Lagrange density of the minimal SME in Riemann-Cartan spacetime. The column headings are similar to those in Table P52. In the lepton sector, the left- and right-handed leptons are denoted by  $L_A$  and  $R_A$ , where  $A$  is the generation index. The  $SU(2)$  doublet  $L_A$  includes

the three neutrino fields  $\nu_e, \nu_\mu, \nu_\tau$  and the left-handed components of the three charged leptons  $e, \mu,$  and  $\tau$ . The  $SU(2)$  singlet  $R_A$  contains the right-handed components of  $e, \mu,$  and  $\tau$ . The derivative  $D_\mu$  is both spacetime and  $SU(3) \times SU(2) \times U(1)$  covariant. The quark fields are denoted  $U_A, D_A,$  and  $Q_A$ , where  $A$  is the generation index. The right-handed components of the  $u, c,$  and  $t$  quarks are the  $SU(2)$  singlets  $U_A$ , while the right-handed components of  $d, s,$  and  $b$  are the  $SU(2)$  singlets  $D_A$ . The six left-handed quark fields are contained in the  $SU(2)$  doublet  $Q_A$ . The Yukawa sector involves terms coupling the Higgs doublet  $\phi$  to the leptons and to the quarks. The conventional Yukawa-coupling matrices are denoted  $(G_L)_{AB}, (G_U)_{AB},$  and  $(G_D)_{AB}$ . The hermitian conjugate of an operator is abbreviated h.c. in the table.

Table P58 presents information about the Higgs, gauge, and pure-gravity sectors for the Lagrange density of the minimal SME in Riemann-Cartan spacetime. The structure of the table is the same as that of Table P57. As before,  $D_\mu$  is both a spacetime and an  $SU(3) \times SU(2) \times U(1)$  covariant derivative. The complex Higgs field is denoted  $\phi$ , the  $SU(3)$  color gauge fields and the  $SU(2)$  gauge fields are the hermitian adjoint matrices  $G_\mu$  and  $W_\mu$ , respectively, while the  $U(1)$  hypercharge gauge field is the singlet  $B_\mu$ . The coupling constants for  $SU(3), SU(2),$  and  $U(1)$  are  $g_3, g,$  and  $g'$ , respectively. The charge  $q$  for the electromagnetic  $U(1)$  group is given in terms of  $g, g',$  and the angle  $\theta_W$  by  $q = g \sin \theta_W = g' \cos \theta_W$ . Each gauge field has an associated field strength, denoted  $G_{\mu\nu}$  for the strong interactions,  $W_{\mu\nu}$  for the weak interactions, and  $B_{\mu\nu}$  for the hypercharge. The pure-gravity sector of Table P58 differs from that in Table P52 only in the addition of terms involving the torsion field  $T^\alpha_{\mu\nu}$ .

The minimal SME in Riemann-Cartan spacetime described in Tables P57 and P58 can be reduced to the minimal QED in Riemann spacetime described in Table P52 as follows. For the gauge sector, including the covariant derivatives, remove all the gauge fields except the charge  $U(1)$  field in the photon limit  $B_\mu \rightarrow A_\mu$ , and remove all the Higgs terms. For the gravity sector, remove all the torsion terms. For the fermion sector, restrict the lepton generation index to a single value, remove all quark and neutrino terms, and replace the Yukawa-coupling terms with the relevant fermion mass terms.

Table P59 concerns the piece of the neutrino sector in the SME that contains operators of renormalizable dimension, including both neutrino masses and Lorentz-violating terms. We restrict attention to three generations of active neutrinos and antineutrinos, allowing for possible violations of  $SU(3) \times SU(2) \times U(1)$  gauge symmetry and lepton number [36]. In the table, the first row involves the usual neutrino mass matrix  $(m_l m_l^\dagger)_{ab}$ , where the indices  $a, b$  take values  $e, \mu,$  and  $\tau$ . The next four rows concern coefficients for Lorentz violation that enter without mass in the relativistic limit of the effective

hamiltonian for neutrino propagation and mixing, while the final five rows list coefficients that involve combinations of mass and Lorentz-violating effects [18]. The first column labels the coefficient types, the second column lists the coefficients, and the third gives the dimensions of the corresponding operators. The fourth column indicates generically the type of neutrino oscillations controlled by the coefficients. The final two columns list the properties of the operators under CPT and Lorentz transformations.

Table P60 provides the relationships between the spherical coefficients for neutrino operators of renormalizable dimension listed in Table P66 and the cartesian ones listed in Table P59. The spherical coefficients for Lorentz violation arise when a basis of spin-weighted spherical harmonics is chosen [18]. Table P60 is split into six sections according to the dimension and CPT properties of the operators, with each section having three columns. The first column lists the spherical coefficients, the second shows the corresponding combination of cartesian components, and the third shows the number of independent spherical coefficients appearing in each section. On each spherical coefficient, superscript flavor-space indices  $ab$  are understood. To keep the expressions compact, some of the combinations are expressed using cartesian components of the complex vector  $\hat{X}_\pm = \hat{X} \mp i\hat{Y}$ . The counting of independent spherical coefficients is obtained by taking into account hermiticity, symmetry, or antisymmetry conditions in flavor space. In total, 369 independent spherical coefficients exist for neutrino operators of renormalizable dimension.

### C. Nonminimal sectors, Minkowski spacetime

Tables P61 and P62 present information about the nonminimal quadratic sector for a single Dirac fermion in Minkowski spacetime [20]. Contributions to the Lagrange density at arbitrary  $d$  are provided in Table P61. The structure of this table is similar to that adopted for Tables P52, P57, and P58, with each row associated with a term in the Lagrange density. The entries in the first two columns display the coefficients for Lorentz violation in the cartesian basis and the number of independent degrees of freedom they contain. The third column shows the hermitian operator to which each coefficient corresponds, while the fourth gives the operator mass dimension  $d$ . The conventional multiplicative factor for the coefficient and the operator is given in the next column. The final two columns specify the CPT handedness and the Lorentz property of the operator, using the same conventions as Table P52.

Table P61 is split into two pieces by a horizontal line. The entries above the line represent conventional Lorentz-invariant contributions of renormalizable dimension to the Lagrange density. The row containing  $m_5$



is included for generality, although in the absence of a chiral anomaly the corresponding term in the Lagrange density can be absorbed into the usual mass  $m$  via a chiral transformation. The entries below the horizontal line concern operators of arbitrary mass dimensions  $d$ . Most of these operators are Lorentz violating, but a few trace components are Lorentz invariant. The value of  $d$  for each coefficient is indicated by a superscript, and the coefficient itself has mass dimension  $4 - d$ . For  $d = 3$  and  $d = 4$ , the entries reduce to those of the minimal theory given in Table P52. Note that none of the operators associated with the coefficients  $m^{(d)\alpha_1 \dots \alpha_{d-3}}$  and  $m_5^{(d)\alpha_1 \dots \alpha_{d-3}}$  are of renormalizable dimension.

Table P62 contains properties of the spherical coefficients for Lorentz violation in the nonminimal quadratic sector for a single Dirac fermion in Minkowski spacetime. The spherical coefficients have comparatively simple transformation properties under rotations. The table has six sections separated by horizontal lines, each representing a specific theoretical scenario labeled in the first column. The second and third columns contain the spherical coefficients and the dimensions  $d$  at which they occur. The next two columns show the allowed ranges of the subscripts on the coefficients, while the final column lists the number of independent components appearing in each coefficient.

Allowing for operators of arbitrary mass dimension, the general effective hamiltonian describing the propagation of a Dirac fermion is formed from the eight sets of spherical coefficients that are listed in the first section of Table P62. The subset of these coefficients that is isotropic in a fixed inertial frame is given in the second section of this table. The superscript  $d$  denotes the mass dimension of the corresponding operator, while the subscripts  $n, j, m$  specify the energy dependence, the total angular momentum, and the azimuthal component of the angular momentum, respectively. The superscripts  $E$  and  $B$  fix the parity of the corresponding operator, while the numerals 0, 1, or 2 preceding  $E$  or  $B$  provide its spin weight. For a nonrelativistic Dirac fermion, only certain linear combinations of coefficients appear in the effective hamiltonian, and the physics is governed by the eight smaller sets of nonrelativistic coefficients listed in the third section of the table. The isotropic restriction of these coefficients is shown in the fourth section. Similarly, only a subset of the general spherical coefficients appears in the effective hamiltonian for a high-energy fermion, and these ultrarelativistic coefficients and their isotropic restriction are displayed in the final two sections of the table.

Table P63 and P64 provide information about the nonminimal photon sector of the full SME in Minkowski spacetime. The relevant part of the Lagrange density includes operators of arbitrary dimension  $d$  that are both gauge invariant and quadratic in the photon field  $A_\mu$  [16], and these are listed in Table P63. This table is organized

along the same lines as Table P61. The first column lists the coefficient for Lorentz violation, while the second column counts its independent components. The next three columns provide the corresponding operator appearing in the Lagrange density, its mass dimension, and the factor contracting the coefficient and the operator. The last two columns list the properties of the operator under CPT and Lorentz transformations, using the same conventions as Table P61.

Three sections appear in Table P63, separated by horizontal lines. The first section concerns the conventional Lorentz-preserving Maxwell term in the Lagrange density for the photon sector. The second and third sections concern coefficients associated with operators of odd and even dimensions  $d$ , respectively. Each of these sections has three rows for the lowest three values of  $d$ , along with a final row applicable to the case of general  $d$ . The notation for the coefficients incorporates a superscript specifying the dimension  $d$  of the corresponding operator. Note that the mass dimension of the coefficients is  $4 - d$ . In each section, the first row describes terms in the minimal SME, and the match is provided between the general notation for nonminimal coefficients and the standard notation used for the minimal SME in Table P52. In the case of mass dimension four, there are 19 independent Lorentz-violating operators. However, for this case the number in the second column is listed as  $19 + 1$  to allow for an additional Lorentz-preserving trace term, which maintains consistency with the expression for general  $d$  in the last row.

Table P64 summarizes properties of spherical coefficients for Lorentz violation in the nonminimal photon sector of the full SME in Minkowski spacetime [16]. The spherical coefficients are combinations of the coefficients listed in Table P63 that are of particular relevance for observation and experiment. They can be separated into two types. One set consists of vacuum coefficients that control leading-order effects on photon propagation in the vacuum, including birefringence and dispersion. The complementary set contains the vacuum-orthogonal coefficients, which leave photon propagation in the vacuum unaffected at leading order. The two parts of Table P64 reflect this separation, with the part above the horizontal line involving the vacuum coefficients and the part below involving the vacuum-orthogonal ones.

In Table P64, the first column of the table identifies the type of spherical coefficients, while the second column lists the specific coefficient. The coefficient notation reflects properties of the corresponding operator. Coefficients associated with operators leaving unchanged the leading-order photon propagation in the vacuum are distinguished by a negation diacritic  $\neg$ . A symbol  $k$  denotes coefficients for birefringent operators, while  $c$  denotes nonbirefringent ones. The superscript  $d$  refers to the operator mass dimension, while the subscripts  $n, j, m$  determine the frequency or wavelength dependence, the

total angular momentum, and the  $z$ -component of the angular momentum, respectively. The superscripts  $E$  and  $B$  refer to the parity of the operator, while the numerals 0, 1, or 2 preceding  $E$  or  $B$  refer to the spin weight. Note that the photon-sector coefficients in the minimal SME correspond to the vacuum coefficients with  $d = 3, 4$ . The third, fourth, and fifth columns of Table P64 provide the allowed ranges of the dimension  $d$  and of the indices  $n$  and  $j$ . The index  $m$  can take values ranging from  $-j$  to  $j$  in unit increments. The final column gives the number of independent coefficient components for each operator of dimension  $d$ .

Table P65 lists contributions to the Lagrange density of the nonminimal QED extension for a single Dirac fermion in Minkowski spacetime involving fermion and photon couplings with  $d = 5$  and 6 [37, 38]. The table is split into two parts, one for the matter-photon interactions and one for the four-fermion and the three-photon interactions. The structure of both parts of this table follows that adopted for the quadratic terms in Table P61, with each row corresponding to a term in the Lagrange density. In a given row, the first two entries list the coefficient for Lorentz violation and the number of its independent components. The third entry provides the operator, the fourth indicates its mass dimension, and the fifth is the numerical factor multiplying the contraction of the coefficient and the operator to give the term in the Lagrange density. The final two entries show the behavior of the term under CPT and Lorentz transformations. Note that some of the terms with even  $d$  include components that are Lorentz invariants. In this table, parentheses enclosing a set of  $n$  indices on covariant derivatives indicate symmetrization with a factor of  $1/n!$ .

The horizontal line in the first part of Table P65 separates the entries according to their mass dimension  $d = 5$  and  $d = 6$ . For  $d = 5$ , two types of fermion-photon couplings exist. One arises from using gauge-covariant derivatives  $D_\mu$  instead of ordinary derivatives  $\partial_\mu$  in the  $d = 5$  part of the Lagrange density for a free Dirac fermion given in Table P61. The coefficients for Lorentz violation in the two theories can therefore be taken as identical. The second type of coupling is a gauge-nonminimal coupling between the field strength  $F_{\mu\nu}$  and a fermion bilinear. The nomenclature for the associated coefficient for Lorentz violation is determined by the structure of the fermion bilinear and includes a subscript  $F$ . For  $d = 6$ , the above two types of couplings also occur but are accompanied by a third type involving derivatives of  $F_{\mu\nu}$  and a fermion bilinear. The corresponding coefficients are distinguished by the subscript  $\partial F$ . The second part of Table P65 includes the possible fermion self interactions, which are quartic in the fermion fields, and the sole photon self interaction for  $d \leq 6$ , which is cubic in the photon field. None of the operators listed in Table P65 are of renormalizable dimension.

Table P66 provides a guide to spherical coefficients for Lorentz violation in the neutrino sector of the full SME [18]. Use of these coefficients simplifies analyses in many circumstances because their rotation properties are comparatively simple. The table is separated by horizontal lines into seven sections, reflecting the various theoretical scenarios listed in the first column. The spherical coefficients relevant to each scenario are given in the second column. The third column shows the allowed values of the corresponding operator dimensions, while the fourth column provides the permissible range of the angular-momentum quantum number  $j$ . The last two columns display the number of independent coefficients involved and the CPT properties of the corresponding operators.

The effective hamiltonian governing the propagation and mixing of neutrinos in the presence of Lorentz-violating operators of arbitrary dimensions contains four sets of effective spherical coefficients, listed in the first section of Table P66. The observables in a given experiment lie among these effective coefficients. In the leading-order relativistic limit, they are formed from combinations of the ten sets of basic spherical coefficients displayed in the second section of the table. Six of these basic sets involve Dirac-type operators coupling neutrinos to neutrinos and antineutrinos to antineutrinos, while four involve Majorana-type operators coupling neutrinos to antineutrinos. The remainder of the sections in the table concern various limiting cases of the general formalism. The spherical coefficients associated with operators of renormalizable dimension are shown in the third section. Their relation to the cartesian coefficients listed in Table P59 is given in Table P60. The fourth section of Table P66 contains the coefficients appearing in the massless limit of the SME. The remaining three sections concern the special limits of flavor-blind and oscillation-free operators, of simultaneously diagonalizable operators, and of various types of isotropic operators. Constraints on many of the coefficients listed in these sections have been obtained and are given in the data tables.

#### D. Nonminimal sectors, Riemann spacetime

Tables P67–P70 provide the explicit forms of all terms with  $d \leq 6$  and without background derivatives in the Lagrange density  $\mathcal{L}_{\text{SME}}$  in Riemann spacetime [4]. It is convenient to express this Lagrange density as a sum of contributions from different sectors,

$$\begin{aligned} \mathcal{L}_{\text{SME}} = & \mathcal{L}_{\text{gravity}} + \mathcal{L}_{\text{gauge}} + \mathcal{L}_{\text{lepton}} + \mathcal{L}_{\text{quark}} \\ & + \mathcal{L}_{\text{Higgs}} + \mathcal{L}_{\text{Yukawa}}, \end{aligned}$$

where  $\mathcal{L}_{\text{gravity}}$  involves only gravitational fields,  $\mathcal{L}_{\text{gauge}}$  also incorporates gauge fields,  $\mathcal{L}_{\text{lepton}}$  adds leptons, and so on. The tables display each component Lagrange density prior to the breaking of the gauge group

$SU(3) \times SU(2) \times U(1)$ , using the same notation and conventions as Tables P57 and P58. In each of the Tables P67–P70, the first line represents the usual theory coupling General Relativity to the Standard Model, while the other lines contain terms violating local Lorentz invariance, diffeomorphism invariance, or both. Other terms appearing in Tables P67–P70 are formed as contractions of a dynamical operator  $\mathcal{O}_{\mu\dots\nu\dots a\dots}$  with a breve coefficient  $\check{k}^{\mu\dots\nu\dots a\dots}$ . For the latter, the breve diacritic is a convenient notation denoting a linear combination of arbitrary couplings of the vierbien, metric, and Levi-Civita tensor to background fields. For instance, a breve coefficient  $\check{k}^\mu$  with a single contravariant spacetime index can be expanded as  $\check{k}^\mu = k^\mu + k_\nu g^{\mu\nu} + k^a e^{\mu a} + \dots$ , thereby generating a series of terms in the Lagrange density involving the coefficients  $k^\mu, k_\nu, k^a, \dots$ .

Table P67 lists the terms in  $\mathcal{L}_{\text{gravity}}$  and  $\mathcal{L}_{\text{gauge}}$ . The first column lists the component  $\mathcal{L}_{\text{gravity}}^{(d)}$  or  $\mathcal{L}_{\text{gauge}}^{(d)}$  containing operators of specified mass dimension  $d$ , while the second column contains the explicit form of the corresponding terms. Each breve coefficient  $\check{k}$  is real, and its index symmetry inherited from that of its associated dynamical operator. In the gauge sector, a trace  $\text{tr}(\mathcal{O})$  of an operator  $\mathcal{O}$  is understood to be taken in the representation of  $\mathcal{O}$ . Table P67 incorporates also terms with dynamical operators that are total derivatives, which are invariant under general coordinate transformations only up to a surface term. In particular, the operators contracted with the breve coefficients  $(\check{k}_{\text{CS},1}^{(5)})_\mu$  and  $(\check{k}_{\text{CS},2}^{(5)})_\mu$  are Chern-Simons terms expressed in terms of the vierbein and spin connection.

Terms in the Lagrange density involving leptons and quarks, along with their couplings to the gravitational and gauge fields, are displayed in Table P68. The first column presents the various components of  $\mathcal{L}_{\text{lepton}} + \mathcal{L}_{\text{quark}}$  at fixed  $d$ , first listing components without quark fields, then components without lepton fields, and finally the component  $\mathcal{L}_{\text{quark,lepton}}^{(6)}$  that includes four-point interactions between leptons and quarks. The notation for the breve coefficients follows standard conventions in the literature, with backgrounds of differing spin and CPT properties represented by different Latin letters. The breve coefficients carry flavor indices, so flavor violations are also incorporated. The index symmetry of each breve coefficient is fixed by that of its dynamical operator. Where the symbol h.c. for the hermitian conjugate appears in a specific component of the Lagrange density, it applies to all the terms in that component. If the symbol h.c. is absent, all breve coefficients in that component can be taken as hermitian in generation space.

Table P69 provides all terms for the Lagrange density of the components  $\mathcal{L}_{\text{Higgs}}$  in the Higgs sector, including couplings to gravitational and gauge fields. The first column lists the components  $\mathcal{L}_{\text{Higgs}}^{(d)}$  for each  $d$ , while the second column provides the explicit form of the corre-

sponding terms. All the breve coefficients  $\check{k}$  can be taken as real, and the index symmetry of each matches that of the corresponding dynamical operator. Terms involving breve coefficients without spacetime indices represent either scalar coupling constants or effects dependent on spacetime position. Note that the scalar coupling constants of this type in  $\mathcal{L}_{\text{Higgs}}^{(2)}$ ,  $\mathcal{L}_{\text{Higgs}}^{(4)}$  and the scalar coupling constant in the trace piece of the breve coefficient  $(\check{k}_{\phi\phi})^{\mu\nu}$  can be viewed as renormalizations of the scalar couplings in the usual Lagrange density  $\mathcal{L}_{\text{Higgs},0}$  for the Higgs field.

Table P70 contains all terms generalizing the usual Yukawa couplings together with their couplings to gravitational and gauge fields. The first column lists the various component Lagrange densities containing operators at the specified  $d$ , while the second column shows the explicit forms of the corresponding terms. The notation for the breve coefficients matches established conventions in the literature. As before, the index symmetry of each breve coefficient is fixed by that of the associated dynamical operator. The symbol h.c. for the hermitian conjugate is understood to apply to all the terms for that component Lagrange density. For components lacking the symbol h.c., all the breve coefficients can be taken as hermitian in generation space. Note that the three first entries for  $\mathcal{L}_{\text{Yukawa}}^{(4)}$  include scalar coupling constants that can be interpreted as renormalizing the usual Yukawa couplings in the Lagrange density  $\mathcal{L}_{\text{Yukawa},0}$ .

## E. Linearized gravity

Table P71 lists the operators contributing to the quadratic Lagrange density of the pure-gravity sector in the linearized limit [39]. The linearization assumes the metric  $g_{\mu\nu}$  is expanded about a Minkowski background,  $g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}$ . Only quadratic terms in  $h_{\mu\nu}$  are kept, so each term of dimension  $d \geq 2$  in the Lagrange density has the form  $h_{\mu\nu} \widehat{\mathcal{K}}^{\mu\nu\rho\sigma} h_{\rho\sigma}/4$ , where  $\widehat{\mathcal{K}}^{\mu\nu\rho\sigma}$  is a generic operator formed as the product of a coefficient  $\mathcal{K}^{\mu\nu\rho\sigma\varepsilon_1\varepsilon_2\dots\varepsilon_{d-2}}$  of mass dimension  $4 - d$  with a factor  $\partial_{\varepsilon_1}\partial_{\varepsilon_2}\dots\partial_{\varepsilon_{d-2}}$  containing  $d - 2$  derivatives. For these operators, it is convenient to denote an index contracted into a derivative by a circle index  $\circ$ , with  $n$ -fold contractions denoted by  $\circ^n$ , so that  $\widehat{\mathcal{K}}^{\mu\nu\rho\sigma} = \mathcal{K}^{\mu\nu\rho\sigma\circ^{d-2}}$ .

The operators for linearized gravity can be classified according to the index symmetries of the corresponding coefficients, which distinguishes 14 possibilities denoted as shown in the first column of Table P71. The 14 operators fall naturally into three classes, separated by horizontal lines in the table and determined by the symmetry of the first four indices on each operator. The second entry in each row displays the complete index symmetry of the operator using Young tableaux [40]. The third entry provides the number of independent components

of the corresponding coefficient, while the fourth entry lists the allowed values of  $d$ . The fifth entry shows the CPT handedness of the operator. The operators listed yield all possible quadratic terms in the Lagrange density, irrespective of their transformation properties under Lorentz transformations or under linearized diffeomorphisms. The latter are the standard gauge transformations of linearized gravity,  $h_{\mu\nu} \rightarrow h_{\mu\nu} + \partial_\mu \xi_\nu + \partial_\nu \xi_\mu$ , which depend on four parameters  $\xi_\mu$ . The Lorentz-invariant terms are constructed from operators involving complete traces over the coefficient indices, while the three gauge-invariant operators are identified in the last column of Table P71. Note that the usual Lorentz- and gauge-invariant linearized Einstein-Hilbert Lagrange density is contained as a special case of the operator in the first row. Also, certain limits of the 11 gauge-violating operators may preserve a subset of the four gauge symmetries, but they always break at least one.

Table P72 lists spherical coefficients for some key gauge-invariant terms in the Lagrange density for the pure-gravity sector in the linearized limit [41]. These spherical coefficients are special combinations of coefficients appearing in Table P71 that turn out to be of direct relevance to studies of gravitational waves and laboratory experiments on Newton gravity. The vacuum coefficients shown in Table P72 control leading-order modifications to the propagation of gravitational waves, including birefringent, dispersive, and anisotropic effects. The Newton coefficients govern corrections to Newton gravity, including changes to the inverse-square law and noncentral forces.

In Table P72, the first column states the type of spherical coefficients, and the second column identifies each coefficient using notation that specifies the mass dimension  $d$  of the corresponding operator via a superscript and the angular-momentum properties by subscripts  $j$  and  $m$ . The allowed range of the dimension  $d$  and the angular-momentum index  $j$  are displayed in the third and fourth columns, respectively. The index  $m$  takes integer values ranging from  $-j$  to  $j$ , as usual. Note that the notation for the vacuum spherical coefficients for linearized gravity parallels that for the vacuum spherical coefficients in the photon sector, but the allowed ranges differ due to the different spins of the fields. The final column of the table lists the number of independent components of each spherical coefficient at fixed  $d$ .

Table P73 provides definitions for some combinations of coefficients forming part of the gauge-invariant sector of the Lagrange density for pure gravity in the linearized limit [41]. The table is split by horizontal lines into five sections. The first gives the definition of the two-index dual cartesian coefficient  $\bar{s}_{\kappa\lambda}^{(4)}$  in terms of the six-index cartesian coefficient  $s^{(4)\mu\rho\alpha\nu\sigma\beta}$  appearing in Table P71. This dual cartesian coefficient plays a central role in linearized gravity because it contains the usual linearized Einstein-Hilbert term and because its effects

mimic those of a modified metric. The second section of the table expresses the nine vacuum spherical coefficients  $k_{(J)jm}^{(4)}$  in terms of components of the dual cartesian coefficients. The third section provides the definition linking two alternative forms of spherical coefficients found in the literature, which differ by a factor and a phase. The remaining two sections present relationships between the Newton spherical coefficients with  $d = 4$  and  $d = 6$  and the cartesian and vacuum spherical coefficients. These expressions permit the comparison of constraints obtained from studies of gravitational waves and from Newton gravity.

Tables P74–P76 display information relevant to the fermion-gravity couplings involving linearized gravity. Contributions to the Lagrange density containing operators of mass dimension  $d \leq 5$  are presented in Table P74, allowing for operators constructed from a massive Dirac fermion  $\psi$  and up to one power of the metric fluctuation  $h_{\mu\nu}$ . The first column of this table lists possible pieces of the Lagrange density, with each defined according to its operator mass dimension and the number of derivatives of  $h_{\mu\nu}$  that appear. Any given piece is a sum of component terms, forming the combinations listed in the second column of the table. The first two rows of the table display standard expressions in linearized fermion-gravity theory, which are Lorentz and gravitational-gauge invariant. Other terms in the table typically are Lorentz violating and gravitational-gauge violating, with exceptions occurring only for special coefficients. The labeling of the coefficients appearing in all these terms matches standard usage in the literature. It distinguishes spin and CPT properties, and the superscript L indicates the linearized nature of the corresponding operators.

Certain combinations of the linearized coefficients appearing in Table P74 frequently appear in experimental analyses. These combinations are denoted by tilde coefficients, and they are defined in Table P75. They can be viewed as generalizations to linearized gravity of the definitions for Minkowski spacetime introduced in Table P54. The first column of Table P74 lists the tilde coefficients, while the second column presents the corresponding combinations of linearized coefficients. The last column gives the number of independent components contained in each tilde coefficient. The table assumes a generic fermion of mass  $m$ , so 44 combinations of linearized coefficients can in principle be measured for each flavor of fermion. The tilde coefficients are expressed in the Sun-centered frame, with  $J, K, L$  ranging over  $X, Y, Z$  and the repeated index  $\Sigma\Sigma$  denoting summation over indices  $TT, XX, YY, ZZ$ .

In the nonrelativistic and weak-gravity limit, the hamiltonian governing fermion-gravity physics contains special combinations of linearized coefficients, called nonrelativistic coefficients and denoted with superscripts NR. Table P76 presents the nonrelativistic coefficients

relevant for laboratory experiments involving a uniform gravitational field. The first column of the table shows the nonrelativistic coefficients, while the second column displays their definitions in terms of the linearized coefficients appearing in Table P74. The indices  $j, k, l, m, n$  range over the three spatial cartesian coordinates chosen for the laboratory analysis, while the temporal index is denoted as  $t$ . The repeated index  $ss$  indicates summation over the temporal index  $tt$  and all the spatial indices  $jj$ .

## ACKNOWLEDGMENTS

This work was supported in part by the U.S. Department of Energy under grant DE-SC0010120 and by the Indiana University Center for Spacetime Symmetries.

- 
- [1] V.A. Kostelecký and R. Potting, Phys. Rev. D **51**, 3923 (1995) [hep-ph/9501341].
- [2] D. Colladay and V.A. Kostelecký, Phys. Rev. D **55**, 6760 (1997) [hep-ph/9703464]; Phys. Rev. D **58**, 116002 (1998) [hep-ph/9809521].
- [3] V.A. Kostelecký, Phys. Rev. D **69**, 105009 (2004) [hep-th/0312310].
- [4] V.A. Kostelecký and Z. Li, Phys. Rev. D **103**, 024059 (2021) [arXiv:2008.12206].
- [5] O.W. Greenberg, Phys. Rev. Lett. **89**, 231602 (2002) [hep-ph/0201258].
- [6] R. Lehnert, ed., *CPT and Lorentz Symmetry VIII, IX*, World Scientific, Singapore, 2020, 2023; V.A. Kostelecký, ed., *CPT and Lorentz Symmetry I, II, III, IV, V, VI, VII*, World Scientific, Singapore 1999, 2002, 2005, 2008, 2011, 2014, 2017.
- [7] R. Bluhm, Lect. Notes Phys. **702**, 191 (2006) [hep-ph/0506054].
- [8] J.D. Tasson, Rept. Prog. Phys. **77**, 062901 (2014) [arXiv:1403.7785].
- [9] Á. Roberts, Galaxies **9**, 47 (2021).
- [10] Q.G. Bailey, in C. Bambi and A. Cardenas-Avendano, eds., *Recent Progress on Gravity Tests*, Springer, Singapore, 2024 [arXiv:2305.06325].
- [11] T. Adam *et al.*, OPERA Collaboration, JHEP **1210**, 093 (2012) [arXiv:1109.4897].
- [12] N.Yu. Agafonova *et al.*, LVD and OPERA Collaborations, Eur. Phys. J. Plus **127**, 71 (2012) [arXiv:1206.2488].
- [13] R. Bluhm *et al.*, Phys. Rev. Lett. **88**, 090801 (2002) [hep-ph/0111141]; Phys. Rev. D **68**, 125008 (2003) [hep-ph/0306190].
- [14] V.A. Kostelecký and M. Mewes, Phys. Rev. D **66**, 056005 (2002) [hep-ph/0205211].
- [15] R. Bluhm *et al.*, Phys. Rev. Lett. **82**, 2254 (1999) [hep-ph/9810269].
- [16] V.A. Kostelecký and M. Mewes, Phys. Rev. D **80**, 015020 (2009) [arXiv:0905.0031].
- [17] V.A. Kostelecký and M. Mewes, Phys. Rev. Lett. **99**, 011601 (2007) [astro-ph/0702379].
- [18] V.A. Kostelecký and M. Mewes, Phys. Rev. D **85**, 096005 (2012) [arXiv:1112.6395].
- [19] V.A. Kostelecký and J.D. Tasson, Phys. Rev. Lett. **102**, 010402 (2009) [arXiv:0810.1459].
- [20] V.A. Kostelecký and M. Mewes, Phys. Rev. D **88**, 096006 (2013) [arXiv:1308.4973].
- [21] V.A. Kostelecký and M. Mewes, Astrophys. J. **689**, L1 (2008) [arXiv:0809.2846].
- [22] A.H. Gomes, V.A. Kostelecký, and A.J. Vargas, Phys. Rev. D **90**, 076009 (2014) [arXiv:1407.7748].
- [23] Q. Bailey, V.A. Kostelecký, and R. Xu, Phys. Rev. D **91**, 022006 (2015) [arXiv:1410.6162].
- [24] V.A. Kostelecký and M. Mewes, Phys. Lett. B **757**, 510 (2016) [arXiv:1602.04782].
- [25] V.A. Kostelecký and J.D. Tasson, Phys. Lett. B **749**, 551 (2015) [arXiv:1508.07007].
- [26] R. Utiyama, Phys. Rev. **101**, 1597 (1956); T.W.B. Kibble, J. Math. Phys. **2**, 212 (1961).
- [27] V.A. Kostelecký, N. Russell, and J.D. Tasson, Phys. Rev. Lett. **100**, 111102 (2008) [arXiv:0712.4393].
- [28] R. Lehnert, W.M. Snow, and H. Yan, Phys. Lett. B **730**, 353 (2014) [arXiv:1311.0467].
- [29] J. Foster, V.A. Kostelecký, and R. Xu, Phys. Rev. D **95**, 084033 (2017) [arXiv:1612.08744].
- [30] R. Lehnert, W.M. Snow, Z. Xiao, and R. Xu, Phys. Lett. B **772**, 865 (2017) [arXiv:1707.09630].
- [31] B. Altschul, J. Phys. A **39**, 13757 (2006) [hep-th/0602235].
- [32] V.A. Kostelecký and N. Russell, Phys. Lett. B **693**, 443 (2010) [arXiv:1008.5062].
- [33] V.A. Kostelecký and J. Tasson, Phys. Rev. D **83**, 016013 (2011) [arXiv:1006.4106].
- [34] V.A. Kostelecký, C.D. Lane, and A.G.M. Pickering, Phys. Rev. D **65**, 056006 (2002) [hep-th/0111123].
- [35] A. Fittante and N. Russell, J. Phys. G **39**, 125004 (2012) [arXiv:1210.2003].
- [36] V.A. Kostelecký and M. Mewes, Phys. Rev. D **69**, 016005 (2004) [hep-ph/0309025].
- [37] Y. Ding and V.A. Kostelecký, Phys. Rev. D **94**, 056008 (2016) [arXiv:1608.07868].
- [38] V.A. Kostelecký and Z. Li, Phys. Rev. D **99**, 056016 (2019) [arXiv:1812.11672].
- [39] V.A. Kostelecký and M. Mewes, Phys. Lett. B **779**, 136 (2018) [arXiv:1712.10268].
- [40] See, e.g., M. Hamermesh, *Group Theory and Its Application to Physical Problems*, Addison Wesley, Reading, MA, 1962.
- [41] V.A. Kostelecký and M. Mewes, Phys. Lett. B **766**, 137 (2017) [arXiv:1611.10313].
- [42] V.A. Kostelecký and A.J. Vargas, Phys. Rev. D **92**, 056002 (2015) [arXiv:1506.01706].
- [43] Y. Ding and M.F. Rawnak, Phys. Rev. D **102**, 056009 (2020) [arXiv:2008.08484].
- [44] Y. Ding, Symmetry **11**, 1220 (2019) [arXiv:1910.00456].
- [45] A.F. Ferrari, J.R. Nascimento, and A.Yu. Petrov, Eur. Phys. J. C **80**, 459 (2020) [arXiv:1812.01702].
- [46] B.M. Roberts *et al.*, Phys. Rev. Lett. **113**, 081601 (2014) [arXiv:1404.2723].
- [47] B.M. Roberts *et al.*, Phys. Rev. D **90**, 096005 (2014) [arXiv:1409.2564].
- [48] B.R. Heckel *et al.*, Phys. Rev. D **78**, 092006 (2008) [arXiv:0808.2673].
- [49] T.W. Kornack, G. Vasilakis, and M.V. Romalis, in Ref. [6], vol. IV.

- [50] D.A. Hanneke, thesis, Harvard University, 2007.
- [51] B.R. Heckel *et al.*, Phys. Rev. Lett. **97**, 021603 (2006) [hep-ph/0606218].
- [52] L.-S. Hou, W.-T. Ni, and Y.-C.M. Li, Phys. Rev. Lett. **90**, 201101 (2003) [physics/0009012].
- [53] L. Hunter *et al.*, in Ref. [6], vol. *I*.
- [54] H. Dehmelt *et al.*, Phys. Rev. Lett. **83**, 4694 (1999) [hep-ph/9906262].
- [55] R.K. Mittleman *et al.*, Phys. Rev. Lett. **83**, 2116 (1999).
- [56] C.J. Berglund *et al.*, Phys. Rev. Lett. **75**, 1879 (1995).
- [57] V.A. Kostelecký and C.D. Lane, Phys. Rev. D **60**, 116010 (1999) [hep-ph/9908504].
- [58] A. Crivellin, F. Kirk, and M. Schreck, JHEP **11**, 109 (2022) [arXiv:2208.11420].
- [59] L.S. Dreissen, C.H. Yeh, H.A. Fürst, K.C. Grenseman, and T.E. Mehlstäubler, Nature Commun. **13**, 7314 (2022) [arXiv:2206.00570].
- [60] M.J. Borchert *et al.*, BASE Collaboration, Nature **601**, 53 (2022) [arXiv:2311.16006]; E. J. Wursten *et al.*, in Ref. [6], vol. *IX* [arXiv:2302.00492].
- [61] B. Altschul, Symmetry **13**, 688 (2021) [arXiv:2104.04587].
- [62] P. Satunin, Phys. Rev. D **97**, 125016 (2018) [arXiv:1705.07796].
- [63] S.R. Coleman and S.L. Glashow, Phys. Lett. B **405**, 249 (1997) [hep-ph/9703240].
- [64] S.R. Coleman and S.L. Glashow, Phys. Rev. D **59**, 116008 (1999) [hep-ph/9812418].
- [65] F.W. Stecker and S.L. Glashow, Astropart. Phys. **16**, 97 (2001) [astro-ph/0102226].
- [66] T. Jacobson, S. Liberati and D. Mattingly, Phys. Rev. D **67**, 124011 (2003) [hep-ph/0211466].
- [67] F.W. Stecker, Astropart. Phys. **56**, 16 (2014) [arXiv:1306.6095].
- [68] C. Sanner *et al.*, Nature **567**, 204 (2019) [arXiv:1809.10742].
- [69] V.A. Dzuba and V.V. Flambaum, Phys. Rev. D **95**, 015019 (2017) [arXiv:1608.06050].
- [70] E. Megidish, J. Broz, N. Greene, and H. Häffner, Phys. Rev. Lett. **122**, 123605 (2019) [arXiv:1809.09807].
- [71] T. Pruttivarasin *et al.*, Nature **517**, 592 (2015) [arXiv:1412.2194].
- [72] B. Botermann *et al.*, Phys. Rev. Lett. **113**, 120405 (2014) [arXiv:1409.7951]; Phys. Rev. Lett. **114**, 239902 (2015).
- [73] A. Matveev *et al.*, Phys. Rev. Lett. **110**, 230801 (2013).
- [74] M.A. Hohensee *et al.*, Phys. Rev. Lett. **111**, 050401 (2013) [arXiv:1303.2747].
- [75] L. Shao, Symmetry **11**, 1098 (2019) [arXiv:1908.10019].
- [76] M.A. Hohensee, H. Müller, and R.B. Wiringa, Phys. Rev. Lett. **111**, 151102 (2013) [arXiv:1308.2936].
- [77] M.A. Hohensee *et al.*, Phys. Rev. Lett. **106**, 151102 (2011) [arXiv:1102.4362].
- [78] B. Altschul, Phys. Rev. D **82**, 016002 (2010) [arXiv:1005.2994].
- [79] B. Altschul, Phys. Rev. D **81**, 041701 (2010) [arXiv:0912.0530].
- [80] H. Müller *et al.*, Phys. Rev. Lett. **99**, 050401 (2007) [arxiv:0706.2031].
- [81] H. Müller, Phys. Rev. D **71**, 045004 (2005) [hep-ph/0412385].
- [82] H. Müller *et al.*, Phys. Rev. D **68**, 116006 (2003) [hep-ph/0401016].
- [83] C.D. Lane, Phys. Rev. D **72**, 016005 (2005) [hep-ph/0505130].
- [84] B. Altschul, Phys. Rev. D **74**, 083003 (2006) [hep-ph/0608332].
- [85] B. Altschul, Astropart. Phys. **28**, 380 (2007) [hep-ph/0610324].
- [86] B. Altschul, Phys. Rev. D **75**, 041301(R) (2007) [hep-ph/0612288].
- [87] C.J. Baker *et al.*, ALPHA Collaboration, Nature Physics, in press (2023).
- [88] V.A. Kostelecký and A.J. Vargas, Phys. Rev. D **98**, 036003 (2018) [arXiv:1805.04499].
- [89] M. Schreck, Phys. Rev. D **93**, 105017 (2016) [arXiv:1512.04299].
- [90] T.J. Konopka and S.A. Major, New J. Phys. **4**, 57 (2002) [hep-ph/0201184].
- [91] T. Jacobson, S. Liberati and D. Mattingly, Nature **424**, 1019 (2003) [astro-ph/0212190].
- [92] O. Gagnon and G.D. Moore, Phys. Rev. D **70**, 065002 (2004) [hep-ph/0404196].
- [93] L. Maccione, S. Liberati, A. Celotti and J.G. Kirk, JCAP **0710**, 013 (2007). [arXiv:0707.2673].
- [94] B. Altschul, Phys. Rev. D **83**, 056012 (2011) [arXiv:1010.2779].
- [95] A.J. Acevedo-López, Y. Ding, K. Iwasaki, and A.J. Vargas, Phys. Rev. D **108**, 076014 (2023) [arXiv:2308.14201].
- [96] C. Smorra and A. Mooser, J. Phys. Conf. Ser. **1412**, 032001 (2020) [arXiv:2002.04261].
- [97] C. Smorra *et al.*, BASE Collaboration, Nature **575**, 310 (2019) [arXiv:2006.00255].
- [98] C. Smorra *et al.*, BASE Collaboration, Nature **550**, 371 (2017).
- [99] H. Nagahama *et al.*, BASE Collaboration, Nature Commun. **8**, 14084 (2017).
- [100] Y.V. Stadnik and V.V. Flambaum, Eur. Phys. J. C **75**, 110 (2015) [arXiv:1408.2184].
- [101] S.K. Peck *et al.*, Phys. Rev. A **86**, 012109 (2012) [arXiv:1205.5022].
- [102] J.M. Brown *et al.*, Phys. Rev. Lett. **105**, 151604 (2010) [arXiv:1006.5425]; in Ref. [6], vol. *V*.
- [103] M.A. Humphrey *et al.*, Phys. Rev. A **68**, 063807 (2003) [physics/0103068].
- [104] D.F. Phillips *et al.*, Phys. Rev. D **63**, 111101 (2001) [physics/0008230].
- [105] P. Wolf *et al.*, Phys. Rev. Lett. **96**, 060801 (2006) [hep-ph/0601024].
- [106] H. Pihan-Le Bars *et al.*, Phys. Rev. D **95**, 075026 (2017) [arXiv:1612.07390].
- [107] M. Smiciklas *et al.*, Phys. Rev. Lett. **107**, 171604 (2011) [arXiv:1106.0738].
- [108] V.V. Flambaum and M.V. Romalis, Phys. Rev. Lett. **118**, 142501 (2017) [arXiv:1610.08188]; V.V. Flambaum, Phys. Rev. Lett. **117**, 072501 (2016) [arXiv:1603.05753].
- [109] H. Pihan-Le Bars *et al.*, in Ref. [6], vol. *VII*; Table 1 corrected in arXiv:1701.06902.
- [110] F.W. Stecker and S.T. Scully, New J. Phys. **11**, 085003 (2009) [arXiv:0906.1735].
- [111] J. Alfaro and G.A. Palma, hep-th/0501116.
- [112] S. Ulmer *et al.*, Nature **524**, 196 (2015).
- [113] G. Gabrielse *et al.*, Phys. Rev. Lett. **82**, 3198 (1999).
- [114] L. Maccione, A.M. Taylor, D.M. Mattingly and S. Liberati, JCAP **0904**, 022 (2009) [arXiv:0902.1756].

- [115] F. Allmendinger *et al.*, Phys. Rev. Lett. **112**, 110801 (2014) [arXiv:1312.3225]; in Ref. [6], vol. VI [arXiv:1307.5604].
- [116] C. Gemmel *et al.*, Phys. Rev. D **82**, 111901(R) (2010) [arXiv:1011.2143].
- [117] K. Tullney *et al.*, in Ref. [6], vol. V [arXiv:1008.0579].
- [118] I. Altarev *et al.*, Phys. Rev. Lett. **103**, 081602 (2009) [arXiv:0905.3221].
- [119] V. Flambaum, S. Lambert, and M. Pospelov, Phys. Rev. D **80**, 105021 (2009) [arXiv:0902.3217].
- [120] B. Altschul, Phys. Rev. D **79**, 061702(R) (2009) [arXiv:0901.1870].
- [121] F. Canè *et al.*, Phys. Rev. Lett. **93**, 230801 (2004) [physics/0309070].
- [122] D. Bear *et al.*, Phys. Rev. Lett. **85**, 5038 (2000) [physics/0007049]; **89**, 209902 (2002).
- [123] M. Mewes, Symmetry **12**, 2026 (2020) [arXiv:2012.08302].
- [124] N. Flowers, C. Goodge, and J.D. Tasson, Phys. Rev. Lett. **119**, 201101 (2017) [arXiv:1612.08495].
- [125] A. Lo *et al.*, Phys. Rev. X **6**, 011018 (2016) [arXiv:1412.2142].
- [126] B. Altschul, Phys. Rev. D **78**, 085018 (2008) [arXiv:0805.0781].
- [127] B. Altschul, Phys. Rev. D **75**, 023001 (2007) [hep-ph/0608094].
- [128] J.D. Prestage *et al.*, Phys. Rev. Lett. **54**, 2387 (1985).
- [129] S.K. Lamoreaux *et al.*, Phys. Rev. Lett. **57**, 3125 (1986).
- [130] T.E. Chupp *et al.*, Phys. Rev. Lett. **63**, 1541 (1989).
- [131] Y. Minami and E. Komatsu, Phys. Rev. Lett. **125**, 221301 (2020) [arXiv:2011.11254].
- [132] N.A. Nilsson and C. Le Poncin-Lafitte, arXiv:2311.16368.
- [133] L. Caloni, S. Giardiello, M. Lembo, M. Gerbino, G. Gubitosi, M. Lattanzi, and L. Pagano, JCAP **03**, 018 (2023) [arXiv:2212.04867].
- [134] A.D.A.M. Spallicci, G. Sarracino, O. Randriamboarison, and J.A. Helayël-Neto, arXiv:2205.02487.
- [135] Y.M.P. Gomes and P.C. Malta, Phys. Rev. D **94**, 025031 (2016) [arXiv:1604.01102].
- [136] M. Mewes, Phys. Rev. D **78**, 096008 (2008) [arXiv:0809.4801].
- [137] D. Contreras, P. Boubel, and D. Scott, JCAP **1712**, 046 (2017) [arXiv:1705.06387].
- [138] L. Pogosian, M. Shimon, M. Mewes, and B. Keating, Phys. Rev. D **100**, 023507 (2019) [arXiv:1904.07855].
- [139] S.M. Carroll and G.B. Field, Phys. Rev. Lett. **79**, 2394 (1997) [arXiv:astro-ph/9704263].
- [140] B. Nodland and J.P. Ralston, Phys. Rev. Lett. **78**, 3043 (1997) [arXiv:astro-ph/9704196].
- [141] S.M. Carroll, G.B. Field, and R. Jackiw, Phys. Rev. D **41**, 1231 (1990).
- [142] N. Aghanim *et al.*, Planck Collaboration, Astron. Astrophys. **596**, A110 (2016) [arXiv:1605.08633].
- [143] G. Hinshaw *et al.*, WMAP Collaboration, Astrophys. J. Suppl. **208**, 19 (2013) [arXiv:1212.5226].
- [144] E.Y.S. Wu *et al.*, QUaD Collaboration, Phys. Rev. Lett. **102**, 161302 (2009) [arXiv:0811.0618].
- [145] E. Komatsu *et al.*, Astrophys. J. Suppl. **192**, 18 (2011). [arXiv:1001.4538].
- [146] J.-Q. Xia, H. Li, and X. Zhang, Phys. Lett. B **687**, 129 (2010) [arXiv:0908.1876].
- [147] M.L. Brown *et al.*, QUaD Collaboration, Astrophys. J. **705**, 978 (2009) [arXiv:0906.1003].
- [148] L. Pagano *et al.*, Phys. Rev. D **80**, 043522 (2009) [arXiv:0905.1651].
- [149] T. Kahniashvili, R. Durrer, and Y. Maravin, Phys. Rev. D **78**, 123009 (2008) [arXiv:0807.2593].
- [150] E. Komatsu *et al.*, WMAP Collaboration, Astrophys. J. Suppl. **180**, 330 (2009) [arXiv:0803.0547].
- [151] J.-Q. Xia *et al.*, Astron. Astrophys. **483**, 715 (2008) [arXiv:0710.3325].
- [152] P. Cabella, P. Natoli, and J. Silk, Phys. Rev. D **76**, 123014 (2007) [arXiv:0705.0810].
- [153] B. Feng *et al.*, Phys. Rev. Lett. **96**, 221302 (2006) [astro-ph/0601095].
- [154] T. Zhang *et al.*, Phys. Lett. A **416**, 127666 (2021).
- [155] V.A. Kostelecký, A.C. Melissinos, and M. Mewes, Phys. Lett. B **761**, 1 (2016) [arXiv:1608.02592].
- [156] Q. Chen, E. Magoulakis, and S. Schiller, Phys. Rev. D **93**, 022003 (2016).
- [157] M. Nagel *et al.*, Nature Commun. **6**, 8174 (2015) [arXiv:1412.6954].
- [158] M.A. Hohensee *et al.*, Phys. Rev. D **82**, 076001 (2010) [arXiv:1006.1376].
- [159] S. Herrmann *et al.*, Phys. Rev. D **80**, 105011 (2009) [arXiv:1002.1284].
- [160] Ch. Eisele, A.Yu. Nevsky, and S. Schiller, Phys. Rev. Lett. **103**, 090401 (2009).
- [161] S. Herrmann *et al.*, in Ref. [6], vol. IV.
- [162] P.L. Stanwix *et al.*, Phys. Rev. D **74**, 081101(R) (2006) [gr-qc/0609072].
- [163] S. Herrmann *et al.*, Phys. Rev. Lett. **95**, 150401 (2005) [physics/0508097].
- [164] P.L. Stanwix *et al.*, Phys. Rev. Lett. **95**, 040404 (2005) [hep-ph/0506074].
- [165] P. Wolf *et al.*, Phys. Rev. D **70**, 051902 (2004) [hep-ph/0407232].
- [166] H. Müller *et al.*, Phys. Rev. Lett. **91** 020401 (2003) [physics/0305117].
- [167] J.A. Lipa *et al.*, Phys. Rev. Lett. **90**, 060403 (2003) [physics/0302093].
- [168] P. Antonini *et al.*, Phys. Rev. A **72**, 066102 (2005) [physics/0602115].
- [169] F.R. Klinkhamer and M. Risse, Phys. Rev. D **77**, 117901 (2008) [arXiv:0806.4351].
- [170] Y. Michimura *et al.*, Phys. Rev. Lett. **110**, 200401 (2013) [arXiv:1303.6709].
- [171] F.N. Baynes, M.E. Tobar, and A.N. Luiten, Phys. Rev. Lett. **108**, 260801 (2012).
- [172] F. Baynes, A. Luiten, and M. Tobar, Phys. Rev. D **84**, 081101 (2011) [arXiv:1108.5414].
- [173] P. Mohanmurthy, A. Narayan, and D. Dutta, Mod. Phys. Lett. A **31**, 1650220 (2016) [arXiv:1611.09173]; P. Mohanmurthy and D. Dutta, in M. Eads, ed., *Proceedings of the 2017 Meeting of the American Physical Society Division of Particles and Fields*, eConf C170731 (2017) [arXiv:1801.05028].
- [174] P. Mohanmurthy, D. Dutta, and A. Narayan, arXiv:1509.08297.
- [175] J.-P. Bocquet *et al.*, Phys. Rev. Lett. **104**, 241601 (2010) [arXiv:1005.5230].
- [176] D. Amram, K. Bouzoud, N. Chanon, H. Hansen, M.R. Ribeiro, Jr., and M. Schreck, arXiv:2312.11307.
- [177] F. Duenkel, M. Niechciol, and M. Risse, Phys. Rev. D **107**, 083004 (2023) [arXiv:2303.05849]; PoS **ICRC2023**, 217 (2023); M. Niechciol, F. Duenkel, and M. Risse, EPJ Web Conf. **283**, 05007 (2023).

- [178] F. Duenkel, M. Niechciol, and M. Risse, *Phys. Rev. D* **104**, 015010 (2021) [arXiv:2106.01012]; PoS ICRC2021, 293 (2021).
- [179] A. Albert *et al.*, HAWC Collaboration, *Phys. Rev. Lett.* **124**, 131101 (2020) [arXiv:1911.08070].
- [180] F.R. Klinkhamer, M. Niechciol, and M. Risse, *Phys. Rev. D* **96**, 116011 (2017) [arXiv:1710.02507]; F.R. Klinkhamer, *Mod. Phys. Lett. A* **33**, 1850104 (2018) [arXiv:1610.03315].
- [181] M. Schreck, in Ref. [6], vol. VI [arXiv:1310.5159].
- [182] M.E. Tobar *et al.*, *Phys. Rev. D* **80**, 125024 (2009) [arXiv:0909.2076].
- [183] B. Altschul, *Phys. Rev. D* **80** 091901(R) (2009) [arXiv:0905.4346].
- [184] M.A. Hohensee *et al.*, *Phys. Rev. D* **80** 036010 (2009) [arXiv:0809.3442]; *Phys. Rev. Lett.* **102**, 170402 (2009) [arXiv:0904.2031].
- [185] F.R. Klinkhamer and M. Schreck, *Phys. Rev. D* **78**, 085026 (2008) [arXiv:0809.3217].
- [186] S. Reinhardt *et al.*, *Nature Physics* **3**, 861 (2007).
- [187] M. Hohensee *et al.*, *Phys. Rev. D* **75**, 049902 (2007) [hep-ph/0701252]; M. Tobar *et al.*, *Phys. Rev. D* **71**, 025004 (2005) [hep-ph/0408006].
- [188] C.D. Carone, M. Sher, and M. Vanderhaeghen, *Phys. Rev. D* **74**, 077901 (2006) [hep-ph/0609150].
- [189] J.P. Cotter and B.T.H. Varcoe, *physics/0603111*.
- [190] W.J. Jessup and N.E. Russell, in Ref. [6], vol. VII [arXiv:1607.08252].
- [191] S. Parker *et al.*, *Phys. Rev. Lett.* **106**, 180401 (2011) [arXiv:1102.0081].
- [192] R. Gerasimov, P. Bhoj, and F. Kislal, *Symmetry* **13**, 880 (2021) [arXiv:2104.00238].
- [193] A.S. Friedman *et al.*, *Phys. Rev. D* **102**, 043008 (2020) [arXiv:2003.00647].
- [194] F. Kislal, *Symmetry* **10**, 596 (2018).
- [195] A.S. Friedman *et al.*, *Phys. Rev. D* **99**, 035045 (2019) [arXiv:1809.08356].
- [196] V.A. Kostelecký and M. Mewes, *Phys. Rev. Lett.* **110**, 201601 (2013) [arXiv:1301.5367].
- [197] Q. Exirifard, *Phys. Lett. B* **699**, 1 (2011) [arXiv:1010.2054].
- [198] V.A. Kostelecký and M. Mewes, *Phys. Rev. Lett.* **97**, 140401 (2006) [hep-ph/0607084].
- [199] Q.Q. Zhou, S.X. Yi, J.J. Wei, and X.F. Wu, *Galaxies* **9**, 44 (2021) [arXiv:2106.05733].
- [200] F. Kislal and H. Krawczynski, *Phys. Rev. D* **95**, 083013 (2017) [arXiv:1701.00437].
- [201] K. Toma *et al.*, *Phys. Rev. Lett.* **109**, 241104 (2012) [arXiv:1208.5288].
- [202] P. Laurent *et al.*, *Phys. Rev. D* **83**, 121301(R) (2011) [arXiv:1106.1068].
- [203] F.W. Stecker, *Astropart. Phys.* **35**, 95 (2011) [arXiv:1102.2784].
- [204] G. Gubitosi *et al.*, *JCAP* **08**, 021 (2009) [arXiv:0904.3201].
- [205] B. Altschul, *Phys. Rev. D* **99**, 111701 (2019) [arXiv:1904.13042].
- [206] J.N. Wei, Z.K. Liu, J.J. Wei, B.B. Zhang, and X.F. Wu, *Universe* **8**, 519 (2022) [arXiv:2210.03897].
- [207] S.R. Parker, M. Mewes, F.N. Baynes, and M.E. Tobar, *Phys. Lett. A* **379**, 2681 (2015) [arXiv:1508.02490].
- [208] Y. Michimura *et al.*, *Phys. Rev. D* **88**, 111101(R) (2013) [arXiv:1310.1952].
- [209] R. Agrawal, H. Singirikonda, and S. Desai, *JCAP* **05**, 029 (2021) [arXiv:2102.11248].
- [210] S.S. Du *et al.*, *Astrophys. J.* **906**, 8 (2021) [arXiv:2010.16029].
- [211] K. Astapov, D. Kirpichnikov, and P. Satunin, *JCAP* **1904**, 054 (2019) [arXiv:1903.08464].
- [212] G. Rubtsov, P. Satunin, and S. Sibiryakov, *JCAP* **1705**, 049 (2017) [arXiv:1611.10125].
- [213] F. Kislal and H. Krawczynski, *Phys. Rev. D* **92**, 045016 (2015) [arXiv:1505.02669].
- [214] J.-J. Wei *et al.*, *Astrophys. J.* **842**, 115 (2017) [arXiv:1704.05984].
- [215] V. Vasileiou *et al.*, *Phys. Rev. D* **87**, 122001 (2013) [arXiv:1305.3463].
- [216] V. Vasileiou, Fermi GBT and LAT Collaborations, in Ref. [6], vol. V [arXiv:1008.2913].
- [217] A.A. Abdo *et al.*, Fermi LAT and GBM Collaborations, *Science* **323**, 1688 (2009).
- [218] F. Aharonian *et al.*, H.E.S.S. Collaboration, *Phys. Rev. Lett.* **101**, 170402 (2008) [arXiv:0810.3475].
- [219] J. Albert *et al.*, MAGIC Collaboration, *Phys. Lett. B* **668**, 253 (2008) [arXiv:0708.2889].
- [220] S.E. Boggs *et al.*, *Astrophys. J.* **611**, L77 (2004) [astro-ph/0310307].
- [221] G.P. de Brito *et al.*, *Phys. Rev. D* **94**, 056005 (2016) [arXiv:1605.08059].
- [222] J.B. Araujo, R. Casana, and M.M. Ferreira, Jr., in Ref. [6], vol. VII [arXiv:1607.08546].
- [223] J.B. Araujo, R. Casana, and M.M. Ferreira, Jr., *Phys. Lett. B* **760**, 302 (2016) [arXiv:1604.03577].
- [224] J.B. Araujo, R. Casana, and M.M. Ferreira, Jr., *Phys. Rev. D* **92**, 025049 (2015) [arXiv:1505.05592].
- [225] M. Haghightat, I. Motie, and Z. Rezaei, *Int. J. Mod. Phys. A* **28**, 1350115 (2013) [arXiv:1308.1249].
- [226] I. Altarev *et al.*, *Europhys. Lett.* **92**, 51001 (2010) [arXiv:1006.4967].
- [227] P.A. Bolokhov, M. Pospelov, and M. Romalis, *Phys. Rev. D* **78**, 057702 (2008) [hep-ph/0609153].
- [228] J.B. Araujo, A.H. Blin, M. Sampaio, and M.M. Ferreira, *Phys. Rev. D* **100**, 015046 (2019) [arXiv:1902.10329].
- [229] S.M. Carroll *et al.*, *Phys. Rev. Lett.* **87**, 141601 (2001) [hep-th/0105082].
- [230] M. Bhattacharya, thesis, University of Mississippi, 2021.
- [231] J.P. Noordmans, C.J.G. Onderwater, H.W. Wilschut, and R.G.E. Timmermans, *Phys. Rev. D* **93**, 116001 (2016) [arXiv:1412.3257].
- [232] G.W. Bennett *et al.*, Muon  $g-2$  Collaboration, *Phys. Rev. Lett.* **100**, 091602 (2008) [arXiv:0709.4670].
- [233] V.W. Hughes *et al.*, *Phys. Rev. Lett.* **87**, 111804 (2001) [hep-ex/0106103].
- [234] M. Deile *et al.*, Muon  $g-2$  Collaboration, in Ref. [6], vol. II [hep-ex/0110044].
- [235] R. Bluhm, V.A. Kostelecký, and C.D. Lane, *Phys. Rev. Lett.* **84**, 1098 (2000) [hep-ph/9912451].
- [236] S. Aghababaei, M. Haghightat, and I. Motie, *Phys. Rev. D* **96**, 115028 (2017) [arXiv:1712.09028].
- [237] B. Ohayon *et al.*, *Phys. Rev. Lett.* **128**, 011802 (2022) [arXiv:2108.12891].
- [238] C.A. Escobar, J.P. Noordmans, and R. Potting, *Phys. Rev. D* **97**, 115030 (2018) [arXiv:1804.07586].
- [239] A. Crivellin, F. Kirk, and M. Schreck, *JHEP* **04**, 082 (2021) [arXiv:2009.01247].
- [240] V.A. Kostelecký, E. Passemar, and N. Sherrill, *Phys. Rev. D* **106**, 076016 (2022) [arXiv:2207.04545].



- [241] J.S. Díaz, V.A. Kostelecký, and R. Lehnert, *Phys. Rev. D* **88**, 071902(R) (2013) [arXiv:1305.4636].
- [242] M. Aker et al., KATRIN Collaboration, *Phys. Rev. D* **107**, 082005 (2023) [arXiv:2207.06326].
- [243] O. Azzolini et al., CUPID Collaboration, *Phys. Rev. D* **100**, 092002 (2019) [arXiv:1911.02446].
- [244] B. Mattia, thesis, Università degli Studi di Milano Bicocca, 2020.
- [245] R. Arnold et al., NEMO-3 Collaboration, *Eur. Phys. J. C* **79**, 440 (2019) [arXiv:1903.08084].
- [246] A.K. Chopra, thesis, University College London, 2019.
- [247] A.S. Barabash et al., Aurora Collaboration, *Phys. Rev. D* **98**, 092007 (2018) [arXiv:1811.06398].
- [248] J.B. Albert et al., EXO-200 Collaboration, *Phys. Rev. D* **93**, 072001 (2016) [arXiv:1601.07266].
- [249] L. Pertoldi, thesis, Università degli Studi di Padova, 2017.
- [250] X. Zhang and B.-Q. Ma, *Phys. Rev. D* **99**, 043013 (2019) [arXiv:1810.03571].
- [251] B. Aharmim et al., SNO Collaboration, *Phys. Rev. D* **98**, 112013 (2018) [arXiv:1811.00166].
- [252] D. Adey et al., Daya Bay Collaboration, *Phys. Rev. D* **98**, 092013 (2018) [arXiv:1809.04660].
- [253] K. Abe et al., Super-Kamiokande Collaboration, *Phys. Rev. D* **91**, 052003 (2015) [arXiv:1410.4267]; R. Wendell, Super-Kamiokande Collaboration, *AIP Conf. Proc.* **1666**, 100001 (2015) [arXiv:1412.5234].
- [254] T. Katori, MiniBooNE Collaboration, *Mod. Phys. Lett. A* **27**, 1230024 (2012) [arXiv:1206.6915].
- [255] T. Katori, MiniBooNE Collaboration, in Ref. [6], vol. V [arXiv:1008.0906].
- [256] T. Katori and J. Spitz, in Ref. [6], vol. VI [arXiv:1307.5805].
- [257] P. Adamson et al., MINOS Collaboration, *Phys. Rev. D* **85**, 031101 (2012) [arXiv:1201.2631].
- [258] Y. Abe et al., Double Chooz Collaboration, *Phys. Rev. D* **86**, 112009 (2012) [arXiv:1209.5810].
- [259] A.A. Aguilar-Arevalo et al., MiniBooNE Collaboration, *Phys. Lett. B* **718**, 1303 (2013) [arXiv:1109.3480].
- [260] K. Abe et al., *Phys. Rev. D* **95**, 111101(R) (2017) [arXiv:1703.01361].
- [261] L.B. Auerbach et al., LSND Collaboration, *Phys. Rev. D* **72**, 076004 (2005) [hep-ex/0506067].
- [262] G. Barenboim, M. Masud, C.A. Ternes, and M. Tórtola, *Phys. Lett. B* **788**, 308 (2019) [arXiv:1805.11094].
- [263] B. Quilain, T2K Collaboration, in Ref. [6], vol. VII; G.A. Clifton, in S.K.G. Dahmke, M. Meyer, and L. Vanhoefer, eds., *Proceedings of the Magellan Workshop Connecting Neutrino Physics and Astronomy*, Deutsches Elektronen-Synchrotron, DESY, 2016.
- [264] J.S. Díaz, arXiv:1506.01936.
- [265] M.G. Aartsen et al., IceCube Collaboration, *Nature Physics* **14**, 961 (2018) [arXiv:1709.03434].
- [266] T. Akiri, in Ref. [6], vol. VI [arXiv:1308.2210].
- [267] R. Abbasi et al., IceCube Collaboration, *Phys. Rev. D* **82**, 112003 (2010) [arXiv:1010.4096].
- [268] P. Adamson et al., MINOS Collaboration, *Phys. Rev. Lett.* **105**, 151601 (2010) [arXiv:1007.2791].
- [269] P. Adamson et al., MINOS Collaboration, *Phys. Rev. Lett.* **101**, 151601 (2008) [arXiv:0806.4945].
- [270] V. Barger, D. Marfatia, and K. Whisnant, *Phys. Lett. B* **653**, 267 (2007) [arXiv:0706.1085].
- [271] M.D. Messier, in Ref. [6], vol. III.
- [272] R. Abbasi et al., IceCube Collaboration, *Nature Physics* **18**, 1287 (2022) [arXiv:2111.04654]; C. Argüelles et al., IceCube Collaboration, *PoS ICRC2023*, 1225 (2023).
- [273] B. Rebel and S. Mufson, *Astropart. Phys.* **48**, 78 (2013) [arXiv:1301.4684].
- [274] J.S. Díaz, T. Katori, J. Spitz, and J. Conrad, *Phys. Lett. B* **727**, 412 (2013) [arXiv:1307.5789].
- [275] J.S. Díaz, V.A. Kostelecký, and M. Mewes, *Phys. Rev. D* **89**, 043005 (2014) [arXiv:1308.6344].
- [276] F.W. Stecker, S.T. Scully, S. Liberati and D. Mattingly, *Phys. Rev. D* **91**, 045009 (2015) [arXiv:1411.5889]; F.W. Stecker and S.T. Scully, *Phys. Rev. D* **90**, 043012 (2014) [arXiv:1404.7025].
- [277] F.W. Stecker, in Ref. [6], vol. VI [arXiv:1307.5212].
- [278] R. Cowsik, S. Nussinov, and U. Sarkar, *Phys. Rev. Lett.* **107**, 251801 (2011) [arXiv:1110.0241].
- [279] X.-J. Bi, P.-F. Yin, Z.-H. Yu, and Q. Yuan, *Phys. Rev. Lett.* **107**, 241802 (2011) [arXiv:1109.6667].
- [280] A.G. Cohen and S.L. Glashow, *Phys. Rev. Lett.* **107**, 181803 (2011) [arXiv:1109.6562].
- [281] M. Antonello et al., ICARUS Collaboration, *Phys. Lett. B* **711**, 270 (2012) [arXiv:1110.3763].
- [282] B. Altschul, *Phys. Rev. D* **87**, 096004 (2013) [arXiv:1302.2598].
- [283] B. Altschul, *J. Phys. Conf. Ser.* **173** 012003 (2009).
- [284] J.S. Díaz and T. Schwetz, *Phys. Rev. D* **93**, 093004 (2016) [arXiv:1603.04468].
- [285] J.S. Díaz, *Phys. Rev. D* **89**, 036002 (2014) [arXiv:1311.0930].
- [286] B. Telalovic and M. Bustamante, arXiv:2310.15224.
- [287] D. Babusci et al., KLOE Collaboration, *Phys. Lett. B* **730**, 89 (2014) [arXiv:1312.6818]; A. De Santis, KLOE Collaboration, in Ref. [6], vol. VI.
- [288] A. Di Domenico, KLOE Collaboration, *Found. Phys.* **40**, 852 (2010); *J. Phys. Conf. Ser.* **171**, 012008 (2009); F. Bossi et al., KLOE Collaboration, *Riv. Nuov. Cim.* **031**, 531 (2008) [arXiv:0811.1929]; M. Testa, KLOE Collaboration, arXiv:0805.1969.
- [289] A. Di Domenico, KLOE Collaboration, in Ref. [6], vol. IV.
- [290] H. Nguyen, KTeV Collaboration, in Ref. [6], vol. II [hep-ex/0112046].
- [291] V.A. Kostelecký, *Phys. Rev. Lett.* **80**, 1818 (1998) [hep-ph/9809572].
- [292] V.A. Kostelecký and R.J. Van Kooten, *Phys. Rev. D* **82**, 101702(R) (2010) [arXiv:1007.5312].
- [293] J. Link et al., FOCUS Collaboration, *Phys. Lett. B* **556**, 7 (2003) [hep-ex/0208034].
- [294] K.R. Schubert, in Ref. [6], vol. VII [arXiv:1607.05882].
- [295] R. Aaij et al., LHCb Collaboration, *Phys. Rev. Lett.* **116**, 241601 (2016) [arXiv:1603.04804].
- [296] J. van Tilburg and M. van Veghel, *Phys. Lett. B* **742**, 236 (2015) [arXiv:1407.1269].
- [297] B. Aubert et al., BaBar Collaboration, *Phys. Rev. Lett.* **100**, 131802 (2008) [arXiv:0711.2713].
- [298] B. Aubert et al., BaBar Collaboration, hep-ex/0607103.
- [299] V.M. Abazov et al., *Phys. Rev. Lett.* **115**, 161601 (2015) [arXiv:1506.04123].
- [300] B. Altschul and M.R. Schindler, *Phys. Rev. D* **100**, 075031 (2019) [arXiv:1907.02490].
- [301] I. Abt et al., ZEUS Collaboration, *Phys. Rev. D* **107**, 092008 (2023) [arXiv:2212.12750].
- [302] E. Lunghi, N. Sherrill, A. Szczepaniak, and A. Vieira, *JHEP* **04**, 228 (2021) [arXiv:2011.02632].

- [303] M. Schreck, Phys. Rev. D **96**, 095026 (2017) [arXiv:1702.03171].
- [304] V.A. Kostelecký, E. Lunghi, and A.R. Vieira, Phys. Lett. B **769**, 272 (2017) [arXiv:1610.08755].
- [305] B. Altschul, Phys. Rev. D **102**, 075010 (2020) [arXiv:2005.14099].
- [306] R. Kamand, B. Altschul, and M.R. Schindler, Phys. Rev. D **95**, 056005 (2017) [arXiv:1608.06503].
- [307] B. Altschul, Phys. Rev. D **93**, 105007 (2016) [arXiv:1603.04491].
- [308] B. Altschul, Phys. Rev. D **77**, 105018 (2008) [arXiv:0712.1579].
- [309] I.S. Karpikov, D.A. Tlisov, and D.V. Kirpichnikov, Phys. Atom. Nuclei **81**, 257 (2018) [arXiv:1612.02217].
- [310] CMS Collaboration, CMS PAS TOP-22-007, CERN, Geneva, Switzerland, 2023.
- [311] V.M. Abazov *et al.*, D0 Collaboration, Phys. Rev. Lett. **108**, 261603 (2012) [arXiv:1203.6106].
- [312] B.W. Edwards and V.A. Kostelecký, Phys. Lett. B **795**, 620 (2019) [arXiv:1907.05206].
- [313] J.S. Hurtado-Silva, J.J. Toscano, and O. Vázquez-Hernández, arXiv:2306.11523.
- [314] P.L. Cástulo, J.J. Toscano, and E.S. Tututi, Int. J. Mod. Phys. A **37**, 2250138 (2022) [arXiv:2205.06332].
- [315] A.I. Hernández-Juárez *et al.*, Phys. Rev. D **99**, 013002 (2019) [arXiv:1812.05051].
- [316] D. Colladay, J.P. Noordmans, and R. Potting, Phys. Rev. D **96**, 035034 (2017) [arXiv:1704.03335].
- [317] D.L. Anderson, M. Sher, and I. Turan, Phys. Rev. D **70**, 016001 (2004) [hep-ph/0403116].
- [318] A. Sytma *et al.*, Phys. Rev. C **94**, 025503 (2016) [arXiv:1608.03870].
- [319] K.K. Vos *et al.*, Phys. Lett. B **729**, 112 (2014) [arXiv:1401.2245].
- [320] S.E. Müller *et al.*, Phys. Rev. D **88**, 071901(R) (2013) [arXiv:1310.3206].
- [321] J.P. Noordmans, H.W. Wilschut, and R.G.E. Timmermans, Phys. Rev. Lett. **111**, 171601 (2013) [arXiv:1308.5570].
- [322] H. Fu and R. Lehnert, Phys. Lett. B **762**, 33 (2016).
- [323] J.P. Noordmans, Phys. Rev. D **95**, 075030 (2017) [arXiv:1701.04334].
- [324] H. Pihan-le Bars *et al.*, MICROSCOPE Collaboration, Phys. Rev. Lett. **123**, 231102 (2019) [arXiv:1912.03030].
- [325] A. Hees *et al.*, Phys. Rev. D **92**, 064049 (2015) [arXiv:1508.03478].
- [326] J.D. Tasson, Phys. Rev. D **86**, 124021 (2012) [arXiv:1211.4850].
- [327] H. Panjwani, L. Carbone, and C.C. Speake, in Ref. [6], vol. V.
- [328] M. Schreck, Class. Quant. Grav. **34**, 135009 (2017) [arXiv:1603.07452].
- [329] A. Ray, P. Fan, V.F. He, M. Bloom, S.M. Yang, J.D. Tasson, and J.D.E. Creighton, arXiv:2307.13099.
- [330] X. Liu *et al.*, Phys. Rev. D **102**, 024028 (2020) [arXiv:2005.03121].
- [331] B.P. Abbott *et al.*, LIGO, Virgo, Fermi, and INTEGRAL Collaborations, Astrophys. J. **848**, L13 (2017) [arXiv:1710.05834].
- [332] M. Mewes, Phys. Rev. D **99**, 104062 (2019) [arXiv:1905.00409].
- [333] T. Zhang, L.L. Chen, Y.B. Shu, W.J. Xu, Y. Cheng, Q. Luo, Z.K. Hu, and M.K. Zhou, Phys. Rev. Applied **20**, 014067 (2023).
- [334] Y. Dong, Z. Wang, and L. Shao, arXiv:2311.11038.
- [335] M. Khodadi and G. Lambiase, Phys. Rev. D **106**, 104050 (2022) [arXiv:2206.08601].
- [336] R. Xu, Y. Gao, and L. Shao, Phys. Rev. D **103**, 084028 (2021) [arXiv:2012.01320].
- [337] C.A. Escobar and A. Martín-Ruiz, Phys. Rev. D **99**, 075032 (2019) [arXiv:1902.06399].
- [338] C.-G. Shao *et al.*, Phys. Rev. D **97**, 024019 (2018) [arXiv:1707.02318].
- [339] A. Bourgain *et al.*, Phys. Rev. Lett. **119**, 201102 (2017) [arXiv:1706.06294]; A. Bourgain *et al.*, in E. Augé, J. Dumarchez, and J.T. Thanh Vân, eds., *Proceedings of the 52nd Rencontres de Moriond on Gravitation*, ARISF 2017 [arXiv:1706.01243].
- [340] A. Hees *et al.*, Universe **2**, 30 (2016) [arXiv:1610.04682].
- [341] A. Bourgain *et al.*, Phys. Rev. Lett. **117**, 241301 (2016) [arXiv:1607.00294].
- [342] N. Yunes, K. Yagi, and F. Pretorius, Phys. Rev. D **94**, 084002 (2016) [arXiv:1603.08955].
- [343] C. Le Poncin-Lafitte, A. Hees, and S. Lambert, Phys. Rev. D **94**, 125030 (2016) [arXiv:1604.01663].
- [344] L. Shao, Phys. Rev. D **90**, 122009 (2014) [arXiv:1412.2320].
- [345] L. Shao, Phys. Rev. Lett. **112**, 111103 (2014) [arXiv:1402.6452].
- [346] Q.G. Bailey, R.D. Everett, and J.M. Overduin, Phys. Rev. D **88**, 102001 (2013) [arXiv:1309.6399].
- [347] J.M. Overduin, R.D. Everett, and Q.G. Bailey, in Ref. [6], vol. VI [arXiv:1307.4826].
- [348] K.-Y. Chung *et al.*, Phys. Rev. D **80**, 016002 (2009) [arXiv:0905.1929].
- [349] H. Müller *et al.*, Phys. Rev. Lett. **100**, 031101 (2008) [arXiv:0710.3768].
- [350] J.B.R. Battat, J.F. Chandler, and C.W. Stubbs, Phys. Rev. Lett. **99**, 241103 (2007) [arXiv:0710.0702].
- [351] D. Bennett, V. Skavysh, and J. Long, in Ref. [6], vol. V [arXiv:1008.3670].
- [352] L. Iorio, Class. Quant. Grav. **29**, 175007 (2012) [arXiv:1203.1859].
- [353] Q.G. Bailey and V.A. Kostelecký, Phys. Rev. D **74**, 045001 (2006) [gr-qc/0603030].
- [354] Y. Bonder and C. Peterson, Phys. Rev. D **101**, 064056 (2020) [arXiv:2001.09217].
- [355] L. Haegel, K. O'Neal-Ault, Q.G. Bailey, J.D. Tasson, M. Bloom, and L. Shao, Phys. Rev. D **107**, 064031 (2023) [arXiv:2210.04481]; L. Haegel, PoS **ICHEP2022**, 076 (2022).
- [356] R. Niu, T. Zhu, and W. Zhao, JCAP **12**, 011 (2022) [arXiv:2202.05092].
- [357] Z.C. Zhao, Z. Cao, and S. Wang, Astrophys. J. **930**, 139 (2022) [arXiv:2201.02813].
- [358] Z. Wang, L. Shao, and C. Liu, Astrophys. J. **921**, 158 (2021) [arXiv:2108.02974].
- [359] L. Shao, Phys. Rev. D **101**, 104019 (2020) [arXiv:2002.01185].
- [360] S. Wang and Z.C. Zhao, Eur. Phys. J. C **80**, 1032 (2020) [arXiv:2002.00396].
- [361] A. Bourgain *et al.*, Phys. Rev. D **103**, 064055 (2021) [arXiv:2011.06641].
- [362] L. Shao and Q.G. Bailey, Phys. Rev. D **98**, 084049 (2018) [arXiv:1810.06332].
- [363] C.-G. Shao *et al.*, Phys. Rev. Lett. **117**, 071102 (2016) [arXiv:1607.06095].

- [364] C.-G. Shao *et al.*, Phys. Rev. D **91**, 102007 (2015) [arXiv:1504.03280].
- [365] J.C. Long and V.A. Kostelecký, Phys. Rev. D **91**, 092003 (2015) [arXiv:1412.8362].
- [366] C.-G. Shao *et al.*, Phys. Rev. Lett. **122**, 011102 (2019) [arXiv:1812.11123].
- [367] L. Shao and Q.G. Bailey, Phys. Rev. D **99**, 084017 (2019) [arXiv:1903.11760].
- [368] J. Tasson, Symmetry **8**, 111 (2016) [arXiv:1610.05357].
- [369] V.A. Kostelecký and Z. Li, Phys. Rev. D **104**, 044054 (2021) [arXiv:2106.11293].
- [370] X.C. Duan *et al.*, Phys. Rev. Lett. **117**, 023001 (2016) [arXiv:1503.00433].
- [371] M.G. Tarallo *et al.*, Phys. Rev. Lett. **113**, 023005 (2014) [arXiv:1403.1161].
- [372] G. Cronenberg *et al.*, Nat. Phys. **14**, 1022 (2018) [arXiv:1902.08775].
- [373] A.N. Ivanov, M. Wellenzohn, and H. Abele, Phys. Lett. B **822**, 136640 (2021) [arXiv:2109.09982].
- [374] V.-O. de Haan, J. Plomp, A.A. van Well, M.T. Rekveldt, Y.H. Hasegawa, R.M. Dalglish, and N.-J. Steinke, Phys. Rev. A **89**, 063611 (2014).
- [375] G. van der Zouw, M. Weber, J. Felber, R. Gahler, P. Geltenbort, and A. Zeilinger, Nucl. Instrum. Methods Phys. Res. **A440**, 568 (2000).
- [376] R. Colella, A.W. Overhauser, and S.A. Werner, Phys. Rev. Lett. **34**, 1472 (1975).
- [377] J. Bailey *et al.*, Nucl. Phys. **150**, 1 (1979).

Table 1. List of tables (part 1 of 2)

Type	Table	Content
<b>Summary</b>	S2	Maximal two-sided sensitivities for the matter sector
	S3	Maximal two-sided sensitivities for the photon sector
	S4	Maximal two-sided sensitivities for the neutrino sector
	S5	Maximal two-sided sensitivities for the gravity sector
	<b>Data</b>	D6
D7		Nonminimal electron sector, $d = 5, 6$
D8		Nonminimal electron sector, $d \geq 7$
D9		Proton sector, $d = 3$
D10		Proton sector, $d = 4$
D11		Nonminimal proton sector, $d \geq 5$
D12		Neutron sector, $d = 3, 4$
D13		Nonminimal neutron sector, $d = 5, 6$
D14		Nonminimal neutron sector, $d \geq 7$
D15		Photon sector, $d = 3$
D16		Photon sector, $d = 4$
D17		Nonminimal photon sector, $d = 5$
D18		Nonminimal photon sector, $d = 6$
D19		Nonminimal photon sector, $d = 7$
D20		Nonminimal photon sector, $d = 8$
D21		Nonminimal photon sector, $d \geq 9$
D22		Nonminimal QED couplings, $d \geq 5$
D23		Muon sector, $d = 3$
D24		Muon sector, $d = 4$
D25		Nonminimal muon sector, $d \geq 5$
D26		Tau sector, $d \geq 3$
D27		Charged-lepton flavor-changing sector, $d = 3$
D28		Charged-lepton flavor-changing sector, $d = 4$
D29		Charged-lepton flavor-changing sector, $d = 5$
D30		Neutrino sector, $d = 2$
D31		Neutrino sector, $d = 3$
D32		Neutrino sector, $d = 4$
D33		Nonminimal neutrino sector, $d = 5$
D34		Nonminimal neutrino sector, $d = 6$
D35		Nonminimal neutrino sector, $d = 7$
D36		Nonminimal neutrino sector, $d = 8$
D37		Nonminimal neutrino sector, $d \geq 9$
D38		Quark sector, $d = 3$
D39		Quark sector, $d = 4$
D40		Nonminimal quark sector, $d \geq 5$
D41		Electroweak sector, $d = 3, 4$
D42		Gluon sector, $d = 4$
D43		Gravity sector, $d = 3$
D44		Gravity sector, $d = 4$
D45		Nonminimal gravity sector, $d = 5$
D46		Nonminimal gravity sector, $d = 6$
D47		Nonminimal gravity sector, $d \geq 7$
D48		Electron-gravity sector
D49		Proton-gravity sector
D50		Neutron-gravity sector
D51		Muon-gravity sector

Table 1. List of tables (part 2 of 2)

Type	Table	Content
<b>Properties</b>	P52	Lagrange density for the minimal QED extension in Riemann spacetime
	P53	C, P, T properties for operators for Lorentz violation in QED
	P54	Definitions for the fermion sector of the minimal QED extension
	P55	Inverse combinations for the fermion sector of the minimal QED extension
	P56	Definitions for the photon sector of the minimal QED extension
	P57	Lagrange density for the fermion sector of the minimal SME in Riemann-Cartan spacetime
	P58	Lagrange density for the boson sector of the minimal SME in Riemann-Cartan spacetime
	P59	Coefficients in the renormalizable neutrino sector
	P60	Definitions for the minimal neutrino sector
	P61	Quadratic Lagrange density for a nonminimal Dirac fermion in Minkowski spacetime
	P62	Spherical coefficients for a nonminimal Dirac fermion in Minkowski spacetime
	P63	Quadratic Lagrange density for the nonminimal photon sector in Minkowski spacetime
	P64	Spherical coefficients for the nonminimal photon sector in Minkowski spacetime
	P65	Nonminimal couplings with $d = 5, 6$ for the QED extension in Minkowski spacetime
	P66	Spherical coefficients for the nonminimal neutrino sector in Minkowski spacetime
	P67	Lagrange density for the gravity-gauge sector with operators of dimension $d \leq 6$
	P68	Lagrange density for the lepton-quark-gravity-gauge sector with operators of dimension $d \leq 6$
	P69	Lagrange density for the Higgs-gravity-gauge sector with operators of dimension $d \leq 6$
	P70	Lagrange density for the Yukawa-gravity-gauge sector with operators of dimension $d \leq 6$
	P71	Quadratic Lagrange density for linearized gravity
	P72	Spherical coefficients for gauge-invariant linearized gravity
	P73	Definitions for gauge-invariant linearized gravity
	P74	Lagrange density for linearized fermion-gravity sector with operators of dimension $d \leq 5$
	P75	Definitions for the linearized fermion-gravity sector
	P76	Definitions for nonrelativistic fermion-gravity coefficients

## SUMMARY TABLES S2–S5

Table S2. Maximal two-sided sensitivities for the matter sector

Coefficient	Electron	Proton	Neutron
$\tilde{b}_X$	$10^{-31}$ GeV	$10^{-33}$ GeV	$10^{-33}$ GeV
$\tilde{b}_Y$	$10^{-31}$ GeV	$10^{-33}$ GeV	$10^{-33}$ GeV
$\tilde{b}_Z$	$10^{-29}$ GeV	$10^{-28}$ GeV	$10^{-29}$ GeV
$\tilde{b}_T$	$10^{-26}$ GeV	$10^{-7}$ GeV	$10^{-26}$ GeV
$\tilde{b}_X^*$	$10^{-22}$ GeV	$10^{-24}$ GeV	–
$\tilde{b}_Y^*$	$10^{-22}$ GeV	$10^{-24}$ GeV	–
$\tilde{b}_Z^*$	$10^{-23}$ GeV	$10^{-24}$ GeV	–
$\tilde{c}_-$	$10^{-23}$ GeV	$10^{-28}$ GeV	$10^{-28}$ GeV
$\tilde{c}_Q$	$10^{-20}$ GeV	$10^{-22}$ GeV	$10^{-20}$ GeV
$\tilde{c}_X$	$10^{-23}$ GeV	$10^{-28}$ GeV	$10^{-28}$ GeV
$\tilde{c}_Y$	$10^{-23}$ GeV	$10^{-28}$ GeV	$10^{-28}$ GeV
$\tilde{c}_Z$	$10^{-23}$ GeV	$10^{-28}$ GeV	$10^{-29}$ GeV
$\tilde{c}_{TX}$	$10^{-20}$ GeV	$10^{-20}$ GeV	$10^{-17}$ GeV
$\tilde{c}_{TY}$	$10^{-21}$ GeV	$10^{-20}$ GeV	$10^{-17}$ GeV
$\tilde{c}_{TZ}$	$10^{-21}$ GeV	$10^{-20}$ GeV	$10^{-18}$ GeV
$\tilde{c}_{TT}$	$10^{-21}$ GeV	$10^{-22}$ GeV	$10^{-13}$ GeV
$\tilde{d}_+$	$10^{-27}$ GeV	$10^{-7}$ GeV	$10^{-27}$ GeV
$\tilde{d}_-$	$10^{-26}$ GeV	–	$10^{-26}$ GeV
$\tilde{d}_Q$	$10^{-26}$ GeV	$10^{-7}$ GeV	$10^{-26}$ GeV
$\tilde{d}_{XY}$	$10^{-26}$ GeV	–	$10^{-27}$ GeV
$\tilde{d}_{YZ}$	$10^{-26}$ GeV	–	$10^{-26}$ GeV
$\tilde{d}_{ZX}$	$10^{-26}$ GeV	–	–
$\tilde{d}_X$	$10^{-22}$ GeV	$10^{-27}$ GeV	$10^{-28}$ GeV
$\tilde{d}_Y$	$10^{-22}$ GeV	$10^{-27}$ GeV	$10^{-28}$ GeV
$\tilde{d}_Z$	$10^{-19}$ GeV	–	–
$\tilde{H}_{XT}$	$10^{-26}$ GeV	–	$10^{-26}$ GeV
$\tilde{H}_{YT}$	$10^{-26}$ GeV	–	$10^{-26}$ GeV
$\tilde{H}_{ZT}$	$10^{-26}$ GeV	–	$10^{-27}$ GeV
$\tilde{g}_T$	$10^{-27}$ GeV	$10^{-7}$ GeV	$10^{-27}$ GeV
$\tilde{g}_c$	$10^{-26}$ GeV	–	$10^{-27}$ GeV
$\tilde{g}_Q$	–	–	–
$\tilde{g}_-$	–	–	–
$\tilde{g}_{TX}$	–	–	–
$\tilde{g}_{TY}$	–	–	–
$\tilde{g}_{TZ}$	–	–	–
$\tilde{g}_{XY}$	$10^{-17}$ GeV	–	–
$\tilde{g}_{YX}$	$10^{-17}$ GeV	–	–
$\tilde{g}_{ZX}$	$10^{-18}$ GeV	–	–
$\tilde{g}_{XZ}$	$10^{-17}$ GeV	–	–
$\tilde{g}_{YZ}$	$10^{-17}$ GeV	–	–
$\tilde{g}_{ZY}$	$10^{-18}$ GeV	–	–
$\tilde{g}_{DX}$	$10^{-22}$ GeV	$10^{-27}$ GeV	$10^{-28}$ GeV
$\tilde{g}_{DY}$	$10^{-22}$ GeV	$10^{-27}$ GeV	$10^{-28}$ GeV
$\tilde{g}_{DZ}$	$10^{-22}$ GeV	–	–

Table S3. Maximal two-sided sensitivities for the photon sector (part 1 of 2)

Isotropic	Coefficient	Sensitivity		
	$k_{(V)00}^{(3)}$	$10^{-44}$ GeV		
	$c_{(I)00}^{(4)} = \sqrt{4\pi}\tilde{\kappa}_{\text{tr}}$	$10^{-19}$		
	$k_{(V)00}^{(5)}$	$10^{-34}$ GeV <sup>-1</sup>		
	$c_{(I)00}^{(6)}$	$10^{-30}$ GeV <sup>-2</sup>		
	$k_{(V)00}^{(7)}$	$10^{-27}$ GeV <sup>-3</sup>		
	$c_{(I)00}^{(8)}$	$10^{-24}$ GeV <sup>-4</sup>		
	$k_{(V)00}^{(9)}$	$10^{-21}$ GeV <sup>-5</sup>		
<b><math>d = 3</math></b>	<b>Coefficient</b>	<b>Sensitivity</b>		
	$k_{(V)00}^{(3)}$	$10^{-44}$ GeV		
	$k_{(V)10}^{(3)}$	$10^{-44}$ GeV		
	$\text{Re } k_{(V)11}^{(3)}$	$10^{-44}$ GeV		
	$\text{Im } k_{(V)11}^{(3)}$	$10^{-44}$ GeV		
<b><math>d = 4</math></b>	<b>Coefficient</b>	<b>Sensitivity</b>	<b>Coefficient</b>	<b>Sensitivity</b>
	$k_{(E)20}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{e-})^{XY}$	$10^{-22}$
	$\text{Re } k_{(E)21}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{e-})^{XZ}$	$10^{-20}$
	$\text{Im } k_{(E)21}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{e-})^{YZ}$	$10^{-20}$
	$\text{Re } k_{(E)22}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{e-})^{XX} - (\tilde{\kappa}_{e-})^{YY}$	$10^{-21}$
	$\text{Im } k_{(E)22}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{e-})^{ZZ}$	$10^{-16}$
	$k_{(B)20}^{(4)}$	$10^{-34}$	$(\tilde{\kappa}_{o+})^{XY}$	$10^{-14}$
	$\text{Re } k_{(B)21}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{o+})^{XZ}$	$10^{-14}$
	$\text{Im } k_{(B)21}^{(4)}$	$10^{-35}$	$(\tilde{\kappa}_{o+})^{YZ}$	$10^{-14}$
	$\text{Re } k_{(B)22}^{(4)}$	$10^{-35}$		
	$\text{Im } k_{(B)22}^{(4)}$	$10^{-35}$	$\tilde{\kappa}_{\text{tr}}$	$10^{-20}$



Table S3. Maximal two-sided sensitivities for the photon sector (part 2 of 2)

$d = 5$	Coefficient	Sensitivity	Coefficient	Sensitivity	Coefficient	Sensitivity
	$k_{(V)00}^{(5)}$	$10^{-34} \text{ GeV}^{-1}$	$(\bar{k}_{AF}^{(5)})_{000}^{(0B)}$	—		
	$k_{(V)10}^{(5)}$	$10^{-25} \text{ GeV}^{-1}$	$(\bar{k}_{AF}^{(5)})_{110}^{(0B)}$	—		
	$\text{Re } k_{(V)11}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Re}(\bar{k}_{AF}^{(5)})_{111}^{(0B)}$	—		
	$\text{Im } k_{(V)11}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Im}(\bar{k}_{AF}^{(5)})_{111}^{(0B)}$	—		
	$k_{(V)20}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$				
	$\text{Re } k_{(V)21}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$(\bar{k}_{AF}^{(5)})_{010}^{(1B)}$	—	$(\bar{k}_{AF}^{(5)})_{110}^{(1E)}$	—
	$\text{Im } k_{(V)21}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Re}(\bar{k}_{AF}^{(5)})_{011}^{(1B)}$	—	$\text{Re}(\bar{k}_{AF}^{(5)})_{111}^{(1E)}$	—
	$\text{Re } k_{(V)22}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Im}(\bar{k}_{AF}^{(5)})_{011}^{(1B)}$	—	$\text{Im}(\bar{k}_{AF}^{(5)})_{111}^{(1E)}$	—
	$\text{Im } k_{(V)22}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$(\bar{k}_{AF}^{(5)})_{120}^{(1B)}$	—	$(\bar{k}_{AF}^{(5)})_{220}^{(1E)}$	—
	$k_{(V)30}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Re}(\bar{k}_{AF}^{(5)})_{121}^{(1B)}$	—	$\text{Re}(\bar{k}_{AF}^{(5)})_{221}^{(1E)}$	—
	$\text{Re } k_{(V)31}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Im}(\bar{k}_{AF}^{(5)})_{121}^{(1B)}$	—	$\text{Im}(\bar{k}_{AF}^{(5)})_{221}^{(1E)}$	—
	$\text{Im } k_{(V)31}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Re}(\bar{k}_{AF}^{(5)})_{122}^{(1B)}$	—	$\text{Re}(\bar{k}_{AF}^{(5)})_{222}^{(1E)}$	—
	$\text{Re } k_{(V)32}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$	$\text{Im}(\bar{k}_{AF}^{(5)})_{122}^{(1B)}$	—	$\text{Im}(\bar{k}_{AF}^{(5)})_{222}^{(1E)}$	—
	$\text{Im } k_{(V)32}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$				
	$\text{Re } k_{(V)33}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$				
	$\text{Im } k_{(V)33}^{(5)}$	$10^{-26} \text{ GeV}^{-1}$				

Table S4. Maximal two-sided sensitivities for the neutrino sector

$d = 3$	<b>Coefficient</b>	$e\mu$	$e\tau$	$\mu\tau$	<b>Coefficient</b>	$e\mu$	$e\tau$	$\mu\tau$
	$\text{Re}(a_L)^T$	$10^{-20}$ GeV	$10^{-19}$ GeV	$10^{-24}$ GeV	$\text{Im}(a_L)^T$	–	$10^{-19}$ GeV	–
	$\text{Re}(a_L)^X$	$10^{-20}$ GeV	$10^{-19}$ GeV	$10^{-23}$ GeV	$\text{Im}(a_L)^X$	$10^{-20}$ GeV	$10^{-19}$ GeV	$10^{-20}$ GeV
	$\text{Re}(a_L)^Y$	$10^{-21}$ GeV	$10^{-19}$ GeV	$10^{-23}$ GeV	$\text{Im}(a_L)^Y$	$10^{-21}$ GeV	$10^{-19}$ GeV	$10^{-20}$ GeV
	$\text{Re}(a_L)^Z$	$10^{-19}$ GeV	$10^{-19}$ GeV	–	$\text{Im}(a_L)^Z$	$10^{-19}$ GeV	$10^{-19}$ GeV	–
$d = 4$	<b>Coefficient</b>	$e\mu$	$e\tau$	$\mu\tau$	<b>Coefficient</b>	$e\mu$	$e\tau$	$\mu\tau$
	$\text{Re}(c_L)^{XY}$	$10^{-21}$	$10^{-17}$	$10^{-23}$	$\text{Im}(c_L)^{XY}$	$10^{-21}$	$10^{-17}$	$10^{-21}$
	$\text{Re}(c_L)^{XZ}$	$10^{-21}$	$10^{-17}$	$10^{-23}$	$\text{Im}(c_L)^{XZ}$	$10^{-21}$	$10^{-17}$	$10^{-21}$
	$\text{Re}(c_L)^{YZ}$	$10^{-21}$	$10^{-16}$	$10^{-23}$	$\text{Im}(c_L)^{YZ}$	$10^{-21}$	$10^{-16}$	$10^{-21}$
	$\text{Re}(c_L)^{XX}$	$10^{-21}$	$10^{-16}$	$10^{-23}$	$\text{Im}(c_L)^{XX}$	$10^{-21}$	$10^{-16}$	$10^{-21}$
	$\text{Re}(c_L)^{YY}$	$10^{-21}$	$10^{-16}$	$10^{-23}$	$\text{Im}(c_L)^{YY}$	$10^{-21}$	$10^{-16}$	$10^{-21}$
	$\text{Re}(c_L)^{ZZ}$	$10^{-19}$	$10^{-16}$	–	$\text{Im}(c_L)^{ZZ}$	–	$10^{-16}$	–
	$\text{Re}(c_L)^{TT}$	$10^{-19}$	$10^{-17}$	–	$\text{Im}(c_L)^{TT}$	–	$10^{-17}$	–
	$\text{Re}(c_L)^{TX}$	$10^{-22}$	$10^{-17}$	$10^{-27}$	$\text{Im}(c_L)^{TX}$	$10^{-22}$	$10^{-17}$	$10^{-22}$
	$\text{Re}(c_L)^{TY}$	$10^{-22}$	$10^{-17}$	$10^{-27}$	$\text{Im}(c_L)^{TY}$	$10^{-22}$	$10^{-17}$	$10^{-22}$
	$\text{Re}(c_L)^{TZ}$	$10^{-20}$	$10^{-16}$	–	$\text{Im}(c_L)^{TZ}$	–	$10^{-16}$	–

<b>Isotropic</b>	<b>Coefficient</b>	<b>Sensitivity</b>	<b>Coefficient</b>	<b>Sensitivity</b>	<b>Coefficient</b>	<b>Sensitivity</b>
	$\hat{a}^{(3)}$	$10^{-7}$ GeV	$\hat{a}_{e\mu}^{(3)}$	$10^{-20}$ GeV	$\hat{a}_{\mu\tau}^{(3)}$	$10^{-24}$ GeV
	$\hat{c}^{(4)}$	$10^{-9}$	$\hat{c}_{e\mu}^{(4)}$	$10^{-19}$	$\hat{c}_{\mu\tau}^{(4)}$	$10^{-28}$
	$\hat{a}^{(5)}$	$10^{-18}$ GeV $^{-1}$	$\hat{a}_{e\mu}^{(5)}$	$10^{-19}$ GeV $^{-1}$	$\hat{a}_{\mu\tau}^{(5)}$	$10^{-32}$ GeV $^{-1}$
	$\hat{c}^{(6)}$	$10^{-9}$ GeV $^{-2}$	$\hat{c}_{e\mu}^{(6)}$	$10^{-19}$ GeV $^{-2}$	$\hat{c}_{\mu\tau}^{(6)}$	$10^{-36}$ GeV $^{-2}$
	$\hat{a}^{(7)}$	$10^{-29}$ GeV $^{-3}$	$\hat{a}_{e\mu}^{(7)}$	$10^{-19}$ GeV $^{-3}$	$\hat{a}_{\mu\tau}^{(7)}$	$10^{-40}$ GeV $^{-3}$
	$\hat{c}^{(8)}$	$10^{-11}$ GeV $^{-4}$	$\hat{c}_{e\mu}^{(8)}$	$10^{-18}$ GeV $^{-4}$	$\hat{c}_{\mu\tau}^{(8)}$	$10^{-45}$ GeV $^{-4}$
	$\hat{a}^{(9)}$	$10^{-40}$ GeV $^{-5}$	$\hat{a}_{e\mu}^{(9)}$	$10^{-18}$ GeV $^{-5}$	$\hat{a}_{\mu\tau}^{(9)}$	–
	$\hat{c}^{(10)}$	$10^{-14}$ GeV $^{-6}$	$\hat{c}_{e\mu}^{(10)}$	$10^{-18}$ GeV $^{-6}$	$\hat{c}_{\mu\tau}^{(10)}$	–

Table S5. Maximal two-sided sensitivities for the gravity sector

$d = 3$	Coefficient	Electron	Proton	Neutron
	$\alpha\bar{a}_T$	$10^{-13}$ GeV	$10^{-13}$ GeV	$10^{-13}$ GeV
	$\alpha\bar{a}_X$	$10^{-8}$ GeV	$10^{-8}$ GeV	$10^{-8}$ GeV
	$\alpha\bar{a}_Y$	$10^{-9}$ GeV	$10^{-9}$ GeV	$10^{-9}$ GeV
	$\alpha\bar{a}_Z$	$10^{-8}$ GeV	$10^{-8}$ GeV	$10^{-8}$ GeV
$d = 4$	Coefficient	Electron	Proton	Neutron
	$\alpha\bar{e}_T$	$10^{-10}$	$10^{-13}$	$10^{-13}$
	$\alpha\bar{e}_X$	$10^{-5}$	$10^{-8}$	$10^{-8}$
	$\alpha\bar{e}_Y$	$10^{-6}$	$10^{-9}$	$10^{-9}$
	$\alpha\bar{e}_Z$	$10^{-5}$	$10^{-8}$	$10^{-8}$
Coefficient		Sensitivity		
	$\bar{s}^{XY}$	$10^{-11}$		
	$\bar{s}^{XZ}$	$10^{-11}$		
	$\bar{s}^{YZ}$	$10^{-11}$		
	$\bar{s}^{XX} - \bar{s}^{YY}$	$10^{-10}$		
	$\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ}$	$10^{-10}$		
	$\bar{s}^{TT}$	$10^{-5}$		
	$\bar{s}^{TX}$	$10^{-9}$		
	$\bar{s}^{TY}$	$10^{-8}$		
	$\bar{s}^{TZ}$	$10^{-8}$		

## DATA TABLES D6–D51

Table D6. Electron sector,  $d = 3, 4$  (part 1 of 5)

Combination	Result	System	Ref.
$ \text{Re } H_{011}^{\text{NR}(0B)} ,  \text{Im } H_{011}^{\text{NR}(0B)} ,  \text{Re } g_{011}^{\text{NR}(0B)} ,  \text{Im } g_{011}^{\text{NR}(0B)} $	$< 9 \times 10^{-27}$ GeV	H maser	[42]*
$ \text{Re } H_{011}^{\text{NR}(1B)} ,  \text{Im } H_{011}^{\text{NR}(1B)} ,  \text{Re } g_{011}^{\text{NR}(1B)} ,  \text{Im } g_{011}^{\text{NR}(1B)} $	$< 5 \times 10^{-27}$ GeV	"	[42]*
$ \tilde{b}'_X $	$< 1.1 \times 10^{-16}$ GeV	Penning trap	[43]*
$ \tilde{b}'_Y $	$< 1.1 \times 10^{-16}$ GeV	"	[43]*
$ \tilde{b}'_Z $	$< 1.7 \times 10^{-17}$ GeV	"	[43]*
$ \tilde{b}_X $	$< 1 \times 10^{-25}$ GeV	"	[44]*
$ \tilde{b}_Y $	$< 1 \times 10^{-25}$ GeV	"	[44]*
$ b_T $	$< 1.5 \times 10^{-20}$ GeV	Astrophysical polarimetry	[45]*
$ \tilde{b}_X $	$< 6 \times 10^{-25}$ GeV	Penning trap	[37]*
$ \tilde{b}_Y $	$< 6 \times 10^{-25}$ GeV	"	[37]*
$ \tilde{b}_Z $	$< 7 \times 10^{-24}$ GeV	"	[37]*
$\tilde{b}_Z^*$	$< 7 \times 10^{-24}$ GeV	"	[37]*
$ b_0 $	$< 2 \times 10^{-14}$ GeV	Cs spectroscopy	[46]*, [47]*
"	$< 2 \times 10^{-12}$ GeV	Tl spectroscopy	[46]*, [47]*
"	$< 7 \times 10^{-15}$ GeV	Dy spectroscopy	[46]*, [47]*
"	$< 2 \times 10^{-12}$ GeV	Yb spectroscopy	[47]*
$\tilde{b}_X$	$(-0.9 \pm 1.4) \times 10^{-31}$ GeV	Torsion pendulum	[48]
$\tilde{b}_Y$	$(-0.9 \pm 1.4) \times 10^{-31}$ GeV	"	[48]
$\tilde{b}_Z$	$(-0.3 \pm 4.4) \times 10^{-30}$ GeV	"	[48]
$\frac{1}{2}(\tilde{b}_T + \tilde{d}_- - 2\tilde{g}_c - 3\tilde{g}_T + 4\tilde{d}_+ - \tilde{d}_Q)$	$(0.9 \pm 2.2) \times 10^{-27}$ GeV	"	[48]
$\frac{1}{2}(2\tilde{g}_c - \tilde{g}_T - \tilde{b}_T + 4\tilde{d}_+ - \tilde{d}_- - \tilde{d}_Q)$ $+ \tan \eta(\tilde{d}_{YZ} - \tilde{H}_{XT})$	$(-0.8 \pm 2.0) \times 10^{-27}$ GeV	"	[48]
$\tilde{b}_X$	$(2.8 \pm 6.1) \times 10^{-29}$ GeV	K/He magnetometer	[49]
$\tilde{b}_Y$	$(6.8 \pm 6.1) \times 10^{-29}$ GeV	"	[49]
$\tilde{b}_\perp$	$< 1.4 \times 10^{-25}$ GeV	Penning trap	[50]
$\tilde{b}_X$	$(0.1 \pm 2.4) \times 10^{-31}$ GeV	Torsion pendulum	[51]
$\tilde{b}_Y$	$(-1.7 \pm 2.5) \times 10^{-31}$ GeV	"	[51]
$\tilde{b}_Z$	$(-29 \pm 39) \times 10^{-31}$ GeV	"	[51]
$\tilde{b}_\perp$	$< 3.1 \times 10^{-29}$ GeV	"	[52]
$ \tilde{b}_Z $	$< 7.1 \times 10^{-28}$ GeV	"	[52]
$r_e$	$< 3.2 \times 10^{-24}$	Hg/Cs comparison	[53]
$ \tilde{b} $	$< 50$ radians/s	Penning trap	[54]
$r_{\omega_a^-, \text{diurnal}}$	$< 1.6 \times 10^{-21}$	"	[55]
$ \tilde{b}_J , (J = X, Y)$	$< 10^{-27}$ GeV	Hg/Cs comparison	[56], [57]*
$ \tilde{b}_J^* , (J = X, Y, Z)$	$< 10^{-22}$ GeV	Penning trap	[35]*

Table D6. Electron sector,  $d = 3, 4$  (part 2 of 5)

Combination	Result	System	Ref.
$c_{00}$	$(-1.6 \text{ to } 0.000019) \times 10^{-14}$	Combined	[58]*
$c_{X-Y}$	$(-5.2 \pm 7.8) \times 10^{-21}$	Trapped Yb ion	[59]
$c_{XY}$	$(4.4 \pm 3.9) \times 10^{-21}$	"	[59]
$c_{XZ}$	$(-5.0 \pm 9.3) \times 10^{-21}$	"	[59]
$c_{YZ}$	$(6.3 \pm 8.9) \times 10^{-21}$	"	[59]
$ \tilde{c}_{XX} $	$< 7.79 \times 10^{-15}$	Penning trap	[60]
$ \tilde{c}_{YY} $	$< 7.79 \times 10^{-15}$	"	[60]
$ \tilde{c}_{ZZ} $	$< 4.96 \times 10^{-15}$	"	[60]
$c_{TT}$	$(-80 \text{ to } 4) \times 10^{-20}$	Astrophysics	[61]*
$c_{TX}$	$(-3 \text{ to } 50) \times 10^{-19}$	"	[61]*
$c_{TY}$	$(-3 \text{ to } 6) \times 10^{-19}$	"	[61]*
$c_{TZ}$	$(-8 \text{ to } 140) \times 10^{-20}$	"	[61]*
$c_{XX} + c_{YY} - 2c_{ZZ}$	$(-3 \text{ to } 40) \times 10^{-19}$	"	[61]*
$ \tilde{c}_{XX} $	$< 3.2 \times 10^{-14}$	Penning trap	[43]*
$ \tilde{c}_{YY} $	$< 3.2 \times 10^{-14}$	"	[43]*
$ \tilde{c}_{ZZ} $	$< 2.1 \times 10^{-14}$	"	[43]*
$ \tilde{c}_{(XZ)} $	$< 3.0 \times 10^{-13}$	"	[43]*
$ \tilde{c}_{(YZ)} $	$< 3.0 \times 10^{-13}$	"	[43]*
$ c_e - c_\gamma $	$< 1.5 \times 10^{-13}$	Astrophysics	[62]*
$\hat{c}^{\text{UR}(4)}$	$< 1.5 \times 10^{-15}$	"	[63]*, [20]*
"	$> -5 \times 10^{-13}$	"	[64]*, [20]*
"	$(-1.3 \text{ to } 0.2) \times 10^{-15}$	"	[65]*, [20]*
"	$> -1.2 \times 10^{-16}$	"	[66]*, [20]*
"	$> -6 \times 10^{-20}$	"	[67]*, [20]*
$c_{X-Y}$	$(-0.5 \pm 1.7) \times 10^{-20}$	Yb optical clock	[68]
$c_{XY}$	$(-7.0 \pm 8.1) \times 10^{-21}$	"	[68]
$c_{XZ}$	$(0.8 \pm 1.3) \times 10^{-20}$	"	[68]
$c_{YZ}$	$(1.0 \pm 1.3) \times 10^{-20}$	"	[68]
$c_{TX}$	$(-0.4 \pm 8.5) \times 10^{-17}$	"	[68]
$c_{TY}$	$(4.4 \pm 8.7) \times 10^{-17}$	"	[68]
$c_{TZ}$	$(-1.2 \pm 1.6) \times 10^{-16}$	"	[68]
$c_{00}$	$(-3.0 \pm 5.7) \times 10^{-7}$	Al/Hg spectroscopy	[69]*
$-0.16c'_{X-Y} + 0.33c'_{XY} - 0.92c'_{XZ} - 0.16c'_{YZ}$	$(0.2 \pm 4.7) \times 10^{-19}$	Trapped Ca ions	[70]*
$-0.04c'_{X-Y} - 0.32c'_{XY} - 0.35c'_{XZ} + 0.88c'_{YZ}$	$(-0.04 \pm 5.4) \times 10^{-19}$	"	[70]*
$0.29c'_{X-Y} - 0.38c'_{XY} - 0.73c'_{XZ} - 0.48c'_{YZ}$	$(0.3 \pm 4.5) \times 10^{-19}$	"	[70]*
$-0.31c'_{X-Y} - 0.65c'_{XY} + 0.07c'_{XZ} - 0.69c'_{YZ}$	$(0.4 \pm 9) \times 10^{-19}$	"	[70]*
$-0.16c'_{X-Y} + 0.33c'_{XY} - 0.92c'_{XZ} - 0.16c'_{YZ}$	$(0.1 \pm 1.0) \times 10^{-18}$	"	[71]
$-0.04c'_{X-Y} - 0.32c'_{XY} - 0.35c'_{XZ} + 0.88c'_{YZ}$	$(2.4 \pm 7.4) \times 10^{-19}$	"	[71]
$0.29c'_{X-Y} - 0.38c'_{XY} - 0.73c'_{XZ} - 0.48c'_{YZ}$	$(5.9 \pm 9.5) \times 10^{-19}$	"	[71]
$-0.31c'_{X-Y} - 0.65c'_{XY} + 0.07c'_{XZ} - 0.69c'_{YZ}$	$(0.7 \pm 1.2) \times 10^{-18}$	"	[71]

Table D6. Electron sector,  $d = 3, 4$  (part 3 of 5)

Combination	Result	System	Ref.
$ \tilde{c}_Q $	$< 2 \times 10^{-8}$ GeV	Relativistic Li ions	[72]
$c_{(TX)}$	$(3.1 \pm 1.9) \times 10^{-11}$	1S-2S transition	[73]
$0.92c_{(TY)} + 0.40c_{(TZ)}$	$(2.6 \pm 5.3) \times 10^{-11}$	"	[73]
$c_{TT}$	$> -5 \times 10^{-21}$	Astrophysics	[67]*
$0.10c_{X-Y} - 0.99c_{XZ}$	$(-9.0 \pm 11) \times 10^{-17}$	Dy spectroscopy	[74]
$0.99c_{X-Y} + 0.10c_{XZ}$	$(3.8 \pm 5.6) \times 10^{-17}$	"	[74]
$0.94c_{XY} - 0.35c_{YZ}$	$(-0.4 \pm 2.8) \times 10^{-17}$	"	[74]
$0.35c_{XY} + 0.94c_{YZ}$	$(3.2 \pm 7.0) \times 10^{-17}$	"	[74]
$0.18c_{TX} - 0.98c_{T(Y+Z)}$	$(0.95 \pm 18) \times 10^{-15}$	"	[74]
$0.98c_{TX} + 0.18c_{T(Y+Z)}$	$(5.6 \pm 7.7) \times 10^{-15}$	"	[74]
$c_{T(Y-Z)}$	$(-21 \pm 19) \times 10^{-13}$	"	[74]
$c_{TT}$	$(-8.8 \pm 5.1) \times 10^{-9}$	"	[74]
"	$(-14 \pm 28) \times 10^{-9}$	"	[74]
$ \tilde{c}_{0k}^e $	$< 2 \times 10^{-5}$	Binary pulsars	[75]*
$ \tilde{c}_{jk}^e $	$< 3 \times 10^{-8}$	"	[75]*
$\bar{c}_{TT}$	$(-0.014 \pm 0.028) \times 10^{-6}$	Nuclear binding energy	[76]
"	$(4.6 \pm 4.6) \times 10^{-6}$	Cs interferometer	[77]
$c_{TT}$	$(-4 \text{ to } 2) \times 10^{-15}$	Collider physics	[78]*
$c_{(TX)}$	$(-30 \text{ to } 1) \times 10^{-14}$	"	[78]*
$c_{(TY)}$	$(-80 \text{ to } 6) \times 10^{-15}$	"	[78]*
$c_{(TZ)}$	$(-11 \text{ to } 1.3) \times 10^{-13}$	"	[78]*
$0.83c_{(TX)} + 0.51c_{(TY)} + 0.22c_{(TZ)}$	$(4 \pm 8) \times 10^{-11}$	1S-2S transition	[79]*
$\sqrt{(c_{XZ} + c_{ZX})^2 + (c_{YZ} + c_{ZY})^2}$	$< 6 \times 10^{-10}$	Penning trap	[50]
$\sqrt{(c_{XX} - c_{YY})^2 + (c_{XY} + c_{YX})^2}$	$< 1 \times 10^{-9}$	"	[50]

Table D6. Electron sector,  $d = 3, 4$  (part 4 of 5)

Combination	Result	System	Ref.
$c_{XX} - c_{YY}$	$(-2.9 \pm 6.3) \times 10^{-16}$	Optical, microwave resonators	[80]*
$\frac{1}{2}c_{(XY)}$	$(2.1 \pm 0.9) \times 10^{-16}$	"	[80]*
$\frac{1}{2}c_{(XZ)}$	$(-1.5 \pm 0.9) \times 10^{-16}$	"	[80]*
$\frac{1}{2}c_{(YZ)}$	$(-0.5 \pm 1.2) \times 10^{-16}$	"	[80]*
$c_{XX} + c_{YY} - 2c_{ZZ}$	$(-106 \pm 147) \times 10^{-16}$	"	[80]*
$\lambda^{ZZ}$	$(13.3 \pm 9.8) \times 10^{-16}$	"	[80]*
$\frac{1}{2}c_{(YZ)}$	$(2.1 \pm 4.6) \times 10^{-16}$	"	[81]*
$\frac{1}{2}c_{(XZ)}$	$(-1.6 \pm 6.3) \times 10^{-16}$	"	[81]*
$\frac{1}{2}c_{(XY)}$	$(7.6 \pm 3.5) \times 10^{-16}$	"	[81]*
$c_{XX} - c_{YY}$	$(1.15 \pm 0.64) \times 10^{-15}$	"	[81]*
$ c_{XX} + c_{YY} - 2c_{ZZ} - 0.25(\tilde{\kappa}_{e^-})^{ZZ} $	$< 10^{-12}$	"	[81]*
$ \frac{1}{2}c_{(XY)} $	$< 8 \times 10^{-15}$	Optical resonators	[82]*
$ c_{XX} - c_{YY} $	$< 1.6 \times 10^{-14}$	"	[82]*
$ c_{XX} + c_{YY} - 2c_{ZZ} $	$< 10^{-5}$	Doppler shift	[83]*
$ c_{TJ} + c_{JT} , (J = X, Y, Z)$	$< 10^{-2}$	"	[83]*
$c_{XX}$	$(-3 \text{ to } 5) \times 10^{-15}$	Astrophysics	[84]*
$c_{YY}$	$(-0.7 \text{ to } 2.5) \times 10^{-15}$	"	[84]*
$c_{ZZ}$	$(-1.6 \text{ to } 2.5) \times 10^{-15}$	"	[84]*
$c_{(YZ)}$	$(-2.5 \text{ to } 1.8) \times 10^{-15}$	"	[84]*
$c_{0X}$	$(-7 \text{ to } 4) \times 10^{-15}$	"	[84]*
$c_{0Y}$	$(-0.5 \text{ to } 1.5) \times 10^{-15}$	"	[84]*
$c_{0Z}$	$(-4 \text{ to } 2) \times 10^{-17}$	"	[84]*
$ 0.05c_{XX} + 0.55c_{YY} + 0.41c_{ZZ}$ $+ 0.16c_{(XY)} - 0.14c_{(XZ)} - 0.47c_{(YZ)}$ $+ 0.22c_{(0X)} + 0.74c_{(0Y)} - 0.64c_{(0Z)} + c_{00} $	$< 1.3 \times 10^{-15}$	"	[85]*
$ 0.58c_{XX} + 0.04c_{YY} + 0.38c_{ZZ}$ $- 0.14c_{(XY)} - 0.47c_{(XZ)} + 0.12c_{(YZ)}$ $+ 0.76c_{(0X)} - 0.19c_{(0Y)} - 0.62c_{(0Z)} + c_{00} $	$< 2.5 \times 10^{-15}$	"	[85]*



Table D6. Electron sector,  $d = 3, 4$  (part 5 of 5)

Combination	Result	System	Ref.
$\tilde{d}_{XY} - \tilde{H}_{ZT} + \tan \eta \tilde{H}_{YT}$	$(0.1 \pm 1.8) \times 10^{-27}$ GeV	Torsion pendulum	[48]
$\tilde{H}_{ZT}$	$(-4.1 \pm 2.4) \times 10^{-27}$ GeV	"	[48]
$\tilde{H}_{YT} - \tilde{d}_{ZX}$	$(-4.9 \pm 8.9) \times 10^{-27}$ GeV	"	[48]
$-\tilde{H}_{XT} + \tan \eta (\tilde{g}_T - 2\tilde{d}_+ + \tilde{d}_Q)$	$(1.1 \pm 9.2) \times 10^{-27}$ GeV	"	[48]
$ d_{XX} $	$< 2 \times 10^{-14}$	Astrophysics	[86]*
$ d_{YY} ,  d_{ZZ} $	$< 3 \times 10^{-15}$	"	[86]*
$ d_{(XY)} $	$< 2 \times 10^{-15}$	"	[86]*
$ d_{(XZ)} $	$< 2 \times 10^{-14}$	"	[86]*
$ d_{(YZ)} $	$< 7 \times 10^{-15}$	"	[86]*
$ d_{TX} $	$< 5 \times 10^{-14}$	"	[86]*
$ d_{TY} $	$< 5 \times 10^{-15}$	"	[86]*
$ d_{TZ} $	$< 8 \times 10^{-17}$	"	[86]*
$ \tilde{d}_J , (J = X, Y)$	$< 10^{-22}$ GeV	Hg/Cs comparison	[56], [57]*
$ \tilde{d}_Z $	$< 10^{-19}$ GeV	Astrophysics	[35]*
$ \tilde{g}_{XY} ,  \tilde{g}_{XZ} $	$< 10^{-17}$ GeV	Astrophysics	[35]*
$ \tilde{g}_{YZ} ,  \tilde{g}_{YX} $	$< 10^{-17}$ GeV	"	[35]*
$ \tilde{g}_{ZX} ,  \tilde{g}_{ZY} $	$< 10^{-18}$ GeV	"	[35]*
$ \tilde{g}_{D,J} , (J = X, Y, Z)$	$< 10^{-22}$ GeV	Penning trap	[35]*
$ \tilde{g}_{D,J} , (J = X, Y)$	$< 10^{-22}$ GeV	Hg/Cs comparison	[56], [57]*

Table D7. Nonminimal electron sector,  $d = 5, 6$ 

Combination	Result	System	Ref.
$\mathring{a}_{e,2}^{\text{NR}} + \mathring{a}_{p,2}^{\text{NR}}$	$(0.4 \pm 1.2) \times 10^{-9} \text{ GeV}^{-1}$	H, $\bar{\text{H}}$ spectroscopy	[87]
$ \mathring{a}_{e,2}^{\text{NR}} $	$< 1 \times 10^{-9} \text{ GeV}^{-1}$	"	[88]*
$\mathring{c}_{e,2}^{\text{NR}} + \frac{67}{12}(\alpha m_r)^2 \mathring{c}_{e,4}^{\text{NR}}$	$(4.5 \pm 2.5) \times 10^{-6} \text{ GeV}^{-1}$	Positronium 1S-2S	[42]*
$ \text{Re } H_{211}^{\text{NR}(0B)} ,  \text{Im } H_{211}^{\text{NR}(0B)} ,  \text{Re } g_{211}^{\text{NR}(0B)} ,  \text{Im } g_{211}^{\text{NR}(0B)} $	$< 7 \times 10^{-16} \text{ GeV}^{-1}$	H maser	[42]*
$ \text{Re } H_{211}^{\text{NR}(1B)} ,  \text{Im } H_{211}^{\text{NR}(1B)} ,  \text{Re } g_{211}^{\text{NR}(1B)} ,  \text{Im } g_{211}^{\text{NR}(1B)} $	$< 4 \times 10^{-16} \text{ GeV}^{-1}$	"	[42]*
$ a_{\text{eff}}^{(5)TTX} $	$< 3.4 \times 10^{-8} \text{ GeV}^{-1}$	1S-2S transition	[42]*
$ a_{\text{eff}}^{(5)TTY} $	$< 5.6 \times 10^{-8} \text{ GeV}^{-1}$	"	[42]*
$ a_{\text{eff}}^{(5)TTZ} $	$< 1.3 \times 10^{-7} \text{ GeV}^{-1}$	"	[42]*
$ a_{\text{eff}}^{(5)KKX} $	$< 6.7 \times 10^{-8} \text{ GeV}^{-1}$	"	[42]*
$ a_{\text{eff}}^{(5)KKY} $	$< 1.1 \times 10^{-7} \text{ GeV}^{-1}$	"	[42]*
$ a_{\text{eff}}^{(5)KKZ} $	$< 2.5 \times 10^{-7} \text{ GeV}^{-1}$	"	[42]*
$\mathring{a}_0^{(5)} + \mathring{a}_2^{(5)}$	$(-9.4 \text{ to } 11) \times 10^{-2} \text{ GeV}^{-1}$	Electron kinematics	[89]*
"	$> 8.0 \times 10^{-7} \text{ GeV}^{-1}$	Time-of-flight	[89]*
$\mathring{a}^{\text{UR}(5)}$	$< 6.5 \times 10^{-27} \text{ GeV}^{-1}$	Astrophysics	[90]*, [20]*
"	$> -3.5 \times 10^{-27} \text{ GeV}^{-1}$	"	[91]*, [20]*
$\mathring{a}^{\text{UR}(5)} - m\mathring{g}^{\text{UR}(6)}$	$(-1 \text{ to } 1) \times 10^{-34} \text{ GeV}^{-1}$	"	[92]*, [20]*
$\mathring{a}^{\text{UR}(5)} \pm m\mathring{g}^{\text{UR}(6)}$	$(-4 \text{ to } 4) \times 10^{-25} \text{ GeV}^{-1}$	"	[93]*, [20]*
$\mathring{a}^{\text{UR}(5)}$	$(-0.001 \text{ to } 2.8) \times 10^{-17} \text{ GeV}^{-1}$	"	[94]*, [20]*
$ c_{\text{eff}}^{(6)TTTT} $	$< 3.3 \times 10^{-5} \text{ GeV}^{-2}$	1S-2S transition	[42]*
$ c_{\text{eff}}^{(6)TTY} $	$< 5.5 \times 10^{-5} \text{ GeV}^{-2}$	"	[42]*
$ c_{\text{eff}}^{(6)TTZ} $	$< 1.3 \times 10^{-4} \text{ GeV}^{-2}$	"	[42]*
$ c_{\text{eff}}^{(6)TKKX} $	$< 3.3 \times 10^{-5} \text{ GeV}^{-2}$	"	[42]*
$ c_{\text{eff}}^{(6)TKKY} $	$< 5.5 \times 10^{-5} \text{ GeV}^{-2}$	"	[42]*
$ c_{\text{eff}}^{(6)TKKZ} $	$< 1.3 \times 10^{-4} \text{ GeV}^{-2}$	"	[42]*
$\mathring{c}_0^{(6)} + \mathring{c}_2^{(6)} + \mathring{c}_4^{(6)}$	$-17 \text{ to } 19 \text{ GeV}^{-2}$	Electron kinematics	[89]*
"	$< 4.5 \times 10^{-7} \text{ GeV}^{-2}$	Time-of-flight	[89]*
$\mathring{e}_0^{(6)} + \mathring{e}_2^{(6)}$	$(-1.8 \text{ to } 2.1) \times 10^2 \text{ GeV}^{-2}$	Electron kinematics	[89]*
"	$< 1.6 \times 10^{-3} \text{ GeV}^{-2}$	Time-of-flight	[89]*
$\mathring{f}_0^{(6)} + \mathring{f}_2^{(6)}$	$(-1.3 \text{ to } 1.3) \times 10^3 \text{ GeV}^{-2}$	Electron kinematics	[89]*
$\mathring{c}^{\text{UR}(6)}$	$(-8.5 \text{ to } 0.0025) \times 10^{-20} \text{ GeV}^{-2}$	Astrophysics	[92]*, [20]*
$\mathring{g}^{\text{UR}(6)}$	$(-5.4 \text{ to } 5.4) \times 10^{-14} \text{ GeV}^{-2}$	"	[94]*, [20]*

Table D8. Nonminimal electron sector,  $d \geq 7$ 

Combination	Result	System	Ref.
$ \hat{a}_{e,4}^{\text{NR}} $	$< 14 \text{ GeV}^{-3}$	H, $\bar{\text{H}}$ spectroscopy	[88]*
$ \text{Re } H_{411}^{\text{NR}(0B)} ,  \text{Im } H_{411}^{\text{NR}(0B)} ,  \text{Re } g_{411}^{\text{NR}(0B)} ,  \text{Im } g_{411}^{\text{NR}(0B)} $	$< 9 \times 10^{-6} \text{ GeV}^{-3}$	H maser	[42]*
$ \text{Re } H_{411}^{\text{NR}(1B)} ,  \text{Im } H_{411}^{\text{NR}(1B)} ,  \text{Re } g_{411}^{\text{NR}(1B)} ,  \text{Im } g_{411}^{\text{NR}(1B)} $	$< 5 \times 10^{-6} \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)TTTTX} $	$< 3.9 \times 10^{-2} \text{ GeV}^{-3}$	1S-2S transition	[42]*
$ a_{\text{eff}}^{(7)TTTTY} $	$< 6.5 \times 10^{-2} \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)TTTTZ} $	$< 0.15 \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)TTKKX} $	$< 2.6 \times 10^{-2} \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)TTKKY} $	$< 4.3 \times 10^{-2} \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)TTKKZ} $	$< 0.1 \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)KKLLX} $	$< 8.7 \times 10^2 \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)KKLLY} $	$< 1.5 \times 10^3 \text{ GeV}^{-3}$	"	[42]*
$ a_{\text{eff}}^{(7)KKLLZ} $	$< 3.5 \times 10^3 \text{ GeV}^{-3}$	"	[42]*
$ c_{\text{eff}}^{(8)TTTTTX} $	$< 51 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TTTTTY} $	$< 85 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TTTTTZ} $	$< 2.0 \times 10^2 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TTTKKX} $	$< 25 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TTTKKY} $	$< 43 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TTTKKZ} $	$< 98 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TKKLLX} $	$< 2.8 \times 10^5 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TKKLLY} $	$< 4.7 \times 10^5 \text{ GeV}^{-4}$	"	[42]*
$ c_{\text{eff}}^{(8)TKKLLZ} $	$< 1.1 \times 10^6 \text{ GeV}^{-4}$	"	[42]*

Table D9. Proton sector,  $d = 3$ 

Combination	Result	System	Ref.
$ \operatorname{Re} H_{011}^{\text{NR}(0B)} ,  \operatorname{Im} H_{011}^{\text{NR}(0B)} ,  \operatorname{Re} g_{011}^{\text{NR}(0B)} ,  \operatorname{Im} g_{011}^{\text{NR}(0B)} $	$< 9 \times 10^{-27}$ GeV	H maser	[42]*
$ \operatorname{Re} H_{011}^{\text{NR}(1B)} ,  \operatorname{Im} H_{011}^{\text{NR}(1B)} ,  \operatorname{Re} g_{011}^{\text{NR}(1B)} ,  \operatorname{Im} g_{011}^{\text{NR}(1B)} $	$< 5 \times 10^{-27}$ GeV	"	[42]*
$ b_T $	$< 3.8 \times 10^{-19}$ GeV	Penning trap	[95]*
$ \tilde{b}'_X ,  \tilde{b}'_X^* $	$< 7.2 \times 10^{-10}$ GeV	"	[43]*
$ \tilde{b}'_Y ,  \tilde{b}'_Y^* $	$< 7.2 \times 10^{-10}$ GeV	"	[43]*
$ \tilde{b}'_Z ,  \tilde{b}'_Z^* $	$< 1.2 \times 10^{-10}$ GeV	"	[43]*
$ \tilde{b}_Z $	$< 8.1 \times 10^{-25}$ GeV	"	[96]
$ \tilde{b}_Z^* $	$< 1.5 \times 10^{-24}$ GeV	"	[96]
$ \tilde{b}_X^* $	$< 9.7 \times 10^{-25}$ GeV	"	[97]
$ \tilde{b}_Y^* $	$< 9.7 \times 10^{-25}$ GeV	"	[97]
$ \tilde{b}_Z $	$< 8 \times 10^{-25}$ GeV	"	[44]*
$ \tilde{b}_Z^* $	$< 1 \times 10^{-24}$ GeV	"	[44]*
$ b_T $	$< 3 \times 10^{-15}$ GeV	Astrophysical polarimetry	[45]*
$ \tilde{b}_Z $	$< 1.8 \times 10^{-24}$ GeV	Penning trap	[98]
$ \tilde{b}_Z^* $	$< 3.5 \times 10^{-24}$ GeV	"	[98]
$ \tilde{b}_Z $	$< 2.1 \times 10^{-22}$ GeV	"	[99]
$ \tilde{b}_Z^* $	$< 2.6 \times 10^{-22}$ GeV	"	[99]
$ \tilde{b}_Z $	$< 2 \times 10^{-21}$ GeV	"	[37]*
$ \tilde{b}_Z^* $	$< 6 \times 10^{-21}$ GeV	"	[37]*
$ \tilde{b}_\perp $	$< 7.6 \times 10^{-33}$ GeV	He/Xe magnetometer	[100]*
$ b_0 $	$< 3 \times 10^{-8}$ GeV	Cs spectroscopy	[46]*
"	$< 7 \times 10^{-8}$ GeV	"	[100]*
"	$< 4 \times 10^{-8}$ GeV	"	[47]*
"	$< 8 \times 10^{-8}$ GeV	Tl spectroscopy	[46]*, [47]*
$\tilde{b}_Z$	$< 7 \times 10^{-29}$ GeV	Hg/Cs comparison	[101]
$\tilde{b}_\perp$	$< 4 \times 10^{-30}$ GeV	"	[101]
$\tilde{b}_\perp$	$< 6 \times 10^{-32}$ GeV	K/He magnetometer	[102]
$\tilde{b}_X$	$(6.0 \pm 1.3) \times 10^{-31}$ GeV	"	[49]
$\tilde{b}_Y$	$(1.5 \pm 1.2) \times 10^{-31}$ GeV	"	[49]
$\sqrt{(\tilde{b}_X^e + \tilde{b}_X^p)^2 + (\tilde{b}_Y^e + \tilde{b}_Y^p)^2}$	$(3 \pm 2) \times 10^{-27}$ GeV	H maser	[103]
$ \tilde{b}_J , (J = X, Y)$	$< 2 \times 10^{-27}$ GeV	"	[104]
"	$< 10^{-27}$ GeV	Hg/Cs comparison	[56], [57]*
$ H_{TX} $	$< 2.3 \times 10^{-18}$ GeV	Penning trap	[95]*
$ H_{TY} $	$< 2.3 \times 10^{-18}$ GeV	"	[95]*
$ H_{TZ} $	$< 4.2 \times 10^{-19}$ GeV	"	[95]*

Table D10. Proton sector,  $d = 4$  (part 1 of 2)

Combination	Result	System	Ref.
$ c_{(TX)} $	$< 5.1 \times 10^{-1}$	Penning trap	[95]*
$ c_{(TY)} $	$< 5.1 \times 10^{-1}$	"	[95]*
$ c_{(TZ)} $	$< 2.1 \times 10^{-1}$	"	[95]*
$ \tilde{c}_{XX} ,  \tilde{c}_{XX}^* $	$< 2.86 \times 10^{-11}$	"	[60]
$ \tilde{c}_{YY} ,  \tilde{c}_{YY}^* $	$< 2.86 \times 10^{-11}$	"	[60]
$ \tilde{c}_{ZZ} ,  \tilde{c}_{ZZ}^* $	$< 1.82 \times 10^{-11}$	"	[60]
$ \tilde{c}_{XX} ,  \tilde{c}_{XX}^* $	$< 1.2 \times 10^{-10}$	"	[43]*
$ \tilde{c}_{YY} ,  \tilde{c}_{YY}^* $	$< 1.2 \times 10^{-10}$	"	[43]*
$ \tilde{c}_{ZZ} ,  \tilde{c}_{ZZ}^* $	$< 7.9 \times 10^{-11}$	"	[43]*
$ \tilde{c}_{(XZ)} ,  \tilde{c}_{(XZ)}^* $	$< 1.1 \times 10^{-9}$	"	[43]*
$ \tilde{c}_{(YZ)} ,  \tilde{c}_{(YZ)}^* $	$< 1.1 \times 10^{-9}$	"	[43]*
$\tilde{c}_Q^p + 0.021\tilde{c}_Q^n$	$(0.4 \pm 2.8) \times 10^{-22}$ GeV	Cs fountain	[105], [106]*
$\tilde{c}_-^p + 0.021\tilde{c}_-^n$	$(-0.2 \pm 1.2) \times 10^{-23}$ GeV	"	[105], [106]*
$\tilde{c}_X^p + 0.021\tilde{c}_X^n$	$(2.0 \pm 7.0) \times 10^{-24}$ GeV	"	[105], [106]*
$\tilde{c}_Y^p + 0.021\tilde{c}_Y^n$	$-1.1 \pm 2.2) \times 10^{-24}$ GeV	"	[105], [106]*
$\tilde{c}_Z^p + 0.021\tilde{c}_Z^n$	$(-1.3 \pm 5.2) \times 10^{-24}$ GeV	"	[105], [106]*
$\tilde{c}_{TX}^p + 0.021\tilde{c}_{TX}^n$	$(2.0 \pm 7.6) \times 10^{-20}$ GeV	"	[105], [106]*
$\tilde{c}_{TY}^p + 0.021\tilde{c}_{TY}^n$	$(-1.8 \pm 7.8) \times 10^{-20}$ GeV	"	[105], [106]*
$\tilde{c}_{TZ}^p + 0.021\tilde{c}_{TZ}^n$	$(1.4 \pm 4.6) \times 10^{-21}$ GeV	"	[105], [106]*
$\tilde{c}_{TT}^p + 0.021\tilde{c}_{TT}^n$	$(-2.2 \pm 9.1) \times 10^{-16}$ GeV	"	[105], [106]*
$c_n^X + 0.9c_p^X - 0.4\kappa_{DE}^X$	$-(5.3 \pm 4.9) \times 10^{-29}$	Ne/Rb/K magnetometer	[107], [108]*
$c_n^Y + 0.9c_p^Y - 0.4\kappa_{DE}^Y$	$(3.1 \pm 3.8) \times 10^{-29}$	"	[107], [108]*
$c_n^Z + 0.9c_p^Z - 0.4\kappa_{DE}^Z$	$(1.3 \pm 1.6) \times 10^{-29}$	"	[107], [108]*
$c_n^- + 0.9c_p^- - 0.4\kappa_{DE}^-$	$-(1.6 \pm 1.9) \times 10^{-29}$	"	[107], [108]*
$\tilde{c}_Q$	$(-0.3 \pm 2.1) \times 10^{-22}$ GeV	Cs fountain	[105], [109]*
$\tilde{c}_-$	$(1.4 \pm 9.0) \times 10^{-24}$ GeV	"	[105], [109]*
$\tilde{c}_X$	$(-1.5 \pm 5.3) \times 10^{-24}$ GeV	"	[105], [109]*
$\tilde{c}_Y$	$(0.8 \pm 1.6) \times 10^{-24}$ GeV	"	[105], [109]*
$\tilde{c}_Z$	$(1.0 \pm 3.9) \times 10^{-24}$ GeV	"	[105], [109]*
$\tilde{c}_{TX}$	$(-1.5 \pm 5.7) \times 10^{-20}$ GeV	"	[105], [109]*
$\tilde{c}_{TY}$	$(1.4 \pm 5.9) \times 10^{-20}$ GeV	"	[105], [109]*
$\tilde{c}_{TZ}$	$(-1.1 \pm 3.5) \times 10^{-20}$ GeV	"	[105], [109]*
$\tilde{c}_{TT}$	$(1.6 \pm 6.9) \times 10^{-16}$ GeV	"	[105], [109]*
$\mathring{c}^{\text{UR}(4)}$	$> -5 \times 10^{-23}$	Astrophysics	[63]*, [20]*
"	$< 5 \times 10^{-24}$	"	[64]*, [20]*
"	$> -2 \times 10^{-22}$	"	[66]*, [20]*
"	$< 4.5 \times 10^{-23}$	"	[110]*, [20]*
$\mathring{c}_p^{\text{UR}(4)} - \mathring{c}_e^{\text{UR}(4)}$	$(-9.8 \text{ to } 9.8) \times 10^{-22}$	"	[111]*, [20]*

Table D10. Proton sector,  $d = 4$  (part 2 of 2)

Combination	Result	System	Ref.
$ \bar{c}_{0k}^p $	$< 1 \times 10^{-8}$	Binary pulsars	[75]*
$ \bar{c}_{jk}^p $	$< 1 \times 10^{-11}$	"	[75]*
$ \tilde{c}_Q $	$< 2 \times 10^{-11}$ GeV	Relativistic Li ions	[72]
$\bar{c}_{TT}$	$(0.24 \pm 0.30) \times 10^{-6}$	Nuclear binding energy	[76]
"	$(-3.3 \pm 3.5) \times 10^{-6}$	Cs interferometer	[77]
$\tilde{c}_Q$	$(-0.3 \pm 2.2) \times 10^{-22}$ GeV	Cs fountain	[105]
$\tilde{c}_-$	$(-1.8 \pm 2.8) \times 10^{-25}$ GeV	"	[105]
$\tilde{c}_X$	$(0.6 \pm 1.2) \times 10^{-25}$ GeV	"	[105]
$\tilde{c}_Y$	$(-1.9 \pm 1.2) \times 10^{-25}$ GeV	"	[105]
$\tilde{c}_Z$	$(-1.4 \pm 2.8) \times 10^{-25}$ GeV	"	[105]
$\tilde{c}_{TX}$	$(-2.7 \pm 3.0) \times 10^{-21}$ GeV	"	[105]
$\tilde{c}_{TY}$	$(-0.2 \pm 3.0) \times 10^{-21}$ GeV	"	[105]
$\tilde{c}_{TZ}$	$(-0.4 \pm 2.0) \times 10^{-21}$ GeV	"	[105]
$ c_{XX} + c_{YY} - 2c_{ZZ} $	$< 10^{-11}$	Doppler shift	[83]*
$ c_{TJ} + c_{JT} , (J = X, Y, Z)$	$< 10^{-8}$	"	[83]*
$r^{H^-}$	$< 9 \times 10^{-27}$	Penning trap	[112]
$r_{\omega_c}^{H^-}$	$< 4 \times 10^{-26}$	"	[113]
$ d_{TT} $	$< 8.2 \times 10^{-19}$	Penning trap	[95]*
$ d_{XX} $	$< 1.6 \times 10^{-18}$	"	[95]*
$ d_{[XY]} $	$< 8.9 \times 10^{-19}$	"	[95]*
$ d_{YY} $	$< 1.6 \times 10^{-18}$	"	[95]*
$ d_{ZX} $	$< 2.5 \times 10^{-18}$	"	[95]*
$ d_{ZY} $	$< 2.5 \times 10^{-18}$	"	[95]*
$ d_{00} $	$< 8 \times 10^{-8}$	Cs spectroscopy	[100]*
"	$< 5 \times 10^{-8}$	"	[47]*
"	$< 3 \times 10^{-8}$	"	[100]*
"	$< 9 \times 10^{-8}$	Tl spectroscopy	[47]*, [100]*
$\tilde{d}_J, \tilde{g}_{DJ}, (J = X, Y)$	$< 3 \times 10^{-28}$ GeV	Hg/Cs comparison	[101]
$ \tilde{d}_J ,  \tilde{g}_{D,J} , (J = X, Y)$	$< 10^{-25}$ GeV	"	[56], [57]*
$ g_{TXT} $	$< 2.5 \times 10^{-18}$	Penning trap	[95]*
$ g_{TYT} $	$< 2.5 \times 10^{-18}$	"	[95]*
$ g_{TZZ} $	$< 1.4 \times 10^{-18}$	"	[95]*
$ g_{XYX} $	$< 2.5 \times 10^{-18}$	"	[95]*
$ g_{XY Y} $	$< 2.5 \times 10^{-18}$	"	[95]*
$ g_{XYZ} $	$< 3.6 \times 10^{-5}$	"	[95]*
$ g_{XZX} $	$< 1.8 \times 10^{-18}$	"	[95]*
$ g_{XZY} $	$< 8.1 \times 10^{-19}$	"	[95]*
$ g_{YZX} $	$< 8.1 \times 10^{-19}$	"	[95]*
$ g_{YZY} $	$< 1.8 \times 10^{-18}$	"	[95]*

Table D11. Nonminimal proton sector,  $d \geq 5$ 

Combination	Result	System	Ref.
$ \hat{a}_{p,2}^{\text{NR}} $	$< 1 \times 10^{-9} \text{ GeV}^{-1}$	H, $\bar{\text{H}}$ spectroscopy [88]*	
$ 3\hat{a}_{p,2}^{\text{NR}} - \hat{a}_{n,2}^{\text{NR}} - 4(\mathbf{p}_{pd}^2)(\hat{a}_{p,4}^{\text{NR}} + \hat{a}_{n,4}^{\text{NR}}) - 3\hat{c}_{p,2}^{\text{NR}} + \hat{c}_{n,2}^{\text{NR}} - 4(\mathbf{p}_{pd}^2)(\hat{c}_{p,4}^{\text{NR}} + \hat{c}_{n,4}^{\text{NR}}) $	$< 2 \times 10^{-7} \text{ GeV}^{-1}$	Deuterium 1S-2S [42]*	
$ \text{Re } H_{211}^{\text{NR}(0B)} ,  \text{Im } H_{211}^{\text{NR}(0B)} ,  \text{Re } g_{211}^{\text{NR}(0B)} ,  \text{Im } g_{211}^{\text{NR}(0B)} $	$< 7 \times 10^{-16} \text{ GeV}^{-1}$	H maser [42]*	
$ \text{Re } H_{211}^{\text{NR}(1B)} ,  \text{Im } H_{211}^{\text{NR}(1B)} ,  \text{Re } g_{211}^{\text{NR}(1B)} ,  \text{Im } g_{211}^{\text{NR}(1B)} $	$< 4 \times 10^{-16} \text{ GeV}^{-1}$	" [42]*	
$ a_{\text{eff}}^{(5)TTX} $	$< 3.4 \times 10^{-8} \text{ GeV}^{-1}$	1S-2S transition [42]*	
$ a_{\text{eff}}^{(5)TTY} $	$< 5.6 \times 10^{-8} \text{ GeV}^{-1}$	" [42]*	
$ a_{\text{eff}}^{(5)TTZ} $	$< 1.3 \times 10^{-7} \text{ GeV}^{-1}$	" [42]*	
$ a_{\text{eff}}^{(5)KKX} $	$< 6.7 \times 10^{-8} \text{ GeV}^{-1}$	" [42]*	
$ a_{\text{eff}}^{(5)KKY} $	$< 1.1 \times 10^{-7} \text{ GeV}^{-1}$	" [42]*	
$ a_{\text{eff}}^{(5)KKZ} $	$< 2.5 \times 10^{-7} \text{ GeV}^{-1}$	" [42]*	
$ c_{\text{eff}}^{(6)TTTX} $	$< 1.8 \times 10^{-8} \text{ GeV}^{-2}$	" [42]*	
$ c_{\text{eff}}^{(6)TTTTY} $	$< 3.0 \times 10^{-8} \text{ GeV}^{-2}$	" [42]*	
$ c_{\text{eff}}^{(6)TTTZ} $	$< 6.9 \times 10^{-8} \text{ GeV}^{-2}$	" [42]*	
$ c_{\text{eff}}^{(6)TKKX} $	$< 1.8 \times 10^{-8} \text{ GeV}^{-2}$	" [42]*	
$ c_{\text{eff}}^{(6)TKKY} $	$< 3.0 \times 10^{-8} \text{ GeV}^{-2}$	" [42]*	
$ c_{\text{eff}}^{(6)TKKZ} $	$< 6.9 \times 10^{-8} \text{ GeV}^{-2}$	" [42]*	
$\hat{c}_{\text{UR}}^{(6)}$	$(-0.0034 \text{ to } 3.4) \times 10^{-42} \text{ GeV}^{-2}$	Astrophysics [114]*, [20]*	
$ \hat{a}_{p,4}^{\text{NR}} $	$< 14 \text{ GeV}^{-3}$	H, $\bar{\text{H}}$ spectroscopy [88]*	
$ \text{Re } H_{411}^{\text{NR}(0B)} ,  \text{Im } H_{411}^{\text{NR}(0B)} ,  \text{Re } g_{411}^{\text{NR}(0B)} ,  \text{Im } g_{411}^{\text{NR}(0B)} $	$< 9 \times 10^{-6} \text{ GeV}^{-3}$	H maser [42]*	
$ \text{Re } H_{411}^{\text{NR}(1B)} ,  \text{Im } H_{411}^{\text{NR}(1B)} ,  \text{Re } g_{411}^{\text{NR}(1B)} ,  \text{Im } g_{411}^{\text{NR}(1B)} $	$< 5 \times 10^{-6} \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)TTTTX} $	$< 1.1 \times 10^{-8} \text{ GeV}^{-3}$	1S-2S transition [42]*	
$ a_{\text{eff}}^{(7)TTTTY} $	$< 1.9 \times 10^{-8} \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)TTTTZ} $	$< 4.4 \times 10^{-8} \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)TTKKX} $	$< 7.6 \times 10^{-9} \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)TTKKY} $	$< 1.3 \times 10^{-8} \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)TTKKZ} $	$< 2.9 \times 10^{-8} \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)KKLLX} $	$< 8.7 \times 10^2 \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)KKLLY} $	$< 1.5 \times 10^3 \text{ GeV}^{-3}$	" [42]*	
$ a_{\text{eff}}^{(7)KKLLZ} $	$< 3.4 \times 10^3 \text{ GeV}^{-3}$	" [42]*	
$ c_{\text{eff}}^{(8)TTTTTX} $	$< 8.1 \times 10^{-9} \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TTTTTY} $	$< 1.4 \times 10^{-8} \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TTTTTZ} $	$< 3.1 \times 10^{-8} \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TTTKKX} $	$< 4.1 \times 10^{-9} \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TTTKKY} $	$< 6.8 \times 10^{-9} \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TTTKKZ} $	$< 1.6 \times 10^{-8} \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TKKLLX} $	$< 1.5 \times 10^2 \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TKKLLY} $	$< 2.6 \times 10^2 \text{ GeV}^{-4}$	" [42]*	
$ c_{\text{eff}}^{(8)TKKLLZ} $	$< 6.0 \times 10^2 \text{ GeV}^{-4}$	" [42]*	

Table D12. Neutron sector,  $d = 3, 4$  (part 1 of 2)

Combination	Result	System	Ref.
$ \text{Re } H_{011}^{\text{NR}(0B)} ,  \text{Im } H_{011}^{\text{NR}(0B)} ,  \text{Re } g_{011}^{\text{NR}(0B)} ,  \text{Im } g_{011}^{\text{NR}(0B)} $	$< 4 \times 10^{-33}$ GeV	He/Xe magnetometer	[88]*
$ \text{Re } H_{011}^{\text{NR}(1B)} ,  \text{Im } H_{011}^{\text{NR}(1B)} ,  \text{Re } g_{011}^{\text{NR}(1B)} ,  \text{Im } g_{011}^{\text{NR}(1B)} $	$< 2 \times 10^{-33}$ GeV	"	[88]*
$ \tilde{b}_\perp $	$< 1.5 \times 10^{-33}$ GeV	He/Xe magnetometer	[100]*
$ b_0 $	$< 3 \times 10^{-7}$ GeV	Cs spectroscopy	[100]*
"	$< 2 \times 10^{-7}$ GeV	"	[47]*
$\tilde{b}_X$	$(4.1 \pm 4.7) \times 10^{-34}$ GeV	He/Xe magnetometer	[115]
$\tilde{b}_Y$	$(2.9 \pm 6.2) \times 10^{-34}$ GeV	"	[115]
$\tilde{b}_\perp$	$< 1.3 \times 10^{-33}$ GeV	"	[115]
$\tilde{b}_Z$	$< 7 \times 10^{-30}$ GeV	Hg/Cs magnetometer	[101]
$\tilde{b}_\perp$	$< 3.7 \times 10^{-31}$ GeV	"	[101]
$\tilde{b}_X$	$(3.36 \pm 1.72) \times 10^{-32}$ GeV	He/Xe magnetometer	[116]
$\tilde{b}_Y$	$(1.43 \pm 1.33) \times 10^{-32}$ GeV	"	[116]
$ \tilde{b}_\perp $	$< 3.72 \times 10^{-32}$ GeV	"	[116], [117]
$\tilde{b}_X$	$(0.1 \pm 1.6) \times 10^{-33}$ GeV	K/He magnetometer	[102]
$\tilde{b}_Y$	$(2.5 \pm 1.6) \times 10^{-33}$ GeV	"	[102]
$ \tilde{b}_\perp $	$< 3.7 \times 10^{-33}$ GeV	"	[102]
$b_\perp$	$< 2 \times 10^{-29}$ GeV	Ultra-cold neutrons	[118]
$-4.2b_i^{(n)} + 0.7b_i^{(p)}$	$2\pi(53 \pm 45$ nHz)	Xe/He maser	[119]*
$ b_J - \frac{1}{2}\epsilon_{JKL}H_{KL} , (J = X, Y)$	$< 10^{-28}$ GeV	Maser/magnetometer	[120]*
$\tilde{b}_X$	$(-3.7 \pm 8.1) \times 10^{-32}$ GeV	K/He magnetometer	[49]
$\tilde{b}_Y$	$(-9.0 \pm 7.5) \times 10^{-32}$ GeV	"	[49]
$\tilde{b}_Y - 0.0034\tilde{d}_Y + 0.0034\tilde{g}_{DY}$	$(8.0 \pm 9.5) \times 10^{-32}$ GeV	Xe/He maser	[121]
$-\tilde{b}_X - 0.0034\tilde{d}_X - 0.0034\tilde{g}_{DX}$	$(2.2 \pm 7.9) \times 10^{-32}$ GeV	"	[121]
$-\cos\eta(\frac{1}{2}\tilde{b}_T + \frac{1}{2}\tilde{d}_- - \tilde{g}_c - \frac{1}{2}\tilde{g}_T)$	$(-1.1 \pm 1.0) \times 10^{-27}$ GeV	"	[121]
$-\cos\eta(\tilde{g}_T - 2\tilde{d}_+ + \frac{1}{2}\tilde{d}_Q)$			
$+\sin\eta(\tilde{d}_{YZ} - \tilde{H}_{XT})$			
$-\tilde{H}_{ZT}$	$(0.2 \pm 1.8) \times 10^{-27}$ GeV	"	[121]
$(\frac{1}{2}\tilde{b}_T + \frac{1}{2}\tilde{d}_- - \tilde{g}_c - \frac{1}{2}\tilde{g}_T)$	$(-1.8 \pm 1.9) \times 10^{-27}$ GeV	"	[121]
$-(\tilde{g}_T - 2\tilde{d}_+ + \frac{1}{2}\tilde{d}_Q)$			
$\cos\eta(\tilde{H}_{ZT} - \tilde{d}_{XY}) - \sin\eta\tilde{H}_{YT}$	$(-1.1 \pm 0.8) \times 10^{-27}$ GeV	"	[121]
$\sqrt{(\tilde{b}_X)^2 + (\tilde{b}_Y)^2}$	$(6.4 \pm 5.4) \times 10^{-32}$ GeV	"	[122]
$r_n$	$< 1.5 \times 10^{-30}$	Hg/Cs comparison	[53]
$ \tilde{b}_J , (J = X, Y)$	$< 10^{-30}$ GeV	"	[56], [57]*



Table D12. Neutron sector,  $d = 3, 4$  (part 2 of 2)

Combination	Result	System	Ref.
$c_{npe200}^{(4)} + \frac{1}{2}c_{npe000}^{(4)}$	$< (3 \pm 27 \pm 27) \times 10^{-14}$	Macroscopic matter	[123]*
$ \bar{c}_{0k}^n $	$< 1 \times 10^{-8}$	Binary pulsars	[75]*
$ \bar{c}_{jk}^n $	$< 1 \times 10^{-11}$	"	[75]*
$c_{TX}$	$(-4 \pm 6) \times 10^{-6}$	Gravimetry	[124]*
$c_{TY}$	$(-1 \pm 1) \times 10^{-5}$	"	[124]*
$c_{TZ}$	$(-1 \pm 1) \times 10^{-5}$	"	[124]*
$\tilde{c}_Q$	$(-1.8 \pm 2.2) \times 10^{-14}$ GeV	Quartz oscillators	[125]
$\bar{c}_{TT}$	$(1.1 \pm 1.4) \times 10^{-6}$	Nuclear binding energy	[76]
"	$(7.6 \pm 6.7) \times 10^{-6}$	Cs interferometer	[77]
$c_{YZ} + c_{ZY}$	$(4.8 \pm 4.4) \times 10^{-29}$	Ne/Rb/K magnetometer	[107]
$c_{XZ} + c_{ZX}$	$(-2.8 \pm 3.4) \times 10^{-29}$	"	[107]
$c_{XY} + c_{YX}$	$(-1.2 \pm 1.4) \times 10^{-29}$	"	[107]
$c_{XX} - c_{YY}$	$(1.4 \pm 1.7) \times 10^{-29}$	"	[107]
$ \bar{c}_Q $	$< 10^{-8}$	Combined WEP	[33]*
$ \bar{c}_\odot $	$< 10^{-8}$	Solar system	[33]*
$ \bar{c}_\oplus $	$< 10^{-7}$	"	[33]*
$\frac{1}{4} c_Q ,  c_{(TJ)} , (J = X, Y, Z)$	$< 5 \times 10^{-14}$	Astrophysics	[126]*
$\min( c_{11} - c_{22} ,  c_{11} - c_{33} ,  c_{22} - c_{33} )$	$< 1.7 \times 10^{-8}$	Pulsar timing	[127]*
$ \tilde{c}_J , (J = X, Y)$	$< 10^{-25}$ GeV	Be/H comparison	[128], [57]*
$ \tilde{c}_- ,  \tilde{c}_Z $	$< 10^{-27}$ GeV	Hg/Hg & Ne/He comparison	[129], [130], [57]*
$ d_{00} $	$< 3 \times 10^{-7}$	Cs spectroscopy	[100]*
"	$< 2 \times 10^{-7}$	"	[47]*
$\tilde{d}_J, \tilde{g}_{DJ}, (J = X, Y)$	$< 3 \times 10^{-29}$ GeV	Hg/Cs comparison	[101]
$ md_{JT} - \frac{1}{2}\epsilon_{JKLM}g_{KLT} , (J = X, Y)$	$< 10^{-28}$ GeV	Maser/magnetometer	[120]*
$\frac{1}{2} d_{(XZ)} ,  d_{(TZ)} $	$< 5 \times 10^{-14}$	Astrophysics	[126]*
$ \tilde{d}_J ,  \tilde{g}_{D,J} , (J = X, Y)$	$< 10^{-28}$ GeV	Hg/Cs comparison	[56], [57]*

Table D13. Nonminimal neutron sector,  $d = 5, 6$ 

Combination	Result	System	Ref.
$a_{npe200}^{(5)} + a_{npe000}^{(5)}$	$< (-3 \pm 29 \pm 29) \times 10^{-14} \text{ GeV}^{-1}$	Macroscopic matter	[123]*
$\text{Re } a_{221}^{\text{NR}}$	$(-3.3 \pm 3.0) \times 10^{-29} \text{ GeV}^{-1}$	K/Rb/Ne magnetometer	[88]*
$\text{Im } a_{221}^{\text{NR}}$	$(-1.9 \pm 2.3) \times 10^{-29} \text{ GeV}^{-1}$	"	[88]*
$\text{Re } a_{222}^{\text{NR}}$	$(1.0 \pm 1.2) \times 10^{-29} \text{ GeV}^{-1}$	"	[88]*
$\text{Im } a_{222}^{\text{NR}}$	$(8.3 \pm 9.6) \times 10^{-30} \text{ GeV}^{-1}$	"	[88]*
$\text{Re } c_{221}^{\text{NR}}$	$(-3.3 \pm 3.0) \times 10^{-29} \text{ GeV}^{-1}$	"	[88]*
$\text{Im } c_{221}^{\text{NR}}$	$(-1.9 \pm 2.3) \times 10^{-29} \text{ GeV}^{-1}$	"	[88]*
$\text{Re } c_{222}^{\text{NR}}$	$(1.0 \pm 1.2) \times 10^{-29} \text{ GeV}^{-1}$	"	[88]*
$\text{Im } c_{222}^{\text{NR}}$	$(8.3 \pm 9.6) \times 10^{-30} \text{ GeV}^{-1}$	"	[88]*
$ \text{Re } H_{211}^{\text{NR}(0B)} ,  \text{Im } H_{211}^{\text{NR}(0B)} ,  \text{Re } g_{211}^{\text{NR}(0B)} ,  \text{Im } g_{211}^{\text{NR}(0B)} $	$< 4 \times 10^{-31} \text{ GeV}^{-1}$	He/Xe magnetometer	[88]*
$ \text{Re } H_{211}^{\text{NR}(1B)} ,  \text{Im } H_{211}^{\text{NR}(1B)} ,  \text{Re } g_{211}^{\text{NR}(1B)} ,  \text{Im } g_{211}^{\text{NR}(1B)} $	$< 2 \times 10^{-31} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)X(TXT)}$	$< 1 \times 10^{-27} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)X(TYT)}$	$< 8 \times 10^{-28} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)X(TZT)}$	$< 2 \times 10^{-27} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)Y(TXT)}$	$< 8 \times 10^{-28} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)Y(TYT)}$	$< 8 \times 10^{-28} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)Y(TZT)}$	$< 2 \times 10^{-27} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)X(JXJ)}$	$< 4 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)X(JYJ)}$	$< 3 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)X(JZJ)}$	$< 6 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)Y(JXJ)}$	$< 2 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)Y(JYJ)}$	$< 3 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)Y(JZJ)}$	$< 6 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(5)TJTJ}$	$< 6 \times 10^{-25} \text{ GeV}^{-1}$	"	[88]*
$c_{npe200}^{(6)} + \frac{3}{2}c_{npe000}^{(6)}$	$< (3 \pm 30 \pm 30) \times 10^{-14} \text{ GeV}^{-2}$	Macroscopic matter	[123]*
$\tilde{g}_{\text{eff}}^{(6)X(TXTT)}$	$< 9 \times 10^{-28} \text{ GeV}^{-2}$	He/Xe magnetometer	[88]*
$\tilde{g}_{\text{eff}}^{(6)X(TYTT)}$	$< 7 \times 10^{-28} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)X(TZTT)}$	$< 2 \times 10^{-27} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)Y(TXTT)}$	$< 6 \times 10^{-28} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)Y(TYTT)}$	$< 7 \times 10^{-28} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)Y(TZTT)}$	$< 2 \times 10^{-27} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)X(JXJT)}$	$< 9 \times 10^{-26} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)X(JYJT)}$	$< 7 \times 10^{-26} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)X(JZJT)}$	$< 2 \times 10^{-25} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)Y(JXJT)}$	$< 2 \times 10^{-25} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)Y(JYJT)}$	$< 7 \times 10^{-26} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)Y(JZJT)}$	$< 2 \times 10^{-25} \text{ GeV}^{-2}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(6)TJTJT}$	$< 5 \times 10^{-25} \text{ GeV}^{-2}$	"	[88]*

Table D14. Nonminimal neutron sector,  $d \geq 7$  (part 1 of 2)

Combination	Result	System	Ref.
$a_{npe200}^{(7)} + 2a_{npe000}^{(7)}$	$< (-4 \pm 32 \pm 32) \times 10^{-14} \text{ GeV}^{-3}$	Macroscopic matter	[123]*
$\text{Re } a_{421}^{\text{NR}}$	$(-3.7 \pm 3.4) \times 10^{-27} \text{ GeV}^{-3}$	K/Rb/Ne magnetometer	[88]*
$\text{Im } a_{421}^{\text{NR}}$	$(-2.2 \pm 2.6) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\text{Re } a_{422}^{\text{NR}}$	$(1.1 \pm 1.3) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\text{Im } a_{422}^{\text{NR}}$	$(0.9 \pm 1.1) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\text{Re } c_{421}^{\text{NR}}$	$(-3.7 \pm 3.4) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\text{Im } c_{421}^{\text{NR}}$	$(-2.2 \pm 2.6) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\text{Re } c_{422}^{\text{NR}}$	$(1.1 \pm 1.3) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\text{Im } c_{422}^{\text{NR}}$	$(0.9 \pm 1.1) \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$ \text{Re } H_{411}^{\text{NR}(0B)} ,  \text{Im } H_{411}^{\text{NR}(0B)} ,  \text{Re } g_{411}^{\text{NR}(0B)} ,  \text{Im } g_{411}^{\text{NR}(0B)} $	$< 4 \times 10^{-29} \text{ GeV}^{-3}$	He/Xe magnetometer	[88]*
$ \text{Re } H_{411}^{\text{NR}(1B)} ,  \text{Im } H_{411}^{\text{NR}(1B)} ,  \text{Re } g_{411}^{\text{NR}(1B)} ,  \text{Im } g_{411}^{\text{NR}(1B)} $	$< 2 \times 10^{-39} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(TXTTT)}$	$< 8 \times 10^{-28} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(TYT TT)}$	$< 6 \times 10^{-28} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(TZTTT)}$	$< 2 \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(TXTTT)}$	$< 6 \times 10^{-28} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(TYT TT)}$	$< 6 \times 10^{-28} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(TZTTT)}$	$< 2 \times 10^{-27} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(JXJTT)}$	$< 4 \times 10^{-26} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(JYJTT)}$	$< 3 \times 10^{-26} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(JZJTT)}$	$< 7 \times 10^{-26} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(JXJTT)}$	$< 3 \times 10^{-26} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(JYJTT)}$	$< 3 \times 10^{-26} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(JZJTT)}$	$< 7 \times 10^{-26} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)TJTJTT}$	$< 2 \times 10^{-25} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(JXJKK)}$	$< 4 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(JYJKK)}$	$< 3 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)X(JZJKK)}$	$< 7 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(JXJKK)}$	$< 3 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(JYJKK)}$	$< 3 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)Y(JZJKK)}$	$< 7 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*
$\tilde{H}_{\text{eff}}^{(7)TJTJJK}$	$< 6 \times 10^{-23} \text{ GeV}^{-3}$	"	[88]*

Table D14. Nonminimal neutron sector,  $d \geq 7$  (part 2 of 2)

Combination	Result	System	Ref.
$c_{npe200}^{(8)} + \frac{5}{2}c_{npe000}^{(8)}$	$< (4 \pm 34 \pm 34) \times 10^{-14} \text{ GeV}^{-4}$	Macroscopic matter	[123]*
$\tilde{g}_{\text{eff}}^{(8)X(TXTTTT)}$	$< 7 \times 10^{-28} \text{ GeV}^{-4}$	He/Xe magnetometer	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(TYTTTT)}$	$< 5 \times 10^{-28} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(TZTTTT)}$	$< 1 \times 10^{-27} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(TXTTTT)}$	$< 5 \times 10^{-28} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(TYTTTT)}$	$< 5 \times 10^{-28} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(TZTTTT)}$	$< 1 \times 10^{-27} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(JXJTTT)}$	$< 2 \times 10^{-26} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(JYJTTT)}$	$< 1 \times 10^{-26} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(JZJTTT)}$	$< 4 \times 10^{-26} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(JXJTTT)}$	$< 1 \times 10^{-26} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(JYJTTT)}$	$< 1 \times 10^{-26} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(JZJTTT)}$	$< 3 \times 10^{-26} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)TJTJTTT}$	$< 4 \times 10^{-25} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(JXJTKK)}$	$< 7 \times 10^{-24} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(JYJTKK)}$	$< 5 \times 10^{-24} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)X(JZJTKK)}$	$< 1 \times 10^{-23} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(JXJTKK)}$	$< 5 \times 10^{-24} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(JYJTKK)}$	$< 5 \times 10^{-24} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)Y(JZJTKK)}$	$< 1 \times 10^{-23} \text{ GeV}^{-4}$	"	[88]*
$\tilde{g}_{\text{eff}}^{(8)TJTJTKK}$	$< 2 \times 10^{-23} \text{ GeV}^{-4}$	"	[88]*

Table D15. Photon sector,  $d = 3$ 

Combination	Result	System	Ref.
$ k_{(V)00}^{(3)} $	$(7.32 \pm 2.94) \times 10^{-45}$ GeV	CMB polarization	[131], [132]*
$ k_{(V)00}^{(3)} $	$< 1.54 \times 10^{-44}$ GeV	"	[133]*
$ \mathbf{k}_{\Delta\mathbf{F}} $	$< 7.4 \times 10^{-45}$ GeV	"	[133]*
$ \mathbf{k}_{\Delta\mathbf{F}} $	$< 1.03 \times 10^{-26}$ GeV	Satellites	[134]*
$k_{AF}^Z$	$< 8 \times 10^{-23}$ GeV	PVLAS	[135]*
"	$< 10^{-19}$ GeV	Hydrogen spectroscopy	[135]*
$ k_{(V)10}^{(3)} $	$< 16 \times 10^{-21}$ GeV	Schumann resonances	[136]*
$ k_{(V)11}^{(3)} $	$< 12 \times 10^{-21}$ GeV	"	[136]*
$k_{(V)10}^{(3)}$	$(0.09 \pm 0.06) \times 10^{-43}$ GeV	CMB polarization	[137], [138]*
$\text{Re } k_{(V)11}^{(3)}$	$(-0.07 \pm 0.05) \times 10^{-43}$ GeV	"	[137], [138]*
$\text{Im } k_{(V)11}^{(3)}$	$(0.00 \pm 0.04) \times 10^{-43}$ GeV	"	[137], [138]*
$ \mathbf{k}_{\Delta\mathbf{F}}^{(3)}  \equiv \left(6 k_{(V)11}^{(3)} ^2 + 3 k_{(V)10}^{(3)} ^2\right)^{1/2} / \sqrt{4\pi}$	$(10^{+4}_-8) \times 10^{-43}$ GeV	"	[21]*
$ \mathbf{k}_{\Delta\mathbf{F}}^{(3)} $	$(15 \pm 6) \times 10^{-43}$ GeV	"	[17]*, [16]*
$k_{(V)10}^{(3)}$	$\pm(3 \pm 1) \times 10^{-42}$ GeV	"	[17]*
$\text{Re } k_{(V)11}^{(3)}$	$\pm(21^{+7}_-9) \times 10^{-43}$ GeV	"	[17]*
$ \mathbf{k}_{\Delta\mathbf{F}}^{(3)} $	$(0.57 \pm 0.70)H_0$	Astrophysical birefringence	[139]*
$ 2\mathbf{k}_{\Delta\mathbf{F}}^{(3)} $	$10^{-41}$ GeV	"	[140]*
$ \sum_{jm} Y_{jm} k_{(V)jm}^{(3)} $	$< 6 \times 10^{-43}$ GeV	"	[141]*, [16]*
$ k_{(V)00}^{(3)} $	$< 14 \times 10^{-21}$ GeV	Schumann resonances	[136]*
$k_{(V)00}^{(3)}$	$(-0.29 \pm 0.05 \pm 0.26) \times 10^{-43}$ GeV	CMB polarization	[142], [138]*
$k_{(V)00}^{(3)}$	$(0.34 \pm 1.16 \pm 1.40) \times 10^{-43}$ GeV	"	[143], [138]*
$k_{(V)00}^{(3)}$	$(-0.51 \pm 0.75 \pm 0.45) \times 10^{-43}$ GeV	"	[144], [138]*
$k_{(V)00}^{(3)}$	$(1.1 \pm 1.3 \pm 1.5) \times 10^{-43}$ GeV	"	[145]
"	$(0.04 \pm 0.35) \times 10^{-43}$ GeV	"	[146]*
"	$(-0.64 \pm 0.50 \pm 0.50) \times 10^{-43}$ GeV	"	[147]
"	$(4.3 \pm 4.1) \times 10^{-43}$ GeV	"	[148]
"	$(-1.4 \pm 0.9 \pm 0.5) \times 10^{-43}$ GeV	"	[144]
"	$(2.3 \pm 5.4) \times 10^{-43}$ GeV	"	[21]*
"	$< 2.5 \times 10^{-43}$ GeV	"	[149]*, [21]*
"	$(1.2 \pm 2.2) \times 10^{-43}$ GeV	"	[150], [21]*
"	$(12 \pm 7) \times 10^{-43}$ GeV	"	[17]*
"	$(2.6 \pm 1.9) \times 10^{-43}$ GeV	"	[151]*, [21]*
"	$(2.5 \pm 3.0) \times 10^{-43}$ GeV	"	[152]*, [21]*
"	$(6.0 \pm 4.0) \times 10^{-43}$ GeV	"	[153]*, [17]*
"	$(1.1 \pm 1.4)H_0$	Astrophysical birefringence	[139]*
"	$< 2 \times 10^{-42}$ GeV	"	[141]*, [16]*

Table D16. Photon sector,  $d = 4$  (part 1 of 8)

Combination	Result	System	Ref.
$(\tilde{\kappa}_{e-})^{XY}$	$(-2.3 \pm 5.4) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{e-})^{XY} $	$< 2.7 \times 10^{-22}$	Laser interferometry	[155]
$(\tilde{\kappa}_{e-})^{XY}$	$(0.8 \pm 0.4) \times 10^{-17}$	Rotating optical resonators	[156]
"	$(-0.7 \pm 1.6) \times 10^{-18}$	Sapphire cavity oscillators	[157]
"	$(0.8 \pm 0.6) \times 10^{-16}$	Rotating microwave resonators	[158]
"	$(-0.31 \pm 0.73) \times 10^{-17}$	Rotating optical resonators	[159]
"	$(0.0 \pm 1.0 \pm 0.3) \times 10^{-17}$	"	[160]
"	$(-0.1 \pm 0.6) \times 10^{-17}$	"	[161]
"	$(-7.7 \pm 4.0) \times 10^{-16}$	Optical, microwave resonators	[80]*
"	$(2.9 \pm 2.3) \times 10^{-16}$	Rotating microwave resonators	[162]
"	$(-3.1 \pm 2.5) \times 10^{-16}$	Rotating optical resonators	[163]
"	$(-0.63 \pm 0.43) \times 10^{-15}$	Rotating microwave resonators	[164]
"	$(-1.7 \pm 1.6) \times 10^{-15}$	Optical, microwave resonators	[81]*
"	$(-5.7 \pm 2.3) \times 10^{-15}$	Microwave resonator, maser	[165]
"	$(1.7 \pm 2.6) \times 10^{-15}$	Optical resonators	[166]
"	$(1.4 \pm 1.4) \times 10^{-13}$	Microwave resonators	[167]
$(\tilde{\kappa}_{e-})^{XZ}$	$(-6.7 \pm 4.3) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{e-})^{XZ} $	$< 2.1 \times 10^{-20}$	Laser interferometry	[155]
$(\tilde{\kappa}_{e-})^{XZ}$	$(-0.3 \pm 0.6) \times 10^{-17}$	Rotating optical resonators	[156]
"	$(-5.5 \pm 4.0) \times 10^{-18}$	Sapphire cavity oscillators	[157]
"	$(1.5 \pm 1.3) \times 10^{-16}$	Rotating microwave resonators	[158]
"	$(0.54 \pm 0.70) \times 10^{-17}$	Rotating optical resonators	[159]
"	$(0.4 \pm 1.5 \pm 0.1) \times 10^{-17}$	"	[160]
"	$(-2.0 \pm 0.9) \times 10^{-17}$	"	[161]
"	$(-10.3 \pm 3.9) \times 10^{-16}$	Optical, microwave resonators	[80]*
"	$(-6.9 \pm 2.2) \times 10^{-16}$	Rotating microwave resonators	[162]
"	$(5.7 \pm 4.9) \times 10^{-16}$	Rotating optical resonators	[163]
"	$(0.19 \pm 0.37) \times 10^{-15}$	Rotating microwave resonators	[164]
"	$(-4.0 \pm 3.3) \times 10^{-15}$	Optical, microwave resonators	[81]*
"	$(-3.2 \pm 1.3) \times 10^{-15}$	Microwave resonator, maser	[165]
"	$(-6.3 \pm 12.4) \times 10^{-15}$	Optical resonators	[166]
"	$(-3.5 \pm 4.3) \times 10^{-13}$	Microwave resonators	[167]
$(\tilde{\kappa}_{e-})^{YZ}$	$(-7.9 \pm 4.3) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{e-})^{YZ} $	$< 2.1 \times 10^{-20}$	Laser interferometry	[155]
$(\tilde{\kappa}_{e-})^{YZ}$	$(0.0 \pm 0.6) \times 10^{-17}$	Rotating optical resonators	[156]
"	$(-1.9 \pm 3.2) \times 10^{-18}$	Sapphire cavity oscillators	[157]
"	$(1.7 \pm 1.3) \times 10^{-16}$	Rotating microwave resonators	[158]
"	$(-0.97 \pm 0.74) \times 10^{-17}$	Rotating optical resonators	[159]
"	$(-0.6 \pm 1.4 \pm 0.5) \times 10^{-17}$	"	[160]
"	$(-0.3 \pm 1.4) \times 10^{-17}$	"	[161]
"	$(0.9 \pm 4.2) \times 10^{-16}$	Optical, microwave resonators	[80]*
"	$(2.1 \pm 2.1) \times 10^{-16}$	Rotating microwave resonators	[162]
"	$(-1.5 \pm 4.4) \times 10^{-16}$	Rotating optical resonators	[163]
"	$(-0.45 \pm 0.37) \times 10^{-15}$	Rotating microwave resonators	[164]
"	$(0.52 \pm 2.52) \times 10^{-15}$	Optical, microwave resonators	[81]*
"	$(-0.5 \pm 1.3) \times 10^{-15}$	Microwave resonator, maser	[165]
"	$(3.6 \pm 9.0) \times 10^{-15}$	Optical resonators	[166]
"	$(1.7 \pm 3.6) \times 10^{-13}$	Microwave resonators	[167]

Table D16. Photon sector,  $d = 4$  (part 2 of 8)

Combination	Result	System	Ref.
$(\tilde{\kappa}_{e-})^{XX} - (\tilde{\kappa}_{e-})^{YY}$	$(-3.8 \pm 6.6) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{e-})^{XX} - (\tilde{\kappa}_{e-})^{YY} $	$< 5.5 \times 10^{-22}$	Laser interferometry	[155]
$(\tilde{\kappa}_{e-})^{XX} - (\tilde{\kappa}_{e-})^{YY}$	$(0.8 \pm 0.8) \times 10^{-17}$	Rotating optical resonators	[156]
"	$(-1.5 \pm 3.4) \times 10^{-18}$	Sapphire cavity oscillators	[157]
"	$(0.2 \pm 1.0) \times 10^{-16}$	Rotating microwave resonators	[158]
"	$(0.80 \pm 1.27) \times 10^{-17}$	Rotating optical resonators	[159]
"	$(0.8 \pm 2.0 \pm 0.3) \times 10^{-17}$	"	[160]
"	$(-2.0 \pm 1.7) \times 10^{-17}$	"	[161]
"	$(-12 \pm 16) \times 10^{-16}$	Optical, microwave resonators	[80]*
"	$(-5.0 \pm 4.7) \times 10^{-16}$	Rotating microwave resonators	[162]
"	$(5.4 \pm 4.8) \times 10^{-16}$	Rotating optical resonators	[163]
"	$(-1.3 \pm 0.9) \times 10^{-15}$	Rotating microwave resonators	[164]
"	$(2.8 \pm 3.3) \times 10^{-15}$	Optical, microwave resonators	[81]*
"	$(-3.2 \pm 4.6) \times 10^{-15}$	Microwave resonator, maser	[165]
"	$(8.9 \pm 4.9) \times 10^{-15}$	Optical resonators	[166]
"	$(-1.0 \pm 2.1) \times 10^{-13}$	Microwave resonators	[167]
$(\tilde{\kappa}_{e-})^{ZZ}$	$(-0.7 \pm 6.5) \times 10^{-17}$	Rotating optical resonators	[154]
"	$(4.8 \pm 1.1) \times 10^{-17}$	"	[156]
"	$(-286 \pm 279) \times 10^{-18}$	Sapphire cavity oscillators	[157]
"	$(143 \pm 179) \times 10^{-16}$	Rotating microwave resonators	[158]
"	$(-0.04 \pm 1.73) \times 10^{-17}$	Rotating optical resonators	[159]
"	$(1.6 \pm 2.4 \pm 1.1) \times 10^{-17}$	"	[160]
"	$(-0.2 \pm 3.1) \times 10^{-17}$	"	[161]
"	$(223 \pm 290) \times 10^{-16}$	Optical, microwave resonators	[80]*
"	$(143 \pm 179) \times 10^{-16}$	Rotating microwave resonators	[162]
"	$(-1.9 \pm 5.2) \times 10^{-15}$	Rotating optical resonators	[163]
"	$(21 \pm 57) \times 10^{-15}$	Rotating microwave resonators	[164]
"	$(-2.9 \pm 2.2) \times 10^{-14}$	Optical resonators	[168]
$ (\tilde{\kappa}_{e-})^{(kl)} $	$< 4 \times 10^{-18}$	Astrophysics	[169]*

Table D16. Photon sector,  $d = 4$  (part 3 of 8)

Combination	Result	System	Ref.
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{XY}$	$(-3.5 \pm 4.8) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{o+})^{XY} $	$< 6.6 \times 10^{-15}$	Laser interferometry	[155]
$(\tilde{\kappa}_{o+})^{XY}$	$(-3.0 \pm 3.4) \times 10^{-14}$	Sapphire cavity oscillators	[157]
$\tilde{\kappa}_{o+}^{XY}$	$(0.7 \pm 1.0) \times 10^{-14}$	Optical ring cavity	[170]
$(\tilde{\kappa}_{o+})^{XY}$	$(-1.5 \pm 1.2) \times 10^{-12}$	Rotating microwave resonators	[158]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{XY}$	$(-0.14 \pm 0.78) \times 10^{-17}$	Rotating optical resonators	[159]
$(\tilde{\kappa}_{o+})^{XY}$	$(1.5 \pm 1.5 \pm 0.2) \times 10^{-13}$	"	[160]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{XY}$	$(-2.5 \pm 2.5) \times 10^{-17}$	"	[161]
$(\tilde{\kappa}_{o+})^{XY}$	$(1.7 \pm 2.0) \times 10^{-12}$	Optical, microwave resonators	[80]*
"	$(-0.9 \pm 2.6) \times 10^{-12}$	Rotating microwave resonators	[162]
"	$(-2.5 \pm 5.1) \times 10^{-12}$	Rotating optical resonators	[163]
"	$(0.20 \pm 0.21) \times 10^{-11}$	Rotating microwave resonators	[164]
"	$(-1.8 \pm 1.5) \times 10^{-11}$	Microwave resonator, maser	[165]
"	$(14 \pm 14) \times 10^{-11}$	Optical resonators	[166]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{XZ}$	$(1.3 \pm 5.4) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{o+})^{XZ} $	$< 5.7 \times 10^{-15}$	Laser interferometry	[155]
$(\tilde{\kappa}_{o+})^{XZ}$	$(0.21 \pm 1.7) \times 10^{-14}$	Sapphire cavity oscillators	[157]
$\tilde{\kappa}_{o+}^{XZ}$	$(-0.6 \pm 1.2) \times 10^{-14}$	Optical ring cavity	[170]
$(\tilde{\kappa}_{o+})^{XZ}$	$(1.6 \pm 2.2) \times 10^{-13}$	Asymmetric optical resonator	[171]
"	$(0.7 \pm 1.4) \times 10^{-12}$	"	[172]
"	$(1.7 \pm 0.7) \times 10^{-12}$	Rotating microwave resonators	[158]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{XZ}$	$(-0.45 \pm 0.62) \times 10^{-17}$	Rotating optical resonators	[159]
$(\tilde{\kappa}_{o+})^{XZ}$	$(-0.1 \pm 1.0 \pm 0.2) \times 10^{-13}$	"	[160]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{XZ}$	$(1.5 \pm 1.7) \times 10^{-17}$	"	[161]
$(\tilde{\kappa}_{o+})^{XZ}$	$(-3.1 \pm 2.3) \times 10^{-12}$	Optical, microwave resonators	[80]*
"	$(-4.4 \pm 2.5) \times 10^{-12}$	Rotating microwave resonators	[162]
"	$(-3.6 \pm 2.7) \times 10^{-12}$	Rotating optical resonators	[163]
"	$(-0.91 \pm 0.46) \times 10^{-11}$	Rotating microwave resonators	[164]
"	$(-1.4 \pm 2.3) \times 10^{-11}$	Microwave resonator, maser	[165]
"	$(-1.2 \pm 2.6) \times 10^{-11}$	Optical resonators	[166]



Table D16. Photon sector,  $d = 4$  (part 4 of 8)

Combination	Result	System	Ref.
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{YZ}$	$(-2.2 \pm 5.2) \times 10^{-17}$	Rotating optical resonators	[154]
$ (\tilde{\kappa}_{o+})^{YZ} $	$< 5.2 \times 10^{-15}$	Laser interferometry	[155]
$(\tilde{\kappa}_{o+})^{YZ}$	$(-2.0 \pm 1.6) \times 10^{-14}$	Sapphire cavity oscillators	[157]
$\tilde{\kappa}_{o+}^{YZ}$	$(0.5 \pm 1.0) \times 10^{-14}$	Optical ring cavity	[170]
$(\tilde{\kappa}_{o+})^{YZ}$	$(0.2 \pm 0.7) \times 10^{-12}$	Rotating microwave resonators	[158]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{YZ}$	$(-0.34 \pm 0.61) \times 10^{-17}$	Rotating optical resonators	[159]
$(\tilde{\kappa}_{o+})^{YZ}$	$(-0.1 \pm 1.0 \pm 0.4) \times 10^{-13}$	"	[160]
$\beta_{\oplus}(\tilde{\kappa}_{o+})^{YZ}$	$(-1.0 \pm 1.5) \times 10^{-17}$	"	[161]
$(\tilde{\kappa}_{o+})^{YZ}$	$(-2.8 \pm 2.2) \times 10^{-12}$	Optical, microwave resonators	[80]*
"	$(-3.2 \pm 2.3) \times 10^{-12}$	Rotating microwave resonators	[162]
"	$(2.9 \pm 2.8) \times 10^{-12}$	Rotating optical resonators	[163]
"	$(0.44 \pm 0.46) \times 10^{-11}$	Rotating microwave resonators	[164]
"	$(2.7 \pm 2.2) \times 10^{-11}$	Microwave resonator, maser	[165]
"	$(0.1 \pm 2.7) \times 10^{-11}$	Optical resonators	[166]
$\sqrt{(2c_{TX} - \tilde{\kappa}_{o+}^{YZ})^2 + (2c_{TY} - \tilde{\kappa}_{o+}^{ZX})^2}$	$< 8.6 \times 10^{-10}$	Compton scattering	[173]*
$\sqrt{(2c_{TX} - \tilde{\kappa}_{o+}^{YZ})^2 + (2c_{TY} - \tilde{\kappa}_{o+}^{ZX})^2}$	$< 4.6 \times 10^{-10}$	"	[174]*
"	$< 1.6 \times 10^{-14}$	"	[175]
$(\tilde{\kappa}_{o+})^{YX} - 0.432(\tilde{\kappa}_{o+})^{ZX}$	$(4.0 \pm 8.4) \times 10^{-9}$	Microwave resonators	[167]
$(\tilde{\kappa}_{o+})^{XY} - 0.209(\tilde{\kappa}_{o+})^{YZ}$	$(4.0 \pm 4.9) \times 10^{-9}$	"	[167]
$(\tilde{\kappa}_{o+})^{XZ} - 0.484(\tilde{\kappa}_{o+})^{YZ}$	$(1.6 \pm 1.7) \times 10^{-9}$	"	[167]
$(\tilde{\kappa}_{o+})^{YZ} + 0.484(\tilde{\kappa}_{o+})^{XZ}$	$(0.6 \pm 1.9) \times 10^{-9}$	"	[167]
$ (\tilde{\kappa}_{o+})^{(ij)} $	$< 2 \times 10^{-18}$	Astrophysics	[169]*

Table D16. Photon sector,  $d = 4$  (part 5 of 8)

Combination	Result	System	Ref.
$\tilde{\kappa}_{\text{tr}}$	$> -1.06 \times 10^{-13}$	Collider physics	[176]
"	$< 3 \times 10^{-20}$	Astrophysics	[177]*
$-(\tilde{\kappa}_{\text{tr}} - \frac{4}{3}c_{00}^e)$	$< 6 \times 10^{-21}$	"	[178]*
$ \tilde{\kappa}_{\text{tr}} $	$< 6.43 \times 10^{-18}$	"	[179]
$\tilde{\kappa}_{\text{tr}}$	$> -3 \times 10^{-19}$	"	[180]*
$ \tilde{\kappa}_{\text{tr}} $	$< 9.2 \times 10^{-10}$	Laser interferometry	[155]
$\tilde{\kappa}_{\text{tr}}$	$(-6.0 \pm 4.0) \times 10^{-10}$	Sapphire cavity oscillators	[157]
$ \tilde{\kappa}_{\text{tr}} $	$< 2 \times 10^{-8}$	Relativistic Li ions	[72]
$\tilde{\kappa}_{\text{tr}}$	$(-2 \text{ to } 0.0006) \times 10^{-16}$	Astrophysics	[181]*
"	$(-0.4 \pm 0.9) \times 10^{-10}$	Optical ring cavity	[170]
"	$(3 \pm 11) \times 10^{-10}$	Asymmetric optical resonator	[171]
"	$(3.4 \pm 6.2) \times 10^{-9}$	"	[172]
"	$(-1.5 \pm 0.74) \times 10^{-8}$	Rotating microwave resonators	[158]
"	$(-0.3 \pm 3) \times 10^{-7}$	Microwave interferometer	[182]
$ \tilde{\kappa}_{\text{tr}} - \frac{4}{3}c_{00}^e $	$< 5 \times 10^{-15}$	Collider physics	[183]*
$\tilde{\kappa}_{\text{tr}} - \frac{4}{3}c_{00}^e$	$(-5.8 \text{ to } 12) \times 10^{-12}$	"	[184]*
$\tilde{\kappa}_{\text{tr}} - \frac{4}{3}c_{00}^p$	$< 6 \times 10^{-20}$	Astrophysics	[185]*
$-(\tilde{\kappa}_{\text{tr}} - \frac{4}{3}c_{00}^e)$	$< 9 \times 10^{-16}$	"	[185]*
$\tilde{\kappa}_{\text{tr}}$	$< 1.4 \times 10^{-19}$	"	[169]*
$ \tilde{\kappa}_{\text{tr}} $	$< 8.4 \times 10^{-8}$	Optical atomic clocks	[186]
"	$< 2.2 \times 10^{-7}$	Heavy-ion storage ring	[187]*
"	$< 2 \times 10^{-14}$	Astrophysics	[188]*
"	$< 3 \times 10^{-8}$	$g_e - 2$	[188]*
"	$< 1.6 \times 10^{-5}$	Sagnac interferometer	[189]

Table D16. Photon sector,  $d = 4$  (part 6 of 8)

Combination	Result	System	Ref.
$ c_{(I)00}^{(4)} $	$< 2.28 \times 10^{-8}$	Astrophysics	[179]
$ \sum_{jm} Y_{jm}(103.45^\circ, 276.41^\circ)c_{(I)jm}^{(4)} $	$< 8.77 \times 10^{-9}$	"	[179]
$ \sum_{jm} Y_{jm}(83.75^\circ, 286.95^\circ)c_{(I)jm}^{(4)} $	$< 11.5 \times 10^{-9}$	"	[179]
$ \sum_{jm} Y_{jm}(67.96^\circ, 83.6^\circ)c_{(I)jm}^{(4)} $	$< 22.6 \times 10^{-9}$	"	[179]
$ \sum_{jm} Y_{jm}(53.26^\circ, 304.94^\circ)c_{(I)jm}^{(4)} $	$< 36.3 \times 10^{-9}$	"	[179]
$ c_{(I)00}^{(4)} $	$< 3.3 \times 10^{-9}$	Laser interferometry	[155]
$ c_{(I)10}^{(4)} $	$< 6.7 \times 10^{-15}$	"	[155]
$ \text{Re } c_{(I)11}^{(4)} $	$< 3.8 \times 10^{-15}$	"	[155]
$ \text{Im } c_{(I)11}^{(4)} $	$< 4.1 \times 10^{-15}$	"	[155]
$ c_{(I)21}^{(4)} $	$< 1.3 \times 10^{-20}$	"	[155]
$ c_{(I)22}^{(4)} $	$< 1.8 \times 10^{-22}$	"	[155]
$c_{(I)10}^{(4)}$	$(-7 \pm 10) \times 10^{-15}$	Optical ring cavity	[170], [190]*
"	$(31 \pm 35) \times 10^{-15}$	Sapphire cavity oscillators	[157], [190]*
$\text{Re } c_{(I)11}^{(4)}$	$(4 \pm 7) \times 10^{-15}$	Optical ring cavity	[170], [190]*
"	$(-14 \pm 12) \times 10^{-15}$	Sapphire cavity oscillators	[157], [190]*
$\text{Im } c_{(I)11}^{(4)}$	$(-4 \pm 9) \times 10^{-15}$	Optical ring cavity	[170], [190]*
"	$(2 \pm 12) \times 10^{-15}$	Sapphire cavity oscillators	[157], [190]*
$c_{(I)20}^{(4)}$	$(-3.8 \pm 0.9) \times 10^{-17}$	Rotating optical oscillators	[156], [190]*
$\text{Re } c_{(I)21}^{(4)}$	$(-3.6 \pm 2.6) \times 10^{-18}$	Sapphire cavity oscillators	[157], [190]*
$\text{Im } c_{(I)21}^{(4)}$	$(1.2 \pm 2.1) \times 10^{-18}$	"	[157], [190]*
$\text{Re } c_{(I)22}^{(4)}$	$(5 \pm 11) \times 10^{-19}$	"	[157], [190]*
$\text{Im } c_{(I)22}^{(4)}$	$(-5 \pm 10) \times 10^{-19}$	"	[157], [190]*
$c_{(I)20}^{(4)}$	$(3 \pm 16) \times 10^{-15}$	Rotating microwave resonators	[191]
$\text{Re } c_{(I)21}^{(4)}$	$(20 \pm 23) \times 10^{-17}$	"	[191]
$\text{Im } c_{(I)21}^{(4)}$	$(137 \pm 71) \times 10^{-18}$	"	[191]
$\text{Re } c_{(I)22}^{(4)}$	$(-4 \pm 23) \times 10^{-17}$	"	[191]
$\text{Im } c_{(I)22}^{(4)}$	$(20 \pm 22) \times 10^{-18}$	"	[191]

Table D16. Photon sector,  $d = 4$  (part 7 of 8)

Combination	Result	System	Ref.
$k_{(E)20}^{(4)}$	$(-1.2 \text{ to } 2.9) \times 10^{-35}$	Spectropolarimetry	[192]
$\text{Re } k_{(E)21}^{(4)}$	$(-1.5 \text{ to } 1.8) \times 10^{-35}$	"	[192]
$\text{Im } k_{(E)21}^{(4)}$	$(-1.4 \text{ to } 0.2) \times 10^{-35}$	"	[192]
$\text{Re } k_{(E)22}^{(4)}$	$(-1.7 \text{ to } 3.0) \times 10^{-35}$	"	[192]
$\text{Im } k_{(E)22}^{(4)}$	$(-1.4 \text{ to } 1.4) \times 10^{-35}$	"	[192]
$k_{(B)20}^{(4)}$	$(-0.7 \text{ to } 3.2) \times 10^{-35}$	"	[192]
$\text{Re } k_{(B)21}^{(4)}$	$(-1.8 \text{ to } 1.3) \times 10^{-35}$	"	[192]
$\text{Im } k_{(B)21}^{(4)}$	$(-0.8 \text{ to } 1.9) \times 10^{-35}$	"	[192]
$\text{Re } k_{(B)22}^{(4)}$	$(-2.1 \text{ to } 2.1) \times 10^{-35}$	"	[192]
$\text{Im } k_{(B)22}^{(4)}$	$(-2.3 \text{ to } 1.2) \times 10^{-35}$	"	[192]
$ k_{(E)20}^{(4)} $	$< 2.9 \times 10^{-34}$	"	[193]
$ \text{Re } k_{(E)21}^{(4)} $	$< 2.9 \times 10^{-34}$	"	[193]
$ \text{Im } k_{(E)21}^{(4)} $	$< 2.1 \times 10^{-34}$	"	[193]
$ \text{Re } k_{(E)22}^{(4)} $	$< 4.0 \times 10^{-34}$	"	[193]
$ \text{Im } k_{(E)22}^{(4)} $	$< 3.3 \times 10^{-34}$	"	[193]
$ k_{(B)20}^{(4)} $	$< 3.0 \times 10^{-34}$	"	[193]
$ \text{Re } k_{(B)21}^{(4)} $	$< 2.8 \times 10^{-34}$	"	[193]
$ \text{Im } k_{(B)21}^{(4)} $	$< 2.1 \times 10^{-34}$	"	[193]
$ \text{Re } k_{(B)22}^{(4)} $	$< 3.5 \times 10^{-34}$	"	[193]
$ \text{Im } k_{(B)22}^{(4)} $	$< 3.4 \times 10^{-34}$	"	[193]
$ k_{(E)20}^{(4)} $	$< 2.4 \times 10^{-34}$	"	[194]
$ \text{Re } k_{(E)21}^{(4)} $	$< 1.0 \times 10^{-34}$	"	[194]
$ \text{Im } k_{(E)21}^{(4)} $	$< 1.6 \times 10^{-34}$	"	[194]
$ \text{Re } k_{(E)22}^{(4)} $	$< 2.4 \times 10^{-34}$	"	[194]
$ \text{Im } k_{(E)22}^{(4)} $	$< 2.6 \times 10^{-34}$	"	[194]
$ k_{(B)20}^{(4)} $	$< 1.5 \times 10^{-34}$	"	[194]
$ \text{Re } k_{(B)21}^{(4)} $	$< 2.2 \times 10^{-34}$	"	[194]
$ \text{Im } k_{(B)21}^{(4)} $	$< 1.4 \times 10^{-34}$	"	[194]
$ \text{Re } k_{(B)22}^{(4)} $	$< 1.9 \times 10^{-34}$	"	[194]
$ \text{Im } k_{(B)22}^{(4)} $	$< 2.5 \times 10^{-34}$	"	[194]

Table D16. Photon sector,  $d = 4$  (part 8 of 8)

Combination	Result	System	Ref.
$ \sum_{jm} 2Y_{jm}(110.47^\circ, 71.34^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 7 \times 10^{-32}$	Spectropolarimetry	[195]
$ \sum_{jm} 2Y_{jm}(330.68^\circ, 42.28^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 2 \times 10^{-31}$	"	[195]
$ \sum_{jm} 2Y_{jm}(27^\circ, 6^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 10^{-37}$	Astrophysical birefringence	[196]*
$ \sum_{jm} 2Y_{jm}(112^\circ, 279^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 10^{-38}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(61^\circ, 229^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 10^{-38}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(129^\circ, 333^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 10^{-38}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(98.2^\circ, 182.1^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 10^{-37}$	"	[16]*
$ \sum_{jm} 2Y_{jm}(87.3^\circ, 37.3^\circ)(k_{(E)jm}^{(4)} + ik_{(B)jm}^{(4)}) $	$< 10^{-37}$	"	[16]*
$k_{F,E+B}$	$< 2.31 \times 10^{-31}$	CMB polarization	[133]*
$k_{(E)20}^{(4)}$	$\pm(17_{-9}^{+7}) \times 10^{-31}$	"	[17]*
$k_{(B)20}^{(4)}$	$\pm(17_{-9}^{+7}) \times 10^{-31}$	"	[17]*
$\frac{\sqrt{(\sum_{i=1}^3 k_2^i)^2}}{\sqrt{\sum_m ( k_{(E)2m}^{(4)} ^2 +  k_{(B)2m}^{(4)} ^2)}}$	$< 1.4 \times 10^{-16}$	Astrophysical birefringence	[197]*
$ k^a $ for some $a$	$< 5 \times 10^{-32}$	"	[14]*, [16]*
$ k^a $ for $a = 1, \dots, 10$	$< 2 \times 10^{-37}$	"	[198]*
	$< 2 \times 10^{-32}$	"	[14]*

Table D17. Nonminimal photon sector,  $d = 5$  (part 1 of 2)

Combination	Result	System	Ref.
$k_{(V)00}^{(5)}$	$(-2.59 \text{ to } 85.1) \times 10^{-25} \text{ GeV}^{-1}$	Spectropolarimetry	[199]
$ k_{(V)00}^{(5)} $	$< 3.5 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ k_{(V)10}^{(5)} $	$< 4.0 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Re } k_{(V)11}^{(5)} $	$< 2.3 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Im } k_{(V)11}^{(5)} $	$< 2.2 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ k_{(V)20}^{(5)} $	$< 3.6 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Re } k_{(V)21}^{(5)} $	$< 3.0 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Im } k_{(V)21}^{(5)} $	$< 3.0 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Re } k_{(V)22}^{(5)} $	$< 1.6 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Im } k_{(V)22}^{(5)} $	$< 1.5 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ k_{(V)30}^{(5)} $	$< 2.7 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Re } k_{(V)31}^{(5)} $	$< 2.8 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Im } k_{(V)31}^{(5)} $	$< 2.7 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Re } k_{(V)32}^{(5)} $	$< 2.5 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Im } k_{(V)32}^{(5)} $	$< 2.0 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Re } k_{(V)33}^{(5)} $	$< 1.8 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$ \text{Im } k_{(V)33}^{(5)} $	$< 1.6 \times 10^{-25} \text{ GeV}^{-1}$	"	[193]
$k_{(V)00}^{(5)}$	$< 6.86 \times 10^{-20} \text{ GeV}^{-1}$	Astrophysics	[179]
$ \sum_{jm} Y_{jm}(110.47^\circ, 71.34^\circ) k_{(V)jm}^{(5)} $	$< 1 \times 10^{-23} \text{ GeV}^{-1}$	Spectropolarimetry	[195]
$ \sum_{jm} Y_{jm}(330.68^\circ, 42.28^\circ) k_{(V)jm}^{(5)} $	$< 3 \times 10^{-23} \text{ GeV}^{-1}$	"	[195]
$ k_{(V)00}^{(5)} $	$< 5 \times 10^{-23} \text{ GeV}^{-1}$	"	[195]
$ k_{(V)00}^{(5)} $	$< 5.0 \times 10^{-26} \text{ GeV}^{-1}$	Astrophysical birefringence	[200]
$ k_{(V)10}^{(5)} $	$< 6.5 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Re } k_{(V)11}^{(5)} $	$< 7.8 \times 10^{-27} \text{ GeV}^{-1}$	"	[200]
$ \text{Im } k_{(V)11}^{(5)} $	$< 2.9 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ k_{(V)20}^{(5)} $	$< 3.0 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Re } k_{(V)21}^{(5)} $	$< 7.5 \times 10^{-27} \text{ GeV}^{-1}$	"	[200]
$ \text{Im } k_{(V)21}^{(5)} $	$< 2.4 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Re } k_{(V)22}^{(5)} $	$< 2.1 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Im } k_{(V)22}^{(5)} $	$< 1.7 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ k_{(V)30}^{(5)} $	$< 2.1 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Re } k_{(V)31}^{(5)} $	$< 1.4 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Im } k_{(V)31}^{(5)} $	$< 1.0 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Re } k_{(V)32}^{(5)} $	$< 8.3 \times 10^{-27} \text{ GeV}^{-1}$	"	[200]
$ \text{Im } k_{(V)32}^{(5)} $	$< 1.4 \times 10^{-26} \text{ GeV}^{-1}$	"	[200]
$ \text{Re } k_{(V)33}^{(5)} $	$< 9.7 \times 10^{-27} \text{ GeV}^{-1}$	"	[200]
$ \text{Im } k_{(V)33}^{(5)} $	$< 5.8 \times 10^{-27} \text{ GeV}^{-1}$	"	[200]

Table D17. Nonminimal photon sector,  $d = 5$  (part 2 of 2)

Combination	Result	System	Ref.
$ \sum_{jm} Y_{jm}(27^\circ, 6^\circ)k_{(V)jm}^{(5)} $	$< 2 \times 10^{-34} \text{ GeV}^{-1}$	Astrophysical birefringence	[196]*
$ k_{(V)00}^{(5)} $	$< 8 \times 10^{-34} \text{ GeV}^{-1}$	"	[196]*
$ \sum_{jm} Y_{jm}(112^\circ, 279^\circ)k_{(V)jm}^{(5)} $	$< 7 \times 10^{-35} \text{ GeV}^{-1}$	"	[196]*
$ k_{(V)00}^{(5)} $	$< 2 \times 10^{-34} \text{ GeV}^{-1}$	"	[196]*
$ \sum_{jm} Y_{jm}(61^\circ, 229^\circ)k_{(V)jm}^{(5)} $	$< 2 \times 10^{-34} \text{ GeV}^{-1}$	"	[196]*
$ k_{(V)00}^{(5)} $	$< 9 \times 10^{-34} \text{ GeV}^{-1}$	"	[196]*
$ \sum_{jm} Y_{jm}(129^\circ, 333^\circ)k_{(V)jm}^{(5)} $	$< 1 \times 10^{-34} \text{ GeV}^{-1}$	"	[196]*
$ k_{(V)00}^{(5)} $	$< 4 \times 10^{-34} \text{ GeV}^{-1}$	"	[196]*
$ k_{(V)00}^{(5)} $	$< 6 \times 10^{-34} \text{ GeV}^{-1}$	"	[201], [196]*
$ k_{(V)00}^{(5)} $	$< 3 \times 10^{-33} \text{ GeV}^{-1}$	"	[202]*, [196]*
$ \sum_{jm} Y_{jm}(37^\circ, 0^\circ)k_{(V)jm}^{(5)} $	$< 1.2 \times 10^{-34} \text{ GeV}^{-1}$	"	[203]*
$ k_{(V)00}^{(5)} $	$< 4.2 \times 10^{-34} \text{ GeV}^{-1}$	"	[203]*
$ \sum_{jm} Y_{jm}(98.2^\circ, 182.1^\circ)k_{(V)jm}^{(5)} $	$< 7 \times 10^{-33} \text{ GeV}^{-1}$	"	[16]*
$ k_{(V)00}^{(5)} $	$< 2 \times 10^{-32} \text{ GeV}^{-1}$	"	[16]*
$ \sum_{jm} Y_{jm}(87.3^\circ, 37.3^\circ)k_{(V)jm}^{(5)} $	$< 4 \times 10^{-33} \text{ GeV}^{-1}$	"	[16]*
$ k_{(V)00}^{(5)} $	$< 1 \times 10^{-32} \text{ GeV}^{-1}$	"	[16]*
$k_{(V)00}^{(5)}$	$(3.2 \pm 2.1) \times 10^{-20} \text{ GeV}^{-1}$	CMB polarization	[204]*
"	$(3 \pm 2) \times 10^{-20} \text{ GeV}^{-1}$	"	[17]*
$k_{(V)10}^{(5)}$	$(8_{-3}^{+2}) \times 10^{-20} \text{ GeV}^{-1}$	"	[17]*
"	$-(8_{-4}^{+3}) \times 10^{-20} \text{ GeV}^{-1}$	"	[17]*
$k_{(V)20}^{(5)}$	$-(10 \pm 3) \times 10^{-20} \text{ GeV}^{-1}$	"	[17]*
$k_{(V)30}^{(5)}$	$(8_{-4}^{+3}) \times 10^{-20} \text{ GeV}^{-1}$	"	[17]*
"	$-(8 \pm 3) \times 10^{-20} \text{ GeV}^{-1}$	"	[17]*
$ \vec{k}_5^T $	$< 10^{-25} \text{ GeV}^{-1}$	Radiative corrections	[205]*
$ \vec{k}_5^X ,  \vec{k}_5^Y $	$< 10^{-31} \text{ GeV}^{-1}$	"	[205]*
$ \vec{k}_5^Z $	$< 10^{-28} \text{ GeV}^{-1}$	"	[205]*

Table D18. Nonminimal photon sector,  $d = 6$  (part 1 of 6)

Combination	Result	System	Ref.
$ \sum_{jm} Y_{jm} (146.6^\circ, 119.8^\circ) c_{(I)jm}^{(6)} $	$-1.12_{-2.16}^{+3.72} \times 10^{-13}$ GeV $^{-2}$	Astrophysics	[206]
$ \sum_{jm} Y_{jm} (114.5^\circ, 15.8^\circ) c_{(I)jm}^{(6)} $	$6.49_{-5.58}^{+6.92} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (56.6^\circ, 155.7^\circ) c_{(I)jm}^{(6)} $	$7.46_{-6.66}^{+6.76} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (11.6^\circ, 294.0^\circ) c_{(I)jm}^{(6)} $	$1.52_{-1.27}^{+1.39} \times 10^{-11}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (156.3^\circ, 353.4^\circ) c_{(I)jm}^{(6)} $	$4.90_{-5.71}^{+6.48} \times 10^{-13}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (126.6^\circ, 251.5^\circ) c_{(I)jm}^{(6)} $	$2.70_{-2.27}^{+3.69} \times 10^{-13}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (105.3^\circ, 88.8^\circ) c_{(I)jm}^{(6)} $	$-0.73_{-5.84}^{+10.34} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (99.8^\circ, 120.0^\circ) c_{(I)jm}^{(6)} $	$3.11_{-3.29}^{+3.90} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (62.3^\circ, 173.1^\circ) c_{(I)jm}^{(6)} $	$4.69_{-6.08}^{+5.71} \times 10^{-14}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (42.5^\circ, 355.7^\circ) c_{(I)jm}^{(6)} $	$6.98_{-5.83}^{+6.26} \times 10^{-14}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (116.1^\circ, 41.2^\circ) c_{(I)jm}^{(6)} $	$2.89_{-7.01}^{+12.37} \times 10^{-11}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (80.3^\circ, 156.5^\circ) c_{(I)jm}^{(6)} $	$0.08_{-2.91}^{+4.46} \times 10^{-13}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (91.6^\circ, 10.6^\circ) c_{(I)jm}^{(6)} $	$1.04_{-0.44}^{+0.42} \times 10^{-11}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (23.2^\circ, 145.3^\circ) c_{(I)jm}^{(6)} $	$0.85_{-0.77}^{+1.03} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (43.2^\circ, 255.5^\circ) c_{(I)jm}^{(6)} $	$1.70_{-1.52}^{+1.59} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (90.2^\circ, 322.6^\circ) c_{(I)jm}^{(6)} $	$2.13_{-2.76}^{+4.42} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (26.2^\circ, 126.7^\circ) c_{(I)jm}^{(6)} $	$1.25_{-2.68}^{+2.38} \times 10^{-13}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (152.7^\circ, 311.5^\circ) c_{(I)jm}^{(6)} $	$7.14_{-8.00}^{+8.92} \times 10^{-13}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (150.9^\circ, 74.8^\circ) c_{(I)jm}^{(6)} $	$1.61_{-1.56}^{+2.41} \times 10^{-11}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (147.9^\circ, 341.9^\circ) c_{(I)jm}^{(6)} $	$0.68_{-0.61}^{+1.15} \times 10^{-10}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (14.0^\circ, 310.1^\circ) c_{(I)jm}^{(6)} $	$5.57_{-10.90}^{+11.89} \times 10^{-13}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (83.1^\circ, 308.6^\circ) c_{(I)jm}^{(6)} $	$3.63_{-0.59}^{+0.57} \times 10^{-15}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (100.5^\circ, 66.6^\circ) c_{(I)jm}^{(6)} $	$3.45_{-12.45}^{+4.11} \times 10^{-11}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (157.1^\circ, 6.5^\circ) c_{(I)jm}^{(6)} $	$2.44_{-3.32}^{+7.37} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (93.0^\circ, 0.59^\circ) c_{(I)jm}^{(6)} $	$-0.03_{-0.65}^{+0.70} \times 10^{-14}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (116.9^\circ, 54.5^\circ) c_{(I)jm}^{(6)} $	$5.84_{-2.34}^{+2.44} \times 10^{-14}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (44.2^\circ, 153.0^\circ) c_{(I)jm}^{(6)} $	$0.59_{-0.72}^{+0.84} \times 10^{-11}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (17.6^\circ, 251.1^\circ) c_{(I)jm}^{(6)} $	$3.25_{-1.06}^{+0.91} \times 10^{-14}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (73.5^\circ, 16.4^\circ) c_{(I)jm}^{(6)} $	$0.92_{-2.53}^{+2.53} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (80.3^\circ, 109.1^\circ) c_{(I)jm}^{(6)} $	$0.17_{-8.90}^{+11.89} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (75.6^\circ, 243.9^\circ) c_{(I)jm}^{(6)} $	$-0.77_{-8.37}^{+10.75} \times 10^{-12}$ GeV $^{-2}$	"	[206]
$ \sum_{jm} Y_{jm} (56.1^\circ, 319.7^\circ) c_{(I)jm}^{(6)} $	$1.20_{-0.46}^{+0.45} \times 10^{-15}$ GeV $^{-2}$	"	[206]
$ c_{(I)00}^{(6)} $	$4.25_{-1.63}^{+1.60} \times 10^{-15}$ GeV $^{-2}$	"	[206]



Table D18. Nonminimal photon sector,  $d = 6$  (part 2 of 6)

Combination	Result	System	Ref.
$\text{Re}(\bar{c}_F^{(6)})_{111}$	$(-1.55 \pm 1.08) \times 10^6 \text{ GeV}^{-2}$	Asymmetric optical resonator	[207]
$\text{Im}(\bar{c}_F^{(6)})_{111}$	$(-1.51 \pm 1.08) \times 10^6 \text{ GeV}^{-2}$	"	[207]
$(\bar{c}_F^{(6)})_{110}^{(0E)}$	$(-0.1 \pm 1.5) \times 10^3 \text{ GeV}^{-2}$	Optical ring cavity	[208]
$\text{Re}(\bar{c}_F^{(6)})_{111}^{(0E)}$	$(0.8 \pm 1.1) \times 10^3 \text{ GeV}^{-2}$	"	[208]
$\text{Im}(\bar{c}_F^{(6)})_{111}^{(0E)}$	$(-0.6 \pm 1.0) \times 10^3 \text{ GeV}^{-2}$	"	[208]
$(\bar{c}_F^{(6)})_{220}^{(0E)}$	$(3 \pm 13) \times 10^{10} \text{ GeV}^{-2}$	Rotating microwave resonators	[191]
$\text{Re}(\bar{c}_F^{(6)})_{221}^{(0E)}$	$(17 \pm 19) \times 10^8 \text{ GeV}^{-2}$	"	[191]
$\text{Im}(\bar{c}_F^{(6)})_{221}^{(0E)}$	$(114 \pm 59) \times 10^7 \text{ GeV}^{-2}$	"	[191]
$\text{Re}(\bar{c}_F^{(6)})_{222}^{(0E)}$	$(-3 \pm 19) \times 10^8 \text{ GeV}^{-2}$	"	[191]
$\text{Im}(\bar{c}_F^{(6)})_{222}^{(0E)}$	$(37 \pm 40) \times 10^7 \text{ GeV}^{-2}$	"	[191]
$\sum_{jm} Y_{jm}(\hat{n})c_{(I)jm}^{(6)}$	$10^{-14.2 \pm 0.1} \text{ GeV}^{-2}$	Astrophysics	[209]*
$ c_{(I)00}^{(6)} $	$< 2.4 \times 10^{-12} \text{ GeV}^{-2}$	"	[210]*
$ \sum_{jm} Y_{jm}(116.9^\circ, 54.5^\circ)c_{(I)jm}^{(6)} $	$5.05_{-1.25}^{+1.72} \times 10^{-13} \text{ GeV}^{-2}$	"	[210]*
$ c_{(I)00}^{(6)} $	$< 12.4 \times 10^{-31} \text{ GeV}^{-2}$	"	[179]
$ \sum_{jm} Y_{jm}(103.45^\circ, 276.41^\circ)c_{(I)jm}^{(6)} $	$< 3.5 \times 10^{-31} \text{ GeV}^{-2}$	"	[179]
$ \sum_{jm} Y_{jm}(83.75^\circ, 286.95^\circ)c_{(I)jm}^{(6)} $	$< 4.93 \times 10^{-31} \text{ GeV}^{-2}$	"	[179]
$ \sum_{jm} Y_{jm}(67.96^\circ, 83.6^\circ)c_{(I)jm}^{(6)} $	$< 20.1 \times 10^{-31} \text{ GeV}^{-2}$	"	[179]
$ \sum_{jm} Y_{jm}(53.26^\circ, 304.94^\circ)c_{(I)jm}^{(6)} $	$< 50.3 \times 10^{-31} \text{ GeV}^{-2}$	"	[179]
$c_{(I)00}^{(6)}$	$> -1.1 \times 10^{-28} \text{ GeV}^{-2}$	Photon decay	[211]*
$ \sum_{jm} Y_{jm}(110.47^\circ, 71.34^\circ)c_{(I)jm}^{(6)} $	$< 60 \text{ GeV}^{-2}$	Photometry	[195]
$ \sum_{jm} Y_{jm}(330.68^\circ, 42.28^\circ)c_{(I)jm}^{(6)} $	$< 800 \text{ GeV}^{-2}$	"	[195]
$ c_{(I)00}^{(6)} $	$< 200 \text{ GeV}^{-2}$	"	[195]
$c_{(I)00}^{(6)}$	$< 4 \times 10^{-23} \text{ GeV}^{-2}$	Astrophysical dispersion	[212]*
$ c_{(I)21}^{(6)} $	$< 1.0 \times 10^{-2} \text{ GeV}^{-2}$	Laser interferometry	[155]
$ c_{(I)22}^{(6)} $	$< 1.3 \times 10^{-4} \text{ GeV}^{-2}$	"	[155]
$ c_{(I)41}^{(6)} $	$< 1.3 \times 10^{-2} \text{ GeV}^{-2}$	"	[155]
$ c_{(I)42}^{(6)} $	$< 2.4 \times 10^{-4} \text{ GeV}^{-2}$	"	[155]
$ c_{(I)43}^{(6)} $	$< 3.0 \times 10^{-4} \text{ GeV}^{-2}$	"	[155]
$ c_{(I)44}^{(6)} $	$< 2.6 \times 10^{-4} \text{ GeV}^{-2}$	"	[155]

Table D18. Nonminimal photon sector,  $d = 6$  (part 3 of 6)

Combination	Result	System	Ref.
$c_{(I)00}^{(6)}$	$(-2.705 \text{ to } 3.925) \times 10^{-14} \text{ GeV}^{-2}$	Astrophysical dispersion	[213]
$c_{(I)10}^{(6)}$	$(-3.753 \text{ to } 2.889) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)11}^{(6)}$	$(-2.816 \text{ to } 3.574) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)11}^{(6)}$	$(-3.299 \text{ to } 5.984) \times 10^{-15} \text{ GeV}^{-2}$	"	[213]
$c_{(I)20}^{(6)}$	$(-4.232 \text{ to } 3.032) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)21}^{(6)}$	$(-1.590 \text{ to } 1.043) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)21}^{(6)}$	$(-4.412 \text{ to } 3.288) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)22}^{(6)}$	$(-2.353 \text{ to } 3.113) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)22}^{(6)}$	$(-5.144 \text{ to } 6.634) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$c_{(I)30}^{(6)}$	$(-4.823 \text{ to } 6.435) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)31}^{(6)}$	$(-2.439 \text{ to } 1.798) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)31}^{(6)}$	$(-2.822 \text{ to } 2.078) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)32}^{(6)}$	$(-3.125 \text{ to } 3.855) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)32}^{(6)}$	$(-2.171 \text{ to } 1.624) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)33}^{(6)}$	$(-3.693 \text{ to } 2.943) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)33}^{(6)}$	$(-4.216 \text{ to } 5.656) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$c_{(I)40}^{(6)}$	$(-2.313 \text{ to } 2.739) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)41}^{(6)}$	$(-9.021 \text{ to } 11.31) \times 10^{-15} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)41}^{(6)}$	$(-2.953 \text{ to } 3.904) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)42}^{(6)}$	$(-4.650 \text{ to } 6.846) \times 10^{-15} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)42}^{(6)}$	$(-2.489 \text{ to } 1.961) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)43}^{(6)}$	$(-7.276 \text{ to } 10.14) \times 10^{-15} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)43}^{(6)}$	$(-1.246 \text{ to } 1.343) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Re } c_{(I)44}^{(6)}$	$(-3.919 \text{ to } 2.923) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]
$\text{Im } c_{(I)44}^{(6)}$	$(-1.801 \text{ to } 1.427) \times 10^{-14} \text{ GeV}^{-2}$	"	[213]

Table D18. Nonminimal photon sector,  $d = 6$  (part 4 of 6)

Combination	Result	System	Ref.
$\sum_{jm} {}_0Y_{jm}(83.1^\circ, 308^\circ)c_{(I)jm}^{(6)}$	$(-2.8 \text{ to } 34) \times 10^{-16} \text{ GeV}^{-2}$	Astrophysical dispersion	[214]
$c_{(I)00}^{(6)}$	$(-1.0 \text{ to } 12) \times 10^{-15} \text{ GeV}^{-2}$	"	[214]
$\sum_{jm} {}_0Y_{jm}(145^\circ, 120^\circ)c_{(I)jm}^{(6)}$	$(-8.7 \text{ to } 20) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$c_{(I)00}^{(6)}$	$(-31 \text{ to } 70) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$\sum_{jm} {}_0Y_{jm}(117^\circ, 334^\circ)c_{(I)jm}^{(6)}$	$(-0.31 \text{ to } 0.16) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$c_{(I)00}^{(6)}$	$(-1.1 \text{ to } 0.57) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$\sum_{jm} {}_0Y_{jm}(63^\circ, 265^\circ)c_{(I)jm}^{(6)}$	$(-3.4 \text{ to } 5.2) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$c_{(I)00}^{(6)}$	$(-12 \text{ to } 18) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$\sum_{jm} {}_0Y_{jm}(156^\circ, 353^\circ)c_{(I)jm}^{(6)}$	$(-11 \text{ to } 5.2) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$c_{(I)00}^{(6)}$	$(-37 \text{ to } 19) \times 10^{-20} \text{ GeV}^{-2}$	"	[215]
$\sum_{jm} Y_{jm}(116^\circ, 334^\circ)c_{(I)jm}^{(6)}$	$< 3.9 \times 10^{-22} \text{ GeV}^{-2}$	"	[216]
$c_{(I)00}^{(6)}$	$< 1.4 \times 10^{-21} \text{ GeV}^{-2}$	"	[216]
$\sum_{jm} Y_{jm}(147^\circ, 120^\circ)c_{(I)jm}^{(6)}$	$< 3.2 \times 10^{-20} \text{ GeV}^{-2}$	"	[217], [16]*
$c_{(I)00}^{(6)}$	$< 1.1 \times 10^{-19} \text{ GeV}^{-2}$	"	[217], [16]*
$ \sum_{jm} Y_{jm}(120^\circ, 330^\circ)c_{(I)jm}^{(6)} $	$< 7.4 \times 10^{-22} \text{ GeV}^{-2}$	"	[218], [16]*
$ c_{(I)00}^{(6)} $	$< 2.6 \times 10^{-21} \text{ GeV}^{-2}$	"	[218], [16]*
$\sum_{jm} Y_{jm}(50.2^\circ, 253^\circ)c_{(I)jm}^{(6)}$	$3_{-2}^{+1} \times 10^{-22} \text{ GeV}^{-2}$	"	[219], [16]*
$c_{(I)00}^{(6)}$	$10_{-7}^{+4} \times 10^{-22} \text{ GeV}^{-2}$	"	[219], [16]*
$ \sum_{jm} Y_{jm}(99.7^\circ, 240^\circ)c_{(I)jm}^{(6)} $	$< 1 \times 10^{-16} \text{ GeV}^{-2}$	"	[220], [16]*
$ c_{(I)00}^{(6)} $	$< 4 \times 10^{-16} \text{ GeV}^{-2}$	"	[220], [16]*

Table D18. Nonminimal photon sector,  $d = 6$  (part 5 of 6)

Combination	Result	System	Ref.
$ k_{(E)20}^{(6)} $	$< 8.5 \times 10^{-18} \text{ GeV}^{-2}$	Spectropolarimetry	[193]
$ \text{Re } k_{(E)21}^{(6)} $	$< 7.8 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)21}^{(6)} $	$< 7.4 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)22}^{(6)} $	$< 7.7 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)22}^{(6)} $	$< 8.0 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ k_{(E)30}^{(6)} $	$< 8.8 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)31}^{(6)} $	$< 7.7 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)31}^{(6)} $	$< 8.0 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)32}^{(6)} $	$< 6.6 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)32}^{(6)} $	$< 7.1 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)33}^{(6)} $	$< 7.7 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)33}^{(6)} $	$< 8.2 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ k_{(E)40}^{(6)} $	$< 8.4 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)41}^{(6)} $	$< 7.8 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)41}^{(6)} $	$< 7.8 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)42}^{(6)} $	$< 7.1 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)42}^{(6)} $	$< 7.1 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)43}^{(6)} $	$< 7.2 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)43}^{(6)} $	$< 7.4 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(E)44}^{(6)} $	$< 7.2 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(E)44}^{(6)} $	$< 7.8 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ k_{(B)20}^{(6)} $	$< 8.2 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)21}^{(6)} $	$< 8.4 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)21}^{(6)} $	$< 7.6 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)22}^{(6)} $	$< 7.9 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)22}^{(6)} $	$< 8.1 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ k_{(B)30}^{(6)} $	$< 8.3 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)31}^{(6)} $	$< 7.5 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)31}^{(6)} $	$< 8.0 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)32}^{(6)} $	$< 6.8 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)32}^{(6)} $	$< 7.5 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)33}^{(6)} $	$< 8.1 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)33}^{(6)} $	$< 8.0 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ k_{(B)40}^{(6)} $	$< 8.6 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)41}^{(6)} $	$< 7.6 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)41}^{(6)} $	$< 7.7 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)42}^{(6)} $	$< 7.2 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)42}^{(6)} $	$< 7.5 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)43}^{(6)} $	$< 7.3 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)43}^{(6)} $	$< 7.4 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Re } k_{(B)44}^{(6)} $	$< 7.7 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]
$ \text{Im } k_{(B)44}^{(6)} $	$< 7.6 \times 10^{-18} \text{ GeV}^{-2}$	"	[193]

Table D18. Nonminimal photon sector,  $d = 6$  (part 6 of 6)

Combination	Result	System	Ref.
$ \sum_{jm} 2Y_{jm}(110.47^\circ, 71.34^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 5 \times 10^{-15} \text{ GeV}^{-2}$	Spectropolarimetry	[195]
$ \sum_{jm} 2Y_{jm}(330.68^\circ, 42.28^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 1 \times 10^{-14} \text{ GeV}^{-2}$	"	[195]
$ \sum_{jm} 2Y_{jm}(27^\circ, 6^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 10^{-31} \text{ GeV}^{-2}$	Astrophysical birefringence	[196]*
$ \sum_{jm} 2Y_{jm}(112^\circ, 279^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 10^{-32} \text{ GeV}^{-2}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(61^\circ, 229^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 10^{-31} \text{ GeV}^{-2}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(129^\circ, 333^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 10^{-31} \text{ GeV}^{-2}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(98.2^\circ, 182.1^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 10^{-29} \text{ GeV}^{-2}$	"	[16]*
$ \sum_{jm} 2Y_{jm}(87.3^\circ, 37.3^\circ)(k_{(E)jm}^{(6)} + ik_{(B)jm}^{(6)}) $	$\lesssim 10^{-29} \text{ GeV}^{-2}$	"	[16]*
$k_{(E)20}^{(6)}$	$\pm(11_{-5}^{+4}) \times 10^{-10} \text{ GeV}^{-2}$	CMB polarization	[17]*
$k_{(E)30}^{(6)}$	$\pm(11_{-6}^{+5}) \times 10^{-10} \text{ GeV}^{-2}$	"	[17]*
$k_{(E)40}^{(6)}$	$\pm(11_{-6}^{+5}) \times 10^{-10} \text{ GeV}^{-2}$	"	[17]*

Table D19. Nonminimal photon sector,  $d = 7$ 

Combination	Result	System	Ref.
$ \sum_{jm} Y_{jm}(110.47^\circ, 71.34^\circ)k_{(V)jm}^{(7)} $	$< 2 \times 10^{-6} \text{ GeV}^{-3}$	Spectropolarimetry	[195]
$ \sum_{jm} Y_{jm}(330.68^\circ, 42.28^\circ)k_{(V)jm}^{(7)} $	$< 4 \times 10^{-6} \text{ GeV}^{-3}$	"	[195]
$ k_{(V)00}^{(7)} $	$< 6 \times 10^{-6} \text{ GeV}^{-3}$	"	[195]
$ \sum_{jm} Y_{jm}(27^\circ, 6^\circ)k_{(V)jm}^{(7)} $	$< 2 \times 10^{-28} \text{ GeV}^{-3}$	Astrophysical birefringence	[196]*
$ k_{(V)00}^{(7)} $	$< 8 \times 10^{-28} \text{ GeV}^{-3}$	"	[196]*
$ \sum_{jm} Y_{jm}(112^\circ, 279^\circ)k_{(V)jm}^{(7)} $	$< 4 \times 10^{-28} \text{ GeV}^{-3}$	"	[196]*
$ k_{(V)00}^{(7)} $	$< 1 \times 10^{-27} \text{ GeV}^{-3}$	"	[196]*
$ \sum_{jm} Y_{jm}(61^\circ, 229^\circ)k_{(V)jm}^{(7)} $	$< 2 \times 10^{-27} \text{ GeV}^{-3}$	"	[196]*
$ k_{(V)00}^{(7)} $	$< 8 \times 10^{-27} \text{ GeV}^{-3}$	"	[196]*
$ \sum_{jm} Y_{jm}(129^\circ, 333^\circ)k_{(V)jm}^{(7)} $	$< 8 \times 10^{-28} \text{ GeV}^{-3}$	"	[196]*
$ k_{(V)00}^{(7)} $	$< 3 \times 10^{-27} \text{ GeV}^{-3}$	"	[196]*
$ \sum_{jm} Y_{jm}(98.2^\circ, 182.1^\circ)k_{(V)jm}^{(7)} $	$< 2 \times 10^{-24} \text{ GeV}^{-3}$	"	[16]*
$ k_{(V)00}^{(7)} $	$< 7 \times 10^{-24} \text{ GeV}^{-3}$	"	[16]*
$ \sum_{jm} Y_{jm}(87.3^\circ, 37.3^\circ)k_{(V)jm}^{(7)} $	$< 5 \times 10^{-25} \text{ GeV}^{-3}$	"	[16]*
$ k_{(V)00}^{(7)} $	$< 2 \times 10^{-24} \text{ GeV}^{-3}$	"	[16]*

Table D20. Nonminimal photon sector,  $d = 8$  (part 1 of 4)

Combination	Result	System	Ref.
$\text{Re}(\bar{c}_F^8)_{311} - 0.093 \text{Re}(\bar{c}_F^8)_{111}$	$(-5.33 \pm 3.70) \times 10^{21} \text{ GeV}^{-4}$	Asymmetric optical resonator	[207]
$\text{Im}(\bar{c}_F^8)_{311} - 0.093 \text{Im}(\bar{c}_F^8)_{111}$	$(-5.21 \pm 3.68) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$\text{Re}(\bar{c}_F^8)_{111}$	$(7.32 \pm 5.04) \times 10^{22} \text{ GeV}^{-4}$	"	[207]
$\text{Im}(\bar{c}_F^8)_{111}$	$(7.14 \pm 5.00) \times 10^{22} \text{ GeV}^{-4}$	"	[207]
$\text{Re}(\bar{c}_F^8)_{311}$	$(1.48 \pm 0.98) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$\text{Im}(\bar{c}_F^8)_{311}$	$(1.43 \pm 0.98) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$\text{Re}(\bar{c}_F^8)_{332}$	$(20.19 \pm 12.24) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$\text{Im}(\bar{c}_F^8)_{332}$	$(-3.60 \pm 12.24) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$\text{Re}(\bar{c}_F^8)_{333}$	$(-2.78 \pm 3.80) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$\text{Im}(\bar{c}_F^8)_{333}$	$(-4.22 \pm 3.82) \times 10^{21} \text{ GeV}^{-4}$	"	[207]
$(\bar{c}_F^{(8)})_{310}^{(0E)} - 0.020(\bar{c}_F^{(8)})_{110}^{(0E)}$	$(-0.2 \pm 1.9) \times 10^{19} \text{ GeV}^{-4}$	Optical ring cavity	[208]
$\text{Re}[(\bar{c}_F^{(8)})_{311}^{(0E)} - 0.020(\bar{c}_F^{(8)})_{111}^{(0E)}]$	$(1.4 \pm 1.3) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Im}[(\bar{c}_F^{(8)})_{311}^{(0E)} - 0.020(\bar{c}_F^{(8)})_{111}^{(0E)}]$	$(0.1 \pm 1.3) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$(\bar{c}_F^{(8)})_{330}^{(0E)}$	$(-0.8 \pm 3.3) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Re}(\bar{c}_F^{(8)})_{331}^{(0E)}$	$(-0.3 \pm 1.9) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Im}(\bar{c}_F^{(8)})_{331}^{(0E)}$	$(-2.8 \pm 1.9) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Re}(\bar{c}_F^{(8)})_{332}^{(0E)}$	$(2.2 \pm 1.3) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Im}(\bar{c}_F^{(8)})_{332}^{(0E)}$	$(0.2 \pm 1.3) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Re}(\bar{c}_F^{(8)})_{333}^{(0E)}$	$(-0.1 \pm 1.6) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$\text{Im}(\bar{c}_F^{(8)})_{333}^{(0E)}$	$(-0.1 \pm 1.6) \times 10^{19} \text{ GeV}^{-4}$	"	[208]
$(\bar{c}_F^{(8)})_{220}^{(0E)} - 94(\bar{c}_F^{(8)})_{420}^{(0E)} - 20(\bar{c}_F^{(8)})_{440}^{(0E)}$	$(5 \pm 23) \times 10^{37} \text{ GeV}^{-4}$	Rotating microwave resonators	[191]
$\text{Re}(\bar{c}_F^{(8)})_{221}^{(0E)} - 98 \text{Re}(\bar{c}_F^{(8)})_{421}^{(0E)} + 48 \text{Re}(\bar{c}_F^{(8)})_{441}^{(0E)}$	$(11 \pm 15) \times 10^{36} \text{ GeV}^{-4}$	"	[191]
$\text{Im}(\bar{c}_F^{(8)})_{221}^{(0E)} - 98 \text{Im}(\bar{c}_F^{(8)})_{421}^{(0E)} + 48 \text{Im}(\bar{c}_F^{(8)})_{441}^{(0E)}$	$(39 \pm 15) \times 10^{36} \text{ GeV}^{-4}$	"	[191]
$\text{Re}(\bar{c}_F^{(8)})_{221}^{(0E)} - 92 \text{Re}(\bar{c}_F^{(8)})_{421}^{(0E)} - 11 \text{Re}(\bar{c}_F^{(8)})_{441}^{(0E)}$	$(58 \pm 55) \times 10^{35} \text{ GeV}^{-4}$	"	[191]
$\text{Im}(\bar{c}_F^{(8)})_{221}^{(0E)} - 92 \text{Im}(\bar{c}_F^{(8)})_{421}^{(0E)} - 11 \text{Im}(\bar{c}_F^{(8)})_{441}^{(0E)}$	$(7 \pm 55) \times 10^{35} \text{ GeV}^{-4}$	"	[191]
$\text{Re}(\bar{c}_F^{(8)})_{222}^{(0E)} - 96 \text{Re}(\bar{c}_F^{(8)})_{422}^{(0E)} + 3 \text{Re}(\bar{c}_F^{(8)})_{442}^{(0E)}$	$(66 \pm 29) \times 10^{35} \text{ GeV}^{-4}$	"	[191]
$\text{Im}(\bar{c}_F^{(8)})_{222}^{(0E)} - 96 \text{Im}(\bar{c}_F^{(8)})_{422}^{(0E)} + 3 \text{Im}(\bar{c}_F^{(8)})_{442}^{(0E)}$	$(-26 \pm 28) \times 10^{35} \text{ GeV}^{-4}$	"	[191]
$\text{Re}(\bar{c}_F^{(8)})_{222}^{(0E)} - 94 \text{Re}(\bar{c}_F^{(8)})_{422}^{(0E)} + 49 \text{Re}(\bar{c}_F^{(8)})_{442}^{(0E)}$	$(-8 \pm 24) \times 10^{35} \text{ GeV}^{-4}$	"	[191]
$\text{Im}(\bar{c}_F^{(8)})_{222}^{(0E)} - 94 \text{Im}(\bar{c}_F^{(8)})_{422}^{(0E)} + 49 \text{Im}(\bar{c}_F^{(8)})_{442}^{(0E)}$	$(-25 \pm 25) \times 10^{35} \text{ GeV}^{-4}$	"	[191]
$\text{Re}(\bar{c}_F^{(8)})_{443}^{(0E)}$	$(-11 \pm 15) \times 10^{33} \text{ GeV}^{-4}$	"	[191]
$\text{Im}(\bar{c}_F^{(8)})_{443}^{(0E)}$	$(-89 \pm 53) \times 10^{32} \text{ GeV}^{-4}$	"	[191]
$\text{Re}(\bar{c}_F^{(8)})_{444}^{(0E)}$	$(-5 \pm 29) \times 10^{33} \text{ GeV}^{-4}$	"	[191]
$\text{Im}(\bar{c}_F^{(8)})_{444}^{(0E)}$	$(-10 \pm 28) \times 10^{32} \text{ GeV}^{-4}$	"	[191]

Table D20. Nonminimal photon sector,  $d = 8$  (part 2 of 4)

Combination	Result	System	Ref.
$ \sum_{jm} Y_{jm} (146.6^\circ, 119.8^\circ) c_{(I)jm}^{(8)} $	$-1.20_{-3.25}^{+3.94} \times 10^{-8} \text{ GeV}^{-4}$	Astrophysics	[206]
$ \sum_{jm} Y_{jm} (114.5^\circ, 15.8^\circ) c_{(I)jm}^{(8)} $	$5.19_{-5.12}^{+5.30} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (56.6^\circ, 155.7^\circ) c_{(I)jm}^{(8)} $	$6.54_{-4.71}^{+4.15} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (11.6^\circ, 294.0^\circ) c_{(I)jm}^{(8)} $	$7.14_{-6.63}^{+7.06} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (156.3^\circ, 353.4^\circ) c_{(I)jm}^{(8)} $	$8.16_{-8.93}^{+9.12} \times 10^{-8} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (126.6^\circ, 251.5^\circ) c_{(I)jm}^{(8)} $	$1.14_{-1.21}^{+1.26} \times 10^{-7} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (105.3^\circ, 88.8^\circ) c_{(I)jm}^{(8)} $	$0.40_{-5.86}^{+9.56} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (99.8^\circ, 120.0^\circ) c_{(I)jm}^{(8)} $	$1.30_{-1.66}^{+2.05} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (62.3^\circ, 173.1^\circ) c_{(I)jm}^{(8)} $	$8.37_{-10.31}^{+10.03} \times 10^{-10} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (42.5^\circ, 355.7^\circ) c_{(I)jm}^{(8)} $	$4.39_{-3.48}^{+3.32} \times 10^{-9} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (116.1^\circ, 41.2^\circ) c_{(I)jm}^{(8)} $	$1.22_{-3.59}^{+10.64} \times 10^{-4} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (80.3^\circ, 156.5^\circ) c_{(I)jm}^{(8)} $	$-3.20_{-10.96}^{+11.17} \times 10^{-8} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (91.6^\circ, 10.6^\circ) c_{(I)jm}^{(8)} $	$5.02_{-1.41}^{+1.65} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (23.2^\circ, 145.3^\circ) c_{(I)jm}^{(8)} $	$0.57_{-0.48}^{+0.58} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (43.2^\circ, 255.5^\circ) c_{(I)jm}^{(8)} $	$0.73_{-0.71}^{+0.73} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (90.2^\circ, 322.6^\circ) c_{(I)jm}^{(8)} $	$1.04_{-1.53}^{+1.63} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (26.2^\circ, 126.7^\circ) c_{(I)jm}^{(8)} $	$0.44_{-5.44}^{+3.81} \times 10^{-7} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (152.7^\circ, 311.5^\circ) c_{(I)jm}^{(8)} $	$1.94_{-1.83}^{+1.76} \times 10^{-7} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (150.9^\circ, 74.8^\circ) c_{(I)jm}^{(8)} $	$9.66_{-8.99}^{+9.59} \times 10^{-5} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (147.9^\circ, 341.9^\circ) c_{(I)jm}^{(8)} $	$1.69_{-1.39}^{+1.52} \times 10^{-4} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (14.0^\circ, 310.1^\circ) c_{(I)jm}^{(8)} $	$0.93_{-3.20}^{+3.49} \times 10^{-7} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (83.1^\circ, 308.6^\circ) c_{(I)jm}^{(8)} $	$1.98_{-0.30}^{+0.29} \times 10^{-12} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (100.5^\circ, 66.6^\circ) c_{(I)jm}^{(8)} $	$2.43_{-2.44}^{+2.58} \times 10^{-5} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (157.1^\circ, 6.5^\circ) c_{(I)jm}^{(8)} $	$3.20_{-5.63}^{+7.01} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (93.0^\circ, 0.59^\circ) c_{(I)jm}^{(8)} $	$-0.13_{-0.90}^{+0.93} \times 10^{-11} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (116.9^\circ, 54.5^\circ) c_{(I)jm}^{(8)} $	$0.97_{-0.55}^{+0.56} \times 10^{-9} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (44.2^\circ, 153.0^\circ) c_{(I)jm}^{(8)} $	$1.21_{-1.64}^{+1.61} \times 10^{-5} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (17.6^\circ, 251.1^\circ) c_{(I)jm}^{(8)} $	$4.40_{-1.54}^{+2.86} \times 10^{-10} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (73.5^\circ, 16.4^\circ) c_{(I)jm}^{(8)} $	$0.08_{-1.11}^{+1.00} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (80.3^\circ, 109.1^\circ) c_{(I)jm}^{(8)} $	$0.30_{-1.30}^{+1.40} \times 10^{-5} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (75.6^\circ, 243.9^\circ) c_{(I)jm}^{(8)} $	$-2.60_{-11.61}^{+11.34} \times 10^{-6} \text{ GeV}^{-4}$	"	[206]
$ \sum_{jm} Y_{jm} (56.1^\circ, 319.7^\circ) c_{(I)jm}^{(8)} $	$1.52_{-0.52}^{+0.52} \times 10^{-12} \text{ GeV}^{-4}$	"	[206]
$ c_{(I)00}^{(8)} $	$5.38_{-1.84}^{+1.84} \times 10^{-12} \text{ GeV}^{-4}$	"	[206]

Table D20. Nonminimal photon sector,  $d = 8$  (part 3 of 4)

Combination	Result	System	Ref.
$\sum_{jm} Y_{jm}(\hat{n})c_{(I)jm}^{(8)}$	$10^{-7.0^{+0.04}_{-0.05}} \text{ GeV}^{-4}$	Astrophysics	[209]*
$ \sum_{jm} Y_{jm}(116.9^\circ, 54.5^\circ)c_{(I)jm}^{(8)} $	$9.03^{+6.58}_{-3.02} \times 10^{-8} \text{ GeV}^{-4}$	"	[210]*
$ c_{(I)00}^{(8)} $	$< 5.53 \times 10^{-7} \text{ GeV}^{-4}$	"	[210]*
$ \sum_{jm} Y_{jm}(110.47^\circ, 71.34^\circ)c_{(I)jm}^{(8)} $	$< 8 \times 10^{18} \text{ GeV}^{-4}$	Photometry	[195]
$ \sum_{jm} Y_{jm}(330.68^\circ, 42.28^\circ)c_{(I)jm}^{(8)} $	$< 1 \times 10^{20} \text{ GeV}^{-4}$	"	[195]
$ c_{(I)00}^{(8)} $	$< 3 \times 10^{19} \text{ GeV}^{-4}$	"	[195]
$\sum_{jm} {}_0Y_{jm}(83.1^\circ, 308^\circ)c_{(I)jm}^{(8)}$	$(-1.5 \text{ to } 20) \times 10^{-13} \text{ GeV}^{-4}$	Astrophysical dispersion	[214]
$c_{(I)00}^{(8)}$	$(-5.4 \text{ to } 72) \times 10^{-13} \text{ GeV}^{-4}$	"	[214]
$\sum_{jm} Y_{jm}(116^\circ, 334^\circ)c_{(I)jm}^{(8)}$	$< 2.1 \times 10^{-25} \text{ GeV}^{-4}$	"	[216]
$c_{(I)00}^{(8)}$	$< 7.6 \times 10^{-25} \text{ GeV}^{-4}$	"	[216]
$\sum_{jm} Y_{jm}(147^\circ, 120^\circ)c_{(I)jm}^{(8)}$	$< 2.6 \times 10^{-23} \text{ GeV}^{-4}$	"	[217], [16]*
$c_{(I)00}^{(8)}$	$< 9.2 \times 10^{-23} \text{ GeV}^{-4}$	"	[217], [16]*
$ \sum_{jm} Y_{jm}(99.7^\circ, 240^\circ)c_{(I)jm}^{(8)} $	$< 3 \times 10^{-13} \text{ GeV}^{-4}$	"	[220], [16]*
$ c_{(I)00}^{(8)} $	$< 9 \times 10^{-13} \text{ GeV}^{-4}$	"	[220], [16]*
$ \sum_{jm} 2Y_{jm}(110.47^\circ, 71.34^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 200 \text{ GeV}^{-4}$	Spectropolarimetry	[195]
$ \sum_{jm} 2Y_{jm}(330.68^\circ, 42.28^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 400 \text{ GeV}^{-4}$	"	[195]
$ \sum_{jm} 2Y_{jm}(27^\circ, 6^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 10^{-25} \text{ GeV}^{-4}$	Astrophysical birefringence	[196]*
$ \sum_{jm} 2Y_{jm}(112^\circ, 279^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 10^{-25} \text{ GeV}^{-4}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(61^\circ, 229^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 10^{-24} \text{ GeV}^{-4}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(129^\circ, 333^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 10^{-24} \text{ GeV}^{-4}$	"	[196]*
$ \sum_{jm} 2Y_{jm}(98.2^\circ, 182.1^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 10^{-20} \text{ GeV}^{-4}$	"	[16]*
$ \sum_{jm} 2Y_{jm}(87.3^\circ, 37.3^\circ)(k_{(E)jm}^{(8)} + ik_{(B)jm}^{(8)}) $	$\lesssim 10^{-20} \text{ GeV}^{-4}$	"	[16]*





Table D21. Nonminimal photon sector,  $d \geq 9$ 

Combination	Result	System	Ref.
$ \sum_{jm} Y_{jm}(110.47^\circ, 71.34^\circ)k_{(V)jm}^{(9)} $	$< 3 \times 10^{11} \text{ GeV}^{-5}$	Spectropolarimetry	[195]
$ \sum_{jm} Y_{jm}(330.68^\circ, 42.28^\circ)k_{(V)jm}^{(9)} $	$< 8 \times 10^{11} \text{ GeV}^{-5}$	"	[195]
$ k_{(V)00}^{(9)} $	$< 1 \times 10^{12} \text{ GeV}^{-5}$	"	[195]
$ \sum_{jm} Y_{jm}(27^\circ, 6^\circ)k_{(V)jm}^{(9)} $	$< 2 \times 10^{-22} \text{ GeV}^{-5}$	Astrophysical birefringence	[196]*
$ k_{(V)00}^{(9)} $	$< 8 \times 10^{-22} \text{ GeV}^{-5}$	"	[196]*
$ \sum_{jm} Y_{jm}(112^\circ, 279^\circ)k_{(V)jm}^{(9)} $	$< 2 \times 10^{-21} \text{ GeV}^{-5}$	"	[196]*
$ k_{(V)00}^{(9)} $	$< 7 \times 10^{-21} \text{ GeV}^{-5}$	"	[196]*
$ \sum_{jm} Y_{jm}(61^\circ, 229^\circ)k_{(V)jm}^{(9)} $	$< 2 \times 10^{-20} \text{ GeV}^{-5}$	"	[196]*
$ k_{(V)00}^{(9)} $	$< 7 \times 10^{-20} \text{ GeV}^{-5}$	"	[196]*
$ \sum_{jm} Y_{jm}(129^\circ, 333^\circ)k_{(V)jm}^{(9)} $	$< 5 \times 10^{-21} \text{ GeV}^{-5}$	"	[196]*
$ k_{(V)00}^{(9)} $	$< 2 \times 10^{-20} \text{ GeV}^{-5}$	"	[196]*
$ \sum_{jm} Y_{jm}(98.2^\circ, 182.1^\circ)k_{(V)jm}^{(9)} $	$< 6 \times 10^{-16} \text{ GeV}^{-5}$	"	[16]*
$ k_{(V)00}^{(9)} $	$< 2 \times 10^{-15} \text{ GeV}^{-5}$	"	[16]*
$ \sum_{jm} Y_{jm}(87.3^\circ, 37.3^\circ)k_{(V)jm}^{(9)} $	$< 1 \times 10^{-16} \text{ GeV}^{-5}$	"	[16]*
$ k_{(V)00}^{(9)} $	$< 4 \times 10^{-16} \text{ GeV}^{-5}$	"	[16]*
$\sum_{jm} {}_0Y_{jm}(83.1^\circ, 308^\circ)c_{(I)jm}^{(10)}$	$(-9.1 \text{ to } 100) \times 10^{-11} \text{ GeV}^{-6}$	Astrophysical dispersion	[214]
$c_{(I)00}^{(10)}$	$(-3.2 \text{ to } 35) \times 10^{-10} \text{ GeV}^{-6}$	"	[214]

Table D22. Nonminimal QED couplings,  $d \geq 5$  (part 1 of 3)

Combination	Result	System	Ref.
$ \tilde{b}_{F,p}^{XX} + \tilde{b}_{F,p}^{YY} $	$< 4.6 \times 10^{-9} \text{ GeV}^{-1}$	Penning trap	[96]
$ \tilde{b}_{F,p}^{ZZ} $	$< 3.3 \times 10^{-9} \text{ GeV}^{-1}$	"	[96]
$ \tilde{b}_{F,p}^{*XX} + \tilde{b}_{F,p}^{*YY} $	$< 3.1 \times 10^{-9} \text{ GeV}^{-1}$	"	[96]
$ \tilde{b}_{F,p}^{ZZ} $	$< 1.1 \times 10^{-8} \text{ GeV}^{-1}$	"	[96]
$ \tilde{b}_{F,e}^{(XY)} $	$< 2 \times 10^{-10} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,e}^{(XZ)} $	$< 1 \times 10^{-10} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,e}^{(YZ)} $	$< 1 \times 10^{-10} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,e}^{*XX} - \tilde{b}_{F,e}^{*YY} $	$< 4 \times 10^{-10} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,e}^{XX} + \tilde{b}_{F,e}^{YY} $	$< 2 \times 10^{-8} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,e}^{ZZ} $	$< 8 \times 10^{-9} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,e}^{(XZ)} $	$< 4 \times 10^{-10} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,e}^{(YZ)} $	$< 4 \times 10^{-10} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,e}^{*XX} + \tilde{b}_{F,e}^{*YY} $	$< 2 \times 10^{-8} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,e}^{ZZ} $	$< 8 \times 10^{-9} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,p}^{*XX} - \tilde{b}_{F,p}^{*YY} $	$< 5.4 \times 10^{-9} \text{ GeV}^{-1}$	"	[97]
$ \tilde{b}_{F,p}^{*(XY)} $	$< 2.7 \times 10^{-9} \text{ GeV}^{-1}$	"	[97]
$ \tilde{b}_{F,p}^{*(XZ)} $	$< 3.7 \times 10^{-9} \text{ GeV}^{-1}$	"	[97]
$ \tilde{b}_{F,p}^{*(YZ)} $	$< 3.7 \times 10^{-9} \text{ GeV}^{-1}$	"	[97]
$ \tilde{b}_{F,p}^{XX} + \tilde{b}_{F,p}^{YY} $	$< 4 \times 10^{-9} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,p}^{ZZ} $	$< 3 \times 10^{-9} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,p}^{*XX} + \tilde{b}_{F,p}^{*YY} $	$< 3 \times 10^{-9} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,p}^{ZZ} $	$< 1 \times 10^{-8} \text{ GeV}^{-1}$	"	[44]*
$ \tilde{b}_{F,p}^{XX} + \tilde{b}_{F,p}^{YY} $	$< 1.1 \times 10^{-8} \text{ GeV}^{-1}$	"	[98]
$ \tilde{b}_{F,p}^{ZZ} $	$< 7.8 \times 10^{-9} \text{ GeV}^{-1}$	"	[98]
$ \tilde{b}_{F,p}^{*XX} + \tilde{b}_{F,p}^{*YY} $	$< 7.4 \times 10^{-9} \text{ GeV}^{-1}$	"	[98]
$ \tilde{b}_{F,p}^{ZZ} $	$< 2.7 \times 10^{-8} \text{ GeV}^{-1}$	"	[98]
$ \tilde{b}_{F,p}^{XX} + \tilde{b}_{F,p}^{YY} $	$< 1.2 \times 10^{-6} \text{ GeV}^{-1}$	"	[99]
$ \tilde{b}_{F,p}^{ZZ} $	$< 8.8 \times 10^{-7} \text{ GeV}^{-1}$	"	[99]
$ \tilde{b}_{F,p}^{*XX} + \tilde{b}_{F,p}^{*YY} $	$< 8.3 \times 10^{-7} \text{ GeV}^{-1}$	"	[99]
$ \tilde{b}_{F,p}^{ZZ} $	$< 3.0 \times 10^{-6} \text{ GeV}^{-1}$	"	[99]
$ \tilde{b}_{F,p}^{XX} + \tilde{b}_{F,p}^{YY} $	$< 1 \times 10^{-5} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,p}^{ZZ} $	$< 1 \times 10^{-5} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,p}^{*XX} + \tilde{b}_{F,p}^{*YY} $	$< 2 \times 10^{-5} \text{ GeV}^{-1}$	"	[37]*
$ \tilde{b}_{F,p}^{ZZ} $	$< 8 \times 10^{-6} \text{ GeV}^{-1}$	"	[37]*

Table D22. Nonminimal QED couplings,  $d \geq 5$  (part 2 of 3)

Combination	Result	System	Ref.
$ \tilde{b}_e^{X(XZ)} $	$< 1.2 \times 10^{-10} \text{ GeV}^{-1}$	Penning trap	[43]*
$ \tilde{b}_e^{Y(YZ)} $	$< 1.2 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{ZZZ} $	$< 1.2 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{ZXX} $	$< 8.8 \times 10^{-11} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{ZYY} $	$< 8.8 \times 10^{-11} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{XXX} $	$< 1.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{X(XY)} $	$< 9.3 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{XYY} $	$< 5.2 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{XZZ} $	$< 4.6 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{YXX} $	$< 5.2 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{Y(XY)} $	$< 9.3 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{YYY} $	$< 1.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{YZZ} $	$< 4.6 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{Z(XZ)} $	$< 1.7 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_e^{Z(YZ)} $	$< 1.7 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{X(XZ)} ,  \tilde{b}_p^{*X(XZ)} $	$< 2.4 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{Y(YZ)} ,  \tilde{b}_p^{*Y(YZ)} $	$< 2.4 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{ZZZ} ,  \tilde{b}_p^{*ZZZ} $	$< 2.4 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{ZXX} ,  \tilde{b}_p^{*ZXX} $	$< 1.8 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{ZYY} ,  \tilde{b}_p^{*ZYY} $	$< 1.8 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{XXX} ,  \tilde{b}_p^{*XXX} $	$< 2.4 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{X(XY)} ,  \tilde{b}_p^{*X(XY)} $	$< 1.9 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{XYY} ,  \tilde{b}_p^{*XYY} $	$< 1.1 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{XZZ} ,  \tilde{b}_p^{*XZZ} $	$< 9.3 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{YXX} ,  \tilde{b}_p^{*YXX} $	$< 1.1 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{Y(XY)} ,  \tilde{b}_p^{*Y(XY)} $	$< 1.9 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{YYY} ,  \tilde{b}_p^{*YYY} $	$< 2.4 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{YZZ} ,  \tilde{b}_p^{*YZZ} $	$< 9.3 \times 10^{-10} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{Z(XZ)} ,  \tilde{b}_p^{*Z(XZ)} $	$< 3.4 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*
$ \tilde{b}_p^{Z(YZ)} ,  \tilde{b}_p^{*Z(YZ)} $	$< 3.4 \times 10^{-9} \text{ GeV}^{-1}$	"	[43]*

Table D22. Nonminimal QED couplings,  $d \geq 5$  (part 3 of 3)

Combination	Result	System	Ref.
$\xi_e^T$	$< 10^{-3} \text{ GeV}^{-1}$	Bhabha, $e^-e^+$ scattering	[221]*
$ \lambda_{e,4} T_{ij} ,  \lambda_{e,1} T_{0i} $	$< 5.5 \times 10^{-11} \text{ GeV}^{-1}$	Penning trap	[222]*
$ \lambda_{e,4} T_{0i} ,  \lambda'_{e,1} T_{i0} $	$< 3.8 \times 10^{-16} \text{ GeV}^{-1}$	Electric dipole moment	[222]*
$ \lambda_{e,1} T_{ii} $	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	"	[223]*
$ \lambda_{e,1} T_{00} $	$< 3.8 \times 10^{-16} \text{ GeV}^{-1}$	"	[223]*
$ \lambda'_{e,1} T_{ii} $	$< 3.5 \times 10^{-11} \text{ GeV}^{-1}$	Penning trap	[223]*
$\lambda_e(\kappa_{HB})_{33},  \lambda_{e,A}(\kappa_{DB})_{33} $	$< 2.3 \times 10^{-11} \text{ GeV}^{-1}$	"	[224]*
$\lambda_e(\kappa_{HE})_{11}$	$< 3.8 \times 10^{-16} \text{ GeV}^{-1}$	Electric dipole moment	[224]*
$ \lambda_{e,A}(\kappa_{DE})_{ii} $	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	"	[224]*
$0.71(d_{\mu,XX} + d_{\mu,YY}) + 0.57d_{\mu,ZZ}$	$< 1.5 \times 10^{-7}$	"	[225]
$d_{n,12}$	$< 1.5 \times 10^{-24} e \text{ cm}$	"	[226]
$d_{n,24}$	$< 1.0 \times 10^{-24} e \text{ cm}$	"	[226]
$0.8d_d^0 - 0.4d_u^0 - 0.1d_s^0$	$< 10^{-25} e \text{ cm}$	"	[227]*
$ (k_{VP})_0 $	$< 1.6 \times 10^{-15} \text{ GeV}^{-2}$	"	[228]*
$ \frac{1}{4}((k_{AT})_{101} + (k_{AT})_{202} - 2(k_{AT})_{303}) \sin 2\chi $	$< 3.2 \times 10^{-13} \text{ GeV}^{-2}$	"	[228]*
$ ((k_{AT})_{102} - (k_{AT})_{201}) \sin \chi $	$< 3.2 \times 10^{-13} \text{ GeV}^{-2}$	"	[228]*
$ \frac{1}{2}((k_{AT})_{101} + (k_{AT})_{202}) \sin^2 \chi + (k_{AT})_{303} \cos^2 \chi $	$< 3.2 \times 10^{-13} \text{ GeV}^{-2}$	"	[228]*
$ \frac{1}{4}((K_{TT})_{011} + (K_{TT})_{022} - 2(K_{TT})_{033}) \sin 2\chi $	$< 3.2 \times 10^{-13} \text{ GeV}^{-2}$	"	[228]*
$ ((K_{TT})_{012} - (K_{TT})_{021}) \sin \chi $	$< 3.2 \times 10^{-13} \text{ GeV}^{-2}$	"	[228]*
$ \frac{1}{2}((K_{TT})_{011} + (K_{TT})_{022}) \sin^2 \chi + (K_{TT})_{033} \cos^2 \chi $	$< 3.2 \times 10^{-13} \text{ GeV}^{-2}$	"	[228]*
$ c_{F,p}^{(6)\alpha YZ} ,  c_{F,p}^{(6)\alpha YZX} $	$< 3 \times 10^{-9} \text{ GeV}^{-2}$	Penning trap	[37]*,[229]*

Table D23. Muon sector,  $d = 3$ 

Combination	Result	System	Ref.
$ \text{Re } H_{011}^{\text{NR}(0B)} ,  \text{Im } H_{011}^{\text{NR}(0B)} ,  \text{Re } g_{011}^{\text{NR}(0B)} ,  \text{Im } g_{011}^{\text{NR}(0B)} $	$< 2 \times 10^{-22} \text{ GeV}$	Muonium spectroscopy	[22]*
$ \text{Re } H_{011}^{\text{NR}(1B)} ,  \text{Im } H_{011}^{\text{NR}(1B)} ,  \text{Re } g_{011}^{\text{NR}(1B)} ,  \text{Im } g_{011}^{\text{NR}(1B)} $	$< 7 \times 10^{-23} \text{ GeV}$	"	[22]*
$\check{b}_\perp^{\mu+}$	$< 1.27 \times 10^{-24} \text{ GeV}$	Fermilab $g_\mu - 2$	[230]
$b^T/m_\mu$	$(7.3 \pm 5.0) \times 10^{-7}$	Muon decay	[231]*
$b_Z$	$-(1.0 \pm 1.1) \times 10^{-23} \text{ GeV}$	BNL $g_\mu - 2$	[232]
$\sqrt{(\check{b}_X^{\mu+})^2 + (\check{b}_Y^{\mu+})^2}$	$< 1.4 \times 10^{-24} \text{ GeV}$	"	[232]
$\sqrt{(\check{b}_X^{\mu-})^2 + (\check{b}_Y^{\mu-})^2}$	$< 2.6 \times 10^{-24} \text{ GeV}$	"	[232]
$\sqrt{(\check{b}_X)^2 + (\check{b}_Y)^2}$	$< 2 \times 10^{-23} \text{ GeV}$	Muonium spectroscopy	[233]
$b_Z - 1.19(m_\mu d_{Z0} + H_{XY})$	$(-1.4 \pm 1.0) \times 10^{-22} \text{ GeV}$	BNL, CERN $g_\mu - 2$	[234]
$b_Z$	$(-2.3 \pm 1.4) \times 10^{-22} \text{ GeV}$	CERN $g_\mu - 2$	[234], [235]*
$ \text{Re } H_{011}^{(3)(0B)} ,  \text{Im } H_{011}^{(3)(0B)} $	$< 5 \times 10^{-23} \text{ GeV}$	Muonium spectroscopy	[22]*
$\check{H}_{010}^{(3)}$	$(-1.6 \pm 1.7) \times 10^{-22} \text{ GeV}$	BNL, CERN $g_\mu - 2$	[22]*
$ \text{Re } \check{H}_{011}^{(3)} ,  \text{Im } \check{H}_{011}^{(3)} $	$< 2.0 \times 10^{-24} \text{ GeV}$	BNL $g_\mu - 2$	[22]*
$m_\mu d_{Z0} + H_{XY}$	$(1.8 \pm 6.0) \times 10^{-23} \text{ GeV}$	BNL, CERN $g_\mu - 2$	[232]

Table D24. Muon sector,  $d = 4$ 

Combination	Result	System	Ref.
$c_{00}$	$(-4.2 \text{ to } 8.3) \times 10^{-15}$	Combined	[58]*
$c_{TT} + 0.35(c_{XX} + c_{YY}) + 0.28c_{ZZ}$	$< 8.5 \times 10^{-11}$	BNL $g_\mu - 2$	[236]*
$ c_\mu - c_\gamma $	$< 3 \times 10^{-11}$	Astrophysics	[62]*
$c^{TT} - 0.05c^{ZZ}$	$(4.9 \pm 1.1) \times 10^{-8}$	Muon decay	[231]*
$ c $	$< 10^{-11}$	Astrophysics	[85]*
$ \text{Re } g_{011}^{(4)(0B)} ,  \text{Im } g_{011}^{(4)(0B)} $	$< 5 \times 10^{-22}$	Muonium spectroscopy	[22]*
$ \text{Re } \check{g}_{011}^{(4)} ,  \text{Im } \check{g}_{011}^{(4)} $	$< 6.6 \times 10^{-25}$	BNL $g_\mu - 2$	[22]*
$\check{g}_{010}^{(4)}$	$(-2.3 \pm 2.4) \times 10^{-25}$	"	[22]*
$m_\mu g_{XYT}^{(M)}$	$-(7.8 \pm 8.5) \times 10^{-27} \text{ GeV}$	"	[22]*
$m_\mu \sqrt{(g_{XZT}^{(M)})^2 + (g_{YZT}^{(M)})^2}$	$< 1.1 \times 10^{-27} \text{ GeV}$	"	[22]*

Table D25. Nonminimal muon sector,  $d \geq 5$  (part 1 of 2)

Combination	Result	System	Ref.
$ \check{a}_2^{\text{NR}} $	$< 8 \times 10^{-6} \text{ GeV}^{-1}$	Muonium spectroscopy	[22]*
$ \check{c}_2^{\text{NR}} $	$< 8 \times 10^{-6} \text{ GeV}^{-1}$	"	[22]*
$ \text{Re } H_{211}^{\text{NR}(0B)} ,  \text{Im } H_{211}^{\text{NR}(0B)} ,  \text{Re } g_{211}^{\text{NR}(0B)} ,  \text{Im } g_{211}^{\text{NR}(0B)} $	$< 1 \times 10^{-11} \text{ GeV}^{-1}$	"	[22]*
$ \text{Re } H_{211}^{\text{NR}(1B)} ,  \text{Im } H_{211}^{\text{NR}(1B)} ,  \text{Re } g_{211}^{\text{NR}(1B)} ,  \text{Im } g_{211}^{\text{NR}(1B)} $	$< 6 \times 10^{-12} \text{ GeV}^{-1}$	"	[22]*
$\check{a}^{\text{UR}(5)} - m_\mu \check{g}^{\text{UR}(6)}$	$(-1 \text{ to } 1) \times 10^{-34} \text{ GeV}^{-1}$	Astrophysics	[92]*, [20]*
$ \text{Re } H_{011}^{(5)(0B)} ,  \text{Im } H_{011}^{(5)(0B)} $	$< 5 \times 10^{-21} \text{ GeV}^{-1}$	Muonium spectroscopy	[22]*
$ \text{Re } \check{H}_{011}^{(5)} ,  \text{Im } \check{H}_{011}^{(5)} ,  \text{Re } \check{H}_{211}^{(5)} ,  \text{Im } \check{H}_{211}^{(5)} $	$< 2.1 \times 10^{-25} \text{ GeV}^{-1}$	BNL $g_\mu - 2$	[22]*
$ \text{Re } \check{H}_{231}^{(5)} ,  \text{Im } \check{H}_{231}^{(5)} $	$< 1.3 \times 10^{-25} \text{ GeV}^{-1}$	"	[22]*
$\check{H}_{010}^{(5)}, \check{H}_{210}^{(5)}$	$(-1.7 \pm 1.7) \times 10^{-23} \text{ GeV}^{-1}$	BNL, CERN $g_\mu - 2$	[22]*
$\check{H}_{230}^{(5)}$	$(2.9 \pm 3.0) \times 10^{-24} \text{ GeV}^{-1}$	"	[22]*
$\check{c}^{\text{UR}(6)}$	$(-8.5 \text{ to } 0.0025) \times 10^{-20} \text{ GeV}^{-2}$	Astrophysics	[92]*, [20]*
$ \text{Re } g_{011}^{(6)(0B)} ,  \text{Im } g_{011}^{(6)(0B)} $	$< 5 \times 10^{-20} \text{ GeV}^{-2}$	Muonium spectroscopy	[22]*
$ \text{Re } \check{g}_{011}^{(6)} ,  \text{Im } \check{g}_{011}^{(6)} ,  \text{Re } \check{g}_{211}^{(6)} ,  \text{Im } \check{g}_{211}^{(6)} $	$< 6.8 \times 10^{-26} \text{ GeV}^{-2}$	BNL $g_\mu - 2$	[22]*
$ \text{Re } \check{g}_{231}^{(6)} ,  \text{Im } \check{g}_{231}^{(6)} $	$< 4.3 \times 10^{-26} \text{ GeV}^{-2}$	"	[22]*
$\check{g}_{010}^{(6)}, \check{g}_{210}^{(6)}$	$(-2.4 \pm 2.5) \times 10^{-26} \text{ GeV}^{-2}$	"	[22]*
$\check{g}_{230}^{(6)}$	$(-2.5 \pm 2.5) \times 10^{-26} \text{ GeV}^{-2}$	"	[22]*
$ \check{a}_4^{\text{NR}} $	$< 1.7 \times 10^5 \text{ GeV}^{-3}$	Muonium spectroscopy	[237]
$ \check{c}_4^{\text{NR}} $	$< 1.7 \times 10^5 \text{ GeV}^{-3}$	"	[237]
$ \check{a}_4^{\text{NR}} $	$< 1 \times 10^5 \text{ GeV}^{-3}$	"	[22]*
$ \check{a}_4^{\text{NR}} $	$< 1 \times 10^6 \text{ GeV}^{-3}$	"	[22]*
$ \check{c}_4^{\text{NR}} $	$< 1 \times 10^5 \text{ GeV}^{-3}$	"	[22]*
$ \check{c}_4^{\text{NR}} $	$< 1 \times 10^6 \text{ GeV}^{-3}$	"	[22]*
$ \text{Re } H_{411}^{\text{NR}(0B)} ,  \text{Im } H_{411}^{\text{NR}(0B)} ,  \text{Re } g_{411}^{\text{NR}(0B)} ,  \text{Im } g_{411}^{\text{NR}(0B)} $	$< 2 \times 10^{-1} \text{ GeV}^{-3}$	"	[22]*
$ \text{Re } H_{411}^{\text{NR}(1B)} ,  \text{Im } H_{411}^{\text{NR}(1B)} ,  \text{Re } g_{411}^{\text{NR}(1B)} ,  \text{Im } g_{411}^{\text{NR}(1B)} $	$< 8 \times 10^{-2} \text{ GeV}^{-3}$	"	[22]*

Table D25. Nonminimal muon sector,  $d \geq 5$  (part 2 of 2)

Combination	Result	System	Ref.
$ \text{Re } H_{011}^{(7)(0B)} ,  \text{Im } H_{011}^{(7)(0B)} $	$< 4 \times 10^{-19} \text{ GeV}^{-3}$	Muonium spectroscopy	[22]*
$\check{H}_{010}^{(7)}, \check{H}_{210}^{(7)}, \check{H}_{410}^{(7)}$	$(-1.7 \pm 1.8) \times 10^{-24} \text{ GeV}^{-3}$	BNL, CERN $g_\mu - 2$	[22]*
$\check{H}_{230}^{(7)}, \check{H}_{430}^{(7)}$	$(3.0 \pm 3.1) \times 10^{-25} \text{ GeV}^{-3}$	"	[22]*
$\check{H}_{450}^{(7)}$	$(2.6 \pm 2.6) \times 10^{-25} \text{ GeV}^{-3}$	"	[22]*
$ \text{Re } \check{H}_{011}^{(7)} ,  \text{Im } \check{H}_{011}^{(7)} ,  \text{Re } \check{H}_{211}^{(7)} ,  \text{Im } \check{H}_{211}^{(7)} $	$< 2.2 \times 10^{-26} \text{ GeV}^{-3}$	BNL $g_\mu - 2$	[22]*
$ \text{Re } \check{H}_{411}^{(7)} ,  \text{Im } \check{H}_{411}^{(7)} $	$< 2.2 \times 10^{-26} \text{ GeV}^{-3}$	"	[22]*
$ \text{Re } \check{H}_{231}^{(7)} ,  \text{Im } \check{H}_{231}^{(7)} ,  \text{Re } \check{H}_{431}^{(7)} ,  \text{Im } \check{H}_{431}^{(7)} $	$< 1.4 \times 10^{-26} \text{ GeV}^{-3}$	"	[22]*
$ \text{Re } \check{H}_{451}^{(7)} ,  \text{Im } \check{H}_{451}^{(7)} $	$< 1.1 \times 10^{-26} \text{ GeV}^{-3}$	"	[22]*
$ \text{Re } g_{011}^{(8)(0B)} ,  \text{Im } g_{011}^{(8)(0B)} $	$< 4 \times 10^{-18} \text{ GeV}^{-4}$	Muonium spectroscopy	[22]*
$\check{g}_{010}^{(8)}, \check{g}_{210}^{(8)}, \check{g}_{410}^{(8)}$	$(-2.5 \pm 2.6) \times 10^{-27} \text{ GeV}^{-4}$	BNL $g_\mu - 2$	[22]*
$\check{g}_{230}^{(8)}, \check{g}_{430}^{(8)}$	$(-2.6 \pm 2.6) \times 10^{-27} \text{ GeV}^{-4}$	"	[22]*
$\check{g}_{450}^{(8)}$	$(1.6 \pm 1.7) \times 10^{-27} \text{ GeV}^{-4}$	"	[22]*
$ \text{Re } \check{g}_{011}^{(8)} ,  \text{Im } \check{g}_{011}^{(8)} ,  \text{Re } \check{g}_{211}^{(8)} ,  \text{Im } \check{g}_{211}^{(8)} $	$< 7.1 \times 10^{-27} \text{ GeV}^{-4}$	"	[22]*
$ \text{Re } \check{g}_{411}^{(8)} ,  \text{Im } \check{g}_{411}^{(8)} $	$< 7.1 \times 10^{-27} \text{ GeV}^{-4}$	"	[22]*
$ \text{Re } \check{g}_{231}^{(8)} ,  \text{Im } \check{g}_{231}^{(8)} ,  \text{Re } \check{g}_{431}^{(8)} ,  \text{Im } \check{g}_{431}^{(8)} $	$< 4.5 \times 10^{-27} \text{ GeV}^{-4}$	"	[22]*
$ \text{Re } \check{g}_{451}^{(8)} ,  \text{Im } \check{g}_{451}^{(8)} $	$< 3.6 \times 10^{-27} \text{ GeV}^{-4}$	"	[22]*
$\check{H}_{010}^{(9)}, \check{H}_{210}^{(9)}, \check{H}_{410}^{(9)}, \check{H}_{610}^{(9)}$	$(-1.8 \pm 1.9) \times 10^{-25} \text{ GeV}^{-5}$	BNL, CERN $g_\mu - 2$	[22]*
$\check{H}_{230}^{(9)}, \check{H}_{430}^{(9)}, \check{H}_{630}^{(9)}$	$(3.2 \pm 3.3) \times 10^{-26} \text{ GeV}^{-5}$	"	[22]*
$\check{H}_{450}^{(9)}, \check{H}_{650}^{(9)}$	$(2.7 \pm 2.7) \times 10^{-26} \text{ GeV}^{-5}$	"	[22]*
$\check{H}_{670}^{(9)}$	$(-1.1 \pm 1.1) \times 10^{-26} \text{ GeV}^{-5}$	"	[22]*
$\check{g}_{010}^{(10)}, \check{g}_{210}^{(10)}, \check{g}_{410}^{(10)}, \check{g}_{610}^{(10)}$	$(-2.6 \pm 2.7) \times 10^{-28} \text{ GeV}^{-6}$	BNL $g_\mu - 2$	[22]*
$\check{g}_{230}^{(10)}, \check{g}_{430}^{(10)}, \check{g}_{630}^{(10)}$	$(-2.7 \pm 2.7) \times 10^{-28} \text{ GeV}^{-6}$	"	[22]*
$\check{g}_{450}^{(10)}, \check{g}_{650}^{(10)}$	$(1.7 \pm 1.7) \times 10^{-28} \text{ GeV}^{-6}$	"	[22]*
$\check{g}_{670}^{(10)}$	$(1.3 \pm 1.4) \times 10^{-28} \text{ GeV}^{-6}$	"	[22]*

Table D26. Tau sector,  $d \geq 3$ 

Combination	Result	System	Ref.
$ b^\mu $	$< 8.5 \times 10^{-11} \text{ GeV}$	Astrophysics	[238]*
$ c_\tau - c_\gamma $	$< 1.2 \times 10^{-9}$	"	[62]*
$ c $	$< 10^{-8}$	"	[85]*
$\hat{a}^{\text{UR}(5)} - m_\tau \hat{g}^{\text{UR}(6)}$	$(-2 \text{ to } 2) \times 10^{-33} \text{ GeV}^{-1}$	"	[92]*, [20]*

Table D27. Charged-lepton flavor-changing sector,  $d = 3$ 

Combination	Result	System	Ref.
$ \text{Re}(a^l)_{e\mu}^T $	$< 5 \times 10^{-21}$ GeV	Neutrinos, SU(2) <sub>L</sub> invariance	[239]*
$ \text{Im}(a^l)_{e\mu}^T $	$< 2 \times 10^{-20}$ GeV	"	[239]*
$ \text{Re}(a^l)_{e\mu}^X $	$< 5 \times 10^{-21}$ GeV	"	[239]*
$ \text{Im}(a^l)_{e\mu}^X $	$< 5 \times 10^{-21}$ GeV	"	[239]*
$ \text{Re}(a^l)_{e\tau}^T $	$< 5 \times 10^{-20}$ GeV	"	[239]*
$ \text{Im}(a^l)_{e\tau}^T $	$< 5 \times 10^{-20}$ GeV	"	[239]*
$ \text{Re}(a^l)_{e\tau}^X $	$< 5 \times 10^{-20}$ GeV	"	[239]*
$ \text{Im}(a^l)_{e\tau}^X $	$< 5 \times 10^{-20}$ GeV	"	[239]*
$ \text{Re}(a^l)_{\mu\tau}^T $	$< 5 \times 10^{-25}$ GeV	"	[239]*
$\text{Im}(a^l)_{\mu\tau}^T$	$< 3 \times 10^{-24}$ GeV	"	[239]*
$ \text{Re}(a^l)_{\mu\tau}^X $	$< 5 \times 10^{-24}$ GeV	"	[239]*
$ \text{Im}(a^l)_{\mu\tau}^X $	$< 5 \times 10^{-21}$ GeV	"	[239]*
$ \hat{a}_{e\mu}^l $	$< 5 \times 10^{-21}$ GeV	"	[239]*
$ \hat{a}_{\mu\tau}^l $	$< 5 \times 10^{-25}$ GeV	"	[239]*

Table D28. Charged-lepton flavor-changing sector,  $d = 4$ 

Combination	Result	System	Ref.
$ \text{Re}(c^l)_{e\mu}^{TT} $	$< 5 \times 10^{-20}$	Neutrinos, SU(2) <sub>L</sub> invariance	[239]*
$ \text{Im}(c^l)_{e\mu}^{TT} $	$< 5 \times 10^{-20}$	"	[239]*
$ \text{Re}(c^l)_{e\mu}^{TX} $	$< 5 \times 10^{-23}$	"	[239]*
$ \text{Im}(c^l)_{e\mu}^{TX} $	$< 5 \times 10^{-23}$	"	[239]*
$ \text{Re}(c^l)_{e\mu}^{XX} $	$< 5 \times 10^{-22}$	"	[239]*
$ \text{Im}(c^l)_{e\mu}^{XX} $	$< 5 \times 10^{-22}$	"	[239]*
$ \text{Re}(c^l)_{e\tau}^{TT} $	$< 5 \times 10^{-18}$	"	[239]*
$ \text{Im}(c^l)_{e\tau}^{TT} $	$< 5 \times 10^{-18}$	"	[239]*
$ \text{Re}(c^l)_{e\tau}^{TX} $	$< 5 \times 10^{-18}$	"	[239]*
$ \text{Im}(c^l)_{e\tau}^{TX} $	$< 5 \times 10^{-18}$	"	[239]*
$ \text{Re}(c^l)_{e\tau}^{XX} $	$< 5 \times 10^{-17}$	"	[239]*
$ \text{Im}(c^l)_{e\tau}^{XX} $	$< 5 \times 10^{-17}$	"	[239]*
$\text{Re}(c^l)_{\mu\tau}^{TT}$	$< 3 \times 10^{-27}$	"	[239]*
$\text{Im}(c^l)_{\mu\tau}^{TT}$	$< 3 \times 10^{-27}$	"	[239]*
$ \text{Re}(c^l)_{\mu\tau}^{TX} $	$< 5 \times 10^{-28}$	"	[239]*
$ \text{Im}(c^l)_{\mu\tau}^{TX} $	$< 5 \times 10^{-23}$	"	[239]*
$ \text{Re}(c^l)_{\mu\tau}^{XX} $	$< 5 \times 10^{-24}$	"	[239]*
$ \text{Im}(c^l)_{\mu\tau}^{XX} $	$< 5 \times 10^{-22}$	"	[239]*
$ \hat{c}_{e\mu}^l $	$< 5 \times 10^{-20}$	"	[239]*
$ \hat{c}_{\mu\tau}^l $	$< 5 \times 10^{-29}$	"	[239]*



Table D29. Charged-lepton flavor-changing sector,  $d = 5$  (part 1 of 2)

Combination	Result	System	Ref.
$ (m_F^{(5)})_{e\mu}^{TJ} ,  (m_F^{(5)})_{e\mu}^{JZ} ,  (m_{5F}^{(5)})_{e\mu}^{TJ} ,  (m_{5F}^{(5)})_{e\mu}^{JZ} , (J = X, Y)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	Lepton decay	[240]*
$ (m_F^{(5)})_{e\mu}^{TZ} ,  (m_F^{(5)})_{e\mu}^{JK} ,  (m_{5F}^{(5)})_{e\mu}^{TZ} ,  (m_{5F}^{(5)})_{e\mu}^{JK} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\mu}^{TTJ} ,  (a_F^{(5)})_{e\mu}^{TJZ} ,  (a_F^{(5)})_{e\mu}^{JTT} ,  (a_F^{(5)})_{e\mu}^{JTK} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\mu}^{JJZ} ,  (a_F^{(5)})_{e\mu}^{JKZ} ,  (a_F^{(5)})_{e\mu}^{ZTJ} ,  (a_F^{(5)})_{e\mu}^{ZJZ} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\mu}^{TTZ} ,  (a_F^{(5)})_{e\mu}^{TJK} ,  (a_F^{(5)})_{e\mu}^{JTT} ,  (a_F^{(5)})_{e\mu}^{JJK} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\mu}^{ZTZ} ,  (a_F^{(5)})_{e\mu}^{ZJK} ,  (b_F^{(5)})_{e\mu}^{TTZ} ,  (b_F^{(5)})_{e\mu}^{TJK} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\mu}^{TTJ} ,  (b_F^{(5)})_{e\mu}^{TJZ} ,  (b_F^{(5)})_{e\mu}^{JTT} ,  (b_F^{(5)})_{e\mu}^{JTK} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\mu}^{JJZ} ,  (b_F^{(5)})_{e\mu}^{JKZ} ,  (b_F^{(5)})_{e\mu}^{ZTJ} ,  (b_F^{(5)})_{e\mu}^{ZJZ} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\mu}^{JTZ} ,  (b_F^{(5)})_{e\mu}^{JJK} ,  (b_F^{(5)})_{e\mu}^{ZTZ} ,  (b_F^{(5)})_{e\mu}^{ZJK} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{TJTJ} ,  (H_F^{(5)})_{e\mu}^{TJTK} ,  (H_F^{(5)})_{e\mu}^{TJJZ} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{TJKZ} ,  (H_F^{(5)})_{e\mu}^{TZTJ} ,  (H_F^{(5)})_{e\mu}^{TZJZ} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{JKTJ} ,  (H_F^{(5)})_{e\mu}^{JKJZ} ,  (H_F^{(5)})_{e\mu}^{JZTJ} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{JZTK} ,  (H_F^{(5)})_{e\mu}^{JZJZ} ,  (H_F^{(5)})_{e\mu}^{JZKZ} , (J, K = X, Y, J \neq K)$	$< 6.0 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{TJTZ} ,  (H_F^{(5)})_{e\mu}^{TZTZ} ,  (H_F^{(5)})_{e\mu}^{JKTZ} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{JZTZ} ,  (H_F^{(5)})_{e\mu}^{TJJK} ,  (H_F^{(5)})_{e\mu}^{TZJK} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\mu}^{JKJK} ,  (H_F^{(5)})_{e\mu}^{JZJK} , (J, K = X, Y, J \neq K)$	$< 6.4 \times 10^{-13} \text{ GeV}^{-1}$	"	[240]*

Table D29. Charged-lepton flavor-changing sector,  $d = 5$  (part 2 of 2)

Combination	Result	System	Ref.
$ (m_F^{(5)})_{e\tau}^{TJ} ,  (m_F^{(5)})_{e\tau}^{TZ} ,  (m_F^{(5)})_{e\tau}^{JK} ,  (m_F^{(5)})_{e\tau}^{JZ} , (J, K = X, Y, J \neq K)$	$< 1.6 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (m_{5F}^{(5)})_{e\tau}^{TJ} ,  (m_{5F}^{(5)})_{e\tau}^{TZ} ,  (m_{5F}^{(5)})_{e\tau}^{JK} ,  (m_{5F}^{(5)})_{e\tau}^{JZ} , (J, K = X, Y, J \neq K)$	$< 1.6 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\tau}^{TTJ} ,  (a_F^{(5)})_{e\tau}^{TTZ} ,  (a_F^{(5)})_{e\tau}^{TJK} ,  (a_F^{(5)})_{e\tau}^{TJZ} , (J, K = X, Y, J \neq K)$	$< 1.9 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\tau}^{JTJ} ,  (a_F^{(5)})_{e\tau}^{JTK} ,  (a_F^{(5)})_{e\tau}^{JTZ} ,  (a_F^{(5)})_{e\tau}^{JJK} , (J, K = X, Y, J \neq K)$	$< 2.1 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\tau}^{JJZ} ,  (a_F^{(5)})_{e\tau}^{JKZ} ,  (a_F^{(5)})_{e\tau}^{ZTJ} ,  (a_F^{(5)})_{e\tau}^{ZTZ} , (J, K = X, Y, J \neq K)$	$< 2.1 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{e\tau}^{ZJK} ,  (a_F^{(5)})_{e\tau}^{ZJZ} , (J, K = X, Y, J \neq K)$	$< 2.1 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\tau}^{TTJ} ,  (b_F^{(5)})_{e\tau}^{TTZ} ,  (b_F^{(5)})_{e\tau}^{TJK} ,  (b_F^{(5)})_{e\tau}^{TJZ} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\tau}^{JTJ} ,  (b_F^{(5)})_{e\tau}^{JTK} ,  (b_F^{(5)})_{e\tau}^{JTZ} ,  (b_F^{(5)})_{e\tau}^{JJK} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\tau}^{JJZ} ,  (b_F^{(5)})_{e\tau}^{JKZ} ,  (b_F^{(5)})_{e\tau}^{ZTJ} ,  (b_F^{(5)})_{e\tau}^{ZTZ} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{e\tau}^{ZJK} ,  (b_F^{(5)})_{e\tau}^{ZJZ} ,  (H_F^{(5)})_{e\tau}^{TJTJ} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\tau}^{TJTK} ,  (H_F^{(5)})_{e\tau}^{TJJZ} ,  (H_F^{(5)})_{e\tau}^{TJKZ} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\tau}^{TZTJ} ,  (H_F^{(5)})_{e\tau}^{TZJZ} ,  (H_F^{(5)})_{e\tau}^{TJTZ} , (J = X, Y)(J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\tau}^{TJJK} ,  (H_F^{(5)})_{e\tau}^{TZTZ} ,  (H_F^{(5)})_{e\tau}^{TZJK} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\tau}^{JKTJ} ,  (H_F^{(5)})_{e\tau}^{JKJZ} ,  (H_F^{(5)})_{e\tau}^{JZTJ} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\tau}^{JZTK} ,  (H_F^{(5)})_{e\tau}^{JZJZ} ,  (H_F^{(5)})_{e\tau}^{JZKZ} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{e\tau}^{JZTZ} ,  (H_F^{(5)})_{e\tau}^{JZJK} ,  (H_F^{(5)})_{e\tau}^{JKTZ} ,  (H_F^{(5)})_{e\tau}^{JKJK} , (J, K = X, Y, J \neq K)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (m_F^{(5)})_{\mu\tau}^{TJ} ,  (m_F^{(5)})_{\mu\tau}^{TZ} ,  (m_F^{(5)})_{\mu\tau}^{JK} ,  (m_F^{(5)})_{\mu\tau}^{JZ} , (J, K = X, Y, J \neq K)$	$< 1.8 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (m_{5F}^{(5)})_{\mu\tau}^{TJ} ,  (m_{5F}^{(5)})_{\mu\tau}^{TZ} ,  (m_{5F}^{(5)})_{\mu\tau}^{JK} ,  (m_{5F}^{(5)})_{\mu\tau}^{JZ} , (J = X, Y)$	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{\mu\tau}^{TTJ} ,  (a_F^{(5)})_{\mu\tau}^{TTZ} ,  (a_F^{(5)})_{\mu\tau}^{TJK} ,  (a_F^{(5)})_{\mu\tau}^{TJZ} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{\mu\tau}^{JTJ} ,  (a_F^{(5)})_{\mu\tau}^{JTK} ,  (a_F^{(5)})_{\mu\tau}^{JTZ} ,  (a_F^{(5)})_{\mu\tau}^{JJK} , (J, K = X, Y, J \neq K)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{\mu\tau}^{JJZ} ,  (a_F^{(5)})_{\mu\tau}^{JKZ} ,  (a_F^{(5)})_{\mu\tau}^{ZTJ} ,  (a_F^{(5)})_{\mu\tau}^{ZTZ} , (J, K = X, Y, J \neq K)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (a_F^{(5)})_{\mu\tau}^{ZJK} ,  (a_F^{(5)})_{\mu\tau}^{ZJZ} ,  (b_F^{(5)})_{\mu\tau}^{TTJ} ,  (b_F^{(5)})_{\mu\tau}^{TTZ} , (J, K = X, Y, J \neq K)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{\mu\tau}^{JTJ} ,  (b_F^{(5)})_{\mu\tau}^{JTK} ,  (b_F^{(5)})_{\mu\tau}^{JTZ} ,  (b_F^{(5)})_{\mu\tau}^{JJK} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{\mu\tau}^{JJZ} ,  (b_F^{(5)})_{\mu\tau}^{JKZ} ,  (b_F^{(5)})_{\mu\tau}^{ZTJ} ,  (b_F^{(5)})_{\mu\tau}^{ZTZ} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{\mu\tau}^{ZJK} ,  (b_F^{(5)})_{\mu\tau}^{ZJZ} ,  (H_F^{(5)})_{\mu\tau}^{JKTJ} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (b_F^{(5)})_{\mu\tau}^{TJK} ,  (b_F^{(5)})_{\mu\tau}^{TJZ} ,  (H_F^{(5)})_{\mu\tau}^{TJTJ} , (J, K = X, Y, J \neq K)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{\mu\tau}^{JKJZ} ,  (H_F^{(5)})_{\mu\tau}^{JZTJ} ,  (H_F^{(5)})_{\mu\tau}^{JZTK} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{\mu\tau}^{JZJZ} ,  (H_F^{(5)})_{\mu\tau}^{JZKZ} ,  (H_F^{(5)})_{\mu\tau}^{JZTZ} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{\mu\tau}^{JZJK} ,  (H_F^{(5)})_{\mu\tau}^{JKTZ} ,  (H_F^{(5)})_{\mu\tau}^{JKJK} , (J, K = X, Y, J \neq K)$	$< 2.2 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{\mu\tau}^{TJTK} ,  (H_F^{(5)})_{\mu\tau}^{TJJZ} ,  (H_F^{(5)})_{\mu\tau}^{TJKZ} , (J, K = X, Y, J \neq K)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{\mu\tau}^{TZTJ} ,  (H_F^{(5)})_{\mu\tau}^{TZJZ} ,  (H_F^{(5)})_{\mu\tau}^{TJTZ} , (J = X, Y)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*
$ (H_F^{(5)})_{\mu\tau}^{TJJK} ,  (H_F^{(5)})_{\mu\tau}^{TZTZ} ,  (H_F^{(5)})_{\mu\tau}^{TZJK} , (J, K = X, Y, J \neq K)$	$< 2.5 \times 10^{-9} \text{ GeV}^{-1}$	"	[240]*

Table D30. Neutrino sector,  $d = 2$ 

Combination	Result	System	Ref.
$(c_{\text{eff}}^{(2)})_{10}^{ee}$	$> -1 \times 10^{-17} \text{ GeV}^2$	Troitsk tritium decay	[241]*
"	$> -2 \times 10^{-17} \text{ GeV}^2$	Mainz tritium decay	[241]*
$(c_{\text{eff}}^{(2)})_{10}^{\mu\mu}$	$> -2 \times 10^{-17} \text{ GeV}^2$	Troitsk tritium decay	[241]*
"	$> -4 \times 10^{-17} \text{ GeV}^2$	Mainz tritium decay	[241]*
$(c_{\text{eff}}^{(2)})_{10}^{\tau\tau}$	$> -2 \times 10^{-17} \text{ GeV}^2$	Troitsk tritium decay	[241]*
"	$> -5 \times 10^{-17} \text{ GeV}^2$	Mainz tritium decay	[241]*
$\text{Re}(c_{\text{eff}}^{(2)})_{10}^{e\mu}$	$< 1 \times 10^{-17} \text{ GeV}^2$	Troitsk tritium decay	[241]*
"	$< 3 \times 10^{-17} \text{ GeV}^2$	Mainz tritium decay	[241]*
$ \text{Re}(c_{\text{eff}}^{(2)})_{10}^{e\mu} $	$< 1.5 \times 10^{-19} \text{ GeV}^2$	LSND	[18]*
"	$< 4.1 \times 10^{-20} \text{ GeV}^2$	MiniBooNE	[18]*
"	$< 4.3 \times 10^{-20} \text{ GeV}^2$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(2)})_{11}^{e\mu} $	$< 3.0 \times 10^{-20} \text{ GeV}^2$	LSND	[18]*
"	$< 3.1 \times 10^{-20} \text{ GeV}^2$	MiniBooNE	[18]*
"	$< 4.8 \times 10^{-20} \text{ GeV}^2$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(2)})_{11}^{e\mu} $	$< 3.0 \times 10^{-20} \text{ GeV}^2$	LSND	[18]*
"	$< 2.6 \times 10^{-20} \text{ GeV}^2$	MiniBooNE	[18]*
"	$< 5.1 \times 10^{-20} \text{ GeV}^2$	MiniBooNE $\bar{\nu}$	[18]*
$\text{Re}(c_{\text{eff}}^{(2)})_{10}^{e\tau}$	$> -3 \times 10^{-17} \text{ GeV}^2$	Troitsk tritium decay	[241]*
"	$> -8 \times 10^{-17} \text{ GeV}^2$	Mainz tritium decay	[241]*
$\text{Re}(c_{\text{eff}}^{(2)})_{10}^{\mu\tau}$	$< 1 \times 10^{-17} \text{ GeV}^2$	Troitsk tritium decay	[241]*
"	$< 3 \times 10^{-17} \text{ GeV}^2$	Mainz tritium decay	[241]*

Table D31. Neutrino sector,  $d = 3$  (part 1 of 6)

Combination	Result	System	Ref.
$ (a_{\text{of}}^{(3)})_{00} $	$< 3.0 \times 10^{-8} \text{ GeV}$	Tritium decay	[242]
$ (a_{\text{of}}^{(3)})_{10} $	$< 6.4 \times 10^{-4} \text{ GeV}$	"	[242]
$ (a_{\text{of}}^{(3)})_{11} $	$< 3.7 \times 10^{-6} \text{ GeV}$	"	[242]
$\hat{a}_{\text{of}}^{(3)}$	$< 4.1 \times 10^{-6} \text{ GeV}$	Double beta decay	[243], [244]
"	$(-4.2 \text{ to } 3.5) \times 10^{-7} \text{ GeV}$	"	[245]
"	$(-11.2 \text{ to } 6.95) \times 10^{-5} \text{ GeV}$	"	[246]
"	$< 4 \times 10^{-6} \text{ GeV}$	"	[247]
"	$(-26.5 \text{ to } 7.60) \times 10^{-6} \text{ GeV}$	"	[248]
"	$< 7.5 \times 10^{-8} \text{ GeV}$	"	[249]
$ (a_{\text{of}}^{(3)})_{00} $	$< 3 \times 10^{-8} \text{ GeV}$	Tritium decay	[241]*
$ (a_{\text{of}}^{(3)})_{10} $	$< 3 \times 10^{-8} \text{ GeV}$	"	[241]*
$ \hat{a}_{\text{of}}^{(3)} $	$< 5 \times 10^{-13} \text{ GeV}$	IceCube meson threshold	[250]*
"	$< 1.9 \times 10^{-7} \text{ GeV}$	"	[18]*

Table D31. Neutrino sector,  $d = 3$  (part 2 of 6)

Combination	Result	System	Ref.
$ (a_L)_{ee}^T $	$< 2 \times 10^{-27}$ GeV	Leptons, $SU(2)_L$ invariance	[239]*
$ (a_L)_{ee}^X $	$< 2 \times 10^{-31}$ GeV	"	[239]*
$ (a_{\text{eff}}^{(3)})_{00}^{ee} $	$< 8.8 \times 10^{-20}$ GeV	SNO	[251]
$ (a_{\text{eff}}^{(3)})_{10}^{ee} $	$< 4.3 \times 10^{-21}$ GeV	"	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{11}^{ee} $	$< 2.3 \times 10^{-21}$ GeV	"	[251]
$ \text{Im}(a_{\text{eff}}^{(3)})_{11}^{ee} $	$< 2.5 \times 10^{-21}$ GeV	"	[251]
$(a_R)_{e\bar{e}}^X$	$(-5 \pm 25) \times 10^{-20}$ GeV	Daya Bay	[252]
$(a_R)_{e\bar{e}}^Y$	$(5 \pm 25) \times 10^{-20}$ GeV	"	[252]
$ (a_{\text{eff}}^{(3)})_{00}^{e\mu} $	$< 9.8 \times 10^{-20}$ GeV	SNO	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{00}^{e\mu} $	$< 1.3 \times 10^{-18}$ GeV	LSND	[18]*
"	$< 1.5 \times 10^{-19}$ GeV	MiniBooNE	[18]*
"	$< 9.2 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ (a_{\text{eff}}^{(3)})_{10}^{e\mu} $	$< 4.2 \times 10^{-21}$ GeV	SNO	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{10}^{e\mu} $	$< 3.8 \times 10^{-18}$ GeV	LSND	[18]*
"	$< 1.1 \times 10^{-19}$ GeV	MiniBooNE	[18]*
"	$< 7.1 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(3)})_{11}^{e\mu} $	$< 2.2 \times 10^{-21}$ GeV	SNO	[251]
"	$< 7.6 \times 10^{-19}$ GeV	LSND	[18]*
"	$< 8.7 \times 10^{-20}$ GeV	MiniBooNE	[18]*
"	$< 8.1 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(a_{\text{eff}}^{(3)})_{11}^{e\mu} $	$< 2.5 \times 10^{-21}$ GeV	SNO	[251]
"	$< 7.6 \times 10^{-19}$ GeV	LSND	[18]*
"	$< 7.2 \times 10^{-20}$ GeV	MiniBooNE	[18]*
"	$< 8.5 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(3)})_{20}^{e\mu} $	$< 1.3 \times 10^{-18}$ GeV	LSND	[18]*
"	$< 2.0 \times 10^{-19}$ GeV	MiniBooNE	[18]*
"	$< 1.2 \times 10^{-19}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(3)})_{21}^{e\mu} $	$< 1.7 \times 10^{-18}$ GeV	LSND	[18]*
"	$< 5.2 \times 10^{-20}$ GeV	MiniBooNE	[18]*
"	$< 4.8 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(a_{\text{eff}}^{(3)})_{21}^{e\mu} $	$< 1.7 \times 10^{-18}$ GeV	LSND	[18]*
"	$< 4.3 \times 10^{-20}$ GeV	MiniBooNE	[18]*
"	$< 5.1 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(3)})_{22}^{e\mu} $	$< 6.9 \times 10^{-19}$ GeV	LSND	[18]*
$ \text{Im}(a_{\text{eff}}^{(3)})_{22}^{e\mu} $	$< 6.9 \times 10^{-19}$ GeV	"	[18]*
$ \hat{a}_{e\mu}^{(3)} $	$< 3.6 \times 10^{-19}$ GeV	"	[18]*
"	$< 4.2 \times 10^{-20}$ GeV	MiniBooNE	[18]*
"	$< 2.6 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[18]*

Table D31. Neutrino sector,  $d = 3$  (part 3 of 6)

Combination	Result	System	Ref.
$(a_R)_{e\bar{\mu}}^X$	$(-3.4 \pm 5.5) \times 10^{-20}$ GeV	Daya Bay	[252]
$(a_R)_{e\bar{\mu}}^Y$	$(-0.3 \pm 5.5) \times 10^{-20}$ GeV	"	[252]
$\text{Re}(a_{e\mu}^T), \text{Im}(a_{e\mu}^T)$	$< 1.8 \times 10^{-23}$ GeV	Super-Kamiokande	[253]
$ \text{Re}(a_L)_{e\mu}^T ,  \text{Im}(a_L)_{e\mu}^T $	$< 4.2 \times 10^{-20}$ GeV	MiniBooNE	[254]
"	$< 2.6 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[254]
$(a_L)_{e\mu}^T$	$(-3.1 \pm 0.9) \times 10^{-20}$ GeV	MiniBooNE	[255]
$(a_L)_{e\bar{\mu}}^T$	$(0.2 \pm 1.0) \times 10^{-19}$ GeV	LSND	[255]
$ \text{Re}(a_L)_{e\mu}^X ,  \text{Im}(a_L)_{e\mu}^X $	$< 1.6 \times 10^{-21}$ GeV	Double Chooz	[256]
"	$< 6.0 \times 10^{-20}$ GeV	MiniBooNE	[254]
"	$< 5.6 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[254]
"	$< 2.2 \times 10^{-20}$ GeV	MINOS	[257]
$(a_L)_{e\mu}^X$	$(0.6 \pm 1.9) \times 10^{-20}$ GeV	MiniBooNE	[255]
$(a_L)_{e\bar{\mu}}^X$	$(4.2 \pm 1.5) \times 10^{-19}$ GeV	LSND	[255]
$ \text{Re}(a_L)_{e\mu}^Y ,  \text{Im}(a_L)_{e\mu}^Y $	$< 6.1 \times 10^{-20}$ GeV	Double Chooz	[256]
"	$< 5.0 \times 10^{-20}$ GeV	MiniBooNE	[254]
"	$< 5.9 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[254]
"	$< 2.2 \times 10^{-20}$ GeV	MINOS	[257]
$(a_L)_{e\mu}^Y$	$(-0.9 \pm 1.8) \times 10^{-20}$ GeV	MiniBooNE	[255]
$(a_L)_{e\bar{\mu}}^Y$	$(-1.7 \pm 1.8) \times 10^{-19}$ GeV	LSND	[255]
$ \text{Re}(a_L)_{e\mu}^Z ,  \text{Im}(a_L)_{e\mu}^Z $	$< 5.6 \times 10^{-20}$ GeV	MiniBooNE	[254]
"	$< 3.5 \times 10^{-20}$ GeV	MiniBooNE $\bar{\nu}$	[254]
$(a_L)_{e\mu}^Z$	$(-4.2 \pm 1.2) \times 10^{-20}$ GeV	MiniBooNE	[255]
$(a_L)_{e\bar{\mu}}^Z$	$(1.0 \pm 5.4) \times 10^{-19}$ GeV	LSND	[255]
$-(a_L)_{e\mu}^T - 0.29(a_L)_{e\mu}^Z$	$(5.8 \pm 1.7) \times 10^{-20}$ GeV	Double Chooz	[258]
$-0.91(a_L)_{e\mu}^X + 0.29(a_L)_{e\mu}^Y$	$(-0.4 \pm 0.7) \times 10^{-20}$ GeV	"	[258]
$0.29(a_L)_{e\mu}^X + 0.91(a_L)_{e\mu}^Y$	$(0.5 \pm 0.8) \times 10^{-20}$ GeV	"	[258]
$ (a_L)_{e\mu}^T + 0.75(a_L)_{e\mu}^Z$ $-0.36[1.22(c_L)_{e\mu}^{TT} + 1.50(c_L)_{e\mu}^{TZ} + 0.34(c_L)_{e\mu}^{ZZ}] \text{ GeV} $	$(3.1 \pm 0.6 \pm 0.9) \times 10^{-20}$ GeV	MiniBooNE	[259]
$ -(a_L)_{e\mu}^T - 0.75(a_L)_{e\mu}^Z$ $-0.60[1.22(c_L)_{e\mu}^{TT} + 1.50(c_L)_{e\mu}^{TZ} + 0.34(c_L)_{e\mu}^{ZZ}] \text{ GeV} $	$(0.1 \pm 0.8 \pm 0.1) \times 10^{-20}$ GeV	"	[259]
$ 0.66(a_L)_{e\mu}^Y$ $-0.36[1.33(c_L)_{e\mu}^{TY} + 0.99(c_L)_{e\mu}^{YZ}] \text{ GeV} $	$(0.6 \pm 0.9 \pm 0.3) \times 10^{-20}$ GeV	"	[259]
$  -0.66(a_L)_{e\mu}^Y$ $-0.60[1.33(c_L)_{e\mu}^{TY} + 0.99(c_L)_{e\mu}^{YZ}] \text{ GeV} $	$(2.4 \pm 1.3 \pm 0.5) \times 10^{-20}$ GeV	"	[259]
$ 0.66(a_L)_{e\mu}^X$ $-0.36[1.33(c_L)_{e\mu}^{TX} + 0.99(c_L)_{e\mu}^{XZ}] \text{ GeV} $	$(0.4 \pm 0.9 \pm 0.4) \times 10^{-20}$ GeV	"	[259]
$  -0.66(a_L)_{e\mu}^X$ $-0.60[1.33(c_L)_{e\mu}^{TX} + 0.99(c_L)_{e\mu}^{XZ}] \text{ GeV} $	$(2.1 \pm 1.2 \pm 0.4) \times 10^{-20}$ GeV	"	[259]

Table D31. Neutrino sector,  $d = 3$  (part 4 of 6)

Combination	Result	System	Ref.
$\mathcal{C}_{\mu e}$	$(-0.3 \pm 3.0) \times 10^{-20}$ GeV	T2K	[260]
$(\mathcal{A}_c)_{\mu e}$	$(0.3 \pm 3.2) \times 10^{-20}$ GeV	"	[260]
$(\mathcal{A}_s)_{\mu e}$	$(0.4 \pm 3.8) \times 10^{-20}$ GeV	"	[260]
$(\mathcal{B}_c)_{\mu e}$	$(-1.2 \pm 2.6) \times 10^{-20}$ GeV	"	[260]
$(\mathcal{B}_s)_{\mu e}$	$(2.0 \pm 3.1) \times 10^{-20}$ GeV	"	[260]
$ (\mathcal{C})_{\bar{e}\bar{\mu}} ^2$	$(10.7 \pm 2.6 \pm 1.3) \times (10^{-19} \text{ GeV})^2$	LSND	[261]
$ (\mathcal{C})_{\bar{e}\bar{\mu}} ^2 + \frac{1}{2} (\mathcal{A}_s)_{\bar{e}\bar{\mu}} ^2 + \frac{1}{2} (\mathcal{A}_c)_{\bar{e}\bar{\mu}} ^2$	$(9.9 \pm 2.3 \pm 1.4) \times (10^{-19} \text{ GeV})^2$	"	[261]
$ (\mathcal{C})_{\bar{e}\bar{\mu}} ^2 + \frac{1}{2} (\mathcal{A}_s)_{\bar{e}\bar{\mu}} ^2 + \frac{1}{2} (\mathcal{A}_c)_{\bar{e}\bar{\mu}} ^2 + \frac{1}{2} (\mathcal{B}_s)_{\bar{e}\bar{\mu}} ^2 + \frac{1}{2} (\mathcal{B}_c)_{\bar{e}\bar{\mu}} ^2$	$(10.5 \pm 2.4 \pm 1.4) \times (10^{-19} \text{ GeV})^2$	"	[261]
$ (a_{\text{eff}}^{(3)})_{00}^{e\tau} $	$< 6.5 \times 10^{-20}$ GeV	SNO	[251]
$ (a_{\text{eff}}^{(3)})_{10}^{e\tau} $	$< 2.8 \times 10^{-21}$ GeV	"	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{11}^{e\tau} $	$< 1.5 \times 10^{-21}$ GeV	"	[251]
$ \text{Im}(a_{\text{eff}}^{(3)})_{11}^{e\tau} $	$< 1.7 \times 10^{-21}$ GeV	"	[251]
$(a_R)_{\bar{e}\bar{\tau}}^X$	$(-5.6 \pm 8.0) \times 10^{-20}$ GeV	Daya Bay	[252]
$(a_R)_{\bar{e}\bar{\tau}}^Y$	$(-0.9 \pm 8.0) \times 10^{-20}$ GeV	"	[252]
$\text{Re}(a_{e\tau}^T)$	$< 4.1 \times 10^{-23}$ GeV	Super-Kamiokande	[253]
$\text{Im}(a_{e\tau}^T)$	$< 2.8 \times 10^{-23}$ GeV	"	[253]
$ \text{Re}(a_L)_{e\tau}^T ,  \text{Im}(a_L)_{e\tau}^T $	$< 7.8 \times 10^{-20}$ GeV	Double Chooz	[256]
$ \text{Re}(a_L)_{e\tau}^X ,  \text{Im}(a_L)_{e\tau}^X $	$< 4.4 \times 10^{-20}$ GeV	"	[256]
$ \text{Re}(a_L)_{e\tau}^Y ,  \text{Im}(a_L)_{e\tau}^Y $	$< 9.0 \times 10^{-20}$ GeV	"	[256]
$ \text{Re}(a_L)_{e\tau}^Z ,  \text{Im}(a_L)_{e\tau}^Z $	$< 2.7 \times 10^{-19}$ GeV	"	[256]
$ (a_L)_{e\tau}^T - 0.29(a_L)_{e\tau}^Z + 0.0042[-1.46(c_L)_{e\tau}^{TT} - 0.57(c_L)_{e\tau}^{TZ} + 0.38(c_L)_{e\tau}^{ZZ}] \text{ GeV} $	$< 7.8 \times 10^{-20}$ GeV	"	[258]
$ -0.91(a_L)_{e\tau}^X + 0.29(a_L)_{e\tau}^Y + 0.0042[-1.83(c_L)_{e\tau}^{TX} + 0.58(c_L)_{e\tau}^{TY} - 0.52(c_L)_{e\tau}^{XZ} + 0.16(c_L)_{e\tau}^{YZ}] \text{ GeV} $	$< 6.6 \times 10^{-20}$ GeV	"	[258]
$ 0.29(a_L)_{e\tau}^X + 0.91(a_L)_{e\tau}^Y + 0.0042[0.58(c_L)_{e\tau}^{TX} + 1.83(c_L)_{e\tau}^{TY} + 0.16(c_L)_{e\tau}^{XZ} + 0.52(c_L)_{e\tau}^{YZ}] \text{ GeV} $	$< 7.0 \times 10^{-20}$ GeV	"	[258]
$ 0.0042[0.26((c_L)_{e\tau}^{XX} - (c_L)_{e\tau}^{YY}) + 0.75(c_L)_{e\tau}^{XY}] \text{ GeV} $	$< 5.4 \times 10^{-20}$ GeV	"	[258]
$ 0.0042[0.38((c_L)_{e\tau}^{XX} - (c_L)_{e\tau}^{YY}) - 0.53(c_L)_{e\tau}^{XY}] \text{ GeV} $	$< 5.4 \times 10^{-20}$ GeV	"	[258]
$ (a_L)_{\mu\mu}^T $	$< 2 \times 10^{-7}$ GeV	Leptons, SU(2) <sub>L</sub> invariance	[239]*
$ (a_L)_{\mu\mu}^X $	$< 4 \times 10^{-23}$ GeV	"	[239]*
$ (a_{\text{eff}}^{(3)})_{00}^{\mu\mu} $	$< 8.2 \times 10^{-20}$ GeV	SNO	[251]
$ (a_{\text{eff}}^{(3)})_{10}^{\mu\mu} $	$< 5.4 \times 10^{-21}$ GeV	"	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{11}^{\mu\mu} $	$< 2.9 \times 10^{-21}$ GeV	"	[251]
$ \text{Im}(a_{\text{eff}}^{(3)})_{11}^{\mu\mu} $	$< 3.2 \times 10^{-21}$ GeV	"	[251]
$(a_R)_{\bar{\mu}\bar{\mu}}^X$	$(9 \pm 45) \times 10^{-20}$ GeV	Daya Bay	[252]
$(a_R)_{\bar{\mu}\bar{\mu}}^Y$	$(-9 \pm 45) \times 10^{-20}$ GeV	"	[252]
$ (a_L)_{\mu\mu}^0 - (a_L)_{\tau\tau}^0 $	$< 1.9 \times 10^{-23}$ GeV	Super-Kamiokande	[262]*
$ (a_L)_{\mu\mu}^X ,  (a_L)_{\mu\mu}^Y $	$< 4.8 \times 10^{-20}$ GeV	T2K	[263]
$ (a_L)_{\mu\mu}^0 - (a_L)_{\tau\tau}^0 $	$< 6.3 \times 10^{-24}$ GeV	Super-Kamiokande	[264]*

Table D31. Neutrino sector,  $d = 3$  (part 5 of 6)

Combination	Result	System	Ref.
$ (a_{\text{eff}}^{(3)})_{00}^{\mu\tau} $	$< 7.5 \times 10^{-20}$ GeV	SNO	[251]
$ (a_{\text{eff}}^{(3)})_{10}^{\mu\tau} $	$< 5.1 \times 10^{-21}$ GeV	"	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{11}^{\mu\tau} $	$< 2.8 \times 10^{-21}$ GeV	"	[251]
$ \text{Im}(a_{\text{eff}}^{(3)})_{11}^{\mu\tau} $	$< 3.1 \times 10^{-21}$ GeV	"	[251]
$ \text{Re} \hat{a}_{\mu\tau}^{(3)} ,  \text{Im} \hat{a}_{\mu\tau}^{(3)} $	$< 2.0 \times 10^{-24}$ GeV	IceCube	[265]
$(a_R)_{\mu\bar{\tau}}^X$	$(10 \pm 51) \times 10^{-20}$ GeV	Daya Bay	[252]
$(a_R)_{\mu\bar{\tau}}^Y$	$(-9 \pm 51) \times 10^{-20}$ GeV	"	[252]
$ (a_L)_{\mu\tau}^0 $	$< 4.3 \times 10^{-24}$ GeV	Super-Kamiokande	[262]*
$(a_L)_{\mu\tau}^0$	$(-2.3 \text{ to } 2.1) \times 10^{-24}$ GeV	IceCube	[262]*
$ \text{Re}(a_L)_{\mu\tau}^0 $	$< 1.4 \times 10^{-24}$ GeV	Super-Kamiokande	[264]*
$\text{Re}(a_L)_{\mu\tau}^0$	$(-1.95 \text{ to } 0.683) \times 10^{-23}$ GeV	MINOS	[264]*
$\text{Re}(a_{\mu\tau}^T)$	$< 6.5 \times 10^{-24}$ GeV	Super-Kamiokande	[253]
$\text{Im}(a_{\mu\tau}^T)$	$< 5.1 \times 10^{-24}$ GeV	"	[253]
$\text{Re}(a_{\mu\tau})$	$< 4.1 \times 10^{-24}$ GeV	"	[266]
$\text{Im}(a_{\mu\tau})$	$< 5.1 \times 10^{-24}$ GeV	"	[266]
$ \text{Re}(a_L)_{\mu\tau}^X $	$< 5.9 \times 10^{-23}$ GeV	MINOS	[257]
$ \text{Im}(a_L)_{\mu\tau}^X $	$< 2.2 \times 10^{-20}$ GeV	"	[257]
$ (a_L)_{\mu\tau}^X $	$< 1.8 \times 10^{-23}$ GeV	IceCube	[267]
"	$< 5.9 \times 10^{-23}$ GeV	MINOS FD	[268]
$ \text{Re}(a_L)_{\mu\tau}^Y $	$< 6.1 \times 10^{-23}$ GeV	MINOS	[257]
$ \text{Im}(a_L)_{\mu\tau}^Y $	$< 2.2 \times 10^{-20}$ GeV	"	[257]
$ (a_L)_{\mu\tau}^Y $	$< 1.8 \times 10^{-23}$ GeV	IceCube	[267]
"	$< 6.1 \times 10^{-23}$ GeV	MINOS FD	[268]
$\mathcal{C}_{\mu\tau}$	$(-0.8 \pm 3.0) \times 10^{-20}$ GeV	T2K	[260]
$(\mathcal{A}_c)_{\mu\tau}$	$(-0.4 \pm 3.2) \times 10^{-20}$ GeV	"	[260]
$(\mathcal{A}_s)_{\mu\tau}$	$(-3.2 \pm 3.8) \times 10^{-20}$ GeV	"	[260]
$(\mathcal{B}_c)_{\mu\tau}$	$(-0.4 \pm 2.6) \times 10^{-20}$ GeV	"	[260]
$(\mathcal{B}_s)_{\mu\tau}$	$(1.1 \pm 3.1) \times 10^{-20}$ GeV	"	[260]
$ a_L^X ,  a_L^Y $	$< 3.0 \times 10^{-20}$ GeV	MINOS ND	[269]
$a \cos \rho$	excluded	Multiple	[270]*
$a \sin \rho \hat{n}$	excluded	"	[270]*
$b$	$< 1.6 \times 10^{-23}$ GeV	Atmospheric	[271]
$\check{a}/\check{c}$	$< 5$ GeV	"	[271]
$\text{Re} \hat{a}_{\tau\bar{\tau}}^{(3)}$	$< 2 \times 10^{-26}$ GeV	IceCube	[272]
$ (a_L)_{\tau\bar{\tau}}^T $	$< 2 \times 10^{-10}$ GeV	Leptons, $\text{SU}(2)_L$ invariance	[239]*
$ (a_L)_{\tau\bar{\tau}}^X $	$< 2 \times 10^{-10}$ GeV	"	[239]*
$ (a_{\text{eff}}^{(3)})_{00}^{\tau\tau} $	$< 2.7 \times 10^{-19}$ GeV	SNO	[251]
$ (a_{\text{eff}}^{(3)})_{10}^{\tau\tau} $	$< 2.0 \times 10^{-20}$ GeV	"	[251]
$ \text{Re}(a_{\text{eff}}^{(3)})_{11}^{\tau\tau} $	$< 1.1 \times 10^{-20}$ GeV	"	[251]
$ \text{Im}(a_{\text{eff}}^{(3)})_{11}^{\tau\tau} $	$< 1.2 \times 10^{-20}$ GeV	"	[251]
$(a_R)_{\bar{\tau}\bar{\tau}}^X$	$(13 \pm 58) \times 10^{-20}$ GeV	Daya Bay	[252]
$(a_R)_{\bar{\tau}\bar{\tau}}^Y$	$(-10 \pm 58) \times 10^{-20}$ GeV	"	[252]

Table D31. Neutrino sector,  $d = 3$  (part 6 of 6)

Combination	Result	System	Ref.
$ \text{Re } \tilde{H}_{e\bar{\mu}}^X ,  \text{Im } \tilde{H}_{e\bar{\mu}}^X $	$< 3.3 \times 10^{-21}$ GeV	MINOS FD	[273]
$ \text{Re } \tilde{H}_{e\bar{\mu}}^Y ,  \text{Im } \tilde{H}_{e\bar{\mu}}^Y $	$< 3.3 \times 10^{-21}$ GeV	"	[273]
$ \text{Re } \tilde{H}_{e\bar{\mu}}^Z ,  \text{Im } \tilde{H}_{e\bar{\mu}}^Z $	$< 1.4 \times 10^{-19}$ GeV	Double Chooz	[274]
$ \text{Re } \tilde{H}_{e\bar{\tau}}^X ,  \text{Im } \tilde{H}_{e\bar{\tau}}^X $	$< 3.4 \times 10^{-21}$ GeV	MINOS FD	[273]
$ \text{Re } \tilde{H}_{e\bar{\tau}}^Y ,  \text{Im } \tilde{H}_{e\bar{\tau}}^Y $	$< 3.6 \times 10^{-21}$ GeV	"	[273]
$ \text{Re } \tilde{H}_{e\bar{\tau}}^Z ,  \text{Im } \tilde{H}_{e\bar{\tau}}^Z $	$< 1.4 \times 10^{-19}$ GeV	Double Chooz	[274]
$ \text{Re } \tilde{H}_{\mu\bar{\tau}}^X ,  \text{Im } \tilde{H}_{\mu\bar{\tau}}^X $	$< 1.1 \times 10^{-22}$ GeV	MINOS FD	[273]
$ \text{Re } \tilde{H}_{\mu\bar{\tau}}^Y ,  \text{Im } \tilde{H}_{\mu\bar{\tau}}^Y $	$< 1.0 \times 10^{-22}$ GeV	"	[273]
$ \text{Re } \tilde{H}_{\mu\bar{\tau}}^Z ,  \text{Im } \tilde{H}_{\mu\bar{\tau}}^Z $	$< 1.7 \times 10^{-18}$ GeV	Double Chooz	[274]

Table D32. Neutrino sector,  $d = 4$  (part 1 of 13)

Combination	Result	System	Ref.
$(c_{\text{of}}^{(4)})_{00}$	$> -4 \times 10^{-19}$	IceCube	[275]*
$ (c_{\text{of}}^{(4)})_{00} $	$< 7.1 \times 10^{-9}$	SN1987A time of flight	[18]*
"	$< 1.4 \times 10^{-4}$	Fermilab time of flight	[18]*
$(c_{\text{of}}^{(4)})_{00}$	$-8.4 \pm 1.1_{-0.9}^{+1.2} \times 10^{-5}$	OPERA time of flight	[18]*
"	$-1.8 \pm 1.0 \times 10^{-4}$	MINOS time of flight	[18]*
$(c_{\text{of}}^{(4)})_{10}$	$(-1 \text{ to } 4) \times 10^{-17}$	IceCube	[275]*
$ (c_{\text{of}}^{(4)})_{10} $	$< 4.4 \times 10^{-9}$	SN1987A time of flight	[18]*
"	$< 1.6 \times 10^{-4}$	Fermilab time of flight	[18]*
$(c_{\text{of}}^{(4)})_{10}$	$11.8 \pm 1.6_{-1.2}^{+1.7} \times 10^{-5}$	OPERA time of flight	[18]*
"	$-1.6 \pm 0.9 \times 10^{-4}$	MINOS time of flight	[18]*
$\text{Re } (c_{\text{of}}^{(4)})_{11}$	$(-3 \text{ to } 2) \times 10^{-17}$	IceCube	[275]*
$ \text{Re } (c_{\text{of}}^{(4)})_{11} $	$< 7.7 \times 10^{-8}$	SN1987A time of flight	[18]*
$\text{Im } (c_{\text{of}}^{(4)})_{11}$	$(-2 \text{ to } 2) \times 10^{-17}$	IceCube	[275]*
$ \text{Im } (c_{\text{of}}^{(4)})_{11} $	$< 8.2 \times 10^{-9}$	SN1987A time of flight	[18]*
$(c_{\text{of}}^{(4)})_{20}$	$(-1 \text{ to } 7) \times 10^{-17}$	IceCube	[275]*
$ (c_{\text{of}}^{(4)})_{20} $	$< 3.9 \times 10^{-9}$	SN1987A time of flight	[18]*
"	$< 6.2 \times 10^{-4}$	Fermilab time of flight	[18]*
$(c_{\text{of}}^{(4)})_{20}$	$15.2 \pm 2.1_{-1.5}^{+2.2} \times 10^{-5}$	OPERA time of flight	[18]*
"	$-5.6 \pm 3.2 \times 10^{-4}$	MINOS time of flight	[18]*
$\text{Re } (c_{\text{of}}^{(4)})_{21}$	$(-2 \text{ to } 3) \times 10^{-17}$	IceCube	[275]*
$ \text{Re } (c_{\text{of}}^{(4)})_{21} $	$< 3.7 \times 10^{-8}$	SN1987A time of flight	[18]*
$\text{Im } (c_{\text{of}}^{(4)})_{21}$	$(-2 \text{ to } 5) \times 10^{-17}$	IceCube	[275]*
$ \text{Im } (c_{\text{of}}^{(4)})_{21} $	$< 3.9 \times 10^{-9}$	SN1987A time of flight	[18]*
$\text{Re } (c_{\text{of}}^{(4)})_{22}$	$(-5 \text{ to } 2) \times 10^{-17}$	IceCube	[275]*
$ \text{Re } (c_{\text{of}}^{(4)})_{22} $	$< 2.1 \times 10^{-8}$	SN1987A time of flight	[18]*
$\text{Im } (c_{\text{of}}^{(4)})_{22}$	$(-3 \text{ to } 4) \times 10^{-17}$	IceCube	[275]*
$ \text{Im } (c_{\text{of}}^{(4)})_{22} $	$< 9.8 \times 10^{-8}$	SN1987A time of flight	[18]*



Table D32. Neutrino sector,  $d = 4$  (part 2 of 13)

Combination	Result	System	Ref.
$\tilde{c}^{(4)}$	$> -5.2 \times 10^{-21}$	IceCube	[276]*
"	$> -2 \times 10^{-12}$	Atmospheric threshold	[275]*
"	$> -3 \times 10^{-13}$	Atmospheric Čerenkov	[275]*
"	$> -5 \times 10^{-19}$	Astrophysical Čerenkov	[275]*
"	$> -3 \times 10^{-19}$	IceCube	[277]*
$ \tilde{c}^{(4)} $	$< 2.0 \times 10^{-9}$	SN1987A time of flight	[18]*
"	$< 4.0 \times 10^{-5}$	Fermilab time of flight	[18]*
$\tilde{c}^{(4)}$	$-23.7 \pm 3.2^{+3.4}_{-2.4} \times 10^{-6}$	OPERA time of flight	[18]*
"	$-5.1 \pm 2.9 \times 10^{-5}$	MINOS time of flight	[18]*
"	$> -4.7 \times 10^{-13}$	IceCube meson threshold	[18]*
"	$> -10^{-12}$	"	[278]*, [18]*
"	$> -4 \times 10^{-15}$	"	[279]*, [18]*
"	$> -3 \times 10^{-5}$	17 GeV, Čerenkov emission	[18]*
"	$> -6 \times 10^{-6}$	43 GeV, Čerenkov emission	[18]*
"	$> -3 \times 10^{-11}$	100 TeV, Čerenkov emission	[18]*
"	$> -8.5 \times 10^{-12}$	"	[280]*, [18]*
"	$> -2 \times 10^{-8}$	ICARUS, Čerenkov emission	[281], [18]*
$ (c_L)_{(TX)} $	$< 2.3 \times 10^{-5}$	Pion decay	[282]*
$ (c_L)_{(TY)} $	$< 2.3 \times 10^{-5}$	"	[282]*
$ (c_L)_- $	$< 5.4 \times 10^{-5}$	"	[282]*
$ (c_L)_{(XY)} $	$< 5.4 \times 10^{-5}$	"	[282]*
$ (c_L)_{(XZ)} $	$< 4.0 \times 10^{-5}$	"	[282]*
$ (c_L)_{(YZ)} $	$< 4.0 \times 10^{-5}$	"	[282]*
$(c_L^{\nu e})_{00}$	$< 2 \times 10^{-11}$	Cosmic rays	[283]*
$c$	excluded	Multiple	[270]*
"	$< 1.4 \times 10^{-26}$	Atmospheric	[271]
$ (c_L)_{ee}^{TX} $	$< 1 \times 10^{-15}$	Leptons, SU(2) <sub>L</sub> invariance	[239]*
$ (c_L)_{ee}^{XX} $	$< 2 \times 10^{-17}$	"	[239]*
$ (c_{\text{eff}}^{(4)})_{00}^{ee} $	$< 2.3 \times 10^{-18}$	SNO	[251]
$ (c_{\text{eff}}^{(4)})_{10}^{ee} $	$< 3.9 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{11}^{ee} $	$< 2.0 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{11}^{ee} $	$< 2.2 \times 10^{-19}$	"	[251]
$ (c_{\text{eff}}^{(4)})_{20}^{ee} $	$< 1.1 \times 10^{-18}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{21}^{ee} $	$< 6.1 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{21}^{ee} $	$< 6.4 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{22}^{ee} $	$< 2.5 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{22}^{ee} $	$< 2.6 \times 10^{-19}$	"	[251]
$(c_R)_{\bar{e}\bar{e}}^{XY}$	$(6 \pm 23) \times 10^{-18}$	Daya Bay	[252]
$(c_R)_{\bar{e}\bar{e}}^{XZ}$	$(-20 \pm 70) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{e}}^{YZ}$	$(-10 \pm 70) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{e}}^{XX} - (c_R)_{\bar{e}\bar{e}}^{YY}$	$(13 \pm 46) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{e}}^{TX}$	$(-15 \pm 55) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{e}}^{TY}$	$(2 \pm 55) \times 10^{-18}$	"	[252]

Table D32. Neutrino sector,  $d = 4$  (part 3 of 13)

Combination	Result	System	Ref.
$ (c_{\text{eff}}^{(4)})_{00}^{e\mu} $	$< 2.5 \times 10^{-18}$	SNO	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{00}^{e\mu} $	$< 3.2 \times 10^{-17}$	LSND	[18]*
"	$< 4.1 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 1.5 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[18]*
$ (c_{\text{eff}}^{(4)})_{10}^{e\mu} $	$< 3.7 \times 10^{-19}$	SNO	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{10}^{e\mu} $	$< 9.6 \times 10^{-17}$	LSND	[18]*
"	$< 3.2 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 1.2 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(4)})_{11}^{e\mu} $	$< 2.0 \times 10^{-19}$	SNO	[251]
"	$< 1.9 \times 10^{-17}$	LSND	[18]*
"	$< 2.4 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 1.3 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(4)})_{11}^{e\mu} $	$< 2.2 \times 10^{-19}$	SNO	[251]
"	$< 1.9 \times 10^{-17}$	LSND	[18]*
"	$< 2.0 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 1.4 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[18]*
$ (c_{\text{eff}}^{(4)})_{20}^{e\mu} $	$< 1.1 \times 10^{-18}$	SNO	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{20}^{e\mu} $	$< 3.3 \times 10^{-17}$	LSND	[18]*
"	$< 5.5 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 2.0 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(4)})_{21}^{e\mu} $	$< 6.1 \times 10^{-19}$	SNO	[251]
"	$< 4.4 \times 10^{-17}$	LSND	[18]*
"	$< 1.4 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 8.0 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(4)})_{21}^{e\mu} $	$< 6.3 \times 10^{-19}$	SNO	[251]
"	$< 4.4 \times 10^{-17}$	LSND	[18]*
"	$< 1.2 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 8.5 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(4)})_{22}^{e\mu} $	$< 2.4 \times 10^{-19}$	SNO	[251]
"	$< 1.7 \times 10^{-17}$	LSND	[18]*
$ \text{Im}(c_{\text{eff}}^{(4)})_{22}^{e\mu} $	$< 2.6 \times 10^{-19}$	SNO	[251]
"	$< 1.7 \times 10^{-17}$	LSND	[18]*
$ \text{Re}(c_{\text{eff}}^{(4)})_{30}^{e\mu} $	$< 4.5 \times 10^{-17}$	LSND	[18]*
"	$< 2.0 \times 10^{-18}$	MiniBooNE	[18]*
"	$< 7.6 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(4)})_{31}^{e\mu} $	$< 2.5 \times 10^{-17}$	LSND	[18]*
"	$< 1.4 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 8.0 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(4)})_{31}^{e\mu} $	$< 2.5 \times 10^{-17}$	LSND	[18]*
"	$< 1.2 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 8.4 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(4)})_{32}^{e\mu} $	$< 3.4 \times 10^{-17}$	LSND	[18]*
$ \text{Im}(c_{\text{eff}}^{(4)})_{32}^{e\mu} $	$< 3.4 \times 10^{-17}$	LSND	[18]*
$ \hat{c}_{e\mu}^{(4)} $	$< 9.1 \times 10^{-18}$	LSND	[18]*
"	$< 1.2 \times 10^{-19}$	MiniBooNE	[18]*
"	$< 4.3 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[18]*

Table D32. Neutrino sector,  $d = 4$  (part 4 of 13)

Combination	Result	System	Ref.
$(c_R)_{\bar{e}\bar{\mu}}^{XY}$	$(1.0 \pm 4.1) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{e\mu}^{XY} ,  \text{Im}(c_L)_{e\mu}^{XY} $	$< 2.2 \times 10^{-21}$	MINOS	[257]
$(c_R)_{\bar{e}\bar{\mu}}^{XZ}$	$(-2.1 \pm 6.8) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{e\mu}^{XZ} ,  \text{Im}(c_L)_{e\mu}^{XZ} $	$< 1.1 \times 10^{-19}$	MiniBooNE	[254]
"	$< 6.2 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[254]
"	$< 1.1 \times 10^{-21}$	MINOS	[257]
$(c_L)_{e\mu}^{XZ}$	$(-1.1 \pm 3.7) \times 10^{-20}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{XZ}$	$(-2.7 \pm 1.0) \times 10^{-17}$	LSND	[255]
$(c_R)_{\bar{e}\bar{\mu}}^{YZ}$	$(-1.4 \pm 6.8) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{e\mu}^{YZ} ,  \text{Im}(c_L)_{e\mu}^{YZ} $	$< 9.2 \times 10^{-20}$	MiniBooNE	[254]
"	$< 6.5 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[254]
"	$< 1.1 \times 10^{-21}$	MINOS	[257]
$(c_L)_{e\mu}^{YZ}$	$(1.7 \pm 3.4) \times 10^{-20}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{YZ}$	$(1.1 \pm 1.2) \times 10^{-17}$	LSND	[255]
$(c_R)_{\bar{e}\bar{\mu}}^{XX} - (c_R)_{\bar{e}\bar{\mu}}^{YY}$	$(1.0 \pm 8.2) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{e\mu}^{XX} ,  \text{Im}(c_L)_{e\mu}^{XX} $	$< 4.6 \times 10^{-21}$	MINOS	[257]
$ \text{Re}(c_L)_{e\mu}^{YY} ,  \text{Im}(c_L)_{e\mu}^{YY} $	$< 4.5 \times 10^{-21}$	MINOS	[257]
$ \text{Re}(c_L)_{e\mu}^{ZZ} ,  \text{Im}(c_L)_{e\mu}^{ZZ} $	$< 3.4 \times 10^{-19}$	MiniBooNE	[254]
"	$< 1.3 \times 10^{-19}$	MiniBooNE $\bar{\nu}$	[254]
$(c_L)_{e\mu}^{ZZ}$	$(2.6 \pm 0.8) \times 10^{-19}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{ZZ}$	$(-1.1 \pm 5.9) \times 10^{-18}$	LSND	[255]
$\text{Re}(c_{e\mu}^{TT}), \text{Im}(c_{e\mu}^{TT})$	$< 1.1 \times 10^{-18}$	Super-Kamiokande	[253]
$ \text{Re}(c_L)_{e\mu}^{TT} ,  \text{Im}(c_L)_{e\mu}^{TT} $	$< 9.6 \times 10^{-20}$	MiniBooNE	[254]
"	$< 3.6 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[254]
$(c_L)_{e\mu}^{TT}$	$(7.2 \pm 2.1) \times 10^{-20}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{TT}$	$(0.3 \pm 1.8) \times 10^{-18}$	LSND	[255]
$(c_R)_{\bar{e}\bar{\mu}}^{TX}$	$(-4.5 \pm 7.1) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{e\mu}^{TX} ,  \text{Im}(c_L)_{e\mu}^{TX} $	$< 8.4 \times 10^{-20}$	MiniBooNE	[254]
"	$< 4.6 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[254]
"	$< 9.0 \times 10^{-23}$	MINOS	[257]
$(c_L)_{e\mu}^{TX}$	$(-0.9 \pm 2.8) \times 10^{-20}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{TX}$	$(-5.2 \pm 1.9) \times 10^{-18}$	LSND	[255]
$(c_R)_{\bar{e}\bar{\mu}}^{TY}$	$(-0.9 \pm 7.1) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{e\mu}^{TY} ,  \text{Im}(c_L)_{e\mu}^{TY} $	$< 6.9 \times 10^{-20}$	MiniBooNE	[254]
"	$< 4.9 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[254]
"	$< 9.0 \times 10^{-23}$	MINOS	[257]
$(c_L)_{e\mu}^{TY}$	$(1.3 \pm 2.6) \times 10^{-20}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{TY}$	$(2.1 \pm 2.2) \times 10^{-18}$	LSND	[255]
$ \text{Re}(c_L)_{e\mu}^{TZ} ,  \text{Im}(c_L)_{e\mu}^{TZ} $	$< 7.8 \times 10^{-20}$	MiniBooNE	[254]
"	$< 2.9 \times 10^{-20}$	MiniBooNE $\bar{\nu}$	[254]
$(c_L)_{e\mu}^{TZ}$	$(5.9 \pm 1.7) \times 10^{-20}$	MiniBooNE	[255]
$(c_L)_{\bar{e}\bar{\mu}}^{TZ}$	$(1.3 \pm 6.7) \times 10^{-18}$	LSND	[255]

Table D32. Neutrino sector,  $d = 4$  (part 5 of 13)

Combination	Result	System	Ref.
$ (c_{\text{eff}}^{(4)})_{00}^{e\tau} $	$< 1.6 \times 10^{-18}$	SNO	[251]
$ (c_{\text{eff}}^{(4)})_{10}^{e\tau} $	$< 2.5 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{11}^{e\tau} $	$< 1.3 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{11}^{e\tau} $	$< 1.5 \times 10^{-19}$	"	[251]
$ (c_{\text{eff}}^{(4)})_{20}^{e\tau} $	$< 7.4 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{21}^{e\tau} $	$< 4.0 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{21}^{e\tau} $	$< 4.2 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{22}^{e\tau} $	$< 1.6 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{22}^{e\tau} $	$< 1.7 \times 10^{-19}$	"	[251]
$(c_R)_{\bar{e}\bar{\tau}}^{XY}$	$(1.3 \pm 5.3) \times 10^{-18}$	Daya Bay	[252]
$(c_R)_{\bar{e}\bar{\tau}}^{XZ}$	$(-2.7 \pm 8.4) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{\tau}}^{YZ}$	$(-1.9 \pm 8.4) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{\tau}}^{XX} - (c_R)_{\bar{e}\bar{\tau}}^{YY}$	$(0.9 \pm 10.5) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{\tau}}^{TX}$	$(-6.9 \pm 9.7) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{e}\bar{\tau}}^{TY}$	$(-1.6 \pm 9.7) \times 10^{-18}$	"	[252]
$\text{Re}(c_{e\tau}^{TT})$	$< 1.2 \times 10^{-24}$	Super-Kamiokande	[253]
$\text{Im}(c_{e\tau}^{TT})$	$< 1.4 \times 10^{-24}$	"	[253]
$ \text{Re}(c_L)_{e\tau}^{XY} ,  \text{Im}(c_L)_{e\tau}^{XY} $	$< 3.4 \times 10^{-18}$	Double Chooz	[256]
$ \text{Re}(c_L)_{e\tau}^{XZ} ,  \text{Im}(c_L)_{e\tau}^{XZ} $	$< 1.8 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{YZ} ,  \text{Im}(c_L)_{e\tau}^{YZ} $	$< 3.8 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{XX} ,  \text{Im}(c_L)_{e\tau}^{XX} $	$< 3.9 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{YY} ,  \text{Im}(c_L)_{e\tau}^{YY} $	$< 3.9 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{ZZ} ,  \text{Im}(c_L)_{e\tau}^{ZZ} $	$< 4.9 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{TT} ,  \text{Im}(c_L)_{e\tau}^{TT} $	$< 1.3 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{TX} ,  \text{Im}(c_L)_{e\tau}^{TX} $	$< 5.2 \times 10^{-18}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{TY} ,  \text{Im}(c_L)_{e\tau}^{TY} $	$< 1.1 \times 10^{-17}$	"	[256]
$ \text{Re}(c_L)_{e\tau}^{TZ} ,  \text{Im}(c_L)_{e\tau}^{TZ} $	$< 3.2 \times 10^{-17}$	"	[256]
$ (c_L)_{\mu\mu}^{TX} $	$< 1 \times 10^{-11}$	Leptons, SU(2) <sub>L</sub> invariance	[239]*
$ (c_{\text{eff}}^{(4)})_{00}^{\mu\mu} $	$< 2.9 \times 10^{-18}$	SNO	[251]
$ (c_{\text{eff}}^{(4)})_{10}^{\mu\mu} $	$< 4.8 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{11}^{\mu\mu} $	$< 2.6 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{11}^{\mu\mu} $	$< 2.8 \times 10^{-19}$	"	[251]
$ (c_{\text{eff}}^{(4)})_{20}^{\mu\mu} $	$< 1.4 \times 10^{-18}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{21}^{\mu\mu} $	$< 7.7 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{21}^{\mu\mu} $	$< 8.1 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{22}^{\mu\mu} $	$< 3.1 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{22}^{\mu\mu} $	$< 3.3 \times 10^{-19}$	"	[251]
$(c_R)_{\bar{\mu}\bar{\mu}}^{XY}$	$(-11 \pm 42) \times 10^{-18}$	Daya Bay	[252]
$(c_R)_{\bar{\mu}\bar{\mu}}^{XZ}$	$(36 \pm 128) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\mu}\bar{\mu}}^{YZ}$	$(19 \pm 128) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\mu}\bar{\mu}}^{XX} - (c_R)_{\bar{\mu}\bar{\mu}}^{YY}$	$(-24 \pm 84) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\mu}\bar{\mu}}^{TX}$	$(26 \pm 99) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\mu}\bar{\mu}}^{TY}$	$(-3 \pm 99) \times 10^{-18}$	"	[252]
$(c_L)_{\mu\mu}^{TX}, (c_L)_{\mu\mu}^{TY}$	$< 9 \times 10^{-21}$	T2K	[263]
$(c_L)_{\mu\mu}^{XX}, (c_L)_{\mu\mu}^{YY}$	$< 3.8 \times 10^{-20}$	"	[263]
$(c_L)_{\mu\mu}^{XZ}, (c_L)_{\mu\mu}^{YZ}$	$< 3.1 \times 10^{-20}$	"	[263]
$(c_L)_{\mu\mu}^{XY}$	$< 1.6 \times 10^{-20}$	"	[263]

Table D32. Neutrino sector,  $d = 4$  (part 6 of 13)

Combination	Result	System	Ref.
$ (c_{\text{eff}}^{(4)})_{00}^{\mu\tau} $	$< 2.7 \times 10^{-18}$	SNO	[251]
$ (c_{\text{eff}}^{(4)})_{10}^{\mu\tau} $	$< 4.5 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{11}^{\mu\tau} $	$< 2.5 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{11}^{\mu\tau} $	$< 2.7 \times 10^{-19}$	"	[251]
$ (c_{\text{eff}}^{(4)})_{20}^{\mu\tau} $	$< 1.4 \times 10^{-18}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{21}^{\mu\tau} $	$< 7.2 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{21}^{\mu\tau} $	$< 7.7 \times 10^{-19}$	"	[251]
$ \text{Re}(c_{\text{eff}}^{(4)})_{22}^{\mu\tau} $	$< 3.0 \times 10^{-19}$	"	[251]
$ \text{Im}(c_{\text{eff}}^{(4)})_{22}^{\mu\tau} $	$< 3.1 \times 10^{-19}$	"	[251]
$ \text{Re}\hat{c}_{\mu\tau}^{(4)} ,  \text{Im}\hat{c}_{\mu\tau}^{(4)} $	$< 2.7 \times 10^{-28}$	IceCube	[265]
$(c_R)_{\bar{\mu}\bar{\tau}}^{XY}$	$(-12 \pm 46) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{\mu\tau}^{XY} $	$< 1.2 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{XY} $	$< 2.2 \times 10^{-21}$	"	[257]
$ (c_L)_{\mu\tau}^{XY} $	$< 1.2 \times 10^{-23}$	MINOS FD	[268]
$(c_R)_{\bar{\mu}\bar{\tau}}^{XZ}$	$(39 \pm 139) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{\mu\tau}^{XZ} $	$< 0.7 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{XZ} $	$< 1.1 \times 10^{-21}$	"	[257]
$ (c_L)_{\mu\tau}^{XZ} $	$< 0.7 \times 10^{-23}$	MINOS FD	[268]
$(c_R)_{\bar{\mu}\bar{\tau}}^{YZ}$	$(21 \pm 139) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{\mu\tau}^{YZ} $	$< 0.7 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{YZ} $	$< 1.1 \times 10^{-21}$	"	[257]
$ (c_L)_{\mu\tau}^{YZ} $	$< 0.7 \times 10^{-23}$	MINOS FD	[268]
$(c_R)_{\bar{\mu}\bar{\tau}}^{XX} - (c_R)_{\bar{\mu}\bar{\tau}}^{YY}$	$(-26 \pm 92) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{\mu\tau}^{XX} $	$< 2.5 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{XX} $	$< 4.6 \times 10^{-21}$	"	[257]
$ (c_L)_{\mu\tau}^{XX} $	$< 2.5 \times 10^{-23}$	MINOS FD	[268]
$ \text{Re}(c_L)_{\mu\tau}^{YY} $	$< 2.4 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{YY} $	$< 4.5 \times 10^{-21}$	"	[257]
$ (c_L)_{\mu\tau}^{YY} $	$< 2.4 \times 10^{-23}$	MINOS FD	[268]
$\text{Re}(c_{\mu\tau}^{TT})$	$< 5.8 \times 10^{-27}$	Super-Kamiokande	[253]
$\text{Im}(c_{\mu\tau}^{TT})$	$< 5.6 \times 10^{-27}$	"	[253]
$\text{Re}(c_{\mu\tau})$	$< 1.7 \times 10^{-27}$	"	[266]
$\text{Im}(c_{\mu\tau})$	$< 1.7 \times 10^{-27}$	"	[266]
$(c_R)_{\bar{\mu}\bar{\tau}}^{TX}$	$(29 \pm 109) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{\mu\tau}^{TX} $	$< 0.5 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{TX} $	$< 9.0 \times 10^{-23}$	"	[257]
$ (c_L)_{\mu\tau}^{TX} $	$< 3.7 \times 10^{-27}$	IceCube	[267]
"	$< 0.5 \times 10^{-23}$	MINOS FD	[268]
$(c_R)_{\bar{\mu}\bar{\tau}}^{TY}$	$(-4 \pm 109) \times 10^{-18}$	Daya Bay	[252]
$ \text{Re}(c_L)_{\mu\tau}^{TY} $	$< 0.5 \times 10^{-23}$	MINOS	[257]
$ \text{Im}(c_L)_{\mu\tau}^{TY} $	$< 9.0 \times 10^{-23}$	"	[257]
$ (c_L)_{\mu\tau}^{TY} $	$< 3.7 \times 10^{-27}$	IceCube	[267]
"	$< 0.5 \times 10^{-23}$	MINOS FD	[268]

Table D32. Neutrino sector,  $d = 4$  (part 7 of 13)

Combination	Result	System	Ref.
$ c_L^{XY} $	$< 2.7 \times 10^{-21}$	MINOS ND	[269]
$ c_L^{XZ} $	$< 1.3 \times 10^{-21}$	"	[269]
$ c_L^{YZ} $	$< 1.2 \times 10^{-21}$	"	[269]
$ c_L^{XX} $	$< 5.6 \times 10^{-21}$	"	[269]
$ c_L^{YY} $	$< 5.5 \times 10^{-21}$	"	[269]
$ c_L^{TX} ,  c_L^{TY} $	$< 9 \times 10^{-23}$	"	[269]
$\text{Re } \hat{c}_{\tau\tau}^{(4)}$	$< 2 \times 10^{-31}$	IceCube	[272]
$ (c_{\text{eff}}^{(4)})_{00}^{\tau\tau} $	$< 1.1 \times 10^{-17}$	SNO	[251]
$ (c_{\text{eff}}^{(4)})_{10}^{\tau\tau} $	$< 1.8 \times 10^{-18}$	"	[251]
$ \text{Re } (c_{\text{eff}}^{(4)})_{11}^{\tau\tau} $	$< 9.8 \times 10^{-19}$	"	[251]
$ \text{Im } (c_{\text{eff}}^{(4)})_{11}^{\tau\tau} $	$< 1.1 \times 10^{-18}$	"	[251]
$ (c_{\text{eff}}^{(4)})_{20}^{\tau\tau} $	$< 5.4 \times 10^{-18}$	"	[251]
$ \text{Re } (c_{\text{eff}}^{(4)})_{21}^{\tau\tau} $	$< 2.9 \times 10^{-18}$	"	[251]
$ \text{Im } (c_{\text{eff}}^{(4)})_{21}^{\tau\tau} $	$< 3.1 \times 10^{-18}$	"	[251]
$ \text{Re } (c_{\text{eff}}^{(4)})_{22}^{\tau\tau} $	$< 1.2 \times 10^{-18}$	"	[251]
$ \text{Im } (c_{\text{eff}}^{(4)})_{22}^{\tau\tau} $	$< 1.2 \times 10^{-18}$	"	[251]
$(c_R)_{\bar{\tau}\bar{\tau}}^{XY}$	$(-14 \pm 51) \times 10^{-18}$	Daya Bay	[252]
$(c_R)_{\bar{\tau}\bar{\tau}}^{XZ}$	$(43 \pm 153) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\tau}\bar{\tau}}^{YZ}$	$(22 \pm 152) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\tau}\bar{\tau}}^{XX} - (c_R)_{\bar{\tau}\bar{\tau}}^{YY}$	$(-29 \pm 103) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\tau}\bar{\tau}}^{TX}$	$(34 \pm 122) \times 10^{-18}$	"	[252]
$(c_R)_{\bar{\tau}\bar{\tau}}^{TY}$	$(-4 \pm 122) \times 10^{-18}$	"	[252]

Table D32. Neutrino sector,  $d = 4$  (part 8 of 13)

Combination	Result	System	Ref.
$ \text{Re } \tilde{g}_{e\bar{e}}^{XT} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XT} $	$< 2.3 \times 10^{-27}$	KamLAND	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{XX} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XX} $	$< 4.7 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{XY} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XY} $	$< 2.9 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{XZ} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XZ} $	$< 6.8 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{YT} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YT} $	$< 2.2 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{YX} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YX} $	$< 2.6 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{YY} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YY} $	$< 4.2 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{YZ} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YZ} $	$< 9.7 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZT} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZT} $	$< 1.7 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZX} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZX} $	$< 2.4 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZY} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZY} $	$< 2.7 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZZ} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZZ} $	$< 6.3 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{e}}^{JK} ,  \text{Im } \tilde{g}_{e\bar{e}}^{JK} , (J, K = X, Y, Z)$	$< 1 \times 10^{-8}$	Double beta decay	[285]
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZT} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZT} $	$< 9.7 \times 10^{-18}$	Double Chooz	[274]
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZZ} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZZ} $	$< 3.3 \times 10^{-17}$	"	[274]
$ \text{Re } \tilde{g}_{e\bar{e}}^{XT} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XT} $	$< 7.6 \times 10^{-22}$	MINOS FD	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{YT} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YT} $	$< 7.6 \times 10^{-22}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{XZ} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XZ} $	$< 1.2 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{YZ} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YZ} $	$< 1.2 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZX} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZX} $	$< 1.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{ZY} ,  \text{Im } \tilde{g}_{e\bar{e}}^{ZY} $	$< 1.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{XX} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XX} $	$< 2.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{YY} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YY} $	$< 2.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{XY} ,  \text{Im } \tilde{g}_{e\bar{e}}^{XY} $	$< 2.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{e}}^{YX} ,  \text{Im } \tilde{g}_{e\bar{e}}^{YX} $	$< 2.0 \times 10^{-21}$	"	[273]

Table D32. Neutrino sector,  $d = 4$  (part 9 of 13)

Combination	Result	System	Ref.
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XT} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XT} $	$< 2.0 \times 10^{-27}$	KamLAND	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XX} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XX} $	$< 4.0 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XY} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XY} $	$< 2.5 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XZ} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XZ} $	$< 5.7 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YT} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YT} $	$< 1.8 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YX} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YX} $	$< 2.2 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YY} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YY} $	$< 3.5 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YZ} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YZ} $	$< 8.1 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZT} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZT} $	$< 1.5 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZX} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZX} $	$< 2.0 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZY} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZY} $	$< 2.3 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZZ} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZZ} $	$< 5.3 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{JK} , (J, K = X, Y, Z)$	$< 1 \times 10^{-8}$	Double beta decay	[285]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZT} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZT} $	$< 2.7 \times 10^{-17}$	Double Chooz	[274]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZZ} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZZ} $	$< 9.3 \times 10^{-17}$	"	[274]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XT} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XT} $	$< 7.6 \times 10^{-22}$	MINOS FD	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YT} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YT} $	$< 7.6 \times 10^{-22}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XZ} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XZ} $	$< 1.2 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YZ} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YZ} $	$< 1.2 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZX} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZX} $	$< 1.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{ZY} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{ZY} $	$< 1.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XX} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XX} $	$< 2.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YY} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YY} $	$< 2.1 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{XY} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{XY} $	$< 2.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\mu}}^{YX} ,  \text{Im } \tilde{g}_{e\bar{\mu}}^{YX} $	$< 2.0 \times 10^{-21}$	"	[273]



Table D32. Neutrino sector,  $d = 4$  (part 10 of 13)

Combination	Result	System	Ref.
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XT} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XT} $	$< 3.4 \times 10^{-27}$	KamLAND	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XX} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XX} $	$< 6.9 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XY} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XY} $	$< 4.3 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XZ} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XZ} $	$< 1.0 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YT} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YT} $	$< 3.2 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YX} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YX} $	$< 3.9 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YY} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YY} $	$< 6.2 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YZ} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YZ} $	$< 1.4 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZT} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZT} $	$< 2.5 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZX} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZX} $	$< 3.5 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZY} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZY} $	$< 4.0 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZZ} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZZ} $	$< 9.2 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{JK} , (J, K = X, Y, Z)$	$< 2 \times 10^{-8}$	Double beta decay	[285]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZT} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZT} $	$< 2.7 \times 10^{-17}$	Double Chooz	[274]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZZ} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZZ} $	$< 9.3 \times 10^{-17}$	"	[274]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XT} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XT} $	$< 8.2 \times 10^{-22}$	MINOS FD	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YT} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YT} $	$< 7.6 \times 10^{-22}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XZ} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XZ} $	$< 1.2 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YZ} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YZ} $	$< 1.2 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZX} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZX} $	$< 1.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{ZY} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{ZY} $	$< 1.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XX} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XX} $	$< 2.0 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YY} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YY} $	$< 2.1 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{XY} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{XY} $	$< 2.1 \times 10^{-21}$	"	[273]
$ \text{Re } \tilde{g}_{e\bar{\tau}}^{YX} ,  \text{Im } \tilde{g}_{e\bar{\tau}}^{YX} $	$< 2.0 \times 10^{-21}$	"	[273]

Table D32. Neutrino sector,  $d = 4$  (part 11 of 13)

Combination	Result	System	Ref.
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XT} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XT} $	$< 6.6 \times 10^{-27}$	KamLAND	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XX} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XX} $	$< 1.3 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XY} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XY} $	$< 8.3 \times 10^{-27}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XZ} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XZ} $	$< 1.9 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YT} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YT} $	$< 6.2 \times 10^{-27}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YX} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YX} $	$< 7.5 \times 10^{-27}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YY} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YY} $	$< 1.2 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YZ} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YZ} $	$< 2.7 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZT} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZT} $	$< 4.9 \times 10^{-27}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZX} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZX} $	$< 6.8 \times 10^{-27}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZY} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZY} $	$< 7.7 \times 10^{-27}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZZ} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZZ} $	$< 1.8 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{JK} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{JK} , (J, K = X, Y, Z)$	$< 3 \times 10^{-8}$	Double beta decay	[285]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZT} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZT} $	$< 2.3 \times 10^{-16}$	Double Chooz	[274]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZZ} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZZ} $	$< 8.1 \times 10^{-16}$	"	[274]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XT} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XT} $	$< 8.9 \times 10^{-24}$	MINOS FD	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YT} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YT} $	$< 8.6 \times 10^{-24}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XZ} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XZ} $	$< 1.3 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YZ} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YZ} $	$< 1.3 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZX} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZX} $	$< 1.2 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{ZY} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{ZY} $	$< 1.1 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XX} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XX} $	$< 2.3 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YY} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YY} $	$< 2.2 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{XY} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{XY} $	$< 2.3 \times 10^{-23}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\mu\bar{\mu}}^{YX} ,  \operatorname{Im} \tilde{g}_{\mu\bar{\mu}}^{YX} $	$< 2.2 \times 10^{-23}$	"	[273]

Table D32. Neutrino sector,  $d = 4$  (part 12 of 13)

Combination	Result	System	Ref.
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XT} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XT} $	$< 5.8 \times 10^{-27}$	KamLAND	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XX} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XX} $	$< 1.2 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XY} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XY} $	$< 7.3 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XZ} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XZ} $	$< 1.7 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YT} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YT} $	$< 5.4 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YX} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YX} $	$< 6.5 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YY} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YY} $	$< 1.0 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YZ} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YZ} $	$< 2.4 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZT} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZT} $	$< 4.3 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZX} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZX} $	$< 5.9 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZY} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZY} $	$< 6.7 \times 10^{-27}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZZ} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZZ} $	$< 1.5 \times 10^{-26}$	"	[284]*
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{JK} , (J, K = X, Y, Z)$	$< 3 \times 10^{-8}$	Double beta decay	[285]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZT} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZT} $	$< 4.4 \times 10^{-16}$	Double Chooz	[274]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZZ} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZZ} $	$< 1.5 \times 10^{-15}$	"	[274]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XT} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XT} $	$< 8.6 \times 10^{-24}$	MINOS FD	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YT} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YT} $	$< 8.4 \times 10^{-24}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XZ} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XZ} $	$< 1.3 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YZ} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YZ} $	$< 1.4 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZX} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZX} $	$< 1.1 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{ZY} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{ZY} $	$< 1.2 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XX} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XX} $	$< 2.3 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YY} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YY} $	$< 2.2 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{XY} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{XY} $	$< 2.3 \times 10^{-23}$	"	[273]
$ \text{Re } \tilde{g}_{\mu\bar{\tau}}^{YX} ,  \text{Im } \tilde{g}_{\mu\bar{\tau}}^{YX} $	$< 2.2 \times 10^{-23}$	"	[273]

Table D32. Neutrino sector,  $d = 4$  (part 13 of 13)

Combination	Result	System	Ref.
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XT} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XT} $	$< 2.0 \times 10^{-26}$	KamLAND	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XX} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XX} $	$< 4.1 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XY} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XY} $	$< 2.6 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XZ} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XZ} $	$< 5.9 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YT} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YT} $	$< 1.9 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YX} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YX} $	$< 2.3 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YY} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YY} $	$< 3.7 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YZ} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YZ} $	$< 8.4 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZT} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZT} $	$< 1.5 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZX} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZX} $	$< 2.1 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZY} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZY} $	$< 2.4 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZZ} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZZ} $	$< 5.4 \times 10^{-26}$	"	[284]*
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{JK} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{JK} , (J, K = X, Y, Z)$	$< 9 \times 10^{-8}$	Double beta decay	[285]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZT} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZT} $	$< 2.3 \times 10^{-16}$	Double Chooz	[274]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZZ} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZZ} $	$< 8.1 \times 10^{-16}$	"	[274]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XT} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XT} $	$< 1.8 \times 10^{-22}$	MINOS FD	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YT} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YT} $	$< 1.8 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XZ} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XZ} $	$< 2.9 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YZ} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YZ} $	$< 2.9 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZX} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZX} $	$< 2.4 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{ZY} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{ZY} $	$< 2.4 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XX} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XX} $	$< 4.8 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YY} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YY} $	$< 4.8 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{XY} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{XY} $	$< 4.8 \times 10^{-22}$	"	[273]
$ \operatorname{Re} \tilde{g}_{\tau\bar{\tau}}^{YX} ,  \operatorname{Im} \tilde{g}_{\tau\bar{\tau}}^{YX} $	$< 4.8 \times 10^{-22}$	"	[273]

Table D33. Nonminimal neutrino sector,  $d = 5$  (part 1 of 3)

Combination	Result	System	Ref.
$(a_{\text{of}}^{(5)})_{00}$	$25.7 \pm 3.3_{-2.5}^{+3.5} \times 10^{-7} \text{ GeV}^{-1}$	OPERA time of flight	[18]*
"	$3.0 \pm 1.7 \times 10^{-5} \text{ GeV}^{-1}$	MINOS time of flight	[18]*
$ (a_{\text{of}}^{(5)})_{00} $	$< 2.4 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab time of flight	[18]*
"	$< 2.1 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 3.5 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 3.5 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$(a_{\text{of}}^{(5)})_{10}$	$-34.7 \pm 4.7_{-3.5}^{+5.0} \times 10^{-7} \text{ GeV}^{-1}$	OPERA time of flight	[18]*
"	$2.7 \pm 1.5 \times 10^{-5} \text{ GeV}^{-1}$	MINOS time of flight	[18]*
$ (a_{\text{of}}^{(5)})_{10} $	$< 2.7 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab time of flight	[18]*
"	$< 2.3 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 2.2 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 2.2 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{of}}^{(5)})_{11} $	$< 3.8 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 3.8 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Im}(a_{\text{of}}^{(5)})_{11} $	$< 4.1 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 4.1 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$(a_{\text{of}}^{(5)})_{20}$	$-44.8 \pm 6.1_{-4.5}^{+6.4} \times 10^{-7} \text{ GeV}^{-1}$	OPERA time of flight	[18]*
"	$9.4 \pm 5.3 \times 10^{-5} \text{ GeV}^{-1}$	MINOS time of flight	[18]*
$ (a_{\text{of}}^{(5)})_{20} $	$< 1.0 \times 10^{-5} \text{ GeV}^{-1}$	Fermilab time of flight	[18]*
"	$< 9.0 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 2.0 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 2.0 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{of}}^{(5)})_{21} $	$< 1.8 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 1.8 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Im}(a_{\text{of}}^{(5)})_{21} $	$< 2.0 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 2.0 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{of}}^{(5)})_{22} $	$< 1.1 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 1.1 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Im}(a_{\text{of}}^{(5)})_{22} $	$< 4.9 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 4.9 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*

Table D33. Nonminimal neutrino sector,  $d = 5$  (part 2 of 3)

Combination	Result	System	Ref.
$(a_{\text{of}}^{(5)})_{30}$	$21.1 \pm 2.9_{-2.1}^{+3.0} \times 10^{-7} \text{ GeV}^{-1}$	OPERA time of flight	[18]*
"	$-4.1 \pm 2.3 \times 10^{-5} \text{ GeV}^{-1}$	MINOS time of flight	[18]*
$ (a_{\text{of}}^{(5)})_{30} $	$< 2.1 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab time of flight	[18]*
"	$< 1.8 \times 10^{-6} \text{ GeV}^{-1}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 2.1 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 2.1 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{of}}^{(5)})_{31} $	$< 1.2 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 1.2 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Im}(a_{\text{of}}^{(5)})_{31} $	$< 1.3 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 1.3 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{of}}^{(5)})_{32} $	$< 4.3 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 4.3 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Im}(a_{\text{of}}^{(5)})_{32} $	$< 2.0 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 2.0 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{of}}^{(5)})_{33} $	$< 8.6 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 8.6 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Im}(a_{\text{of}}^{(5)})_{33} $	$< 2.8 \times 10^{-6} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 2.8 \times 10^{-9} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$\sum_j {}_0\mathcal{N}_{j0}(86.7^\circ, 52.4^\circ, 47.5^\circ) (a_{\text{of}}^{(5)})_{j0}$	$10 \pm 19 \times 10^{-8} \text{ GeV}^{-1}$	OPERA time of flight	[18]*
$\hat{a}^{(5)}$	$69.7 \pm 9.4_{-7.1}^{+10.0} \times 10^{-8} \text{ GeV}^{-1}$	"	[18]*
"	$10 \pm 19 \times 10^{-8} \text{ GeV}^{-1}$	"	[18]*
"	$8.5 \pm 4.8 \times 10^{-6} \text{ GeV}^{-1}$	MINOS time of flight	[18]*
"	$< 1 \times 10^{-6} \text{ GeV}^{-1}$	17 GeV, Čerenkov emission	[18]*
"	$< 1 \times 10^{-7} \text{ GeV}^{-1}$	43 GeV, Čerenkov emission	[18]*
$ \hat{a}^{(5)} $	$< 6.7 \times 10^{-7} \text{ GeV}^{-1}$	Fermilab time of flight	[18]*
"	$< 5.8 \times 10^{-7} \text{ GeV}^{-1}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 5 \times 10^{-25} \text{ GeV}^{-1}$	IceCube meson threshold	[250]*
"	$< 1.2 \times 10^{-18} \text{ GeV}^{-1}$	"	[18]*
"	$< 4 \times 10^{-16} \text{ GeV}^{-1}$	100 TeV, Čerenkov emission	[18]*
"	$< 1.0 \times 10^{-7} \text{ GeV}^{-1}$	SN1987A time of flight	[18]*
"	$< 1.0 \times 10^{-10} \text{ GeV}^{-1}$	SN1987A dispersion	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{00}^{e\mu} $	$< 8.1 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
"	$< 1.1 \times 10^{-18} \text{ GeV}^{-1}$	MiniBooNE	[18]*
"	$< 2.6 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{10}^{e\mu} $	$< 2.4 \times 10^{-15} \text{ GeV}^{-1}$	LSND	[18]*
"	$< 8.9 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
"	$< 2.0 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{11}^{e\mu} $	$< 4.8 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
"	$< 6.7 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
"	$< 2.2 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{11}^{e\mu} $	$< 4.8 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
"	$< 5.6 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
"	$< 2.4 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*

Table D33. Nonminimal neutrino sector,  $d = 5$  (part 3 of 3)

Combination	Result	System	Ref.
$ \text{Re}(a_{\text{eff}}^{(5)})_{20}^{e\mu} $	$< 8.1 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 1.5 \times 10^{-18} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 3.4 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{21}^{e\mu} $	$< 4.23 \times 10^{-34} \text{ GeV}^{-1}$	Astrophysical neutrinos	[286]*
”	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 4.0 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 1.3 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{21}^{e\mu} $	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 3.3 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 1.4 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{22}^{e\mu} $	$< 4.3 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{22}^{e\mu} $	$< 4.3 \times 10^{-16} \text{ GeV}^{-1}$	”	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{30}^{e\mu} $	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	”	[18]*
”	$< 5.7 \times 10^{-18} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 1.3 \times 10^{-18} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{31}^{e\mu} $	$< 6.3 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 4.0 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 1.3 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{31}^{e\mu} $	$< 6.3 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 3.3 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 1.4 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{32}^{e\mu} $	$< 8.4 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{32}^{e\mu} $	$< 8.4 \times 10^{-16} \text{ GeV}^{-1}$	”	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{40}^{e\mu} $	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	”	[18]*
”	$< 1.1 \times 10^{-18} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 2.4 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{41}^{e\mu} $	$< 6.5 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 7.2 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 2.4 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{41}^{e\mu} $	$< 6.5 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
”	$< 5.9 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 2.5 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(a_{\text{eff}}^{(5)})_{42}^{e\mu} $	$< 6.8 \times 10^{-16} \text{ GeV}^{-1}$	LSND	[18]*
$ \text{Im}(a_{\text{eff}}^{(5)})_{42}^{e\mu} $	$< 6.8 \times 10^{-16} \text{ GeV}^{-1}$	”	[18]*
$ a_{e\mu}^{(5)} $	$< 2.3 \times 10^{-16} \text{ GeV}^{-1}$	”	[18]*
”	$< 3.2 \times 10^{-19} \text{ GeV}^{-1}$	MiniBooNE	[18]*
”	$< 7.2 \times 10^{-20} \text{ GeV}^{-1}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re} \hat{a}_{\mu\tau}^{(5)} ,  \text{Im} \hat{a}_{\mu\tau}^{(5)} $	$< 1.5 \times 10^{-32} \text{ GeV}^{-1}$	IceCube	[265]
$\text{Re} \hat{a}_{\tau\tau}^{(5)}$	$< 2 \times 10^{-37} \text{ GeV}^{-1}$	IceCube	[272]

Table D34. Nonminimal neutrino sector,  $d = 6$  (part 1 of 5)

Combination	Result	System	Ref.
$(c_{\text{of}}^{(6)})_{00}$	$> -3 \times 10^{-31} \text{ GeV}^{-2}$	IceCube	[275]*
"	$-9.7 \pm 1.3_{-1.0}^{+1.4} \times 10^{-8} \text{ GeV}^{-2}$	OPERA time of flight	[18]*
"	$-6.7 \pm 3.8 \times 10^{-6} \text{ GeV}^{-2}$	MINOS time of flight	[18]*
$ (c_{\text{of}}^{(6)})_{00} $	$< 5.3 \times 10^{-8} \text{ GeV}^{-2}$	Fermilab time of flight	[18]*
"	$< 2.4 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 7.9 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$(c_{\text{of}}^{(6)})_{10}$	$(-2 \text{ to } 9) \times 10^{-28} \text{ GeV}^{-2}$	IceCube	[275]*
"	$13.6 \pm 1.8_{-1.3}^{+2.0} \times 10^{-8} \text{ GeV}^{-2}$	OPERA time of flight	[18]*
"	$-5.9 \pm 3.4 \times 10^{-6} \text{ GeV}^{-2}$	MINOS time of flight	[18]*
$ (c_{\text{of}}^{(6)})_{10} $	$< 5.9 \times 10^{-8} \text{ GeV}^{-2}$	Fermilab time of flight	[18]*
"	$< 1.5 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 4.9 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{11}$	$(-6 \text{ to } 5) \times 10^{-28} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{11} $	$< 2.6 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 8.6 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{11}$	$(-3 \text{ to } 3) \times 10^{-28} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{11} $	$< 2.7 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 9.1 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$(c_{\text{of}}^{(6)})_{20}$	$(-0.4 \text{ to } 7) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
"	$17.6 \pm 2.4_{-1.8}^{+2.5} \times 10^{-8} \text{ GeV}^{-2}$	OPERA time of flight	[18]*
"	$2.1 \pm 1.2 \times 10^{-5} \text{ GeV}^{-2}$	MINOS time of flight	[18]*
$ (c_{\text{of}}^{(6)})_{20} $	$< 2.3 \times 10^{-7} \text{ GeV}^{-2}$	Fermilab time of flight	[18]*
"	$< 1.3 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 4.3 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{21}$	$(-1 \text{ to } 2) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{21} $	$< 1.2 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 4.1 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{21}$	$(-1 \text{ to } 3) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{21} $	$< 1.3 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 4.4 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{22}$	$(-5 \text{ to } 0.6) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{22} $	$< 7.0 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.3 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{22}$	$(-1 \text{ to } 4) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{22} $	$< 3.3 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 1.1 \times 10^{-7} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*



Table D34. Nonminimal neutrino sector,  $d = 6$  (part 2 of 5)

Combination	Result	System	Ref.
$(c_{\text{of}}^{(6)})_{30}$	$(-1 \text{ to } 0.4) \times 10^{-26} \text{ GeV}^{-2}$	IceCube	[275]*
"	$-8.3 \pm 1.1_{-0.8}^{+1.2} \times 10^{-8} \text{ GeV}^{-2}$	OPERA time of flight	[18]*
"	$9.1 \pm 5.4 \times 10^{-6} \text{ GeV}^{-2}$	MINOS time of flight	[18]*
$ (c_{\text{of}}^{(6)})_{30} $	$< 4.6 \times 10^{-8} \text{ GeV}^{-2}$	Fermilab time of flight	[18]*
"	$< 1.4 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 4.6 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{31}$	$(-0.2 \text{ to } 1) \times 10^{-26} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{31} $	$< 8.1 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.7 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{31}$	$(-5 \text{ to } 3) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{31} $	$< 8.7 \times 10^{-6} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.9 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{32}$	$(-0.2 \text{ to } 1) \times 10^{-26} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{32} $	$< 2.8 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 9.5 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{32}$	$(-4 \text{ to } 6) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{32} $	$< 1.3 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 4.4 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{33}$	$(-5 \text{ to } 6) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{33} $	$< 5.7 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 1.9 \times 10^{-7} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{33}$	$(-1 \text{ to } 0.07) \times 10^{-26} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{33} $	$< 1.9 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 6.3 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$(c_{\text{of}}^{(6)})_{40}$	$(-5 \text{ to } 2) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
"	$24.2 \pm 3.3_{-2.5}^{+3.5} \times 10^{-8} \text{ GeV}^{-2}$	OPERA time of flight	[18]*
"	$5.2 \pm 3.0 \times 10^{-6} \text{ GeV}^{-2}$	MINOS time of flight	[18]*
$ (c_{\text{of}}^{(6)})_{40} $	$< 5.6 \times 10^{-8} \text{ GeV}^{-2}$	Fermilab time of flight	[18]*
"	$< 1.8 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 5.9 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{41}$	$(-1 \text{ to } 3) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{41} $	$< 6.4 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.1 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{41}$	$(-1 \text{ to } 0.6) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{41} $	$< 6.9 \times 10^{-6} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.3 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{42}$	$(-1 \text{ to } 3) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{42} $	$< 1.6 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 5.3 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{42}$	$(-2 \text{ to } 1) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{42} $	$< 7.3 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.4 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*

Table D34. Nonminimal neutrino sector,  $d = 6$  (part 3 of 5)

Combination	Result	System	Ref.
$\text{Re}(c_{\text{of}}^{(6)})_{43}$	$(-1 \text{ to } 0.9) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{43} $	$< 2.0 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 6.8 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{43}$	$(-2 \text{ to } 1) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{43} $	$< 6.8 \times 10^{-5} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.3 \times 10^{-8} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Re}(c_{\text{of}}^{(6)})_{44}$	$(-2 \text{ to } 1) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Re}(c_{\text{of}}^{(6)})_{44} $	$< 5.3 \times 10^{-4} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 1.8 \times 10^{-7} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\text{Im}(c_{\text{of}}^{(6)})_{44}$	$(-0.5 \text{ to } 1) \times 10^{-27} \text{ GeV}^{-2}$	IceCube	[275]*
$ \text{Im}(c_{\text{of}}^{(6)})_{44} $	$< 1.2 \times 10^{-3} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 3.9 \times 10^{-7} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$\tilde{c}^{(6)}$	$> -5.23 \times 10^{-35} \text{ GeV}^{-2}$	IceCube	[276]*
"	$> -2 \times 10^{-24} \text{ GeV}^{-2}$	Atmospheric threshold	[275]*
"	$> -3 \times 10^{-25} \text{ GeV}^{-2}$	Atmospheric Čerenkov	[275]*
"	$> -5 \times 10^{-31} \text{ GeV}^{-2}$	Astrophysical Čerenkov	[275]*
"	$-27.3 \pm 3.7_{-2.8}^{+3.9} \times 10^{-9} \text{ GeV}^{-2}$	OPERA time of flight	[18]*
"	$-1.9 \pm 1.1 \times 10^{-6} \text{ GeV}^{-2}$	MINOS time of flight	[18]*
"	$> -2.9 \times 10^{-24} \text{ GeV}^{-2}$	IceCube meson threshold	[18]*
"	$> -8 \times 10^{-8} \text{ GeV}^{-2}$	17 GeV, Čerenkov emission	[18]*
"	$> -3 \times 10^{-9} \text{ GeV}^{-2}$	43 GeV, Čerenkov emission	[18]*
"	$> -3 \times 10^{-21} \text{ GeV}^{-2}$	100 TeV, Čerenkov emission	[18]*
$ \tilde{c}^{(6)} $	$< 1.5 \times 10^{-8} \text{ GeV}^{-2}$	Fermilab time of flight	[18]*
"	$< 6.7 \times 10^{-6} \text{ GeV}^{-2}$	SN1987A time of flight	[18]*
"	$< 2.2 \times 10^{-9} \text{ GeV}^{-2}$	SN1987A dispersion	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{00}^{e\mu} $	$< 2.0 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 3.2 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 4.3 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{10}^{e\mu} $	$< 6.0 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 2.5 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 3.3 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{11}^{e\mu} $	$< 1.2 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 1.9 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 3.7 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)})_{11}^{e\mu} $	$< 1.2 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 1.5 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 3.9 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*

Table D34. Nonminimal neutrino sector,  $d = 6$  (part 4 of 5)

Combination	Result	System	Ref.
$ \text{Re}(c_{\text{eff}}^{(6)e\mu})_{20} $	$< 2.0 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 4.2 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 5.6 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)e\mu})_{21} $	$< 2.7 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 1.1 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 2.2 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)e\mu})_{21} $	$< 2.7 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 9.2 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 2.4 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)e\mu})_{22} $	$< 1.1 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)e\mu})_{22} $	$< 1.1 \times 10^{-14} \text{ GeV}^{-2}$	"	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)e\mu})_{30} $	$< 2.8 \times 10^{-14} \text{ GeV}^{-2}$	"	[18]*
"	$< 1.6 \times 10^{-17} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 2.1 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)e\mu})_{31} $	$< 1.6 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 1.1 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 2.2 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)e\mu})_{31} $	$< 1.6 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 9.2 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 2.3 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)e\mu})_{32} $	$< 2.1 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)e\mu})_{32} $	$< 2.1 \times 10^{-14} \text{ GeV}^{-2}$	"	[18]*

Table D34. Nonminimal neutrino sector,  $d = 6$  (part 5 of 5)

Combination	Result	System	Ref.
$ \text{Re}(c_{\text{eff}}^{(6)})_{40}^{e\mu} $	$< 2.8 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 3.0 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 4.0 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{41}^{e\mu} $	$< 1.6 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 2.0 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 4.0 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)})_{41}^{e\mu} $	$< 1.6 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 1.6 \times 10^{-17} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 4.2 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{42}^{e\mu} $	$< 1.7 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)})_{42}^{e\mu} $	$< 1.7 \times 10^{-14} \text{ GeV}^{-2}$	"	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{50}^{e\mu} $	$< 2.0 \times 10^{-14} \text{ GeV}^{-2}$	"	[18]*
"	$< 2.3 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 3.1 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{51}^{e\mu} $	$< 2.6 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 7.7 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 1.5 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)})_{51}^{e\mu} $	$< 2.6 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
"	$< 6.3 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 1.6 \times 10^{-18} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re}(c_{\text{eff}}^{(6)})_{52}^{e\mu} $	$< 1.4 \times 10^{-14} \text{ GeV}^{-2}$	LSND	[18]*
$ \text{Im}(c_{\text{eff}}^{(6)})_{52}^{e\mu} $	$< 1.4 \times 10^{-14} \text{ GeV}^{-2}$	"	[18]*
$ c_{e\mu}^{(6)} $	$< 5.7 \times 10^{-15} \text{ GeV}^{-2}$	"	[18]*
"	$< 9.0 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE	[18]*
"	$< 1.2 \times 10^{-19} \text{ GeV}^{-2}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re} \hat{c}_{\mu\tau}^{(6)} ,  \text{Im} \hat{c}_{\mu\tau}^{(6)} $	$< 9.1 \times 10^{-37} \text{ GeV}^{-2}$	IceCube	[265]
$\text{Re} \hat{c}_{\tau\tau}^{(6)}$	$< 3 \times 10^{-42} \text{ GeV}^{-2}$	"	[272]

Table D35. Nonminimal neutrino sector,  $d = 7$ 

Combination	Result	System	Ref.
$\hat{a}^{(7)}$	$12.1 \pm 1.6_{-1.2}^{+1.7} \times 10^{-10} \text{ GeV}^{-3}$	OPERA time of flight	[18]*
"	$4.7 \pm 2.7 \times 10^{-7} \text{ GeV}^{-3}$	MINOS time of flight	[18]*
"	$< 5 \times 10^{-9} \text{ GeV}^{-3}$	17 GeV, Čerenkov emission	[18]*
"	$< 6 \times 10^{-11} \text{ GeV}^{-3}$	43 GeV, Čerenkov emission	[18]*
$ \hat{a}^{(7)} $	$< 3.7 \times 10^{-10} \text{ GeV}^{-3}$	Fermilab time of flight	[18]*
"	$< 3.2 \times 10^{-10} \text{ GeV}^{-3}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 5.0 \times 10^{-4} \text{ GeV}^{-3}$	SN1987A time of flight	[18]*
"	$< 7.1 \times 10^{-8} \text{ GeV}^{-3}$	SN1987A dispersion	[18]*
"	$< 5 \times 10^{-37} \text{ GeV}^{-3}$	IceCube meson threshold	[250]*
"	$< 7.3 \times 10^{-30} \text{ GeV}^{-3}$	"	[18]*
"	$< 2 \times 10^{-26} \text{ GeV}^{-3}$	100 TeV, Čerenkov emission	[18]*
$ \hat{a}_{e\mu}^{(7)} $	$< 1.4 \times 10^{-13} \text{ GeV}^{-3}$	LSND	[18]*
"	$< 2.5 \times 10^{-18} \text{ GeV}^{-3}$	MiniBooNE	[18]*
"	$< 2.0 \times 10^{-19} \text{ GeV}^{-3}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re } \hat{a}_{\mu\tau}^{(7)} ,  \text{Im } \hat{a}_{\mu\tau}^{(7)} $	$< 3.6 \times 10^{-41} \text{ GeV}^{-3}$	IceCube	[265]
$\text{Re } \hat{a}_{\tau\tau}^{(7)}$	$< 3 \times 10^{-47} \text{ GeV}^{-3}$	IceCube	[272]

Table D36. Nonminimal neutrino sector,  $d = 8$ 

Combination	Result	System	Ref.
$\hat{c}^{(8)}$	$> -2 \times 10^{-36} \text{ GeV}^{-4}$	Atmospheric threshold	[275]*
"	$> -2 \times 10^{-37} \text{ GeV}^{-4}$	Atmospheric Čerenkov	[275]*
"	$> -5 \times 10^{-43} \text{ GeV}^{-4}$	Astrophysical Čerenkov	[275]*
"	$-56.8 \pm 7.7_{-5.8}^{+8.1} \times 10^{-12} \text{ GeV}^{-4}$	OPERA time of flight	[18]*
"	$-12.6 \pm 7.2 \times 10^{-8} \text{ GeV}^{-4}$	MINOS time of flight	[18]*
"	$> -1.8 \times 10^{-35} \text{ GeV}^{-4}$	IceCube meson threshold	[18]*
"	$> -3 \times 10^{-10} \text{ GeV}^{-4}$	17 GeV, Čerenkov emission	[18]*
"	$> -1 \times 10^{-12} \text{ GeV}^{-4}$	43 GeV, Čerenkov emission	[18]*
"	$> -2 \times 10^{-31} \text{ GeV}^{-4}$	100 TeV, Čerenkov emission	[18]*
$ \hat{c}^{(8)} $	$< 9.9 \times 10^{-12} \text{ GeV}^{-4}$	Fermilab time of flight	[18]*
"	$< 4.0 \times 10^{-2} \text{ GeV}^{-4}$	SN1987A time of flight	[18]*
"	$< 2.7 \times 10^{-6} \text{ GeV}^{-4}$	SN1987A dispersion	[18]*
$ \hat{c}_{e\mu}^{(8)} $	$< 3.6 \times 10^{-12} \text{ GeV}^{-4}$	LSND	[18]*
"	$< 6.9 \times 10^{-18} \text{ GeV}^{-4}$	MiniBooNE	[18]*
"	$< 3.3 \times 10^{-19} \text{ GeV}^{-4}$	MiniBooNE $\bar{\nu}$	[18]*
$ \text{Re } \hat{c}_{\mu\tau}^{(8)} ,  \text{Im } \hat{c}_{\mu\tau}^{(8)} $	$< 1.4 \times 10^{-45} \text{ GeV}^{-4}$	IceCube	[265]
$\text{Re } \hat{c}_{\tau\tau}^{(8)}$	$< 2 \times 10^{-52} \text{ GeV}^{-4}$	IceCube	[272]

Table D37. Nonminimal neutrino sector,  $d \geq 9$ 

Combination	Result	System	Ref.
$\hat{a}^{(9)}$	$27.8 \pm 3.8_{-2.8}^{+4.0} \times 10^{-13} \text{ GeV}^{-5}$	OPERA time of flight	[18]*
"	$3.5 \pm 2.0 \times 10^{-8} \text{ GeV}^{-5}$	MINOS time of flight	[18]*
"	$< 2 \times 10^{-11} \text{ GeV}^{-5}$	17 GeV, Čerenkov emission	[18]*
"	$< 3 \times 10^{-14} \text{ GeV}^{-5}$	43 GeV, Čerenkov emission	[18]*
$ \hat{a}^{(9)} $	$< 2.7 \times 10^{-13} \text{ GeV}^{-5}$	Fermilab time of flight	[18]*
"	$< 2.4 \times 10^{-13} \text{ GeV}^{-5}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
"	$< 3.3 \text{ GeV}^{-5}$	SN1987A time of flight	[18]*
"	$< 1.1 \times 10^{-4} \text{ GeV}^{-5}$	SN1987A dispersion	[18]*
"	$< 5 \times 10^{-49} \text{ GeV}^{-5}$	IceCube meson threshold	[250]*
"	$< 4.6 \times 10^{-41} \text{ GeV}^{-5}$	"	[18]*
"	$< 2 \times 10^{-36} \text{ GeV}^{-5}$	100 TeV, Čerenkov emission	[18]*
$ \hat{a}_{e\mu}^{(9)} $	$< 8.9 \times 10^{-11} \text{ GeV}^{-5}$	LSND	[18]*
"	$< 1.9 \times 10^{-17} \text{ GeV}^{-5}$	MiniBooNE	[18]*
"	$< 5.6 \times 10^{-19} \text{ GeV}^{-5}$	MiniBooNE $\bar{\nu}$	[18]*
$\hat{c}^{(10)}$	$> -2 \times 10^{-48} \text{ GeV}^{-6}$	Atmospheric threshold	[275]*
"	$> -2 \times 10^{-49} \text{ GeV}^{-6}$	Atmospheric Čerenkov	[275]*
"	$> -5 \times 10^{-55} \text{ GeV}^{-6}$	Astrophysical Čerenkov	[275]*
"	$-14.0 \pm 1.9_{-1.4}^{+2.0} \times 10^{-14} \text{ GeV}^{-6}$	OPERA time of flight	[18]*
"	$-10.0 \pm 5.7 \times 10^{-9} \text{ GeV}^{-6}$	MINOS time of flight	[18]*
"	$> -1.1 \times 10^{-46} \text{ GeV}^{-6}$	IceCube meson threshold	[18]*
"	$> -9 \times 10^{-13} \text{ GeV}^{-6}$	17 GeV, Čerenkov emission	[18]*
"	$> -8 \times 10^{-16} \text{ GeV}^{-6}$	43 GeV, Čerenkov emission	[18]*
"	$> -2 \times 10^{-41} \text{ GeV}^{-6}$	100 TeV, Čerenkov emission	[18]*
$ \hat{c}^{(10)} $	$< 7.8 \times 10^{-15} \text{ GeV}^{-6}$	Fermilab time of flight	[18]*
"	$< 2.9 \times 10^2 \text{ GeV}^{-6}$	SN1987A time of flight	[18]*
"	$< 4.5 \times 10^{-3} \text{ GeV}^{-6}$	SN1987A dispersion	[18]*
$ \hat{c}_{e\mu}^{(10)} $	$< 2.2 \times 10^{-9} \text{ GeV}^{-6}$	LSND	[18]*
"	$< 5.4 \times 10^{-17} \text{ GeV}^{-6}$	MiniBooNE	[18]*
"	$< 9.3 \times 10^{-19} \text{ GeV}^{-6}$	MiniBooNE $\bar{\nu}$	[18]*
$\sum_{dj}(d-3)(17 \text{ GeV})^{d-4} \times_0 \mathcal{N}_{j0}(86.7^\circ, 52.4^\circ, 47.5^\circ) [(a_{\text{of}}^{(d)})_{j0} - (c_{\text{of}}^{(d)})_{j0}]$	$2.37 \pm 0.32_{-0.24}^{+0.34} \times 10^{-5}$	OPERA time of flight	[18]*
$\sum_{dj}(d-3)(3 \text{ GeV})^{d-4} \times_0 \mathcal{N}_{j0}(86.7^\circ, 203.9^\circ, 42.2^\circ) [(a_{\text{of}}^{(d)})_{j0} - (c_{\text{of}}^{(d)})_{j0}]$	$5.1 \pm 2.9 \times 10^{-5}$	MINOS time of flight	[18]*
$ \sum_{dj}(d-3)(30 \text{ GeV})^{d-4} \times_0 \mathcal{N}_{j0}(90^\circ, 140^\circ, 48.2^\circ) [\pm (a_{\text{of}}^{(d)})_{j0} - (c_{\text{of}}^{(d)})_{j0}] $	$< 4 \times 10^{-5}$	Fermilab time of flight	[18]*
$ \sum_{dj}(d-3)(30 \text{ GeV})^{d-4} \times_0 \mathcal{N}_{j0}(90^\circ, 140^\circ, 48.2^\circ) (a_{\text{of}}^{(d)})_{j0} $	$< 3.5 \times 10^{-5}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
$ \sum_{djm}(d-3)(10 \text{ MeV})^{d-4} \times Y_{jm}(20.7^\circ, 185.6^\circ) [(a_{\text{of}}^{(d)})_{jm} + (c_{\text{of}}^{(d)})_{jm}] $	$< 2 \times 10^{-9}$	SN1987A time of flight	[18]*
$\sum_d(d-3)(17 \text{ GeV})^{d-4} (\hat{a}^{(d)} - \hat{c}^{(d)})$	$2.37 \pm 0.32_{-0.24}^{+0.34} \times 10^{-5}$	OPERA time of flight	[18]*
$\sum_d(d-3)(3 \text{ GeV})^{d-4} (\hat{a}^{(d)} - \hat{c}^{(d)})$	$5.1 \pm 2.9 \times 10^{-5}$	MINOS time of flight	[18]*
$ \sum_d(d-3)(30 \text{ GeV})^{d-4} (\pm \hat{a}^{(d)} - \hat{c}^{(d)}) $	$< 4 \times 10^{-5}$	Fermilab time of flight	[18]*
$ \sum_d(d-3)(30 \text{ GeV})^{d-4} \hat{a}^{(d)} $	$< 3.5 \times 10^{-5}$	Fermilab $\nu\bar{\nu}$ comparison	[18]*
$ \sum_d(d-3)(10 \text{ MeV})^{d-4} (\hat{a}^{(d)} + \hat{c}^{(d)}) $	$< 2 \times 10^{-9}$	SN1987A time of flight	[18]*

Table D38. Quark sector,  $d = 3$ 

Combination	Result	System	Ref.
$\Delta a_0^K$	$(-6.0 \pm 7.7_{\text{stat}} \pm 3.1_{\text{syst}}) \times 10^{-18}$ GeV	$K$ oscillations	[287]
$\Delta a_X^K$	$(0.9 \pm 1.5_{\text{stat}} \pm 0.6_{\text{syst}}) \times 10^{-18}$ GeV	"	[287]
$\Delta a_Y^K$	$(-2.0 \pm 1.5_{\text{stat}} \pm 0.5_{\text{syst}}) \times 10^{-18}$ GeV	"	[287]
$\Delta a_Z^K$	$(3.1 \pm 1.7_{\text{stat}} \pm 0.5_{\text{syst}}) \times 10^{-18}$ GeV	"	[287]
$\Delta a_0^K$	$(0.4 \pm 1.8) \times 10^{-17}$ GeV	"	[288], [289]
$\Delta a_X^K$	$(-6.3 \pm 6.0) \times 10^{-18}$ GeV	"	[288]
$\Delta a_Y^K$	$(2.8 \pm 5.9) \times 10^{-18}$ GeV	"	[288]
$\Delta a_Z^K$	$(2.4 \pm 9.7) \times 10^{-18}$ GeV	"	[288]
$\Delta a_Z^K$	$(-1 \pm 4) \times 10^{-17}$ GeV	"	[289]
$ \Delta a_1^K $	$< 9.2 \times 10^{-22}$ GeV	"	[290]
$ \Delta a_2^K $	$< 9.2 \times 10^{-22}$ GeV	"	[290]
$ (\Delta a^K)_T - 0.60(\Delta a^K)_Z $	$< 5 \times 10^{-21}$ GeV	"	[291]*, [292]*
$N^D(\Delta a_0^D - 0.6\Delta a_Z^D)$	$(-2.8 \text{ to } 4.8) \times 10^{-16}$ GeV	$D$ oscillations	[293]
$N^D \Delta a_X^D$	$(-7 \text{ to } 3.8) \times 10^{-16}$ GeV	"	[293]
$N^D \Delta a_Y^D$	$(-7 \text{ to } 3.8) \times 10^{-16}$ GeV	"	[293]
$\Delta a_0^B - 0.30\Delta a_Z^B$	$(-1.9 \pm 0.8_{\text{stat}} \pm 0.4_{\text{syst}}) \times 10^{-14}$ GeV	$B_d$ oscillations	[294]
$\Delta a_0^B - 0.38\Delta a_Z^B$	$(-0.10 \pm 0.82_{\text{stat}} \pm 0.54_{\text{syst}}) \times 10^{-15}$ GeV	"	[295]
$0.38\Delta a_0^B + \Delta a_Z^B$	$(-0.20 \pm 0.22_{\text{stat}} \pm 0.04_{\text{syst}}) \times 10^{-13}$ GeV	"	[295]
$\Delta a_X^B$	$(1.97 \pm 1.30_{\text{stat}} \pm 0.29_{\text{syst}}) \times 10^{-15}$ GeV	"	[295]
$\Delta a_Y^B$	$(0.44 \pm 1.26_{\text{stat}} \pm 0.29_{\text{syst}}) \times 10^{-15}$ GeV	"	[295]
$\Delta a_0^B - 0.38\Delta a_Z^B$	$(0.9 \pm 2.8) \times 10^{-15}$ GeV	"	[296]*
$N^B(\Delta a_0^B - 0.30\Delta a_Z^B)$	$(-3.0 \pm 2.4) \times 10^{-15}$ GeV	"	[297]
$N^B \Delta a_X$	$(-22 \pm 7) \times 10^{-15}$ GeV	"	[297]
$N^B \Delta a_Y$	$(-27 \text{ to } -4) \times 10^{-15}$ GeV	"	[297]
$N^B(\Delta a_0^B - 0.3\Delta a_Z^B)$	$-(5.2 \pm 4.0) \times 10^{-15}$ GeV	"	[298]
$N^B \sqrt{(\Delta a_X^B)^2 + (\Delta a_Y^B)^2}$	$(37 \pm 16) \times 10^{-15}$ GeV	"	[298]
$\Delta a_0^{B_s} - 0.38\Delta a_Z^{B_s}$	$(-0.89 \pm 1.41_{\text{stat}} \pm 0.36_{\text{syst}}) \times 10^{-14}$ GeV	$B_s$ oscillations	[295]
$0.38\Delta a_0^{B_s} + \Delta a_Z^{B_s}$	$(-0.47 \pm 0.39_{\text{stat}} \pm 0.08_{\text{syst}}) \times 10^{-12}$ GeV	"	[295]
$\Delta a_X^{B_s}$	$(1.01 \pm 2.08_{\text{stat}} \pm 0.71_{\text{syst}}) \times 10^{-14}$ GeV	"	[295]
$\Delta a_Y^{B_s}$	$(-3.83 \pm 2.09_{\text{stat}} \pm 0.71_{\text{syst}}) \times 10^{-14}$ GeV	"	[295]
$\Delta a_{\perp}^{B_s}$	$< 1.2 \times 10^{-12}$ GeV	"	[299]
$\Delta a_T^{B_s} - 0.396\Delta a_Z^{B_s}$	$(-0.8 \text{ to } 3.9) \times 10^{-13}$ GeV	"	[299]
$\Delta a_0^{B_s} - 0.38\Delta a_Z^{B_s}$	$(5 \pm 3) \times 10^{-14}$ GeV	"	[296]*
$(\Delta a^{B_s})_T$	$(3.7 \pm 3.8) \times 10^{-12}$ GeV	"	[292]*
$ a_B^T - a_{B'}^T $	$< 10^{-15}$ GeV	Chiral perturbation theory	[300]*
$ a_B^X - a_{B'}^X ,  a_B^Y - a_{B'}^Y $	$< 10^{-20}$ GeV	"	[300]*
$ a_B^Z - a_{B'}^Z $	$< 10^{-16}$ GeV	"	[300]*

Table D39. Quark sector,  $d = 4$  (part 1 of 3)

Combination	Result	System	Ref.
$c_u^{TX}$	$(-25 \text{ to } 6.6) \times 10^{-5}$	Deep inelastic scattering	[301]
$c_u^{TY}$	$(-17 \text{ to } 9.8) \times 10^{-5}$	"	[301]
$c_u^{XY}$	$(-32 \text{ to } 4.1) \times 10^{-5}$	"	[301]
$c_u^{XZ}$	$(-5.4 \text{ to } 1.4) \times 10^{-4}$	"	[301]
$c_u^{YZ}$	$(-3.7 \text{ to } 2.1) \times 10^{-4}$	"	[301]
$c_u^{XX} - c_d^{YY}$	$(-2.1 \text{ to } 2.5) \times 10^{-4}$	"	[301]
$c_d^{TX}$	$(-7.8 \text{ to } 2.0) \times 10^{-4}$	"	[301]
$c_d^{TY}$	$(-5.2 \text{ to } 3.0) \times 10^{-4}$	"	[301]
$c_d^{XY}$	$(-16 \text{ to } 2.0) \times 10^{-4}$	"	[301]
$c_d^{XZ}$	$(-27 \text{ to } 7.0) \times 10^{-4}$	"	[301]
$c_d^{YZ}$	$(-1.8 \text{ to } 1.0) \times 10^{-3}$	"	[301]
$c_d^{XX} - c_s^{YY}$	$(-1.0 \text{ to } 1.2) \times 10^{-3}$	"	[301]
$c_s^{TX}$	$(-9.6 \text{ to } 2.5) \times 10^{-4}$	"	[301]
$c_s^{TY}$	$(-6.4 \text{ to } 3.7) \times 10^{-4}$	"	[301]
$c_s^{XY}$	$(-26 \text{ to } 3.3) \times 10^{-4}$	"	[301]
$c_s^{XZ}$	$(-4.4 \text{ to } 1.2) \times 10^{-3}$	"	[301]
$c_s^{YZ}$	$(-3.0 \text{ to } 1.7) \times 10^{-3}$	"	[301]
$c_s^{XX} - c_s^{YY}$	$(-1.7 \text{ to } 2.0) \times 10^{-3}$	"	[301]
$ c_{u_1}^{TT} $	$1.3 \times 10^{-4}$	Drell-Yan process	[302]*
$ c_{u_1}^{XX} + c_{u_1}^{YY} $	$1.5 \times 10^{-4}$	"	[302]*
$ c_{u_1}^{ZZ} $	$2.4 \times 10^{-3}$	"	[302]*
$ c_{d_1}^{TT} $	$1.1 \times 10^{-3}$	"	[302]*
$ c_{d_1}^{XX} + c_{d_1}^{YY} $	$1.3 \times 10^{-3}$	"	[302]*
$ c_{d_1}^{ZZ} $	$2.1 \times 10^{-2}$	"	[302]*
$ d_{u_1}^{TT} $	$1.2 \times 10^{-3}$	"	[302]*
$ d_{u_1}^{XX} + d_{u_1}^{YY} $	$1.1 \times 10^{-3}$	"	[302]*
$ d_{u_1}^{ZZ} $	$1.8 \times 10^{-2}$	"	[302]*
$ c_{u_2}^{TT} $	$7.6 \times 10^{-3}$	"	[302]*
$ c_{u_2}^{XX} + c_{u_2}^{YY} $	$8.8 \times 10^{-3}$	"	[302]*
$ c_{u_2}^{ZZ} $	$1.4 \times 10^{-1}$	"	[302]*
$ c_{d_2}^{TT} $	$1.1 \times 10^{-2}$	"	[302]*
$ c_{d_2}^{XX} + c_{d_2}^{YY} $	$1.2 \times 10^{-2}$	"	[302]*
$ c_{d_2}^{ZZ} $	$1.8 \times 10^{-1}$	"	[302]*
$ d_{u_2}^{TT} $	$2.0 \times 10^{-2}$	"	[302]*
$ d_{u_2}^{XX} + d_{u_2}^{YY} $	$1.9 \times 10^{-2}$	"	[302]*
$ d_{u_2}^{ZZ} $	$3.0 \times 10^{-1}$	"	[302]*



Table D39. Quark sector,  $d = 4$  (part 2 of 3)

Combination	Result	System	Ref.
$\hat{c}^u - \frac{3}{4}\tilde{\kappa}_{\text{tr}} - \frac{3}{8}(\hat{f}^u)^2$	$> -3 \times 10^{-23}$	Astrophysics	[303]*
$ \hat{d}^u $	$< 3 \times 10^{-23}$	"	[303]*
$ \hat{e}^u $	$< 9 \times 10^{-12}$	"	[303]*
$ \hat{g}^u $	$< 9 \times 10^{-12}$	"	[303]*
$c_{33}^{(4)u} - \frac{3}{8}(f_3^{(4)u})^2$	$> -6 \times 10^{-22}$	"	[303]*
$ d_{33}^{(4)u} $	$< 6 \times 10^{-22}$	"	[303]*
$\sqrt{\sum_i (e_i^{(4)u})^2}$	$< 4 \times 10^{-11}$	"	[303]*
$ g_{033}^{(4)u} $	$< 4 \times 10^{-11}$	"	[303]*
$\hat{c}^d - \frac{3}{4}\tilde{\kappa}_{\text{tr}} - \frac{3}{8}(\hat{f}^d)^2$	$> -1 \times 10^{-22}$	"	[303]*
$ \hat{d}^d $	$< 1 \times 10^{-22}$	"	[303]*
$ \hat{e}^d $	$< 2 \times 10^{-11}$	"	[303]*
$ \hat{g}^d $	$< 2 \times 10^{-11}$	"	[303]*
$c_{33}^{(4)d} - \frac{3}{8}(f_3^{(4)d})^2$	$> -3 \times 10^{-21}$	"	[303]*
$ d_{33}^{(4)d} $	$< 3 \times 10^{-21}$	"	[303]*
$\sqrt{\sum_i (e_i^{(4)d})^2}$	$< 8 \times 10^{-11}$	"	[303]*
$ g_{033}^{(4)d} $	$< 8 \times 10^{-11}$	"	[303]*
$ c_u^{TT}  \equiv  \frac{3}{4}\hat{c}_u^{\text{UR}(4)} ,  c_d^{TT}  \equiv  \frac{3}{4}\hat{c}_d^{\text{UR}(4)} $	$> -1 \times 10^{-22}$	"	[92]*, [20]*, [304]*
$\hat{c}_q^{\text{UR}(4)}$	$(-0.01 \text{ to } 1.8) \times 10^{-21}$	"	[92]*, [20]*
$\hat{c}_q^{\text{UR}(4)} - 2\hat{c}_e^{\text{UR}(4)}$	$(-0.001 \text{ to } 2) \times 10^{-20}$	"	[92]*, [20]*

Table D39. Quark sector,  $d = 4$  (part 3 of 3)

Combination	Result	System	Ref.
$c_t^{\mu\nu}$	$< 10^{-4}$	Astrophysics	[305]*
$(k_\pi)_{XX} - (k_\pi)_{YY}, (k_\pi)_{(XY)}$	$< 10^{-23}$	Chiral perturbation theory	[306]*
$(k_\pi)_{(XZ)}, (k_\pi)_{(YZ)}$	$< 10^{-24}$	"	[306]*
$\delta^\pi$	$> -7 \times 10^{-13}$	Astrophysics	[307]*
"	$(-1.5 \text{ to } 200) \times 10^{-11}$	"	[308]*
$ c^\pi $	$< 10^{-10}$	"	[85]*
$ c^K $	$< 10^{-9}$	"	[85]*
$ c^D $	$< 10^{-8}$	"	[85]*
$ c^{B_d} ,  c^{B_s} $	$< 10^{-7}$	"	[85]*
$ c_{ZZ} $	$< 0.027$	$q\bar{q}$ production	[309]*
$ c_{ZZ}^b $	$< 0.35$	$b\bar{b}$ production	[309]*
$ c_{ZZ}^c $	$< 0.4$	$c\bar{c}$ production	[309]*
$(c_Q)_{XX33}, -(c_Q)_{YY33}$	$(-0.91 \text{ to } 1.03) \times 10^{-3}$	$t\bar{t}$ production	[310]
$(c_Q)_{XY33}$	$(-1.96 \text{ to } -0.03) \times 10^{-3}$	"	[310]
$(c_Q)_{XZ33}$	$(-0.86 \text{ to } 5.63) \times 10^{-3}$	"	[310]
$(c_Q)_{YZ33}$	$(-4.7 \text{ to } 1.81) \times 10^{-3}$	"	[310]
$(c_U)_{XX33}, -(c_U)_{YY33}$	$(-1.66 \text{ to } 1.77) \times 10^{-3}$	"	[310]
$(c_U)_{XY33}$	$(0.14 \text{ to } 3.56) \times 10^{-3}$	"	[310]
$(c_U)_{XZ33}$	$(-9.61 \text{ to } 2.01) \times 10^{-3}$	"	[310]
$(c_U)_{YZ33}$	$(-3.74 \text{ to } 7.91) \times 10^{-3}$	"	[310]
$ c_t $	$< 1.6 \times 10^{-7}$	Astrophysics	[62]*
$(c_Q)_{XX33}$	$-0.12 \pm 0.11 \pm 0.02$	$t\bar{t}$ production	[311]
$(c_Q)_{YY33}$	$0.12 \pm 0.11 \pm 0.02$	"	[311]
$(c_Q)_{XY33}$	$-0.04 \pm 0.11 \pm 0.01$	"	[311]
$(c_Q)_{XZ33}$	$0.15 \pm 0.08 \pm 0.02$	"	[311]
$(c_Q)_{YZ33}$	$-0.03 \pm 0.08 \pm 0.01$	"	[311]
$(c_U)_{XX33}$	$0.1 \pm 0.09 \pm 0.02$	"	[311]
$(c_U)_{YY33}$	$-0.1 \pm 0.09 \pm 0.02$	"	[311]
$(c_U)_{XY33}$	$0.04 \pm 0.09 \pm 0.01$	"	[311]
$(c_U)_{XZ33}$	$-0.14 \pm 0.07 \pm 0.02$	"	[311]
$(c_U)_{YZ33}$	$0.01 \pm 0.07 \pm < 0.01$	"	[311]
$d_{XX}$	$-0.11 \pm 0.1 \pm 0.02$	"	[311]
$d_{YY}$	$0.11 \pm 0.1 \pm 0.02$	"	[311]
$d_{XY}$	$-0.04 \pm 0.1 \pm 0.01$	"	[311]
$d_{XZ}$	$0.14 \pm 0.07 \pm 0.02$	"	[311]
$d_{YZ}$	$-0.02 \pm 0.07 \pm < 0.01$	"	[311]

Table D40. Quark sector,  $d \geq 5$  (part 1 of 2)

Combination	Result	System	Ref.
$a_{Su}^{(5)TXX} - a_{Su}^{(5)TYY}$	$(-5.1 \text{ to } 4.3) \times 10^{-7} \text{ GeV}^{-1}$	Deep inelastic scattering	[301]
$a_{Su}^{(5)XXZ} - a_{Su}^{(5)YYZ}$	$(-1.7 \text{ to } 2.0) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)TXY}$	$(-8.3 \text{ to } 65) \times 10^{-8} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)TXZ}$	$(-2.9 \text{ to } 11) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)TYZ}$	$(-4.3 \text{ to } 7.4) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)XXX}$	$(-3.9 \text{ to } 1.2) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)XXY}$	$(-2.3 \text{ to } 1.8) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)XYY}$	$(-46 \text{ to } 9.2) \times 10^{-8} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)XYZ}$	$(-26 \text{ to } 3.3) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)XZZ}$	$(-5.4 \text{ to } 1.4) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)YYY}$	$(-2.9 \text{ to } 1.5) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Su}^{(5)YZZ}$	$(-3.6 \text{ to } 2.1) \times 10^{-7} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)TXX} - a_{Sd}^{(5)TYY}$	$(-7.3 \text{ to } 6.1) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)XXZ} - a_{Sd}^{(5)YYZ}$	$(-2.4 \text{ to } 2.8) \times 10^{-5} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)TXY}$	$(-1.2 \text{ to } 9.4) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)TXZ}$	$(-4.1 \text{ to } 16) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)TYZ}$	$(-6.1 \text{ to } 11) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)XXX}$	$(-5.7 \text{ to } 1.7) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)XXY}$	$(-3.4 \text{ to } 2.7) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)XYY}$	$(-6.8 \text{ to } 1.3) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)XYZ}$	$(-37 \text{ to } 4.6) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)XZZ}$	$(-8.1 \text{ to } 2.1) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)YYY}$	$(-4.3 \text{ to } 2.3) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]
$a_{Sd}^{(5)YZZ}$	$(-5.4 \text{ to } 3.1) \times 10^{-6} \text{ GeV}^{-1}$	"	[301]

Table D40. Quark sector,  $d \geq 5$  (part 2 of 2)

Combination	Result	System	Ref.
$ (k_{a,K}^{(5)})_{TTT} - 0.97(k_{a,K}^{(5)})_{TTZ} $	$< 2 \times 10^{-24} \text{ GeV}^{-1}$	$K$ oscillations	[312]*
$ (k_{a,K}^{(5)})_{TTX} ,  (k_{a,K}^{(5)})_{TTY} $	$< 1.8 \times 10^{-25} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,K}^{(5)})_{TTT}$	$(-2.4 \pm 4.4) \times 10^{-17} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,K}^{(5)})_{TTX}$	$(1.2 \pm 2.8) \times 10^{-18} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,K}^{(5)})_{TTY}$	$(2.7 \pm 2.7) \times 10^{-18} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,K}^{(5)})_{TTZ}$	$(4.2 \pm 3.0) \times 10^{-18} \text{ GeV}^{-1}$	"	[312]*
$N^D[(k_{a,D}^{(5)})_{TTT} + 0.97(k_{a,D}^{(5)})_{TTZ}]$	$(-5.1 \text{ to } 8.8) \times 10^{-20} \text{ GeV}^{-1}$	$D$ oscillations	[312]*
$N^D(k_{a,D}^{(5)})_{TTX}, N^D(k_{a,D}^{(5)})_{TTY}$	$(-6.5 \text{ to } 3.5) \times 10^{-20} \text{ GeV}^{-1}$	"	[312]*
$N^{B_d}[(k_{a,B_d}^{(5)})_{TTT} - 0.7(k_{a,B_d}^{(5)})_{TTZ}]$	$(-1.3 \pm 1.0) \times 10^{-16} \text{ GeV}^{-1}$	$B_d$ oscillations	[312]*
$N^{B_d}(k_{a,B_d}^{(5)})_{TTX}$	$(-3.6 \pm 1.1) \times 10^{-16} \text{ GeV}^{-1}$	"	[312]*
$N^{B_d}(k_{a,B_d}^{(5)})_{TTY}$	$(-4.5 \text{ to } -0.7) \times 10^{-16} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_d}^{(5)})_{TTT} - 0.8(k_{a,B_d}^{(5)})_{TTZ}$	$(-1.3 \pm 17) \times 10^{-20} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_d}^{(5)})_{TTX}$	$(1.0 \pm 0.8) \times 10^{-19} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_d}^{(5)})_{TTY}$	$(2.3 \pm 8.1) \times 10^{-20} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_d}^{(5)})_{TTT} - 0.7(k_{a,B_d}^{(5)})_{TTZ}$	$(-8.0 \pm 5.1) \times 10^{-16} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_s}^{(5)})_{TTT}$	$(1.0 \pm 1.1) \times 10^{-14} \text{ GeV}^{-1}$	$B_s$ oscillations	[312]*
$ (k_{a,B_s}^{(5)})_{TTX} ,  (k_{a,B_s}^{(5)})_{TTY} $	$< 1.1 \times 10^{-15} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_s}^{(5)})_{TTT} - 0.4(k_{a,B_s}^{(5)})_{TTZ}$	$(-1.6 \text{ to } 8.3) \times 10^{-16} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_s}^{(5)})_{TTT} - 0.8(k_{a,B_s}^{(5)})_{TTZ}$	$(-1.1 \pm 2.1) \times 10^{-18} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_s}^{(5)})_{TTX}$	$(0.5 \pm 1.4) \times 10^{-18} \text{ GeV}^{-1}$	"	[312]*
$(k_{a,B_s}^{(5)})_{TTY}$	$(-1.9 \pm 1.4) \times 10^{-18} \text{ GeV}^{-1}$	"	[312]*
$\hat{c}_q^{\text{UR}(6)}$	$(-0.63 \text{ to } 1.7) \times 10^{-22} \text{ GeV}^{-2}$	Astrophysics	[92]*, [20]*

Table D41. Electroweak sector,  $d = 3, 4$ 

Combination	Result	System	Ref.
$ (2k_1)^\mu(2k_1)_\mu $	$< 7.2 \times 10^{-21} m_e^2$	Lepton magnetic moments	[313]*
$ (2k_2)^\mu(2k_2)_\mu $	$< 3.2 \times 10^{-19} m_e^2$	"	[313]*
$ (\text{Re } k_\phi)^\mu(\text{Re } k_\phi)_\mu $	$< 3.29 \times 10^{-29} \text{ GeV}^2$	"	[314]*
$ (k_{\phi\phi})^{01} $	$< 10^{-12}$	Laser interferometry	[315]*
$ (k_{\phi\phi})^{02} $	$< 10^{-12}$	"	[315]*
$ (k_{\phi\phi})^{03} $	$< 10^{-12}$	"	[315]*
$ (k_{\phi\phi})^{12} $	$< 10^{-20}$	"	[315]*
$ (k_{\phi\phi})^{13} $	$< 10^{-18}$	"	[315]*
$ (k_{\phi\phi})^{23} $	$< 10^{-18}$	"	[315]*
$ (k_{\phi\phi})^{11} - (k_{\phi\phi})^{22} $	$< 10^{-19}$	"	[315]*
$ (k_1)^\mu $	$< 1.7 \times 10^{-8} \text{ GeV}$	Cosmic rays	[316]*
$ (k_2)^\mu $	$< 1.1 \times 10^{-7} \text{ GeV}$	"	[316]*
$ (k_\phi)_X ,  (k_\phi)_Y $	$< 10^{-31} \text{ GeV}$	Xe-He maser	[317]*
$ (k_\phi)_Z ,  (k_\phi)_T $	$< 2.8 \times 10^{-27} \text{ GeV}$	"	[317]*
$(k_{\phi\phi}^A)^{XZ} + \frac{1}{2g}(k_{\phi W})^{XZ}$	$< 2 \times 10^{-4}$	Nuclear beta decay	[318]
$(k_{\phi\phi}^A)^{YZ} + \frac{1}{2g}(k_{\phi W})^{YZ}$	$< 2 \times 10^{-4}$	"	[318]
$ (k_{\phi\phi})_S^{XT} $	$< 3.3 \times 10^{-3}$	Kaon decay	[319]*
$ (k_{\phi\phi})_S^{YT} $	$< 6.3 \times 10^{-3}$	"	[319]*
$ (k_{\phi\phi})_S^{ZT} $	$< 6.0 \times 10^{-3}$	"	[319]*
$2(k_{\phi\phi}^A)^{32} + \frac{1}{g}(k_{\phi W})^{32}$	$(-9 \text{ to } 2) \times 10^{-3}$	Nuclear beta decay	[320]
$2(k_{\phi\phi}^A)^{13} + \frac{1}{g}(k_{\phi W})^{13}$	$(-6 \text{ to } 4) \times 10^{-3}$	"	[320]
$(k_{\phi\phi}^S)^{ZT}, (k_{\phi\phi}^A)^{YX}, (k_{\phi W})^{YX}$	$(-0.5 \text{ to } 1) \times 10^{-8}$	"	[321]*
$(k_{\phi\phi}^S)^{ZZ}$	$(-1 \text{ to } 0.4) \times 10^{-6}$	"	[321]*
$(k_{\phi\phi}^S)^{TT}$	$(-1 \text{ to } 3) \times 10^{-6}$	"	[321]*
$ (k_{\phi\phi}^S)^{XX} ,  (k_{\phi\phi}^S)^{YY} $	$< 1 \times 10^{-6}$	"	[321]*
$ (k_{\phi\phi}^S)^{XT} ,  (k_{\phi\phi}^S)^{YT} ,  (k_{\phi\phi}^A)^{XZ} ,  (k_{\phi\phi}^A)^{YZ} ,  (k_{\phi W})^{XZ} ,  (k_{\phi W})^{YZ} $	$< 2 \times 10^{-8}$	"	[321]*
$ (k_{\phi\phi}^S)^{XY} ,  (k_{\phi\phi}^S)^{XZ} ,  (k_{\phi\phi}^S)^{YZ} $	$< 5 \times 10^{-7}$	"	[321]*
$ (k_{\phi\phi}^A)_{\mu\nu} $	$< 3 \times 10^{-16}$	Cosmological birefringence	[317]*
$ (k_{\phi B})_{\mu\nu} $	$< 0.9 \times 10^{-16}$	"	[317]*
$ (k_{\phi W})_{\mu\nu} $	$< 1.7 \times 10^{-16}$	"	[317]*
$ (k_{\phi\phi}^S)_{XX} ,  (k_{\phi\phi}^S)_{YY} ,  (k_{\phi\phi}^S)_{ZZ} $	$< 10^{-27}$	Clock comparisons	[317]*
$ (k_{\phi\phi}^S)_{XY} $	$< 10^{-27}$	"	[317]*
$ (k_{\phi\phi}^S)_{XZ} ,  (k_{\phi\phi}^S)_{YZ} $	$< 10^{-25}$	"	[317]*
$ (k_{\phi\phi}^S)_{TT} $	$< 4 \times 10^{-13}$	$H^-$ ion, $\bar{p}$ comparison	[317]*
$ (k_W)^\alpha_{X\alpha 0} ,  (k_W)^\alpha_{Y\alpha 0} $	$< 10^{-7}$	Electron-electron scattering	[322]*
$ (k_W)^\alpha_{\mu\alpha\nu} $	$< 10^{-5}$	Astrophysics	[85]*

Table D42. Gluon sector,  $d = 4$ 

Combination	Result	System	Ref.
$ k^{TT} $	$< 10^{-21}$	Various	[323]*
$ k^{TJ} $	$< 10^{-19}$	"	[323]*
$ k^{JK} $	$< 10^{-27}$	"	[323]*
$ k^{XX} ,  k^{YY} $	$< 10^{-27}$	"	[323]*
$ k^{ZZ} $	$< 10^{-20}$	"	[323]*
$ k^a $ for $a = 1, 2, 8, 9, 10$	$< 10^{-34}$	Astrophysics	[323]*
$ k^a $ for $a = 3, 4, 5, 6, 7$	$< 10^{-35}$	"	[323]*
$ \tilde{\kappa}_{\text{tr}}^{\text{QCD}} $	$< 2 \times 10^{-13}$	"	[188]*

Table D43. Gravity sector,  $d = 3$ 

Combination	Result	System	Ref.
$\alpha(\bar{a}_{\text{eff}}^{n-e-p})_T$	$(6.3 \pm 12) \times 10^{-14}$ GeV	Space-based WEP	[324]
$\alpha(\bar{a}_{\text{eff}}^{n-e-p})_X$	$(0.81 \pm 1.7) \times 10^{-9}$ GeV	"	[324]
$\alpha(\bar{a}_{\text{eff}}^{n-e-p})_Y$	$(0.67 \pm 3.1) \times 10^{-7}$ GeV	"	[324]
$\alpha(\bar{a}_{\text{eff}}^{n-e-p})_Z$	$(-1.55 \pm 7.1) \times 10^{-7}$ GeV	"	[324]
$ (\bar{a}_{\text{eff}}^e)_k $	$< 2 \times 10^{-7}$ GeV	Binary pulsars	[75]*
$ (\bar{a}_{\text{eff}}^p)_k $	$< 2 \times 10^{-7}$ GeV	"	[75]*
$ (\bar{a}_{\text{eff}}^n)_k $	$< 1 \times 10^{-8}$ GeV	"	[75]*
$\alpha(\bar{a}_{\text{eff}}^{e+p})_X$	$(-4 \pm 6) \times 10^{-6}$ GeV	Gravimetry	[124]*
$\alpha(\bar{a}_{\text{eff}}^n)_X$	$(-4 \pm 5) \times 10^{-6}$ GeV	"	[124]*
$\alpha(\bar{a}_{\text{eff}}^{e+p})_Y$	$(-5 \pm 7) \times 10^{-6}$ GeV	"	[124]*
$\alpha(\bar{a}_{\text{eff}}^n)_Y$	$(-4 \pm 6) \times 10^{-6}$ GeV	"	[124]*
$\alpha(\bar{a}_{\text{eff}}^{e+p})_Z$	$(-1 \pm 2) \times 10^{-5}$ GeV	"	[124]*
$\alpha(\bar{a}_{\text{eff}}^n)_Z$	$(-1 \pm 1) \times 10^{-5}$ GeV	"	[124]*
$\alpha(\bar{a}^{e+p})_T$	$(0.22 \pm 0.28) \times 10^{-6}$ GeV	Nuclear binding energy	[76]
$\alpha(\bar{a}^n)_T$	$(0.51 \pm 0.64) \times 10^{-6}$ GeV	"	[76]
$\alpha(\bar{a}_{\text{eff}}^{e+p})_T$	$(0.8 \pm 1.0) \times 10^{-6}$ GeV	Cs interferometer	[77]
$\alpha(\bar{a}_{\text{eff}}^n)_T$	$(4.3 \pm 3.7) \times 10^{-6}$ GeV	"	[77]
$ \alpha(\bar{a}_{\text{eff}}^{e+p})_T $	$< 10^{-7}$ GeV	Free-fall WEP	[33]*
"	$< 10^{-10}$ GeV	Force-comparison WEP	[33]*
$ \alpha(\bar{a}_{\text{eff}}^n)_T $	$< 10^{-7}$ GeV	Free-fall WEP	[33]*
"	$< 10^{-10}$ GeV	Force-comparison WEP	[33]*
$ \alpha(\bar{a}_{\text{eff}}^{e+p-n})_T - \frac{1}{3}m^p(\bar{c}^{e+p-n})_{TT} $	$< 10^{-8}$ GeV	Combined WEP	[33]*
$ \alpha(\bar{a}_{\text{eff}}^{e+p-n})_T - \frac{1}{3}m^p(\bar{c}^{e+p-n})_{TT} + (\frac{1}{2}\cos^2\chi - \frac{1}{6})m^n(\bar{c}^n)_Q $	$< 10^{-8}$ GeV	Free-fall WEP	[33]*
$ \alpha(\bar{a}_{\text{eff}}^{e+p-n})_T - \frac{1}{3}m^p(\bar{c}^{e+p-n})_{TT} - \frac{1}{6}m^n(\bar{c}^n)_Q $	$< 10^{-11}$ GeV	Force-comparison WEP	[33]*
$ \alpha\bar{a}_T^e + \alpha\bar{a}_T^p - 0.8\alpha\bar{a}_T^n $	$< 1 \times 10^{-11}$ GeV	Torsion pendulum	[19]*
$\alpha(\bar{a}_{\text{eff}}^e)^X + \alpha(\bar{a}_{\text{eff}}^p)^X$	$(-7.6 \pm 9.0) \times 10^{-6}$ GeV	Combined	[325]*
$\alpha(\bar{a}_{\text{eff}}^n)^X$	$(-5.4 \pm 6.3) \times 10^{-6}$ GeV	"	[325]*
$\bar{s}^{TX} - \frac{\alpha}{m_{\oplus}}(\bar{a}_{\text{eff}}^{\oplus})^X$	$0.24 \pm 0.15$	K/He magnetometer	[326]*
$ \alpha[\bar{a}_X^n + 0.83(\bar{a}_X^p + \bar{a}_X^e)] $	$\leq 2 \times 10^{-1}$ GeV	Torsion-strip balance	[327]
$\alpha(\bar{a}_{\text{eff}}^e)^Y + \alpha(\bar{a}_{\text{eff}}^p)^Y$	$(-6.2 \pm 9.5) \times 10^{-5}$ GeV	Combined	[325]*
$\alpha(\bar{a}_{\text{eff}}^n)^Y$	$(4.8 \pm 8.2) \times 10^{-4}$ GeV	"	[325]*
$\bar{s}^{TY} - \frac{\alpha}{m_{\oplus}}(\bar{a}_{\text{eff}}^{\oplus})^Y$	$0.02 \pm 0.13$	K/He magnetometer	[326]*
$ \alpha[\bar{a}_Y^n + 0.83(\bar{a}_Y^p + \bar{a}_Y^e)] $	$\leq 4 \times 10^{-1}$ GeV	Torsion-strip balance	[327]
$\alpha(\bar{a}_{\text{eff}}^e)^Z + \alpha(\bar{a}_{\text{eff}}^p)^Z$	$(1.3 \pm 2.2) \times 10^{-4}$ GeV	Combined	[325]*
$\alpha(\bar{a}_{\text{eff}}^n)^Z$	$(-1.1 \pm 1.9) \times 10^{-3}$ GeV	"	[325]*
$ 0.5(\alpha\bar{a}_2^e + \alpha\bar{a}_2^p) + 1.1\alpha\bar{a}_2^n $	$< 2 \times 10^{21}$ GeV	LIGO	[328]*
$ (\bar{a}_{\text{eff}}^e)_{\text{☿}} + (\bar{a}_{\text{eff}}^p)_{\text{☿}} + 0.1(\bar{a}_{\text{eff}}^n)_{\text{☿}} $	$< 10^{-6}$ GeV	Solar system	[33]*
$ (\bar{a}_{\text{eff}}^e)_{\text{⊕}} + (\bar{a}_{\text{eff}}^p)_{\text{⊕}} + 0.1(\bar{a}_{\text{eff}}^n)_{\text{⊕}} $	$< 10^{-6}$ GeV	"	[33]*

Table D44. Gravity sector,  $d = 4$  (part 1 of 5)

Combination	Result	System	Ref.
$\bar{s}_{00}^{(4)}$	$-0.07^{+1.67}_{-0.97}$	Gravitational waves	[329]*
$\bar{s}_{10}^{(4)}$	$-0.28^{+1.80}_{-1.96}$	"	[329]*
$\text{Re } \bar{s}_{11}^{(4)}$	$-0.18^{+0.56}_{-0.32}$	"	[329]*
$\text{Im } \bar{s}_{11}^{(4)}$	$0.52^{+0.69}_{-0.53}$	"	[329]*
$\bar{s}_{20}^{(4)}$	$-0.44^{+1.95}_{-1.46}$	"	[329]*
$\text{Re } \bar{s}_{21}^{(4)}$	$0.36^{+0.84}_{-0.45}$	"	[329]*
$\text{Im } \bar{s}_{21}^{(4)}$	$-0.38^{+1.60}_{-0.77}$	"	[329]*
$\text{Re } \bar{s}_{22}^{(4)}$	$-0.06^{+0.70}_{-0.53}$	"	[329]*
$\text{Im } \bar{s}_{22}^{(4)}$	$-0.29^{+0.81}_{-0.36}$	"	[329]*
$\bar{s}_{00}^{(4)}$	$-0.2 \text{ to } 0.07$	"	[330]*
$\bar{s}_{00}^{(4)}$	$-4.0^{+12.1}_{-12.7}$	"	[330]*
$\bar{s}_{10}^{(4)}$	$2.6^{+8.4}_{-8.2}$	"	[330]*
$\text{Re } \bar{s}_{11}^{(4)}$	$-0.2^{+0.5}_{-0.8}$	"	[330]*
$\text{Im } \bar{s}_{11}^{(4)}$	$-1.1^{+1.5}_{-1.8}$	"	[330]*
$\sum_{jm} Y_{jm}(113^\circ, 197^\circ)(c_{(I)jm}^{(4)} - k_{(I)jm}^{(4)})$	$(-30 \text{ to } 7) \times 10^{-16}$	"	[331], [332]*
$c_{(I)00}^{(4)} - k_{(I)00}^{(4)}$	$(-11 \text{ to } 2.5) \times 10^{-15}$	"	[331], [332]*
$\bar{s}_{00}^{(4)}$	$(-20 \text{ to } 5) \times 10^{-15}$	"	[331]
$\bar{s}_{10}^{(4)}$	$(-30 \text{ to } 7) \times 10^{-15}$	"	[331]
$\text{Re } \bar{s}_{11}^{(4)}$	$(-2 \text{ to } 10) \times 10^{-15}$	"	[331]
$\text{Im } \bar{s}_{11}^{(4)}$	$(-30 \text{ to } 7) \times 10^{-15}$	"	[331]
$\bar{s}_{20}^{(4)}$	$(-8 \text{ to } 40) \times 10^{-15}$	"	[331]
$\text{Re } \bar{s}_{21}^{(4)}$	$(-2 \text{ to } 10) \times 10^{-15}$	"	[331]
$\text{Im } \bar{s}_{21}^{(4)}$	$(-40 \text{ to } 8) \times 10^{-15}$	"	[331]
$\text{Re } \bar{s}_{22}^{(4)}$	$(-10 \text{ to } 3) \times 10^{-15}$	"	[331]
$\text{Im } \bar{s}_{22}^{(4)}$	$(-4 \text{ to } 20) \times 10^{-15}$	"	[331]
$\bar{s}_{00}^{(4)}$	$> -3 \times 10^{-14}$	Cosmic rays	[25]*
$\bar{s}_{10}^{(4)}$	$(-10 \text{ to } 7) \times 10^{-14}$	"	[25]*
$\text{Re } \bar{s}_{11}^{(4)}$	$(-8 \text{ to } 8) \times 10^{-14}$	"	[25]*
$\text{Im } \bar{s}_{11}^{(4)}$	$(-7 \text{ to } 9) \times 10^{-14}$	"	[25]*
$\bar{s}_{20}^{(4)}$	$(-7 \text{ to } 10) \times 10^{-14}$	"	[25]*
$\text{Re } \bar{s}_{21}^{(4)}$	$(-7 \text{ to } 7) \times 10^{-14}$	"	[25]*
$\text{Im } \bar{s}_{21}^{(4)}$	$(-5 \text{ to } 8) \times 10^{-14}$	"	[25]*
$\text{Re } \bar{s}_{22}^{(4)}$	$(-6 \text{ to } 8) \times 10^{-14}$	"	[25]*
$\text{Im } \bar{s}_{22}^{(4)}$	$(-7 \text{ to } 7) \times 10^{-14}$	"	[25]*



Table D44. Gravity sector,  $d = 4$  (part 2 of 5)

Combination	Result	System	Ref.
$\bar{s}^{TX}$	$(3.4 \pm 7.9) \times 10^{-6}$	Atom Interferometry	[333]
$\bar{s}^{TY}$	$(7.8 \pm 12.1) \times 10^{-6}$	"	[333]
$\bar{s}^{TZ}$	$(-7.2 \pm 9.8) \times 10^{-6}$	"	[333]
$\bar{s}^{XX} - \bar{s}^{YY}$	$(1.8 \pm 2.1) \times 10^{-9}$	"	[333]
$\bar{s}^{XY}$	$(1.1 \pm 1.0) \times 10^{-9}$	"	[333]
$\bar{s}^{XZ}$	$(5.9 \pm 5.5) \times 10^{-10}$	"	[333]
$\bar{s}^{YZ}$	$(1.2 \pm 1.1) \times 10^{-9}$	"	[333]
$ \bar{s}^{TX} $	$< 2.9 \times 10^{-9}$	Pulsars	[334]*
$ \bar{s}^{TY} $	$< 3.3 \times 10^{-9}$	"	[334]*
$ \bar{s}^{TZ} $	$< 3.2 \times 10^{-9}$	"	[334]*
$ \bar{s}^{XY} $	$< 1.2 \times 10^{-11}$	"	[334]*
$ \bar{s}^{XZ} $	$< 5.6 \times 10^{-12}$	"	[334]*
$ \bar{s}^{YZ} $	$< 1.1 \times 10^{-11}$	"	[334]*
$ \bar{s}^{XX} - \bar{s}^{YY} $	$< 3.9 \times 10^{-11}$	"	[334]*
$ \bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ} $	$< 4.1 \times 10^{-11}$	"	[334]*
$\bar{s}^{TT}$	$(-35 \text{ to } 1.5) \times 10^{-2}$	Sagittarius A*	[335]*
$\bar{s}^{XX} + \bar{s}^{YY}$	$(-25 \text{ to } 1) \times 10^{-2}$	"	[335]*
$ \bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ} $	$< 10^{-15}$	Pulsars	[336]*
$ 3\bar{s}^{TT} + 0.24(\bar{s}^{XX} + \bar{s}^{YY} - 2.16\bar{s}^{ZZ}) $	$< 10^{-2}$	Ultracold neutrons	[337]*
$\bar{s}^{XX} - \bar{s}^{YY}$	$(-0.9 \pm 2.4) \times 10^{-9}$	Gravimetry	[338]
$\bar{s}^{XY}$	$(-1.1 \pm 1.2) \times 10^{-9}$	"	[338]
$\bar{s}^{XZ}$	$(-0.3 \pm 1.8) \times 10^{-10}$	"	[338]
$\bar{s}^{YZ}$	$(-0.2 \pm 1.8) \times 10^{-10}$	"	[338]
$\bar{s}^{XY}$	$(-0.5 \pm 3.6) \times 10^{-12}$	Lunar laser ranging	[339]*
$\bar{s}^{YZ}$	$(2.1 \pm 3.0) \times 10^{-12}$	"	[339]*
$\bar{s}^{XX} - \bar{s}^{YY}$	$(0.2 \pm 1.1) \times 10^{-11}$	"	[339]*
$0.35\bar{s}^{XX} + 0.35\bar{s}^{YY} - 0.70\bar{s}^{ZZ} - 0.94\bar{s}^{YZ}$	$(3.0 \pm 3.1) \times 10^{-12}$	"	[339]*
$-0.62\bar{s}^{TX} + 0.78\alpha(\bar{a}_{\text{eff}}^{e+p})^X + 0.79\alpha(\bar{a}_{\text{eff}}^n)^X$	$(-1.4 \pm 1.7) \times 10^{-8}$	"	[339]*
$0.93\bar{s}^{TY} + 0.34\bar{s}^{TZ} - 0.10\alpha(\bar{a}_{\text{eff}}^{e+p})^Y - 0.10\alpha(\bar{a}_{\text{eff}}^n)^Y$	$(-6.6 \pm 9.4) \times 10^{-9}$	"	[339]*
$-0.044\alpha(\bar{a}_{\text{eff}}^{e+p})^Z - 0.044\alpha(\bar{a}_{\text{eff}}^n)^Z$			
$\bar{s}_{XX} - \bar{s}_{YY}$	$(2 \pm 1) \times 10^{-10}$	Gravimetry	[124]*
$\bar{s}_{XY}$	$(-4 \pm 1) \times 10^{-10}$	"	[124]*
$\bar{s}_{XZ}$	$(0 \pm 1) \times 10^{-10}$	"	[124]*
$\bar{s}_{YZ}$	$(3 \pm 1) \times 10^{-10}$	"	[124]*
$\bar{s}_{TX}$	$(3 \pm 3) \times 10^{-7}$	"	[124]*
$\bar{s}_{TY}$	$(6 \pm 3) \times 10^{-7}$	"	[124]*
$\bar{s}_{TZ}$	$(1 \pm 1) \times 10^{-6}$	"	[124]*

Table D44. Gravity sector,  $d = 4$  (part 3 of 5)

Combination	Result	System	Ref.
$\bar{s}^{TT}$	$(-4.6 \pm 7.7) \times 10^{-5}$	Combined	[340]*
$\bar{s}^{XX} - \bar{s}^{YY}$	$(-0.8 \pm 2.0) \times 10^{-11}$	"	[340]*
$\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ}$	$(0.6 \pm 2.5) \times 10^{-11}$	"	[340]*
$\bar{s}^{XY}$	$(-1.6 \pm 6.5) \times 10^{-12}$	"	[340]*
$\bar{s}^{XZ}$	$(-0.8 \pm 3.9) \times 10^{-12}$	"	[340]*
$\bar{s}^{YZ}$	$(1.8 \pm 3.4) \times 10^{-12}$	"	[340]*
$\bar{s}^{TX}$	$(-0.2 \pm 1.3) \times 10^{-9}$	"	[340]*
$\bar{s}^{TY}$	$(0.6 \pm 2.3) \times 10^{-9}$	"	[340]*
$\bar{s}^{TZ}$	$(-0.8 \pm 5.5) \times 10^{-9}$	"	[340]*
$\bar{s}^{TX}$	$(-0.9 \pm 1.0) \times 10^{-8}$	Lunar laser ranging	[341]*
$\bar{s}^{XY}$	$(-5.7 \pm 7.7) \times 10^{-12}$	"	[341]*
$\bar{s}^{XZ}$	$(-2.2 \pm 5.9) \times 10^{-12}$	"	[341]*
$\bar{s}^{XX} - \bar{s}^{YY}$	$(0.6 \pm 4.2) \times 10^{-11}$	"	[341]*
$\bar{s}^{TY} + 0.43\bar{s}^{TZ}$	$(6.2 \pm 7.9) \times 10^{-9}$	"	[341]*
$\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ} - 4.5\bar{s}^{YZ}$	$(2.3 \pm 4.5) \times 10^{-11}$	"	[341]*
$\overset{\circ}{k}_{(J)}^{(4)}$	$> -0.64$	Gravitational waves	[342]*
$\bar{s}^{TT}$	$(-5 \pm 8) \times 10^{-5}$	VLBI	[343]*
$\bar{s}^{XY}$	$(6.5 \pm 3.2) \times 10^{-11}$	Combined	[325]*
$\bar{s}^{XZ}$	$(2.0 \pm 1.0) \times 10^{-11}$	"	[325]*
$\bar{s}^{YZ}$	$(4.1 \pm 5.0) \times 10^{-12}$	"	[325]*
$\bar{s}^{XX} - \bar{s}^{YY}$	$(9.6 \pm 5.6) \times 10^{-11}$	"	[325]*
$\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ}$	$(1.6 \pm 0.78) \times 10^{-10}$	"	[325]*
$\bar{s}^{TX}$	$(-7.4 \pm 8.7) \times 10^{-6}$	"	[325]*
$\bar{s}^{TY}$	$(-0.8 \pm 2.5) \times 10^{-5}$	"	[325]*
$\bar{s}^{TZ}$	$(0.8 \pm 5.8) \times 10^{-5}$	"	[325]*
$ \bar{s}^{TT} $	$< 1.6 \times 10^{-5}$	Binary pulsars	[344]*
"	$< 2.8 \times 10^{-4}$	"	[344]*
$\bar{s}^{TX}$	$(-5.2 \text{ to } 5.3) \times 10^{-9}$	"	[345]*
$\bar{s}^{TY}$	$(-7.5 \text{ to } 8.5) \times 10^{-9}$	"	[345]*
$\bar{s}^{TZ}$	$(-5.9 \text{ to } 5.8) \times 10^{-9}$	"	[345]*
$\bar{s}^{XY}$	$(-3.5 \text{ to } 3.6) \times 10^{-11}$	"	[345]*
$\bar{s}^{XZ}$	$(-2.0 \text{ to } 2.0) \times 10^{-11}$	"	[345]*
$\bar{s}^{YZ}$	$(-3.3 \text{ to } 3.3) \times 10^{-11}$	"	[345]*
$\bar{s}^{XX} - \bar{s}^{YY}$	$(-9.7 \text{ to } 10.1) \times 10^{-11}$	"	[345]*
$\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ}$	$(-12.3 \text{ to } 12.2) \times 10^{-11}$	"	[345]*
$ \bar{s}^{TT} $	$< 3.8 \times 10^{-3}$	Combined	[346]*
$ \bar{s}^{XX} $	$< 1.3 \times 10^{-3}$	"	[346]*
$ \bar{s}^{YY} $	$< 1.3 \times 10^{-3}$	"	[346]*
$ \bar{s}^{ZZ} $	$< 1.3 \times 10^{-3}$	"	[346]*
$ \bar{s}^{TT} + 0.14(\bar{s}^{XX} - \bar{s}^{YY}) - 0.054(\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ}) - 0.18\bar{s}^{XY} $	$< 3.8 \times 10^{-3}$	Geodetic effect	[346]*
$ (\bar{s}^{XX} - \bar{s}^{YY}) + 3.0\bar{s}^{XY} + 0.32\bar{s}^{XZ} + 1.0\bar{s}^{YZ} $	$< 4.9 \times 10^{-7}$	Frame dragging	[346]*
$\bar{s}^{TT}$	$< 4.4 \times 10^{-3}$	Gravity Probe B	[347]
$\bar{s}^{XX}, \bar{s}^{YY}, \bar{s}^{ZZ}$	$< 1.5 \times 10^{-3}$	"	[347]

Table D44. Gravity sector,  $d = 4$  (part 4 of 5)

Combination	Result	System	Ref.
$\sigma^{XX} - \sigma^{YY}$	$(4.4 \pm 11) \times 10^{-9}$	Atom interferometry	[348]
$\sigma^{XY}$	$(0.2 \pm 3.9) \times 10^{-9}$	"	[348]
$\sigma^{XZ}$	$(-2.6 \pm 4.4) \times 10^{-9}$	"	[348]
$\sigma^{YZ}$	$(-0.3 \pm 4.5) \times 10^{-9}$	"	[348]
$\sigma^{TX}$	$(-3.1 \pm 5.1) \times 10^{-5}$	"	[348]
$\sigma^{TY}$	$(0.1 \pm 5.4) \times 10^{-5}$	"	[348]
$\sigma^{TZ}$	$(1.4 \pm 6.6) \times 10^{-5}$	"	[348]
$\sigma^{XX} - \sigma^{YY}$	$(-5.6 \pm 2.1) \times 10^{-9}$	"	[349]
$\sigma^{XY}$	$(-0.09 \pm 79) \times 10^{-9}$	"	[349]
$\sigma^{XZ}$	$(-13 \pm 37) \times 10^{-9}$	"	[349]
$\sigma^{YZ}$	$(-61 \pm 38) \times 10^{-9}$	"	[349]
$\sigma^{TX}$	$(5.4 \pm 4.5) \times 10^{-5}$	"	[349]
$\sigma^{TY}$	$(-2.0 \pm 4.4) \times 10^{-5}$	"	[349]
$\sigma^{TZ}$	$(1.1 \pm 26) \times 10^{-5}$	"	[349]
$\bar{s}^{XX} - \bar{s}^{YY}$	$(-1.2 \pm 1.6) \times 10^{-9}$	LLR & Atom interferometry	[350]*, [348]*
$\bar{s}^{XX} + \bar{s}^{YY} - 2\bar{s}^{ZZ}$	$(1.8 \pm 38) \times 10^{-9}$	"	[350]*, [348]*
$\bar{s}^{XY}$	$(-0.6 \pm 1.5) \times 10^{-9}$	"	[350]*, [348]*
$\bar{s}^{XZ}$	$(-2.7 \pm 1.4) \times 10^{-9}$	"	[350]*, [348]*
$\bar{s}^{YZ}$	$(0.6 \pm 1.4) \times 10^{-9}$	"	[350]*, [348]*
$\bar{s}^{TX}$	$(0.5 \pm 6.2) \times 10^{-7}$	"	[350]*, [348]*
$\bar{s}^{TY}$	$(0.1 \pm 1.3) \times 10^{-6}$	"	[350]*, [348]*
$\bar{s}^{TZ}$	$(-0.4 \pm 3.8) \times 10^{-6}$	"	[350]*, [348]*
$\bar{s}^{11} - \bar{s}^{22}$	$(1.3 \pm 0.9) \times 10^{-10}$	Lunar laser ranging (LLR)	[350]*
$\bar{s}^{12}$	$(6.9 \pm 4.5) \times 10^{-11}$	"	[350]*
$\bar{s}^{01}$	$(-0.8 \pm 1.1) \times 10^{-6}$	"	[350]*
$\bar{s}^{02}$	$(-5.2 \pm 4.8) \times 10^{-7}$	"	[350]*
$\bar{s}_{\oplus c}$	$(0.2 \pm 3.9) \times 10^{-7}$	"	[350]*
$\bar{s}_{\oplus s}$	$(-1.3 \pm 4.1) \times 10^{-7}$	"	[350]*
$\bar{s}^{XX}$	$(-0.04 \pm 4.90) \times 10^4$	Short-range gravity	[351]
$\bar{s}^{XY}$	$(-0.07 \pm 6.12) \times 10^4$	"	[351]
$\bar{s}^{XZ}$	$(-0.01 \pm 2.56) \times 10^3$	"	[351]
$\bar{s}^{YZ}$	$(-0.06 \pm 5.83) \times 10^4$	"	[351]
$\bar{s}^{ZZ}$	$(-0.08 \pm 6.68) \times 10^4$	"	[351]
$\bar{s}^{01}$	$(-0.9 \pm 1.5) \times 10^{-8}$	Perihelion precession	[352]*
$\bar{s}^{02}$	$(4 \pm 6) \times 10^{-9}$	"	[352]*
$\bar{s}^{03}$	$(-0.3 \pm 1) \times 10^{-9}$	"	[352]*
$ \bar{s}^{01} $	$< 1.4 \times 10^{-3}$	LAGEOS satellite	[352]*
$ \bar{s}^{02} $	$< 2 \times 10^{-4}$	"	[352]*
$ \bar{s}^{03} $	$< 1.3 \times 10^{-3}$	"	[352]*
$ \bar{s}_{\oplus}^{\dagger} $	$\leq 10^{-9}$	Perihelion precession	[353]*
$ \bar{s}_{\oplus} $	$\leq 10^{-8}$	"	[353]*
$ \bar{s}_{\text{SSP}} $	$\leq 10^{-13}$	Solar-spin precession	[353]*

Table D44. Gravity sector,  $d = 4$  (part 5 of 5)

Combination	Result	System	Ref.
$ t^{TXTX} ,  t^{YZYZ} $	$< 4.4 \times 10^{-13}$	Gravitational redshift	[354]*
$ t^{TXYT} ,  t^{TXTZ} ,  t^{YZXZ} ,  t^{YZXY} $	$< 5.0 \times 10^{-9}$	"	[354]*
$ t^{TYTY} ,  t^{TZTZ} ,  t^{XZZZ} $	$< 2.7 \times 10^{-4}$	"	[354]*
$ t^{TYTZ} ,  t^{XYXZ} $	$< 1.5 \times 10^{-5}$	"	[354]*
$ t^{XYXY} $	$< 7.7 \times 10^{-5}$	"	[354]*

Table D45. Nonminimal gravity sector,  $d = 5$  (part 1 of 4)

Combination	Result	System	Ref.
$k_{(V)00}^{(5)}$	$(0.51 \text{ to } 7.37) \times 10^{-13} \text{ m}$	Gravitational waves	[355]
$k_{(V)10}^{(5)}$	$(-4.54 \text{ to } 3.91) \times 10^{-13} \text{ m}$	"	[355]
Re $k_{(V)11}^{(5)}$	$(-2.30 \text{ to } 3.39) \times 10^{-13} \text{ m}$	"	[355]
Im $k_{(V)11}^{(5)}$	$(-3.64 \text{ to } 4.45) \times 10^{-13} \text{ m}$	"	[355]
$k_{(V)20}^{(5)}$	$(-7.40 \text{ to } 3.78) \times 10^{-13} \text{ m}$	"	[355]
Re $k_{(V)21}^{(5)}$	$(-1.75 \text{ to } 3.02) \times 10^{-13} \text{ m}$	"	[355]
Im $k_{(V)21}^{(5)}$	$(-2.77 \text{ to } 3.67) \times 10^{-13} \text{ m}$	"	[355]
Re $k_{(V)22}^{(5)}$	$(-3.58 \text{ to } 2.55) \times 10^{-13} \text{ m}$	"	[355]
Im $k_{(V)22}^{(5)}$	$(-2.49 \text{ to } 5.58) \times 10^{-13} \text{ m}$	"	[355]
$k_{(V)30}^{(5)}$	$(-6.40 \text{ to } 3.57) \times 10^{-13} \text{ m}$	"	[355]
Re $k_{(V)31}^{(5)}$	$(-3.34 \text{ to } 2.48) \times 10^{-13} \text{ m}$	"	[355]
Im $k_{(V)31}^{(5)}$	$(-3.90 \text{ to } 3.87) \times 10^{-13} \text{ m}$	"	[355]
Re $k_{(V)32}^{(5)}$	$(-2.76 \text{ to } 2.87) \times 10^{-13} \text{ m}$	"	[355]
Im $k_{(V)32}^{(5)}$	$(-2.26 \text{ to } 3.60) \times 10^{-13} \text{ m}$	"	[355]
Re $k_{(V)33}^{(5)}$	$(-3.95 \text{ to } 3.18) \times 10^{-13} \text{ m}$	"	[355]
Im $k_{(V)33}^{(5)}$	$(-3.22 \text{ to } 4.78) \times 10^{-13} \text{ m}$	"	[355]
$ k_{(V)00}^{(5)} $	$< 3.19 \times 10^{-15} \text{ m}$	"	[355]
$k_{(V)00}^{(5)}$	$(-1.14 \text{ to } 1.22) \times 10^{-15} \text{ m}$	"	[356]*
$k_{(V)10}^{(5)}$	$(-1.50 \text{ to } 1.74) \times 10^{-15} \text{ m}$	"	[356]*
Re $k_{(V)11}^{(5)}$	$(-1.18 \text{ to } 1.02) \times 10^{-15} \text{ m}$	"	[356]*
Im $k_{(V)11}^{(5)}$	$(-0.90 \text{ to } 1.10) \times 10^{-15} \text{ m}$	"	[356]*
$k_{(V)20}^{(5)}$	$(-6.26 \text{ to } 5.14) \times 10^{-15} \text{ m}$	"	[356]*
Re $k_{(V)21}^{(5)}$	$(-1.66 \text{ to } 1.98) \times 10^{-15} \text{ m}$	"	[356]*
Im $k_{(V)21}^{(5)}$	$(-1.50 \text{ to } 1.50) \times 10^{-15} \text{ m}$	"	[356]*
Re $k_{(V)22}^{(5)}$	$(-2.66 \text{ to } 2.86) \times 10^{-15} \text{ m}$	"	[356]*
Im $k_{(V)22}^{(5)}$	$(-1.54 \text{ to } 1.66) \times 10^{-15} \text{ m}$	"	[356]*
$k_{(V)30}^{(5)}$	$(-5.10 \text{ to } 4.94) \times 10^{-15} \text{ m}$	"	[356]*
Re $k_{(V)31}^{(5)}$	$(-3.14 \text{ to } 4.10) \times 10^{-15} \text{ m}$	"	[356]*
Im $k_{(V)31}^{(5)}$	$(-4.54 \text{ to } 3.86) \times 10^{-15} \text{ m}$	"	[356]*
Re $k_{(V)32}^{(5)}$	$(-2.42 \text{ to } 2.38) \times 10^{-15} \text{ m}$	"	[356]*
Im $k_{(V)32}^{(5)}$	$(-2.10 \text{ to } 1.30) \times 10^{-15} \text{ m}$	"	[356]*
Re $k_{(V)33}^{(5)}$	$(-1.70 \text{ to } 1.74) \times 10^{-15} \text{ m}$	"	[356]*
Im $k_{(V)33}^{(5)}$	$(-3.94 \text{ to } 2.54) \times 10^{-15} \text{ m}$	"	[356]*
$ k_{(V)}^{(5)} $	$4.07_{-5.79}^{+5.91} \times 10^{-17} \text{ m}$	"	[357]*

Table D45. Nonminimal gravity sector,  $d = 5$  (part 2 of 4)

Combination	Result	System	Ref.
$k_{(V)00}^{(5)}$	$(-4.00 \text{ to } 4.60) \times 10^{-16} \text{ m}$	Gravitational waves	[358]*
$k_{(V)10}^{(5)}$	$(-3.81 \text{ to } 4.14) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Re } k_{(V)11}^{(5)}$	$(-3.37 \text{ to } 3.16) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Im } k_{(V)11}^{(5)}$	$(-3.38 \text{ to } 3.26) \times 10^{-16} \text{ m}$	"	[358]*
$k_{(V)20}^{(5)}$	$(-4.34 \text{ to } 4.19) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Re } k_{(V)21}^{(5)}$	$(-2.54 \text{ to } 2.70) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Im } k_{(V)21}^{(5)}$	$(-2.78 \text{ to } 2.93) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Re } k_{(V)22}^{(5)}$	$(-3.64 \text{ to } 3.70) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Im } k_{(V)22}^{(5)}$	$(-2.86 \text{ to } 3.05) \times 10^{-16} \text{ m}$	"	[358]*
$k_{(V)30}^{(5)}$	$(-4.21 \text{ to } 4.33) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Re } k_{(V)31}^{(5)}$	$(-3.06 \text{ to } 3.02) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Im } k_{(V)31}^{(5)}$	$(-3.19 \text{ to } 3.09) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Re } k_{(V)32}^{(5)}$	$(-3.13 \text{ to } 3.02) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Im } k_{(V)32}^{(5)}$	$(-2.71 \text{ to } 2.64) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Re } k_{(V)33}^{(5)}$	$(-3.22 \text{ to } 3.16) \times 10^{-16} \text{ m}$	"	[358]*
$\text{Im } k_{(V)33}^{(5)}$	$(-3.49 \text{ to } 3.49) \times 10^{-16} \text{ m}$	"	[358]*
$ k_{(V)00}^{(5)} $	$< 3.3 \times 10^{-16} \text{ m}$	"	[359]*
$ k_{(V)10}^{(5)} $	$< 2.7 \times 10^{-16} \text{ m}$	"	[359]*
$ \text{Re } k_{(V)11}^{(5)} ,  \text{Im } k_{(V)11}^{(5)} $	$< 4.7 \times 10^{-16} \text{ m}$	"	[359]*
$ k_{(V)20}^{(5)} $	$< 3.1 \times 10^{-16} \text{ m}$	"	[359]*
$ \text{Re } k_{(V)21}^{(5)} ,  \text{Im } k_{(V)21}^{(5)} $	$< 3.4 \times 10^{-16} \text{ m}$	"	[359]*
$ \text{Re } k_{(V)22}^{(5)} ,  \text{Im } k_{(V)22}^{(5)} $	$< 5.8 \times 10^{-16} \text{ m}$	"	[359]*
$ k_{(V)30}^{(5)} $	$< 3.9 \times 10^{-16} \text{ m}$	"	[359]*
$ \text{Re } k_{(V)31}^{(5)} ,  \text{Im } k_{(V)31}^{(5)} $	$< 3.1 \times 10^{-16} \text{ m}$	"	[359]*
$ \text{Re } k_{(V)32}^{(5)} ,  \text{Im } k_{(V)32}^{(5)} $	$< 4.4 \times 10^{-16} \text{ m}$	"	[359]*
$ \text{Re } k_{(V)33}^{(5)} ,  \text{Im } k_{(V)33}^{(5)} $	$< 6.5 \times 10^{-16} \text{ m}$	"	[359]*
$ \hat{k}_{(V)}^{(5)} $	$(3.3 \pm 8.5) \times 10^{-16} \text{ m}$	"	[360]*
$ k_{(V)00}^{(5)} $	$< 6 \times 10^{-14} \text{ m}$	"	[24]*
$ k_{(V)10}^{(5)} $	$< 4 \times 10^{-14} \text{ m}$	"	[24]*
$ k_{(V)11}^{(5)} $	$< 1 \times 10^{-13} \text{ m}$	"	[24]*
$ k_{(V)20}^{(5)} $	$< 3 \times 10^{-14} \text{ m}$	"	[24]*
$ k_{(V)21}^{(5)} $	$< 7 \times 10^{-14} \text{ m}$	"	[24]*
$ k_{(V)22}^{(5)} $	$< 4 \times 10^{-13} \text{ m}$	"	[24]*
$ k_{(V)30}^{(5)} $	$< 3 \times 10^{-14} \text{ m}$	"	[24]*
$ k_{(V)31}^{(5)} $	$< 4 \times 10^{-14} \text{ m}$	"	[24]*
$ k_{(V)32}^{(5)} $	$< 2 \times 10^{-13} \text{ m}$	"	[24]*
$ k_{(V)33}^{(5)} $	$< 1 \times 10^{-12} \text{ m}$	"	[24]*

Table D45. Nonminimal gravity sector,  $d = 5$  (part 3 of 4)

Combination	Result	System	Ref.
$\frac{1}{3}(-q^{(5)TXYTXTX} + q^{(5)TXYXYXY} + q^{(5)TXYXZXX} - q^{(5)XYZXZXT})$	$(+0.7 \pm 0.4 \pm 2.9) \times 10^3$ m	LLR	[361]*
$\frac{1}{3}(q^{(5)TXYXYXZ} - q^{(5)TXZTXX} + q^{(5)TXZXZXX} + q^{(5)XYZXYXT})$	$(+0.8 \pm 0.9 \pm 5.9) \times 10^3$ m	"	[361]*
$\frac{1}{3}(-2q^{(5)TXYTXTY} + 2q^{(5)TXYXZY} + q^{(5)XYZXYZT} - 2q^{(5)XYZXZYT})$	$(-0.4 \pm 1.3 \pm 8.4) \times 10^3$ m	"	[361]*
$\frac{1}{6}(-2q^{(5)TXYTXTZ} - 2q^{(5)TXYXYYZ} - 2q^{(5)TXZTXY} + 2q^{(5)TXZXZY} + q^{(5)XYZXYYT} - q^{(5)XYZXZZT})$	$(+0.5 \pm 0.2 \pm 1.6) \times 10^4$ m	"	[361]*
$\frac{1}{3}(-2q^{(5)TXYXZY} - 2q^{(5)TXZTXX} + 2q^{(5)XYZXYZT} - q^{(5)XYZXZYT})$	$(-1.9 \pm 0.6 \pm 4.1) \times 10^4$ m	"	[361]*
$-q^{(5)TXYTXY} + q^{(5)TXYXYXY} + q^{(5)TXYYZY} - q^{(5)XYZYZYT}$	$(-0.7 \pm 0.3 \pm 1.2) \times 10^4$ m	"	[361]*
$\frac{1}{3}(-2q^{(5)TXYTXY} + 3q^{(5)TXYXYXZ} - q^{(5)TXZTYT} + q^{(5)TXZYZY} - q^{(5)XYZYZZT})$	$(+4.6 \pm 1.6 \pm 6.9) \times 10^3$ m	"	[361]*
$\frac{1}{3}(-q^{(5)TXYTZTZ} + 3q^{(5)TXYXZXX} + q^{(5)TXYYZY} - 2q^{(5)TXZTYT} - q^{(5)XYZYZYT})$	$(-0.2 \pm 0.8 \pm 4.1) \times 10^3$ m	"	[361]*
$-q^{(5)TXZTZT} + q^{(5)TXZXZXX} + q^{(5)TXZYZY} - q^{(5)XYZYZZT}$	$(+1.2 \pm 0.3 \pm 1.3) \times 10^4$ m	"	[361]*
$\frac{1}{3}(3q^{(5)TXYTXX} + 3q^{(5)TXYXYYZ} - q^{(5)TXZTXY} + q^{(5)TXZXZY} + q^{(5)XYZXZZT})$	$(+0.1 \pm 0.3 \pm 2.3) \times 10^4$ m	"	[361]*
$\frac{1}{6}(4q^{(5)TXYTXY} - 2q^{(5)TXYXYXZ} - 2q^{(5)TXZTYT} + 2q^{(5)TXZYZY} + q^{(5)XYZXYXT} + q^{(5)XYZYZZT})$	$(-4.7 \pm 0.8 \pm 4.0) \times 10^3$ m	"	[361]*
$\frac{1}{3}(3q^{(5)TXYTZTZ} - q^{(5)TXYXZXX} - 3q^{(5)TXYYZY} - 2q^{(5)TXZTYT} + q^{(5)XYZXZXT})$	$(-1.6 \pm 0.5 \pm 2.4) \times 10^3$ m	"	[361]*
$\frac{1}{3}(q^{(5)TXYXYYZ} - q^{(5)TXZTYT} + q^{(5)TYZYZY} + q^{(5)XYZXYYT})$	$(+0.9 \pm 0.3 \pm 1.8) \times 10^4$ m	"	[361]*
$\frac{1}{3}(2q^{(5)TXYXZY} - 2q^{(5)TXZTYT} + q^{(5)XYZXYZT} + q^{(5)XYZXZYT})$	$(-1.5 \pm 0.5 \pm 3.4) \times 10^4$ m	"	[361]*
$-q^{(5)TXZTZT} + q^{(5)TXZXZY} + q^{(5)TYZYZY} + q^{(5)XYZXZZT}$	$(-1.2 \pm 0.8 \pm 5.1) \times 10^4$ m	"	[361]*

Table D45. Nonminimal gravity sector,  $d = 5$  (part 4 of 4)

Combination	Result	System	Ref.
$ q^{(5)TXYTXTX} $	$< 22$ m	Binary pulsars	[362]*
$ q^{(5)TXYTXTY} $	$< 11$ m	"	[362]*
$ q^{(5)TXYTXTZ} $	$< 12$ m	"	[362]*
$ q^{(5)TXYTYYTY} $	$< 10$ m	"	[362]*
$ q^{(5)TXYTYYTZ} $	$< 5.7$ m	"	[362]*
$ q^{(5)TXYTZZTZ} $	$< 9.7$ m	"	[362]*
$ q^{(5)TXYXYXY} $	$< 8.0$ m	"	[362]*
$ q^{(5)TXYXYXZ} $	$< 8.3$ m	"	[362]*
$ q^{(5)TXYXYYZ} $	$< 6.2$ m	"	[362]*
$ q^{(5)TXYXZZXZ} $	$< 8.3$ m	"	[362]*
$ q^{(5)TXYXZZYZ} $	$< 3.7$ m	"	[362]*
$ q^{(5)TXYYZZYZ} $	$< 5.3$ m	"	[362]*
$ q^{(5)TXZTXTX} $	$< 24$ m	"	[362]*
$ q^{(5)TXZTXTY} $	$< 10$ m	"	[362]*
$ q^{(5)TXZTXTZ} $	$< 11$ m	"	[362]*
$ q^{(5)TXZTYTY} $	$< 6.2$ m	"	[362]*
$ q^{(5)TXZTYTZ} $	$< 4.8$ m	"	[362]*
$ q^{(5)TXZZTZTZ} $	$< 18$ m	"	[362]*
$ q^{(5)TXZZXZZX} $	$< 27$ m	"	[362]*
$ q^{(5)TXZZXZZY} $	$< 11$ m	"	[362]*
$ q^{(5)TXZZYZYZ} $	$< 6.5$ m	"	[362]*
$ q^{(5)TYZZYZYZ} $	$< 8.8$ m	"	[362]*
$ q^{(5)XYZXYXT} $	$< 29$ m	"	[362]*
$ q^{(5)XYZXYYT} $	$< 14$ m	"	[362]*
$ q^{(5)XYZXZZXT} $	$< 13$ m	"	[362]*
$ q^{(5)XYZXZZT} $	$< 14$ m	"	[362]*
$ q^{(5)XYZYZYT} $	$< 13$ m	"	[362]*
$ q^{(5)XYZYZZT} $	$< 29$ m	"	[362]*

Table D46. Nonminimal gravity sector,  $d = 6$  (part 1 of 5)

Combination	Result	System	Ref.
$\bar{s}_{00}^{(6)}$	$< 2 \times 10^{-31} \text{ GeV}^{-2}$	Cosmic rays	[25]*
$\bar{s}_{10}^{(6)}$	$(-6 \text{ to } 10) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{11}^{(6)}$	$(-6 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{11}^{(6)}$	$(-8 \text{ to } 5) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\bar{s}_{20}^{(6)}$	$(-1 \text{ to } 1) \times 10^{-29} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{21}^{(6)}$	$(-7 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{21}^{(6)}$	$(-9 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{22}^{(6)}$	$(-9 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{22}^{(6)}$	$(-8 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\bar{s}_{30}^{(6)}$	$(-10 \text{ to } 8) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{31}^{(6)}$	$(-8 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{31}^{(6)}$	$(-6 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{32}^{(6)}$	$(-6 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{32}^{(6)}$	$(-7 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{33}^{(6)}$	$(-7 \text{ to } 5) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{33}^{(6)}$	$(-7 \text{ to } 8) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\bar{s}_{40}^{(6)}$	$(-10 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{41}^{(6)}$	$(-8 \text{ to } 5) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{41}^{(6)}$	$(-8 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{42}^{(6)}$	$(-7 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{42}^{(6)}$	$(-8 \text{ to } 6) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{43}^{(6)}$	$(-9 \text{ to } 4) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{43}^{(6)}$	$(-6 \text{ to } 7) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Re } \bar{s}_{44}^{(6)}$	$(-8 \text{ to } 9) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*
$\text{Im } \bar{s}_{44}^{(6)}$	$(-4 \text{ to } 8) \times 10^{-30} \text{ GeV}^{-2}$	"	[25]*



Table D46. Nonminimal gravity sector,  $d = 6$  (part 2 of 5)

Combination	Result	System	Ref.
$k_{(E)40}^{(6)}$	$(-12.7 \text{ to } 13.5) \times 10^{-11} \text{ m}^2$	Gravitational waves	[356]*
$\text{Im } k_{(E)41}^{(6)}$	$(-6.9 \text{ to } 6.7) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(E)41}^{(6)}$	$(-6.9 \text{ to } 6.5) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(E)42}^{(6)}$	$(-6.3 \text{ to } 7.3) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(E)42}^{(6)}$	$(-5.1 \text{ to } 5.3) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(E)43}^{(6)}$	$(-5.9 \text{ to } 5.9) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(E)43}^{(6)}$	$(-6.3 \text{ to } 5.5) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(E)44}^{(6)}$	$(-6.9 \text{ to } 7.3) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(E)44}^{(6)}$	$(-7.5 \text{ to } 7.3) \times 10^{-11} \text{ m}^2$	"	[356]*
$k_{(B)40}^{(6)}$	$(-13.3 \text{ to } 13.3) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(B)41}^{(6)}$	$(-6.7 \text{ to } 6.5) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(B)41}^{(6)}$	$(-6.7 \text{ to } 6.9) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(B)42}^{(6)}$	$(-6.5 \text{ to } 7.3) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(B)42}^{(6)}$	$(-5.3 \text{ to } 5.1) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(B)43}^{(6)}$	$(-5.7 \text{ to } 5.7) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(B)43}^{(6)}$	$(-5.9 \text{ to } 5.7) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Re } k_{(B)44}^{(6)}$	$(-7.5 \text{ to } 7.1) \times 10^{-11} \text{ m}^2$	"	[356]*
$\text{Im } k_{(B)44}^{(6)}$	$(-6.9 \text{ to } 7.7) \times 10^{-11} \text{ m}^2$	"	[356]*
$k_{(E)40}^{(6)}$	$(-1.70 \text{ to } 1.73) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(E)41}^{(6)}$	$(-1.76 \text{ to } 1.90) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(E)41}^{(6)}$	$(-2.05 \text{ to } 2.16) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(E)42}^{(6)}$	$(-2.08 \text{ to } 2.15) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(E)42}^{(6)}$	$(-1.75 \text{ to } 1.78) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(E)43}^{(6)}$	$(-2.24 \text{ to } 2.09) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(E)43}^{(6)}$	$(-2.19 \text{ to } 2.11) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(E)44}^{(6)}$	$(-2.12 \text{ to } 2.09) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(E)44}^{(6)}$	$(-2.10 \text{ to } 2.01) \times 10^{-12} \text{ m}^2$	"	[358]*
$k_{(B)40}^{(6)}$	$(-1.97 \text{ to } 2.00) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(B)41}^{(6)}$	$(-1.70 \text{ to } 1.67) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(B)41}^{(6)}$	$(-1.95 \text{ to } 1.91) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(B)42}^{(6)}$	$(-2.01 \text{ to } 2.37) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(B)42}^{(6)}$	$(-1.78 \text{ to } 1.81) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(B)43}^{(6)}$	$(-2.16 \text{ to } 2.03) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(B)43}^{(6)}$	$(-2.02 \text{ to } 2.18) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Re } k_{(B)44}^{(6)}$	$(-2.09 \text{ to } 2.12) \times 10^{-12} \text{ m}^2$	"	[358]*
$\text{Im } k_{(B)44}^{(6)}$	$(-2.16 \text{ to } 2.09) \times 10^{-12} \text{ m}^2$	"	[358]*

Table D46. Nonminimal gravity sector,  $d = 6$  (part 3 of 5)

Combination	Result	System	Ref.
$ k_{(E)40}^{(6)} ,  k_{(B)40}^{(6)} $	$< 4.8 \times 10^{-11} \text{ m}^2$	Gravitational waves	[359]*
$ \text{Re } k_{(E)41}^{(6)} ,  \text{Im } k_{(E)41}^{(6)} ,  \text{Re } k_{(B)41}^{(6)} ,  \text{Im } k_{(B)41}^{(6)} $	$< 4.6 \times 10^{-11} \text{ m}^2$	"	[359]*
$ \text{Re } k_{(E)42}^{(6)} ,  \text{Im } k_{(E)42}^{(6)} ,  \text{Re } k_{(B)42}^{(6)} ,  \text{Im } k_{(B)42}^{(6)} $	$< 4.1 \times 10^{-11} \text{ m}^2$	"	[359]*
$ \text{Re } k_{(E)43}^{(6)} ,  \text{Im } k_{(E)43}^{(6)} ,  \text{Re } k_{(B)43}^{(6)} ,  \text{Im } k_{(B)43}^{(6)} $	$< 3.0 \times 10^{-11} \text{ m}^2$	"	[359]*
$ \text{Re } k_{(E)44}^{(6)} ,  \text{Im } k_{(E)44}^{(6)} ,  \text{Re } k_{(B)44}^{(6)} ,  \text{Im } k_{(B)44}^{(6)} $	$< 2.4 \times 10^{-11} \text{ m}^2$	"	[359]*
$ \overset{\circ}{k}_{(I)}^{(6)} $	$< 7.2 \times 10^{-8} \text{ m}^2$	"	[342]*
$ k_{(E)40}^{(6)} ,  k_{(B)40}^{(6)} $	$< 1 \times 10^{-6} \text{ m}^2$	"	[24]*
$ k_{(E)41}^{(6)} ,  k_{(B)41}^{(6)} $	$< 3 \times 10^{-7} \text{ m}^2$	"	[24]*
$ k_{(E)42}^{(6)} ,  k_{(B)42}^{(6)} $	$< 6 \times 10^{-8} \text{ m}^2$	"	[24]*
$ k_{(E)43}^{(6)} ,  k_{(B)43}^{(6)} $	$< 2 \times 10^{-8} \text{ m}^2$	"	[24]*
$ k_{(E)44}^{(6)} ,  k_{(B)44}^{(6)} $	$< 1 \times 10^{-8} \text{ m}^2$	"	[24]*

Table D46. Nonminimal gravity sector,  $d = 6$  (part 4 of 5)

Combination	Result	System	Ref.
$k_{20}^{N(6)}$	$(3 \pm 23) \times 10^{-8} \text{ m}^2$	Combined	[41]*
$\text{Re } k_{21}^{N(6)}$	$(-4 \pm 4) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Im } k_{21}^{N(6)}$	$(-2 \pm 4) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Re } k_{22}^{N(6)}$	$(0 \pm 9) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Im } k_{22}^{N(6)}$	$(1 \pm 4) \times 10^{-8} \text{ m}^2$	"	[41]*
$k_{40}^{N(6)}$	$(4 \pm 25) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Re } k_{41}^{N(6)}$	$(3 \pm 5) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Im } k_{41}^{N(6)}$	$(1 \pm 5) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Re } k_{42}^{N(6)}$	$(0 \pm 12) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Im } k_{42}^{N(6)}$	$(2 \pm 2) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Re } k_{43}^{N(6)}$	$(0 \pm 1) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Im } k_{43}^{N(6)}$	$(1 \pm 1) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Re } k_{44}^{N(6)}$	$(2 \pm 9) \times 10^{-8} \text{ m}^2$	"	[41]*
$\text{Im } k_{44}^{N(6)}$	$(2 \pm 5) \times 10^{-8} \text{ m}^2$	"	[41]*
$(\bar{k}_{\text{eff}})_{XXXX}$	$(6.4 \pm 32.9) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XXXY}$	$(0.0 \pm 8.1) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XXXZ}$	$(-2.0 \pm 2.6) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XXYY}$	$(-0.9 \pm 10.9) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XXYZ}$	$(1.1 \pm 1.2) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XXZZ}$	$(-2.6 \pm 17.1) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XYYY}$	$(3.9 \pm 8.1) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XYYZ}$	$(-0.6 \pm 1.2) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XYZZ}$	$(-1.0 \pm 1.0) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XZZZ}$	$(-8.1 \pm 10.3) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{YYYY}$	$(7.0 \pm 32.9) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{YYYZ}$	$(0.3 \pm 2.6) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{YYZZ}$	$(-2.5 \pm 17.1) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{YZZZ}$	$(3.6 \pm 10.2) \times 10^{-9} \text{ m}^2$	"	[363]
$(\bar{k}_{\text{eff}})_{XXXX}$	$(-0.2 \pm 2.8) \times 10^{-8} \text{ m}^2$	Tungsten torsion pendulum	[364]
$(\bar{k}_{\text{eff}})_{XXXY}$	$(0.4 \pm 1.3) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{XXXZ}$	$(-0.1 \pm 0.5) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{XXYY}$	$(-0.1 \pm 1.7) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{XXYZ}$	$(0.5 \pm 0.5) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{XXZZ}$	$(-0.2 \pm 1.0) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{YYXZ}$	$(-0.2 \pm 0.5) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{YYXX}$	$(0.6 \pm 1.3) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{YYYY}$	$(0.4 \pm 2.8) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{YYYZ}$	$(0.4 \pm 0.5) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{YYZZ}$	$(0.2 \pm 1.0) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{ZZXY}$	$(-0.2 \pm 0.5) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{ZZZX}$	$(-1.3 \pm 1.4) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{ZZZY}$	$(-0.2 \pm 1.3) \times 10^{-8} \text{ m}^2$	"	[364]
$(\bar{k}_{\text{eff}})_{ZZZZ}$	$(-0.9 \pm 7.7) \times 10^{-8} \text{ m}^2$	"	[364]

Table D46. Nonminimal gravity sector,  $d = 6$  (part 5 of 5)

Combination	Result	System	Ref.
$(\bar{k}_{\text{eff}})_{XXXX}$	$(1.1 \pm 3.1) \times 10^{-7} \text{ m}^2$	Tungsten oscillators	[365]
$(\bar{k}_{\text{eff}})_{XXX Y}$	$(-3.4 \pm 15.8) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{XXX Z}$	$(-8.1 \pm 10.7) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{XXYY}$	$(0.4 \pm 1.5) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{XXYZ}$	$(-2.7 \pm 5.5) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{XXZZ}$	$(0.2 \pm 1.6) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{YYXZ}$	$(5.0 \pm 6.6) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{YY Y X}$	$(-4.4 \pm 15.8) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{YY Y Y}$	$(0.4 \pm 3.1) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{YY Y Z}$	$(4.6 \pm 9.6) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{YY Z Z}$	$(0.5 \pm 1.6) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{ZZ X Y}$	$(-0.7 \pm 1.9) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{ZZ Z X}$	$(-5.4 \pm 16.6) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{ZZ Z Y}$	$(3.4 \pm 17.8) \times 10^{-7} \text{ m}^2$	"	[365]
$(\bar{k}_{\text{eff}})_{ZZ Z Z}$	$(0.6 \pm 2.5) \times 10^{-7} \text{ m}^2$	"	[365]

Table D47. Nonminimal gravity sector,  $d \geq 7$  (part 1 of 5)

Combination	Result	System	Ref.
$ k_{(V)jm}^{(7)} $	$< 1 \times 10^{-2} \text{ m}^3$	Gravitational waves	[24]*
$\bar{s}_{00}^{(8)}$	$> -7 \times 10^{-49} \text{ GeV}^{-4}$	Cosmic rays	[25]*
$\bar{s}_{10}^{(8)}$	$(-1 \text{ to } 1) \times 10^{-45} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{11}^{(8)}$	$(-9 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{11}^{(8)}$	$(-9 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\bar{s}_{20}^{(8)}$	$(-9 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{21}^{(8)}$	$(-10 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{21}^{(8)}$	$(-8 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{22}^{(8)}$	$(-10 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{22}^{(8)}$	$(-10 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\bar{s}_{30}^{(8)}$	$(-1 \text{ to } 1) \times 10^{-45} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{31}^{(8)}$	$(-10 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{31}^{(8)}$	$(-9 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{32}^{(8)}$	$(-8 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{32}^{(8)}$	$(-9 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{33}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{33}^{(8)}$	$(-1 \text{ to } 1) \times 10^{-45} \text{ GeV}^{-4}$	"	[25]*
$\bar{s}_{40}^{(8)}$	$(-1 \text{ to } 1) \times 10^{-45} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{41}^{(8)}$	$(-6 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{41}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{42}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{42}^{(8)}$	$(-6 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{43}^{(8)}$	$(-7 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{43}^{(8)}$	$(-8 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{44}^{(8)}$	$(-10 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{44}^{(8)}$	$(-9 \text{ to } 6) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\bar{s}_{50}^{(8)}$	$(-1 \text{ to } 1) \times 10^{-45} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{51}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{51}^{(8)}$	$(-8 \text{ to } 7) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{52}^{(8)}$	$(-9 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{52}^{(8)}$	$(-8 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{53}^{(8)}$	$(-10 \text{ to } 7) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{53}^{(8)}$	$(-6 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{54}^{(8)}$	$(-9 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{54}^{(8)}$	$(-8 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{55}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{55}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*

Table D47. Nonminimal gravity sector,  $d \geq 7$  (part 2 of 5)

Combination	Result	System	Ref.
$\bar{s}_{60}^{(8)}$	$(-1 \text{ to } 2) \times 10^{-45} \text{ GeV}^{-4}$	Cosmic rays	[25]*
$\text{Re } \bar{s}_{61}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{61}^{(8)}$	$(-7 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{62}^{(8)}$	$(-10 \text{ to } 6) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{62}^{(8)}$	$(-6 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{63}^{(8)}$	$(-7 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{63}^{(8)}$	$(-7 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{64}^{(8)}$	$(-8 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{64}^{(8)}$	$(-9 \text{ to } 8) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{65}^{(8)}$	$(-8 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{65}^{(8)}$	$(-8 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Re } \bar{s}_{66}^{(8)}$	$(-10 \text{ to } 9) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$\text{Im } \bar{s}_{66}^{(8)}$	$(-7 \text{ to } 10) \times 10^{-46} \text{ GeV}^{-4}$	"	[25]*
$k_{40}^{N(8)}$	$(-6.4 \pm 50.9) \times 10^{-13} \text{ m}^4$	Combined	[366]
$\text{Re } k_{41}^{N(8)}$	$(1.7 \pm 5.5) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{41}^{N(8)}$	$(0.9 \pm 5.8) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{42}^{N(8)}$	$(0.0 \pm 3.9) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{42}^{N(8)}$	$(0.9 \pm 4.0) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{43}^{N(8)}$	$(4.3 \pm 7.3) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{43}^{N(8)}$	$(2.4 \pm 7.3) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{44}^{N(8)}$	$(-2.8 \pm 14.5) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{44}^{N(8)}$	$(-2.9 \pm 14.4) \times 10^{-13} \text{ m}^4$	"	[366]
$k_{60}^{N(8)}$	$(5.1 \pm 100.9) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{61}^{N(8)}$	$(-2.4 \pm 5.9) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{61}^{N(8)}$	$(-1.2 \pm 6.4) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{62}^{N(8)}$	$(1.9 \pm 5.5) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{62}^{N(8)}$	$(1.7 \pm 6.2) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{63}^{N(8)}$	$(4.7 \pm 6.8) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{63}^{N(8)}$	$(0.6 \pm 7.9) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{64}^{N(8)}$	$(-0.9 \pm 6.8) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{64}^{N(8)}$	$(-0.9 \pm 6.7) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{65}^{N(8)}$	$(1.2 \pm 7.8) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{65}^{N(8)}$	$(3.7 \pm 7.1) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Re } k_{66}^{N(8)}$	$(5.7 \pm 14.4) \times 10^{-13} \text{ m}^4$	"	[366]
$\text{Im } k_{66}^{N(8)}$	$(0.9 \pm 14.2) \times 10^{-13} \text{ m}^4$	"	[366]

Table D47. Nonminimal gravity sector,  $d \geq 7$  (part 3 of 5)

Combination	Result	System	Ref.
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXXXX}}$	$< 2.3 \times 10^2 \text{ km}^4$	Binary pulsars	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXXXY}}$	$< 1.8 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXXXZ}}$	$< 1.6 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXXYY}}$	$< 5.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXXYZ}}$	$< 1.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXXZZ}}$	$< 4.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXYXY}}$	$< 1.7 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXYYY}}$	$< 2.7 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXYZZ}}$	$< 2.7 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXZXX}}$	$< 1.7 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXZYY}}$	$< 2.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXXZZZ}}$	$< 2.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXYYYY}}$	$< 3.6 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXYYYZ}}$	$< 2.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXYZYZ}}$	$< 1.7 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXYZZZ}}$	$< 2.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XXZZZZ}}$	$< 2.8 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYXYXY}}$	$< 1.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYXYXZ}}$	$< 1.2 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYXYYY}}$	$< 2.2 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYXYYZ}}$	$< 1.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYXZZZ}}$	$< 3.0 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYXZXX}}$	$< 1.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYYYYY}}$	$< 1.8 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYYYZZ}}$	$< 2.7 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYYZYZ}}$	$< 1.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XYZZZZ}}$	$< 1.8 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZXXZX}}$	$< 1.2 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZXXZY}}$	$< 2.2 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZXXYZ}}$	$< 1.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZXXZZ}}$	$< 3.0 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZYYYY}}$	$< 1.6 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZYZZZ}}$	$< 2.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZYZZY}}$	$< 1.2 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{XZZZZZ}}$	$< 1.6 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YYYYYY}}$	$< 2.9 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YYYYYZ}}$	$< 1.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YYYYZZ}}$	$< 2.9 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YYYZZY}}$	$< 2.2 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YYYZZZ}}$	$< 2.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YYZZZZ}}$	$< 2.5 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YZYZYZ}}$	$< 1.1 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YZYZZZ}}$	$< 3.0 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{YZZZZZ}}$	$< 1.4 \times 10^2 \text{ km}^4$	"	[367]*
$ \overline{k}_{\text{eff}}^{(8)} _{\text{ZZZZZZ}}$	$< 4.0 \times 10^2 \text{ km}^4$	"	[367]*

Table D47. Nonminimal gravity sector,  $d \geq 7$  (part 4 of 5)

Combination	Result	System	Ref.
$\overline{s}_{00}^{(10)}$	$< 2 \times 10^{-66} \text{ GeV}^{-6}$	Cosmic rays	[368]*
$\overline{s}_{10}^{(10)}$	$(-1 \text{ to } 2) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{11}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{11}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\overline{s}_{20}^{(10)}$	$(-2 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{21}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{21}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{22}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{22}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\overline{s}_{30}^{(10)}$	$(-2 \text{ to } 2) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{31}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{31}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{32}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{32}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{33}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{33}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\overline{s}_{40}^{(10)}$	$(-2 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{41}^{(10)}$	$(-2 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{41}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{42}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{42}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{43}^{(10)}$	$(-1 \text{ to } 0.9) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{43}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{44}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{44}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\overline{s}_{50}^{(10)}$	$(-1 \text{ to } 2) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{51}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{51}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{52}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{52}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{53}^{(10)}$	$(-1 \text{ to } 2) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{53}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{54}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{54}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Re } \overline{s}_{55}^{(10)}$	$(-1 \text{ to } 0.9) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*
$\text{Im } \overline{s}_{55}^{(10)}$	$(-1 \text{ to } 1) \times 10^{-61} \text{ GeV}^{-6}$	"	[368]*





Table D48. Electron-gravity sector

Combination	Result	System	Ref.
$ (\tilde{b}^L)^{X\Sigma\Sigma} $	$< 3 \times 10^{-15}$ GeV	Combined	[48], [52], [369]*
$ (\tilde{b}^L)^{Y\Sigma\Sigma} $	$< 3 \times 10^{-15}$ GeV	"	[48], [52], [369]*
$ (\tilde{b}^L)^{Z\Sigma\Sigma} $	$< 7 \times 10^{-14}$ GeV	"	[48], [52], [369]*
$ (\tilde{b}^L)^{T\Sigma\Sigma} $	$< 6 \times 10^{-2}$ GeV	"	[46]*, [47]*, [48], [369]*
$ (\tilde{c}^L)^{-\Sigma\Sigma} $	$< 1 \times 10^{-10}$ GeV	"	[68], [84]*, [369]*
$ (\tilde{c}^L)^{Q\Sigma\Sigma} $	$< 5 \times 10^{-11}$ GeV	"	[61]*, [80], [369]*
$ (\tilde{c}^L)^{X\Sigma\Sigma} $	$< 6 \times 10^{-11}$ GeV	"	[68], [84]*, [369]*
$ (\tilde{c}^L)^{Y\Sigma\Sigma} $	$< 7 \times 10^{-11}$ GeV	"	[68], [84]*, [369]*
$ (\tilde{c}^L)^{Z\Sigma\Sigma} $	$< 7 \times 10^{-11}$ GeV	"	[68], [84]*, [369]*
$ (\tilde{c}^L)^{TX\Sigma\Sigma} $	$< 3 \times 10^{-11}$ GeV	"	[61]*, [68], [369]*
$ (\tilde{c}^L)^{TY\Sigma\Sigma} $	$< 1 \times 10^{-11}$ GeV	"	[61]*, [68], [369]*
$ (\tilde{c}^L)^{TZ\Sigma\Sigma} $	$< 3 \times 10^{-11}$ GeV	"	[68], [84]*, [369]*
$ (\tilde{c}^L)^{TT\Sigma\Sigma} $	$< 1 \times 10^{-10}$ GeV	"	[61]*, [85]*, [369]*
$ (\tilde{d}^L)^{+\Sigma\Sigma} $	$< 6 \times 10^{-10}$ GeV	"	[48], [86]*, [369]*
$ (\tilde{d}^L)^{Q\Sigma\Sigma} $	$< 7 \times 10^{-10}$ GeV	"	[48], [86]*, [369]*
$ (\tilde{d}^L)^{XY\Sigma\Sigma} $	$< 5 \times 10^{-11}$ GeV	"	[48], [86]*, [369]*
$ (\tilde{d}^L)^{ZX\Sigma\Sigma} $	$< 5 \times 10^{-10}$ GeV	"	[48], [86]*, [369]*
$ (\tilde{d}^L)^{X\Sigma\Sigma} $	$< 1 \times 10^{-9}$ GeV	"	[56], [57]*, [86]*, [369]*
$ (\tilde{d}^L)^{Y\Sigma\Sigma} $	$< 1 \times 10^{-10}$ GeV	"	[56], [57]*, [86]*, [369]*
$ (\tilde{g}^L)^{DX\Sigma\Sigma} $	$< 2 \times 10^{-8}$ GeV	"	[35]*, [56], [57]*, [369]*
$ (\tilde{g}^L)^{DY\Sigma\Sigma} $	$< 2 \times 10^{-8}$ GeV	"	[35]*, [56], [57]*, [369]*

Table D49. Proton-gravity sector

Combination	Result	System	Ref.
$ (\tilde{b}^L)^{X\Sigma\Sigma} $	$< 8 \times 10^{-16}$ GeV	Combined	[100]*, [102], [115], [369]*
$ (\tilde{b}^L)^{Y\Sigma\Sigma} $	$< 8 \times 10^{-16}$ GeV	"	[100]*, [102], [115], [369]*
$ (\tilde{b}^L)^{Z\Sigma\Sigma} $	$< 2 \times 10^{-11}$ GeV	"	[98], [101], [369]*
$ (\tilde{c}^L)^{-\Sigma\Sigma} $	$< 4 \times 10^{-9}$ GeV	"	[105], [106]*, [107], [108]*, [369]*
$ (\tilde{c}^L)^{Q\Sigma\Sigma} $	$< 1 \times 10^3$ GeV	"	[72], [105], [106]*, [369]*
$ (\tilde{c}^L)^{X\Sigma\Sigma} $	$< 3 \times 10^{-9}$ GeV	"	[105], [106]*, [107], [108]*, [369]*
$ (\tilde{c}^L)^{Y\Sigma\Sigma} $	$< 9 \times 10^{-10}$ GeV	"	[105], [106]*, [107], [108]*, [369]*
$ (\tilde{c}^L)^{Z\Sigma\Sigma} $	$< 2 \times 10^{-9}$ GeV	"	[105], [106]*, [107], [108]*, [369]*
$ (\tilde{c}^L)^{TX\Sigma\Sigma} $	$< 2 \times 10^5$ GeV	"	[83]*, [105], [106]*, [369]*
$ (\tilde{c}^L)^{TY\Sigma\Sigma} $	$< 2 \times 10^5$ GeV	"	[83]*, [105], [106]*, [369]*
$ (\tilde{c}^L)^{TZ\Sigma\Sigma} $	$< 2 \times 10^5$ GeV	"	[83]*, [105], [106]*, [369]*
$ (\tilde{c}^L)^{TT\Sigma\Sigma} $	$< 4 \times 10^8$ GeV	"	[77], [105], [106]*, [369]*
$ (\tilde{d}^L)^{+\Sigma\Sigma} $	$< 2 \times 10^5$ GeV	"	[47]*, [100]*, [369]*
$ (\tilde{d}^L)^{Q\Sigma\Sigma} $	$< 6 \times 10^5$ GeV	"	[47]*, [100]*, [369]*
$ (\tilde{d}^L)^{Z\Sigma\Sigma} $	$< 2 \times 10^{-3}$ GeV	"	[370], [369]*
$ (\tilde{g}^L)^{DZ\Sigma\Sigma} $	$< 4 \times 10^{-3}$ GeV	"	[370], [369]*
$ (k_{\sigma\phi}^{\text{NR}})^Z - 0.6(k_{\sigma\phi}^{\text{NR}})^e $	$< 2 \times 10^{-5}$ GeV	Rb free fall	[370], [369]*
$ ((k_{\sigma\phi pp}^{\text{NR}})^{ZJJ} + 0.3(k_{\sigma\phi pp}^{\text{NR}})^{JJZ})_p $	$< 7 \times 10^{-3}$ GeV	"	[370], [369]*

Table D50. Neutron-gravity sector

Combination	Result	System	Ref.
$ (\tilde{b}^L)^{X\Sigma\Sigma} $	$< 6 \times 10^{-19}$ GeV	Combined	[102], [115], [369]*
$ (\tilde{b}^L)^{Y\Sigma\Sigma} $	$< 6 \times 10^{-19}$ GeV	"	[102], [115], [369]*
$ (\tilde{b}^L)^{Z\Sigma\Sigma} $	$< 5 \times 10^{-5}$ GeV	"	[371], [369]*
$ (\tilde{b}^L)^{T\Sigma\Sigma} $	$< 6 \times 10^5$ GeV	"	[47]*, [121], [369]*
$ (\tilde{c}^L)^{-\Sigma\Sigma} $	$< 1 \times 10^{-13}$ GeV	"	[57]*, [107], [130], [369]*
$ (\tilde{c}^L)^{Q\Sigma\Sigma} $	$< 1 \times 10^{-5}$ GeV	"	[125], [126]*, [369]*
$ (\tilde{c}^L)^{X\Sigma\Sigma} $	$< 3 \times 10^{-13}$ GeV	"	[57]*, [107], [128], [369]*
$ (\tilde{c}^L)^{Y\Sigma\Sigma} $	$< 3 \times 10^{-13}$ GeV	"	[57]*, [107], [128], [369]*
$ (\tilde{c}^L)^{Z\Sigma\Sigma} $	$< 1 \times 10^{-13}$ GeV	"	[57]*, [107], [130], [369]*
$ (\tilde{c}^L)^{TX\Sigma\Sigma} $	$< 1 \times 10^3$ GeV	"	[124]*, [126]*, [369]*
$ (\tilde{c}^L)^{TY\Sigma\Sigma} $	$< 3 \times 10^3$ GeV	"	[124]*, [126]*, [369]*
$ (\tilde{c}^L)^{TZ\Sigma\Sigma} $	$< 3 \times 10^3$ GeV	"	[124]*, [126]*, [369]*
$ (\tilde{c}^L)^{TT\Sigma\Sigma} $	$< 7 \times 10^{-3}$ GeV	"	[372], [369]*
$ (\tilde{d}^L)^{Z\Sigma\Sigma} $	$< 4 \times 10^{-2}$ GeV	"	[371], [369]*
$ (\tilde{g}^L)^{DZ\Sigma\Sigma} $	$< 2 \times 10^{-2}$ GeV	"	[371], [369]*
$ (\kappa_\phi^{\text{NR}})_n $	$< 1 \times 10^{-3}$ GeV	Bouncing neutrons	[373]
$ (\kappa_\phi^{\text{NR}})_n $	$< 1.3 \times 10^{-2}$ GeV	"	[372], [369]*
$\sqrt{[(\kappa_{\sigma\phi}^{\text{NR}})_n^j]^2}$	$< 7.8 \times 10^{-3}$ GeV	"	[372], [369]*
$ (\kappa_\phi^{\text{NR}})_n + (\kappa_{\sigma\phi}^{\text{NR}})_n^j \hat{s}^j $	$< 2.5 \times 10^{-2}$ GeV	$n$ interferometry	[374], [369]*
$ (\kappa_\phi^{\text{NR}})_n $	$< 1 \times 10^{-2}$ GeV	"	[375], [369]*
$ (\kappa_\phi^{\text{NR}})_n $	$< 1 \times 10^{-1}$ GeV	"	[376], [369]*
$ (\kappa_{\sigma\phi}^{\text{NR}})_n^Z $	$< 1 \times 10^{-4}$ GeV	Sr free fall	[371], [369]*
$ (\kappa_{\sigma\phi\phi\phi}^{\text{NR}})_n^{ZJJ} - 0.4(\kappa_{\sigma\phi\phi\phi}^{\text{NR}})_n^{ZZZ} $	$< 5 \times 10^{-2}$ GeV	"	[371], [369]*

Table D51. Muon-gravity sector

Combination	Result	System	Ref.
$ (\tilde{b}^L)^{X\Sigma\Sigma} $	$< 2 \times 10^{-10}$ GeV	Combined	[232], [233], [369]*
$ (\tilde{b}^L)^{Y\Sigma\Sigma} $	$< 2 \times 10^{-10}$ GeV	"	[232], [233], [369]*
$ (\tilde{b}^L)^{Z\Sigma\Sigma} $	$< 6 \times 10^{-9}$ GeV	"	[232], [234], [235]*, [377], [369]*
$ (\tilde{c}^L)^{TT\Sigma\Sigma} $	$< 9 \times 10^5$ GeV	"	[231]*, [236]*, [377], [369]*

## **PROPERTIES TABLES P52–P76**

Table P52. Lagrange density for the minimal QED extension in Riemann spacetime

Sector	Coeff.	#	Operator	Dim.	Factor	CPT	L.V.
Fermion	$m$		$\bar{\psi}\psi$	3	$-e$	+	
	$m_5$		$\bar{\psi}\gamma_5\psi$	3	$-ie$	+	
			$\bar{\psi}\gamma^a\overleftrightarrow{D}_\mu\psi$	4	$\frac{1}{2}iee^\mu_a$	+	
	$a_\mu$	4	$\bar{\psi}\gamma^a\psi$	3	$-ee^\mu_a$	-	✓
	$b_\mu$	4	$\bar{\psi}\gamma_5\gamma^a\psi$	3	$-ee^\mu_a$	-	✓
	$H_{\mu\nu}$	6	$\bar{\psi}\sigma^{ab}\psi$	3	$-ee^\mu_a e^\nu_b$	+	✓
	$c_{\lambda\nu}$	16	$\bar{\psi}\gamma^b\overleftrightarrow{D}_\mu\psi$	4	$-\frac{1}{2}iee^\mu_a e^{\nu a} e^\lambda_b$	+	✓
	$d_{\lambda\nu}$	16	$\bar{\psi}\gamma_5\gamma^b\overleftrightarrow{D}_\mu\psi$	4	$-\frac{1}{2}iee^\mu_a e^{\nu a} e^\lambda_b$	+	✓
	$e_\lambda$	4	$\bar{\psi}\overleftrightarrow{D}_\mu\psi$	4	$-\frac{1}{2}iee^\mu_a e^{\lambda a}$	-	✓
	$f_\lambda$	4	$\bar{\psi}\gamma_5\overleftrightarrow{D}_\mu\psi$	4	$-\frac{1}{2}iee^\mu_a e^{\lambda a}$	-	✓
	$g_{\lambda\kappa\nu}$	24	$\bar{\psi}\sigma^{bc}\overleftrightarrow{D}_\mu\psi$	4	$-\frac{1}{4}iee^\mu_a e^{\nu a} e^\lambda_b e^\kappa_c$	-	✓
Photon			$F_{\mu\nu}F^{\mu\nu}$	4	$-\frac{1}{4}e$	+	
	$(k_{AF})^\kappa$	4	$A^\lambda F^{\mu\nu}$	3	$\frac{1}{2}e\epsilon_{\kappa\lambda\mu\nu}$	-	✓
	$(k_F)_{\kappa\lambda\mu\nu}$	19	$F^{\kappa\lambda}F^{\mu\nu}$	4	$-\frac{1}{4}e$	+	✓
Gravity			$R$	2	$e/2\kappa$	+	
	$\Lambda$		1	0	$-e/\kappa$	+	
	$u$	1	$R$	2	$-e/2\kappa$	+	
	$s^{\mu\nu}$	9	$R_{\mu\nu}$	2	$e/2\kappa$	+	✓
	$t^{\kappa\lambda\mu\nu}$	10	$R_{\kappa\lambda\mu\nu}$	2	$e/2\kappa$	+	✓

Table P53. C, P, T properties of operators for Lorentz violation in QED

Coefficient	C	P	T	CP	CT	PT	CPT
$c_{TT}, c_{JK}, (k_F)_{TJTK}, (k_F)_{JKLM}$	+	+	+	+	+	+	+
$b_J, g_{JTL}, g_{JKT}, (k_{AF})_J$	+	+	-	+	-	-	-
$b_T, g_{JTT}, g_{JKL}, (k_{AF})_T$	+	-	+	-	+	-	-
$c_{TJ}, c_{JT}, (k_F)_{TJKL}$	+	-	-	-	-	+	+
$a_T, e_T, f_J$	-	+	+	-	-	+	-
$H_{JK}, d_{TJ}, d_{JT}$	-	+	-	-	+	-	+
$H_{TJ}, d_{TT}, d_{JK}$	-	-	+	+	-	-	+
$a_J, e_J, f_T$	-	-	-	+	+	+	-

Table P54. Definitions for the fermion sector of the minimal QED extension

Symbol	Combination	Components
$\tilde{b}_J$	$b_J - \frac{1}{2}\varepsilon_{JKL}H_{KL} - m(d_{JT} - \frac{1}{2}\varepsilon_{JKL}g_{KLT})$	3
$\tilde{b}_J^*$	$b_J + \frac{1}{2}\varepsilon_{JKL}H_{KL} + m(d_{JT} + \frac{1}{2}\varepsilon_{JKL}g_{KLT})$	3
$\tilde{b}_T$	$b_T + mg_{XYZ}$	1
$\tilde{g}_T$	$b_T - m(g_{XYZ} - g_{YZX} - g_{ZXY})$	1
$\tilde{H}_{XT}$	$H_{XT} + m(d_{ZY} - g_{XTT} - g_{XY})$	1
$\tilde{H}_{YT}$	$H_{YT} + m(d_{XZ} - g_{YTT} - g_{YZ})$	1
$\tilde{H}_{ZT}$	$H_{ZT} + m(d_{YX} - g_{ZTT} - g_{ZX})$	1
$\tilde{d}_\pm$	$m(d_{XX} \pm d_{YY})$	2
$\tilde{d}_Q$	$m(d_{XX} + d_{YY} - 2d_{ZZ} - g_{YZX} - g_{ZXY} + 2g_{XYZ})$	1
$\tilde{d}_J$	$m(d_{TJ} + \frac{1}{2}d_{JT}) - \frac{1}{4}\varepsilon_{JKL}H_{KL}$	3
$\tilde{d}_{YZ}$	$m(d_{YZ} + d_{ZY} - g_{XY} + g_{XZ})$	1
$\tilde{d}_{ZX}$	$m(d_{ZX} + d_{XZ} - g_{YZ} + g_{YX})$	1
$\tilde{d}_{XY}$	$m(d_{XY} + d_{YX} - g_{ZX} + g_{ZY})$	1
$\tilde{g}_e$	$m(g_{XYZ} - g_{ZXY})$	1
$\tilde{g}_-$	$m(g_{XTX} - g_{YTY})$	1
$\tilde{g}_Q$	$m(g_{XTX} + g_{YTY} - 2g_{ZTZ})$	1
$\tilde{g}_{TJ}$	$m \varepsilon_{JKL} g_{KTL}$	3
$\tilde{g}_{DJ}$	$-b_J + m\varepsilon_{JKL}(g_{KTL} + \frac{1}{2}g_{KLT})$	3
$\tilde{g}_{JK}$	$m(g_{JTT} + g_{JKK}), (\text{no } K \text{ sum, } J \neq K)$	6
$\tilde{c}_Q$	$m(c_{XX} + c_{YY} - 2c_{ZZ})$	1
$\tilde{c}_-$	$m(c_{XX} - c_{YY})$	1
$\tilde{c}_J$	$m \varepsilon_{JKL} c_{KL}$	3
$\tilde{c}_{TJ}$	$m(c_{TJ} + c_{JT})$	3
$\tilde{c}_{TT}$	$m c_{TT}$	1 <b>total: 44</b>

Table P55. Inverse combinations for the fermion sector of the minimal QED extension

Coefficient	Combination	Components
$b_T - mg_T^{(A)}$	$\frac{1}{3}(2\tilde{b}_T + \tilde{g}_T)$	
$md_{XX}$	$\frac{1}{2}(\tilde{d}_+ + \tilde{d}_-)$	
$md_{YY}$	$\frac{1}{2}(\tilde{d}_+ - \tilde{d}_-)$	
$md_{ZZ}$	$\frac{1}{2}(\tilde{b}_T - \tilde{g}_T + \tilde{d}_+ - \tilde{d}_Q)$	
$mg_{XYZ}^{(M)}$	$\frac{1}{3}(\tilde{b}_T - \tilde{g}_T)$	
$mg_{YZX}^{(M)}$	$-\frac{2}{3}(\tilde{b}_T - \tilde{g}_T) + \tilde{g}_c$	6
$b_J - mg_J^{(A)}$	$\frac{1}{3}(\tilde{b}_J + \tilde{b}_J^* - \tilde{g}_{DJ})$	
$H_{KL} - md_{TJ}^-$	$-\frac{3}{8}(\tilde{b}_J - \tilde{b}_J^*) - \frac{1}{2}\tilde{d}_J$	
$md_{TJ}^+$	$-\frac{1}{8}(\tilde{b}_J - \tilde{b}_J^*) + \frac{1}{2}\tilde{d}_J$	
$mg_{KLT}^{(M)}$	$\frac{1}{6}(\tilde{b}_J + \tilde{b}_J^* + 2\tilde{g}_{DJ})$	
$mg_{TKL}^{(M)}$	$-\frac{1}{12}(\tilde{b}_J + \tilde{b}_J^* + 2\tilde{g}_{DJ} + 6\tilde{g}_{TJ})$	
	$(J, KL) = (X, YZ), (Y, ZX), (Z, XY)$	5+5+5
$H_{TJ} + md_{KL}^-$	$\tilde{H}_{TJ} + \frac{1}{2}(\tilde{d}_{KL} - \tilde{g}_{JK} - \tilde{g}_{JL})$	
$md_{KL}^+$	$\frac{1}{2}(\tilde{d}_{KL} + \tilde{g}_{JK} - \tilde{g}_{JL})$	
$mg_{TJT}^{(M)}$	$-\frac{1}{3}(\tilde{g}_{JK} + \tilde{g}_{JL})$	
$mg_{JKK}^{(M)}$	$\frac{1}{3}(2\tilde{g}_{JK} - \tilde{g}_{JL})$	
	$(J, K, L) = (X, Y, Z), (Y, Z, X), (Z, X, Y)$	4+4+4
$mg_{TXX}^{(M)}$	$-\frac{1}{6}(3\tilde{g}_- + \tilde{g}_Q)$	
$mg_{TYY}^{(M)}$	$\frac{1}{6}(3\tilde{g}_- - \tilde{g}_Q)$	2
$mc_{XX}$	$\frac{1}{6}(\tilde{c}_Q + 3\tilde{c}_- + 2\tilde{c}_{TT})$	
$mc_{YY}$	$\frac{1}{6}(\tilde{c}_Q - 3\tilde{c}_- + 2\tilde{c}_{TT})$	
$mc_{ZZ}$	$\frac{1}{3}(-\tilde{c}_Q + \tilde{c}_{TT})$	3
$m \varepsilon_{JKL} c_{KL}$	$\tilde{c}_J$	
	$J = X, Y, Z, \text{ sum on } K, L$	1+1+1
$m(c_{TJ} + c_{JT})$	$\tilde{c}_{TJ}$	
	$J = X, Y, Z$	1+1+1 <b>Total: 44</b>

Table P56. Definitions for the photon sector of the minimal QED extension

Symbol	Combination	Components
$(\tilde{\kappa}_{e+})^{JK}$	$-(k_F)^{TJTK} + \frac{1}{4}\epsilon^{JPQ}\epsilon^{KRS}(k_F)^{PQRS}$	5
$(\tilde{\kappa}_{o-})^{JK}$	$\frac{1}{2}\epsilon^{KPQ}(k_F)^{TJPQ} + \frac{1}{2}\epsilon^{JPQ}(k_F)^{TKPQ}$	5
$(\tilde{\kappa}_{e-})^{JK}$	$-(k_F)^{TJTK} - \frac{1}{4}\epsilon^{JPQ}\epsilon^{KRS}(k_F)^{PQRS} + \frac{2}{3}(k_F)^{TLTL}\delta^{JK}$	5
$(\tilde{\kappa}_{o+})^{JK}$	$\frac{1}{2}\epsilon^{KPQ}(k_F)^{TJPQ} - \frac{1}{2}\epsilon^{JPQ}(k_F)^{TKPQ}$	3
$\tilde{\kappa}_{\text{tr}}$	$-\frac{2}{3}[(k_F)^{TXTX} + (k_F)^{TYTY} + (k_F)^{TZTZ}]$	1 <b>total: 19</b>
$k^1$	$(k_F)^{TYXZ}$	1
$k^2$	$(k_F)^{TXYZ}$	1
$k^3$	$(k_F)^{TYTY} - (k_F)^{XZZX}$	1
$k^4$	$(k_F)^{TZTZ} - (k_F)^{XYXY}$	1
$k^5$	$(k_F)^{TXTY} + (k_F)^{XZYZ}$	1
$k^6$	$(k_F)^{TXTZ} - (k_F)^{XYYZ}$	1
$k^7$	$(k_F)^{TYTZ} + (k_F)^{XYXZ}$	1
$k^8$	$(k_F)^{TXXY} + (k_F)^{TZYZ}$	1
$k^9$	$(k_F)^{TXXZ} - (k_F)^{TYYZ}$	1
$k^{10}$	$(k_F)^{TYXY} - (k_F)^{TZXZ}$	1 <b>total: 10</b>
$k_{(V)00}^{(3)}$	$-\sqrt{4\pi}(k_{AF})^T$	1
$k_{(V)10}^{(3)}$	$-\sqrt{\frac{4\pi}{3}}(k_{AF})^Z$	1
$\text{Re } k_{(V)11}^{(3)}$	$\sqrt{\frac{2\pi}{3}}(k_{AF})^X$	1
$\text{Im } k_{(V)11}^{(3)}$	$-\sqrt{\frac{2\pi}{3}}(k_{AF})^Y$	1 <b>total: 4</b>
$c_{(I)00}^{(4)}$	$\sqrt{4\pi}\tilde{\kappa}_{\text{tr}}$	1
$c_{(I)10}^{(4)}$	$-\sqrt{\frac{\pi}{3}}(\tilde{\kappa}_{o+})^{XY}$	1
$\text{Re } c_{(I)11}^{(4)}$	$\sqrt{\frac{\pi}{6}}(\tilde{\kappa}_{o+})^{YZ}$	1
$\text{Im } c_{(I)11}^{(4)}$	$\sqrt{\frac{\pi}{6}}(\tilde{\kappa}_{o+})^{XZ}$	1
$c_{(I)20}^{(4)}$	$-\sqrt{\frac{\pi}{5}}(\tilde{\kappa}_{e-})^{ZZ}$	1
$\text{Re } c_{(I)21}^{(4)}$	$\sqrt{\frac{2\pi}{15}}(\tilde{\kappa}_{e-})^{XZ}$	1
$\text{Im } c_{(I)21}^{(4)}$	$-\sqrt{\frac{2\pi}{15}}(\tilde{\kappa}_{e-})^{YZ}$	1
$\text{Re } c_{(I)22}^{(4)}$	$-\sqrt{\frac{\pi}{30}}\{(\tilde{\kappa}_{e-})^{XX} - (\tilde{\kappa}_{e-})^{YY}\}$	1
$\text{Im } c_{(I)22}^{(4)}$	$\sqrt{\frac{2\pi}{15}}(\tilde{\kappa}_{e-})^{XY}$	1 <b>total: 9</b>
$k_{(E)20}^{(4)}$	$-\sqrt{\frac{6\pi}{5}}(\tilde{\kappa}_{e+})^{ZZ}$	1
$\text{Re } k_{(E)21}^{(4)}$	$\sqrt{\frac{4\pi}{5}}(\tilde{\kappa}_{e+})^{XZ}$	1
$\text{Im } k_{(E)21}^{(4)}$	$-\sqrt{\frac{4\pi}{5}}(\tilde{\kappa}_{e+})^{YZ}$	1
$\text{Re } k_{(E)22}^{(4)}$	$-\sqrt{\frac{\pi}{5}}\{(\tilde{\kappa}_{e+})^{XX} - (\tilde{\kappa}_{e+})^{YY}\}$	1
$\text{Im } k_{(E)22}^{(4)}$	$\sqrt{\frac{4\pi}{5}}(\tilde{\kappa}_{e+})^{XY}$	1
$k_{(B)20}^{(4)}$	$-\sqrt{\frac{6\pi}{5}}(\tilde{\kappa}_{o-})^{ZZ}$	1
$\text{Re } k_{(B)21}^{(4)}$	$\sqrt{\frac{4\pi}{5}}(\tilde{\kappa}_{o-})^{XZ}$	1
$\text{Im } k_{(B)21}^{(4)}$	$-\sqrt{\frac{4\pi}{5}}(\tilde{\kappa}_{o-})^{YZ}$	1
$\text{Re } k_{(B)22}^{(4)}$	$-\sqrt{\frac{\pi}{5}}\{(\tilde{\kappa}_{o-})^{XX} - (\tilde{\kappa}_{o-})^{YY}\}$	1
$\text{Im } k_{(B)22}^{(4)}$	$\sqrt{\frac{4\pi}{5}}(\tilde{\kappa}_{o-})^{XY}$	1 <b>total: 10</b>



Table P57. Lagrange density for the fermion sector of the minimal SME in Riemann-Cartan spacetime

Sector	Coeff.	Operator	Dim.	Factor	CPT	L.V.
Lepton		$\bar{L}_A \gamma^a \overleftrightarrow{D}_\mu L_A$	4	$\frac{1}{2} i e e^\mu_a$	+	
		$\bar{R}_A \gamma^a \overleftrightarrow{D}_\mu R_A$	4	$\frac{1}{2} i e e^\mu_a$	+	
	$(a_L)_{\mu AB}$	$\bar{L}_A \gamma^a L_B$	3	$-e e^\mu_a$	-	✓
	$(a_R)_{\mu AB}$	$\bar{R}_A \gamma^a R_B$	3	$-e e^\mu_a$	-	✓
	$(c_L)_{\mu\nu AB}$	$\bar{L}_A \gamma^a \overleftrightarrow{D}^\nu L_B$	4	$-\frac{1}{2} i e e^\mu_a$	+	✓
	$(c_R)_{\mu\nu AB}$	$\bar{R}_A \gamma^a \overleftrightarrow{D}^\nu R_B$	4	$-\frac{1}{2} i e e^\mu_a$	+	✓
Quark		$\bar{Q}_A \gamma^a \overleftrightarrow{D}_\mu Q_A$	4	$\frac{1}{2} i e e^\mu_a$	+	
		$\bar{U}_A \gamma^a \overleftrightarrow{D}_\mu U_A$	4	$\frac{1}{2} i e e^\mu_a$	+	
		$\bar{D}_A \gamma^a \overleftrightarrow{D}_\mu D_A$	4	$\frac{1}{2} i e e^\mu_a$	+	
	$(a_Q)_{\mu AB}$	$\bar{Q}_A \gamma^a Q_B$	3	$-e e^\mu_a$	-	✓
	$(a_U)_{\mu AB}$	$\bar{U}_A \gamma^a U_B$	3	$-e e^\mu_a$	-	✓
	$(a_D)_{\mu AB}$	$\bar{D}_A \gamma^a D_B$	3	$-e e^\mu_a$	-	✓
	$(c_Q)_{\mu\nu AB}$	$\bar{Q}_A \gamma^a \overleftrightarrow{D}^\nu Q_B$	4	$-\frac{1}{2} i e e^\mu_a$	+	✓
	$(c_U)_{\mu\nu AB}$	$\bar{U}_A \gamma^a \overleftrightarrow{D}^\nu U_B$	4	$-\frac{1}{2} i e e^\mu_a$	+	✓
	$(c_D)_{\mu\nu AB}$	$\bar{D}_A \gamma^a \overleftrightarrow{D}^\nu D_B$	4	$-\frac{1}{2} i e e^\mu_a$	+	✓
Yukawa	$(G_L)_{AB}$	$\bar{L}_A \phi R_B + \text{h.c.}$	4	$-e$	+	
	$(G_U)_{AB}$	$\bar{Q}_A \phi^c U_B + \text{h.c.}$	4	$-e$	+	
	$(G_D)_{AB}$	$\bar{Q}_A \phi D_B + \text{h.c.}$	4	$-e$	+	
	$(H_L)_{\mu\nu AB}$	$\bar{L}_A \phi \sigma^{ab} R_B + \text{h.c.}$	4	$-\frac{1}{2} e e^\mu_a e^\nu_b$	+	✓
	$(H_U)_{\mu\nu AB}$	$\bar{Q}_A \phi^c \sigma^{ab} U_B + \text{h.c.}$	4	$-\frac{1}{2} e e^\mu_a e^\nu_b$	+	✓
	$(H_D)_{\mu\nu AB}$	$\bar{Q}_A \phi \sigma^{ab} D_B + \text{h.c.}$	4	$-\frac{1}{2} e e^\mu_a e^\nu_b$	+	✓

Table P58. Lagrange density for the boson sector of the minimal SME in Riemann-Cartan spacetime

Sector	Coeff.	Operator	Dim.	Factor	CPT	L.V.
Higgs	$\mu^2$	$\phi^\dagger\phi$	2	$e$	+	
	$\lambda$	$(\phi^\dagger\phi)^2$	4	$-\frac{1}{3!}e$	+	
		$(D_\mu\phi)^\dagger(D^\mu\phi)$	4	$-e$	+	
	$(k_\phi)^\mu$	$\phi^\dagger D_\mu\phi + \text{h.c.}$	3	$ie$	-	✓
	$(k_{\phi\phi})^{\mu\nu}$	$(D_\mu\phi)^\dagger(D_\nu\phi) + \text{h.c.}$	4	$\frac{1}{2}e$	+	✓
	$(k_{\phi W})^{\mu\nu}$	$\phi^\dagger W_{\mu\nu}\phi$	4	$-\frac{1}{2}e$	+	✓
	$(k_{\phi B})^{\mu\nu}$	$\phi^\dagger\phi B_{\mu\nu}$	4	$-\frac{1}{2}e$	+	✓
Gauge		$\text{tr}(G_{\mu\nu}G^{\mu\nu})$	4	$-\frac{1}{2}e$	+	
		$\text{tr}(W_{\mu\nu}W^{\mu\nu})$	4	$-\frac{1}{2}e$	+	
		$B_{\mu\nu}B^{\mu\nu}$	4	$-\frac{1}{4}e$	+	
	$(k_0)_\kappa$	$B^\kappa$	1	$e$	-	✓
	$(k_1)_\kappa$	$B_\lambda B_{\mu\nu}$	3	$e\epsilon^{\kappa\lambda\mu\nu}$	-	✓
	$(k_2)_\kappa$	$\text{tr}(W_\lambda W_{\mu\nu} + \frac{2}{3}igW_\lambda W_\mu W_\nu)$	3	$e\epsilon^{\kappa\lambda\mu\nu}$	-	✓
	$(k_3)_\kappa$	$\text{tr}(G_\lambda G_{\mu\nu} + \frac{2}{3}ig_3G_\lambda G_\mu G_\nu)$	3	$e\epsilon^{\kappa\lambda\mu\nu}$	-	✓
	$(k_G)_{\kappa\lambda\mu\nu}$	$\text{tr}(G^{\kappa\lambda}G^{\mu\nu})$	4	$-\frac{1}{2}e$	+	✓
	$(k_W)_{\kappa\lambda\mu\nu}$	$\text{tr}(W^{\kappa\lambda}W^{\mu\nu})$	4	$-\frac{1}{2}e$	+	✓
	$(k_B)_{\kappa\lambda\mu\nu}$	$B^{\kappa\lambda}B^{\mu\nu}$	4	$-\frac{1}{4}e$	+	✓
Gravity		$R$	2	$e/2\kappa$	+	
	$\Lambda$	1	0	$-e/\kappa$	+	
	$u$	$R$	2	$-e/2\kappa$	+	
	$(k_T)^{\lambda\mu\nu}$	$T_{\lambda\mu\nu}$	1	$e/2\kappa$	+	✓
	$s^{\mu\nu}$	$R_{\mu\nu}$	2	$e/2\kappa$	+	✓
	$t^{\kappa\lambda\mu\nu}$	$R_{\kappa\lambda\mu\nu}$	2	$e/2\kappa$	+	✓
	$(k_{TT})^{\alpha\beta\gamma\lambda\mu\nu}$	$T_{\alpha\beta\gamma}T_{\lambda\mu\nu}$	2	$e/2\kappa$	+	✓
	$(k_{DT})^{\kappa\lambda\mu\nu}$	$D_\kappa T_{\lambda\mu\nu}$	2	$e/2\kappa$	+	✓

Table P59. Coefficients in the renormalizable neutrino sector

Type	Coeff.	Dim.	Oscillation	CPT	L.V.
mass	$(m_l m_l^\dagger)_{ab}$	3	$\nu \leftrightarrow \nu, \bar{\nu} \leftrightarrow \bar{\nu}$	+	
massless	$(a_L)_{ab}^\mu \equiv [a_L^{(3)\mu}]_{ab}$	3	$\nu \leftrightarrow \nu, \bar{\nu} \leftrightarrow \bar{\nu}$	-	✓
	$H_{ab}^{\mu\nu} \equiv [H_{M+}^{(3)\mu\nu}]_{ab}$	3	$\nu \leftrightarrow \bar{\nu}$	+	✓
	$(c_L)_{ab}^{\mu\nu} \equiv [c_L^{(4)\mu\nu}]_{ab}$	4	$\nu \leftrightarrow \nu, \bar{\nu} \leftrightarrow \bar{\nu}$	+	✓
	$g_{ab}^{\mu\nu\sigma} \equiv [g_{M+}^{(4)\mu\nu\rho}]_{ab}$	4	$\nu \leftrightarrow \bar{\nu}$	-	✓
mass-induced	$[H_l^{(3)\mu\nu}]_{ab}$	3	$\nu \leftrightarrow \nu, \bar{\nu} \leftrightarrow \bar{\nu}$	+	✓
	$[a_l^{(3)\mu}]_{ab}$	3	$\nu \leftrightarrow \bar{\nu}$	-	✓
	$[e_l^{(4)\mu}]_{ab}$	4	$\nu \leftrightarrow \nu, \bar{\nu} \leftrightarrow \bar{\nu}$	-	✓
	$[g_l^{(4)\mu\nu\rho}]_{ab}$	4	$\nu \leftrightarrow \nu, \bar{\nu} \leftrightarrow \bar{\nu}$	-	✓
	$[c_l^{(4)\mu\nu}]_{ab}$	4	$\nu \leftrightarrow \bar{\nu}$	+	✓

Table P60. Definitions for the minimal neutrino sector

Symbol	Combination	Components
$(a_{\text{eff}}^{(3)})_{00}$	$\sqrt{4\pi}(a_L^{(3)T} - e_l^{(4)T} - 2\tilde{g}_l^{(4)TTT}) - (4\sqrt{\pi}/3)\tilde{g}_l^{(4)TJJ}$	
$(a_{\text{eff}}^{(3)})_{1-1}$	$-\sqrt{(2\pi/3)}\hat{X}_-^J(a_L^{(3)J} - e_l^{(4)J} - 2\tilde{g}_l^{(4)TJT})$	
$(a_{\text{eff}}^{(3)})_{10}$	$-\sqrt{(4\pi/3)}(a_L^{(3)Z} - e_l^{(4)Z} - 2\tilde{g}_l^{(4)TZT})$	
$(a_{\text{eff}}^{(3)})_{11}$	$\sqrt{(2\pi/3)}\hat{X}_+^J(a_L^{(3)J} - e_l^{(4)J} - 2\tilde{g}_l^{(4)TJT})$	
$(a_{\text{eff}}^{(3)})_{2-2}$	$-\sqrt{(8\pi/15)}\hat{X}_-\hat{X}_-^K\tilde{g}_l^{(4)TJK}$	
$(a_{\text{eff}}^{(3)})_{2-1}$	$-\sqrt{(8\pi/15)}\hat{X}_-^J(\tilde{g}_l^{(4)TZJ} + \tilde{g}_l^{(4)TJZ})$	
$(a_{\text{eff}}^{(3)})_{20}$	$-\sqrt{(16\pi/5)}(\tilde{g}_l^{(4)TZZ} - (1/3)\tilde{g}_l^{(4)TJJ})$	
$(a_{\text{eff}}^{(3)})_{21}$	$\sqrt{(8\pi/15)}\hat{X}_+^J(\tilde{g}_l^{(4)TZJ} + \tilde{g}_l^{(4)TJZ})$	
$(a_{\text{eff}}^{(3)})_{22}$	$-\sqrt{(8\pi/15)}\hat{X}_+\hat{X}_+^K\tilde{g}_l^{(4)TJK}$	$9 \times 9 = 81$
$(c_{\text{eff}}^{(2)})_{1-1}$	$\sqrt{(8\pi/3)}\hat{X}_-\tilde{H}_l^{(3)TJ}$	
$(c_{\text{eff}}^{(2)})_{10}$	$\sqrt{(16\pi/3)}\tilde{H}_l^{(3)TZ}$	
$(c_{\text{eff}}^{(2)})_{11}$	$-\sqrt{(8\pi/3)}\hat{X}_+\tilde{H}_l^{(3)TJ}$	$9 \times 3 = 27$
$(c_{\text{eff}}^{(4)})_{00}$	$\sqrt{4\pi}(c_L^{(4)TT} + (1/3)c_L^{(4)JJ})$	
$(c_{\text{eff}}^{(4)})_{1-1}$	$-\sqrt{(4\pi/6)}\hat{X}_-^J(c_L^{(4)TJ} + c_L^{(4)JT})$	
$(c_{\text{eff}}^{(4)})_{10}$	$-\sqrt{(4\pi/3)}(c_L^{(4)TZ} + c_L^{(4)ZT})$	
$(c_{\text{eff}}^{(4)})_{11}$	$\sqrt{(4\pi/6)}\hat{X}_+^J(c_L^{(4)TJ} + c_L^{(4)JT})$	
$(c_{\text{eff}}^{(4)})_{2-2}$	$\sqrt{(2\pi/15)}\hat{X}_-\hat{X}_-^Kc_L^{(4)JK}$	
$(c_{\text{eff}}^{(4)})_{2-1}$	$\sqrt{(2\pi/15)}\hat{X}_-^J(c_L^{(4)ZJ} + c_L^{(4)JZ})$	
$(c_{\text{eff}}^{(4)})_{20}$	$\sqrt{(4\pi/5)}(c_L^{(4)ZZ} - (1/3)c_L^{(4)JJ})$	
$(c_{\text{eff}}^{(4)})_{21}$	$-\sqrt{(2\pi/15)}\hat{X}_+^J(c_L^{(4)ZJ} + c_L^{(4)JZ})$	
$(c_{\text{eff}}^{(4)})_{22}$	$\sqrt{(2\pi/15)}\hat{X}_+\hat{X}_+^Kc_L^{(4)JK}$	$9 \times 9 = 81$
$(g_{\text{eff}}^{(2)})_{1-1}$	$\sqrt{(4\pi/3)}\hat{X}_-^J a_l^{(3)J}$	
$(g_{\text{eff}}^{(2)})_{10}$	$\sqrt{(8\pi/3)}a_l^{(3)Z}$	
$(g_{\text{eff}}^{(2)})_{11}$	$-\sqrt{(4\pi/3)}\hat{X}_+^J a_l^{(3)J}$	$12 \times 3 = 36$
$(g_{\text{eff}}^{(4)})_{1-1}$	$i\sqrt{(16\pi/3)}\hat{X}_-^J(g_{M+}^{(4)TJT} + (1/2)g_{M+}^{(4)TZJ} - (1/2)g_{M+}^{(4)TJZ})$	
$(g_{\text{eff}}^{(4)})_{10}$	$i\sqrt{(32\pi/3)}(g_{M+}^{(4)TZT} - (i/2)g_{M+}^{(4)TXY} + (i/2)g_{M+}^{(4)TYX})$	
$(g_{\text{eff}}^{(4)})_{11}$	$-i\sqrt{(16\pi/3)}\hat{X}_+^J(g_{M+}^{(4)TJT} - (1/2)g_{M+}^{(4)TZJ} + (1/2)g_{M+}^{(4)TJZ})$	
$(g_{\text{eff}}^{(4)})_{2-2}$	$-i\sqrt{(4\pi/5)}\hat{X}_-\hat{X}_-^K g_{M+}^{(4)TJK}$	
$(g_{\text{eff}}^{(4)})_{2-1}$	$-i\sqrt{(4\pi/5)}\hat{X}_-^J(g_{M+}^{(4)TZJ} + g_{M+}^{(4)TJZ})$	
$(g_{\text{eff}}^{(4)})_{20}$	$-i\sqrt{(24\pi/5)}(g_{M+}^{(4)TZZ} - (1/3)g_{M+}^{(4)TJJ})$	
$(g_{\text{eff}}^{(4)})_{21}$	$i\sqrt{(4\pi/5)}\hat{X}_+^J(g_{M+}^{(4)TZJ} + g_{M+}^{(4)TJZ})$	
$(g_{\text{eff}}^{(4)})_{22}$	$-i\sqrt{(4\pi/5)}\hat{X}_+\hat{X}_+^K g_{M+}^{(4)TJK}$	$12 \times 8 = 96$
$(H_{\text{eff}}^{(3)})_{1-1}$	$\sqrt{(4\pi/3)}\hat{X}_-^J(2iH_{M+}^{(3)TJ} + c_l^{(4)JT} + (1/2)c_l^{(4)ZJ} - (1/2)c_l^{(4)JZ})$	
$(H_{\text{eff}}^{(3)})_{10}$	$\sqrt{(8\pi/3)}(2iH_{M+}^{(3)TZ} + c_l^{(4)ZT} - (i/2)c_l^{(4)XY} + (i/2)c_l^{(4)YX})$	
$(H_{\text{eff}}^{(3)})_{11}$	$-\sqrt{(4\pi/3)}\hat{X}_+^J(2iH_{M+}^{(3)TJ} + c_l^{(4)JT} - (1/2)c_l^{(4)ZJ} + (1/2)c_l^{(4)JZ})$	
$(H_{\text{eff}}^{(3)})_{2-2}$	$-\sqrt{(\pi/5)}\hat{X}_-\hat{X}_-^Kc_l^{(4)JK}$	
$(H_{\text{eff}}^{(3)})_{2-1}$	$-\sqrt{(\pi/5)}\hat{X}_-^J(c_l^{(4)ZJ} + c_l^{(4)JZ})$	
$(H_{\text{eff}}^{(3)})_{20}$	$-\sqrt{(6\pi/5)}(c_l^{(4)ZZ} - (1/3)c_l^{(4)JJ})$	
$(H_{\text{eff}}^{(3)})_{21}$	$\sqrt{(\pi/5)}\hat{X}_+^J(c_l^{(4)ZJ} + c_l^{(4)JZ})$	
$(H_{\text{eff}}^{(3)})_{22}$	$-\sqrt{(\pi/5)}\hat{X}_+\hat{X}_+^Kc_l^{(4)JK}$	$6 \times 8 = 48$ <b>total: 369</b>

Table P61. Quadratic Lagrange density for a nonminimal Dirac fermion in Minkowski spacetime

Coeff.	#	Operator	Dim.	Factor	CPT	L.V.
$m$		$\bar{\psi}\psi$	3	-1	+	
$m_5$		$\bar{\psi}\gamma_5\psi$	3	$-i$	+	
		$\bar{\psi}\gamma^\mu\overleftrightarrow{\partial}_\mu\psi$	4	$\frac{1}{2}i$	+	
$m^{(d)\alpha_1\dots\alpha_{d-3}}$	$d(d-1)(d-2)/6$	$\bar{\psi}\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	odd, $\geq 5$	$-\frac{1}{2}i^{d-3}$	+	✓
$m_5^{(d)\alpha_1\dots\alpha_{d-3}}$	$d(d-1)(d-2)/6$	$\bar{\psi}\gamma_5\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	odd, $\geq 5$	$-\frac{1}{2}i^{d-2}$	+	✓
$a^{(d)\mu\alpha_1\dots\alpha_{d-3}}$	$2d(d-1)(d-2)/3$	$\bar{\psi}\gamma_\mu\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	odd, $\geq 3$	$-\frac{1}{2}i^{d-3}$	-	✓
$b^{(d)\mu\alpha_1\dots\alpha_{d-3}}$	$2d(d-1)(d-2)/3$	$\bar{\psi}\gamma_5\gamma_\mu\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	odd, $\geq 3$	$-\frac{1}{2}i^{d-3}$	-	✓
$c^{(d)\mu\alpha_1\dots\alpha_{d-3}}$	$2d(d-1)(d-2)/3$	$\bar{\psi}\gamma_\mu\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	even, $\geq 4$	$\frac{1}{2}i^{d-3}$	+	✓
$d^{(d)\mu\alpha_1\dots\alpha_{d-3}}$	$2d(d-1)(d-2)/3$	$\bar{\psi}\gamma_5\gamma_\mu\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	even, $\geq 4$	$\frac{1}{2}i^{d-3}$	+	✓
$e^{(d)\alpha_1\dots\alpha_{d-3}}$	$d(d-1)(d-2)/6$	$\bar{\psi}\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	even, $\geq 4$	$\frac{1}{2}i^{d-3}$	-	✓
$f^{(d)\alpha_1\dots\alpha_{d-3}}$	$d(d-1)(d-2)/6$	$\bar{\psi}\gamma_5\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	even, $\geq 4$	$-\frac{1}{2}i^{d-2}$	-	✓
$g^{(d)\mu\nu\alpha_1\dots\alpha_{d-3}}$	$d(d-1)(d-2)$	$\bar{\psi}\sigma_{\mu\nu}\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	even, $\geq 4$	$\frac{1}{4}i^{d-3}$	-	✓
$H^{(d)\mu\nu\alpha_1\dots\alpha_{d-3}}$	$d(d-1)(d-2)$	$\bar{\psi}\sigma_{\mu\nu}\partial_{\alpha_1}\dots\partial_{\alpha_{d-3}}\psi + \text{h.c.}$	odd, $\geq 3$	$-\frac{1}{4}i^{d-3}$	+	✓

Table P62. Spherical coefficients for a nonminimal Dirac fermion in Minkowski spacetime

Type	Coeff.	Dim.	$n$	$j$	#
spherical	$a_{njm}^{(d)}$	odd, $\geq 3$	$0, 1, \dots, d-2$	$n, n-2, n-4, \dots \geq 0$	$\frac{1}{6}(d+1)d(d-1)$
	$c_{njm}^{(d)}$	even, $\geq 4$	$0, 1, \dots, d-2$	$n, n-2, n-4, \dots \geq 0$	$\frac{1}{6}(d+1)d(d-1)$
	$g_{njm}^{(d)(0B)}$	even, $\geq 4$	$0, 1, \dots, d-3$	$n+1, n-1, n-3, \dots \geq 0$	$\frac{1}{6}(d+1)d(d-1) - 1$
	$g_{njm}^{(d)(1B)}$	even, $\geq 4$	$2, 3, \dots, d-2$	$n-1, n-3, n-5, \dots \geq 1$	$\frac{1}{6}(d-2)(d^2 - d - 3)$
	$g_{njm}^{(d)(1E)}$	even, $\geq 4$	$1, 2, \dots, d-2$	$n, n-2, n-4, \dots \geq 1$	$\frac{1}{6}(d+2)d(d-2)$
	$H_{njm}^{(d)(0B)}$	odd, $\geq 3$	$0, 1, \dots, d-3$	$n+1, n-1, n-3, \dots \geq 0$	$\frac{1}{6}(d+1)d(d-1) - 1$
	$H_{njm}^{(d)(1B)}$	odd, $\geq 5$	$2, 3, \dots, d-2$	$n-1, n-3, n-5, \dots \geq 1$	$\frac{1}{6}(d+1)(d-1)(d-3)$
	$H_{njm}^{(d)(1E)}$	odd, $\geq 3$	$1, 2, \dots, d-2$	$n, n-2, n-4, \dots \geq 1$	$\frac{1}{6}(d-1)(d^2 + d - 3)$
	isotropic spherical	$\hat{a}_n^{(d)}$	odd, $\geq 3$	$0, 2, 4, \dots, d-3$	0
$\hat{c}_n^{(d)}$		even, $\geq 4$	$0, 2, 4, \dots, d-2$	0	$\frac{1}{2}d$
$\hat{g}_n^{(d)}$		even, $\geq 4$	$1, 3, 5, \dots, d-3$	0	$\frac{1}{2}(d-2)$
$\hat{H}_n^{(d)}$		odd, $\geq 5$	$1, 3, 5, \dots, d-4$	0	$\frac{1}{2}(d-3)$
nonrelativistic	$a_{njm}^{\text{NR}}$	-	$\geq 0$	$n, n-2, n-4, \dots \geq 0$	$\frac{1}{2}(n+1)(n+2)$
	$c_{njm}^{\text{NR}}$	-	$\geq 0$	$n, n-2, n-4, \dots \geq 0$	$\frac{1}{2}(n+1)(n+2)$
	$g_{njm}^{\text{NR}(0B)}$	-	$\geq 0$	$n+1, n-1, n-3, \dots \geq 0$	$\frac{1}{2}(n+2)(n+3)$
	$g_{njm}^{\text{NR}(1B)}$	-	$\geq 0$	$n+1, n-1, n-3, \dots \geq 1$	$\frac{1}{2}(n+1+\iota_n)(n+4-\iota_n)$
	$g_{njm}^{\text{NR}(1E)}$	-	$\geq 1$	$n, n-2, n-4, \dots \geq 1$	$\frac{1}{2}(n+1-\iota_n)(n+2+\iota_n)$
	$H_{njm}^{\text{NR}(0B)}$	-	$\geq 0$	$n+1, n-1, n-3, \dots \geq 0$	$\frac{1}{2}(n+2)(n+3)$
	$H_{njm}^{\text{NR}(1B)}$	-	$\geq 0$	$n+1, n-1, n-3, \dots \geq 1$	$\frac{1}{2}(n+1+\iota_n)(n+4-\iota_n)$
	$H_{njm}^{\text{NR}(1E)}$	-	$\geq 1$	$n, n-2, n-4, \dots \geq 1$	$\frac{1}{2}(n+1-\iota_n)(n+2+\iota_n)$
	isotropic nonrelativistic	$\hat{a}_n^{\text{NR}}$	-	even, $\geq 0$	0
$\hat{c}_n^{\text{NR}}$		-	even, $\geq 0$	0	1
$\hat{g}_n^{\text{NR}}$		-	odd, $\geq 0$	0	1
$\hat{H}_n^{\text{NR}}$		-	odd, $\geq 0$	0	1
ultrarelativistic	$a_{jm}^{\text{UR}(d)}$	odd, $\geq 3$	-	$0 \leq j \leq d-2$	$(d-1)^2$
	$c_{jm}^{\text{UR}(d)}$	even, $\geq 4$	-	$0 \leq j \leq d-2$	$(d-1)^2$
	$g_{jm}^{\text{UR}(d)(0B)}$	even, $\geq 4$	-	$0 \leq j \leq d-3$	$(d-2)^2$
	$g_{jm}^{\text{UR}(d)(1B)}$	even, $\geq 4$	-	$1 \leq j \leq d-2$	$(d-2)d$
	$g_{jm}^{\text{UR}(d)(1E)}$	even, $\geq 4$	-	$1 \leq j \leq d-2$	$(d-2)d$
	$H_{jm}^{\text{UR}(d)(0B)}$	odd, $\geq 5$	-	$0 \leq j \leq d-3$	$(d-2)^2$
	$H_{jm}^{\text{UR}(d)(1B)}$	odd, $\geq 3$	-	$1 \leq j \leq d-2$	$(d-2)d$
	$H_{jm}^{\text{UR}(d)(1E)}$	odd, $\geq 3$	-	$1 \leq j \leq d-2$	$(d-2)d$
	isotropic ultrarelativistic	$\hat{a}^{\text{UR}(d)}$	odd, $\geq 3$	-	0
$\hat{c}^{\text{UR}(d)}$		even, $\geq 4$	-	0	1
$\hat{g}^{\text{UR}(d)}$		even, $\geq 4$	-	0	1
$\hat{H}^{\text{UR}(d)}$		even, $\geq 5$	-	0	1

Table P63. Quadratic Lagrange density for the nonminimal photon sector in Minkowski spacetime

Coeff.	#	Operator	Dim.	Factor	CPT	L.V.
		$F_{\mu\nu}F^{\mu\nu}$	4	$-\frac{1}{4}$	+	
$(k_{AF}^{(3)})_{\kappa} \equiv (k_{AF})_{\kappa}$	4	$A_{\lambda}F_{\mu\nu}$	3	$\frac{1}{2}\epsilon^{\kappa\lambda\mu\nu}$	-	✓
$(k_{AF}^{(5)})_{\kappa}^{\alpha_1\alpha_2}$	36	$A_{\lambda}\partial_{\alpha_1}\partial_{\alpha_2}F_{\mu\nu}$	5	$\frac{1}{2}\epsilon^{\kappa\lambda\mu\nu}$	-	✓
$(k_{AF}^{(7)})_{\kappa}^{\alpha_1\alpha_2\alpha_3\alpha_4}$	120	$A_{\lambda}\partial_{\alpha_1}\partial_{\alpha_2}\partial_{\alpha_3}\partial_{\alpha_4}F_{\mu\nu}$	7	$\frac{1}{2}\epsilon^{\kappa\lambda\mu\nu}$	-	✓
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$		
$(k_{AF}^{(d)})_{\kappa}^{\alpha_1\cdots\alpha_{(d-3)}}$	$\frac{1}{2}(d+1)(d-1)(d-2)$	$A_{\lambda}\partial_{\alpha_1}\cdots\partial_{\alpha_{(d-3)}}F_{\mu\nu}$	odd $d$	$\frac{1}{2}\epsilon^{\kappa\lambda\mu\nu}$	-	✓
$(k_F^{(4)})^{\kappa\lambda\mu\nu} \equiv (k_F)^{\kappa\lambda\mu\nu}$	19 + 1	$F_{\kappa\lambda}F_{\mu\nu}$	4	$-\frac{1}{4}$	+	✓
$(k_{\partial}^{(6)})^{\kappa\lambda\mu\nu\alpha_1\alpha_2}$	126	$F_{\kappa\lambda}\partial_{\alpha_1}\partial_{\alpha_2}F_{\mu\nu}$	6	$-\frac{1}{4}$	+	✓
$(k_{\partial}^{(8)})^{\kappa\lambda\mu\nu\alpha_1\alpha_2\alpha_3\alpha_4}$	360	$F_{\kappa\lambda}\partial_{\alpha_1}\partial_{\alpha_2}\partial_{\alpha_3}\partial_{\alpha_4}F_{\mu\nu}$	8	$-\frac{1}{4}$	+	✓
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$		
$(k_{\partial}^{(d)})^{\kappa\lambda\mu\nu\alpha_1\cdots\alpha_{(d-4)}}$	$(d+1)d(d-3)$	$F_{\kappa\lambda}\partial_{\alpha_1}\cdots\partial_{\alpha_{(d-4)}}F_{\mu\nu}$	even $d$	$-\frac{1}{4}$	+	✓

Table P64. Spherical coefficients for the nonminimal photon sector in Minkowski spacetime

Type	Coeff.	Dim.	$n$	$j$	#
vacuum	$c_{(I)jm}^{(d)}$	even, $\geq 4$	-	$0, 1, \dots, d-2$	$(d-1)^2$
	$k_{(E)jm}^{(d)}$	even, $\geq 4$	-	$2, 3, \dots, d-2$	$(d-1)^2 - 4$
	$k_{(B)jm}^{(d)}$	even, $\geq 4$	-	$2, 3, \dots, d-2$	$(d-1)^2 - 4$
	$k_{(V)jm}^{(d)}$	odd, $\geq 3$	-	$0, 1, \dots, d-2$	$(d-1)^2$
vacuum orthogonal	$(\bar{c}_F^{(d)})_{njm}^{(0E)}$	even, $\geq 4$	$0, 1, \dots, d-4$	$n, n-2, n-4, \dots, \geq 0$	$\frac{(d-1)(d-2)(d-3)}{6}$
	$(\bar{k}_F^{(d)})_{njm}^{(0E)}$	even, $\geq 6$	$1, 2, \dots, d-4$	$n, n-2, n-4, \dots, \geq 0$	$\frac{(d-1)(d-2)(d-3)}{6} - 1$
	$(\bar{k}_F^{(d)})_{njm}^{(1E)}$	even, $\geq 6$	$1, 2, \dots, d-4$	$n+1, n-1, n-3, \dots, \geq 1$	$\frac{(d-4)(d^2+d+3)}{6}$
	$(\bar{k}_F^{(d)})_{njm}^{(2E)}$	even, $\geq 6$	$2, 3, \dots, d-4$	$n, n-2, n-4, \dots, \geq 2$	$\frac{(d-4)(d^2-2d-9)}{6}$
	$(\bar{k}_F^{(d)})_{njm}^{(1B)}$	even, $\geq 6$	$1, 2, \dots, d-4$	$n, n-2, n-4, \dots, \geq 1$	$\frac{d(d-2)(d-4)}{6}$
	$(\bar{k}_F^{(d)})_{njm}^{(2B)}$	even, $\geq 6$	$1, 2, \dots, d-4$	$n+1, n-1, n-3, \dots, \geq 2$	$\frac{(d+3)(d-2)(d-4)}{6}$
	$(\bar{k}_{AF}^{(d)})_{njm}^{(0B)}$	odd, $\geq 5$	$0, 1, \dots, d-4$	$n, n-2, n-4, \dots, \geq 0$	$\frac{(d-1)(d-2)(d-3)}{6}$
	$(\bar{k}_{AF}^{(d)})_{njm}^{(1B)}$	odd, $\geq 5$	$0, 1, \dots, d-4$	$n+1, n-1, n-3, \dots, \geq 1$	$\frac{(d+1)(d-1)(d-3)}{6}$
	$(\bar{k}_{AF}^{(d)})_{njm}^{(1E)}$	odd, $\geq 5$	$1, 2, \dots, d-3$	$n, n-2, n-4, \dots, \geq 1$	$\frac{(d+1)(d-1)(d-3)}{6}$

Table P65. Nonminimal couplings with  $d = 5, 6$  for the QED extension in Minkowski spacetime (part 1 of 2)

Coeff.	#	Operator	Dim.	Factor	CPT	L.V.
$m^{(5)\alpha\beta}$	10	$\bar{\psi}iD_{(\alpha}iD_{\beta)}\psi + \text{h.c.}$	5	$-\frac{1}{2}$	+	✓
$m_5^{(5)\alpha\beta}$	10	$\bar{\psi}\gamma_5iD_{(\alpha}iD_{\beta)}\psi + \text{h.c.}$	5	$-\frac{1}{2}i$	+	✓
$a^{(5)\mu\alpha\beta}$	40	$\bar{\psi}\gamma_\mu iD_{(\alpha}iD_{\beta)}\psi + \text{h.c.}$	5	$-\frac{1}{2}$	-	✓
$b^{(5)\mu\alpha\beta}$	40	$\bar{\psi}\gamma_5\gamma_\mu iD_{(\alpha}iD_{\beta)}\psi + \text{h.c.}$	5	$-\frac{1}{2}$	-	✓
$H^{(5)\mu\nu\alpha\beta}$	60	$\bar{\psi}\sigma_{\mu\nu}iD_{(\alpha}iD_{\beta)}\psi + \text{h.c.}$	5	$-\frac{1}{4}$	+	✓
$m_F^{(5)\alpha\beta}$	6	$F_{\alpha\beta}\bar{\psi}\psi$	5	$-\frac{1}{2}$	+	✓
$m_{5F}^{(5)\alpha\beta}$	6	$F_{\alpha\beta}\bar{\psi}\gamma_5\psi$	5	$-\frac{1}{2}i$	+	✓
$a_F^{(5)\mu\alpha\beta}$	24	$F_{\alpha\beta}\bar{\psi}\gamma_\mu\psi$	5	$-\frac{1}{2}$	-	✓
$b_F^{(5)\mu\alpha\beta}$	24	$F_{\alpha\beta}\bar{\psi}\gamma_5\gamma_\mu\psi$	5	$-\frac{1}{2}$	-	✓
$H_F^{(5)\mu\nu\alpha\beta}$	36	$F_{\alpha\beta}\bar{\psi}\sigma_{\mu\nu}\psi$	5	$-\frac{1}{4}$	+	✓
$c^{(6)\mu\alpha\beta\gamma}$	80	$\bar{\psi}\gamma_\mu iD_{(\alpha}iD_{\beta}iD_{\gamma)}\psi + \text{h.c.}$	6	$\frac{1}{2}$	+	✓
$d^{(6)\mu\alpha\beta\gamma}$	80	$\bar{\psi}\gamma_5\gamma_\mu iD_{(\alpha}iD_{\beta}iD_{\gamma)}\psi + \text{h.c.}$	6	$\frac{1}{2}$	+	✓
$e^{(6)\alpha\beta\gamma}$	20	$\bar{\psi}iD_{(\alpha}iD_{\beta}iD_{\gamma)}\psi + \text{h.c.}$	6	$\frac{1}{2}$	-	✓
$f^{(6)\alpha\beta\gamma}$	20	$\bar{\psi}\gamma_5iD_{(\alpha}iD_{\beta}iD_{\gamma)}\psi + \text{h.c.}$	6	$\frac{1}{2}i$	-	✓
$g^{(6)\mu\nu\alpha\beta\gamma}$	120	$\bar{\psi}\sigma_{\mu\nu}iD_{(\alpha}iD_{\beta}iD_{\gamma)}\psi + \text{h.c.}$	6	$\frac{1}{4}$	-	✓
$c_F^{(6)\mu\alpha\beta\gamma}$	96	$F_{\beta\gamma}(\bar{\psi}\gamma_\mu iD_\alpha\psi + \text{h.c.})$	6	$\frac{1}{4}$	+	✓
$d_F^{(6)\mu\alpha\beta\gamma}$	96	$F_{\beta\gamma}(\bar{\psi}\gamma_5\gamma_\mu iD_\alpha\psi + \text{h.c.})$	6	$\frac{1}{4}$	+	✓
$e_F^{(6)\alpha\beta\gamma}$	24	$F_{\beta\gamma}(\bar{\psi}iD_\alpha\psi + \text{h.c.})$	6	$\frac{1}{4}$	-	✓
$f_F^{(6)\alpha\beta\gamma}$	24	$F_{\beta\gamma}(\bar{\psi}\gamma_5iD_\alpha\psi + \text{h.c.})$	6	$\frac{1}{4}i$	-	✓
$g_F^{(6)\mu\nu\alpha\beta\gamma}$	144	$F_{\beta\gamma}(\bar{\psi}\sigma_{\mu\nu}iD_\alpha\psi + \text{h.c.})$	6	$\frac{1}{8}$	-	✓
$m_{\partial F}^{(6)\alpha\beta\gamma}$	20	$\partial_\alpha F_{\beta\gamma}\bar{\psi}\psi$	6	$-\frac{1}{2}$	-	✓
$m_{5\partial F}^{(6)\alpha\beta\gamma}$	20	$\partial_\alpha F_{\beta\gamma}\bar{\psi}\gamma_5\psi$	6	$-\frac{1}{2}i$	-	✓
$a_{\partial F}^{(6)\mu\alpha\beta\gamma}$	80	$\partial_\alpha F_{\beta\gamma}\bar{\psi}\gamma_\mu\psi$	6	$-\frac{1}{2}$	+	✓
$b_{\partial F}^{(6)\mu\alpha\beta\gamma}$	80	$\partial_\alpha F_{\beta\gamma}\bar{\psi}\gamma_5\gamma_\mu\psi$	6	$-\frac{1}{2}$	+	✓
$H_{\partial F}^{(6)\mu\nu\alpha\beta\gamma}$	120	$\partial_\alpha F_{\beta\gamma}\bar{\psi}\sigma_{\mu\nu}\psi$	6	$-\frac{1}{4}$	-	✓



Table P65. Nonminimal couplings with  $d = 5, 6$  for the QED extension in Minkowski spacetime (part 2 of 2)

Coeff.	#	Operator	Dim.	Factor	CPT	L.V.
$k_{SS}$	1	$(\bar{\psi}\psi)(\bar{\psi}\psi)$	6	1	+	
$k_{PP}$	1	$(\bar{\psi}\gamma_5\psi)(\bar{\psi}\gamma_5\psi)$	6	-1	+	
$k_{SP}$	1	$(\bar{\psi}\psi)(\bar{\psi}\gamma_5\psi)$	6	$i$	+	
$(k_{SV})^\mu$	4	$(\bar{\psi}\psi)(\bar{\psi}\gamma_\mu\psi)$	6	1	-	✓
$(k_{SA})^\mu$	4	$(\bar{\psi}\psi)(\bar{\psi}\gamma_5\gamma_\mu\psi)$	6	1	-	✓
$(k_{ST})^{\mu\nu}$	6	$(\bar{\psi}\psi)(\bar{\psi}\sigma_{\mu\nu}\psi)$	6	$\frac{1}{2}$	+	✓
$(k_{PV})^\mu$	4	$(\bar{\psi}\gamma_5\psi)(\bar{\psi}\gamma_\mu\psi)$	6	$i$	-	✓
$(k_{PA})^\mu$	4	$(\bar{\psi}\gamma_5\psi)(\bar{\psi}\gamma_5\gamma_\mu\psi)$	6	$i$	-	✓
$(k_{PT})^{\mu\nu}$	6	$(\bar{\psi}\gamma_5\psi)(\bar{\psi}\sigma_{\mu\nu}\psi)$	6	$\frac{1}{2}i$	+	✓
$(k_{VV})^{\mu\nu}$	10	$(\bar{\psi}\gamma_\mu\psi)(\bar{\psi}\gamma_\nu\psi)$	6	$\frac{1}{2}$	+	✓
$(k_{AA})^{\mu\nu}$	10	$(\bar{\psi}\gamma_5\gamma_\mu\psi)(\bar{\psi}\gamma_5\gamma_\nu\psi)$	6	$\frac{1}{2}$	+	✓
$(k_{VA})^{\mu\nu}$	16	$(\bar{\psi}\gamma_\mu\psi)(\bar{\psi}\gamma_5\gamma_\nu\psi)$	6	1	+	✓
$(k_{VT})^{\lambda\mu\nu}$	24	$(\bar{\psi}\gamma_\lambda\psi)(\bar{\psi}\sigma_{\mu\nu}\psi)$	6	$\frac{1}{2}$	-	✓
$(k_{AT})^{\lambda\mu\nu}$	24	$(\bar{\psi}\gamma_5\gamma_\lambda\psi)(\bar{\psi}\sigma_{\mu\nu}\psi)$	6	$\frac{1}{2}$	-	✓
$(k_{TT})^{\kappa\lambda\mu\nu}$	21	$(\bar{\psi}\sigma_{\kappa\lambda}\psi)(\bar{\psi}\sigma_{\mu\nu}\psi)$	6	$\frac{1}{8}$	+	✓
$k_F^{(6)\kappa\lambda\mu\nu\rho\sigma}$	56	$F_{\kappa\lambda}F_{\mu\nu}F_{\rho\sigma}$	6	$-\frac{1}{12}$	+	✓

Table P66. Spherical coefficients for the nonminimal neutrino sector in Minkowski spacetime

Type	Coeff.	Dim.	$j$	#	CPT
effective	$(a_{\text{eff}}^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 1 \geq j \geq 0$	$9d^2$	-
	$(c_{\text{eff}}^{(d)})_{jm}^{ab}$	$\begin{cases} d = 2 \\ \text{even, } \geq 4 \end{cases}$	$\begin{cases} j = 1 \\ d - 1 \geq j \geq 0 \end{cases}$	$\begin{cases} 27 \\ 9d^2 \end{cases}$	+
	$(g_{\text{eff}}^{(d)})_{jm}^{ab}$	even, $\geq 2$	$d - 1 \geq j \geq 1$	$12(d^2 - 1)$	-
	$(H_{\text{eff}}^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 1 \geq j \geq 1$	$6(d^2 - 1)$	+
Dirac	$(a_L^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 2 \geq j \geq 0$	$9(d - 1)^2$	-
	$(c_L^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 2 \geq j \geq 0$	$9(d - 1)^2$	+
	$(m_l^{(d)})_{jm}^{ab}$	odd, $\geq 5$	$d - 3 \geq j \geq 0$	$9(d - 2)^2$	+
	$(e_l^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 3 \geq j \geq 0$	$9(d - 2)^2$	-
	$(g_l^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 2 \geq j \geq 0$	$9(d - 1)^2$	-
	$(H_l^{(d)})_{jm}^{ab}$	$\begin{cases} d = 3 \\ \text{odd, } \geq 5 \end{cases}$	$\begin{cases} j = 1 \\ d - 2 \geq j \geq 0 \end{cases}$	$\begin{cases} 27 \\ 9(d - 1)^2 \end{cases}$	+
Majorana	$(g_{M+}^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 2 \geq j \geq 1$	$12d(d - 2)$	-
	$(H_{M+}^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 2 \geq j \geq 1$	$6d(d - 2)$	+
	$(a_l^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 2 \geq j \geq 1$	$12d(d - 2)$	-
	$(c_l^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 2 \geq j \geq 1$	$6d(d - 2)$	+
renormalizable	$(a_{\text{eff}}^{(3)})_{jm}$	3	0, 1, 2	81	-
	$(c_{\text{eff}}^{(2)})_{jm}$	2	1	27	+
	$(c_{\text{eff}}^{(4)})_{jm}$	4	0, 1, 2	81	+
	$(g_{\text{eff}}^{(2)})_{jm}$	2	1	36	-
	$(g_{\text{eff}}^{(4)})_{jm}$	4	1, 2	96	-
	$(H_{\text{eff}}^{(3)})_{jm}$	3	1, 2	48	+
massless	$(a_L^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 2 \geq j \geq 0$	$9(d - 1)^2$	-
	$(c_L^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 2 \geq j \geq 0$	$9(d - 1)^2$	+
	$(g_{M+}^{(d)})_{jm}^{ab}$	even, $\geq 4$	$d - 2 \geq j \geq 1$	$12d(d - 2)$	-
	$(H_{M+}^{(d)})_{jm}^{ab}$	odd, $\geq 3$	$d - 2 \geq j \geq 1$	$6d(d - 2)$	+
flavor-blind	$(a_{\text{fb}}^{(d)})_{jm}$	odd, $\geq 3$	$d - 1 \geq j \geq 0$	$d^2$	-
	$(c_{\text{fb}}^{(d)})_{jm}$	even, $\geq 4$	$d - 2 \geq j \geq 0$	$(d - 1)^2$	+
	$(g_{\text{fb}}^{(d)})_{jm}$	even, $\geq 2$	$d - 1 \geq j \geq 1$	$2(d^2 - 1)$	-
oscillation-free	$(a_{\text{of}}^{(d)})_{jm}$	odd, $\geq 3$	$d - 2 \geq j \geq 0$	$(d - 1)^2$	-
	$(c_{\text{of}}^{(d)})_{jm}$	even, $\geq 4$	$d - 2 \geq j \geq 0$	$(d - 1)^2$	+
diagonalizable	$(a_d^{(d)})_{jm}^{a'}$	odd, $\geq 3$	$d - 1 \geq j \geq 0$	$3d^2$	-
	$(c_d^{(d)})_{jm}^{a'}$	even, $\geq 4$	$d - 2 \geq j \geq 0$	$3(d - 1)^2$	+
	$(g_d^{(d)})_{jm}^{a'}$	even, $\geq 2$	$d - 1 \geq j \geq 1$	$6(d^2 - 1)$	-
generic isotropic	$\hat{a}_{ab}^{(d)}$	odd, $\geq 3$		9	-
	$\hat{c}_{ab}^{(d)}$	even, $\geq 4$		9	+
isotropic diag.	$\hat{a}_{a'}^{(d)}$	odd, $\geq 3$		3	-
	$\hat{c}_{a'}^{(d)}$	even, $\geq 4$		3	+
isotropic osc.-free	$\hat{a}^{(d)}$	odd, $\geq 3$		1	-
	$\hat{c}^{(d)}$	even, $\geq 4$		1	+

Table P67. Lagrange density for the gravity-gauge sector with operators of dimension  $d \leq 6$ 

Term	Combination
$\mathcal{L}_{\text{gravity},0} + \mathcal{L}_{\text{gauge},0}$	$\frac{1}{2\kappa}(R - 2\Lambda) - \frac{1}{2}\text{tr}(G_{\mu\nu}G^{\mu\nu}) - \frac{1}{2}\text{tr}(W_{\mu\nu}W^{\mu\nu}) - \frac{1}{4}B_{\mu\nu}B^{\mu\nu}$
$\mathcal{L}_{\text{gravity}}^{(2)}$	$\frac{1}{2\kappa}\check{k}^{(2)}$
$\mathcal{L}_{\text{gravity}}^{(3)}$	$\frac{1}{2\kappa}(\check{k}_{\Gamma}^{(3)})^{\mu}\Gamma_{\mu\alpha}$
$\mathcal{L}_{\text{gravity}}^{(4)}$	$\frac{1}{2\kappa}(\check{k}_R^{(4)})^{\alpha\beta\gamma\delta}R_{\alpha\beta\gamma\delta}$
$\mathcal{L}_{\text{gravity}}^{(5)}$	$\frac{1}{2\kappa}[(\check{k}_D^{(5)})^{\alpha\beta\gamma\delta\kappa}D_{\kappa}R_{\alpha\beta\gamma\delta} + (\check{k}_{\text{CS},1}^{(5)})_{\kappa}\epsilon^{\kappa\lambda\mu\nu}\eta_{ac}\eta_{bd}(\omega_{\lambda}{}^{ab}\partial_{\mu}\omega_{\nu}{}^{cd} + \frac{2}{3}\omega_{\lambda}{}^{ab}\omega_{\mu}{}^{ce}\omega_{\nu e}{}^d) + (\check{k}_{\text{CS},2}^{(5)})_{\kappa}\epsilon^{\kappa\lambda\mu\nu}\epsilon_{abcd}(\omega_{\lambda}{}^{ab}\partial_{\mu}\omega_{\nu}{}^{cd} + \frac{2}{3}\omega_{\lambda}{}^{ab}\omega_{\mu}{}^{ce}\omega_{\nu e}{}^d)]$
$\mathcal{L}_{\text{gravity}}^{(6)}$	$\frac{1}{2\kappa}[(\check{k}_D^{(6)})^{\alpha\beta\gamma\delta\kappa\lambda}D_{(\kappa}D_{\lambda)}R_{\alpha\beta\gamma\delta} + (\check{k}_R^{(6)})^{\alpha_1\beta_1\gamma_1\delta_1\alpha_2\beta_2\gamma_2\delta_2}R_{\alpha_1\beta_1\gamma_1\delta_1}R_{\alpha_2\beta_2\gamma_2\delta_2}]$
$\mathcal{L}_{\text{gauge}}^{(1)}$	$(\check{k}_0)_{\kappa}B_{\kappa}$
$\mathcal{L}_{\text{gauge}}^{(3)}$	$(\check{k}_3)_{\kappa}\epsilon^{\kappa\lambda\mu\nu}\text{tr}(G_{\lambda}G_{\mu\nu} + \frac{2}{3}ig_3G_{\lambda}G_{\mu}G_{\nu}) + (\check{k}_2)_{\kappa}\epsilon^{\kappa\lambda\mu\nu}\text{tr}(W_{\lambda}W_{\mu\nu} + \frac{2}{3}igW_{\lambda}W_{\mu}W_{\nu}) + (\check{k}_1)_{\kappa}\epsilon^{\kappa\lambda\mu\nu}B_{\lambda}B_{\mu\nu} + \frac{1}{2}(\check{k}_{DB}^{(3)})^{\alpha\kappa\lambda}D_{\alpha}B_{\kappa\lambda}$
$\mathcal{L}_{\text{gauge}}^{(4)}$	$-\frac{1}{2}(\check{k}_G)_{\kappa\lambda\mu\nu}\text{tr}(G^{\kappa\lambda}G^{\mu\nu}) - \frac{1}{2}(\check{k}_W)_{\kappa\lambda\mu\nu}\text{tr}(W^{\kappa\lambda}W^{\mu\nu}) - \frac{1}{4}(\check{k}_B)_{\kappa\lambda\mu\nu}B^{\kappa\lambda}B^{\mu\nu} - \frac{1}{2}(\check{k}_{RB})^{\kappa\lambda\mu\nu\rho\sigma}R_{\kappa\lambda\mu\nu}B_{\rho\sigma} - \frac{1}{2}(\check{k}_{DB}^{(4)})^{\alpha\beta\kappa\lambda}D_{(\alpha}D_{\beta)}B_{\kappa\lambda}$
$\mathcal{L}_{\text{gauge}}^{(5)}$	$-\frac{1}{2}(\check{k}_{DG}^{(5)})^{\alpha\kappa\lambda\mu\nu}\text{tr}(G_{\kappa\lambda}D_{\alpha}G_{\mu\nu}) - \frac{1}{2}(\check{k}_{DW}^{(5)})^{\alpha\kappa\lambda\mu\nu}\text{tr}(W_{\kappa\lambda}D_{\alpha}W_{\mu\nu}) - \frac{1}{4}(\check{k}_{DB}^{(5)})^{\alpha\kappa\lambda\mu\nu}B_{\kappa\lambda}D_{\alpha}B_{\mu\nu} - \frac{1}{2}(\check{k}_{DRB}^{(5)})^{\alpha\kappa\lambda\mu\nu\rho\sigma}(D_{\alpha}R_{\kappa\lambda\mu\nu})B_{\rho\sigma} - \frac{1}{2}(\check{k}_{RDB}^{(5)})^{\alpha\kappa\lambda\mu\nu\rho\sigma}R_{\kappa\lambda\mu\nu}D_{\alpha}B_{\rho\sigma} - \frac{1}{2}(\check{k}_{DB}^{(5)})^{\alpha\beta\gamma\kappa\lambda}D_{(\alpha}D_{\beta}D_{\gamma)}B_{\kappa\lambda}$
$\mathcal{L}_{\text{gauge}}^{(6)}$	$-\frac{1}{2}(\check{k}_{DDG}^{(6)})^{\alpha\beta\kappa\lambda\mu\nu}\text{tr}(G_{\kappa\lambda}D_{(\alpha}D_{\beta)}G_{\mu\nu}) - \frac{1}{2}(\check{k}_{DDW}^{(6)})^{\alpha\beta\kappa\lambda\mu\nu}\text{tr}(W_{\kappa\lambda}D_{(\alpha}D_{\beta)}W_{\mu\nu}) - \frac{1}{4}(\check{k}_{DDDB}^{(6)})^{\alpha\beta\kappa\lambda\mu\nu}B_{\kappa\lambda}D_{(\alpha}D_{\beta)}B_{\mu\nu} - \frac{1}{2}(\check{k}_{DGDG}^{(6)})^{\alpha\beta\kappa\lambda\mu\nu}\text{tr}((D_{\alpha}G_{\kappa\lambda})(D_{\beta}G_{\mu\nu})) - \frac{1}{2}(\check{k}_{DWDW}^{(6)})^{\alpha\beta\kappa\lambda\mu\nu}\text{tr}((D_{\alpha}W_{\kappa\lambda})(D_{\beta}W_{\mu\nu})) - \frac{1}{4}(\check{k}_{DBDB}^{(6)})^{\alpha\beta\kappa\lambda\mu\nu}(D_{\alpha}B_{\kappa\lambda})(D_{\beta}B_{\mu\nu}) - \frac{1}{12}[(\check{k}_G^{(6)})^{\kappa\lambda\mu\nu\rho\sigma}\text{tr}(G_{\kappa\lambda}G_{\mu\nu}G_{\rho\sigma}) + \text{h.c.}] - \frac{1}{12}[(\check{k}_W^{(6)})^{\kappa\lambda\mu\nu\rho\sigma}\text{tr}(W_{\kappa\lambda}W_{\mu\nu}W_{\rho\sigma}) + \text{h.c.}] - \frac{1}{2}(\check{k}_{RDDB}^{(6)})^{\alpha\beta\gamma\delta\epsilon\zeta\mu\nu}R_{\alpha\beta\gamma\delta}D_{(\epsilon}D_{\zeta)}B_{\mu\nu} - \frac{1}{2}(\check{k}_{DDRB}^{(6)})^{\alpha\beta\gamma\delta\epsilon\zeta\mu\nu}(D_{(\epsilon}D_{\zeta)}R_{\alpha\beta\gamma\delta})B_{\mu\nu} - \frac{1}{2}(\check{k}_{DRDB}^{(6)})^{\alpha\beta\gamma\delta\epsilon\zeta\mu\nu}(D_{\epsilon}R_{\alpha\beta\gamma\delta})D_{\zeta}B_{\mu\nu} - \frac{1}{12}(\check{k}_B^{(6)})^{\kappa\lambda\mu\nu\rho\sigma}B_{\kappa\lambda}B_{\mu\nu}B_{\rho\sigma} - \frac{1}{4}(\check{k}_{BGG}^{(6)})^{\kappa\lambda\mu\nu\rho\sigma}B_{\kappa\lambda}\text{tr}(G_{\mu\nu}G_{\rho\sigma}) - \frac{1}{4}(\check{k}_{BWW}^{(6)})^{\kappa\lambda\mu\nu\rho\sigma}B_{\kappa\lambda}\text{tr}(W_{\mu\nu}W_{\rho\sigma}) - \frac{1}{2}(\check{k}_{RGG}^{(6)})^{\alpha\beta\gamma\delta\kappa\lambda\mu\nu}R_{\alpha\beta\gamma\delta}\text{tr}(G_{\kappa\lambda}G_{\mu\nu}) - \frac{1}{2}(\check{k}_{RWW}^{(6)})^{\alpha\beta\gamma\delta\kappa\lambda\mu\nu}R_{\alpha\beta\gamma\delta}\text{tr}(W_{\kappa\lambda}W_{\mu\nu}) - \frac{1}{4}(\check{k}_{RBB}^{(6)})^{\alpha\beta\gamma\delta\kappa\lambda\mu\nu}R_{\alpha\beta\gamma\delta}B_{\kappa\lambda}B_{\mu\nu} - \frac{1}{2}(\check{k}_{RRB}^{(6)})^{\alpha_1\beta_1\gamma_1\delta_1\alpha_2\beta_2\gamma_2\delta_2\kappa\lambda}R_{\alpha_1\beta_1\gamma_1\delta_1}R_{\alpha_2\beta_2\gamma_2\delta_2}B_{\kappa\lambda}$

Table P68. Lagrange density for the lepton-quark-gravity-gauge setor with operators of dimension  $d \leq 6$ 

Term	Combination
$\mathcal{L}_{\text{fermion},0}$	$\frac{1}{2}e^\mu_a \bar{L}_A \gamma^a i D_\mu L_A + \frac{1}{2}e^\mu_a \bar{R}_A \gamma^a i D_\mu R_A + \frac{1}{2}e^\mu_a \bar{Q}_A \gamma^a i D_\mu Q_A + \frac{1}{2}e^\mu_a \bar{U}_A \gamma^a i D_\mu U_A + \frac{1}{2}e^\mu_a \bar{D}_A \gamma^a i D_\mu D_A + \text{h.c.}$
$\mathcal{L}_{\text{lepton}}^{(3)}$	$-(\check{a}_L)_{\kappa AB} e^\kappa_a \bar{L}_A \gamma^a L_B - (\check{a}_R)_{\kappa AB} e^\kappa_a \bar{R}_A \gamma^a R_B$
$\mathcal{L}_{\text{lepton}}^{(4)}$	$-\frac{1}{2}(\check{c}_L)_{\kappa\mu AB} e^\kappa_a e^\mu_b \epsilon^{\nu b} \bar{L}_A \gamma^a i D_\nu L_B - \frac{1}{2}(\check{c}_R)_{\kappa\mu AB} e^\kappa_a e^\mu_b \epsilon^{\nu b} \bar{R}_A \gamma^a i D_\nu R_B + \text{h.c.}$
$\mathcal{L}_{\text{lepton},D}^{(5)}$	$\frac{1}{2}(\check{a}_L^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{L}_A \gamma^a i D_{(\mu} i D_{\nu)} L_B + \frac{1}{2}(\check{a}_R^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{R}_A \gamma^a i D_{(\mu} i D_{\nu)} R_B + \text{h.c.}$
$\mathcal{L}_{\text{lepton},R}^{(5)}$	$(\check{a}_{R,L}^{(5)})_{AB}^{\kappa\mu\nu\rho\sigma} e_{\kappa a} R_{\mu\nu\rho\sigma} \bar{L}_A \gamma^a L_B + (\check{a}_{R,R}^{(5)})_{AB}^{\kappa\mu\nu\rho\sigma} e_{\kappa a} R_{\mu\nu\rho\sigma} \bar{R}_A \gamma^a R_B$
$\mathcal{L}_{\text{lepton},W}^{(5)}$	$\frac{1}{2}(\check{a}_{W,L}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{L}_A W_{\mu\nu} \gamma^a L_B$
$\mathcal{L}_{\text{lepton},B}^{(5)}$	$\frac{1}{2}(\check{a}_{B,L}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} B_{\mu\nu} \bar{L}_A \gamma^a L_B + \frac{1}{2}(\check{a}_{B,R}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} B_{\mu\nu} \bar{R}_A \gamma^a R_B$
$\mathcal{L}_{\text{lepton},D}^{(6)}$	$-\frac{1}{2}(\check{c}_{L,D}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{L}_A \gamma^a i D_{(\mu} i D_{\nu} i D_{\rho)} L_B - \frac{1}{2}(\check{c}_{R,D}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{R}_A \gamma^a i D_{(\mu} i D_{\nu} i D_{\rho)} R_B + \text{h.c.}$
$\mathcal{L}_{\text{lepton},R}^{(6)}$	$-\frac{1}{2}(\check{c}_{R,L}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} R_{\nu\rho\sigma\tau} \bar{L}_A \gamma^a i D_\mu L_B - \frac{1}{2}(\check{c}_{R,R}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} R_{\nu\rho\sigma\tau} \bar{R}_A \gamma^a i D_\mu R_B + \text{h.c.}$
$\mathcal{L}_{\text{lepton},DR}^{(6)}$	$(\check{c}_{DR,L}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} (D_\mu R_{\nu\rho\sigma\tau}) \bar{L}_A \gamma^a L_B + (\check{c}_{DR,R}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} (D_\mu R_{\nu\rho\sigma\tau}) \bar{R}_A \gamma^a R_B$
$\mathcal{L}_{\text{lepton},W}^{(6)}$	$-\frac{1}{4}(\check{c}_{W,L}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{L}_A \gamma^a W_{\nu\rho} i D_\mu L_B + \text{h.c.}$
$\mathcal{L}_{\text{lepton},DW}^{(6)}$	$\frac{1}{2}(\check{c}_{DW,L}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{L}_A \gamma^a (D_\mu W_{\nu\rho}) L_B$
$\mathcal{L}_{\text{lepton},B}^{(6)}$	$-\frac{1}{4}(\check{c}_{B,L}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} B_{\nu\rho} \bar{L}_A \gamma^a i D_\mu L_B - \frac{1}{4}(\check{c}_{B,R}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} B_{\nu\rho} \bar{R}_A \gamma^a i D_\mu R_B + \text{h.c.}$
$\mathcal{L}_{\text{lepton},DB}^{(6)}$	$\frac{1}{2}(\check{c}_{DB,L}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} (D_\mu B_{\nu\rho}) \bar{L}_A \gamma^a L_B + \frac{1}{2}(\check{c}_{DB,R}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} (D_\mu B_{\nu\rho}) \bar{R}_A \gamma^a R_B$
$\mathcal{L}_{\text{lepton},2}^{(6)}$	$\frac{1}{2}(\check{k}_{LL}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{L}_A \gamma^a L_B) (\bar{L}_C \gamma^b L_D) + \frac{1}{2}(\check{k}_{RR}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{R}_A \gamma^a R_B) (\bar{R}_C \gamma^b R_D)$ $+ (\check{k}_{LR}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{L}_A \gamma^a L_B) (\bar{R}_C \gamma^b R_D)$
$\mathcal{L}_{\text{quark}}^{(3)}$	$-(\check{a}_U)_{\kappa AB} e^\kappa_a \bar{Q}_A \gamma^a Q_B - (\check{a}_U)_{\kappa AB} e^\kappa_a \bar{U}_A \gamma^a U_B - (\check{a}_D)_{\kappa AB} e^\kappa_a \bar{D}_A \gamma^a D_B$
$\mathcal{L}_{\text{quark}}^{(4)}$	$-\frac{1}{2}(\check{c}_Q)_{\kappa\mu AB} e^\kappa_a \bar{Q}_A \gamma^a i D^\mu Q_B - \frac{1}{2}(\check{c}_U)_{\kappa\mu AB} e^\kappa_a \bar{U}_A \gamma^a i D^\mu U_B - \frac{1}{2}(\check{c}_D)_{\kappa\mu AB} e^\kappa_a \bar{D}_A \gamma^a i D^\mu D_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},D}^{(5)}$	$\frac{1}{2}(\check{a}_Q^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{Q}_A \gamma^a i D_{(\mu} i D_{\nu)} Q_B + \frac{1}{2}(\check{a}_U^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{U}_A \gamma^a i D_{(\mu} i D_{\nu)} U_B + \frac{1}{2}(\check{a}_D^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{D}_A \gamma^a i D_{(\mu} i D_{\nu)} D_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},R}^{(5)}$	$(\check{a}_{R,Q}^{(5)})_{AB}^{\kappa\mu\nu\rho\sigma} e_{\kappa a} R_{\mu\nu\rho\sigma} \bar{Q}_A \gamma^a Q_B + (\check{a}_{R,U}^{(5)})_{AB}^{\kappa\mu\nu\rho\sigma} e_{\kappa a} R_{\mu\nu\rho\sigma} \bar{U}_A \gamma^a U_B + (\check{a}_{R,D}^{(5)})_{AB}^{\kappa\mu\nu\rho\sigma} e_{\kappa a} R_{\mu\nu\rho\sigma} \bar{D}_A \gamma^a D_B$
$\mathcal{L}_{\text{quark},G}^{(5)}$	$\frac{1}{2}(\check{a}_{G,Q}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{Q}_A G_{\mu\nu} \gamma^a Q_B + \frac{1}{2}(\check{a}_{G,U}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{U}_A G_{\mu\nu} \gamma^a U_B + \frac{1}{2}(\check{a}_{G,D}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{D}_A G_{\mu\nu} \gamma^a D_B$
$\mathcal{L}_{\text{quark},W}^{(5)}$	$\frac{1}{2}(\check{a}_{W,Q}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} \bar{Q}_A W_{\mu\nu} \gamma^a Q_B$
$\mathcal{L}_{\text{quark},B}^{(5)}$	$\frac{1}{2}(\check{a}_{B,Q}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} B_{\mu\nu} \bar{Q}_A \gamma^a Q_B + \frac{1}{2}(\check{a}_{B,U}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} B_{\mu\nu} \bar{U}_A \gamma^a U_B + \frac{1}{2}(\check{a}_{B,D}^{(5)})_{AB}^{\kappa\mu\nu} e_{\kappa a} B_{\mu\nu} \bar{D}_A \gamma^a D_B$
$\mathcal{L}_{\text{quark},D}^{(6)}$	$-\frac{1}{2}(\check{c}_Q^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{Q}_A \gamma^a i D_{(\mu} i D_{\nu} i D_{\rho)} Q_B - \frac{1}{2}(\check{c}_U^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{U}_A \gamma^a i D_{(\mu} i D_{\nu} i D_{\rho)} U_B$ $-\frac{1}{2}(\check{c}_D^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{D}_A \gamma^a i D_{(\mu} i D_{\nu} i D_{\rho)} D_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},R}^{(6)}$	$-\frac{1}{2}(\check{c}_{R,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} R_{\nu\rho\sigma\tau} \bar{Q}_A \gamma^a i D_\mu Q_B - \frac{1}{2}(\check{c}_{R,U}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} R_{\nu\rho\sigma\tau} \bar{U}_A \gamma^a i D_\mu U_B$ $-\frac{1}{2}(\check{c}_{R,D}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} R_{\nu\rho\sigma\tau} \bar{D}_A \gamma^a i D_\mu D_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},DR}^{(6)}$	$(\check{c}_{DR,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} (D_\mu R_{\nu\rho\sigma\tau}) \bar{Q}_A \gamma^a Q_B + (\check{c}_{DR,U}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} (D_\mu R_{\nu\rho\sigma\tau}) \bar{U}_A \gamma^a U_B$ $+ (\check{c}_{DR,D}^{(6)})_{AB}^{\kappa\mu\nu\rho\sigma\tau} e_{\kappa a} (D_\mu R_{\nu\rho\sigma\tau}) \bar{D}_A \gamma^a D_B$
$\mathcal{L}_{\text{quark},G}^{(6)}$	$-\frac{1}{4}(\check{c}_{G,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{Q}_A \gamma^a G_{\nu\rho} i D_\mu Q_B - \frac{1}{4}(\check{c}_{G,U}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{U}_A \gamma^a G_{\nu\rho} i D_\mu U_B - \frac{1}{4}(\check{c}_{G,D}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{D}_A \gamma^a G_{\nu\rho} i D_\mu D_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},DG}^{(6)}$	$\frac{1}{2}(\check{c}_{DG,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{Q}_A \gamma^a (D_\mu G_{\nu\rho}) Q_B + \frac{1}{2}(\check{c}_{DG,U}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{U}_A \gamma^a (D_\mu G_{\nu\rho}) U_B + \frac{1}{2}(\check{c}_{DG,D}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{D}_A \gamma^a (D_\mu G_{\nu\rho}) D_B$
$\mathcal{L}_{\text{quark},W}^{(6)}$	$-\frac{1}{4}(\check{c}_{W,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{Q}_A \gamma^a W_{\nu\rho} i D_\mu Q_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},DW}^{(6)}$	$\frac{1}{2}(\check{c}_{DW,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} \bar{Q}_A \gamma^a (D_\mu W_{\nu\rho}) Q_B$
$\mathcal{L}_{\text{quark},B}^{(6)}$	$-\frac{1}{4}(\check{c}_{B,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} B_{\nu\rho} \bar{Q}_A \gamma^a i D_\mu Q_B - \frac{1}{4}(\check{c}_{B,U}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} B_{\nu\rho} \bar{U}_A \gamma^a i D_\mu U_B - \frac{1}{4}(\check{c}_{B,D}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} B_{\nu\rho} \bar{D}_A \gamma^a i D_\mu D_B + \text{h.c.}$
$\mathcal{L}_{\text{quark},DB}^{(6)}$	$\frac{1}{2}(\check{c}_{DB,Q}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} (D_\mu B_{\nu\rho}) \bar{Q}_A \gamma^a Q_B + \frac{1}{2}(\check{c}_{DB,U}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} (D_\mu B_{\nu\rho}) \bar{U}_A \gamma^a U_B + \frac{1}{2}(\check{c}_{DB,D}^{(6)})_{AB}^{\kappa\mu\nu\rho} e_{\kappa a} (D_\mu B_{\nu\rho}) \bar{D}_A \gamma^a D_B$
$\mathcal{L}_{\text{quark},2}^{(6)}$	$\frac{1}{2}(\check{k}_{QQ}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{Q}_A \gamma^a Q_B) (\bar{Q}_C \gamma^b Q_D) + \frac{1}{2}(\check{k}_{UU}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{U}_A \gamma^a U_B) (\bar{U}_C \gamma^b U_D)$ $+ \frac{1}{2}(\check{k}_{DD}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{D}_A \gamma^a D_B) (\bar{D}_C \gamma^b D_D) + (\check{k}_{QU}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{Q}_A \gamma^a Q_B) (\bar{U}_C \gamma^b U_D)$ $+ (\check{k}_{QD}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{Q}_A \gamma^a Q_B) (\bar{D}_C \gamma^b D_D) + (\check{k}_{UD}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{U}_A \gamma^a U_B) (\bar{D}_C \gamma^b D_D)$
$\mathcal{L}_{\text{quark},\text{lepton}}^{(6)}$	$(\check{k}_{QL}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{Q}_A \gamma^a Q_B) (\bar{L}_C \gamma^b L_D) + (\check{k}_{QR}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{Q}_A \gamma^a Q_B) (\bar{R}_C \gamma^b R_D)$ $+ (\check{k}_{UL}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{U}_A \gamma^a U_B) (\bar{L}_C \gamma^b L_D) + (\check{k}_{UR}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{U}_A \gamma^a U_B) (\bar{R}_C \gamma^b R_D)$ $+ (\check{k}_{DL}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{D}_A \gamma^a D_B) (\bar{L}_C \gamma^b L_D) + (\check{k}_{DR}^{(6)})_{ABCD}^{\kappa\lambda} e_{\kappa a} e_{\lambda b} (\bar{D}_A \gamma^a D_B) (\bar{R}_C \gamma^b R_D)$

Table P69. Lagrange density for the Higgs-gravity-gauge sector with operators of dimension  $d \leq 6$ 

Term	Combination
$\mathcal{L}_{\text{Higgs},0}$	$-(D_\mu \phi)^\dagger D^\mu \phi + \mu^2 \phi^\dagger \phi - \frac{1}{8} \lambda (\phi^\dagger \phi)^2$
$\mathcal{L}_{\text{Higgs}}^{(2)}$	$\check{k}_\phi^{(2)} \phi^\dagger \phi$
$\mathcal{L}_{\text{Higgs}}^{(3)}$	$(\check{k}_\phi)^\mu \phi^\dagger i D_\mu \phi + \text{h.c.}$
$\mathcal{L}_{\text{Higgs}}^{(4)}$	$[\frac{1}{2}(\check{k}_{\phi\phi})^{\mu\nu} (D_\mu \phi)^\dagger D_\nu \phi + \text{h.c.}] - (\check{k}_{\phi R})^{\mu\nu\rho\sigma} R_{\mu\nu\rho\sigma} \phi^\dagger \phi - \frac{1}{2}(\check{k}_{\phi W})^{\mu\nu} \phi^\dagger W_{\mu\nu} \phi - \frac{1}{2}(\check{k}_{\phi B})^{\mu\nu} B_{\mu\nu} \phi^\dagger \phi - \frac{1}{6}\check{k}_{\phi\phi}^{(4)} (\phi^\dagger \phi)^2$
$\mathcal{L}_{\text{Higgs}}^{(5)}$	$[\frac{1}{2}(\check{k}^{(5)})^{\mu\nu\rho} \phi^\dagger i D_{(\mu} i D_\nu i D_{\rho)} \phi + \frac{1}{2}(\check{k}_{RD\phi}^{(5)})^{\mu\nu\rho\sigma\tau} R_{\nu\rho\sigma\tau} \phi^\dagger i D_\mu \phi + \frac{1}{4}(\check{k}_{WD\phi}^{(5)})^{\mu\nu\rho} \phi^\dagger W_{\nu\rho} i D_\mu \phi + \frac{1}{4}(\check{k}_{BD\phi}^{(5)})^{\mu\nu\rho} B_{\nu\rho} \phi^\dagger i D_\mu \phi$ $+ \frac{1}{2}(\check{k}_{D\phi}^{(5)})^\mu (\phi^\dagger \phi) (\phi^\dagger i D_\mu \phi) + \text{h.c.}] + (\check{k}_{DR\phi}^{(5)})^{\mu\nu\rho\sigma\tau} (D_\mu R_{\nu\rho\sigma\tau}) \phi^\dagger \phi + \frac{1}{2}(\check{k}_{DW\phi}^{(5)})^{\mu\nu\rho} \phi^\dagger (D_\mu W_{\nu\rho}) \phi$ $+ \frac{1}{2}(\check{k}_{DB\phi}^{(5)})^{\mu\nu\rho} (D_\mu B_{\nu\rho}) \phi^\dagger \phi$
$\mathcal{L}_{\text{Higgs}}^{(6)}$	$[\frac{1}{2}(\check{k}^{(6)})^{\mu\nu\rho\sigma} \phi^\dagger i D_{(\mu} i D_\nu i D_\rho i D_{\sigma)} \phi + \frac{1}{2}(\check{k}_{RDD\phi}^{(6)})^{\mu\nu\rho\sigma\tau\nu} R_{\rho\sigma\tau\nu} \phi^\dagger i D_{(\mu} i D_{\nu)} \phi + \frac{1}{4}(\check{k}_{WDD\phi}^{(6)})^{\mu\nu\rho\sigma} \phi^\dagger W_{\rho\sigma} i D_{(\mu} i D_{\nu)} \phi$ $+ \frac{1}{4}(\check{k}_{BDD\phi}^{(6)})^{\mu\nu\rho\sigma} B_{\rho\sigma} \phi^\dagger i D_{(\mu} i D_{\nu)} \phi + \frac{1}{2}(\check{k}_{DRD\phi}^{(6)})^{\mu\nu\rho\sigma\tau\nu} (D_\nu R_{\rho\sigma\tau\nu}) \phi^\dagger i D_\mu \phi + \frac{1}{4}(\check{k}_{DWD\phi}^{(6)})^{\mu\nu\rho\sigma} \phi^\dagger (D_\nu W_{\rho\sigma}) i D_\mu \phi$ $+ \frac{1}{4}(\check{k}_{DBD\phi}^{(6)})^{\mu\nu\rho\sigma} (D_\nu B_{\rho\sigma}) \phi^\dagger i D_\mu \phi + \frac{1}{2}(\check{k}_{\phi DDD\phi}^{(6)})^{\mu\nu} (\phi^\dagger \phi) (\phi^\dagger i D_{(\mu} i D_{\nu)} \phi) + \frac{1}{2}(\check{k}_{D\phi D\phi}^{(6)})^{\mu\nu} (\phi^\dagger i D_\mu \phi) (\phi^\dagger i D_\nu \phi)$ $+ \frac{1}{2}(\check{k}_{D\phi^\dagger D\phi}^{(6)})^{\mu\nu} ((i D_\mu \phi)^\dagger \phi) (\phi^\dagger i D_\nu \phi) + \text{h.c.}] + (\check{k}_{DDR\phi}^{(6)})^{\mu\nu\rho\sigma\tau\nu} (D_{(\mu} D_{\nu)} R_{\rho\sigma\tau\nu}) \phi^\dagger \phi$ $+ \frac{1}{2}(\check{k}_{DDW\phi}^{(6)})^{\mu\nu\rho\sigma} \phi^\dagger (D_{(\mu} D_{\nu)} W_{\rho\sigma}) \phi + \frac{1}{2}(\check{k}_{DDB\phi}^{(6)})^{\mu\nu\rho\sigma} (D_{(\mu} D_{\nu)} B_{\rho\sigma}) \phi^\dagger \phi + (\check{k}_{RR\phi}^{(6)})^{\mu\nu\rho\sigma\tau\nu\chi\omega} R_{\mu\nu\rho\sigma} R_{\tau\nu\chi\omega} \phi^\dagger \phi$ $+ (\check{k}_{RW\phi}^{(6)})^{\mu\nu\rho\sigma\tau\nu} R_{\rho\sigma\tau\nu} \phi^\dagger W_{\mu\nu} \phi + \frac{1}{2}(\check{k}_{RB\phi}^{(6)})^{\mu\nu\rho\sigma\tau\nu} R_{\rho\sigma\tau\nu} B_{\mu\nu} \phi^\dagger \phi + \frac{1}{4}(\check{k}_{WW\phi,1}^{(6)})^{\mu\nu\rho\sigma} \phi^\dagger W_{\mu\nu} W_{\rho\sigma} \phi$ $+ \frac{1}{4}(\check{k}_{WW\phi,2}^{(6)})^{\mu\nu\rho\sigma} \text{tr}(W_{\mu\nu} W_{\rho\sigma}) \phi^\dagger \phi + \frac{1}{4}(\check{k}_{BB\phi}^{(6)})^{\mu\nu\rho\sigma} B_{\mu\nu} B_{\rho\sigma} \phi^\dagger \phi + \frac{1}{4}(\check{k}_{BW\phi}^{(6)})^{\mu\nu\rho\sigma} B_{\mu\nu} \phi^\dagger W_{\rho\sigma} \phi$ $+ \frac{1}{4}(\check{k}_{R\phi\phi}^{(6)})^{\mu\nu\rho\sigma} R_{\mu\nu\rho\sigma} (\phi^\dagger \phi)^2 + \frac{1}{4}(\check{k}_{W\phi\phi}^{(6)})^{\mu\nu} (\phi^\dagger \phi) (\phi^\dagger W_{\mu\nu} \phi) + \frac{1}{4}(\check{k}_{B\phi\phi}^{(6)})^{\mu\nu} B_{\mu\nu} (\phi^\dagger \phi)^2 + \frac{1}{120} \check{k}_{\phi\phi\phi}^{(6)} (\phi^\dagger \phi)^3$

Table P70. Lagrange density for the Yukawa-gravity-gauge sector with operators of dimension  $d \leq 6$ 

Term	Combination
$\mathcal{L}_{\text{Yukawa},0}$	$-(G_L)_{AB}\bar{L}_A\phi R_B - (G_U)_{AB}\bar{Q}_A\phi^c U_B - (G_D)_{AB}\bar{Q}_A\phi D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa}}^{(4)}$	$-(\check{G}_L^{(4)})_{AB}\bar{L}_A\phi R_B - (\check{G}_U^{(4)})_{AB}\bar{Q}_A\phi^c U_B - (\check{G}_D^{(4)})_{AB}\bar{Q}_A\phi D_B - \frac{1}{2}(\check{H}_L)_{\kappa\lambda AB}e^\kappa_a e^\lambda_b \bar{L}_A\phi\sigma^{ab}R_B$ $-\frac{1}{2}(\check{H}_U)_{\kappa\lambda AB}e^\kappa_a e^\lambda_b \bar{Q}_A\phi\sigma^{ab}U_B - \frac{1}{2}(\check{H}_D)_{\kappa\lambda AB}e^\kappa_a e^\lambda_b \bar{Q}_A\phi\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa}}^{(5)}$	$-(\check{G}_L^{(5)})_{AB}^\mu \bar{L}_A\phi iD_\mu R_B - (\check{G}_U^{(5)})_{AB}^\mu \bar{Q}_A\phi^c iD_\mu U_B - (\check{G}_D^{(5)})_{AB}^\mu \bar{Q}_A\phi iD_\mu D_B - \frac{1}{2}(\check{H}_L^{(5)})_{\kappa\lambda\mu} e_{\kappa a} e_{\lambda b} \bar{L}_A\phi\sigma^{ab} iD_\mu R_B$ $-\frac{1}{2}(\check{H}_U^{(5)})_{\kappa\lambda\mu} e_{\kappa a} e_{\lambda b} \bar{Q}_A\phi^c\sigma^{ab} iD_\mu U_B - \frac{1}{2}(\check{H}_D^{(5)})_{\kappa\lambda\mu} e_{\kappa a} e_{\lambda b} \bar{Q}_A\phi\sigma^{ab} iD_\mu D_B - (\check{G}_{D\phi,L}^{(5)})_{AB}^\mu \bar{L}_A(iD_\mu\phi)R_B$ $-(\check{G}_{D\phi,U}^{(5)})_{AB}^\mu \bar{Q}_A(iD_\mu\phi)^c U_B - (\check{G}_{D\phi,D}^{(5)})_{AB}^\mu \bar{Q}_A(iD_\mu\phi)D_B - \frac{1}{2}(\check{H}_{D\phi,L}^{(5)})_{\kappa\lambda\mu} e_{\kappa a} e_{\lambda b} \bar{L}_A(iD_\mu\phi)\sigma^{ab}R_B$ $-\frac{1}{2}(\check{H}_{D\phi,U}^{(5)})_{\kappa\lambda\mu} e_{\kappa a} e_{\lambda b} \bar{Q}_A(iD_\mu\phi)^c\sigma^{ab}U_B - \frac{1}{2}(\check{H}_{D\phi,D}^{(5)})_{\kappa\lambda\mu} e_{\kappa a} e_{\lambda b} \bar{Q}_A(iD_\mu\phi)\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},\psi\phi}^{(5)}$	$(\check{k}_{L\phi}^{(5)})_{AB}^\kappa e_{\kappa a} (\bar{L}_A\gamma^a L_B)(\phi^\dagger\phi) + (\check{k}_{R\phi}^{(5)})_{AB}^\kappa e_{\kappa a} (\bar{R}_A\gamma^a R_B)(\phi^\dagger\phi) + (\check{k}_{Q\phi}^{(5)})_{AB}^\kappa e_{\kappa a} (\bar{Q}_A\gamma^a Q_B)(\phi^\dagger\phi)$ $+ (\check{k}_{U\phi}^{(5)})_{AB}^\kappa e_{\kappa a} (\bar{U}_A\gamma^a U_B)(\phi^\dagger\phi) + (\check{k}_{D\phi}^{(5)})_{AB}^\kappa e_{\kappa a} (\bar{D}_A\gamma^a D_B)(\phi^\dagger\phi) + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},D}^{(6)}$	$-(\check{G}_L^{(6)})_{AB}^{\mu\nu} \bar{L}_A\phi iD_{(\mu} iD_{\nu)} R_B - (\check{G}_U^{(6)})_{AB}^{\mu\nu} \bar{Q}_A\phi^c iD_{(\mu} iD_{\nu)} U_B - (\check{G}_D^{(6)})_{AB}^{\mu\nu} \bar{Q}_A\phi iD_{(\mu} iD_{\nu)} D_B$ $-\frac{1}{2}(\check{H}_L^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{L}_A\phi\sigma^{ab} iD_{(\mu} iD_{\nu)} R_B - \frac{1}{2}(\check{H}_U^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A\phi^c\sigma^{ab} iD_{(\mu} iD_{\nu)} U_B$ $-\frac{1}{2}(\check{H}_D^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A\phi\sigma^{ab} iD_{(\mu} iD_{\nu)} D_B - (\check{G}_{DD\phi,L}^{(6)})_{AB}^{\mu\nu} \bar{L}_A(iD_{(\mu} iD_{\nu)}\phi)R_B$ $-(\check{G}_{DD\phi,U}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A(iD_{(\mu} iD_{\nu)}\phi)^c U_B - (\check{G}_{DD\phi,D}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A(iD_{(\mu} iD_{\nu)}\phi)D_B$ $-\frac{1}{2}(\check{H}_{DD\phi,L}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{L}_A(iD_{(\mu} iD_{\nu)}\phi)\sigma^{ab}R_B - \frac{1}{2}(\check{H}_{DD\phi,U}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A(iD_{(\mu} iD_{\nu)}\phi)^c\sigma^{ab}U_B$ $-\frac{1}{2}(\check{H}_{DD\phi,D}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A(iD_{(\mu} iD_{\nu)}\phi)\sigma^{ab}D_B - (\check{G}_{D\phi,L}^{(6)})_{AB}^{\mu\nu} \bar{L}_A(iD_\mu\phi) iD_\nu R_B$ $-(\check{G}_{D\phi,U}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A(iD_\mu\phi)^c iD_\nu U_B - (\check{G}_{D\phi,D}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A(iD_\mu\phi) iD_\nu D_B - \frac{1}{2}(\check{H}_{D\phi,L}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{L}_A(iD_\mu\phi)\sigma^{ab} iD_\nu R_B$ $-\frac{1}{2}(\check{H}_{D\phi,U}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A(iD_\mu\phi)^c\sigma^{ab} iD_\nu U_B - \frac{1}{2}(\check{H}_{D\phi,D}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A(iD_\mu\phi)\sigma^{ab} iD_\nu D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},R}^{(6)}$	$-(\check{G}_{R,L}^{(6)})_{AB}^{\mu\nu\rho\sigma} R_{\mu\nu\rho\sigma} \bar{L}_A\phi R_B - (\check{G}_{R,U}^{(6)})_{AB}^{\mu\nu\rho\sigma} R_{\mu\nu\rho\sigma} \bar{Q}_A\phi^c U_B - (\check{G}_{R,D}^{(6)})_{AB}^{\mu\nu\rho\sigma} R_{\mu\nu\rho\sigma} \bar{Q}_A\phi D_B$ $-\frac{1}{2}(\check{H}_L^{(6)})_{\kappa\lambda\mu\nu\rho\sigma} e_{\kappa a} e_{\lambda b} R_{\mu\nu\rho\sigma} \bar{L}_A\phi\sigma^{ab}R_B - \frac{1}{2}(\check{H}_U^{(6)})_{\kappa\lambda\mu\nu\rho\sigma} e_{\kappa a} e_{\lambda b} R_{\mu\nu\rho\sigma} \bar{Q}_A\phi^c\sigma^{ab}U_B$ $-\frac{1}{2}(\check{H}_D^{(6)})_{\kappa\lambda\mu\nu\rho\sigma} e_{\kappa a} e_{\lambda b} R_{\mu\nu\rho\sigma} \bar{Q}_A\phi\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},G}^{(6)}$	$-(\check{G}_{G,U}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A G_{\mu\nu}\phi^c U_B - (\check{G}_{G,D}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A G_{\mu\nu}\phi D_B - \frac{1}{2}(\check{H}_{G,U}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A G_{\mu\nu}\phi^c\sigma^{ab}U_B$ $-\frac{1}{2}(\check{H}_{G,D}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A G_{\mu\nu}\phi\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},W}^{(6)}$	$-(\check{G}_{W,L}^{(6)})_{AB}^{\mu\nu} \bar{L}_A W_{\mu\nu}\phi R_B - (\check{G}_{W,U}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A W_{\mu\nu}\phi^c U_B - (\check{G}_{W,D}^{(6)})_{AB}^{\mu\nu} \bar{Q}_A W_{\mu\nu}\phi D_B$ $-\frac{1}{2}(\check{H}_{W,L}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{L}_A W_{\mu\nu}\phi\sigma^{ab}R_B - \frac{1}{2}(\check{H}_{W,U}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A W_{\mu\nu}\phi^c\sigma^{ab}U_B$ $-\frac{1}{2}(\check{H}_{W,D}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} \bar{Q}_A W_{\mu\nu}\phi\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},B}^{(6)}$	$-(\check{G}_{B,L}^{(6)})_{AB}^{\mu\nu} B_{\mu\nu} \bar{L}_A\phi R_B - (\check{G}_{B,U}^{(6)})_{AB}^{\mu\nu} B_{\mu\nu} \bar{Q}_A\phi^c U_B - (\check{G}_{B,D}^{(6)})_{AB}^{\mu\nu} B_{\mu\nu} \bar{Q}_A\phi D_B$ $-\frac{1}{2}(\check{H}_{B,L}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} B_{\mu\nu} \bar{L}_A\phi\sigma^{ab}R_B - \frac{1}{2}(\check{H}_{B,U}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} B_{\mu\nu} \bar{Q}_A\phi^c\sigma^{ab}U_B$ $-\frac{1}{2}(\check{H}_{B,D}^{(6)})_{\kappa\lambda\mu\nu} e_{\kappa a} e_{\lambda b} B_{\mu\nu} \bar{Q}_A\phi\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},\phi}^{(6)}$	$-(\check{G}_{\phi,L}^{(6)})_{AB}(\phi^\dagger\phi)\bar{L}_A\phi R_B - (\check{G}_{\phi,U}^{(6)})_{AB}(\phi^\dagger\phi)\bar{Q}_A\phi^c U_B - (\check{G}_{\phi,D}^{(6)})_{AB}(\phi^\dagger\phi)\bar{Q}_A\phi D_B$ $-\frac{1}{2}(\check{H}_{\phi,L}^{(6)})_{\kappa\lambda} e_{\kappa a} e_{\lambda b}(\phi^\dagger\phi)\bar{L}_A\phi\sigma^{ab}R_B - \frac{1}{2}(\check{H}_{\phi,U}^{(6)})_{\kappa\lambda} e_{\kappa a} e_{\lambda b}(\phi^\dagger\phi)\bar{Q}_A\phi^c\sigma^{ab}U_B$ $-\frac{1}{2}(\check{H}_{\phi,D}^{(6)})_{\kappa\lambda} e_{\kappa a} e_{\lambda b}(\phi^\dagger\phi)\bar{Q}_A\phi\sigma^{ab}D_B + \text{h.c.}$
$\mathcal{L}_{\text{Yukawa},\psi\phi}^{(6)}$	$\frac{1}{2}(\check{k}_{LD\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{L}_A\gamma^a L_B)(\phi^\dagger iD_\mu\phi) + \frac{1}{2}(\check{k}_{RD\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{R}_A\gamma^a R_B)(\phi^\dagger iD_\mu\phi)$ $+ \frac{1}{2}(\check{k}_{QD\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{Q}_A\gamma^a Q_B)(\phi^\dagger iD_\mu\phi) + \frac{1}{2}(\check{k}_{UD\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{U}_A\gamma^a U_B)(\phi^\dagger iD_\mu\phi)$ $+ \frac{1}{2}(\check{k}_{DD\phi,1}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{D}_A\gamma^a D_B)(\phi^\dagger iD_\mu\phi) + \frac{1}{2}(\check{k}_{DL\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{L}_A\gamma^a iD_\mu L_B)(\phi^\dagger\phi)$ $+ \frac{1}{2}(\check{k}_{DR\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{R}_A\gamma^a iD_\mu R_B)(\phi^\dagger\phi) + \frac{1}{2}(\check{k}_{DQ\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{Q}_A\gamma^a iD_\mu Q_B)(\phi^\dagger\phi)$ $+ \frac{1}{2}(\check{k}_{DU\phi}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{U}_A\gamma^a iD_\mu U_B)(\phi^\dagger\phi) + \frac{1}{2}(\check{k}_{DD\phi,2}^{(6)})_{AB}^{\kappa\mu} e_{\kappa a} (\bar{D}_A\gamma^a iD_\mu D_B)(\phi^\dagger\phi) + \text{h.c.}$

Table P71. Quadratic Lagrange density for linearized gravity

Operator	Symmetry	#	Dim.	CPT	G.I.
$s^{(d)}\mu\rho\nu\sigma\circ\circ^{d-4}$	$\begin{array}{ c c c } \hline \mu & \nu & \dots \\ \hline \rho & \sigma & \\ \hline \circ & \circ & \\ \hline \end{array}$	$(d-3)(d-2)(d+1)$	even, $\geq 4$	+	✓
$s^{(d,1)}\mu\rho\nu\sigma\circ^{d-2}$	$\begin{array}{ c c c } \hline \mu & \nu & \dots \\ \hline \rho & \sigma & \\ \hline \end{array}$	$(d-1)(d+2)(d+3)$	even, $\geq 2$	+	
$s^{(d,2)}\mu\rho\nu\sigma\circ\circ^{d-4}$	$\begin{array}{ c c c c } \hline \mu & \nu & \circ & \dots \\ \hline \rho & \sigma & & \\ \hline \circ & & & \\ \hline \end{array}$	$\frac{4}{3}(d-2)d(d+2)$	even, $\geq 4$	+	
$q^{(d)}\mu\rho\nu\sigma\circ\circ\circ^{d-5}$	$\begin{array}{ c c c c } \hline \mu & \nu & \sigma & \dots \\ \hline \rho & \circ & \circ & \\ \hline \circ & & & \\ \hline \end{array}$	$\frac{5}{2}(d-4)(d-1)(d+1)$	odd, $\geq 5$	-	✓
$q^{(d,1)}\mu\rho\nu\sigma\circ\circ^{d-3}$	$\begin{array}{ c c c c c } \hline \mu & \nu & \sigma & \circ & \dots \\ \hline \rho & & & & \\ \hline \end{array}$	$\frac{1}{2}(d+1)(d+3)(d+4)$	odd, $\geq 3$	-	
$q^{(d,2)}\mu\rho\nu\sigma\circ\circ^{d-3}$	$\begin{array}{ c c c c } \hline \mu & \nu & \sigma & \dots \\ \hline \rho & \circ & & \\ \hline \end{array}$	$(d-1)(d+2)(d+3)$	odd, $\geq 3$	-	
$q^{(d,3)}\mu\rho\nu\sigma\circ\circ^{d-3}$	$\begin{array}{ c c c c } \hline \mu & \nu & \sigma & \dots \\ \hline \rho & & & \\ \hline \circ & & & \\ \hline \end{array}$	$\frac{1}{2}d(d+1)(d+3)$	odd, $\geq 3$	-	
$q^{(d,4)}\mu\rho\nu\sigma\circ\circ\circ\circ^{d-5}$	$\begin{array}{ c c c c c } \hline \mu & \nu & \sigma & \circ & \dots \\ \hline \rho & \circ & \circ & & \\ \hline \end{array}$	$\frac{5}{3}(d-3)(d+1)(d+2)$	odd, $\geq 5$	-	
$q^{(d,5)}\mu\rho\nu\sigma\circ\circ\circ\circ^{d-5}$	$\begin{array}{ c c c c c } \hline \mu & \nu & \sigma & \circ & \dots \\ \hline \rho & \circ & & & \\ \hline \circ & & & & \\ \hline \end{array}$	$\frac{4}{3}(d-2)d(d+2)$	odd, $\geq 5$	-	
$k^{(d)}\mu\circ\nu\circ\rho\sigma\circ\circ\circ^{d-6}$	$\begin{array}{ c c c c c } \hline \mu & \nu & \rho & \sigma & \dots \\ \hline \circ & \circ & \circ & \circ & \\ \hline \end{array}$	$\frac{5}{2}(d-5)d(d+1)$	even, $\geq 6$	+	✓
$k^{(d,1)}\mu\nu\rho\sigma\circ^{d-2}$	$\begin{array}{ c c c c c } \hline \mu & \nu & \rho & \sigma & \dots \\ \hline \end{array}$	$\frac{1}{6}(d+3)(d+4)(d+5)$	even, $\geq 2$	+	
$k^{(d,2)}\mu\circ\nu\rho\sigma\circ\circ^{d-4}$	$\begin{array}{ c c c c c c } \hline \mu & \nu & \rho & \sigma & \circ & \dots \\ \hline \circ & & & & & \\ \hline \end{array}$	$\frac{1}{2}(d+1)(d+3)(d+4)$	even, $\geq 4$	+	
$k^{(d,3)}\mu\circ\nu\circ\rho\sigma\circ^{d-4}$	$\begin{array}{ c c c c c } \hline \mu & \nu & \rho & \sigma & \dots \\ \hline \circ & \circ & & & \\ \hline \end{array}$	$(d-1)(d+2)(d+3)$	even, $\geq 4$	+	
$k^{(d,4)}\mu\circ\nu\circ\rho\sigma\circ\circ\circ^{d-6}$	$\begin{array}{ c c c c c c } \hline \mu & \nu & \rho & \sigma & \circ & \dots \\ \hline \circ & \circ & \circ & & & \\ \hline \end{array}$	$\frac{5}{3}(d-3)(d+1)(d+2)$	even, $\geq 6$	+	

Table P72. Spherical coefficients for gauge-invariant linearized gravity

Type	Coeff.	Dim.	$j$	#
vacuum	$k_{(I)jm}^{(d)}$	even, $\geq 4$	$0, 1, \dots, d-2$	$(d-1)^2$
	$k_{(E)jm}^{(d)}$	even, $\geq 6$	$4, 5, \dots, d-2$	$(d-1)^2 - 16$
	$k_{(B)jm}^{(d)}$	even, $\geq 6$	$4, 5, \dots, d-2$	$(d-1)^2 - 16$
	$k_{(V)jm}^{(d)}$	odd, $\geq 5$	$0, 1, \dots, d-2$	$(d-1)^2$
Newton	$k_{jm}^{N(d)}$	even, $\geq 4$	$d-4, d-2$	$4d-10$

Table P73. Definitions for gauge-invariant linearized gravity

Symbol	Combination	Components
$\bar{s}_{\kappa\lambda}^{(4)}$	$-\frac{1}{36}\epsilon_{\mu\rho\alpha\kappa}\epsilon_{\nu\sigma\beta\lambda}s^{(4)\mu\rho\alpha\nu\sigma\beta}$	10
$k_{(I)00}^{(4)}$	$-\sqrt{\frac{\pi}{9}}(\bar{s}_{\mu\nu}^{(4)}\eta^{\mu\nu} + 4\bar{s}_{TT}^{(4)})$	1
$k_{(I)10}^{(4)}$	$\sqrt{\frac{4\pi}{3}}\bar{s}_{TZ}^{(4)}$	1
$\text{Re } k_{(I)11}^{(4)}$	$-\sqrt{\frac{2\pi}{3}}\bar{s}_{TX}^{(4)}$	1
$\text{Im } k_{(I)11}^{(4)}$	$\sqrt{\frac{2\pi}{3}}\bar{s}_{TY}^{(4)}$	1
$k_{(I)20}^{(4)}$	$-\sqrt{\frac{\pi}{5}}(2\bar{s}_{\mu\nu}^{(4)}\eta^{\mu\nu} + \frac{2}{3}\bar{s}_{TT}^{(4)} - \bar{s}_{XX}^{(4)} - \bar{s}_{YY}^{(4)})$	1
$\text{Re } k_{(I)21}^{(4)}$	$\sqrt{\frac{4\pi}{30}}\bar{s}_{XZ}^{(4)}$	1
$\text{Im } k_{(I)21}^{(4)}$	$-\sqrt{\frac{4\pi}{30}}\bar{s}_{YZ}^{(4)}$	1
$\text{Re } k_{(I)22}^{(4)}$	$-\sqrt{\frac{\pi}{30}}(\bar{s}_{XX}^{(4)} - \bar{s}_{YY}^{(4)})$	1
$\text{Im } k_{(I)22}^{(4)}$	$\sqrt{\frac{4\pi}{30}}\bar{s}_{XY}^{(4)}$	1 <b>total: 9</b>
$\bar{s}_{jm}^{(d)}$	$2(-1)^{1+j+d/2}k_{(I)jm}^{(d)}$	9
$k_{00}^{N(4)}$	$\sqrt{\frac{4\pi}{9}}(2\bar{s}_{\mu\nu}^{(4)}\eta^{\mu\nu} + 5\bar{s}_{TT}^{(4)})$	1
$k_{2m}^{N(4)}$	$-k_{(I)2m}^{(4)}$	5 <b>total: 6</b>
$k_{2m}^{N(6)}$	independent of vacuum coefficients	5
$k_{4m}^{N(6)}$	$15k_{(I)4m}^{(6)} - \sqrt{\frac{45}{14}}k_{(E)4m}^{(6)}$	9 <b>total: 14</b>



Table P74. Lagrange density for linearized fermion-gravity sector with operators of dimension  $d \leq 5$ 

Term	Combination
$\mathcal{L}_{\psi,0}^L$	$\frac{1}{2}(\bar{\psi}\gamma^\mu i\partial_\mu\psi - m\bar{\psi}\psi) + \text{h.c.}$
$\mathcal{L}_{\psi,h}^L$	$\frac{1}{4}h\bar{\psi}\gamma^\mu i\partial_\mu\psi - \frac{1}{4}h^{\kappa\mu}\bar{\psi}\gamma_\kappa i\partial_\mu\psi - \frac{1}{4}mh\bar{\psi}\psi + \frac{1}{8}\epsilon^{\kappa\mu\nu\rho}(\partial_\mu h_{\nu\rho})\bar{\psi}\gamma_5\gamma_\kappa\psi + \text{h.c.}$
$\mathcal{L}_\psi^{(3)L}$	$-(m^L)^{\mu\nu}h_{\mu\nu}\bar{\psi}\psi - i(m_5^L)^{\mu\nu}h_{\mu\nu}\bar{\psi}\gamma_5\psi - (a^L)^{\kappa\mu\nu}h_{\mu\nu}\bar{\psi}\gamma_\kappa\psi - (b^L)^{\kappa\mu\nu}h_{\mu\nu}\bar{\psi}\gamma_5\gamma_\kappa\psi - \frac{1}{2}(H^L)^{\kappa\lambda\mu\nu}h_{\mu\nu}\bar{\psi}\sigma_{\kappa\lambda}\psi$
$\mathcal{L}_{\psi h}^{(4)L}$	$-\frac{1}{2}(c_h^L)^{\kappa\mu\nu\rho}h_{\nu\rho}\bar{\psi}\gamma_\kappa i\partial_\mu\psi - \frac{1}{2}(d_h^L)^{\kappa\mu\nu\rho}h_{\nu\rho}\bar{\psi}\gamma_5\gamma_\kappa i\partial_\mu\psi$ $-\frac{1}{2}(e_h^L)^{\mu\nu\rho}h_{\nu\rho}\bar{\psi}i\partial_\mu\psi - \frac{1}{2}i(f_h^L)^{\mu\nu\rho}h_{\nu\rho}\bar{\psi}\gamma_5 i\partial_\mu\psi - \frac{1}{4}(g_h^L)^{\kappa\lambda\mu\nu\rho}h_{\nu\rho}\bar{\psi}\sigma_{\kappa\lambda}i\partial_\mu\psi + \text{h.c.}$
$\mathcal{L}_{\psi\partial h}^{(4)L}$	$-(c_{\partial h}^L)^{\kappa\mu\nu\rho}(\partial_\mu h_{\nu\rho})\bar{\psi}\gamma_\kappa\psi - (d_{\partial h}^L)^{\kappa\mu\nu\rho}(\partial_\mu h_{\nu\rho})\bar{\psi}\gamma_5\gamma_\kappa\psi$ $-(e_{\partial h}^L)^{\mu\nu\rho}(\partial_\mu h_{\nu\rho})\bar{\psi}\psi - i(f_{\partial h}^L)^{\mu\nu\rho}(\partial_\mu h_{\nu\rho})\bar{\psi}\gamma_5\psi - \frac{1}{2}(g_{\partial h}^L)^{\kappa\lambda\mu\nu\rho}(\partial_\mu h_{\nu\rho})\bar{\psi}\sigma_{\kappa\lambda}\psi$
$\mathcal{L}_{\psi h}^{(5)L}$	$-\frac{1}{2}(m_h^{(5)L})^{\mu\nu\rho\sigma}h_{\rho\sigma}\bar{\psi}i\partial_\mu i\partial_\nu\psi - \frac{1}{2}i(m_{5h}^{(5)L})^{\mu\nu\rho\sigma}h_{\rho\sigma}\bar{\psi}\gamma_5 i\partial_\mu i\partial_\nu\psi$ $-\frac{1}{2}(a_h^{(5)L})^{\kappa\mu\nu\rho\sigma}h_{\rho\sigma}\bar{\psi}\gamma_\kappa i\partial_\mu i\partial_\nu\psi - \frac{1}{2}(b_h^{(5)L})^{\kappa\mu\nu\rho\sigma}h_{\rho\sigma}\bar{\psi}\gamma_5\gamma_\kappa i\partial_\mu i\partial_\nu\psi$ $-\frac{1}{4}(H_h^{(5)L})^{\kappa\lambda\mu\nu\rho\sigma}h_{\rho\sigma}\bar{\psi}\sigma_{\kappa\lambda}i\partial_\mu i\partial_\nu\psi + \text{h.c.}$
$\mathcal{L}_{\psi\partial h}^{(5)L}$	$-\frac{1}{2}(m_{\partial h}^{(5)L})^{\mu\nu\rho\sigma}(\partial_\nu h_{\rho\sigma})\bar{\psi}i\partial_\mu\psi - \frac{1}{2}i(m_{5\partial h}^{(5)L})^{\mu\nu\rho\sigma}(\partial_\nu h_{\rho\sigma})\bar{\psi}\gamma_5 i\partial_\mu\psi$ $-\frac{1}{2}(a_{\partial h}^{(5)L})^{\kappa\mu\nu\rho\sigma}(\partial_\nu h_{\rho\sigma})\bar{\psi}\gamma_\kappa i\partial_\mu\psi - \frac{1}{2}(b_{\partial h}^{(5)L})^{\kappa\mu\nu\rho\sigma}(\partial_\nu h_{\rho\sigma})\bar{\psi}\gamma_5\gamma_\kappa i\partial_\mu\psi$ $-\frac{1}{4}(H_{\partial h}^{(5)L})^{\kappa\lambda\mu\nu\rho\sigma}(\partial_\nu h_{\rho\sigma})\bar{\psi}\sigma_{\kappa\lambda}i\partial_\mu\psi + \text{h.c.}$
$\mathcal{L}_{\psi\partial\partial h}^{(5)L}$	$-(m_{\partial\partial h}^{(5)L})^{\mu\nu\rho\sigma}(\partial_\mu\partial_\nu h_{\rho\sigma})\bar{\psi}\psi - i(m_{5\partial\partial h}^{(5)L})^{\mu\nu\rho\sigma}(\partial_\mu\partial_\nu h_{\rho\sigma})\bar{\psi}\gamma_5\psi$ $-(a_{\partial\partial h}^{(5)L})^{\kappa\mu\nu\rho\sigma}(\partial_\mu\partial_\nu h_{\rho\sigma})\bar{\psi}\gamma_\kappa\psi - (b_{\partial\partial h}^{(5)L})^{\kappa\mu\nu\rho\sigma}(\partial_\mu\partial_\nu h_{\rho\sigma})\bar{\psi}\gamma_5\gamma_\kappa\psi$ $-\frac{1}{2}(H_{\partial\partial h}^{(5)L})^{\kappa\lambda\mu\nu\rho\sigma}(\partial_\mu\partial_\nu h_{\rho\sigma})\bar{\psi}\sigma_{\kappa\lambda}\psi$

Table P75. Definitions for the linearized fermion-gravity sector

Symbol	Combination	Components
$(\tilde{b}^L)^{J\Sigma\Sigma}$	$(b^L)^{J\Sigma\Sigma} - \frac{1}{2}\epsilon^{JKL}(H^L)^{KL\Sigma\Sigma} + m((d_h^L)^{JT\Sigma\Sigma} - \frac{1}{2}\epsilon^{JKL}(g_h^L)^{KLT\Sigma\Sigma})$	3
$(\tilde{b}^L)^{T\Sigma\Sigma}$	$(b^L)^{T\Sigma\Sigma} - m(g_h^L)^{XYZ\Sigma\Sigma}$	1
$(\tilde{b}^L)^{*J\Sigma\Sigma}$	$(b^L)^{J\Sigma\Sigma} + \frac{1}{2}\epsilon^{JKL}(H^L)^{KL\Sigma\Sigma} - m((d_h^L)^{JT\Sigma\Sigma} + \frac{1}{2}\epsilon^{JKL}(g_h^L)^{KLT\Sigma\Sigma})$	3
$(\tilde{c}^L)^{-\Sigma\Sigma}$	$m((c_h^L)^{XX\Sigma\Sigma} - (c_h^L)^{YY\Sigma\Sigma})$	1
$(\tilde{c}^L)^{Q\Sigma\Sigma}$	$m((c_h^L)^{XX\Sigma\Sigma} + (c_h^L)^{YY\Sigma\Sigma} - 2(c_h^L)^{ZZ\Sigma\Sigma})$	1
$(\tilde{c}^L)^{J\Sigma\Sigma}$	$m \epsilon^{JKL} (c_h^L)^{KLS\Sigma\Sigma}$	3
$(\tilde{c}^L)^{TJ\Sigma\Sigma}$	$m(c_h^L)^{TJ\Sigma\Sigma} + (c_h^L)^{JT\Sigma\Sigma}$	3
$(\tilde{c}^L)^{TT\Sigma\Sigma}$	$m(c_h^L)^{TT\Sigma\Sigma}$	1
$(\tilde{d}^L)^{\pm\Sigma\Sigma}$	$m((d_h^L)^{XX\Sigma\Sigma} \pm (d_h^L)^{YY\Sigma\Sigma})$	2
$(\tilde{d}^L)^{Q\Sigma\Sigma}$	$m((d_h^L)^{XX\Sigma\Sigma} + (d_h^L)^{YY\Sigma\Sigma} - 2(d_h^L)^{ZZ\Sigma\Sigma} - (g_h^L)^{YZX\Sigma\Sigma} - (g_h^L)^{ZXY\Sigma\Sigma} + 2(g_h^L)^{XYZ\Sigma\Sigma})$	1
$(\tilde{d}^L)^{XY\Sigma\Sigma}$	$m((d_h^L)^{XY\Sigma\Sigma} + (d_h^L)^{YX\Sigma\Sigma} - (g_h^L)^{ZXX\Sigma\Sigma} + (g_h^L)^{ZYY\Sigma\Sigma})$	1
$(\tilde{d}^L)^{YZ\Sigma\Sigma}$	$m((d_h^L)^{YZ\Sigma\Sigma} + (d_h^L)^{ZY\Sigma\Sigma} - (g_h^L)^{XYZ\Sigma\Sigma} + (g_h^L)^{XZZ\Sigma\Sigma})$	1
$(\tilde{d}^L)^{ZX\Sigma\Sigma}$	$m((d_h^L)^{ZX\Sigma\Sigma} + (d_h^L)^{XZ\Sigma\Sigma} - (g_h^L)^{YZZ\Sigma\Sigma} + (g_h^L)^{YXX\Sigma\Sigma})$	1
$(\tilde{d}^L)^{J\Sigma\Sigma}$	$m((d_h^L)^{TJ\Sigma\Sigma} + \frac{1}{2}(d_h^L)^{JT\Sigma\Sigma}) + \frac{1}{4}\epsilon^{JKL}(H^L)^{KLS\Sigma\Sigma}$	3
$(\tilde{H}^L)^{XT\Sigma\Sigma}$	$(H^L)^{XT\Sigma\Sigma} - m((d_h^L)^{ZY\Sigma\Sigma} - (g_h^L)^{XTT\Sigma\Sigma} - (g_h^L)^{XYZ\Sigma\Sigma})$	1
$(\tilde{H}^L)^{YT\Sigma\Sigma}$	$(H^L)^{YT\Sigma\Sigma} - m((d_h^L)^{XZ\Sigma\Sigma} - (g_h^L)^{YTT\Sigma\Sigma} - (g_h^L)^{YZZ\Sigma\Sigma})$	1
$(\tilde{H}^L)^{ZT\Sigma\Sigma}$	$(H^L)^{ZT\Sigma\Sigma} - m((d_h^L)^{YX\Sigma\Sigma} - (g_h^L)^{ZTT\Sigma\Sigma} - (g_h^L)^{ZXX\Sigma\Sigma})$	1
$(\tilde{g}^L)^{T\Sigma\Sigma}$	$(b^L)^{T\Sigma\Sigma} + m((g_h^L)^{XYZ\Sigma\Sigma} - (g_h^L)^{YZX\Sigma\Sigma} - (g_h^L)^{ZXY\Sigma\Sigma})$	1
$(\tilde{g}^L)^{c\Sigma\Sigma}$	$m((g_h^L)^{XYZ\Sigma\Sigma} - (g_h^L)^{ZXY\Sigma\Sigma})$	1
$(\tilde{g}^L)^{Q\Sigma\Sigma}$	$m((g_h^L)^{XTX\Sigma\Sigma} + (g_h^L)^{YTY\Sigma\Sigma} - 2(g_h^L)^{ZTZ\Sigma\Sigma})$	1
$(\tilde{g}^L)^{-\Sigma\Sigma}$	$m((g_h^L)^{XTX\Sigma\Sigma} - (g_h^L)^{YTY\Sigma\Sigma})$	1
$(\tilde{g}^L)^{TJ\Sigma\Sigma}$	$m \epsilon^{JKL} (g_h^L)^{KTL\Sigma\Sigma}$	3
$(\tilde{g}^L)^{JK\Sigma\Sigma}$	$m((g_h^L)^{JTT\Sigma\Sigma} + (g_h^L)^{JKK\Sigma\Sigma}),$ (no $K$ sum, $J \neq K$ )	6
$(\tilde{g}^L)^{DJ\Sigma\Sigma}$	$(b^L)^{J\Sigma\Sigma} + m\epsilon^{JKL}((g_h^L)^{KTL\Sigma\Sigma} + \frac{1}{2}(g_h^L)^{KLT\Sigma\Sigma})$	3 <b>total: 44</b>

Table P76. Definitions for nonrelativistic fermion-gravity coefficients

Symbol	Combination
$(k_{\phi}^{\text{NR}})$	$2(m^{\text{L}})_{ss} - 2(a^{\text{L}})_{tss} + 2m(e_h^{\text{L}})_{tss} - 2m(c_h^{\text{L}})_{tss} + 2m^2(m_h^{(5)\text{L}})_{tss} - 2m^2(a_h^{(5)\text{L}})_{tss}$
$(k_{\phi p}^{\text{NR}})^j$	$\frac{2}{m}(a^{\text{L}})_{jss} - 2(e_h^{\text{L}})_{jss} + 2(c_h^{\text{L}})_{jts} + 2(c_h^{\text{L}})_{tjs} - 4m(m_h^{(5)\text{L}})_{jts} + 2m(a_h^{(5)\text{L}})_{jts} + 4m(a_h^{(5)\text{L}})_{tjs}$
$(k_{\phi pp}^{\text{NR}})^{jk}$	$-\frac{1}{m}[(c_h^{\text{L}})_{jkss} + (c_h^{\text{L}})_{kjs}] + 2(m_h^{(5)\text{L}})_{jkss} - 2(a_h^{(5)\text{L}})_{tjks} - 2[(a_h^{(5)\text{L}})_{jktss} + (a_h^{(5)\text{L}})_{kjtss}]$ $-\delta^{jk}[\frac{1}{m^2}(m^{\text{L}})_{ss} + \frac{1}{m}(c_h^{\text{L}})_{tss} - (m_h^{(5)\text{L}})_{tss} + 2(a_h^{(5)\text{L}})_{tss}]$
$(k_{\sigma\phi}^{\text{NR}})^j$	$-2(b^{\text{L}})_{jss} + \epsilon^{jkl}(H^{\text{L}})_{klss} - 2m(d_h^{\text{L}})_{jts} + m\epsilon^{jkl}(g_h^{\text{L}})_{klts} - 2m^2(b_h^{(5)\text{L}})_{jts} + m^2\epsilon^{jkl}(H_h^{(5)\text{L}})_{klts}$
$(k_{\sigma pp}^{\text{NR}})^{jk}$	$2(d_h^{\text{L}})_{jkss} - \epsilon^{jmn}(g_h^{\text{L}})_{mnkss} + 4m(b_h^{(5)\text{L}})_{jktss} - 2m\epsilon^{jmn}(H_h^{(5)\text{L}})_{mnkts}$ $+\delta^{jk}[\frac{2}{m}(b^{\text{L}})_{tss} + 2(d_h^{\text{L}})_{tss} + 2m(b_h^{(5)\text{L}})_{tss}] - \epsilon^{jkl}[\frac{2}{m}(H^{\text{L}})_{tss} + 2(g_h^{\text{L}})_{tss} + 2m(H_h^{(5)\text{L}})_{tss}]$
$(k_{\sigma pp}^{\text{NR}})^{jkl}$	$-2(b_h^{(5)\text{L}})_{jklss} + \epsilon^{jmn}(H_h^{(5)\text{L}})_{mnkls} + \delta^{kl}[\frac{1}{m^2}(b^{\text{L}})_{jss} + \frac{1}{2m}\epsilon^{jmn}(g_h^{\text{L}})_{mntss} - (b_h^{(5)\text{L}})_{jts} + \epsilon^{jkl}(H_h^{(5)\text{L}})_{mntss}]$ $+\frac{1}{2}\left[-\delta^{jk}[\frac{1}{m^2}(b^{\text{L}})_{lss} + \frac{1}{2m^2}\epsilon^{lmn}(H^{\text{L}})_{mnss} + \frac{2}{m}(d_h^{\text{L}})_{tlss} + \frac{1}{m}(d_h^{\text{L}})_{lts} + \frac{1}{2m}\epsilon^{lmn}(g_h^{\text{L}})_{mntss}\right.$ $\left.+4(b_h^{(5)\text{L}})_{tlls} + (b_h^{(5)\text{L}})_{lts} + \frac{1}{2}\epsilon^{lmn}(H_h^{(5)\text{L}})_{mntss}\right] + \epsilon^{jkm}[\frac{2}{m}(g_h^{\text{L}})_{tmls} + 4(H_h^{(5)\text{L}})_{tmls}] + (k \leftrightarrow l)$
$(k_g^{\text{NR}})^j$	$\frac{1}{m}(H^{\text{L}})_{tjss} + 2(e_{\partial h}^{\text{L}})_{jss} - 2(c_{\partial h}^{\text{L}})_{tjss} + (g_h^{\text{L}})_{tjss} + 2m(m_{\partial h}^{(5)\text{L}})_{tjss} - 2m(a_{\partial h}^{(5)\text{L}})_{tjss} + m(H_h^{(5)\text{L}})_{tjss}$
$(k_{gp}^{\text{NR}})^{jk}$	$\frac{2}{m}(c_{\partial h}^{\text{L}})_{jkss} - \frac{1}{m}(g_h^{\text{L}})_{tkjss} - 2(m_{\partial h}^{(5)\text{L}})_{jkss} + 2(a_{\partial h}^{(5)\text{L}})_{tjks} + 2(a_{\partial h}^{(5)\text{L}})_{jtkss} - 2(H_h^{(5)\text{L}})_{tkjts}$ $-\epsilon^{jkl}[\frac{1}{2m^2}(b^{\text{L}})_{lss} + \frac{1}{2m}(d_h^{\text{L}})_{lts} + \frac{1}{2}(b_h^{(5)\text{L}})_{lts}] - \epsilon^{jkl}\epsilon^{lmn}[\frac{1}{4m^2}(H^{\text{L}})_{mnss} + \frac{1}{4m}(g_h^{\text{L}})_{mntss} + \frac{1}{4}(H_h^{(5)\text{L}})_{mntss}]$
$(k_{gpp}^{\text{NR}})^{jkl}$	$-\frac{1}{m}(a_{\partial h}^{(5)\text{L}})_{jklss} - \frac{1}{m}(a_{\partial h}^{(5)\text{L}})_{kjlss} + \frac{1}{m}(H_h^{(5)\text{L}})_{tljks}$ $-\delta^{jk}[\frac{1}{m^2}(e_{\partial h}^{\text{L}})_{lss} - \frac{1}{2m^2}(g_h^{\text{L}})_{tlls} + \frac{1}{m}(a_{\partial h}^{(5)\text{L}})_{tlls} - \frac{1}{m}(H_h^{(5)\text{L}})_{tlls}]$ $+\epsilon^{jlm}[\frac{1}{2m^2}(d_h^{\text{L}})_{mkss} + \frac{1}{m}(b_h^{(5)\text{L}})_{mtkss}] + \epsilon^{jlm}\epsilon^{mnr}[\frac{1}{4m^2}(g_h^{\text{L}})_{nrkss} + \frac{1}{2m}(H_h^{(5)\text{L}})_{nrkss}]$
$(k_{\sigma g}^{\text{NR}})^{jk}$	$-2(d_{\partial h}^{\text{L}})_{jkss} + \epsilon^{jmn}(g_{\partial h}^{\text{L}})_{mnkss} - 2m(b_{\partial h}^{(5)\text{L}})_{jtkss} + m\epsilon^{jmn}(H_{\partial h}^{(5)\text{L}})_{mntkss}$ $-\delta^{jk}[\frac{1}{m}(m_5^{\text{L}})_{ss} + (f_h^{\text{L}})_{tss} + m(m_{5h}^{(5)\text{L}})_{tss}] + \epsilon^{jkl}[\frac{1}{m}(a^{\text{L}})_{lss} + (c_h^{\text{L}})_{lts} + m(a_h^{(5)\text{L}})_{lts}]$
$(k_{\sigma gp}^{\text{NR}})^{jkl}$	$2(b_{\partial h}^{(5)\text{L}})_{jklss} - \epsilon^{jmn}(H_{\partial h}^{(5)\text{L}})_{mnkls} + \epsilon^{jkl}[\frac{1}{2m^2}(m^{\text{L}})_{ss} + \frac{1}{2m^2}(a^{\text{L}})_{tss} + \frac{1}{2m}(e_h^{\text{L}})_{tss} + \frac{1}{2m}(c_h^{\text{L}})_{tss}]$ $+\frac{1}{2}(m_h^{(5)\text{L}})_{tss} + \frac{1}{2}(a_h^{(5)\text{L}})_{tss}] + \delta^{jk}[\frac{2}{m}(d_{\partial h}^{\text{L}})_{tlss} + 2(b_{\partial h}^{(5)\text{L}})_{tlls}] + \delta^{jl}[\frac{1}{m}(f_h^{\text{L}})_{kss} + 2(m_{5h}^{(5)\text{L}})_{kts}]$ $-\epsilon^{jkm}[\frac{2}{m}(g_{\partial h}^{\text{L}})_{tmls} + 2(H_{\partial h}^{(5)\text{L}})_{tmls}] - \epsilon^{jlm}[\frac{1}{m}(c_h^{\text{L}})_{mkss} + 2(a_h^{(5)\text{L}})_{mktss}]$
$(k_{\sigma gpp}^{\text{NR}})^{jklm}$	$-\delta^{jm}\delta^{kl}[\frac{2}{m^2}(f_h^{\text{L}})_{tss} \frac{1}{m}(m_{5h}^{(5)\text{L}})_{tss}] - \delta^{jm}\frac{1}{m}(m_h^{(5)\text{L}})_{klss} + \delta^{kl}[\frac{1}{m^2}(d_{\partial h}^{\text{L}})_{jms} + \frac{1}{2m}\epsilon^{jnr}(H_{\partial h}^{(5)\text{L}})_{nrts}]$ $+\delta^{kl}\epsilon^{jmn}[\frac{1}{2m^2}(c_h^{\text{L}})_{ntss} + \frac{1}{m}(a_h^{(5)\text{L}})_{ntss}] + \epsilon^{jmn}\frac{1}{m}(a_h^{(5)\text{L}})_{nklss}$ $-\frac{1}{2}\left[\delta^{jk}[\frac{1}{m^2}(d_{\partial h}^{\text{L}})_{lms} + \frac{1}{2m^2}\epsilon^{lnr}(g_{\partial h}^{\text{L}})_{nrms} + \frac{2}{m}(b_{\partial h}^{(5)\text{L}})_{tlms} + \frac{1}{m}(b_{\partial h}^{(5)\text{L}})_{ltms} + \frac{1}{2m}\epsilon^{lnr}(H_{\partial h}^{(5)\text{L}})_{nrts}]\right.$ $\left.+ \epsilon^{jkm}[\frac{1}{2m^2}(e_h^{\text{L}})_{lss} + \frac{1}{2m^2}(c_h^{\text{L}})_{tss} + \frac{1}{m}(m_h^{(5)\text{L}})_{lts} + \frac{1}{m}(a_h^{(5)\text{L}})_{tss}] - \epsilon^{jkn}\frac{2}{m}(H_{\partial h}^{(5)\text{L}})_{tnlms}\right] + (k \leftrightarrow l)$