# Physics of risk and uncertainty in quantum decision making

V.I. Yukalov<sup>1,2,a</sup> and D. Sornette<sup>1,3,b</sup>

<sup>1</sup>Department of Management, Technology and Economics,

Swiss Federal Institute of Technology, ETH Zurich, Kreuzplatz 5, Zurich 8032, Switzerland

 $2$ Bogolubov Laboratory of Theoretical Physics, Joint Institute for Nuclear Research, Dubna 141980, Russia

<sup>3</sup>Swiss Finance Institute, University of Geneva, CH-1211 Geneva 4, Switzerland

#### Abstract

The Quantum Decision Theory (QDT) developed recently by the authors is applied to clarify the role of risk and uncertainty in decision making and in particular in relation to the phenomenon of dynamic inconsistency. By formulating this notion in precise mathematical terms, we distinguish three types of inconsistency: time inconsistency, planning paradox, and inconsistency occurring in some discounting effects. While time inconsistency is well accounted for in classical decision theory, the planning paradox is in contradiction with classical utility theory. It finds a natural explanation in the frame of QDT. Different types of discounting effects are analyzed and shown to enjoy a straightforward explanation within QDT. We also introduce a general methodology based on self-similar approximation theory for deriving the evolution equations for the probabilities of future prospects. This provides a novel classification of possible discount factors, which include the previously known cases (exponential or hyperbolic discounting), but also predicts a novel class of discount factors that do not decay to zero for very large future time horizons. This class may be useful to deal with very long-term discounting situations associated with intergenerational public policy choices, encompassing issues such as global warming and nuclear waste disposal.

PACS: 89.65.-3 Social and economic systems - 89.70.Hj Communication complexity - 89.75.-k Complex systems - 03.67.Hk Quantum communication

a e-mail: yukalov@theor.jinr.ru

 $<sup>b</sup>$  e-mail: dsornette@ethz.ch</sup>

# 1 Introduction

Classical decision theory is based on expected utility theory, which was advanced by Bernoulli [1] and was shaped into a rigorous mathematical theory by von Neumann and Morgenstern [2]. In this theory, a decision maker chooses between several lotteries, each being composed of a set of outcomes, equipped with a probability measure. Initially [2], the probabilities were assumed to be objective. Savage [3] extended utility theory to the case of subjective probabilities. Savage's generalization has been demonstrated to be tremendously flexible in representing the attitude of decision makers towards risk and uncertainty. Starting with Pratt [4] and Arrow [5], different measures of risk have been proposed. Extensions and modern developments are covered e.g. in [6–8].

Notwithstanding a remarkable breadth of successful applications, classical decision theory, when applied to real humans, leads to a variety of paradoxes that remain unsolved in its framework. The first such an anomaly was described by Allais [9], which is now known as the Allais paradox. Other well known paradoxes are Ellsberg's paradox [10], Kahneman-Tversky's paradox [11], the conjunction fallacy [12, 13], the disjunction effect [14], and Rabin's paradox [15]. These and other paradoxes are conveniently reviewed in Refs. [16, 17].

There has been many attempts to modify expected utility theory in order to get rid of the paradoxes that plague its application to the processes involving decision making of real human beings. One of these approaches is the cumulative-prospect theory or reference-point theory [18], which assumes that decision making is not based on the absolute evaluation of payoffs but depends on a reference point that is specific to the present state of the decision maker. Because the reference point is shifted as a result of the consequences emerging from a first decision, the subsequent decision performed according to the reference-point theory is therefore sensitive to the difference between subsequent payoffs rather than to the absolute payoff deriving solely from the second decision. One of the main problem encountered when using reference-point theory is that the reference point of a decision maker is not uniquely defined: each decision maker can possess his/her own reference point, which is generally unknown. Moreover, reference-point theory is more suited to address those anomalies that arise in at least two-step gambles, in which the reference point can be expected to be shifted after each outcome. But, the majority of paradoxes appear in single-step gambles, where reference-point theory is not applicable. In the hope of explaining the paradoxes mentioned above, many other variants of the so-called non-expected utility theories have been suggested. A review of a variety of such non-expected utility theories can be found in Machina [19–21]. A rigorous analysis of these theories has been recently performed by Safra and Segal [22], who concluded that the non-expected utility theories cannot explain all paradoxes. Though it is possible to invent a modification of utility theory that will fit one or a few paradoxes, the problem is that many others will remain unexplained at best, or new inconsistencies will arise at worst.

A new approach to decision making has been advanced in Refs. [16,17,23], called Quantum Decision Theory (QDT). The main idea is to take into account that realistic decision-making problems are composite, consisting of several parts intimately interconnected, intricately correlated and entangled with each other. Several intended actions can interfere with each other, producing effects that cannot be simply measured by ascribing a classical utility function. The complexity involved in decision making reflects the interplay between the decision maker's underlying emotions and feelings and his/her attitude to risk and uncertainty accompanying the decision making process. In order to take account of these subtle characteristics in the most self-consistent and simple way, we suggest to use the mathematical techniques developed in the quantum theory of measurement of von Neumann [24] and in the quantum communication theory of Benioff [25]. This is the reason for referring to this new approach under the name Quantum Decision Theory (QDT). It is important to stress that we do not assume that human brains are quantum objects. It should just be understood that we use the techniques of complex Hilbert spaces, as a convenient mathematical toolbox that provides a parsimonious and efficient description of the complex processes involved in decision making.

In our previous papers [16, 17, 23], we formulated the mathematics of QDT and showed that this approach provides a straightforward explanation of practically all known paradoxes of classical decision making. However, we have not yet considered the class of so-called dynamical inconsistencies that arise in decisions (under risks and/or uncertainty) that compare different time horizons. The aim of the present paper is to analyze this class of inconsistency in the frame of QDT, explaining those effects that have remained unexplained in the standard theory.

In section 2, we provide a brief summary of the architecture of QDT that is needed for our analysis. Section 3 dissects the three classes of dynamic inconsistency (time inconsistency, planning paradox and discounting effects) and applies QDT to them. Section 4 presents a quantitative formulation of the dynamics of prospects, in which hyperbolic discounting is derived from simple principles. Section 5 concludes.

## 2 Quantum decision theory

In this section, we give a brief formulation of the theory to be used. We follow the scheme of Refs. [17,23], employing Dirac's notation [26,27] for the states belonging to the Hilbert spaces. To be precise, we recall below the basic definitions and axioms of QDT.

## <span id="page-2-0"></span>2.1 Main definitions

**Definition 1.** Action ring. The set of intended actions  $A_n$ , enumerated with an index n, forms an action ring

$$
\mathcal{A} = \{A_n : n = 1, 2, ..., N\}.
$$
 (1)

The ring is equipped with the binary operations, namely the addition and multiplication: for each  $A_m$  and  $A_n$  belonging to  $A$ ,  $A_m + A_n$  and  $A_m A_n$  also belong to  $A$ . The addition is associative, so that  $A_1+(A_2+A_3)=(A_1+A_2)+A_3$ , and reversible, in the sense that  $A_1+A_2=A_3$ yields  $A_1 = A_3 - A_2$ . The multiplication is distributive,  $A_1(A_2 + A_3) = A_1A_2 + A_1A_3$ , and idempotent,  $A_n A_n = A_n^2 = A_n$ . But, generally, it is not commutative, so that  $A_m A_n$  does not necessarily equal  $A_nA_m$  when m and n are different. There exists an empty action, such that  $A_n0 = 0A_n = 0$ . Two actions  $A_m$  and  $A_n$  are disjoint when  $A_m A_n = A_n A_m = 0$ .

Definition 2. Action modes. The elements of the action ring, the actions, can be composite

$$
A_n = \bigcup_{\mu=1}^{M_n} A_{n\mu} \qquad (M_n > 1) ,
$$
 (2)

being composed of several representations, called modes, labelled by  $\mu$ . Different modes are assumed to be disjoint,

$$
A_{n\mu}A_{n\nu}=\delta_{\mu\nu}A_{n\mu} ,
$$

where  $\delta_{\mu\nu}$  is the Kronecker delta. An action is composite if  $M_n > 1$ , in the other case, it is simple.

Definition 3. Action prospects. A more complex structure is an action prospect

<span id="page-3-0"></span>
$$
\pi_j = \bigcap_{n=1}^N A_{j_n} \qquad (A_{j_n} \in \mathcal{A}), \qquad (3)
$$

which is a conjunction of several actions. The prospect is composite if it includes composite actions, while it is simple if all actions in [\(3\)](#page-3-0) are simple.

**Definition 4.** Elementary prospects. A prospect is called elementary if all actions in its definition [\(3\)](#page-3-0) are simple, being represented by single modes. The elementary prospects

<span id="page-3-1"></span>
$$
e_{\alpha} = \bigcap_{n=1}^{N} A_{i_n \mu_n} \tag{4}
$$

are labelled by the binary multi-index

$$
\alpha = \{i_n, \mu_n: n = 1, 2, \ldots, N\}_{\alpha}.
$$

The set  $\{\alpha\}$  has cardinality card $\{\alpha\} = \prod_{n=1}^{N} M_n$ . All elementary prospects are disjoint with respect to each other,

$$
e_{\alpha}e_{\beta}=\delta_{\alpha\beta}e_{\alpha} .
$$

Definition 5. Prospect lattice. A particular family of prospects composes a prospect lattice

<span id="page-3-2"></span>
$$
\mathcal{L} = \{\pi_j : j = 1, 2, \dots, N_L\},\tag{5}
$$

where the binary operations  $\geq$  and  $\leq$  are defined, ordering the prospects so that, for each pair  $\pi_i$  and  $\pi_j$ , either  $\pi_i \geq \pi_j$  or  $\pi_i \leq \pi_j$ .

**Definition 6.** Mode states. To each mode  $A_{n\mu}$  there corresponds a complex function

$$
|A_{n\mu} >: \mathcal{A} \to \mathbb{C} \tag{6}
$$

called the mode state. The fact that each mode is idempotent and different modes are disjoint is expressed through the orthonormality condition for the scalar product  $\langle A_{n\mu}|A_{n\nu}\rangle = \delta_{\mu\nu}$ .

Definition 7. Mode space. The closed linear envelope

$$
\mathcal{M}_n = \text{Span}\{|A_{n\mu} > : \ \mu = 1, 2, \dots, M_n\},\tag{7}
$$

spanning all mode states, equipped with a scalar product, is the mode space. This is a Hilbert space of dimensionality dim $\mathcal{M}_n = M_n$ .

**Definition 8.** Basic states. To each elementary prospect [\(4\)](#page-3-1), there corresponds a complex function

<span id="page-4-2"></span>
$$
|e_{\alpha}\rangle = |A_{i_1\mu_1}A_{i_2\mu_2}\dots A_{i_N\mu_N}\rangle = \bigotimes_{n=1}^N |A_{i_n\mu_n}\rangle, \qquad (8)
$$

called a basic state. Since an elementary prospect [\(4\)](#page-3-1) is a conjunction of single modes, and different modes are disjoint with each other, this is expressed as the orthonormality condition for the scalar product  $\langle e_{\alpha}|e_{\beta}\rangle = \delta_{\alpha\beta}$ .

**Definition 9.** Mind space. The closed linear envelope

<span id="page-4-0"></span>
$$
\mathcal{M} = \text{Span}\{|e_{\alpha} > : \ \alpha \in \{\alpha\}\}\} = \bigotimes_{n=1}^{N} \mathcal{M}_n ,
$$
 (9)

spanning all basic states, endowed with a scalar product, is the mind space. This is a Hilbert space of dimensionality dim $\mathcal{M} = \prod_{n=1}^{N} M_n$ .

Definition 10. Prospect states. To each prospect [\(3\)](#page-3-0), there corresponds a complex function  $|\pi_i|$  is belonging to the mind space M. Because the prospects, generally, are composite, they are not necessarily normalized and orthogonal.

Definition 11. Strategic states. In the mind space [\(9\)](#page-4-0), there exist fixed reference states  $|\psi_s\rangle \in \mathcal{M}$ , which characterize the features typical of a given decision maker. These states are orthonormal, such that  $\langle \psi_s | \psi_{s'} \rangle = \delta_{ss'}$ .

**Definition 12.** Mind strategy. The collection of all strategic states  $|\psi_s\rangle$ , equipped with their weights  $w_s$ , forms the mind strategy

<span id="page-4-4"></span>
$$
\Sigma = \{ |\psi_s >, w_s : s = 1, 2, \dots, S \},
$$
\n(10)

where

$$
\sum_{s=1}^{S} w_s = 1 , \qquad 0 \le w_s \le 1 . \tag{11}
$$

The mind strategy describes the decision-maker character, his/her main beliefs and principles, according to which he/she makes decisions.

**Definition 13**. Prospect operators. Each prospect state  $|\pi_j\rangle$  defines the prospect operator

<span id="page-4-1"></span>
$$
\hat{P}(\pi_j) = |\pi_j\rangle \langle \pi_j| \tag{12}
$$

where  $\langle \pi_j |$  is the Hermitian conjugate to  $|\pi_j|$ . The prospect operators, by definition, are self-adjoint. The family of all prospect operators forms the involutive bijective algebra

$$
\mathcal{P} = \{ \hat{P}(\pi_j) : \ \pi_j \in \mathcal{L} \} .
$$

This algebra is analogous to the algebra of local observables in quantum theory.

**Definition 14.** Operator averages. The average of a prospect operator [\(12\)](#page-4-1) is the sum

<span id="page-4-3"></span>
$$
<\hat{P}(\pi_j) > \ = \sum_{s=1}^{S} w_s < \psi_s |\hat{P}(\pi_j)| \psi_s >
$$
 (13)

of its matrix elements over the strategic states.

**Definition 15.** Prospect probability. The probability of a prospect  $\pi_j \in \mathcal{L}$  is the average

$$
p(\pi_j) = \langle \hat{P}(\pi_j) \rangle \tag{14}
$$

of the prospect operator [\(12\)](#page-4-1), with the normalization condition

<span id="page-5-1"></span>
$$
\sum_{j=1}^{N_L} p(\pi_j) = 1 \tag{15}
$$

where the summation is over the whole prospect lattice  $\mathcal{L}$ .

**Definition 16.** Prospect ordering. A prospect  $\pi_1$  is indifferent to a prospect  $\pi_2$  if and only if their probabilities coincide,

$$
p(\pi_1) = p(\pi_2) \qquad (\pi_1 = \pi_2). \tag{16}
$$

And a prospect  $\pi_1$  is preferred to  $\pi_2$  if and only if

$$
p(\pi_1) > p(\pi_2) \qquad (\pi_1 > \pi_2). \tag{17}
$$

The ordering of prospects through the relation between their probabilities defines the explicit ordering in the prospect lattice [\(5\)](#page-3-2). The prospect  $\pi^*$  with the largest probability  $p(\pi^*)$  =  $\sup_j p(\pi_j)$  is called optimal.

Definition 17. Partial probabilities. The probability

$$
p(\pi_j e_\alpha) = \langle \hat{P}(e_\alpha) \hat{P}(\pi_j) \hat{P}(e_\alpha) \rangle \tag{18}
$$

of a conjunction prospect  $\pi_j e_\alpha$  defines the partial probability of realizing an elementary prospect  $e_{\alpha}$  when deciding on the prospect  $\pi_j$ . The partial probabilities are normalized as

$$
\sum_{j,\alpha} p(\pi_j e_\alpha) = 1 \tag{19}
$$

where the sum is over all  $\pi_j \in \mathcal{L}$  and all  $e_\alpha$ .

Definition 18. Attraction factor. The variable

<span id="page-5-0"></span>
$$
q(\pi_j) = \sum_{\alpha \neq \beta} <\hat{P}(e_{\alpha})\hat{P}(\pi_j)\hat{P}(e_{\beta})>
$$
\n(20)

quantifies the attractiveness of the prospect for a decision maker with respect to risk, uncertainty, and biases. It arises due to the interference between the intended actions of a given prospect  $\pi_j$ , that occurs during the decision process.

**Definition 19.** Attraction ordering. The prospects are ordered with respect to their attractiveness for a decision maker. A prospect  $\pi_1$  is more attractive than a prospect  $\pi_2$  if and only if

$$
q(\pi_1) > q(\pi_2) \tag{21}
$$

The prospects  $\pi_1$  and  $\pi_2$  are equally attractive if and only if

$$
q(\pi_1) = q(\pi_2) \tag{22}
$$

The impact in decision making of emotions and feelings, which are known to be important and practically inseparable from logical deliberation [28], are quantified by the attraction factor. The ordering of prospects with respect to their attractiveness, quantified by the attraction factor [\(20\)](#page-5-0), is a principal ingredient of QDT.

**Definition 20.** Attraction conditions. The distinction between more or less attractive prospects is formalized by the following rule. A prospect  $\pi_1$  is more attractive than a prospect  $\pi_2$ , when it is connected with:

- (a) more certain gain,
- (b) less certain loss,
- (c) higher activity under certainty,
- (d) lower activity under uncertainty.

These characteristics describe the aversion of a decision maker to risk, uncertainty, and presumed loss.

## 2.2 A few theorems

The above definitions constitute the basis of QDT  $[15,16,22]$ . They allow us to prove the following theorems proved in Ref. [17], which will be needed below.

**Proposition 1** (*Prospect probability*). The probability of a prospect  $\pi_j \in \mathcal{L}$  is

<span id="page-6-0"></span>
$$
p(\pi_j) = \sum_{\alpha} p(\pi_j e_{\alpha}) + q(\pi_j) , \qquad (23)
$$

where the summation is over the elementary prospects  $e_{\alpha}$ .

**Proposition 2** (*Attraction alternation*). The sum of all attraction factors [\(20\)](#page-5-0) is equal to zero:

$$
\sum_{j=1}^{N_L} q(\pi_j) = 0 \tag{24}
$$

where the summation is performed over all  $\pi_j \in \mathcal{L}$ .

**Proposition 3** (Preference criterion). A prospect  $\pi_1 \in \mathcal{L}$  is preferred to a prospect  $\pi_2 \in \mathcal{L}$ if and only if

$$
\sum_{\alpha} [p(\pi_1 e_{\alpha}) - p(\pi_2 e_{\alpha})] > q(\pi_2) - q(\pi_1).
$$
 (25)

These theorems imply that the probability of taking a given decision is controlled by the levels of attraction of the different competing prospects, thus emphasizing the emotional component of the decision process. Indeed, the choice of a specific prospect among several alternatives depends not solely on its value given by the first term in the right-hand side of Eq. [\(23\)](#page-6-0), but also on its attractiveness quantified by the attraction factor [\(20\)](#page-5-0). In classical decision theory, only values measured by a utility function are considered, but emotions and feelings are not taken into account. In QDT, the later are embodied in the new ingredients, the attraction factors.

### 2.3 Binary mind

To make the structure of the theory clearer, it is instructive to consider the particular case of a binary mind. This case is also of intrinsic interest because the majority of paradoxes can be treated and explained in this specific frame.

The binary mind corresponds to considering only two actions, while each of them can possess a number of representation modes. Let these actions be

<span id="page-7-0"></span>
$$
A = \bigcup_{j=1}^{M_1} A_j , \qquad B = \bigcup_{\mu=1}^{M_2} B_{\mu} . \tag{26}
$$

Hence, there are two mode spaces

$$
\mathcal{M}_1 = \text{Span}\{|A_j > : j = 1, 2, ..., M_1\}, \qquad \mathcal{M}_2 = \text{Span}\{|B_\mu > : \mu = 1, 2, ..., M_2\}.
$$
 (27)

The mind space is the tensor product of these two mode spaces

$$
\mathcal{M} = \mathcal{M}_1 \otimes \mathcal{M}_2 \,, \tag{28}
$$

hence its name "binary". This should not be confused with the dimensionality dim $\mathcal{M} = M_1 M_2$ of the binary mind, which can be large.

The elementary prospects [\(4\)](#page-3-1) are  $e_{j\mu} = A_j B_{\mu}$ , and the basic states [\(8\)](#page-4-2) become

$$
|e_{j\mu}\rangle = |A_j B_{\mu}\rangle \equiv |A_j\rangle \otimes |B_{\mu}\rangle . \tag{29}
$$

The action prospects [\(3\)](#page-3-0) can be constructed as  $\pi_j = A_j B$ , and the conjunction prospects as  $\pi_j e_{j\mu} = A_j B_{\mu}$ . According to Eq. [\(23\)](#page-6-0), the prospect probabilities are

<span id="page-7-1"></span>
$$
p(\pi_j) = \sum_{\mu=1}^{M_2} p(A_j B_\mu) + q(\pi_j) . \tag{30}
$$

One can draw the following analogies between the quantities of QDT presented above, and those of classical utility theory. The set B of modes  $B_\mu$  corresponds to the set of payoffs. Complementing this set by the related weights  $p_j(B_\mu)$  defines a lottery  $L_j$ . The weights  $p_j(B_\mu)$ can be expressed in terms of the conditional probabilities:  $p_j(B_\mu) = p(A_j|B_\mu)$ . This defines the probability of getting payoff  $B_\mu$  in lottery  $L_j$ . The analog of the expected utility is the sum

$$
\sum_{\mu=1}^{M_2} p(A_j B_\mu) = \sum_{\mu=1}^{M_2} p(A_j | B_\mu) p(B_\mu) , \qquad (31)
$$

where  $p(B_\mu)$  is a normalized measure of the payoff  $B_\mu$ .

Two essential characteristics distinguish QDT from classical utility theory.

(i) QDT is a probabilistic theory, in which each prospect is associated with its probability, which has a subjective component captured by the attraction factor. The prospect probability must be interpreted as a relative frequency, that is, it corresponds to the relative ratio of decision makers accepting the given prospect. This probabilistic framework accounts for the observations that, under the same conditions, different people may make different decisions. In contrast, classical utility theory is deterministic, with its prescription to the decision maker forcing him/her to accept the unique alternative which corresponds to the maximal expected utility.

(ii) In addition to the payoff values, QDT takes also into account the attractiveness of the analyzed prospects, quantified by their attraction factors [\(20\)](#page-5-0). These attraction factors are absent in utility theory. Therefore, a partial reduction of QDT to classical decision theory is obtained by setting the attraction factor to zero.

With QDT, it is possible to explain all paradoxes emerging with classical decision making [16, 17]. To give an idea how this is done, we present here a brief account of the resolution of Allais' paradox [9]. Allais' paradox can be described with a binary mind, as defined above. For the sake of brevity, we survey only the mathematical structure of this paradox, omitting the interpretations related to psychological features (see Refs. [16, 17] for in-depth analyses). A detailed description of the mathematical structure of the Allais paradox can be found in Ref. [17].

One considers two actions as in Eq. [\(26\)](#page-7-0), with  $M_1 = 4$  and  $M_2 = 3$  and mind dimensionality  $\dim \mathcal{M} = M_1 M_2 = 12$ . The experiment, demonstrating Allais' paradox, is organized in such a way that the balance condition

<span id="page-8-0"></span>
$$
p(A_1B_\mu) + p(A_3B_\mu) = p(A_2B_\mu) + p(A_4B_\mu)
$$
\n(32)

holds for all  $\mu = 1, 2, 3$ . The goal is to compare the prospects  $\pi_j = A_j B$  for different j. Allais' paradox is that most human decision makers prefer the prospect  $\pi_1$  to  $\pi_2$ , and  $\pi_3$  to  $\pi_4$  which, due to the balance condition [\(32\)](#page-8-0), leads to a contradiction. The fact that  $\pi_1$  is preferred to  $\pi_2$ translates in the language of QDT into the inequality  $p(\pi_1) > p(\pi_2)$ . The fact that prospect  $\pi_1$  looks more attractive (less uncertain, less risky) than  $\pi_2$  implies that  $q(\pi_1) > q(\pi_2)$ . Using [\(30\)](#page-7-1), this leads to

<span id="page-8-1"></span>
$$
\sum_{\mu=1}^{3} \left[ p(A_2 B_\mu) - p(A_1 B_\mu) \right] < q(\pi_1) - q(\pi_2) \tag{33}
$$

The fact that  $\pi_3$  is preferred to  $\pi_4$  translates in the language of QDT into  $p(\pi_3) > p(\pi_4)$ . The larger attraction of  $\pi_3$  compared with  $\pi_4$  implies that  $q(\pi_3) > q(\pi_4)$ . Again using [\(30\)](#page-7-1), this gives

<span id="page-8-2"></span>
$$
\sum_{\mu=1}^{3} \left[ p(A_3 B_\mu) - p(A_4 B_\mu) \right] > q(\pi_4) - q(\pi_3) . \tag{34}
$$

Then, using the definitions of subsection 2.1 and Proposition 2 on the property of attraction alternation, invoking the balance condition [\(32\)](#page-8-0), and combining inequalities [\(33\)](#page-8-1) and [\(34\)](#page-8-2), we get

<span id="page-8-3"></span>
$$
-|q(\pi_3) - q(\pi_4)| < \sum_{\mu=1}^3 \left[ p(A_2 B_\mu) - p(A_1 B_\mu) < |q(\pi_1) - q(\pi_2)| \right]. \tag{35}
$$

Classical decision theory corresponds to the limit of zero attraction factors  $(q(\pi_1) = q(\pi_2) =$  $q(\pi_3) = q(\pi_4)$ . In this case, the two inequalities [\(35\)](#page-8-3) result in a contradiction, since the sum in the middle cannot be larger than zero and, at the same time, smaller than zero. Within QDT, this contradiction does not arise. Actually, within QDT, Allais' paradox is explained from the interplay between the attraction factors of different prospects.

## 3 Dynamic inconsistency

We now use the framework of QDT to study dynamic inconsistency. In economics, time inconsistency refers roughly speaking to a situation when the preference of a decision-maker changes over time, in such a way that what is preferred at one point in time is inconsistent with what is preferred at another point in time. In fact, there are numerous variants of dynamic inconsistency. By being precise, one can distinguish three broad classes of dynamic inconsistency: (i) time inconsistency, (ii) planning paradox, and (iii) discounting effects. We now examine each one in turn.

## 3.1 Time inconsistency

Time inconsistency is well epitomized by Strotz's phrase [29]: "the optimal plan of the present moment is generally one which is not obeyed, or that the individual's future behavior will be inconsistent with his optimal plan." Various examples of this inconsistency have been described in the literature [30–32]. Kydland and Prescott [31] went so far as saying that the rational choice for future times "is not an appropriate tool for economic planning" and that "the application of optimal control theory is equally absurd."

The origin of time inconsistency is rather straightforward. When an individual makes a plan for the far future, he/she cannot be conscious of all the detailed circumstances that will arise in that future. New information is likely to appear and, in addition, the already available information may be open for re-evaluation. Since the future situation is likely to be different, it will require making a decision that is likely to differ from the current decision. The current decision for the future action then turns out to be sub-optimal when the future becomes the present.

There is no real paradox in this time inconsistency and its solution can be readily obtained: when making a decision for the distant future, it is necessary to try to predict future changes and include these forecasts in the decision making process. This recipe was suggested for instance by Strotz [29] who gave, as an example, the behavior of Odysseus when his ship was approaching the Sirens. Wishing to hear the Sirens' songs (short-term gratification) but mindful of the possible delayed danger (falling prey to the sirens), he ordered his men to close their ears with beeswax and to bind him to the mast of the ship. He also ordered his men not to heed his cries while they would pass the Sirens. In that way, Odysseus limited his future agency and binded himself to a restriction (to the mast) to survive the long-term consequences of his decision. Other numerous example are known, related to pension savings, health insurance, and so on. When making plans for the far future, one tries to anticipate the obstacles that may arise and one imposes restrictions and commitments that oppose the change of decision that would result otherwise due to time inconsistency. With the imposed commitments, time inconsistency disappears and the present decision becomes the optimized one for the future state. As experiments show [33], even rats possess the ability of making decisions that take into account an estimation of future events. We conclude that both the origin and the solution for time inconsistency are well understood and do not require invoking additional concepts for their interpretation.

## 3.2 Planning paradox

Consider a situation in which an individual makes a plan for a short future period of time, such that no novel information will become available and the individual himself does not change over that period. In the absence of any new information and of any change, the decision should be unchangeable as well. The invariance of the decision in that sense is referred to as the principle of dynamic consistency in classical decision theory.

However, it often happens that the decision maker does change the plan, for not apparent reason. A stylized example of this type of planning paradox is a smoker who plans to stop smoking tomorrow, while enjoying the pleasure of smoking today. Making this plan, he/she promises to stop smoking, understanding well that he/she will forgo future pleasures, for the anticipation of higher health benefits. The next day, while the plan and the utility resulting from its consequences have not changed, it is often observed the human beings change their plan, and continue smoking.

## <span id="page-10-0"></span>3.2.1 Mathematical formulation of the planning paradox and resolution within QDT

Such a behavior poses a real paradox within expected utility theory. To formulate this paradox in precise terms, let us consider the following intended actions:

- planning to stop smoking tomorrow  $(A_1)$  or
- not to stop smoking tomorrow  $(A_2)$ ,
- to stop smoking in reality  $(A_3)$  or
- continue smoking in reality  $(A_4)$ .

Each of these actions is associated with the following consequences:

- 1. suffering from addiction  $(B_1)$  or
- 2. not suffering but getting pleasure from smoking  $(B_2)$ ,
- 3. having better health  $(B_3)$  or
- 4. spoil it  $(B_4)$ .

The related four action sets are  $X_j = \{A_j B_\mu : \mu = 1, 2, 3, 4\}$ , with  $j = 1, 2, 3, 4$ . Following utility theory, and ascribing probabilities to these actions, one gets the corresponding lotteries  $L_j = L_j(X_j)$ . Note that the utility functions of the actions  $A_1B$  and  $A_3B$ , where  $B = B_1 +$  $B_2 + B_3 + B_4$ , are the same when expressed for tomorrow, since the two actions of stopping smoking become equivalent. Similarly, the utility functions tomorrow of the actions  $A_2B$  and  $A_4B$  are equal, since continuing smoking is the same action, with the same consequences. Therefore, the expected utilities of the lotteries  $L_1$  and  $L_3$  are equal:  $U(L_1) = U(L_3)$ . And analogously,  $U(L_2) = U(L_4)$ . But many individuals prefers  $L_1$  to  $L_3$ , which implies that, for these individuals,  $U(L_1) > U(L_3)$ . The same individuals also chooses  $L_4$  over  $L_2$ , which implies that  $U(L_2) < U(L_4)$ . This leads to a contradiction violating the principle of dynamic consistency of classical decision making.

Let us now show how this paradox can be explained within QDT. Consider the intended actions  $A_j$ , with  $j = 1, 2, 3, 4$ , and the set of consequences  $\{B_\mu\}$ , defined above. The prospects that need to be compared are

$$
\pi_j = A_j B \qquad \left( B = \bigcup_{\mu} B_{\mu} \right) . \tag{36}
$$

The fact that the value of quitting smoking tomorrow has a determined value can be expressed as the equality

<span id="page-11-0"></span>
$$
\sum_{\mu} p(A_1 B_{\mu}) = \sum_{\mu} p(A_3 B_{\mu}). \tag{37}
$$

The value of continuing smoking is also determined, so that

<span id="page-11-1"></span>
$$
\sum_{\mu} p(A_2 B_{\mu}) = \sum_{\mu} p(A_4 B_{\mu}). \tag{38}
$$

We then introduce the attractor factors in order to model the subjective emotions associated with the different actions. Stopping smoking in imagination is easier, since the associated pain is not yet felt but the risk for health associated to continuation seems evident. This is why to stop smoking in a plan delaying the action is more attractive than in reality. The associated attraction factors must then obey the following inequality:  $q(\pi_1) > q(\pi_3)$ . In contrast, continuing smoking unconditionally amounts to abandon oneself to the pleasure of addiction, which is preferred in general to the failure of not abiding to a plan to abandon smoking, given that the health benefits are felt to be uncertain. One can summarize these emotions by saying that continuing smoking is more attractive in reality than in imagination. This is formulated mathematically by the following inequality for the corresponding attraction factors:  $q(\pi_4) > q(\pi_2)$ . Summarizing, we have

<span id="page-11-2"></span>
$$
q(\pi_1) > q(\pi_3) , \qquad q(\pi_4) > q(\pi_2) . \tag{39}
$$

Writing the prospect probabilities according to Eq. [\(30\)](#page-7-1), and taking into account Eqs. [\(37\)](#page-11-0) and [\(38\)](#page-11-1) gives

$$
p(\pi_1) - p(\pi_3) = q(\pi_1) - q(\pi_3) , \qquad p(\pi_4) - p(\pi_2) = q(\pi_4) - q(\pi_2) . \tag{40}
$$

The inequalities [\(39\)](#page-11-2) imply immediately that the prospect  $\pi_1$  is preferred to  $\pi_3$ , while  $\pi_4$  is preferred to  $\pi_2$ . As for other paradoxes, the absence of contradiction in QDT results from the existence of the attraction factors, which are absent in classical utility theory. We have shown that they derive intrinsically from the Hilbert space structure of the theory that accounts for entanglement between prospects. Putting the attraction factors to zero recovers the inconsistency associated with the planning paradox. As QDT is a probabilistic theory, the above conclusion that  $p(\pi_1) > p(\pi_3)$  and  $p(\pi_4) > p(\pi_2)$  does not mean that no individual can stop smoking. The general subjective preferences embodied in the attraction factors only tell us that the majority of them will not be able to quit smoking.

#### 3.2.2 Generalization to two-step games

To show that the explanation proposed by QDT is general, let us consider another example of the planning paradox, with two-step gambles. In two-step gambles, decision makers are typically confronted sequentially with two successive gambles, with probabilities 1/2 to gain or to loose in each of them. Before playing the first gamble, participants are asked to make a planned choice as whether they would take the second gamble, provided the first one is either won or lost. Then the first gamble is played. After experiencing the actual results of the first gamble, decision makers are asked to make a final choice regarding the second gamble, whether they accept it or not.

A number of experiments have been performed to test the dynamic consistency in the frame of such two-step gambles [34–36]. The experiments showed that the final choices of the participants were frequently inconsistent with their plans, even when the anticipated and experienced outcomes were identical. These inconsistencies are found to occur in a systematic direction: anticipating a gain in the first gamble, decision makers planned to take the second gamble - but after experiencing the gain, some of them changed their minds and rejected the second gamble. And, anticipating a loss in the first gamble, the participants planned to restrain from the second gamble - however, experiencing the actual loss, they often changed their plans and accepted the second gamble. Attempts were made [34, 36] to explain this inconsistency within the framework of the reference-point theory [18], arguing that, after the first gamble, the reference point of the decision makers has been shifted. In the introduction section 1, we have already discussed the weakness of the reference-point approach. These are the ambiguity in defining both the reference point as well as the shift. And, what is more important, the reference-point theory can be applied only to two-step or multi-step gambles. It is not applicable to single-step gambles. But there are numerous cases where the planning paradox occurs in single-step gambles, such as in the above example of the smokers planning to stop smoking. Busemeyer et al. mentioned in an earlier publication [37] that the planning paradox in two-step gambles could be related to quantum effects in decision making. Below, we provide a concrete implementation of this vision, by showing how the planning paradox in two-step games find a natural resolution.

The mathematical structure of the two-step gambles of the type described in Refs. [34–36] can be reduced to a structure that is similar to, though slightly more complicated than, the structure underlying the case described in the previous section [3.2.1.](#page-10-0) The two-step game proceeds as follows. The first gamble is obligatory and cannot be refused while the second gamble can be rejected. Specifically, the following alternatives are offered to the decision maker.

- Assuming an anticipated gain  $(C_1)$  or loss  $(C_2)$  in the first gamble, the second gamble can be accepted  $(A_1)$  or rejected  $(A_2)$ , with the chances of winning  $(B_1)$  or loosing  $(B_2)$ being equal.
- After experiencing a realized gain  $(C_3)$  or an actual loss  $(C_4)$  in the first gamble, the

second gamble can be accepted  $(A_1)$  or rejected  $(A_2)$ , with the chances of winning  $(B_1)$ or to loose  $(B_2)$ .

The planning stage before playing the first game is characterized by the four prospects

$$
\pi_1 = A_1 BC_1 , \qquad \pi_2 = A_2 BC_1 , \qquad \pi_3 = A_1 BC_2 , \qquad \pi_4 = A_2 BC_2 , \qquad (41)
$$

where  $B = B_1 + B_2$ . After having played the first game, the decision maker faces the four new prospects

$$
\pi_5 = A_1 BC_3 , \qquad \pi_6 = A_2 BC_3 , \qquad \pi_7 = A_1 BC_4 , \qquad \pi_8 = A_2 BC_4 . \tag{42}
$$

The four prospects in the planning stage form two binary lattices:

$$
\mathcal{L}_1 = \{\pi_1, \ \pi_2\}, \qquad \mathcal{L}_2 = \{\pi_3, \ \pi_4\} \,. \tag{43}
$$

The four prospects available after playing the first game form the two other binary lattices

$$
\mathcal{L}_3 = \{\pi_5, \ \pi_6\} \ , \qquad \mathcal{L}_4 = \{\pi_7, \ \pi_8\} \ . \tag{44}
$$

Analogously to conditions [\(37\)](#page-11-0) and [\(38\)](#page-11-1), it is assumed that the utility of accepting or rejecting the second gamble does not depend on whether the first gamble is assumed to be won or lost in the planning stage or actually won or lost in reality. This means that

<span id="page-13-0"></span>
$$
p(A_1 BC_1) = p(A_1 BC_3) , \qquad p(A_1 BC_2) = p(A_1 BC_4) . \tag{45}
$$

Next, we model the subjective beliefs and emotions commonly observed in humans by specifying the attraction factors of each prospect. Many human beings share the gambler's fallacy [38], in which an observed deviation from an expected fair chance of winning or losing is expected to be followed by a reversal. In other words, playing a gamble with equal chances to win or to loose, humans often expect that, after winning one gamble, the chance to win a second gamble is reduced. Reciprocally, after loosing one gamble, the odds to win the next gamble are felt to increase. One can say that, after winning a gamble, a fear to loose the next gamble appears. However, this fear is less intense in imagination than in reality. That is, the perceived risk in the planning stage is weaker than after the realized gain of the first game, since an imaginary gain or loss is less certain than the real one. This makes the prospect  $\pi_1$  of accepting the second gamble, after an anticipated gain in the first gamble, more attractive than the prospect  $\pi_5$  of really accepting the second gamble after an actual gain in the first gamble. This translates into

<span id="page-13-1"></span>
$$
q(\pi_1) > q(\pi_5) \tag{46}
$$

Similarly, after loosing in the first gamble, the expectation to win in the second gamble increases, but less in imagination than following a realized win, hence

<span id="page-13-2"></span>
$$
q(\pi_3) < q(\pi_7) \tag{47}
$$

We thus obtain the probabilities of the prospects  $\pi_1$  and  $\pi_5$  as

$$
p(\pi_1) = p(A_1B_1C_1) + p(A_1B_2C_1) + q(\pi_1) , \qquad p(\pi_5) = p(A_1B_1C_3) + p(A_1B_2C_3) + q(\pi_5) .
$$
 (48)

Similarly, the probabilities of the prospects  $\pi_3$  and  $\pi_7$  are

$$
p(\pi_3) = p(A_1B_1C_2) + p(A_1B_2C_2) + q(\pi_3) , \qquad p(\pi_7) = p(A_1B_1C_4) + p(A_1B_2C_4) + q(\pi_7) .
$$
 (49)

Comparing these probabilities, with taking account of conditions [\(45\)](#page-13-0), we get

$$
p(\pi_1) - p(\pi_5) = q(\pi_1) - q(\pi_5), \qquad p(\pi_7) - p(\pi_3) = q(\pi_7) - q(\pi_3).
$$
 (50)

From Eq. [\(46\)](#page-13-1), we obtain  $p(\pi_1) > p(\pi_5)$ , that is, the first prospect is preferred to the fifth prospect,  $\pi_1 > \pi_5$ : individuals choose to play the second game more often when they do not know the outcome of the first game but expect a gain, than after the gain is realized. From Eq. [\(47\)](#page-13-2), we see that  $p(\pi_7) > p(\pi_3)$ , hence the seventh prospect is preferred to the third one,  $\pi_7 > \pi_3$ : individuals choose more often to play the second game after losing the first game than when imagining that they could lose before playing the first game. Thus, no contradiction arises within QDT.

We again emphasize that the preference for one prospect at the expense of a second prospect does not imply that all decision makers choose it, but only that the fraction of decision makers preferring that prospect is larger than the fraction of decision makers choosing the second prospect. Depending on the gain prizes and on the loss amounts, the resulting differences between the corresponding prospect probabilities may be small. For example, in the experiment of Barkan and Busemeyer [36] on the planning paradox, the probabilities, measured as the average fractions of decision makers taking the corresponding alternatives are as follows. In the planning stage before playing the first game, Barkan and Busemeyer [36] find

$$
p(\pi_1) = 0.60
$$
,  $p(\pi_2) = 0.40$ ,  $p(\pi_3) = 0.63$ ,  $p(\pi_4) = 0.37$ . (51)

After the gain or loss of playing the first game are known, the probabilities of the different prospects are found as follows [36]:

$$
p(\pi_5) = 0.53
$$
,  $p(\pi_6) = 0.47$ ,  $p(\pi_7) = 0.69$ ,  $p(\pi_8) = 0.31$ . (52)

This gives

$$
p(\pi_1) - p(\pi_5) = 0.07 , \qquad p(\pi_7) - p(\pi_3) = 0.06 . \qquad (53)
$$

Thus, while the planning paradox is clear, not all individuals follow it, justifying the probabilistic framework of QDT.

Concluding this section, the planning paradox has been explained away by taking into account the impact of subjective beliefs and emotions in decision making, via the attraction factor defined by expression [\(20\)](#page-5-0). We stress also that the proposed framework remains valid both for single-step as well as for multistep gambles.

### 3.3 Discounting effects

Generally, the term discounting addresses the problem of translating values from one time period to another. The larger the discount rate, the more weight the decision maker places on costs and benefits in the near term over costs and benefits over the long term. Depending on the specification of the problem, it is possible to distinguish several discounting effects, that we analyze in turn.

#### <span id="page-15-1"></span>3.3.1 Value discounting

According to utility theory, the costs and benefits of an action can be evaluated by means of its utility, or its value to the decision maker. The benefits of an action are, for instance, to receive an amount of money or any other useful object at a given time. When an action  $x$ is made at time t, it has a utility  $u(x, t)$ . Assume, we start our analysis at time zero,  $t = 0$ , when the action utility is  $u(x, 0)$ . But the same action at a later time t is  $u(x, t)$ , which may be different. The difference comes from the obvious understanding that what we get earlier we can start using earlier, hence, it is more useful than what we would get later, having less time for its use. A typical example is provided by the time value of money. An amount  $x$  of money received at time  $t = 0$  has a value  $u(x, 0)$ . This money can bring a profit, increasing, after the period of time  $t_n$  to the amount  $x(1+r)^{t_n}$ , where r is an interest rate for a unit time interval. Therefore, the value of money  $x$  today is larger than the value of the same amount of money after time  $t_n$ . Hence, it is natural to prefer x now, instead of x at a future time  $t_n$ .

In QDT, this preference for a receipt now rather than delayed can be framed in the following decision making procedure. We consider the intended actions of getting an amount of money now  $(A_1)$  or, the same amount, sometimes later  $(A_2)$ . The different possible ways of using this money are described by a set  ${B<sub>\mu</sub>}$  of intended actions  $B<sub>\mu</sub>$ . One makes a choice between the prospects

$$
\pi_j = A_j B , \qquad B \equiv \bigcup_{\mu} B_{\mu} \qquad (j = 1, 2) . \tag{54}
$$

The prospect probabilities are

$$
p(\pi_1) = \sum_{\mu} p(A_1 B_{\mu}) + q(\pi_1) , \qquad p(\pi_2) = \sum_{\mu} p(A_2 B_{\mu}) + q(\pi_2) . \tag{55}
$$

The fact that an amount of money now gives more possibilities than the same amount received later means that

<span id="page-15-0"></span>
$$
\sum_{\mu} p(A_1 B_{\mu}) \, > \, \sum_{\mu} p(A_2 B_{\mu}) \, . \tag{56}
$$

In addition, getting something later is more uncertain, hence,  $q(\pi_1) > q(\pi_2)$ . Then it is evident that  $\pi_1 > \pi_2$ .

While the conclusion is the same as in classical utility theory, what QDT brings additionally is the breakdown of the time value into an objective component (the sums of probabilities in [\(56\)](#page-15-0) quantifying the investment and consumption opportunities) and a subjective component  $q(\pi)$  quantifying the emotional cost of various degrees of delaying.

#### <span id="page-15-2"></span>3.3.2 Event uncertainty

Certain paradoxes arise because the problems are not well-posed or are too ill-defined with some features remaining unspecified or vague. Consider the typical example where one has to choose between 50 dollars now or a significantly larger amount, say 100 dollars, in a year. Proposing a larger amount in the future is supposed to account for the discounting effect of the previous subsection. Indeed, given that a given amount now is always preferred to the same amount in the future (assuming a normal growing economy) as explained in the previous subsection, one can expect to find some larger amount tomorrow that would be as attractive as the proposed

sum today. The ratio of the two sums defines the discount factor of a given individual, which quantifies the value of his/her time preference. The example comparing 50\$ now to 100\$ in a year implicitly considers that the rational discount factor cannot be less than 1/2, or in other words, the interest rate that would provide dividends to an investment of 50\$ cannot be larger than 100%, so that the sum of 100\$ in a year should be more attractive than the sum of 50\$ received immediately. It turns out that it is often observed that individuals prefer to get \$50 now instead of \$100 in a year. This seems a priori quite puzzling.

In fact, there is no real mystery, even within classical utility theory: because of the formulation of the problem, the related probabilities are not defined. And decision makers intuitively understand that the receipt of \$50 now is rather certain, while the sum of \$100 in a year is not certain at all. That is, one compares the lottery  $L_1 = \{0, 0; \$50, 1; \$100, 0\}$  with the lottery  $L_2 = \{0, 1-p; 350, 0; 3100, p\}$ , where p is not known. It can be perceived to be small because of many reasons, e.g., lack of trust in the commitment to deliver 100\$ in a year due to uncertainties associated with the possible death, bankruptcy or simply default of the counter party, or uncertainty in the survival of the decision maker who would not be in position to enjoy the receipt of 100\$ in a year. Therefore, the expected utility of the first lottery is  $U(L_1) = u$ (\$50) while that of the second lottery is  $U(L_2) = (1-p)u(0) + pu(\$100)$ . For sufficiently small  $p \ll 1$ , it happens that  $U(L_1) > U(L_2)$ , justifying the preference of  $L_1$  to  $L_2$ . The effect is referred to in the literature as "uncertain aversion".

In QDT, this effect is easily described in the same way as in Section [3.3.1.](#page-15-1) One compares the prospects of getting \$50 now  $(\pi_1)$  or \$100 in a year  $(\pi_2)$ . The smaller probability of the second prospect implies inequality [\(56\)](#page-15-0). The process of waiting is related to anxiety [39], making the delayed event of getting money less attractive. And, by definition, the second prospect is less attractive since it is more uncertain. That is,  $q(\pi_1) > q(\pi_2)$ . The immediate result is that  $\pi_1 > \pi_2$ .

It is interesting to compare the two explanations. In classical utility theory, the preference for 50\$ now instead of 100\$ in a year is accounted for by uncertainty aversion, translating into a small subjective probability for the 100\$ payoff to happen. In QDT, the uncertain aversion is embodied automatically into the attraction factor  $q(\pi)$ , while the normal discounting effects associated with different opportunities are included in the objective probabilities  $\sum_{\mu} p(A_j B_{\mu}).$ 

#### <span id="page-16-0"></span>3.3.3 Preference reversal

A standard problem in classical decision theory is revealed by a dynamic-inconsistency paradox associated with the inversion of preferences, in which money versus time preferences are inverted as the time horizon is changed. To specify the problem, let us consider the following setup. There is a choice between \$50 now and \$100 in a year. As discussed in Sec. [3.3.2](#page-15-2) above, individuals almost always prefer \$50 now. But when there is a choice between \$50 in ten years and \$100 in eleven years, human beings usually prefer \$100 in eleven years. This reversal of preference occurs notwithstanding the fact that the time difference between ten and eleven years is exactly the same as between zero and one, so that a pure rational discounting mechanism would predict the same consistent choice of the smaller amount at the earlier time. This reversal is usually associated with a trait characterizing human beings, called hyperbolic value discounting or generalized hyperbolic discounting [40–45], such that the near events are characterized by larger discount rates than the events in a more distant future. The problem is that this explanation unavoidably leads to time inconsistency since, when the decision maker reconsiders the same choice after ten years, he/she again would prefer \$50 today to \$100 in a year, thus again reversing the previous preference he/she expressed ten years earlier.

The preference-reversal paradox finds a natural explanation within QDT, since its formulation in terms of prospects implies that choices considered at different times and planned for at different future instants of time are actually different prospects, even though they are associated with equivalent actions. To be more precise, a correct definition of a prospect  $\pi_i$  depends on the point in time  $t_0$  when it is considered, as well as on the point in time t for which it is planned to be realized. That is, strictly speaking, a prospect is a function  $\pi_i(t, t_0)$ . With this specification, the above setup can be formalized as follows. Let the prospects of getting \$50 or \$100 correspond to the notations  $\pi_1$  and  $\pi_2$ , respectively. At time  $t_0 = 0$ , there are four prospects. One is the prospect  $\pi_1(0, 0)$  of getting \$50 now. Another is the prospect  $\pi_2(1, 0)$ of getting \$100 in a year. The third prospect is  $\pi_1(10, 0)$  of getting \$50 in 10 years. And the fourth prospect  $\pi_2(11, 0)$  is getting \$100 in 11 years. As discussed above, the odds of getting \$50 now are more certain than those of getting \$100 in a year, hence

$$
\pi_1(0,0) > \pi_2(1,0). \tag{57}
$$

At the same time, both prospects of getting \$50 in ten years or \$100 in eleven years seem almost equally uncertain. However, the stake in the latter case is larger, which results in the preference

$$
\pi_2(11,0) > \pi_1(10,0) \tag{58}
$$

After time elapses to the decision at the point in time  $t_0 = 10$ , two new prospects become available. One is the prospect  $\pi_1(10, 10)$  of getting \$50 at this moment of time and another,  $\pi_2(11, 10)$  of getting \$100 one year later after  $t_0 = 10$ . Using the same arguments, one has

$$
\pi_1(10, 10) > \pi_2(11, 10) \,. \tag{59}
$$

There is no contradiction between the above decisions, since different prospects are compared.

## 4 Prospect dynamics

## 4.1 Definition of the discount factor

The evolution of probabilities in classical decision theory are usually characterized by Markov equations [37, 46]. To determine how the probability of a given prospect in QDT evolves as a function of time, let us consider a prospect  $\pi_j(t, t_0)$  of deciding at time  $t_0$  for the planned realization at a later time t. The corresponding prospect state is  $|\pi_i(t, t_0)| >$ . Using the definitions of section [2.1,](#page-2-0) the corresponding prospect operator is

$$
\hat{P}(\pi_j(t, t_0)) = |\pi_j(t, t_0) >< \pi_j(t, t_0)| \tag{60}
$$

The prospect probability is defined by the average [\(13\)](#page-4-3), which we denote

$$
p_j(t, t_0) \equiv \langle \hat{P}(\pi_j(t, t_0)) \rangle . \tag{61}
$$

We may assume that the strategy defined by [\(10\)](#page-4-4), which characterizes a given decision maker, does not change during the time during which the decisions are made. In other words, the same decision maker is considered. Then, the prospect probability varies in time as

<span id="page-18-0"></span>
$$
\frac{d}{dt} p_j(t, t_0) = \frac{d}{dt} \hat{P}(\pi_j(t, t_0)) > . \tag{62}
$$

Let us define the decay rate  $\alpha_i(t, t_0)$  of the prospect state  $|\pi_i(t, t_0)\rangle$  through the equation

$$
\alpha_j(t, t_0) \equiv -\frac{d}{dt} \ln |\pi_j(t, t_0) \rangle . \tag{63}
$$

The decay rate  $\alpha_j(t, t_0)$  accounts for the possible disappearance of opportunities as the future unfolds. Then, accomplishing the differentiation in the right-hand side of Eq. [\(62\)](#page-18-0) yields

<span id="page-18-1"></span>
$$
\frac{d}{dt} p_j(t, t_0) = -\gamma_j(t, t_0) p_j(t, t_0) , \qquad (64)
$$

where

$$
\gamma_j(t, t_0) \equiv 2\text{Re}[\alpha_j(t, t_0)]\tag{65}
$$

can be called the "probability discount rate." Integrating equation [\(64\)](#page-18-1) gives the prospect probability

<span id="page-18-2"></span>
$$
p_j(t, t_0) = p_j(t_0, t_0) f_j(t, t_0) , \qquad (66)
$$

with the discount factor

<span id="page-18-3"></span>
$$
f_j(t, t_0) \equiv \exp\left\{-\int_{t_0}^t \gamma_j(t', t_0) dt'\right\},\qquad(67)
$$

obeying the initial value condition  $f_i(t_0, t_0) = 1$ . Equations [\(66\)](#page-18-2) and [\(67\)](#page-18-3) define the probability of a prospect, evaluated at an initial time  $t_0$ , which is to be realized at the instant of time t.

In the economic literature, the simplest and standard assumption is to assume a constant discount rate, corresponding to an exponential discount factor. As reviewed by Cochrane [47], the exponential discount factor can be generalized into the concept of the stochastic discount factor which, by capturing the macro-economic risks underlying each security's value, provides a consistent pricing of all assets. Different models, such as the CAPM, multifactor models, term structure of bond yields, and option pricing can be derived as different specifications of the discounted factor.

## 4.2 First-principle construction of the functional form of the discount rate

Here in contrast, rather than deriving the form of the discount factor that corresponds to a specific economic model, by using general symmetry requirements, we construct the possible generic functional dependences that the discount factor can take to describe the value of delayed payoffs. For this, we use the self-similar approximation theory [48–54]. The idea is to start from an expansion of the discount rate valid for short time, that is believed to be generally valid. Then, a number of conditions are implemented to construct the function forms that can be naturally associated with the initial expansion. The derivation of the corresponding discount

factor proceeds through three successive steps. First, to improve the convergence property of a perturbative sequence, control functions defined by an optimization procedure are introduced. This idea forms the foundation of the optimized perturbation theory [53, 54]. The second pivotal idea is to consider the successive passage from one approximation to the next one as a dynamical evolution on the manifold of approximants, which is formalized by the notion of group self-similarity. The third principal point is the introduction of control functions in the course of rearranging perturbative asymptotic expansions by means of algebraic transforms. We use the variant of the self-similar approximation theory [48–54] employing the self-similar factor approximants [55–59], based on the property that the control parameters entering the selfsimilar factors can be completely defined from a given asymptotic expansion by the so-called accuracy-through-order matching method. This approach was shown to be essentially more accurate than the method of Padé approximants  $[60]$ . In addition to providing reconstruction with a very good accuracy of rational functions as the Padé method does, it determines irrational and transcendental functions with excellent precision [55–59]. These approximants also allow one to reconstruct exactly a wide class of functions.

In its applications to the construction of the functional dependence of the discount factor, we proceed as follows. First, we note that, in full generality, the probability discount rate  $\gamma_i(t, t_0)$ can be positive as well as negative. This is because the prospect probabilities are normalized according to condition [\(15\)](#page-5-1). Consequently, if there are diminishing probabilities, then there should exist increasing probabilities in order that normalization [\(15\)](#page-5-1) be always valid. For instance, if the probability of getting something attractive, like money, diminishes with time, then the probability of getting nothing, respectively, increases. Therefore, in what follows, it is sufficient to consider only decreasing probabilities, related to getting something appealing, keeping in mind that there exist as well their increasing counterparts defined through the normalization [\(15\)](#page-5-1). The condition, that the probability discount rate  $\gamma_i(t, t_0)$  is a nonincreasing function of time, reads

<span id="page-19-1"></span>
$$
\frac{d}{dt}\gamma_j(t,t_0) \le 0\,. \tag{68}
$$

To go further, we assume that the rate  $\gamma_i(t, t_0)$  is an analytic function of t in the vicinity of the initial time  $t = t_0$ . This means that the expansion

<span id="page-19-0"></span>
$$
\gamma_j(t, t_0) \simeq \gamma_j \sum_{n=0}^N a_n (t - t_0)^n , \qquad (69)
$$

where  $\gamma_j \equiv \gamma_j(t_0, t_0)$  is the spot rate and  $a_0 = 1$ , is valid for asymptotically small  $t - t_0 \to 0$ . The upper limit  $N$  of the summation can be taken to infinity.

Then, the method of self-similar factor approximants [55–59] mentioned above is used to construct the general class of functions corresponding to the expansion [\(69\)](#page-19-0). This amounts to extrapolate the asymptotic series [\(69\)](#page-19-0), valid for small  $t - t_0$ , to the region of all  $t > t_0$ . Extrapolating, by means of the self-similar factor approximants [55–59], the asymptotic series [\(69\)](#page-19-0) under condition [\(68\)](#page-19-1) gives

<span id="page-19-2"></span>
$$
\gamma_j(t, t_0) = \gamma_j \left( 1 + \frac{t - t_0}{t_j} \right)^{-n_j}, \qquad (70)
$$

where  $t_j$  is a time scale and  $n_j \geq 0$ . We stress the non-trivial nature of the construction of the function [\(70\)](#page-19-2) by the self-similar factor approximants, which makes appear the exponent  $n_j$ . This exponent plays a key role in structuring the form of the discount factor.

## 4.3 The four classes of discount factors

Four types of discount factors are predicted, corresponding to the four different sets: (i)  $n<sub>j</sub> = 0$ ; (ii)  $0 < n_j < 1$ ; (iii)  $n_j = 1$ ; and (iv)  $1 < n_j$ .

(i)  $n_j = 0$ . The discounting function [\(67\)](#page-18-3) is the simple exponential

<span id="page-20-0"></span>
$$
f_j(t, t_0) = \exp\{-\gamma_j(t - t_0)\} \ . \tag{71}
$$

This type of discount factor is standard in the value-discounting problems.

(ii)  $0 < n_j < 1$ . The discounting function [\(67\)](#page-18-3) takes the form

$$
f_j(t, t_0) = \exp\left\{-\frac{\gamma_j t_j}{1 - n_j} \left[ \left(1 + \frac{t - t_0}{t_j}\right)^{1 - n_j} - 1\right] \right\}.
$$
 (72)

At short times  $t-t_0 < t_j$ ,  $f_j(t,t_0)$  reduces approximately to the pure exponential form. However, for large times such that  $t \gg t_0, t_j, f_j(t, t_0)$  is approximated by the function

$$
f_j(t, t_0) \simeq \exp\left\{-\frac{\gamma_j t_j}{1 - n_j} \left(\frac{t}{t_j}\right)^{1 - n_j}\right\},\tag{73}
$$

called the stretched exponential (see, e.g., Chapter 6 of Ref. [61]). Stretched exponential relaxation of a macroscopic variable to an equilibrium is well-known in physics, such as in "complex" fluids [62], glasses [63–67], porous media, semiconductors, etc, a law known under the name Kohlrausch–Williams–Watts law [63, 66]. The stretched-exponential decay of the discount factor as a function of time reflects a decay slower than exponential of the time value of future payoffs. An even slower decay is found for the next case  $n_j = 1$ .

(iii)  $n_j = 1$ . The discounting function [\(67\)](#page-18-3) reads

<span id="page-20-1"></span>
$$
f_j(t, t_0) = \frac{1}{[1 + (t - t_0)/t_j]^{\gamma_j t_j}}.
$$
\n(74)

This recovers the postulated form associated with so-called generalized hyperbolic discounting or, simply, hyperbolic discounting function [40–44], which seems to account better for the observed time-preference of human beings than the standard exponential form [\(71\)](#page-20-0).

(iv)  $n_j > 1$ . Eq. [\(67\)](#page-18-3) leads to

<span id="page-20-2"></span>
$$
f_j(t, t_0) = \exp\left\{-\frac{\gamma_j t_j}{n_j - 1} \left[1 - \frac{1}{(1 + (t - t_0)/t_j)^{n_j - 1}}\right]\right\}.
$$
 (75)

At short times,  $f_j(t, t_0)$  is again well-approximated by an exponential form. However, at large times  $(t - t_0 \gg t_j)$ ,  $f_j(t, t_0)$  tends to a non-zero limit

<span id="page-20-3"></span>
$$
\lim_{t \to \infty} f_j(t, t_0) = \exp\left(-\frac{\gamma_j t_j}{n_j - 1}\right) \tag{76}
$$

This is in contrast with the previous cases [\(71\)](#page-20-0) to [\(74\)](#page-20-1) and with the standard assumption that  $f_i(t, t_0)$  tends to zero at large times because individuals do not care for events that are very very far in the future. This new regime is a priori unexpected and surprising, because it implies that payoffs or costs that are very far in the future still contribute a finite amount to the likelihood of a given prospect. In common terms, according to [\(75\)](#page-20-2) leading to [\(76\)](#page-20-3), extremely far ahead outcomes are not discounted to zero, but provide a finite input to the effective utility of the decision maker. While providing perhaps the most dramatic rupture with standard discounting and decision making theory, we believe that the form [\(75\)](#page-20-2) leading to the bizarre result [\(76\)](#page-20-3) is actually formalizing an important element of decision making. Specifically, very low to zero discount rates are presently being discussed for analyzing intergenerational public policy choices [68–70]. These policies encompass issues such as global warming and nuclear waste disposal. Nuclear waste disposal in particular involves time scales up to million of years over which mankind will have to continue to monitor and watch the long-lived radionuclides resulting from the burning of nuclear fuel in nuclear plants. The ongoing challenge is to characterize distant future costs or benefits in a way that is relevant for policy makers, who must evaluate trade-offs today.

### 4.4 Prospect-dependent discount rates

In full generality, different intended actions can be characterized by different discount functions. Even if, for simplicity, the same discount function is employed, then different actions can have different decay rates  $\gamma_j$  or different time scales  $t_j$ . This can lead to a reversal of natural preferences.

For example, let a prospect  $\pi_1$  be preferred to  $\pi_2$ , if they are realized at the initial time  $t_0$ , so that for their probabilities the following inequality holds:

$$
\frac{p_1(t_0, t_0)}{p_2(t_0, t_0)} > 1.
$$
\n(77)

But, if these prospects are planned to be realized at a later time  $t$ , then their probabilities form the ratio

$$
\frac{p_1(t, t_0)}{p_2(t, t_0)} = \frac{p_1(t_0, t_0) f_1(t, t_0)}{p_2(t_0, t_0) f_2(t, t_0)}.
$$
\n(78)

It may happen that at some moment of time  $t_{rev}$ , their probabilities reverse, so that for  $t > t_{rev}$ 

$$
\frac{p_1(t, t_0)}{p_2(t, t_0)} < 1 \qquad (t > t_{rev}) \tag{79}
$$

which implies preference reversal. This phenomenon, known as "time inconsistency" in the literature, is usually associated with non-exponential discount factors. It may also occur with exponential discount factors, when the discount rate is different from the risk-adjusted return on saving (see, e.g., Chapter 15 in Ref. [6]). Within QDT, time reversal can also occur for exponential discount factor when the discount rates of two prospects are different. The reversal time in the case of the exponential discounting [\(71\)](#page-20-0) is

$$
t_{rev} = t_0 + \frac{1}{\gamma_1 - \gamma_2} \ln \frac{p_1(t_0, t_0)}{p_2(t_0, t_0)},
$$
\n(80)

which exists for  $\gamma_1 > \gamma_2$ . In the case of the hyperbolic discounting [\(74\)](#page-20-1), with  $\gamma_j t_j = 1$ , the reversal time reads as

$$
t_{rev} = t_0 + \frac{p_1(t_0, t_0) - p_2(t_0, t_0)}{\gamma_1 p_2(t_0, t_0) - \gamma_2 p_1(t_0, t_0)},
$$
\n(81)

which exists under the condition

$$
\frac{\gamma_1}{\gamma_2} > \frac{p_1(t_0, t_0)}{p_2(t_0, t_0)}.
$$
\n(82)

Recall that the initial time  $t_0$  corresponds to the planning time when the decision maker evaluates a prospect that is assumed to be realized at the point in time  $t \geq t_0$ . Thus, the planning time  $t_0$  is also a variable, which shifts when the decision-maker re-evaluates his/her plans. As a consequence, there is no preference-reversal paradox within QDT, as explained in Sec. [3.3.3.](#page-16-0)

## 5 Conclusion

We have presented a novel approach to decision making, based on the mathematical techniques of complex Hilbert spaces over a lattice of composite prospects. Such techniques are typical for the theory of quantum measurements, which explains the name "Quantum Decision Theory" (QDT). We stress that this does not presuppose that decision makers are assumed to be quantum objects. The employed mathematical methods are just the most convenient tool for taking into account such notions as risk and uncertainty which have strong emotional effects in decision making. The QDT makes it possible to explain the paradoxes appearing in the application of classical utility theory to decision making. In the present paper, we have analyzed the stylized effects and paradoxes, associated with dynamic aspects of decision theory, such as time inconsistency, planning paradox, value discounting, event uncertainty, and preference reversal. These temporal effects have not been considered in our previous articles on QDT [16, 17, 23] and the treatment offered here is original. We have also suggested a constructive approach for deriving the evolution equations for the prospect probabilities. The derived discount functions provide a novel classification of possible discount factors, which include the previously known cases (exponential or hyperbolic discounting), but also predicts a novel class of discount factors that can be applied for very long-term discounting situations.

#### Acknowledgements

We are grateful to F. Schweitzer for the possibility of presenting our results in the International Workshop on the "Physics Approach to Risk", Zürich, Switzerland, October, 27-29 2008. We also thank the participants of the seminar on "Modeling Socio-Economic Systems and Crises", organized by the ETH Competence Center for Coping with Crises in Socio-Economic Systems, for their constructive remarks. We appreciate discussions with E.P. Yukalova.

# References

- [1] D. Bernoulli, Papers Imperial Acad. Sci. Petersburg 5, 175-192 (1738), reprinted in Econometrica 22, 23-36 (1954)
- [2] J. von Neumann, O. Morgenstern, Theory of Games and Economic Behavior (Princeton University, Princeton, 1944)
- [3] L. Savage, The Foundations of Statistics (Wiley, New York, 1954)
- [4] J.W. Pratt, Econometrica 32, 122-136 (1964)
- [5] K.J. Arrow, Aspects of the Theory of Risk Bearing (Hahnsson Foundation, Helsinki, 1965)
- [6] C. Gollier, The Economics of Risk and Time (Massachusetts Institute of Technology, Cambridge, 2001)
- [7] Y. Malevergne, D. Sornette, Extreme Financial Risks (Springer, Berlin, 2006)
- [8] A.J. McNeil, R. Frey, P. Embrechts, Quantitative Risk Management: Concepts, Techniques, and Tools (Princeton University Press, New Jersey, 2006)
- [9] M. Allais, Econometrica 21, 503-546 (1953)
- [10] D. Ellsberg, Quart. J. Econ. 75, 643-669 (1961)
- [11] D. Kahneman, A. Tversky, Econometrica 47, 263-291 (1979)
- [12] A. Tversky, D. Kahneman, Psychol. Rev. 90, 293-315 (1983)
- [13] E.B. Shafir, E.E. Smith, D.N. Osherson, Memory Cogn. 18, 229-239 (1990)
- [14] A. Tversky, E. Shafir, Psychol. Sci. 3, 305-309 (1992)
- [15] M. Rabin, Econometrica 68, 1281-1292 (2000)
- [16] V.I. Yukalov, D. Sornette, e-print arXiv.org.0802.3597 (2008)
- [17] V.I. Yukalov, D. Sornette, e-print ssrn.com/abstract=1263853 (2008)
- [18] A. Tversky, D. Kahneman, J. Risk Uncert. 5, 297-323 (1992)
- [19] M.J. Machina, Science 236, 537-543 (1987)
- [20] M.J. Machina, in The Economics of Risk, edited by D. Mayer (Upjohn Institute, Michigan, 2003), p. 15-49
- [21] M.J. Machina, in The New Palgrave Dictionary of Economics, edited by S.N. Durlauf and L.E. Blume (Macmillan, New York, 2008)
- [22] Z. Safra, U. Segal, Econometrica 76, 1143-1166 (2008)
- [23] V.I. Yukalov, D. Sornette, Phys. Lett. A 372, 6867-6871 (2008)
- [24] J. von Neumann, Mathematical Foundations of Quantum Mechanics (Princeton University, Princeton, 1955)
- [25] P.A. Benioff, J. Math. Phys. 13, 908-915 (1972)
- [26] P.A.M. Dirac, The Principles of Quantum Mechanics (Clarendon, Oxford, 1958)
- [27] A.J. Coleman, V.I. Yukalov, Reduced Density Matrices (Springer, Berlin, 2000)
- [28] W.B. Macleod, Can. J. Econ. 29, 788-810 (1996)
- [29] R.H. Strotz, Rev. Econ. Stud. 23, 165-180 (1955)
- [30] M. Fridman, J. Polit. Econ. 79, 846-856 (1971)
- [31] F.E. Kydland, E.C. Prescott, J. Polit. Econ. 85, 473-492 (1977)
- [32] B. Hiller, J.M. Malcomson, Econometrica 52, 1437-1451 (1984)
- [33] A. Kepecs, N. Uchida, H. Zariwala, Z.F. Mainen, Nature 455, 227-231 (2008)
- [34] R. Barkan, J. R. Busemeyer, Psychonom. Bull. Rev. 6, 547-554 (1999)
- [35] J.G. Johnson, J.R. Busemeyer, Theory Dec., 51, 217-246 (2001)
- [36] R. Barkan, J.R. Busemeyer, J. Behav. Dec. Making 16, 235-255 (2003)
- [37] J.R. Busemeyer, Z. Wang, J.T. Townsend, J. Math. Psychol. 50, 220-241 (2006)
- [38] B. O'Neill, B.D. Puza, The Mathematical Scientist 30 (1), 13-16 (2005).
- [39] L.G. Epstein, Rev. Econ. Stud. 75, 1121-1141 (2008)
- [40] S.H. Chung, R.J. Herrnstein, J. Exp. Anal. Anim. Behav. 4, 267-272 (1961)
- [41] E.A. Locke, G.P. Latham, Theory of Goal Setting and Task Performance (Prentice Hall, Englewood Cliffs, 1990)
- [42] G. Ainslie, Picoeconomics (Cambridge University, Cambridge, 1992)
- [43] G. Loewenstein, D. Prelec, Choices Over Time (Russel Sage Foundation, New York, 1992)
- [44] H. Rachlin, The Science of Self-Control (Harvard University, Cmabridge, 2000)
- [45] G. Ainslie, Breakdown of Will (Cambridge University, Cambridge, 2001)
- [46] D. Helbing, in Human Behavior and Traffic Networks, edited by M. Schreckenberg and R. Selten (Springer, Berlin, 2004), p. 47-95
- [47] J.H. Cochrane, Asset Pricing (Princeton University Press, Princeton, 2005).
- [48] V.I. Yukalov, Phys. Rev. A 42, 3324-3334 (1990)
- [49] V.I. Yukalov, Physica A 167, 833-860 (1990)
- [50] V.I. Yukalov, J. Math. Phys. 32, 1235-1239 (1991)
- [51] V.I. Yukalov, J. Math. Phys. 33, 3994-4001 (1992)
- [52] V.I. Yukalov, E.P. Yukalova, Physica A 225, 336-362 (1996)
- [53] V.I. Yukalov, E.P. Yukalova, Ann. Phys. 277, 219-254 (1999)
- [54] V.I. Yukalov, E.P. Yukalova, Chaos Solit. Fract. 14, 839-861 (2002)
- [55] V.I. Yukalov, S. Gluzman, D. Sornette, Physica A 328, 409-438 (1993)
- [56] S. Gluzman, V.I. Yukalov, D. Sornette, Phys. Rev. E 67, 026109 (2003)
- [57] V.I. Yukalov, E.P. Yukalova, Phys. Lett. A 368, 341-347 (2007)
- [58] V.I. Yukalov, E.P. Yukalova, Eur. Phys. J. B 55, 93-99 (2007)
- [59] E.P. Yukalova, V.I. Yukalov, S. Gluzman, Ann. Phys. 323, 3074-3090 (2008)
- [60] G.A. Baker, P. Graves-Moris, Pade Approximants (Cambridge University, Cambridge, 1996)
- [61] D. Sornette, Critical Phenomena in Natural Sciences (Springer Series in Synergetics, Heidelberg, 2004).
- [62] M.I. Klinger, Phys. Rep. **165**, 275–397 (1988).
- [63] G. Gielis, C. Maes, Europhys. Lett. 31, 1–5 (1995)
- [64] S.H. Chung, J.R. Stevens, Am. J. Phys. 59, 1024–1030 (1991)
- [65] F. Alvarez, A. Alegria, J. Colmenero, Phys. Rev. B 44, 7306–7312 (1991).
- [66] J.C. Phillips, Rep. Prog. Phys. **59**, 113 3-1208 (1996).
- [67] R.G. Palmer, D.L. Stein, E. Abrahams, P.W. Anderson, Phys. Rev. Lett. 53, 958 (1984).
- [68] C. Bazelon, K. Smetters, Loyola Los Angeles Law Rev. 35, 277-291 (2001)
- [69] M.L. Weitzman, Am. Econ. Rev. 91, 261-271 (2001)
- [70] S.C. Rambaud, M.J.M Torrecillas, Environm. Sci. Policy 8, 343-355 (2005)