

THE CONTACT POLYTOPE OF THE LEECH LATTICE (COMPLETE VERSION)

MATHIEU DUTOUR SIKIRIĆ, ACHILL SCHÜRMANN, AND FRANK VALLENTIN

ABSTRACT. The contact polytope of a lattice is the convex hull of its shortest vectors. In this paper we classify the facets of the contact polytope of the Leech lattice up to symmetry. There are 1, 197, 362, 269, 604, 214, 277, 200 many facets in 232 orbits.

1. INTRODUCTION

An n -dimensional *lattice* L is a discrete subgroup of the n -dimensional Euclidean space \mathbb{R}^n of the form $L = \{\sum_{i=1}^n \alpha_i b_i : \alpha_1, \dots, \alpha_n \in \mathbb{Z}\}$ where b_1, \dots, b_n is a basis of \mathbb{R}^n . By $\lambda(L)$ we denote the Euclidean length of non-zero shortest vectors of L and we denote by $\text{Min } L$ the set of *shortest vectors*.

Every lattice comes with two important polytopes: The *contact polytope* of L is the convex hull of its shortest vectors

$$C(L) = \text{conv} \{v : v \in \text{Min } L\},$$

and the *Voronoi cell* of L is the region of points which are closer to the origin than to other lattice points

$$V(L) = \left\{x \in \mathbb{R}^n : x \cdot v \leq \frac{1}{2}v \cdot v \text{ for all } v \in L\right\}.$$

Maybe one of the most remarkable lattices is the 24-dimensional Leech lattice Λ_{24} . It has 196560 shortest vectors which is the highest possible number in dimension 24. Its *orthogonal group*, i.e. the group of orthogonal transformations preserving the lattice is the Conway group Co_0 . It has $2^{22} \cdot 3^9 \cdot 5^4 \cdot 7^2 \cdot 11 \cdot 13 \cdot 23 = 8,315,553,613,086,720,000$ elements and it is connected to many sporadic simple groups. We refer to the book [4] by Conway and Sloane for an extensive treatment of the Leech lattice.

Borcherds, Conway, Parker, Queen, Sloane [4, Chapter 23, Chapter 25] determine the vertices of the Voronoi cell of the Leech lattice. The Voronoi cell tiles the space \mathbb{R}^n by translations; this gives the *Voronoi cell tiling* of \mathbb{R}^n . So, in the context of the Voronoi cell it is natural to consider orbits under the *isometry group* (the group generated by the orthogonal group of the Leech lattice together with lattice translations) acting on the Voronoi cell tiling. We denote the isometry group of the Leech lattice by Co_∞ . There are 307 orbits of vertices in the Voronoi cell tiling under the action of Co_∞ .

Date: February 16, 2010.

1991 *Mathematics Subject Classification.* 10E30, 52A43, 94B40.

Key words and phrases. Leech lattice, contact polytope, Conway groups, Voronoi cell.

In this paper we determine the facets and their incidence relations of the contact polytope of the Leech lattice. We get the following result.

Theorem 1. *There are 232 orbits of facets of $C(\Lambda_{24})$ under Co_0 .*

The contact polytope and the Voronoi cell are related. To see this relation, we consider

$$C(L)^* = \left\{ x \in \mathbb{R}^n : x \cdot v \leq \frac{1}{2}v \cdot v \text{ for all } v \in \text{Min } L \right\},$$

which is the standard polar polytope scaled by a factor of $\frac{1}{2}\lambda(L)^2$. The faces of $C(L)$ and of $C(L)^*$ are in bijection. The bijection reverses the inclusion relation: k -dimensional faces of $C(L)$ correspond to $(n-k)$ -dimensional faces of $C(L)^*$. In particular, vertices of $C(L)^*$ correspond to facets of $C(L)$. For these notions we refer to the standard literature on polytope theory, e.g. the book by Ziegler [16].

We chose the scaling in the definition of $C(L)^*$ so that it contains $V(L)$. In the case of the Leech lattice some vertices of $V(\Lambda_{24})$ and $C(\Lambda_{24})^*$ are shared. As a side remark: One has equality $C(L)^* = V(L)$ if and only if L is a root lattice, see Rajan, Shende [14].

Theorem 2. *164 orbits of vertices of $C(\Lambda_{24})^*$ are also orbits of vertices of $V(\Lambda_{24})$. They are listed in Table 1 in the complete version of the paper [8]. The additional 68 orbits of vertices are listed in Table 2 of [8].*

We classify the shared vertices in Section 2 and give them in Table 1 of [8]. In Section 3 we classify the additional vertices of $C(\Lambda_{24})^*$ which are not vertices of $V(\Lambda_{24})$. We conclude the paper by Section 4 where we briefly explain our computational techniques.

The data presented here is also electronically available from [21].

2. SHARED VERTICES

In this section we explain the notation used in Table 1 of [8] which contains the 164 orbits of shared vertices mentioned in Theorem 2.

The vertices of the Voronoi cell of a lattice are centers of *empty spheres*, i.e. spheres $S(x, \|x\|)$ with center x and radius $\|x\|$ which contain lattice points on their boundary but not in their interior. The convex hull of lattice points on the boundary of such an empty sphere is called the *Delone cell* of the vertex x .

The Delone cells of the Leech lattice are classified by Borcherds, Conway, Parker, Queen, Sloane [4, Chapter 23, Chapter 25] up to the action of the isometry group Co_∞ . For this classification they use Coxeter-Dynkin diagrams.

A *Coxeter-Dynkin diagram* with vertex-set $\{1, \dots, N\}$ is a symmetric $N \times N$ matrix $(m_{ij})_{1 \leq i, j \leq N}$ with ones on the diagonal and $m_{ij} \geq 2$ if $i \neq j$ and $m_{ij} \in \mathbb{N} \cup \{\infty\}$.

A Coxeter-Dynkin diagram is called *simply laced* if $m_{ij} = 2, 3$ or ∞ . The *Cartan matrix* of a Coxeter-Dynkin diagram $(m_{ij})_{1 \leq i, j \leq N}$ is the matrix $M = (-\cos \frac{\pi}{m_{ij}})_{1 \leq i, j \leq N}$. A Coxeter-Dynkin diagram is called *spherical* if its Cartan matrix is positive definite and *affine* if its Cartan matrix is positive semidefinite. A Coxeter-Dynkin diagram is called *decomposable* if we can partition its vertex-set into $S_1 \cup S_2$ with $m_{ij} = 2$ if $i \in S_1$ and $j \in S_2$. It is called *indecomposable* otherwise. A Coxeter-Dynkin diagram D admits a unique decomposition into indecomposable Coxeter-Dynkin diagrams D_1, \dots, D_r , which we write as $D = D_1 D_2 \dots D_r$. The

classification of spherical and affine Coxeter-Dynkin diagrams is presented, for example, in Humphreys [10, Section 2.4, 4.7]. Here the famous $A - D - E$ diagrams show up, explained e.g. by Hazewinkel, Hesselink, Siersma, Veldkamp [9]. The spherical, simply laced, indecomposable Coxeter-Dynkin diagrams are a_n for $n \geq 1$, d_n for $n \geq 4$ and e_n for $6 \leq n \leq 8$. Each diagram corresponds to an indecomposable affine diagram: A_n , D_n and E_n . All these diagrams are pictured e.g. in [4, Figure 23.1].

In the Leech lattice, a Coxeter-Dynkin diagram $(m_{ij})_{1 \leq i,j \leq N}$ can be associated with a Delone cell with vertex-set $\{v_1, \dots, v_N\}$ by

$$m_{ij} = \begin{cases} 1 & \text{if } \|v_i - v_j\|^2 = 0, \\ 2 & \text{if } \|v_i - v_j\|^2 = 4, \\ 3 & \text{if } \|v_i - v_j\|^2 = 6, \\ \infty & \text{if } \|v_i - v_j\|^2 = 8. \end{cases}$$

As can be seen in Table 1 of [8], different Delone cells may have the same Coxeter-Dynkin diagram.

In Table 1 of [8] the rows are sorted first by the squared length $\|v\|^2$ (third column) of the vertex v . Second they are sorted by the size of the stabilizer of v within the orthogonal group of the Leech lattice (fifth column), and then by the number of incident facets of $C(\Lambda_{24})^*$ (fourth column).

In the second column we give the Coxeter-Dynkin diagrams of the associated Delone cell of v . Note that the diagrams are affine if and only if the squared length of v equals 2, the maximum among shared vertices. In all other cases they are spherical. Furthermore, in the spherical cases the number of incident facets is always equal to the minimum possible number of 24. These observations follow from [4, Chapter 23, Chapter 25].

In the last column we give the MOG (Miracle Octad Generator) coordinates of representatives of each orbit which one has to multiply with α (sixth column). The MOG coordinates form a standard coordinate system for the Leech lattice. They are explained in [4, Chapter 11].

There are 307 orbits of vertices in the Voronoi cell tiling under the action of the isometry group Co_∞ of the Leech lattice. Our computation shows that there are 5297 orbits of vertices of the single Voronoi cell $V(\Lambda_{24})$ under the action of the smaller, finite orthogonal group of the Leech lattice; 164 of them are shared with $C(\Lambda_{24})^*$.

3. ADDITIONAL VERTICES

There are 68 additional orbits of vertices of $C(\Lambda_{24})^*$ which are not vertices of the Voronoi cell of the Leech lattice. These additional vertices are characterized by the fact that the distance to a closest lattice point is strictly less than the distance $\|v\|$ to the origin.

Table 2 of [8] describes these 68 orbits. Like in Table 1 of [8] the rows are sorted (in this order) by the squared length $\|v\|^2$ (third column), the size of the stabilizer of v within the orthogonal group of the Leech lattice (fifth column), and then by the number of incident facets (fourth column).

In the second column we give names for diagrams. The first row corresponds to an exceptional vertex which we explain below. The other 67 rows correspond to graphs which we define later in Section 3.2.

3.1. The exceptional vertex. The first orbit of vertices is exceptional: Its squared norm $8/3 = 2.666\dots$ is substantially bigger than the squared norm of all other vertices which lie in the interval $[1.92, 2.25]$. Its incidence number of 552 as well as the size of its stabilizer, which is the Conway group Co_3 , are also substantially larger than the values for the other vertices. This orbit of vertices is a scaled copy of the vectors of Λ_{24} , having Euclidean norm $\sqrt{6}$.

In the contact polytope $C(\Lambda_{24})$ this exceptional vertex corresponds to a facet. Since it has maximum norm among all vertices the corresponding facet is closest to the origin and has the largest possible circumsphere among all other facets of $C(\Lambda_{24})$. This solves a conjecture of Ballinger, Blekherman, Cohn, Giansiracusa, Kelly, Schürmann [1, Section 3.7]. We note that a similar calculation as the one presented here, solves the corresponding conjecture about the contact polytope of the 23-dimensional lattice O_{23} , the shorter Leech lattice, which has 4600 vertices.

The 23-dimensional point configuration, given by the 552 shortest vectors of the Leech lattice defining facets incident to the exceptional vertex, appears in several different contexts: It is universally optimal (Cohn, Kumar [5]), it defines 276 equiangular lines (Lemmens, Seidel [11]), and it defines an extreme Delone cell (Deza, Laurent [6, Chapter 16.3]). Moreover, it contains a wealth of remarkable substructures (see Cohn et. al. [1]), e.g. the highly-symmetric point configurations discussed in the next section, but also others, e.g. the one defined by the McLaughlin graph.

3.2. The other vertices. To the remaining 67 orbits of vertices we associate a diagram as follows. Let v be one of these vertices and let w_1, \dots, w_N be shortest vectors of the Leech lattice defining facets incident to v . Only the two inner products 1 and 2 occur between distinct vectors w_i and w_j . So we can define a graph with vertex-set $\{1, \dots, N\}$ and edge-set $\{\{i, j\} : w_i \cdot w_j = 1\}$; the other inner product 2 defines non-edges.

Here again the graphs decompose into connected components where several of these occurring components are highly-symmetric and have been studied in other contexts. We discuss them below, the graphs a_n , d_n and e_n are already described in the previous section, and the remaining ones are in Figure 1.

The *Higman-Sims graph* HS_{100} is the unique strongly regular graph with parameters $(100, 22, 0, 6)$. See Brouwer, Cohen, Neumaier [3, Chapter 13.1].

The *Hoffman-Singleton graph* HS_{50} is the unique strongly regular graph with parameters $(50, 7, 0, 1)$. See [3, Chapter 13.1].

For the *Johnson graph* $J(7, 4)$ see [3, Chapter 9.1].

A (k, g) -cage is a regular graph of valency k , girth g , which attains the minimum possible number of vertices. The $(5, 6)$ -cage (incidence graph of a projective plane $\text{PG}(2, 4)$) and the $(3, 8)$ -cage (*Tutte-Coxeter graph*) are unique. See [3, Chapter 6.9] and Tutte [15].

The *Coxeter graph* Cox is the unique distance regular graph with intersection array $\{3, 2, 2, 1; 1, 1, 1, 2\}$. See [3, Chapter 12.3].

In Figure 1 we list the remaining graphs. The vertices of these graphs only have degree one (white circles), degree two (sitting on edges, which are not depicted, but see below), or degree three (black circles). We have three kinds of trees: $T_b^a c$ having $a + b + c + 4$ vertices, $T_b^a c_e^d$ having $a + b + c + d + e + 6$ vertices, and $T_b^a c^d e_f g$ having $a + b + c + d + e + f + g + 8$ vertices; we have 12 other graphs $G_{n,m}$ with n vertices and m edges. In Figure 1 the numbers on the edges show how many vertices of

degree 2 sit on them, but in the following four cases we did not put these numbers: The graph $G_{24,30}$ has one vertex of degree 2 on every edge, $G_{25,30}$ is the Petersen graph which has one vertex of degree 2 on every edge, $G_{22,22}$ has three vertices of degree 2 on every edge, and the graph $G_{24,27}$ is the complete bipartite graph $K_{3,3}$ which has two vertices of degree 2 on every edge.

4. COMPUTATIONAL TECHNIQUES

Computing the vertices of $C(\Lambda_{24})^*$ from its facets is called a *polyhedral representation conversion problem*. A direct application of standard programs like Fukuda’s **cdd** [19] or Avis’ **lrs** [17] for this conversion is not feasible due to the extremely large number of vertices.

In order to exploit the symmetries of $C(\Lambda_{24})^*$, we use the *adjacency decomposition method* which is surveyed in Bremner, Dutour Sikirić, Schürmann [2]. An implementation by the first author is available from [18].

The adjacency decomposition method computes a complete list of inequivalent vertex representatives. First one computes an initial vertex by solving a linear program and inserts it into the list of orbit representatives. From any such representative, we compute the list of adjacent vertices, and if they give a new orbit, we insert it into the list of representatives. After finitely many steps all orbits have been treated. Computing adjacent vertices is a lower-dimensional representation conversion problem. So this method can be applied recursively.

For $C(\Lambda_{24})^*$ we had to come up with two case-specific insights:

From [1] it is known that the exceptional vertex of Section 3.1 is indeed a vertex of $C(\Lambda_{24})^*$. We used it as starting vertex of the adjacency decomposition method.

For checking isomorphy and for computing stabilizers we used the following standard strategy: we characterize a vertex of $C(\Lambda_{24})^*$ by the set of its incident facets and we represent the symmetry group Co_0 as a permutation group acting on the 196560 shortest vectors of the Leech lattice. Then, we use the backtracking algorithm by Leon [12, 13] implemented in [20]. This worked reasonably fast for all the cases except for the two orbits of vertices having the same Coxeter-Dynkin diagram a_1^{25} . The stabilizer of the corresponding Delone cell under the isometry group Co_∞ is the Mathieu group M_{24} . Under the action of M_{24} the 25 vertices of the Delone cell split into two orbits of size 1 and 24. Hence, these two orbits correspond to two distinct orbits of vertices of $C(\Lambda_{24})^*$, one having stabilizer M_{24} and the other having stabilizer M_{23} . The backtracking algorithm of GAP could not decide in reasonable time whether or not two vertices with the same Coxeter-Dynkin diagram a_1^{25} are in the same orbit. So we used the third method of Section 3.5 of [7] to resolve this problem.

ACKNOWLEDGEMENTS

We started this research during the Junior Trimester Program (February 2008–April 2008) on “Computational Mathematics” at the Hausdorff Institute of Mathematics (HIM) in Bonn. Then, part of this research was done at the Mathematisches Forschungsinstitut Oberwolfach during a stay within the Research in Pairs Programme from May 3, 2009 to May 16, 2009. We thank both institutes for their hospitality and support. The work of the first author has been supported




FIGURE 1. DIAGRAMS

by the Croatian Ministry of Science, Education and Sport under contract 098-0982705-2707. The second and the third author were supported by the Deutsche Forschungsgemeinschaft (DFG) under grant SCHU 1503/4-2.

REFERENCES

- [1] B. Ballinger, G. Blekherman, H. Cohn, N. Giansiracusa, E. Kelly, A. Schürmann, *Experimental study of energy-minimizing point configurations on spheres*, Experiment. Math. **18** (2009), 257–283.
- [2] D. Bremner, M. Dutour Sikirić, A. Schürmann, *Polyhedral representation conversion up to symmetries*, Proceedings of the 2006 CRM workshop on polyhedral computation, AMS/CRM Lecture Notes, **48** (2009), 45–71,
- [3] A.E. Brouwer, A.M. Cohen, A. Neumaier, *Distance-regular graphs*, Springer, 1989.
- [4] J.H. Conway, N.J.A. Sloane, *Sphere packings, lattices and groups (third edition)*, Springer, 1999.
- [5] H. Cohn, A. Kumar, *Universally optimal distribution of points on spheres*, J. Amer. Math. Soc. **20** (2007), 99–148.
- [6] M. Laurent, M. Deza, *Geometry of cuts and metrics*, Springer, 1997.
- [7] M. Dutour Sikirić, A. Schürmann, F. Vallentin, *Complexity and algorithms for computing Voronoi cells of lattices*, Math. Comp. **267** (2009), 1713–1731.
- [8] M. Dutour Sikirić, A. Schürmann, F. Vallentin, *The contact polytope of the Leech lattice (complete version)*, arxiv:0906.1427 [math.MG]
- [9] M. Hazewinkel, W. Hesselink, D. Siersma, F.D. Veldkamp, *The ubiquity of Coxeter-Dynkin diagrams (an introduction to the A–D–E problem)*, Nieuw Arch. Wisk. **25** (1977), 257–307.
- [10] J.E. Humphreys, *Reflection groups and Coxeter groups*, Cambridge University Press, 1990.
- [11] P.W. Lемmens, J.J. Seidel, *Equiangular lines*, J. Algebra **24** (1973), 494–512.
- [12] J.S. Leon, *Permutation group algorithms based on partitions, I: Theory and algorithms*, J. Symbolic Comput. **12** (1991), 533–583.
- [13] J.S. Leon, *Partitions, refinements, and permutation group computation*, in *Groups and Computation II*, DIMACS Ser. Discrete Math. Theoret. Comput. Sci. **28** (1997), 123–158.
- [14] D.S. Rajan, A.M. Shende, *A characterization of root lattices*, Discrete Math. **161** (1996), 309–314.
- [15] W.T. Tutte, *A family of cubical graphs*, Proc. Cambridge Philos. Soc. **43** (1947), 459–474.
- [16] G.M. Ziegler, *Lectures on polytopes*, Springer, 1995.

SOFTWARE

- [17] D. Avis, *A C-implementation of the reverse search vertex enumeration algorithm*, School of Computer Science, McGill University, Montreal, Canada 1993, <http://www-cgrl.cs.mcgill.ca/~avis/C/lrs.html>
- [18] M. Dutour Sikirić, *Polyhedral package*, <http://www.liga.ens.fr/~dutour>
- [19] K. Fukuda, *cdd+ reference manual*, Institute for operations research, Swiss Federal Institute of Technology, Zürich, Switzerland, 1995, http://www.ifor.math.ethz.ch/~fukuda/cdd_home/cdd.html
- [20] The GAP Group, *GAP — Groups, Algorithms, and Programming*, Version 4.4.6, 2005, <http://www.gap-system.org>

WEB PAGES

- [21] M. Dutour Sikirić, *Contact polytopes of lattices*, <http://www.liga.ens.fr/~dutour>

M. DUTOUR SIKIRIĆ, RUDJER BOSKOVIĆ INSTITUTE, BIJENICKA 54, 10000 ZAGREB, CROATIA
E-mail address: mdsikir@irb.hr

A. SCHÜRMANN, DELFT INSTITUTE OF APPLIED MATHEMATICS, TECHNICAL UNIVERSITY OF DELFT, P.O. BOX 5031, 2600 GA DELFT, THE NETHERLANDS
E-mail address: a.schurmann@tudelft.nl

F. VALLENTIN, DELFT INSTITUTE OF APPLIED MATHEMATICS, TECHNICAL UNIVERSITY OF DELFT, P.O. BOX 5031, 2600 GA DELFT, THE NETHERLANDS
E-mail address: f.vallentin@tudelft.nl

	name	$\ v\ ^2$	N	g	α	M	O				G			
1.	A_1^{24}	2	48	20891566080	$\frac{1}{2}$	0 2 0 2 -2 0 -2 0 1 5 1 7 -7 1 -3 3	0 -2 2 0 2 0 0 2 5 1 3 5 2 -10 2 -6	-2 0 0 2 -2 0 2 4 -5 1 1 5 -7 3 5 9	-2 0 0 2 -2 0 2 4 -2 8 0 -2 -2 2 6 10					
2.	D_4^6	2	30	5760	$\frac{1}{6}$	4 6 0 6 -4 0 -6 2 2 8 6 8 -16 2 -8 6	2 4 6 4 2 -18 16 -12 10 4 6 8 3 -11 3 -7	-12 8 6 18 -12 3 7 13 -3 11 1 -5 -3 3 7 13	-12 8 6 18 -10 4 0 6 -12 6 8 14 -10 6 6 14					
3.	$A_5^4 D_4$	2	29	864	$\frac{1}{6}$	4 6 0 6 -4 0 -6 2 2 8 6 8 -16 2 -8 6	2 4 6 4 2 -18 16 -12 10 4 6 8 3 -11 3 -7	-2 8 0 -2 -2 2 6 10 -14 2 0 8 -12 8 6 18	-2 8 0 -2 -2 2 6 10 -14 2 0 8 -12 8 6 18					
4.	E_6^4	2	28	36	$\frac{1}{12}$	2 8 6 8 -16 2 -8 6 7 7 -1 7 -9 -1 -9 3	2 -18 16 -12 10 4 6 8 3 3 9 5 3 3 9 5	-14 2 0 8 -12 8 6 18 -3 11 1 -5 -3 3 7 13	-14 2 0 8 -12 8 6 18 -3 11 1 -5 -3 3 7 13					
5.	$A_7^2 D_5^2$	2	28	32	$\frac{1}{8}$	2 8 2 8 -12 2 -8 6 7 7 -1 7 -9 -1 -9 3	0 -14 14 -8 8 2 6 8 3 3 9 5 3 3 9 5	-10 4 0 6 -12 6 8 14 -10 6 6 14 -10 6 6 14	-10 4 0 6 -12 6 8 14 -10 6 6 14 -10 6 6 14					
6.	D_6^4	2	28	24	$\frac{1}{10}$	2 8 2 8 -12 2 -8 6 0 8 4 8 -14 2 -6 6	0 -14 14 -8 8 2 6 8 0 -16 12 -8 10 2 6 6	-10 4 0 6 -12 6 8 14 -10 6 6 14 -10 6 6 14	-10 4 0 6 -12 6 8 14 -10 6 6 14 -10 6 6 14					
7.	$A_9^2 D_6$	2	27	20	$\frac{1}{10}$	0 8 4 8 -14 2 -6 6 -14 2 -6 6 -26 4 -8 6	0 -16 12 -8 10 2 6 6 10 2 6 6 16 2 14 8	-10 6 2 6 -10 6 2 6 -10 6 2 6 -16 6 2 8	-10 6 2 6 -10 6 2 6 -10 6 2 6 -16 6 2 8					
8.	$A_{17} E_7$	2	26	12	$\frac{1}{18}$	0 12 4 12 -26 4 -8 6 1 11 5 9 -17 1 -7 5	-2 -26 22 -18 16 2 14 8 -1 -19 13 -11 11 3 9 7	-20 14 10 32 -20 14 10 32 -11 3 1 9 -11 9 5 19	-20 14 10 32 -20 14 10 32 -11 3 1 9 -11 9 5 19					
9.	$A_{11} D_7 E_6$	2	27	8	$\frac{1}{12}$	-1 9 5 7 -17 3 -5 3 -1 11 5 9 -17 1 -7 5	-1 -17 15 -13 11 3 9 5 -1 -23 19 -17 11 3 11 9	-9 5 1 7 -13 9 7 21 -11 3 1 9 -11 9 5 19	-9 5 1 7 -13 9 7 21 -11 3 1 9 -11 9 5 19					
10.	$A_{11} D_7 E_6$	2	27	6	$\frac{1}{12}$	-1 9 5 7 -17 3 -5 3 -1 11 5 9 -17 1 -7 5	-1 -17 15 -13 11 3 9 5 -1 -23 19 -17 11 3 11 9	-9 5 1 7 -13 9 7 21 -11 3 1 9 -11 9 5 19	-9 5 1 7 -13 9 7 21 -11 3 1 9 -11 9 5 19					
11.	$A_{17} E_7$	2	26	6	$\frac{1}{18}$	2 16 8 14 -24 4 -10 10 -24 4 -10 10 16 18 -2 16	0 -28 20 -16 16 4 12 12 0 -20 16 -12 2 -24 6 -16	-18 8 2 12 -16 14 10 28 -18 8 2 12 -16 30 0 -8	-18 8 2 12 -16 14 10 28 -18 8 2 12 -16 30 0 -8					
12.	$D_{10} E_7^2$	2	27	4	$\frac{1}{18}$	16 18 -2 16 -16 -4 -16 8 2 10 4 12 -18 2 -8 8	8 8 16 12 12 2 10 12 0 -20 16 -12 12 2 10 12	-8 8 18 30 -18 8 10 20 -14 6 2 10 -18 8 10 20	-8 8 18 30 -18 8 10 20 -14 6 2 10 -18 8 10 20					
13.	D_8^3	2	27	4	$\frac{1}{14}$	2 10 4 12 -18 2 -8 8 -1 11 5 11 -21 3 -5 5	0 -20 16 -12 12 2 10 12 -1 -23 19 -17 15 3 11 9	-14 6 2 10 -18 8 10 20 -15 7 3 7 -17 13 9 29	-14 6 2 10 -18 8 10 20 -15 7 3 7 -17 13 9 29					
14.	$A_{15} D_9$	2	26	4	$\frac{1}{16}$	-1 11 5 11 -21 3 -5 5 -1 11 5 11 -21 3 -5 5	-1 -23 19 -17 15 3 11 9 -1 -23 19 -17 15 3 11 9	-15 7 3 7 -17 13 9 29 -15 7 3 7 -17 13 9 29	-15 7 3 7 -17 13 9 29 -15 7 3 7 -17 13 9 29					
15.	$D_{10} E_7^2$	2	27	2	$\frac{1}{18}$	4 14 6 14 -24 4 -12 10 -24 4 -12 10 16 16 -2 16	0 -26 22 -14 16 4 12 14 0 -26 22 -14 2 -26 8 -18	-18 10 2 12 -20 12 12 26 -18 10 2 12 -6 28 2 -10	-18 10 2 12 -20 12 12 26 -18 10 2 12 -6 28 2 -10					
16.	$D_{10} E_7^2$	2	27	2	$\frac{1}{18}$	16 16 -2 16 -18 -4 -18 6 -18 -4 -18 6 22 30 0 30	6 6 18 12 12 8 28 14 6 6 18 12 8 -44 10 -28	-6 6 18 28 -6 6 18 28 -6 6 18 28 -8 42 4 -20	-6 6 18 28 -6 6 18 28 -6 6 18 28 -8 42 4 -20					
17.	E_8^3	2	27	2	$\frac{1}{30}$	-28 -6 -32 12 31 27 -3 27 -31 -5 -31 17 3 23 3 13	12 8 28 14 3 -43 15 -25 11 13 31 19 -1 -39 47 -29	-12 12 32 50 -7 41 -1 -11 -11 9 31 49 -29 11 3 9	-12 12 32 50 -7 41 -1 -11 -11 9 31 49 -29 11 3 9					
18.	E_8^3	2	27	2	$\frac{1}{30}$	-41 5 -17 11 6 24 8 20 -40 6 -20 16 -31 -5 -31 17	25 5 21 19 0 -44 38 -24 26 8 20 24 11 13 31 19	-33 21 19 51 -30 14 2 20 -32 24 18 44 -11 9 31 49	-33 21 19 51 -30 14 2 20 -32 24 18 44 -11 9 31 49					
19.	E_8^3	2	27	2	$\frac{1}{30}$	-41 5 -17 11 6 24 8 20 -40 6 -20 16 -31 -5 -31 17	25 5 21 19 0 -44 38 -24 26 8 20 24 11 13 31 19	-33 21 19 51 -30 14 2 20 -32 24 18 44 -11 9 31 49	-33 21 19 51 -30 14 2 20 -32 24 18 44 -11 9 31 49					
20.	$D_{16} E_8$	2	26	2	$\frac{1}{30}$	-40 6 -20 16 -40 6 -20 16 -40 6 -20 16 -31 -5 -31 17	26 8 20 24 0 -44 38 -24 26 8 20 24 11 13 31 19	-32 24 18 44 -30 14 2 20 -32 24 18 44 -11 9 31 49	-32 24 18 44 -30 14 2 20 -32 24 18 44 -11 9 31 49					

TABLE 1. SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G							
21.	$D_{16}E_8$	2	26	2	$\frac{1}{30}$	0	24	12	22	0	-50	36	-28	-28	12	2	20				
22.	$D_{16}E_8$	2	26	2	$\frac{1}{30}$	-42	4	-16	12	26	6	20	18	-30	24	16	44				
23.	$D_{16}E_8$	2	26	1	$\frac{1}{30}$	-2	20	10	20	-2	-44	38	-28	-26	10	2	14				
24.	$D_{16}E_8$	2	26	1	$\frac{1}{30}$	-42	10	-14	10	26	4	22	16	-34	24	18	52				
25.	D_{12}^2	2	26	1	$\frac{1}{22}$	27	29	-3	27	3	-43	15	-27	-9	45	1	-13				
26.	a_1d_{24}	$\frac{17296}{8649}$	25	1	$\frac{1}{93}$	-27	-5	-31	15	11	13	27	21	-11	11	31	49				
27.	$a_1a_2d_{22}$	$\frac{13252}{6627}$	25	1	$\frac{1}{141}$	-29	-5	-27	13	11	15	25	21	-15	13	31	51				
28.	$a_1e_8^3$	$\frac{7440}{3721}$	25	6	$\frac{1}{61}$	4	76	36	68	-30	6	-12	-32	26	-20	-22	10	2	16		
29.	$a_1a_2d_{22}$	$\frac{13252}{6627}$	25	1	$\frac{1}{141}$	-128	16	-52	44	20	4	14	16	-26	14	14	32	-88	40	8	64
30.	$a_1e_8^3$	$\frac{7440}{3721}$	25	6	$\frac{1}{61}$	-4	94	46	90	-12	-206	176	-136	-128	58	16	68	-92	72	48	140
31.	$a_1a_{16}e_8$	$\frac{7440}{3721}$	25	1	$\frac{1}{61}$	-194	40	-64	52	124	20	100	78	-160	112	82	244	-62	54	38	94
32.	$a_1a_{16}e_8$	$\frac{5764}{2883}$	25	1	$\frac{1}{93}$	-4	40	24	40	-8	-88	76	-64	-56	32	12	32	-64	48	32	108
33.	$a_1a_{16}e_8$	$\frac{5764}{2883}$	25	1	$\frac{1}{93}$	-82	12	-28	20	56	12	40	32	-28	148	4	-48	-28	40	96	156
34.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	2	$\frac{1}{51}$	-90	-18	-84	40	36	44	78	66	-48	40	96	156	-68	12	-24	20
35.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	2	$\frac{1}{51}$	-90	-18	-84	40	-4	-76	64	-52	-48	20	8	24	-68	12	-24	20
36.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	2	$\frac{1}{51}$	-68	12	-24	20	44	8	36	28	-56	40	28	88	-20	-220	188	-156
37.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	1	$\frac{1}{153}$	-12	108	68	100	-20	-220	188	-156	-148	84	28	84	-204	28	-76	52
38.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	1	$\frac{1}{153}$	-134	138	-6	150	140	36	92	76	-156	116	84	268	-134	-30	-166	66
39.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	1	$\frac{1}{153}$	-134	-30	-166	66	66	58	134	94	-66	66	166	250	-230	-34	-242	138
40.	$a_1a_{16}e_8$	$\frac{5200}{2601}$	25	1	$\frac{1}{153}$	218	246	-22	190	22	-338	94	-202	-78	322	-10	-82	218	246	-22	190
41.	$a_1a_{16}e_8$	$\frac{5080}{2541}$	25	2	$\frac{1}{231}$	-230	-34	-242	138	82	106	218	154	-82	74	214	386	218	246	-22	190
42.	$a_1a_{16}e_8$	$\frac{5080}{2541}$	25	1	$\frac{1}{231}$	218	246	-22	190	-14	-334	294	-230	-214	86	46	110	218	246	-22	190
43.	$a_1a_{16}e_8$	$\frac{5080}{2541}$	25	1	$\frac{1}{231}$	-310	50	-74	74	206	30	158	106	-262	182	114	418	50	-74	74	206
44.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	6	34	18	38	0	-70	56	-42	-48	24	4	32	-64	10	-28	22
45.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	-64	10	-28	22	42	8	32	34	-56	28	30	66	-64	10	-28	22
46.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	-8	128	72	120	-24	-272	232	-192	-176	96	32	96	-248	40	-88	64
47.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	-248	40	-88	64	168	40	120	96	-200	144	104	328	128	-248	40	-88
48.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	54	60	-6	54	8	-86	22	-62	-20	102	2	-34	54	60	-6	54
49.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	-62	-12	-58	26	26	30	54	44	-32	28	66	108	26	-12	-58	26
50.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	-62	6	-26	22	38	10	30	30	-46	34	22	66	6	-26	6	-26
51.	$a_1a_{16}e_8$	$\frac{4416}{2209}$	25	1	$\frac{1}{47}$	-62	12	-28	20	56	14	40	32	-66	48	34	110	-82	28	-76	52

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G			
41.	$a_1 a_{10} d_{14}$	$\frac{3716}{1859}$	25	1	$\frac{1}{143}$	122	132	-12	122	20	-194	52	-138	-44	224	8	-80
						-138	-26	-132	56	56	68	122	98	-72	64	148	240
42.	$a_1 a_4 d_{14} e_6$	$\frac{3628}{1815}$	25	1	$\frac{1}{165}$	49	109	69	129	15	-245	211	-149	-165	55	11	119
						-231	41	-79	73	153	37	73	109	-179	125	109	245
43.	$a_1^2 a_9 d_{14}$	$\frac{3608}{1805}$	25	1	$\frac{1}{95}$	0	76	36	68	0	-156	112	-88	-92	40	8	64
						-132	16	-52	44	84	20	64	60	-96	72	48	140
44.	$a_1^2 a_9 d_{14}$	$\frac{3608}{1805}$	25	1	$\frac{1}{95}$	81	89	-7	81	13	-129	33	-93	-29	149	5	-53
						-93	-17	-87	37	37	45	81	65	-47	43	97	159
45.	$a_1 a_9 e_7 e_8$	$\frac{3608}{1805}$	25	1	$\frac{1}{95}$	-6	66	42	62	-14	-138	118	-98	-90	50	18	50
						-126	18	-46	30	86	22	58	46	-98	74	54	166
46.	$a_1 a_2 a_{14} e_8$	$\frac{3608}{1805}$	25	1	$\frac{1}{95}$	76	96	0	76	20	-140	36	-84	-24	148	-4	-48
						-84	-28	-100	52	48	24	84	44	-28	40	100	160
47.	$a_1 a_3 a_{21}$	$\frac{1781}{891}$	25	1	$\frac{1}{198}$	-2	132	58	130	-16	-288	248	-198	-184	84	28	94
						-272	50	-92	76	172	30	140	104	-220	156	116	342
48.	$a_1 a_5 d_5 d_{14}$	$\frac{1733}{867}$	25	1	$\frac{1}{102}$	87	95	-9	85	13	-139	35	-99	-31	161	5	-57
						-99	-19	-93	41	41	49	87	69	-51	45	105	171
49.	$a_1^2 a_2 a_7 d_{14}$	$\frac{1727}{864}$	25	1	$\frac{1}{144}$	-7	97	49	93	-9	-209	179	-133	-131	55	13	71
						-203	43	-67	55	127	17	103	81	-163	115	85	247
50.	$a_1^2 a_2 a_7 d_{14}$	$\frac{1727}{864}$	25	1	$\frac{1}{144}$	122	134	-12	122	20	-196	50	-140	-44	226	8	-80
						-140	-26	-132	56	56	68	124	98	-72	64	148	242
51.	$a_1 a_2 a_7 e_7 e_8$	$\frac{1727}{864}$	25	1	$\frac{1}{144}$	-1	119	55	107	17	-215	181	-131	-149	65	27	81
						-205	29	-69	65	137	7	65	71	-133	101	83	241
52.	$a_1 a_4 a_6 d_{14}$	$\frac{3428}{1715}$	25	1	$\frac{1}{245}$	210	228	-20	206	32	-334	84	-238	-76	384	12	-136
						-238	-46	-224	96	96	116	210	166	-124	108	252	412
53.	$a_1^2 a_2 a_{13} e_8$	$\frac{3400}{1701}$	25	1	$\frac{1}{189}$	-10	130	74	122	-26	-274	234	-194	-178	98	34	98
						-250	38	-86	62	170	42	122	94	-202	146	102	334
54.	$a_1^2 a_2 a_{13} e_8$	$\frac{3400}{1701}$	25	1	$\frac{1}{189}$	181	195	-17	155	17	-283	71	-167	-63	263	-11	-71
						-175	-35	-199	111	71	83	181	119	-71	55	179	319
55.	$a_1 a_4 a_{12} e_8$	$\frac{3248}{1625}$	25	1	$\frac{1}{325}$	-16	224	128	208	-48	-472	400	-336	-304	168	56	168
						-432	64	-152	104	296	72	208	160	-344	248	176	576
56.	$a_1 a_{10} e_6 e_8$	$\frac{3232}{1617}$	25	1	$\frac{1}{231}$	-16	160	96	152	-32	-336	288	-240	-216	120	40	120
						-304	48	-112	72	208	56	144	112	-240	176	128	408
57.	$a_1 a_{11} d_{13}$	$\frac{3172}{1587}$	25	1	$\frac{1}{69}$	1	55	27	49	1	-113	81	-65	-69	29	5	47
						-95	11	-39	31	59	13	47	45	-71	51	35	101
58.	$a_1 a_{11} d_5 e_8$	$\frac{3172}{1587}$	25	1	$\frac{1}{69}$	-4	48	28	44	-10	-100	86	-72	-64	36	12	36
						-92	14	-32	22	62	16	44	34	-72	52	38	122
59.	$a_1 a_2 d_{10} d_{12}$	$\frac{3172}{1587}$	25	1	$\frac{1}{69}$	-4	46	22	42	-6	-98	86	-64	-62	28	4	32
						-98	22	-34	28	58	8	46	42	-82	58	40	118
60.	$a_1^2 a_2^2 a_{11} e_8$	$\frac{1535}{768}$	25	1	$\frac{1}{96}$	92	100	-8	78	8	-142	36	-84	-32	134	-4	-36
						-90	-18	-102	56	36	42	92	60	-36	28	92	162

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G				
61.	$a_1a_2a_8e_6e_8$	$\frac{3040}{1521}$	25	1	$\frac{1}{117}$	20	80	40	88	4	-172	144	-108	-120	44	12	84	
62.	$a_1a_2a_4a_{10}e_8$	$\frac{2968}{1485}$	25	1	$\frac{1}{495}$	-164	36	-56	60	116	28	60	80	-132	80	68	172	
63.	$a_1a_2a_9d_{13}$	$\frac{1469}{735}$	25	1	$\frac{1}{210}$	472	516	-44	404	44	-736	188	-428	-168	692	-20	-188	
64.	$a_1a_2a_9d_5e_8$	$\frac{1469}{735}$	25	1	$\frac{1}{210}$	-472	-92	-520	288	188	212	472	308	-188	148	476	832	
65.	$a_1d_{10}e_7^2$	$\frac{2736}{1369}$	25	2	$\frac{1}{37}$	-14	140	68	132	-18	-304	262	-194	-190	80	14	106	
66.	$a_1a_{17}e_7$	$\frac{2736}{1369}$	25	2	$\frac{1}{37}$	-292	62	-98	86	182	22	146	120	-242	170	128	362	
67.	$a_1^2a_4a_{19}$	$\frac{1351}{676}$	25	1	$\frac{1}{52}$	202	216	-20	170	20	-310	80	-182	-72	296	-8	-80	
68.	$a_1a_6a_{18}$	$\frac{2392}{1197}$	25	1	$\frac{1}{399}$	-202	-38	-220	120	80	92	202	134	-80	64	200	352	
69.	$a_1a_{17}d_7$	$\frac{1151}{576}$	25	2	$\frac{1}{48}$	-46	10	-22	22	30	6	26	22	-42	34	26	58	
70.	$a_1a_{17}d_7$	$\frac{1151}{576}$	25	1	$\frac{1}{144}$	-52	8	-16	16	36	0	20	20	-36	28	20	64	
71.	$a_1^2a_3(d_{10})^2$	$\frac{1151}{576}$	25	1	$\frac{1}{48}$	-70	12	-24	20	46	8	36	28	-58	40	30	90	
72.	$a_1a_{17}d_{10}e_7$	$\frac{2392}{1197}$	25	1	$\frac{1}{399}$	-536	100	-176	148	356	60	260	212	-440	308	228	696	
73.	$a_1a_{15}d_9$	$\frac{1151}{576}$	25	2	$\frac{1}{33}$	-536	100	-176	148	356	60	260	212	-440	308	228	696	
74.	$a_1a_2d_8e_7^2$	$\frac{2164}{1083}$	25	2	$\frac{1}{57}$	-65	9	37	17	39	-1	-69	57	-43	-49	23	5	33
75.	$a_1a_{15}d_9d_{10}$	$\frac{2176}{1089}$	25	2	$\frac{1}{33}$	-65	11	-31	27	41	9	31	37	-57	31	31	69	
76.	$a_1a_{13}a_4a_{17}$	$\frac{999}{500}$	25	1	$\frac{1}{78}$	-65	11	-31	27	41	9	31	37	-57	31	31	69	
77.	$a_1a_{13}a_4d_{10}e_7$	$\frac{999}{500}$	25	1	$\frac{1}{100}$	-30	-6	-34	14	14	14	30	22	-14	14	34	54	
78.	$a_1a_{13}a_4d_{10}e_7$	$\frac{999}{500}$	25	1	$\frac{1}{100}$	-30	-6	-34	14	14	14	30	22	-14	14	34	54	
79.	$a_1^2d_8^2e_7$	$\frac{1920}{961}$	25	2	$\frac{1}{31}$	-72	-16	-78	38	38	34	72	48	-30	30	78	126	
80.	$a_1^2d_8^2e_7$	$\frac{1920}{961}$	25	2	$\frac{1}{31}$	-72	-16	-78	38	38	34	72	48	-30	30	78	126	

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G				
81.	$a_1 a_4 a_{13} e_7$	$\frac{1748}{875}$	25	1	$\frac{1}{175}$	3	143	55	131	17	-247	225	-163	-177	53	35	93	
82.	$a_1 a_3 a_{11} d_{10}$	$\frac{1732}{867}$	25	1	$\frac{1}{51}$	-249	37	-69	73	165	7	93	83	-177	129	95	305	
83.	$a_1 a_2 a_{15} d_7$	$\frac{1732}{867}$	25	2	$\frac{1}{51}$	46	48	-4	46	8	-70	20	-46	-16	80	4	-28	
84.	$a_1 a_9 d_8 e_7$	$\frac{1688}{845}$	25	1	$\frac{1}{65}$	-46	-10	-48	20	20	24	46	34	-24	24	52	84	
85.	$a_1 d_8^3$	$\frac{1680}{841}$	25	6	$\frac{1}{29}$	-1	37	17	35	-5	-73	63	-53	-49	23	7	23	
86.	$a_1 a_3 d_6 d_8 e_7$	$\frac{799}{400}$	25	1	$\frac{1}{40}$	-67	11	-17	17	47	9	35	25	-55	41	27	91	
87.	$a_1 a_2 a_7 d_8 e_7$	$\frac{767}{384}$	25	1	$\frac{1}{96}$	63	59	-5	55	5	-95	25	-63	-23	99	3	-35	
88.	$a_1 a_2 a_3 a_9 d_{10}$	$\frac{749}{375}$	25	1	$\frac{1}{150}$	-63	-17	-65	25	25	23	63	41	-25	21	65	103	
89.	$a_1 a_4 a_5 d_8 e_7$	$\frac{1468}{735}$	25	1	$\frac{1}{105}$	0	24	12	20	0	-48	36	-28	-28	8	4	16	
90.	$a_1 a_{12}^2$	$\frac{1456}{729}$	25	4	$\frac{1}{27}$	-40	4	-16	12	24	4	20	16	-28	24	16	44	
91.	$a_1 a_3 a_5 d_6 d_{10}$	$\frac{725}{363}$	25	1	$\frac{1}{66}$	5	77	29	65	11	-133	127	-89	-103	35	17	51	
92.	$a_1^2 a_3 a_5 d_8 e_7$	$\frac{725}{363}$	25	1	$\frac{1}{66}$	-135	23	-47	43	91	5	43	53	-95	71	57	163	
93.	$a_1^2 a_3 a_5 d_8 e_7$	$\frac{725}{363}$	25	1	$\frac{1}{66}$	134	146	-8	134	22	-206	52	-142	-46	236	10	-82	
94.	$a_1^2 a_5 a_{11} e_7$	$\frac{721}{361}$	25	1	$\frac{1}{38}$	-142	-28	-138	58	58	70	134	100	-68	72	148	246	
95.	$a_1 a_7 a_{10} e_7$	$\frac{703}{352}$	25	1	$\frac{1}{176}$	35	67	39	95	13	-159	129	-87	-99	45	1	81	
96.	$a_1 a_3 a_7 d_7 e_7$	$\frac{675}{338}$	25	1	$\frac{1}{52}$	-145	39	-61	51	91	35	51	67	-105	71	71	159	
97.	$a_1^2 a_3^2 a_7 d_{10}$	$\frac{675}{338}$	25	1	$\frac{1}{52}$	0	20	8	20	0	-40	36	-28	-24	8	4	12	
98.	$a_1 a_2 d_6 d_8^2$	$\frac{1348}{675}$	25	2	$\frac{1}{45}$	-36	8	-12	8	24	4	16	12	-28	20	16	48	
99.	$a_1 a_3 a_5 a_6 d_{10}$	$\frac{671}{336}$	25	1	$\frac{1}{168}$	-142	-14	-60	28	28	32	60	42	-30	30	66	108	
100.	$a_1 a_{13} d_5 e_6$	$\frac{671}{336}$	25	1	$\frac{1}{168}$	-135	23	-47	43	91	5	-92	22	-60	-20	106	4	-36
						-154	-36	-154	66	66	78	154	108	-80	76	168	278	
						-28	118	78	122	-20	-246	216	-168	-144	66	16	84	
						-226	48	-88	36	148	44	108	70	-168	128	98	300	

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M	O				G			
101.	$a_1 a_6 a_9 d_9$	$\frac{629}{315}$	25	1	$\frac{1}{210}$	196 198 -10 180	30	-300	70	-196	-66	318	6	-110
102.	$a_1 a_{11} d_7 e_6$	$\frac{1248}{625}$	25	2	$\frac{1}{25}$	-196 -44 -210 90	90	86	196	132	-90	82	210	346
103.	$a_1 e_6^4$	$\frac{1248}{625}$	25	48	$\frac{1}{25}$	6 22 10 22	22	6	14	18	-26	10	2	18
104.	$a_1 a_2 a_4^2 a_{14}$	$\frac{1208}{605}$	25	2	$\frac{1}{55}$	-34 6 -14 14	22	-38	30	-22	-26	18	14	38
105.	$a_1 a_4^2 a_9 e_7$	$\frac{1208}{605}$	25	2	$\frac{1}{55}$	0 40 16 36	-4	-80	72	-56	-48	20	8	24
106.	$a_1^2 a_{11} e_6^2$	$\frac{599}{300}$	25	1	$\frac{1}{60}$	-76 12 -24 20	48	8	40	28	-60	40	32	96
107.	$a_1^2 a_7^2 d_9$	$\frac{577}{289}$	25	2	$\frac{1}{34}$	48 56 -4 44	8	-76	20	-48	-16	92	0	-28
108.	$a_1 a_3 a_7^2 e_7$	$\frac{577}{289}$	25	2	$\frac{1}{34}$	-48 -16 -48 24	24	24	48	32	-24	28	56	92
109.	$a_1 a_4 a_7 a_{13}$	$\frac{559}{280}$	25	1	$\frac{1}{280}$	-79 15 -31 15	55	17	39	25	-63	47	35	105
110.	$a_1 a_4 a_6 a_7 e_7$	$\frac{559}{280}$	25	1	$\frac{1}{280}$	30 32 -2 30	6	-48	12	-32	-10	52	2	-18
111.	$a_1^2 a_4 a_5 a_7 e_7$	$\frac{539}{270}$	25	1	$\frac{1}{180}$	-32 -6 -34 14	14	14	32	22	-14	14	34	56
112.	$a_1^2 a_4 a_5 a_7 e_7$	$\frac{539}{270}$	25	1	$\frac{1}{180}$	26 12 24	4	-48	44	-32	-36	12	6	18
113.	$a_1 a_6 a_{11} d_7$	$\frac{1056}{529}$	25	2	$\frac{1}{23}$	-488 72 -108 92	-16	-408	366	-294	-246	102	44	132
114.	$a_1 a_6 a_{11} d_7$	$\frac{1048}{525}$	25	1	$\frac{1}{105}$	208 258 -20 278	248	38	182	136	-296	202	160	498
115.	$a_1 a_6 e_6^3$	$\frac{1048}{525}$	25	6	$\frac{1}{105}$	-202 -80 -322 148	46	-302	112	-272	-86	446	-16	-148
116.	$a_1^2 a_3 d_6^2 d_8$	$\frac{511}{256}$	25	1	$\frac{1}{32}$	7 143 63 131	148	106	208	174	-122	90	316	504
117.	$a_1 a_5^2 d_8 e_6$	$\frac{1012}{507}$	25	2	$\frac{1}{39}$	-253 45 -85 81	169	7	89	95	-181	125	107	305
118.	$a_1 a_2 a_{11} d_5 e_6$	$\frac{1012}{507}$	25	2	$\frac{1}{39}$	160 182 -12 138	26	-242	64	-160	-50	306	-2	-90
119.	$a_1^3 a_5^3 e_7$	$\frac{1012}{507}$	25	2	$\frac{1}{39}$	-150 -56 -160 78	78	84	160	106	-76	92	180	304
120.	$a_1 a_5 d_5 d_6 d_8$	$\frac{485}{243}$	25	1	$\frac{1}{54}$	3 17 7 19	-1	-33	29	-21	-23	9	1	15
						-29 5 -15 13	19	3	15	17	-29	13	17	33
						-144 20 -64 56	96	24	68	64	-100	76	52	160
						-14 74 50 62	-10	-146	134	-110	-94	58	10	62
						-134 26 -62 22	98	38	62	46	-110	86	62	182
						6 24 10 26	-2	-46	38	-28	-32	14	2	22
						-42 6 -20 18	28	4	22	24	-40	18	22	46
						11 27 15 31	5	-59	49	-35	-39	13	1	29
						-53 11 -21 19	35	11	19	27	-41	27	23	59
						-4 28 16 24	-6	-56	50	-40	-32	16	4	20
						-56 10 -16 10	34	8	28	18	-40	28	22	70
						9 41 17 43	-3	-77	67	-49	-53	23	3	37
						-71 11 -33 31	45	7	37	41	-67	29	39	77

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G			
121.	$a_1 a_9 a_{11} d_4$	$\frac{479}{240}$	25	1	$\frac{1}{120}$	104	114	-8	116	22	-164	52	-104	-38	184	0	-60
122.	$a_1 a_9^2 d_6$	$\frac{880}{441}$	25	4	$\frac{1}{21}$	2	14	6	14	-2	-30	26	-22	-22	10	6	10
123.	$a_1 a_2^2 a_8 e_6^2$	$\frac{880}{441}$	25	2	$\frac{1}{63}$	-12	48	32	40	-8	-88	80	-60	-52	24	4	36
124.	$a_1 d_6^4$	$\frac{880}{441}$	25	24	$\frac{1}{21}$	18	18	-2	22	6	-26	10	-22	-6	30	-2	-14
125.	$a_1^2 a_7 a_{11} d_5$	$\frac{431}{216}$	25	1	$\frac{1}{72}$	64	66	-4	70	14	-94	32	-64	-22	110	0	-36
126.	$a_1^2 a_7 a_{11} d_5$	$\frac{431}{216}$	25	1	$\frac{1}{72}$	-58	-16	-82	36	36	26	64	46	-26	26	76	120
127.	$a_1 a_5 a_7 e_6^2$	$\frac{431}{216}$	25	2	$\frac{1}{72}$	17	51	33	55	11	-107	91	-71	-81	19	-5	47
128.	$a_1^2 a_9^2 d_5$	$\frac{391}{196}$	25	2	$\frac{1}{28}$	-95	17	-39	37	65	23	37	51	-71	51	41	107
129.	$a_1 a_3 a_5 a_{11} d_5$	$\frac{391}{196}$	25	2	$\frac{1}{28}$	-2	20	10	18	-4	-40	36	-30	-24	12	4	14
130.	$a_1^2 d_5 d_6^3$	$\frac{391}{196}$	25	3	$\frac{1}{28}$	7	23	7	21	-1	-39	37	-23	-27	13	1	19
131.	$a_1 a_2^2 a_4 a_{11} d_5$	$\frac{748}{375}$	25	2	$\frac{1}{75}$	-4	56	28	48	-10	-108	98	-80	-64	32	12	36
132.	$a_1 a_2 a_9^2 d_4$	$\frac{724}{363}$	25	4	$\frac{1}{33}$	27	33	-3	33	5	-45	13	-27	-11	51	1	-15
133.	$a_1 a_2 d_4 d_6^3$	$\frac{724}{363}$	25	6	$\frac{1}{33}$	6	24	10	28	0	-48	44	-28	-32	12	0	20
134.	$a_1 a_3 a_7^2 d_7$	$\frac{720}{361}$	25	4	$\frac{1}{19}$	-1	17	9	13	-1	-29	23	-19	-19	5	3	13
135.	$a_1 a_8^3$	$\frac{720}{361}$	25	12	$\frac{1}{19}$	2	14	2	10	-2	-26	26	-18	-18	6	2	6
136.	$a_1^3 d_4 d_6^3$	$\frac{720}{361}$	25	2	$\frac{1}{19}$	2	14	6	16	-2	-28	24	-16	-18	8	0	12
137.	$a_1 a_3 a_7 a_9 d_5$	$\frac{319}{160}$	25	1	$\frac{1}{80}$	81	73	-5	65	15	-115	25	-71	-31	113	1	-45
138.	$a_1 a_3 a_5 d_4 d_6^2$	$\frac{293}{147}$	25	2	$\frac{1}{42}$	42	38	-6	34	4	-58	14	-36	-10	68	2	-24
139.	$a_1 a_7^2 d_5^2$	$\frac{576}{289}$	25	8	$\frac{1}{17}$	-2	14	6	10	-2	-22	22	-18	-14	6	-2	6
140.	$a_1^2 a_3 d_4^2 d_6^2$	$\frac{287}{144}$	25	2	$\frac{1}{24}$	3	19	7	21	-1	-35	31	-21	-23	9	1	15

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G			
141.	$a_1 a_2 a_4^2 a_9 d_5$	$\frac{269}{135}$	25	2	$\frac{1}{90}$	7	77	33	71	3	-147	103	-79	-91	39	15	65
142.	$a_1^4 a_7^3$	$\frac{255}{128}$	25	6	$\frac{1}{32}$	-129	21	-45	45	93	15	45	51	-85	57	45	131
143.	$a_1^2 a_4 a_7^2 d_5$	$\frac{249}{125}$	25	2	$\frac{1}{50}$	26	30	0	30	8	-44	10	-32	-8	46	4	-20
144.	$a_1 a_2 a_3 a_7^2 d_5$	$\frac{484}{243}$	25	4	$\frac{1}{27}$	-28	-6	-36	12	12	12	32	18	-12	12	32	54
145.	$a_1^3 d_4^4 d_6$	$\frac{448}{225}$	25	8	$\frac{1}{15}$	46	44	-6	46	18	-72	16	-48	-14	72	6	-30
146.	$a_1 a_6^4$	$\frac{448}{225}$	25	24	$\frac{1}{15}$	-48	-6	-54	18	18	18	48	30	-18	18	46	84
147.	$a_1^3 a_3 a_5 a_7^2$	$\frac{215}{108}$	25	2	$\frac{1}{36}$	-2	26	14	20	-2	-40	34	-26	-26	8	6	18
148.	$a_1^3 a_3 a_5 a_7^2$	$\frac{215}{108}$	25	4	$\frac{1}{36}$	-18	4	-16	14	26	8	18	14	-22	14	14	40
149.	$a_1^2 a_3^3 a_7^2$	$\frac{199}{100}$	25	4	$\frac{1}{20}$	-22	2	10	6	10	-2	-22	18	-14	-14	2	2
150.	$a_1^3 a_5^3 a_7$	$\frac{215}{108}$	25	2	$\frac{1}{36}$	30	32	-2	34	10	-52	12	-36	-18	10	10	26
151.	$a_1 a_5^4 d_4$	$\frac{215}{108}$	25	48	$\frac{1}{13}$	-32	-6	-38	14	14	14	36	22	-14	14	34	60
152.	$a_1 a_6^6$	$\frac{199}{100}$	25	2160	$\frac{1}{13}$	-5	33	21	23	-5	-55	43	-35	-35	11	7	25
153.	$a_1^3 a_2 a_5^4$	$\frac{191}{96}$	25	2	$\frac{1}{48}$	-53	9	-21	17	33	11	25	19	-29	21	17	55
154.	$a_1^3 a_2 d_4^5$	$\frac{191}{96}$	25	120	$\frac{1}{21}$	-2	18	6	24	12	-72	18	-48	-12	66	0	-24
155.	$a_1^6 a_3 d_4^4$	$\frac{191}{96}$	25	48	$\frac{1}{13}$	-30	4	-12	10	18	6	14	10	-16	12	10	30
156.	$a_1^9 d_4^4$	$\frac{191}{96}$	25	24	$\frac{1}{11}$	-40	-6	-52	24	16	20	48	30	-16	16	44	82
157.	$a_1 a_5^4 d_4$	$\frac{191}{96}$	25	120	$\frac{1}{21}$	-2	10	2	6	-2	-18	18	-10	-10	6	2	6
158.	$a_1 a_6^6$	$\frac{191}{96}$	25	240	$\frac{1}{11}$	-18	6	-2	2	10	2	10	6	-14	10	6	26
159.	$a_1^3 a_2 a_5^4$	$\frac{191}{96}$	25	240	$\frac{1}{21}$	-14	-6	-18	6	6	6	10	10	-6	6	10	22
160.	$a_1^3 a_2 d_4^5$	$\frac{191}{96}$	25	120	$\frac{1}{21}$	-15	-3	-21	9	7	11	21	15	-7	9	19	37
						-15	-3	-21	9	7	11	21	15	-7	9	19	37
						-24	2	-12	12	18	4	14	18	-24	10	18	30
						2	18	6	24	2	-30	24	-18	-20	6	2	14
						-24	2	-12	12	18	4	14	18	-24	10	18	30
						1	13	5	17	1	-23	19	-13	-15	5	3	11
						-19	1	-11	9	13	3	11	13	-19	7	13	23
						0	8	4	12	0	-16	12	-8	-10	4	2	8
						-12	2	-8	6	8	2	8	10	-14	4	10	16
						12	12	-4	4	0	-16	4	-12	-4	16	0	-4
						-8	-4	-8	4	4	4	8	8	-4	4	12	20
						2	6	2	8	0	-10	8	-4	-6	0	2	6
						-8	0	-4	2	6	0	2	6	-8	4	8	10
						0	8	4	4	-4	-8	8	-4	-4	4	-4	4
						-8	4	-8	4	4	0	4	8	-4	4	4	12

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M	O	G
161.	a_1^{25}	$\frac{31}{16}$	25	40320	$\frac{1}{8}$	2 8 2 8 -8 0 -6 2	0 -12 8 -4 6 0 2 8	-8 -2 2 8 -8 4 8 12
162.	a_1^{25}	$\frac{52}{27}$	25	443520	$\frac{1}{9}$	3 9 3 9 -9 1 -9 1	-1 -13 9 -3 7 1 3 9	-9 -1 1 9 -9 3 9 13
163.	a_1^{25}	$\frac{48}{25}$	25	10200960	$\frac{1}{5}$	1 5 1 5 -5 1 -5 1	-1 -7 5 -1 5 1 1 5	-5 -1 1 5 -5 1 5 7
164.	a_1^{25}	$\frac{48}{25}$	25	244823040	$\frac{1}{5}$	4 4 4 4 -4 0 -4 0	0 -8 4 -4 0 0 4 4	-4 8 0 -4 -4 4 4 4

TABLE 1 (CONTD.). SHARED VERTICES

	name	$\ v\ ^2$	N	g	α	M				O				G			
1.	exceptional	$\frac{8}{3}$	552	495766656000	$\frac{1}{3}$	2	2	2	2	-2	-6	2	-2	-2	6	2	2
2.	HS ₁₀₀ a_1	$\frac{9}{4}$	101	44352000	$\frac{1}{4}$	1	3	3	3	-1	-7	3	-1	-2	2	2	6
3.	HS ₅₀ a_2	$\frac{32}{15}$	52	126000	$\frac{1}{15}$	2	10	2	14	-2	-22	18	-14	-10	2	-2	14
4.	$J(7, 4)$ a_3	$\frac{25}{12}$	38	2520	$\frac{1}{12}$	7	15	3	15	3	-17	3	-13	-3	15	3	-11
5.	$(5, 6)$ a_1^2	$\frac{52}{25}$	44	80640	$\frac{1}{5}$	4	6	0	4	0	-8	2	-4	-2	8	0	0
6.	Cox a_4	$\frac{72}{35}$	32	168	$\frac{1}{35}$	6	30	14	26	-6	-66	38	-34	-26	18	14	14
7.	$G_{24,30}$ a_5	$\frac{49}{24}$	29	24	$\frac{1}{24}$	4	20	10	18	-4	-44	28	-24	-18	12	8	10
8.	$(3, 8)$ a_3	$\frac{100}{49}$	33	1440	$\frac{1}{7}$	7	5	-1	7	3	-9	5	-5	-3	9	1	-5
9.	$(3, 8)$ $a_1 a_2$	$\frac{55}{27}$	33	720	$\frac{1}{18}$	15	21	-3	15	-1	-27	7	-15	-5	27	1	-3
10.	$G_{21,24}$ a_6	$\frac{128}{63}$	27	6	$\frac{1}{63}$	10	54	26	50	-10	-114	74	-66	-46	30	18	26
11.	$G_{19,20}$ a_7	$\frac{81}{40}$	26	2	$\frac{1}{40}$	34	34	0	34	0	-60	14	-36	-16	62	4	-12
12.	$G_{25,30}$ d_4	$\frac{164}{81}$	29	120	$\frac{1}{9}$	2	8	4	8	0	-14	10	-6	-8	6	2	6
13.	$G_{25,30}$ $a_1 a_3$	$\frac{99}{49}$	29	60	$\frac{1}{14}$	12	16	-2	12	0	-20	6	-12	-4	22	0	-4
14.	$G_{17,17}$ a_8	$\frac{200}{99}$	25	1	$\frac{1}{99}$	88	84	0	84	0	-148	36	-88	-40	152	8	-32
15.	$T_1^1 4^0 2_0^0$	$\frac{121}{60}$	25	1	$\frac{1}{60}$	-88	-8	-100	68	32	40	88	64	-32	48	100	172
16.	$G_{15,15}$ a_9	$\frac{121}{60}$	24	1	$\frac{1}{60}$	6	42	18	46	-4	-90	72	-58	-52	20	0	44
17.	$G_{22,22}$ d_5	$\frac{244}{121}$	27	24	$\frac{1}{11}$	-1	9	3	5	-1	-17	13	-11	-11	3	1	7
18.	$G_{24,27}$ a_4	$\frac{272}{135}$	28	36	$\frac{1}{45}$	46	34	-6	46	18	-62	26	-38	-14	62	6	-30
19.	$G_{14,14}$ a_{10}	$\frac{288}{143}$	24	1	$\frac{1}{143}$	126	122	-2	122	6	-210	58	-126	-54	222	10	-50
20.	$T_0^3 4_0^1$	$\frac{288}{143}$	24	1	$\frac{1}{143}$	16	100	44	108	-8	-216	172	-136	-124	48	0	104
						-200	32	-68	56	128	40	104	100	-168	116	80	216

TABLE 2. ADDITIONAL VERTICES

	name	$\ v\ ^2$	N	g	α	M					O					G			
21.	$T_0^3 4_0^1 a_{10}$	$\frac{288}{143}$	24	1	$\frac{1}{143}$	128	128	0	120	0	-216	48	-128	-56	216	8	-48		
22.	$G_{24,27} a_2^2$	$\frac{296}{147}$	28	72	$\frac{1}{21}$	-128	-16	-144	96	48	56	128	88	-48	64	144	248		
23.	$G_{22,22} a_1 a_4$	$\frac{161}{80}$	27	12	$\frac{1}{40}$	-2	14	6	14	-2	-30	26	-18	-18	6	2	10		
24.	$T_0^{13} 4_0^1$	$\frac{13864}{6889}$	24	1	$\frac{1}{83}$	-30	6	-6	6	18	2	18	10	-26	18	10	38		
25.	$T_0^{12} 4_0^2$	$\frac{163}{81}$	24	1	$\frac{1}{36}$	-37	-5	-37	23	13	21	33	29	-17	15	41	69		
26.	$T_0^{14} 4_0^0$	$\frac{1159}{576}$	24	1	$\frac{1}{48}$	76	76	0	68	0	-124	28	-76	-32	124	4	-28		
27.	$T_0^6 0 a_{11}$	$\frac{169}{84}$	24	1	$\frac{1}{84}$	-72	-8	-84	56	28	32	76	52	-28	36	84	144		
28.	$T_3^6 0 a_{11}$	$\frac{169}{84}$	24	1	$\frac{1}{84}$	-50	8	-18	14	32	10	26	26	-42	30	20	54		
29.	$T_0^1 4_0^1 a_1 a_{11}$	$\frac{169}{84}$	24	1	$\frac{1}{84}$	-67	11	-23	19	43	13	35	33	-55	39	27	73		
30.	$G_{20,20} d_6$	$\frac{340}{169}$	26	8	$\frac{1}{13}$	74	72	-2	74	4	-122	34	-74	-32	130	6	-30		
31.	$T_0^{11} 4_0^3$	$\frac{7984}{3969}$	24	1	$\frac{1}{63}$	-74	-8	-86	54	30	34	74	56	-28	40	86	144		
32.	$T_5^{15} 0$	$\frac{24784}{12321}$	24	1	$\frac{1}{111}$	75	75	1	71	1	-127	27	-75	-33	127	5	-29		
33.	$T_3^{16} 0 a_1$	$\frac{2059}{1024}$	24	1	$\frac{1}{64}$	-75	-11	-85	57	29	31	75	51	-29	37	85	145		
34.	$T_3^3 0 a_2 a_{12}$	$\frac{392}{195}$	24	1	$\frac{1}{195}$	76	76	0	70	0	-126	28	-76	-32	126	4	-28		
35.	$T_0^{10} 4_0^4$	$\frac{197}{98}$	24	1	$\frac{1}{28}$	-74	-10	-86	56	28	34	76	52	-28	36	84	146		
36.	$T_2^{18} 0$	$\frac{886}{441}$	24	1	$\frac{1}{42}$	76	76	0	70	0	-126	28	-76	-32	126	4	-28		
37.	$T_0^1 4_0^0 a_{13}$	$\frac{225}{112}$	24	1	$\frac{1}{56}$	-98	-10	-114	70	38	46	98	74	-38	54	114	190		
38.	$G_{18,18} d_7$	$\frac{452}{225}$	25	4	$\frac{1}{15}$	-98	-10	-114	70	38	46	98	74	-38	54	114	190		
39.	$T_0^9 4_0^5$	$\frac{5224}{2601}$	24	1	$\frac{1}{51}$	-58	10	-18	14	38	10	30	26	-50	34	24	68		
40.	$G_{20,20} a_1 a_5$	$\frac{488}{243}$	26	4	$\frac{1}{27}$	-58	10	-18	14	38	10	30	26	-50	34	24	68		

TABLE 2 (CONTD.). ADDITIONAL VERTICES

	name	$\ v\ ^2$	N	g	α	M	O				G			
41.	$T_2^3 0 a_{15}$	$\frac{289}{144}$	24	1	$\frac{1}{48}$	43 43 1 41	1	-73	15	-43	-19	71	3	-19
42.	$T_0^8 4_0^6$	$\frac{289}{144}$	24	1	$\frac{1}{24}$	-43 -7 -49 31	17	17	43	27	-17	21	49	83
43.	$T_0^2 7_0^2 d_8$	$\frac{580}{289}$	25	2	$\frac{1}{17}$	16 14 -2 16	20	6	18	16	-26	18	16	36
44.	$T_0^7 4_0^7$	$\frac{4432}{2209}$	24	2	$\frac{1}{47}$	4 36 12 28	0	-72	60	-44	-48	16	0	32
45.	$G_{21,21} d_5$	$\frac{339}{169}$	26	6	$\frac{1}{26}$	5 23 11 21	1	-41	29	-21	-25	13	5	19
46.	$G_{18,18} a_1 a_6$	$\frac{351}{175}$	25	2	$\frac{1}{70}$	61 75 -5 61	5	-101	29	-65	-19	105	-1	-25
47.	$T_0^1 7_0^1 d_9$	$\frac{724}{361}$	24	2	$\frac{1}{19}$	2 16 8 12	0	-30	20	-16	-16	10	2	14
48.	$G_{21,21} a_5$	$\frac{728}{363}$	26	6	$\frac{1}{33}$	30 26 -2 34	10	-46	18	-30	-10	46	2	-22
49.	$G_{21,21} a_2 a_3$	$\frac{385}{192}$	26	6	$\frac{1}{48}$	-26 -6 -38 14	14	14	30	22	-14	14	34	54
50.	$T_0^1 7_0^0 d_{10}$	$\frac{884}{441}$	24	1	$\frac{1}{21}$	-70 14 -20 14	44	4	38	24	-56	38	26	86
51.	$T_0^2 7_0^2 a_1 a_7$	$\frac{485}{242}$	25	1	$\frac{1}{44}$	38 46 -4 38	4	-64	18	-40	-12	66	0	-16
52.	$T_1^8 0 d_{11}$	$\frac{1060}{529}$	24	1	$\frac{1}{23}$	-40 -6 -44 24	16	20	40	30	-16	16	44	74
53.	$T_1^6 0 a_1 d_{12}$	$\frac{1252}{625}$	24	1	$\frac{1}{25}$	2 16 8 16	0	-36	28	-22	-22	8	0	16
54.	$T_0^1 7_0^1 a_1 a_8$	$\frac{649}{324}$	24	1	$\frac{1}{108}$	-32 4 -12 10	20	6	16	16	-26	18	12	34
55.	$T_1^5 0 d_{14}$	$\frac{1684}{841}$	24	1	$\frac{1}{29}$	-21 -5 -27 17	9	9	23	15	-9	37	1	-9
56.	$T_0^1 7_0^0 a_1 a_9$	$\frac{1692}{845}$	24	1	$\frac{1}{65}$	97 111 -9 93	9	-157	45	-97	-31	161	-1	-41
57.	$T_0^1 7_0^0 a_1 a_9$	$\frac{1692}{845}$	24	1	$\frac{1}{65}$	-97 -17 -109 59	41	49	97	73	-41	39	109	181
58.	$T_1^8 0 a_1 a_{10}$	$\frac{1079}{539}$	24	1	$\frac{1}{154}$	28 28 -2 24	2	-44	10	-26	-10	42	0	-10
59.	$T_1^8 0 a_1 a_{10}$	$\frac{1079}{539}$	24	1	$\frac{1}{154}$	-26 -4 -30 18	10	12	26	18	-10	10	28	50
60.	$T_0^1 11_0^1 e_6$	$\frac{2168}{1083}$	25	2	$\frac{1}{57}$	11 47 23 51	1	-95	77	-63	-67	25	5	49
						-89 19 -33 27	59	11	39	47	-77	43	39	95
						-59 -11 -65 35	25	29	59	43	-25	23	65	109
						138 142 2 120	38	-208	74	-138	-34	240	-10	-82
						-116 -52 -184 82	82	52	138	82	-42	62	162	260
						-12 120 36 102	-8	-216	206	-144	-148	50	12	76
						-202 16 -84 96	130	4	88	88	-174	116	106	262
						-2 46 18 30	-2	-86	66	-54	-50	22	2	38
						-70 14 -34 38	46	6	38	34	-66	50	38	94

TABLE 2 (CONTD.). ADDITIONAL VERTICES

	name	$\ v\ ^2$	N	g	α	M	O	G
61.	$T_1^{18}0 a_1$	$\frac{15856}{7921}$	24	1	$\frac{1}{89}$	-1 61 29 55 -121 25 -41 33 78 90 2 70 -78 -30 -94 50	81 15 65 47 14 -134 30 -78 46 22 78 38 38 38 82 58	-3 -129 109 -89 -89 -77 37 9 -77 37 9 47 -105 73 53 151 -26 134 -6 -46 -30 34 94 150 -26 130 10 -58 -38 38 98 150 -112 44 8 64 -152 104 80 236 -26 136 0 -36 -34 34 92 150 -26 132 -2 -34 -34 30 90 152 -34 178 2 -50 -46 46 122 198 -35 173 -5 -45 -45 39 117 201
62.	$T_1^{18}0 a_1$	$\frac{15856}{7921}$	24	1	$\frac{1}{89}$	78 90 2 70 -78 -30 -94 50	14 -134 30 -78 46 22 78 38 38 38 82 58	-26 134 -6 -46 -30 34 94 150 -26 130 10 -58 -38 38 98 150 -112 44 8 64 -152 104 80 236 -26 136 0 -36 -34 34 92 150 -26 132 -2 -34 -34 30 90 152 -34 178 2 -50 -46 46 122 198 -35 173 -5 -45 -45 39 117 201
63.	$T_0^111_0 a_6$	$\frac{2368}{1183}$	25	2	$\frac{1}{91}$	82 78 -2 90 -74 -18 -106 38	22 -122 46 -82 38 38 82 58	-26 130 10 -58 -38 38 98 150 -12 196 172 -128 116 16 104 72 -10 128 40 -80 36 40 80 62 -132 34 -82 6 -132 34 -82 34 40 82 58 -170 54 -106 46 54 106 82 9 -177 45 -109 45 53 109 77 -105 -21 -121 67
64.	$T_0^111_0 a_2 a_4$	$\frac{2432}{1215}$	25	2	$\frac{1}{135}$	-8 92 44 84 -196 44 -56 44	116 16 104 72 -12 -196 172 -128 116 16 104 72 -10 128 40 -80 36 40 80 62 -132 34 -82 6 -132 34 -82 34 40 82 58 -170 54 -106 46 54 106 82 9 -177 45 -109 45 53 109 77 -105 -21 -121 67	-12 -196 172 -128 -112 44 8 64 -152 104 80 236 -26 136 0 -36 -34 34 92 150 -26 132 -2 -34 -34 30 90 152 -34 178 2 -50 -46 46 122 198 -35 173 -5 -45 -45 39 117 201
65.	$T_1^60 a_1^2 a_{11}$	$\frac{1351}{675}$	24	1	$\frac{1}{90}$	80 90 -8 80 -80 -14 -92 48	10 -128 40 -80 36 40 80 62	-26 136 0 -36 -34 34 92 150 -26 132 -2 -34 -34 30 90 152 -34 178 2 -50 -46 46 122 198
66.	$T_1^60 a_1^2 a_{11}$	$\frac{1351}{675}$	24	1	$\frac{1}{90}$	82 94 -6 76 -80 -16 -92 50	6 -132 34 -82 34 40 82 58	-26 132 -2 -34 -34 30 90 152 -34 178 2 -50 -46 46 122 198
67.	$T_1^50 a_1 a_{13}$	$\frac{4048}{2023}$	24	1	$\frac{1}{119}$	106 118 -10 106 -106 -18 -122 62	14 -170 54 -106 46 54 106 82	-34 178 2 -50 -46 46 122 198
68.	$T_1^50 a_1 a_{13}$	$\frac{4048}{2023}$	24	1	$\frac{1}{119}$	109 123 -9 101 -105 -21 -121 67	9 -177 45 -109 45 53 109 77	-35 173 -5 -45 -45 39 117 201

TABLE 2 (CONTD.). ADDITIONAL VERTICES