

The Distribution of the Elements in the Galactic Disk II. Azimuthal and Radial Variation in Abundances from Cepheids

R.E. Luck¹, S.M. Andrievsky^{2,3}, V.V. Kovtyukh², W. Gieren⁴, and D. Graczyk⁴

¹Department of Astronomy, Case Western Reserve University
10900 Euclid Avenue, Cleveland, OH 44106-7215
luck@fafnir.astr.cwru.edu

²Department of Astronomy and Astronomical Observatory, Odessa National University
Isaac Newton Institute of Chile, Odessa Branch
Shevchenko Park, 65014, Odessa, Ukraine

³GEPI, Observatoire de Paris-Meudon, CNRS, Université Paris Diderot, 92125 Meudon Cedex,
France
scan@deneb1.odessa.ua, val@deneb1.odessa.ua

⁴Departamento de Astronomía, Universidad de Concepción,
Casilla 160-C, Concepcion, Chile
wgieren@astro-udec.cl, darek@astro-udec.cl

Abstract

This paper reports on the spectroscopic investigation of 101 Cepheids in the Carina region. These Cepheids extend previous samples by about 35% in number and increase the amount of the galactic disk coverage especially in the direction of $l \approx 270^\circ$. The new Cepheids do not add much information to the radial gradient, but provide a substantial increase in azimuthal coverage. We find no azimuthal dependence in abundance over an 80° angle from the galactic center in an annulus of 1 kpc depth centered on the Sun. A simple linear fit to the Cepheid data yields a gradient $d[\text{Fe}/\text{H}]/dR_G = -0.055 \pm 0.003$ dex/kpc which is somewhat shallower than found from our previous, smaller Cepheid sample.

Keywords - Stars: abundances—stars: Cepheids—Galaxy: abundances—Galaxy: evolution

1. Introduction

In previous papers from this series (Andrievsky et al. 2002a, 2002b, 2002c, 2004, Luck et al. 2003, 2006 (collectively Papers I-VI) and Kovtyuhk, Wallerstein, & Andrievsky (2005, (KWA)) we described the characteristic features of the metallicity distribution across galactic disk, as derived from Cepheid variable stars. Since our earlier work, the gradient has been investigated by variety of technique's, but the derived value of the gradient has not significantly changed from our 2006 value (Maciel & Costa 2010 and references therein). In Andrievsky et al. (2004) we noted an apparent step-like character in the iron (and also some other elements) abundance

distribution at galactocentric distances of about 10 – 11 kpc. More importantly, in the 2006 work, we found an ostensible inhomogeneity, a “metallicity island”, in the direction of $l = 130^\circ$ at a distance of about 3 kpc from the Sun.

Any structure within the metallicity distribution, such as the alleged “metallicity island”, if it is proved to be real, may have important consequences for scenarios of the formation and evolution of our Galaxy. In order to further explore the distribution of elements in the galactic disk we have acquired data on a large sample of Cepheids in the southern sky. These Cepheids stretch along the galactic plane from Puppis to Scorpius and are concentrated in the Carina / Centaurus region. These stars have galactocentric distances of about 8 kpc, but spread out along a significant arc relative to the galactic center. They will add little information about the radial gradient, but will significantly add to the galactic surface area investigated.

We present here the results of the abundance determinations for 101 galactic Cepheids, the majority of which have not been investigated spectroscopically before (at least for detailed elemental abundance determination). We obtained spectra for four catalog Cepheids which are not included in this paper. The bright Cepheid X Sgr and the much fainter Cepheid HQ Car were observed but both were found to have double lines making an analysis difficult if not impossible. FO Car is listed in the GCVS as an 10.4 day Cepheid, but the spectrum appears to be more like that of an SRd variable – very cool at the time of observation. The last star eliminated is AF Cru. This star is listed as a Cepheid by SIMBAD, but is actually a 10 day spectroscopic binary field G dwarf (Berdnikov & Turner 1997). The list of Cepheids considered can be found in Table 1 along with some basic data.

2. Spectroscopic material

High signal-to-noise spectra were obtained in the period 25 March – 1 April 2010 using the 2.2m MPG telescope and FEROS spectrograph at ESO La Silla. The spectra cover a continuous wavelength range from 400 to 785 nm with a resolving power of about 48000. Typical maximum S/N values (per pixel) for the spectra are in excess of 150. Each night we observed a broad lined B star with a S/N exceeding that of the program stars to enable cancellation of telluric lines where necessary. Table 1 also contains details concerning our program Cepheid observations.

We used IRAF¹ to perform CCD processing, scattered light subtraction, and echelle order extraction. For these spectra two extractions were done, one uses a zero-order (i.e., the mean) normalization of the flat field which removes the blaze from the extracted spectra. The second uses a high-order polynomial to normalize the flat-field which leaves the blaze function in the extracted spectrum. The latter spectrum reflects more accurately the true counts along the orders. A Windows based graphical package (ASP) developed by REL was used to process the blaze removed spectra. This included Beer's law removal of telluric lines, smoothing with a fast Fourier transform procedure, continuum normalization, and wavelength calibration using

¹ IRAF is distributed by the National Optical Astronomy Observatories, which are operated by the Association of Universities for Research in Astronomy, Inc., under cooperative agreement with the National Science Foundation.

template spectra. Echelle orders show significant S/N variations from edge to maximum due to blaze efficiency. To maximize the S/N in these spectra we have co-added the order overlap region using as weights the counts from the second data extraction. The co-added spectra were then inspected and the continua sometimes modified by minor amounts in the overlap regions. Equivalent widths from the co-added spectra were then measured using the Windows compatible DECH20 package (Galazutdinov 1992). The line-list is the same as used in our previous studies and derives from Kovtyukh & Andrievsky (1999). The equivalent widths can be obtained from the authors by request.

It would be useful to compare equivalent widths from a variety of sources for our program stars but Cepheids do not lend themselves to such efforts. The Cepheids would have to be at the same phase from different authors/measurers and should be from different sources (spectrographs). With respect to the stars in the current paper such data does not exist. As a basic check, we have measured equivalent widths for HR 3177 (an non-variable G1 Ib star) from both the FEROS spectrograph and the Sandiford spectrograph on the McDonald Observatory 2.2m Struve telescope. There is no scale difference between the two datasets and the average fractional difference is of order 7 percent.

3. Methods

3.1. Atmospheric Models

Atmospheric models were interpolated for each Cepheid using the Kurucz ATLAS9 model atmosphere grid (Kurucz 1992). The ATLAS9 models are 1D LTE models with ODF line-blanketing and a standard treatment of convection (using the default overshoot scale length). The models used adopt a microturbulent velocity of 3 km s^{-1} . At some phases Cepheids can have microturbulent velocities significantly deviating from this model value; however, our previous test calculations (see Luck et al. 2000) showed that changes of several kilometers per second in the microturbulent velocity used to compute the model atmosphere has little effect on the structure of the model. Thus, a mismatch between the derived microturbulent velocity for a specific star and the microturbulence used in the model computation at a $2 - 3 \text{ km s}^{-1}$ level has an insignificant impact on the resulting elemental abundances.

3.2. Atmosphere parameters: temperatures, gravities, microturbulent velocities

The effective temperature for each Cepheid was determined using effective temperature relations which originate in the work of Kovtyukh & Gorlova (2000) and Kovtyukh (2007). These relations combine the effective temperature with a set of spectral line depth ratios. The internal accuracy of the effective temperature determined in this way is rather high in the temperature range 5000 K to 6500 K: typically 150 K or less (standard deviation or a standard error (σ/\sqrt{N}) of 10 to 20 K). Note that this method uses multiple measures (ratios) each obtained from a single observation. In Table 2 we give the standard deviation of the mean temperature and number of ratios used at each phase (observation). Another important advantage of this method (or any spectroscopic method) is that it produces reddening-free T_{eff} estimates.

The method used for gravity and microturbulent velocity determination in supergiant stars such as Cepheids is described in detail by Kovtyukh & Andrievsky (1999). This method determines the microturbulent velocity using Fe II lines: the dominant ionization species of iron and hence less susceptible to any NLTE effects which might be in play in supergiant atmospheres. The gravity value is found by enforcing the ionization balance condition; i.e., the mean iron abundance from Fe II lines equals the iron abundance which results from the Fe I – EW relation extrapolated to zero equivalent width.

The final results of the determinations of T_{eff} , $\log g$ and V_t are given in Table 2. The uncertainty in the microturbulent velocity and the gravity is more difficult to assess than the statistical error in the effective temperature. For the microturbulence, a variation of $\pm 0.5 \text{ km s}^{-1}$ from the adopted velocity causes a significant slope in the relation between Fe II line abundance and equivalent width. We therefore adopt $\pm 0.5 \text{ km s}^{-1}$ as the uncertainty in the microturbulence. For $\log g$ we adopt $\pm 0.1 \text{ dex}$ as the formal uncertainty based on the numerical result that a change in gravity at that level will result in a difference of 0.05 dex between the total iron abundance as computed from the Fe I and Fe II lines. Since we have forced an ionization balance we do not allow a spread larger than 0.05 dex in the total abundance of iron as derived from the two ions and thus our uncertainty estimate. Iron abundance details are also given in Table 2 along with the stellar parameters.

3.3. Distances

For the determination of the Cepheid galactocentric distances the following standard formula was used:

$$R_G = [R_{G,\odot}^2 + (d \cos b)^2 - 2R_{G,\odot} d \cos b \cos l]^{1/2}$$

where $R_{G,\odot}$ is the galactocentric distance of the Sun (7.9 kpc, McNamara et al. 2000), d is the heliocentric distance of the Cepheid, and l and b are the galactic longitude and latitude respectively.

To determine the heliocentric distance we need the absolute V magnitude, the mean apparent V magnitude, and the reddening. To estimate the absolute magnitude we used “absolute magnitude – pulsational period” relation of Fouqué et al. (2007) for Johnson V magnitudes. The formal uncertainty of this relation is about $\pm 0.2 \text{ mag}$ which leads to a distance uncertainty of 9%. Periods are from Berdnikov (2006 – private communication to S. M. Andrievsky)) or the GCVS. For first overtone pulsators (DCEPS), we assume $P_0 = P_1 / 0.71$ where P_1 is the observed period. The mean visual (V) magnitudes are from Fernie et al. (1995) or as noted in Table 1. Reddenings are from Fouqué et al. (2007) or Fernie et al. (1995) with the systematic correction of Fouqué et al. applied (i.e., $E(B-V) = 0.952 E(B-V)_{\text{Fernie}}$). These reddening are on the E(B-V) system of Laney & Caldwell (2007). We follow Fouqué et al. and adopt $R_V = A_V/E(B-V) = 3.23$. These distances show minor differences with respect to distances found in Papers I-VI leading us to recompute all distances for the stars of Papers I-VI and KWA using this procedure. Galactocentric distances for program stars are listed in Table 1 along with the adopted E(B-V) and $\langle V \rangle$. Table 3 contains the galactocentric distance information for the stars from Papers I-VI and KWA.

Adopting a distance modulus combined uncertainty of ± 0.3 mag the distances to our Cepheids are imprecise at the 13% level. Propagating this uncertainty into the galactocentric distances we find possible distance errors that range from 10's of parsecs for Cepheids at the solar galactocentric radius to more than a kiloparsec for stars well outside the solar circle. We indicate in Figure 1 two representative distance uncertainties.

4. Results

4.1. Elemental abundances

The elemental abundances in our program stars are in Table 4 – mean [x/H] ratios for each star including the stars of Papers I-VI and KWA. Iron abundance details for our new southern Cepheids are given in Table 2 along with the stellar parameters. Note that the oscillator strengths used in this (and all preceding Cepheid analyses of this series) are based on an inverted solar analysis which used the solar abundances of Grevesse et al. 1996.

The mean abundances of Table 4 have been averaged using a weighting equal to the number of spectra for each star. For example, BF Oph is included in the new southern Cepheid dataset and is also found in Luck et al. (2006). Each analysis has a single spectrum so they are added with equal weight. Note that the Table 4 abundances for the stars in prior programs can be different from the previously published values. This is due to the averaging over the gradient papers. Additionally, a number of the Cepheids have been considered in multi-phase analyses (Luck & Andrievsky 2004, Kovtyukh et al. 2005, Andrievsky, Luck, & Kovtyukh 2005, and Luck et al. 2008 – sources 9 through 12 in Table 4) and the average from these studies is used in the formation of Table 4 in preference to the abundances found in Papers I-VI.

4.1.1. Comparison with other Abundance Studies

Abundance reliability in Cepheids as a function of phase has been addressed in a recent series of papers (Luck & Andrievsky 2004, Kovtyukh et al. 2005, Andrievsky, Luck, & Kovtyukh 2005, and Luck et al. 2008). Our finding is that accurate parameters and [Fe/H] ratios can be derived at any phase in a Cepheid independent of the period of the Cepheid. Based on this we would not expect any untoward effects in the abundances due to phase (stellar) parameter problems.

A number of the new southern Cepheids have previous analyses. The largest number of analyses are from our previous work – 12 stars, and Romaniello et al. (2008) – 18 stars. The mean difference between Papers I-VI and this work for [Fe/H] is $+0.02$ ($\sigma = 0.09$) while for Romaniello et al. the mean [Fe/H] difference is $+0.03$ ($\sigma = 0.11$). The stars in common and the [Fe/H] data can be found in Table 5. Another limited source of comparison is Yong et al. (2006). There are two stars in common, NT Pup and CE Pup, for which we obtain [Fe/H] values higher by 0.25 and 0.2 dex respectively. HQ Car was also analyzed by Yong et al. but we were not able to obtain abundances from our spectrum due to line doubling and emission. The agreement with our previous analyses and the work of Romaniello et al. is excellent; however, the abundance results of Yong et al. appear to be somewhat low relative to our values. The latter

conclusion was also reached by Lemasle et al. (2008) in regard to their abundance determinations.

4.2. Spatial Abundance Distributions

Using the distance and abundance information from Tables 2 – 4 we have constructed radial (1D) distributions of elemental abundances. The radial gradients are found in Table 6 for all elements with more than 30 determinations.

4.2.1. [Fe/H] Distribution

In Figure 1 we show the radial gradient for iron discriminating between the older data and the data from the southern Cepheids of this study. As can be seen the stars of this study are concentrated at a distance of about 8 kpc from the galactic center. The radial gradient is thus dominated by the stars from the older studies. Fitting a simple linear model to the data we find that $[Fe/H] = -0.055 (\pm 0.003) * R_G + 0.475 (\pm 0.027)$. This is somewhat shallower than our previous determinations: slope = -0.068 , but in excellent agreement with the values of Romanielo et al. (2008) and Pedicelli et al. (2009).

If we divide the whole range into three parts (zone I: 4.0 – 6.6 kpc, zone II 6.6 – 10.6 kpc, and zone III 10.6 – 14.6 kpc), then the statistics for each zone and the total sample for iron (the most reliable abundance) are the following:

$$\text{Zone I: } [Fe/H] = -0.100 (\pm 0.041) * R_G + 0.794 (\pm 0.245) \\ <[Fe/H]> = +0.201 \text{ (s.d.} = 0.116, n = 18)$$

$$\text{Zone II: } [Fe/H] = -0.032 (0.006) * R_G + 0.282 (\pm 0.049) \\ <[Fe/H]> = +0.025 \text{ (s.d.} = 0.092, n = 217)$$

$$\text{Zone III : } [Fe/H] = -0.060 (\pm 0.014) * R_G + 0.516 (\pm 0.172) \\ <[Fe/H]> = -0.226 \text{ (s.d.} = 0.141, n = 35)$$

The slope in Zone II is heavily influenced by the high metallicity stars at galactocentric radius (R_G) \sim 9 to 10 kpc. This is the “metallicity island” noted by Luck et al. (2006). Confirmation (or direct contradiction) or the reality of this anomaly has yet to be provided, but we do note that it depends on the abundances of fewer than 10 stars. With the use of our internally consistent abundances the outer zone gradient is much the same as the overall gradient. In agreement with other studies (Romanielo et al. 2008, Pedicelli et al. 2009), as well as our previous work, we find the gradient in the inner zone shows a steepening towards the galactic center (see Fig 1).

Maciel & Costa (2010) emphasize the flattening of the gradient outside of galactocentric radius 10 kpc. Our data contains no evidence for such behavior. The behavior of the gradient in Zone II and particularly in the region of R_G of 9 – 10 kpc is crucial in theoretical studies of the gradient such as the work of Cruz et al. (2011). Their contention is that the change in slope at about 9 kpc is due to dynamical effects at the co-rotation radius. While there may be dynamical

effects which can cause a break in an abundance gradient, the evidence from Cepheids on such a discontinuity is scant, and depends in all elements on the presence of the “metallicity island.” If the island disappears, then so does the discontinuity in the gradient.

The five stars at the greatest distance from the galactic center in this work show rather different abundances: $[Fe/H] = -0.26, -0.04, -0.51, -0.34$, and -0.74 for CU Mon, CE Pup, EE Mon, ER Aur, and EF Tau respectively (see Figure 1). The two most discrepant objects from the overall trend are CE Pup and EF Tau. Their distances and abundances are uncertain at the ± 1 kpc and ± 0.1 dex levels respectively. A distance change of 5 kpc or an abundance change of 0.3 dex (or some combination of simultaneous changes in distance and abundance) would put them into better accord with the general trend, but this does not seem very realistic given the expected uncertainties. The range in R_G for these stars is about 2 kpc (all Cepheids exterior to $R_g = 14.0$ kpc) but the physical separation spans about 15 kpc (see Figure 3). A typical range in abundance for a span of 2 kpc in galactocentric radius (in Zone II especially) is approximately 0.15 dex. Could these stars be indicating that the outer regions of the Galaxy show much more significant variations in abundance than do the regions closer to the solar circle? This would not be especially surprising given the overall lower gas densities and star formation rates which could be significantly influenced by local events. This also means that gradient values can be influenced in the outer region quite strongly by candidate selection. Probing to larger distances especially in the direction of $l = 135^\circ$ is needed to test the consistency of abundance in the outer Galaxy.

The primary aim of the new abundance work presented here is to extend the azimuthal range of our Cepheid studies at the distance of the Sun from the galactic center. In Figure 2 we show two cuts of the data both being an annulus of 1 kpc width, the first centered at a galactocentric radius of 6.9 kpc, and the second at 7.9 kpc. The latter is our assumed solar distance from the galactic center (McNamara et al. 2000). The inner sample spans a total angle of about 60 degrees (as seen from the galactic center) while the outer annulus spans a slightly larger total angle.

What is obvious from Figure 2 is that there is no believable evidence in the data for any variation in abundance as a function of azimuthal angle. A least squares fit to the data in the bottom panel of Figure 2 yields an angular gradient $-4.56E-4$ dex/degree with an uncertainty of $\pm 5.6E-4$. To put this into more familiar terms, note that the arc spans about 12 kpc. The abundance difference is ≈ 0.038 over the span which yields a gradient of $d[Fe/H]/dA$ of -0.003 dex kpc^{-1} (A being the distance along the arc). Considering the confidence interval on the solution, the data is entirely consistent with no azimuthal variation. The result of Luck et al. (2006) says variations may exist at larger radius, but this result says that there are no systematic variations in the 80 degree region centered on the solar direction at the solar galactocentric distance and somewhat inwards.

In Figure 3 we show the spatial distribution of our total sample relative to the galactic center. As expected, the density of observed stars decreases with galactocentric distance and distance from the Sun. The reason is twofold: one, stars far from the solar region require the investment of significant observing time; and two, as one approaches the edge of the Galaxy ($R_G \approx 16$ kpc or $d \approx 8$ kpc from the Sun towards $l = 180^\circ$) the stellar density decreases. The galactic stellar scale length is of order 3 kpc for the Milky Way (Zheng et al. 2001, López-Corredoira et al. 2002) which implies a stellar disk of about 12 kpc based on external spirals (de Grijs, Kregel & Wesson

2001). López-Corredoira et al. however find no indication of a cut-off in the galactic stellar disk at radii $R_G < 15$ kpc. Additionally, there is evidence of spiral structure from molecular cloud and H I mapping at R_G from 15 to 24 kpc (McClure-Griffiths et al. 2004, Nakagawa et al. 2005, Strasser et al. 2007, Dickey et al. 2009). Thus, it is possible that the Cepheids thus far sampled do not approach the full radius of the Milky Way. The addition of the Carina Cepheids fills out a previously sparsely occupied zone making the region within 3 kpc of the Sun well sampled.

With the addition of the Carina stars our Cepheid sample has grown to 270 individual stars. While Cepheids are primarily located near the galactic plane, our sample is now large enough to investigate the Z (distance from the plane) distribution in the stars themselves. Figure 4 shows the Z distance as a function of galactocentric distance. A number of things are readily apparent: 1) there are a number of Cepheids at large distance from the galactic plane, 2) there is a tendency for those that deviate the most to lie at larger galactocentric radii, and 3) the mean Z height of the Cepheids is -30 to -40 pc which reflects the solar position above the galactic plane. One wonders if the Cepheids lying away from the plane exert an undue influence on the abundance gradient. If we eliminate all stars with $|Z| > 300$ pc the value of the gradient changes very little: the slope in [Fe/H] decreases from -0.055 to -0.053 . We conclude that they do not influence the gradient, but that they do warrant further consideration especially in terms of kinematics. The question is, if they are truly young massive stars, how did they get to distances approaching a kiloparsec from the plane?

As a last demonstration concerning the behavior of iron in the local region of the galaxy we show in Figure 5 a contour map of position (X,Y relative to the Sun) versus [Fe/H]. What is most obvious about the behavior of iron is the simple linear behavior independent of azimuth. The “metallicity island” in the Cygnus region is present as expected (this is essentially the same data as Luck et al. (2006) in that region). The reality of that region needs further exploration to increase the sample size and to check abundance consistency. Otherwise, what is seen is a monotonic gradient with an increase in slope starting at about R_G about 6.6 kpc and proceeding inwards. The outer slope appears overall to be well behaved, but it is possible, if not probable, that the outer disk shows a larger dispersion in abundance than does the region at 12 kpc and inwards.

4.2.2. Light Element Gradients

While the primary result of these studies is the [Fe/H] gradient, we have information on other elements. The light elements carbon, nitrogen, and oxygen are especially important as they are abundant species and the product of primary energy generation nucleosynthesis. Additionally, they are the species that are most often investigated in gradient studies involving B stars or H II regions. The difficulty with these species in Cepheids is that they are affected by nucleosynthesis and subsequent mixing events during the first dredge-up which alter the surface composition of carbon and nitrogen. While standard evolution leaves the surface oxygen content unaltered, abundance studies starting with Luck (1978) have shown that oxygen in intermediate-mass stars is subsolar (Luck & Lambert 1981, 1985, 1992, Luck 1994, Luck et al. 2006). While the current best solar oxygen value ($\log \epsilon_0 \approx 8.75$ – Asplund et al. 2009) alleviates this discrepancy somewhat, the problem still persists. Note that the newest solar results for oxygen discussed in Asplund et al. (2009) reflect a near convergence of 3D models and modern 1D

models for the oxygen content. Another element that is affected by nucleosynthesis and mixing is Na. In this case the agent is Ne-Na cycle which brings sodium enriched material to the stellar surface (Sasselov 1986; Luck 1994; Denissenkov 1993a, 1993b, 1994). Before considering gradients in these species derived from Cepheids, we must try to ascertain if evolutionary processes have left differential effects in these stars that would vitiate any gradient result. To examine this question we look at our abundance data for these species as a function of period.

In Figure 6 we show [Fe/H], [C/Fe], [O/Fe], and [Na/Fe] as a function of log (Period). The Cepheids span a period range of about 2 to 50 days and thus have a significant mass range. We show [Fe/H] to emphasize that there is no meaningful dependence on period in a species not affected by the first dredge-up (if there were, it could mean there is a problem in gravity determinations). The remaining species are normalized to iron to remove the overall metallicity from affecting the result. There is scant evidence in Figure 6 for there being period dependent mixing affecting these stars.

Perhaps the most striking aspect of Figure 6 is that a few of these Cepheids are extremely carbon deficient; and thus, may be related to the weak G-band stars. The difficulty is that weak G-band stars are typically G/K giants of $1 - 1.5 M_{\odot}$ and show strong Li features (Sneden et al 1978, Lambert & Sawyer 1984, Gratton 1991). These Cepheids are more massive and show no Li, but do show evidence for deep-mixing in their extreme carbon deficiencies. This phenomenon needs further explication as do the weak G-band stars.

To return to the oxygen problem briefly, we note that in Figure 6 the [O/Fe] ratios are generally subsolar. In fact, the mean [O/Fe] value for the total sample is -0.09 . Because these oxygen abundances are based on solar gf values, the lower oxygen abundance of Asplund et al. (2009) will not resolve the problem. This is because the lower solar oxygen abundance in an inverted solar analysis will yield a correspondingly high gf value; and hence, the same differential abundance. What is needed to resolve this difficulty is a systematic re-examination of Cepheid oxygen abundances using the same gf values employed to determine the solar abundance.

In Figures 7 and 8 (and Table 6) we present gradient information for carbon and oxygen. The carbon gradient (Figure 7) is well defined presenting a gradient $d[C/H]/dR = -0.077$ dex/kpc. This is somewhat steeper than found for iron. There is a gradient determination for carbon from B stars by Daflon & Cunha (2004). They find $d[C/H]dR = -0.037$ dex/kpc which is significantly lower than the value determined here. Perhaps evolution in Cepheids is altering the carbon abundance in a non-homogeneous manner. A common feature of gradient determinations is a flattening of the gradient at larger galactocentric radii (Maciel & Costa 2010). It may be that [C/H] shows such a behavior. Most gradients show the flattening beginning at about 10 kpc, but the [C/H] data indicates the flattening begins at about 13 kpc. We caution against over-interpretation of this result as it depends on a very small number of stars. In lower panel of Figure 7 we show [C/Fe] against galactocentric distance. The slope for this data is $d[C/Fe] = -0.023$ dex/kpc reflecting the difference in the gradients in the two species. If one looks at the confidence interval on the gradient, one notes that $d[C/Fe]/dR = 0$ is not excluded.

Studies of H II regions, B stars, and planetary nebula most often quote gradients in terms of $d[O/H]/dR_G$. Maciel & Costa (2010) in their review of gradients note that H II regions yield

gradients in the range of -0.044 dex/kpc (Esteban et al. 2005) to -0.060 dex/kpc (Rudolph et al. 2006). The more common determination for the oxygen gradient from H II regions is about -0.04 dex/kpc. Our information for [O/H] is presented in Figure 8 (and Table 6). It is obvious from Figure 8 that the scatter in oxygen is much larger than for most other species. The bulk of the determinations here are from the blended O I lines near 615 nm. What is needed to improve the data quality is an analysis of the [O I] line at 630 nm and/or a non-LTE study of the O I triplet at 775 nm. The gradient $d[O/H]/dR$ found here is -0.037 dex/kpc which is in good accord with the lower, more prevalent, determinations from H II regions. Since Cepheids are young stars freshly minted from H II regions and GMCs, it is not surprising they give the same gradient.

B stars are the direct predecessors of Cepheids and one expects that gradients determined from them should be very similar to those found in Cepheids. Daflon & Cunha (2004) have examined a number of OB associations and derive gradients for a mix of elements. For oxygen they derive $d[O/H]/dR = -0.031$ dex/kpc. This is in excellent agreement with our value.

Gradients from studies of planetary nebulae suffer from a lack of homogeneity in age. In fact, the ages of planetary nebulae range from about 1 Gyr to 8 Gyr (Maciel et al. 2009). This means that gradients derived from planetary nebula are not strictly comparable to those determined from a young object such as a Cepheid. Nonetheless, the gradient in $d[O/H]/dR_G$ for planetary nebulae is about -0.04 to -0.09 dex/kpc (Maciel & Costa 2010). They also note that a number of studies indicate very flat to non-existent gradients. The latter result brings to mind the effects of galactic “churning” (Sellwood & Binney 2002, Schönrich & Binney 2008, Casagrande et al. 2011) which erases gradients over time due to orbit migration.

4.2.3. Alpha and Heavy Element Gradients

Figures 9 shows an array of radial gradients. Si is a typical α species while Y, Nd, and Eu are s/r process elements. These figures are very similar to our previous work. What is different is that now a gradient in [Y/H] is certain and there may well be one in [Eu/H]. Only [Nd/H] definitely does not show a gradient but one must wonder if the large scatter is hiding the actual slope. Of interest is the Si gradient of Daflon & Cunha (2004) derived from O/B stars. They find $d[Si/H]/dR = -0.040$ dex/kpc which compares very well with our value of -0.049 dex/kpc. Daflon & Cunha also derive gradients for Mg, Al and S of -0.052 , -0.048 and -0.040 dex/kpc respectively while we find for the same elements gradients of -0.048 , -0.053 , and -0.076 . The only discrepant value here is for sulfur. Neutral sulfur lines in moderate temperature Cepheids are weak and give rather uncertain abundances while the ionized sulfur lines in the spectra of B stars can be quite strong and hence, also uncertain.

5. Summary

With the newly analyzed galactic Cepheids (101 new stars) we have enlarged our homogeneous sample of stars used for galactic abundance gradient investigation to 270 objects. The primary results obtained in present study in conjunction with those reported in our previous work are:

- The abundance distribution in galactic disk shows what is on the whole a linear structure. The galactic abundance gradient in the present epoch is approximately $d[\text{Fe}/\text{H}]/dR_G = -0.06 \text{ dex / kpc}$.
- There is little or no evidence in our data (especially $[\text{Fe}/\text{H}]$) for a flattening of the gradient beyond 10 kpc from the galactic center. However, that region shows an increased dispersion in abundance which given inadequate sampling could lead to an under or over estimate of the gradient. We do not claim that we have definitive evidence one way or the other, only that our results are more consistent with a large variation in abundance.
- We have found no evidence for azimuthal variations in the $[\text{Fe}/\text{H}]$ ratios at the solar galactocentric radius in an arc of 80° relative to the galactic center.

What is next in the study of the distribution of the elements in the Galaxy? As alluded to several times previously, the reality of the “metallicity island” rests upon a small number of stars. Obviously needed is a re-examination of that region utilizing better data and more stars.

Acknowledgements: We thank J.R.D. Lépine for comments on this work. WG and DG gratefully acknowledge financial support for this work from the Chilean Center for Astrophysics FONDAP 15010003, and from the BASAL Centro de Astrofísica y Tecnologías Afines CATA under PFB-06/2007. We are grateful to the ESO staff at La Silla whose expert support is much appreciated.

References

- Andrievsky, S.M., Bersier, D., Kovtyukh, V.V., Luck, R.E., Maciel, W.J., Lépine, J.R.D., Beletsky, Yu.V., 2002b, A&A 384, 140.
- Andrievsky, S.M., Kovtyukh, V.V., Luck, R.E., Lépine, J.R.D., Bersier, D., Maciel, W.J., Barbuy, B., Klochkova, V.G., Panchuk, V.E., Karpischek, R.U., 2002a, A&A 381, 32.
- Andrievsky, S.M., Kovtyukh, V.V., Luck, R.E., Lépine, J.R.D., Maciel, W.J., Beletsky, Yu.V., 2002c, A&A 392, 491.
- Andrievsky, S.M., Luck, R.E., & Kovtyukh, V.V. 2005, AJ 130, 1880.
- Andrievsky, S.M., Luck, R.E., Martin, P., & Lépine, J. R. D. 2004, A&A, 413, 159
- Asplund, M., Grevesse, N., & Sauval, A.J., and Scott, P. 2009, ARAA 47, 481.
- Berdnikov, L.N., & Turner, D.G. 1997, IBVS 4488.
- Casagrande, Luca, Schönrich, Ralph, Asplund, Martin, Cassisi, Santi, Ramirez, Ivan, Melendez, Jorge, Bensby, Thomas, Feltzing, Sofia 2011, A&A in press.
- Cruz, P., Lépine, J.R.D., et al. 2011, MNRAS, submitted.
- Daflon, S. & Cunha, K. 2004, ApJ 617, 1115.
- de Grijs R., Kregel M., & Wesson K. H., 2001, MNRAS, 324, 1074.
- Dennisenkov, P. A. 1993a, SSR, 66, 405.
- Dennisenkov, P. A. 1993b, SSR, 74, 363.
- Dennisenkov, P. A. 1994, A&A, 287, 113.
- Dickey, John M., Strasser, Simon, Gaensler, B. M., Havercorn, Marijke, Kavars, Dain, McClure-Griffiths, N. M., Stil, Jeroen, Taylor, A. R. 2009, ApJ 693, 1250.
- Esteban, C., Garcia-Rojas, J., Peimbert, M., et al. 2005, ApJ, 618, L95.
- Fernie, J.D. 1995, AJ 110, 2361.
- Fernie, J.D., Evans, N.R., Beattie, B., & Seager, S., 1995, IBVS 4148, 1
- Fernie, J.D. & Hube, J.O. 1968, AJ 73, 492.
- Fouqué, P., Arriagada, P., Storm, J., Barnes, T. G., Nardetto, N., Mérand, A., Kervella, P., Gieren, W., Bersier, D., Benedict, G. F., McArthur, B. E. 2007, A&A 476, 73.
- Galazutdinov, G. A. 1992, Prepr. SAO RAS, 92.
- Gratton, R.G. 1991, MSAI 62, 53.
- Grevesse, N., Noels, A., & Sauval, J. 1996, ASP Conf. Ser. 99, 117
- Harris, H.C. 1985, AJ 90, 756.
- Kovtyukh, V.V. 2007, MNRAS 378, 617.
- Kovtyukh ,V.V., & Andrievsky, S.M., 1999, A&A 351, 597.
- Kovtyukh, V.V., & Andrievsky, S.M., Belik, S.I., & Luck, R.E. 2005, AJ 129, 433.
- Kovtyukh, V.V., & Gorlova N.I., 2000, A&A 358, 587
- Kovtyukh, V.V., Soubrian, C., Luck, R.E. et al. 2008, MNRAS 389, 1336.
- Kovtyukh, V.V., Wallerstein, G., & Andrievsky S.M., 2005, PASP, 117, 1173.
- Kurucz, R. L. 1992, in The Stellar Populations of Galaxies, ed. B. Barbuy, & A. Renzini, IAU Symp. 149, 225.
- Laney, C.D. & Caldwell, J.A.R. 2007, MNRAS 377, 147.
- Lambert, D.L. & Sawyer, S.R. 1984, ApJ 283, 192.
- Lemasle, B., François, P., Piersimoni, A., Pedicelli, S., Bono, G., Laney, C. D., Primas, F., Romaniello, M. 2008, A&A 490, 613.
- López-Corredoira M., Cabrera-Lavers A., Garzón F., & Hammersley P. L., 2002, A&A, 394, 883.
- Luck, R.E. 1978, ApJ 219, 148.

- Luck, R.E. 1994, ApJS 91, 309.
- Luck, R.E., & Andrievsky, S.M. 2004, AJ 128, 343.
- Luck, R. E., Andrievsky, S. M., Fokin, A., & Kovtyukh, V. V. 2008, AJ 136, 98.
- Luck, R.E., Andrievsky, S.M., Kovtyukh, V.V., Korotin, S.A., & Beletsky, Yu.V. 2000, A&A, 361,189.
- Luck, R.E., Gieren, W.P., Andrievsky, S.M., Kovtyukh, V.V., Fouqué, P., Pont, F., & Kienzle, F., 2003, A&A 401, 939.
- Luck, R.E., Kovytuk, V.V., & Andrievsky, S.M. 2006, AJ, 132, 902.
- Luck, R.E. & Lambert, D.L. 1981, ApJ 245, 1018.
- Luck, R.E. & Lambert, D.L. 1985, ApJ 298, 782.
- Luck, R.E. & Lambert, D.L. 1992, ApJS 79, 303.
- Maciel, W.J. & Costa, R.D.D. 2010 in *Chemical Abundances in the Universe: Connecting First Stars to Planets* (IAU Symposium S265), 317.
- McClure-Griffiths, N.M., Dickey, J.M., Gaensler, B. M., & Green, A. J. 2004, ApJ 607, 127
- McNamara, D.H., Madsen, J.B., Barnes, J., & Erickson, B.F., 2000, PASP 112, 202.
- Nakagawa, M., Onishi, T., Mizuno, A., & Fukui, Y. 2005, PASJ 57, 917.
- Pedicelli, S., Bono, G., Lemasle, B., François, P., Groenewegen, M., Lub, J., Pel, J. W., Laney, D., Piersimoni, A., Romaniello, M. & 8 coauthors 2009, A&A 504, 81.
- Romaniello, M., Primas, F., Mottini, M., Pedicelli, S., Lemasle, B., Bono, G., François, P., Groenewegen, M. A. T., Laney, & C. D. 2008, A&A 488, 731.
- Samus, N. N. et al. 2007-2009, General Catalog of Variable Stars, 2009yCat....102025S
- Sasselov, D. D. 1986, PASP, 98, 561.
- Schmidt, E.G., Johnston, D., Langan, S. & Lee, K.M. 2005a, AJ 129, 2007.
- Schmidt, E.G., Johnston, D., Langan, S. & Lee, K.M. 2005b, AJ 130, 832.
- Schönrich, R. & Binney, J. 2009, MNRAS, 396, 203.
- Sellwood J.A. & Binney J., 2002, MNRAS, 336, 785.
- Sneden, C., Lambert, D. L., Tomkin, J., & Peterson, R. C. 1978, ApJ 282, 585.
- Strasser, S. T., Dickey, J. M., Taylor, A. R., Boothroyd, A. I., Gaensler, B. M., Green, A. J., Kavars, D. W., Lockman, Felix J., Martin, P. G., McClure-Griffiths, N. M., & two coauthors 2007, AJ 134, 2252.
- Turner, D.G. & Berdnikov, L.N. 2003, A&A 407, 325.
- van Leeuwen, F, Feast, M. W., Whitelock, P. A., & Laney, C. D. 2007, MNRAS 379, 723.
- Yong, D., Carney, B.W., & de Almeida, M.L, & Pohl, B.L. 2006, AJ 131, 2256.
- Zheng Z., Flynn C., Gould A., Bahcall J. N., Salim S., 2001, ApJ 555,393

Table 1
Program Stars

Name	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)	UT Date	Phase	Exp (s)	S/N
T Ant	DCEP:	5.898	-3.34	9.34	0.300	2.195	8.384	2010-03-29	0.173	990	279
I Car	DCEP	35.557	-5.43	3.72	0.147	0.544	7.794	2010-03-25	0.094	15	429
U Car	DCEP	38.801	-5.53	6.29	0.265	1.557	7.537	2010-03-25	0.968	60	187
V Car	DCEP	6.697	-3.49	7.36	0.169	1.150	7.877	2010-03-31	0.889	165	246
SX Car	DCEP	4.860	-3.11	9.09	0.318	1.718	7.586	2010-03-31	0.943	900	288
UW Car	DCEP	5.346	-3.22	9.43	0.435	1.774	7.617	2010-03-25	0.035	885	231
UX Car	DCEP	3.682	-2.79	8.31	0.112	1.404	7.663	2010-04-01	0.902	450	213
UY Car	DCEP	5.544	-3.27	8.97	0.180	2.141	7.548	2010-03-30	0.946	720	230
UZ Car	DCEP	5.205	-3.19	9.32	0.178	2.445	7.544	2010-03-31	0.044	975	264
VY Car	DCEP	18.937	-4.70	7.44	0.237	1.882	7.582	2010-03-31	0.169	270	292
WW Car	DCEP	4.677	-3.07	9.74	0.379	2.078	7.515	2010-03-27	0.852	1200	218
WZ Car	DCEP	23.013	-4.92	9.25	0.370	3.934	7.573	2010-03-26	0.009	915	231
XX Car	DCEP	15.716	-4.48	9.32	0.347	3.436	7.382	2010-03-25	0.692	810	215
XY Car	DCEP	12.435	-4.21	9.30	0.411	2.721	7.356	2010-03-25	0.242	780	199
XZ Car	DCEP	16.650	-4.55	8.60	0.365	2.475	7.414	2010-04-01	0.072	560	327
YZ Car	DCEP	18.166	-4.65	8.71	0.381	2.668	7.629	2010-03-31	0.860	555	230
AQ Car	DCEP	9.769	-3.93	8.85	0.165	2.810	7.631	2010-03-31	0.998	630	273
CN Car	DCEP	4.933	-3.13	10.70	0.399	3.225	7.802	2010-03-31	0.066	2840	276
CY Car	DCEP	4.266	-2.96	9.78	0.370	2.040	7.471	2010-03-30	0.095	1720	228
DY Car	DCEP	4.675	-3.07	11.31	0.372	4.326	7.686	2010-04-01	0.956	4020	199
ER Car	DCEP	7.719	-3.65	6.82	0.096	1.079	7.597	2010-03-26	0.872	105	258
FI Car	DCEP	13.458	-4.30	11.61	0.691	5.435	8.107	2010-03-28	0.215	5535	196
FR Car	DCEP	10.717	-4.03	9.66	0.334	3.335	7.387	2010-03-25	0.011	1110	227
GH Car	DCEPS	5.726	-3.70	9.18	0.394	2.096	7.414	2010-03-25	0.965	705	232
GX Car	DCEP	7.197	-3.57	9.36	0.386	2.177	7.762	2010-03-30	0.996	990	255
HW Car	DCEP	9.199	-3.86	9.16	0.184	3.056	7.556	2010-03-26	0.947	810	255
IO Car	CEP	13.597	-4.31	11.10	0.502	5.730	8.078	2010-03-27	0.072	3300	212
IT Car	DCEP	7.533	-3.62	8.10	0.184	1.680	7.451	2010-03-25	0.950	315	218
V397 Car	DCEPS	2.063	-2.52	8.32	0.266	0.990	7.674	2010-03-25	0.903	330	214
V Cen	DCEP	5.494	-3.26	6.84	0.292	0.676	7.426	2010-03-28	0.781	60	246
V Cen	DCEP	5.494	-3.26	6.84	0.292	0.676	7.426	2010-03-29	0.952	180	304
QY Cen	DCEP	17.752	-4.62	11.76	1.447	2.196	6.638	2010-03-27	0.004	6150	282
XX Cen	DCEP	10.953	-4.06	7.82	0.266	1.598	6.997	2010-03-30	0.116	350	219
AY Cen	DCEP	5.310	-3.22	8.83	0.295	1.655	7.424	2010-03-30	0.999	800	248
AZ Cen	DCEPS	3.212	-3.03	8.64	0.168	1.678	7.413	2010-03-27	0.947	510	239
BB Cen	DCEPS	3.998	-3.28	10.07	0.377	2.680	7.126	2010-03-31	0.183	1750	229
KK Cen	DCEP	12.180	-4.18	11.48	0.611	5.466	7.542	2010-03-25	0.012	4620	197
KN Cen	DCEP	34.024	-5.38	9.87	0.797	3.424	6.404	2010-03-25	0.488	1230	236
MZ Cen	CEP	10.353	-3.99	11.53	0.869	3.494	6.531	2010-03-26	0.207	5520	242
V339 Cen	DCEP	9.466	-3.89	8.75	0.413	1.827	6.774	2010-03-25	0.142	555	288
V378 Cen	DCEPS	6.460	-3.84	8.46	0.376	1.651	7.054	2010-03-30	0.131	660	235
V381 Cen	CEP	5.079	-3.17	7.65	0.195	1.090	7.236	2010-04-01	0.896	230	266
V419 Cen	DCEPS	5.507	-3.66	8.19	0.168	1.822	7.411	2010-04-01	0.905	400	275

Table 1
Program Stars

Name	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)	UT Date	Phase	Exp (s)	S/N
V496 Cen	DCEP	4.424	-3.00	9.97	0.541	1.757	7.059	2010-03-29	0.025	1800	288
V659 Cen	DCEP	5.623	-3.28	6.60	0.128	0.783	7.447	2010-04-01	0.856	105	274
V737 Cen	DCEP	7.066	-3.55	6.72	0.206	0.833	7.335	2010-04-01	0.967	110	297
AV Cir	DCEP	3.065	-2.58	7.44	0.378	0.574	7.516	2010-03-30	0.207	235	218
AX Cir	DCEP	5.273	-3.21	5.88	0.146	0.529	7.530	2010-03-28	0.745	60	258
AX Cir	DCEP	5.273	-3.21	5.88	0.146	0.529	7.530	2010-03-30	0.119	90	297
BP Cir	CEP	2.398	-2.29	7.56	0.224	0.670	7.431	2010-04-01	0.033	215	283
R Cru	DCEP	5.826	-3.32	6.77	0.183	0.794	7.539	2010-03-28	0.100	120	319
S Cru	DCEP	4.690	-3.07	6.60	0.166	0.672	7.553	2010-03-29	0.983	140	347
T Cru	DCEP	6.733	-3.49	6.57	0.184	0.782	7.546	2010-03-30	0.958	125	268
X Cru	DCEP	6.220	-3.40	8.40	0.272	1.531	7.201	2010-03-30	0.125	520	196
VW Cru	DCEP	5.265	-3.21	9.62	0.643	1.415	7.275	2010-03-29	0.175	1260	272
AD Cru	DCEP	6.398	-3.43	11.05	0.647	3.011	6.987	2010-03-27	0.030	3240	237
AG Cru	DCEP	3.837	-2.84	8.23	0.212	1.191	7.346	2010-03-29	0.039	360	288
BG Cru	DCEPS	3.343	-3.08	5.49	0.132	0.424	7.694	2010-03-30	0.150	135	496
GH Lup	CEP	9.277	-3.87	7.64	0.335	1.213	6.944	2010-03-28	0.142	240	313
R Mus	DCEP	7.510	-3.62	6.30	0.114	0.812	7.502	2010-03-29	0.184	110	338
S Mus	DCEP	9.660	-3.91	6.12	0.212	0.740	7.564	2010-03-29	0.106	135	412
RT Mus	DCEP	3.086	-2.59	9.02	0.344	1.257	7.426	2010-03-31	0.204	800	266
TZ Mus	DCEP	4.945	-3.13	11.70	0.664	3.456	7.063	2010-03-28	0.024	5730	223
UU Mus	DCEP	11.636	-4.13	9.78	0.399	3.344	7.054	2010-03-25	0.041	1230	257
S Nor	DCEP	9.754	-3.92	6.39	0.179	0.887	7.169	2010-03-30	0.124	125	281
U Nor	DCEP	12.644	-4.23	9.24	0.862	1.367	6.815	2010-04-01	0.476	900	270
SY Nor	DCEP	12.646	-4.23	9.51	0.756	1.818	6.442	2010-03-26	0.164	1140	279
TW Nor	DCEP	10.786	-4.04	11.70	1.157	2.521	5.843	2010-04-01	0.094	5580	271
GU Nor	DCEP	3.453	-2.72	10.41	0.651	1.603	6.553	2010-03-27	0.145	2105	270
V340 Nor	CEP	11.288	-4.09	8.38	0.321	1.934	6.306	2010-03-25	0.430	405	265
BF Oph	DCEP	4.068	-2.91	7.34	0.235	0.789	7.121	2010-04-01	0.033	180	250
AP Pup	DCEP	5.084	-3.17	7.37	0.198	0.954	8.189	2010-03-31	0.052	165	281
AT Pup	DCEP	6.665	-3.48	7.96	0.191	1.460	8.412	2010-03-29	0.658	285	286
CE Pup	DCEP	49.530	-5.81	11.80	0.740	11.085	14.739	2010-03-31	0.804	6300	248
MY Pup	DCEPS	5.694	-3.70	5.68	0.061	0.684	8.028	2010-03-25	0.114	45	272
NT Pup	DCEP	15.565	-4.47	12.14	0.670	7.739	12.416	2010-03-26	0.219	8310	223
RV Sco	DCEP	15.560	-4.47	7.04	0.349	1.191	6.734	2010-03-29	0.914	230	299
V482 Sco	DCEP	4.528	-3.03	7.97	0.336	0.960	6.945	2010-03-29	0.113	280	299
V636 Sco	DCEP	6.797	-3.50	6.65	0.207	0.791	7.148	2010-04-01	0.969	125	247
V950 Sco	DCEPS	3.380	-3.09	7.30	0.254	0.821	7.099	2010-03-30	0.126	180	274
R TrA	DCEP	3.389	-2.69	6.66	0.142	0.601	7.475	2010-03-28	0.167	105	297
S TrA	DCEP	6.323	-3.42	6.40	0.084	0.811	7.283	2010-03-30	0.176	140	307
LR TrA	DCEPS	2.428	-2.71	7.81	0.268	0.851	7.291	2010-03-28	0.086	270	274
T Vel	DCEP	4.640	-3.06	8.02	0.289	1.072	8.054	2010-03-25	0.827	300	238
V Vel	DCEP	4.371	-2.99	7.59	0.186	0.990	7.849	2010-04-01	0.043	200	242
RY Vel	DCEP	28.131	-5.16	8.40	0.547	2.276	7.731	2010-03-25	0.412	345	246

Table 1
Program Stars

Name	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)	UT Date	Phase	Exp (s)	S/N
RZ Vel	DCEP	20.399	-4.78	7.08	0.299	1.510	8.225	2010-03-25	0.808	135	205
ST Vel	DCEP	5.858	-3.33	9.70	0.479	1.985	8.183	2010-03-29	0.978	1365	317
SV Vel	DCEP	14.097	-4.35	8.52	0.373	2.159	7.594	2010-03-26	0.939	495	271
SW Vel	DCEP	23.440	-4.94	8.12	0.344	2.458	8.427	2010-03-30	0.607	345	338
SX Vel	DCEP	9.550	-3.90	8.25	0.263	1.821	8.245	2010-03-25	0.852	375	253
XX Vel	DCEP	6.985	-3.54	10.65	0.545	3.063	7.708	2010-03-28	0.011	2700	269
AE Vel	DCEP	7.134	-3.56	10.26	0.635	2.261	7.983	2010-04-01	0.732	1500	150
AH Vel	DCEPS	4.227	-3.35	5.70	0.070	0.580	7.996	2010-03-30	0.383	180	519
BG Vel	DCEP	6.924	-3.53	7.64	0.426	0.905	7.922	2010-04-01	0.849	210	244
CS Vel	DCEP	5.905	-3.34	11.68	0.737	3.374	8.198	2010-03-30	0.678	7500	199
CX Vel	DCEP	6.256	-3.41	11.37	0.723	3.087	8.360	2010-03-29	0.003	4335	258
DK Vel	DCEP	2.482	-2.33	10.61	0.287	2.536	8.126	2010-03-25	0.009	2295	194
DR Vel	DCEP	11.199	-4.08	9.52	0.656	1.982	8.036	2010-03-26	0.165	1170	304
EX Vel	DCEP	13.234	-4.28	11.56	0.775	4.651	8.872	2010-04-01	0.954	5145	250
FG Vel	DCEP	6.453	-3.44	11.81	0.810	3.374	8.286	2010-03-27	0.756	6465	187
FN Vel	CEP	5.324	-3.22	10.29	0.588	2.102	7.850	2010-03-28	0.221	2010	251

Notes:

- Type: Variability type from the General Catalog of Variable Stars (Samus , N. N. et al. 2007-2009)
- P: Period in days from Berdnikov (2006– private communication to S. Andrievsky) or GCVS.
- M_V: Absolute V magnitude computed assuming listed period is the fundamental except for DCEPS where P₀ = P/0.71. Period-Luminosity relation and R (=Av/E(B-V) = 3.23) from Fouqué et al. (2007).
- <V>: Intensity mean apparent V magnitude from Fernie (1995). Exception is NT Pup which is from Yong et al. (2006)
- E(B-V): From Fouqué et al. (2007) or Fernie (1995) as modified by Fouqué et al. Reddening for CE Pup, HQ Car, and NT Pup from Yong et al. (2006). FI Car reddening from van Leeuwen et al. (2007) and T Ant reddening from Turner & Berdnikov (2003).
- d and R_g: Distance in kiloparsecs from the Sun and the galactic center respectively. The Sun is assumed to be 7.9 kpc from the galactic center (McNamara et al. 2000).
- UT Date: UT date of observation.
- Phase: Phase at time of observation.
- Exp: Integration time in seconds.
- S/N: Signal to noise (per pixel) near 500 nm at order center.

Table 2
Stellar Parameter and Iron Abundance Details

Star	T (Kelvin)	σ	N	log g	V_t (km/s)	Fe I ([Fe/H])	σ	N	Fe II ([Fe/H])	σ	N
T Ant	6265	130	54	2.1	4.4	-0.24	0.09	153	-0.24	0.08	26
I Car	5298	102	53	1.1	4.5	0.05	0.10	275	0.04	0.08	22
U Car	4934	118	25	0.8	5.8	0.01	0.07	53	0.03	0.09	2
V Car	5906	61	32	2.1	5.2	0.01	0.07	127	0.02	0.04	14
SX Car	6513	45	32	2.1	4.5	-0.09	0.07	121	-0.08	0.06	21
UW Car	6618	76	39	2.1	4.3	-0.06	0.09	150	-0.05	0.05	22
UX Car	6442	54	39	2.6	4.7	0.02	0.08	267	0.04	0.05	37
UY Car	6376	73	68	2.4	5.7	0.03	0.08	193	0.05	0.05	27
UZ Car	6079	91	40	2.0	4.3	0.07	0.07	210	0.08	0.05	29
VY Car	4895	60	12	1.6	5.2	0.26	0.09	47	0.26	0.04	3
WW Car	5858	122	51	2.1	5.3	-0.07	0.08	206	-0.05	0.08	30
WZ Car	5770	100	42	1.8	6.8	0.03	0.10	166	0.06	0.10	23
XX Car	5942	95	50	1.6	4.5	0.11	0.08	245	0.13	0.05	30
XY Car	5738	87	64	1.7	4.6	0.04	0.09	230	0.06	0.08	32
XZ Car	6170	37	36	2.1	5.7	0.14	0.07	128	0.16	0.04	14
YZ Car	5655	69	49	1.6	6.5	0.02	0.08	155	0.00	0.05	12
AQ Car	5815	45	61	1.9	4.9	0.06	0.10	197	0.05	0.04	21
CN Car	6331	49	51	2.2	4.3	0.06	0.08	169	0.07	0.04	23
CY Car	6042	50	49	2.2	4.0	0.10	0.08	192	0.12	0.06	25
DY Car	6533	71	40	2.3	5.3	-0.07	0.09	211	-0.06	0.09	43
ER Car	5874	82	52	2.1	6.0	0.03	0.09	199	0.05	0.05	19
FI Car	5215	68	55	1.2	3.8	0.06	0.08	162	0.04	0.12	23
FR Car	5905	79	60	2.0	5.0	0.02	0.10	263	0.04	0.06	27
GH Car	6336	73	59	2.0	5.5	-0.01	0.08	246	-0.01	0.07	37
GX Car	6297	60	40	2.2	5.3	0.01	0.09	245	0.03	0.07	34
HW Car	5671	42	71	2.0	5.2	0.04	0.11	298	0.04	0.06	41
IO Car	6145	63	60	1.8	6.0	-0.05	0.08	183	-0.04	0.07	30
IT Car	5794	50	69	1.8	4.7	0.06	0.07	241	0.07	0.06	28
V397 Car	6036	102	55	2.3	4.8	0.03	0.09	293	0.04	0.08	39
V Cen #1	5616	89	41	1.8	4.8	0.02	0.07	125	0.01	0.07	16
V Cen #2	6427	90	45	2.3	4.6	-0.07	0.08	201	-0.08	0.06	41
QY Cen	6205	74	48	2.0	6.3	0.16	0.09	145	0.14	0.05	15
XX Cen	5953	69	49	2.0	5.0	0.16	0.09	158	0.17	0.05	18
AY Cen	5933	50	54	2.1	4.5	0.01	0.07	307	0.03	0.05	36
AZ Cen	6425	66	52	2.3	4.0	-0.05	0.08	305	-0.03	0.10	48
BB Cen	6202	63	53	2.3	4.6	0.13	0.10	330	0.15	0.07	39
KK Cen	5894	72	72	1.9	5.5	0.12	0.09	304	0.12	0.07	32
KN Cen	4870	137	12	1.7	4.5	0.35	0.09	117	0.34	0.04	3
MZ Cen	5816	89	64	1.9	5.2	0.20	0.11	247	0.22	0.09	33
V339 Cen	5923	53	65	2.0	5.3	0.04	0.10	338	0.04	0.03	28
V378 Cen	6184	49	57	2.0	4.7	-0.02	0.10	315	-0.02	0.09	47
V381 Cen	6224	97	56	2.3	5.1	0.02	0.07	244	0.02	0.05	33
V419 Cen	6276	74	48	2.1	5.6	0.07	0.09	171	0.09	0.07	27

Table 2
Stellar Parameter and Iron Abundance Details

Star	T (Kelvin)	σ	N	log g	V_t (km/s)	Fe I ([Fe/H])	σ	N	Fe II ([Fe/H])	σ	N
V496 Cen	6194	52	45	2.2	3.8	0.00	0.09	261	0.02	0.06	31
V659 Cen	6067	62	46	2.2	5.4	0.07	0.10	155	0.09	0.05	17
V737 Cen	5865	44	56	2.0	4.5	0.13	0.08	176	0.14	0.03	14
AV Cir	6169	56	54	2.1	3.3	0.10	0.08	212	0.11	0.05	34
AX Cir #1	5648	128	58	1.9	4.5	-0.07	0.08	245	-0.07	0.06	28
AX Cir #2	5761	84	73	1.8	3.7	-0.05	0.09	351	-0.06	0.07	46
BP Cir	6533	73	56	2.4	3.7	-0.06	0.10	252	-0.08	0.08	38
R Cru	6203	35	57	2.0	4.0	0.08	0.08	245	0.08	0.04	26
S Cru	6464	67	42	2.1	4.1	-0.12	0.08	229	-0.11	0.07	37
T Cru	5940	54	42	2.2	5.1	0.09	0.08	143	0.11	0.03	12
X Cru	5948	78	46	2.0	4.2	0.14	0.08	149	0.14	0.05	15
VW Cru	5880	48	49	2.1	4.4	0.10	0.09	294	0.11	0.07	36
AD Cru	6000	52	60	2.0	4.0	0.06	0.08	248	0.07	0.07	35
AG Cru	6628	74	31	2.2	4.7	-0.13	0.09	239	-0.12	0.08	45
BG Cru	6309	69	48	2.3	4.2	0.06	0.10	198	0.07	0.08	36
GH Lup	5460	89	61	1.6	4.6	0.08	0.09	279	0.09	0.08	27
R Mus	5985	54	55	2.0	4.0	0.10	0.08	153	0.12	0.05	21
S Mus	5752	58	67	1.8	4.4	-0.02	0.09	300	-0.02	0.08	33
RT Mus	6236	61	46	2.4	4.0	0.02	0.12	343	0.02	0.09	46
TZ Mus	6348	61	27	2.1	4.6	-0.01	0.09	105	-0.01	0.09	20
UU Mus	6175	57	42	1.8	5.4	0.05	0.07	154	0.05	0.05	18
GU Nor	6036	79	65	2.2	3.6	0.15	0.08	366	0.16	0.07	46
S Nor	5859	63	69	2.0	5.0	0.07	0.09	278	0.07	0.05	29
U Nor	5426	75	45	1.4	3.6	0.15	0.08	254	0.14	0.07	25
SY Nor	5641	140	43	1.8	4.7	0.31	0.11	161	0.33	0.06	16
TY Nor	5979	103	42	2.0	5.6	0.28	0.09	111	0.27	0.06	13
V340 Nor	5733	107	43	2.0	5.3	0.08	0.08	117	0.09	0.03	12
BF Oph	6246	54	50	2.3	4.6	0.05	0.09	261	0.05	0.07	43
AP Pup	6233	51	49	2.1	4.2	0.06	0.08	162	0.05	0.05	24
AT Pup	6455	84	36	2.1	5.0	-0.14	0.08	211	-0.13	0.06	36
CE Pup	5846	92	30	1.3	5.8	-0.04	0.09	115	-0.04	0.07	14
MY Pup	6317	52	44	2.2	4.8	-0.14	0.10	254	-0.12	0.07	37
NT Pup	5561	123	50	1.2	4.0	-0.15	0.12	276	-0.15	0.08	32
RV Sco	6172	74	56	2.3	5.4	0.03	0.08	269	0.03	0.06	38
V482 Sco	6129	46	56	2.2	4.0	0.07	0.10	284	0.08	0.08	35
V636 Sco	5348	45	59	1.6	4.3	0.07	0.07	255	0.07	0.06	27
V950 Sco	6322	45	47	2.2	4.2	0.11	0.10	220	0.09	0.06	27
R TrA	6121	72	49	2.2	3.8	0.06	0.08	157	0.07	0.05	22
S TrA	5976	67	63	2.1	4.2	0.12	0.09	258	0.14	0.05	27
LR TrA	5943	117	57	2.2	4.4	0.25	0.10	214	0.25	0.05	23
T Vel	5692	149	61	2.0	4.8	-0.02	0.09	272	-0.01	0.05	29
V Vel	6364	98	46	2.1	5.0	-0.23	0.10	222	-0.24	0.10	42
RY Vel	5466	93	59	1.3	4.6	0.10	0.10	282	0.11	0.06	25

Table 2
Stellar Parameter and Iron Abundance Details

Star	T (Kelvin)	σ	N	$\log g$	V_t (km/s)	Fe I ([Fe/H])	σ	N	Fe II ([Fe/H])	σ	N
RZ Vel	5234	95	55	1.4	5.8	0.07	0.08	136	0.08	0.06	11
ST Vel	6255	69	46	2.1	4.3	0.00	0.09	256	0.01	0.06	35
SV Vel	6064	51	65	2.0	6.0	0.08	0.11	261	0.07	0.08	33
SW Vel	6652	95	14	1.8	7.0	-0.16	0.09	146	-0.15	0.07	25
SX Vel	6280	49	59	2.0	4.5	0.00	0.10	230	0.01	0.06	28
XX Vel	6521	80	46	2.2	4.9	-0.05	0.10	222	-0.05	0.07	39
AE Vel	5460	87	69	1.7	4.5	0.05	0.09	288	0.05	0.10	36
AH Vel	6037	45	56	2.2	4.3	0.10	0.11	183	0.11	0.04	23
BG Vel	5727	114	43	1.9	5.3	-0.01	0.08	144	0.01	0.07	18
CS Vel	5430	50	29	1.6	4.2	0.08	0.08	100	0.08	0.04	9
CX Vel	6251	87	54	2.2	5.3	0.06	0.10	234	0.06	0.08	34
DK Vel	6448	63	52	2.2	3.7	-0.02	0.09	203	-0.02	0.06	32
DR Vel	5482	70	64	1.5	3.8	0.08	0.09	326	0.07	0.07	32
EX Vel	5902	105	71	2.0	5.0	0.05	0.11	306	0.04	0.08	39
FG Vel	5411	110	62	1.5	4.4	-0.05	0.08	233	-0.05	0.06	23
FN Vel	5809	63	72	1.9	3.7	0.06	0.11	269	0.05	0.09	32

Notes:

- T: Effective temperature determined using the line ratio method of Kovtyukh (2007). Sigma (σ) is the standard deviation of determination. N is the number of ratios utilized.
- $\log g$: The base 10 logarithm of the surface gravity (cm s⁻²)
- V_t : Mictroturbulent velocity in km s⁻¹.
- Fe I: The [Fe/H] value as determined from Fe I lines. The two columns that follow are the standard deviation of the abundance and N is the number of individual lines utilized.
- Fe II: The [Fe/H] value as determined from Fe II lines. The two columns that follow are the standard deviation of the abundance and N is the number of individual lines utilized.

Table 3
Distance Information for Cepheids in Papers I-VI

Star	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)
Eta Aql	DCEP	7.177	-3.57	3.90	0.130	0.256	7.713
SZ Aql	DCEP	17.139	-4.58	8.60	0.537	1.945	6.421
TT Aql	DCEP	13.755	-4.32	7.14	0.438	1.023	7.099
FF Aql	DCEPS	4.471	-3.42	5.37	0.196	0.427	7.629
FM Aql	DCEP	6.114	-3.38	8.27	0.589	0.891	7.290
FN Aql	DCEPS	9.482	-4.29	8.38	0.483	1.668	6.678
V496 Aql	DCEPS	6.807	-3.90	7.75	0.397	1.187	6.884
V600 Aql	DCEP	7.239	-3.58	10.04	0.798	1.612	6.831
V733 Aql	DCEP	6.179	-3.39	9.97	0.106	4.019	6.187
V1162 Aql	DCEPS	5.376	-3.63	7.80	0.195	1.444	6.742
V1359 Aql	DCEPS:	3.732	-2.81	9.06	0.661	0.884	7.257
V340 Ara	DCEP	20.809	-4.81	10.16	0.546	4.374	4.344
Y Aur	DCEP	3.859	-2.85	9.61	0.375	1.771	9.628
RT Aur	DCEP	3.728	-2.81	5.45	0.059	0.409	8.304
RX Aur	DCEP	11.624	-4.13	7.66	0.263	1.537	9.397
SY Aur	DCEP	10.145	-3.97	9.07	0.432	2.136	9.975
YZ Aur	DCEP	18.193	-4.65	10.33	0.538	4.454	12.283
AN Aur	DCEP	10.291	-3.99	10.46	0.565	3.339	11.157
AO Aur	DCEP	6.763	-3.50	10.86	0.431	3.918	11.813
BK Aur	DCEP	8.002	-3.69	9.43	0.425	2.238	10.010
CY Aur	DCEP	13.848	-4.33	11.85	0.768	5.498	13.208
ER Aur	DCEP	15.691	-4.48	11.52	0.494	7.589	15.362
V335 Aur	DCEP	3.413	-2.70	12.46	0.626	4.247	12.111
RW Cam	DCEP	16.414	-4.53	8.69	0.633	1.719	9.354
RX Cam	DCEP	7.912	-3.68	7.68	0.532	0.849	8.614
TV Cam	DCEP	5.295	-3.21	11.66	0.613	3.788	11.196
AB Cam	DCEP	5.788	-3.32	11.85	0.656	4.069	11.437
AD Cam	DCEP	11.261	-4.09	12.56	0.864	5.924	13.048
BD Cas	CWB	3.651	-2.78	11.00	1.006	1.277	8.574
RW Cas	DCEP	14.795	-4.41	9.12	0.380	2.882	9.962
RY Cas	DCEP	12.137	-4.18	9.93	0.618	2.642	9.336
SU Cas	DCEPS	1.949	-2.45	5.97	0.259	0.329	8.127
SW Cas	DCEP	5.441	-3.25	9.71	0.467	1.942	8.747
SY Cas	DCEP	4.071	-2.91	9.87	0.442	1.861	8.928
SZ Cas	DCEPS	13.621	-4.71	9.85	0.794	2.511	9.832
TU Cas	CEP(B)	2.139	-2.16	7.73	0.109	0.809	8.312
XY Cas	DCEP	4.502	-3.02	9.94	0.533	1.768	8.979
CE Cas A	DCEP	5.141	-3.18	10.92	0.556	2.891	9.549
CE Cas B	DCEP	4.479	-3.02	11.06	0.527	2.989	9.615
CF Cas	DCEP	4.875	-3.12	11.14	0.553	3.115	9.702
CH Cas	DCEP	15.086	-4.43	10.97	0.894	3.187	9.601
CY Cas	DCEP	14.377	-4.38	11.64	0.963	3.810	10.062
DD Cas	DCEP	9.812	-3.93	9.88	0.450	2.956	9.602

Table 3
Distance Information for Cepheids in Papers I-VI

Star	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)
DF Cas	DCEP	3.832	-2.84	10.85	0.570	2.337	9.718
DL Cas	DCEP	8.001	-3.69	8.97	0.488	1.649	8.846
FM Cas	DCEP	5.809	-3.32	9.13	0.325	1.904	8.941
V379 Cas	DCEPS	4.306	-3.37	9.05	0.600	1.251	8.592
V636 Cas	DCEPS	8.376	-4.15	7.20	0.666	0.689	8.337
V Cen	DCEP	5.494	-3.26	6.84	0.292	0.676	7.426
Delta Cep	DCEP	5.366	-3.23	3.95	0.075	0.244	7.968
CP Cep	DCEP	17.859	-4.63	10.59	0.649	4.208	9.600
CR Cep	DCEP	6.233	-3.40	9.66	0.709	1.425	8.442
IR Cep	DCEP	2.114	-2.15	7.78	0.413	0.524	8.037
V351 Cep	CWB	2.806	-2.47	9.41	0.436	1.245	8.313
RW CMa	DCEP	5.730	-4.81	10.16	0.546	4.374	4.344
RY CMa	DCEP	4.678	-3.07	8.11	0.239	1.206	8.781
RZ CMa	DCEP	4.255	-2.96	9.70	0.443	1.758	9.106
TW CMa	DCEP	6.995	-3.54	9.56	0.329	2.554	9.764
VZ CMa	DCEPS	3.126	-3.00	9.38	0.461	1.509	8.753
BG Cru	DCEPS	3.343	-3.08	5.49	0.132	0.424	7.694
X Cyg	DCEP	16.386	-4.53	6.39	0.228	1.087	7.726
SU Cyg	DCEP	3.846	-2.84	6.86	0.080	0.773	7.603
SZ Cyg	DCEP	15.110	-4.43	9.43	0.571	2.536	8.059
TX Cyg	DCEP	14.710	-4.40	9.51	1.130	1.129	7.869
VX Cyg	DCEP	20.133	-4.77	10.07	0.753	3.025	8.064
VY Cyg	DCEP	7.857	-3.67	9.59	0.606	1.827	7.885
VZ Cyg	DCEP	4.864	-3.11	8.96	0.266	1.750	8.132
BZ Cyg	DCEP	10.142	-3.97	10.21	0.888	1.831	7.946
CD Cyg	DCEP	17.074	-4.58	8.95	0.493	2.432	7.474
DT Cyg	DCEPS	2.499	-2.74	5.77	0.042	0.474	7.805
MW Cyg	DCEP	5.955	-3.35	9.49	0.635	1.437	7.553
V386 Cyg	DCEP	5.258	-3.21	9.64	0.841	1.059	7.888
V402 Cyg	DCEP	4.365	-2.99	9.87	0.391	2.088	7.600
V532 Cyg	DCEPS	3.284	-3.06	9.09	0.494	1.286	7.981
V924 Cyg	DCEPS	5.571	-3.67	10.71	0.261	5.100	7.529
V1154 Cyg	CEP	4.925	-3.13	9.19	0.319	1.811	7.704
V1334 Cyg	DCEPS	3.333	-3.07	5.87	0.025	0.593	7.856
V1726 Cyg	DCEPS	4.237	-3.35	9.01	0.339	1.792	8.177
TX Del	CWB:	6.166	-3.39	9.03	0.222	2.191	6.820
Beta Dor	DCEP	9.843	-3.93	3.73	0.052	0.316	7.896
Zeta Gem	DCEP	10.150	-3.97	3.92	0.014	0.370	8.249
W Gem	DCEP	7.914	-3.68	6.95	0.255	0.915	8.776
RZ Gem	DCEP	5.529	-3.26	10.01	0.563	1.952	9.838
AA Gem	DCEP	11.303	-4.10	9.72	0.309	3.662	11.550
AD Gem	DCEP	3.788	-2.82	9.86	0.173	2.657	10.481
BB Gem	DCEP	2.308	-2.25	11.43	0.430	2.863	10.641

Table 3
Distance Information for Cepheids in Papers I-VI

Star	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)
DX Gem	DCEPS	3.137	-3.00	10.75	0.430	2.965	10.755
BB Her	DCEP	7.508	-3.62	10.09	0.392	3.074	6.054
V Lac	DCEP	4.983	-3.14	8.94	0.335	1.583	8.485
X Lac	DCEPS	5.445	-3.64	8.41	0.336	1.560	8.477
Y Lac	DCEP	4.324	-2.98	9.15	0.207	1.955	8.419
Z Lac	DCEP	10.886	-4.05	8.42	0.370	1.796	8.564
RR Lac	DCEP	6.416	-3.44	8.85	0.319	1.782	8.554
BG Lac	DCEP	5.332	-3.22	8.88	0.300	1.687	8.158
V473 Lyr	DCEPS:	1.491	-1.74	6.18	0.025	0.370	7.726
T Mon	DCEP	27.019	-5.11	6.12	0.181	1.348	9.150
SV Mon	DCEP	15.233	-4.44	8.22	0.234	2.405	10.143
TW Mon	CEP	7.097	-3.55	12.58	0.663	6.278	13.608
TX Mon	DCEP	8.702	-3.79	10.96	0.485	4.335	11.742
TZ Mon	DCEP	7.428	-3.61	10.76	0.420	4.003	11.439
UY Mon	DCEPS	2.398	-2.69	9.39	0.064	2.372	10.085
WW Mon	DCEP	4.662	-3.07	12.51	0.605	5.291	12.943
XX Mon	DCEP	5.456	-3.25	11.90	0.567	4.600	11.946
AA Mon	DCEP	3.938	-2.87	12.71	0.792	4.014	11.364
AC Mon	DCEP	8.015	-3.70	10.07	0.484	2.755	10.121
CU Mon	DCEP	4.708	-3.08	13.61	0.751	7.104	14.451
CV Mon	DCEP	5.379	-3.23	10.30	0.722	1.737	9.461
EE Mon	DCEP	4.809	-3.10	12.94	0.465	8.098	15.018
EK Mon	DCEP	3.958	-2.88	11.05	0.556	2.663	10.191
FG Mon	DCEP	4.497	-3.02	13.31	0.651	7.015	13.944
FI Mon	DCEP	3.288	-2.66	12.92	0.513	6.098	13.106
V465 Mon	DCEP	2.714	-2.44	10.38	0.244	2.544	10.088
V495 Mon	DCEP	4.097	-2.92	12.43	0.609	4.730	12.105
V504 Mon	CEP	2.774	-2.46	11.81	0.538	3.219	10.676
V508 Mon	DCEP	4.134	-2.93	10.52	0.307	3.091	10.710
V510 Mon	DCEP	7.457	-3.61	12.68	0.802	5.505	12.956
V526 Mon	DCEPS	2.675	-2.82	8.60	0.089	1.682	9.325
S Nor	DCEP	9.754	-3.92	6.39	0.179	0.887	7.169
V340 Nor	DCEP	11.288	-4.09	8.38	0.321	1.934	6.306
Y Oph	DCEPS	17.126	-4.98	6.17	0.645	0.649	7.305
BF Oph	DCEP	4.068	-2.91	7.34	0.235	0.789	7.121
RS Ori	DCEP	7.567	-3.63	8.41	0.352	1.516	9.363
CS Ori	DCEP	3.889	-2.85	11.38	0.383	3.980	11.738
GQ Ori	DCEP	8.616	-3.78	8.97	0.249	2.444	10.226
VX Per	DCEP	10.888	-4.05	9.31	0.475	2.322	9.627
SV Per	DCEP	11.129	-4.08	9.02	0.408	2.269	10.088
UX Per	DCEP	4.566	-3.04	11.66	0.512	4.075	11.104
AS Per	DCEP	4.973	-3.14	9.72	0.674	1.372	9.154
AW Per	DCEP	6.464	-3.45	7.49	0.489	0.744	8.622

Table 3
Distance Information for Cepheids in Papers I-VI

Star	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)
BM Per	DCEP	22.959	-4.92	10.39	0.871	3.154	10.851
HQ Per	CEP	8.639	-3.78	11.60	0.564	5.146	12.901
MM Per	DCEP	4.117	-2.92	10.80	0.490	2.678	10.304
V440 Per	DCEPS	7.573	-4.03	6.28	0.260	0.784	8.478
X Pup	DCEP	25.965	-5.06	8.46	0.402	2.785	9.730
RS Pup	DCEP	41.388	-5.60	6.95	0.457	1.641	8.540
VW Pup	DCEP	4.285	-2.97	11.37	0.489	3.551	10.340
VX Pup	CEP(B)	3.012	-2.56	8.33	0.129	1.240	8.638
VZ Pup	DCEP	23.174	-4.93	9.62	0.459	4.109	10.404
WW Pup	DCEP	5.517	-3.26	10.55	0.379	3.298	10.068
AD Pup	DCEP	13.596	-4.31	9.86	0.314	4.283	10.611
AQ Pup	DCEP	30.077	-5.23	8.79	0.518	2.953	9.487
BC Pup	DCEP	3.544	-2.75	13.84	0.800	6.320	12.440
BN Pup	DCEP	13.673	-4.32	9.88	0.416	3.724	9.920
HW Pup	DCEP	13.457	-4.30	12.05	0.688	6.684	12.332
MY Pup	DCEPS	5.694	-3.70	5.68	0.061	0.684	8.028
V335 Pup	DCEPS	4.861	-3.51	8.72	0.154	2.219	9.193
RV Sco	DCEP	6.061	-3.37	7.04	0.349	0.719	7.196
RY Sco	DCEP	20.320	-4.78	8.00	0.718	1.237	6.668
KQ Sco	DCEP	28.694	-5.18	9.81	0.869	2.728	5.409
V500 Sco	DCEP	9.317	-3.87	8.73	0.593	1.370	6.530
Z Sct	DCEP	12.902	-4.25	9.60	0.492	2.832	5.522
SS Sct	DCEP	3.671	-2.79	8.21	0.325	0.977	7.029
UZ Sct	DCEP	14.748	-4.40	11.31	1.020	3.043	5.125
EW Sct	CEP(B)	5.823	-3.32	7.98	1.074	0.369	7.568
V367 Sct	CEP(B)	6.293	-3.41	11.60	1.231	1.610	6.431
BQ Ser	CEP(B)	4.271	-2.96	9.50	0.815	0.926	7.166
S Sge	DCEP	8.382	-3.75	5.62	0.100	0.645	7.552
U Sgr	DCEP	6.745	-3.50	6.70	0.403	0.599	7.321
W Sgr	DCEP	7.595	-3.63	4.67	0.108	0.389	7.512
Y Sgr	DCEP	5.773	-3.31	5.74	0.191	0.488	7.425
VY Sgr	DCEP	13.558	-4.31	11.51	1.221	2.369	5.584
WZ Sgr	DCEP	21.850	-4.86	8.03	0.431	1.995	5.964
XX Sgr	CEP	6.424	-3.44	8.85	0.521	1.323	6.632
AP Sgr	DCEP	5.058	-3.16	6.96	0.178	0.809	7.101
AV Sgr	DCEP	15.411	-4.46	11.39	1.206	2.456	5.475
BB Sgr	DCEP	6.637	-3.48	6.95	0.281	0.800	7.138
V350 Sgr	DCEP	5.154	-3.18	7.48	0.299	0.871	7.065
YZ Sgr	DCEP	9.554	-3.90	7.36	0.281	1.175	6.799
ST Tau	DCEP	4.034	-2.90	8.22	0.368	0.966	8.834
SZ Tau	DCEPS	3.149	-3.01	6.53	0.295	0.521	8.394
AE Tau	CEP	3.896	-2.86	11.68	0.575	3.433	11.326
EF Tau	DCEP	3.448	-2.71	13.10	0.360	8.499	16.323

Table 3
Distance Information for Cepheids in Papers I-VI

Star	Type	P (days)	M _V	<V>	E(B-V)	D (kpc)	R _g (kpc)
EU Tau	DCEPS	2.102	-2.54	8.09	0.164	1.048	8.933
T Vel	DCEP	4.640	-3.06	8.02	0.289	1.072	8.054
RY Vel	DCEP	28.131	-5.16	8.40	0.547	2.276	7.731
SW Vel	DCEP	23.440	-4.94	8.12	0.344	2.458	8.427
SX Vel	DCEP	9.550	-3.90	8.25	0.263	1.821	8.245
S Vul	DCEP	68.044	-6.18	8.96	0.727	3.626	7.067
T Vul	DCEP	4.435	-3.01	5.75	0.064	0.514	7.760
U Vul	DCEP	7.991	-3.69	7.13	0.603	0.595	7.584
X Vul	DCEP	6.320	-3.42	8.85	0.742	0.943	7.532
SV Vul	DCEP	45.028	-5.70	7.22	0.461	1.936	7.261

Notes:

- Type: Variability type from the General Catalog of Variable Stars (Samus , N. N. et al. 2007-2009)
- P: Period in days from Berdnikov (2006– private communication to S. Andrievsky) or GCVS.
- M_V: Absolute V magnitude computed assuming listed period is the fundamental except for DCEPS where P₀ = P/0.71. Period-Luminosity relation and R (=Av/E(B-V) = 3.23) from Fouqué et al. 2007.
- <V>: Intensity mean apparent V magnitude from Fernie 1995. Exceptions are V351 Cep and BB Gem from Schmidt et al. (2005a) and TX Del from Schmidt 2005b.
- E(B-V): From Fouqué et al. (2007) or Fernie (1995) as modified by Fouqué et al. Reddening for XY CMa from Yong et al. (2006). BB Her reddening from van Leeuwen et al. (2007), BC Pup from Fernie & Hube (1968), and BB Gem from Harris (1985). Reddening for V733 Aql, BD Cas, V379 Cas, V351 Cep, V1334 Cyg, TX Del, and EF Tau calculated using the method of Kovtyukh et al. (2008).
- d and R_g: Distance in kiloparsecs from the Sun and the galactic center respectively. The Sun is assumed to be 7.9 kpc from the galactic center (McNamara et al. 2000).

Table 4A
Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
T Ant	8	1	-0.36	0.13	-0.43	0.15	-0.25	-0.09	-0.15	-0.18	-0.22	-0.19	-0.17	-0.29	-0.27	-0.24
Eta Aql	9	14	-0.13	0.35	-0.06	0.20	-0.05	0.15	0.12	0.16	-0.02	-0.01	0.13	0.10	0.15	0.11
SZ Aql	10	11	-0.06	...	-0.03	0.25	-0.08	0.31	0.16	0.25	0.10	0.07	0.07	0.04	0.21	0.20
TT Aql	10	8	-0.05	...	0.02	0.27	-0.11	0.25	0.08	0.26	0.06	0.10	0.06	-0.03	0.14	0.14
FF Aql	11	14	-0.26	...	-0.09	0.23	-0.26	0.12	0.05	0.02	-0.01	-0.07	0.05	0.03	0.09	0.07
FM Aql	1	2	-0.24	...	-0.19	0.32	0.00	0.33	0.17	0.24	0.17	-0.17	0.15	0.10	0.19	0.11
FN Aql	1	4	-1.31	...	-0.08	0.19	-0.21	0.10	0.00	-0.02	-0.07	-0.07	0.04	0.01	-0.04	-0.12
V496 Aql	1	2	-0.20	...	-0.15	0.24	-0.12	0.10	0.11	0.13	-0.03	0.10	0.06	0.06	0.09	0.05
V600 Aql	7	1	-0.25	...	0.11	0.30	0.20	0.15	0.08	-0.22	0.06	0.11	0.07	-0.10	0.06	...
V733 Aql	7	1	-0.07	...	0.04	0.19	0.22	0.08	0.09	0.03	-0.02	-0.04	0.05	-0.10	0.00	0.08
V1162 Aql	1	2	-0.14	...	-0.19	0.13	-0.19	0.13	0.06	...	-0.03	-0.21	-0.03	-0.02	0.02	-0.01
V1359 Aql	7	1	0.16	...	0.29	0.24	0.17	0.21	0.12	0.24	0.18	0.21	0.20	0.20	0.16	0.16
V340 Ara	2	1	0.20	1.00	0.07	0.56	...	0.35	0.35	0.51	0.21	0.33	0.30	0.21	0.09	0.25
Y Aur	7	1	-0.25	...	-0.42	-0.06	...	-0.17	0.03	-0.27	-0.08	-0.32	-0.42	-0.36	-0.29	...
RT Aur	12	10	-0.20	...	-0.07	0.29	-0.17	0.14	0.10	0.15	0.05	-0.02	0.08	0.05	0.05	0.08
RX Aur	10	16	-0.13	0.34	0.07	0.18	-0.17	0.05	0.04	0.07	-0.05	-0.26	-0.03	-0.09	0.09	0.02
SY Aur	6	1	-0.41	0.34	-0.11	0.23	-0.09	-0.05	0.05	-0.02	-0.05	-0.10	0.00	0.01	-0.06	-0.13
YZ Aur	607	3	-0.49	...	-0.52	-0.01	-0.20	-0.20	-0.23	-0.19	-0.35	-0.43	-0.35	-0.56	-0.37	-0.36
AN Aur	607	4	-0.38	0.12	-0.15	0.03	-0.18	-0.16	-0.08	-0.22	-0.14	-0.21	-0.10	-0.22	-0.18	-0.25
AO Aur	5	1	-0.03	-0.24	-0.51	-0.35	-0.34	-0.04	-0.16	-0.25	-0.28
BK Aur	7	1	-0.26	...	-0.04	0.27	...	0.20	0.14	-0.04	0.25	0.01	0.32	-0.04	0.19	...
CY Aur	6	1	-0.59	0.15	-0.41	0.01	-0.38	-0.31	-0.27	-0.39	-0.37	-0.34	-0.29	-0.22	-0.36	-0.36
ER Aur	6	2	-0.53	-0.12	-0.40	-0.06	-0.54	-0.20	-0.22	-0.24	-0.25	-0.28	-0.32	-0.20	-0.36	-0.32
V335 Aur	5	1	-0.15	-0.27	-0.34
RW Cam	610	17	-0.11	0.00	0.02	0.23	-0.06	0.16	0.06	0.18	0.01	-0.01	0.03	-0.08	0.10	0.10
RX Cam	9	9	-0.15	...	-0.10	0.18	-0.15	0.09	0.05	0.08	-0.04	-0.04	0.08	0.02	0.08	0.05
TV Cam	6	1	-0.39	0.40	...	0.00	-0.08	-0.16	-0.01	-0.11	-0.08	-0.14	0.15	-0.04	0.18	-0.17
AB Cam	6	1	-0.40	0.36	-0.29	0.10	-0.18	-0.04	-0.02	0.00	-0.07	-0.13	-0.16	-0.07	-0.11	-0.19
AD Cam	6	1	-0.80	0.24	0.00	0.05	-0.09	0.05	-0.12	-0.15	-0.25	-0.19	-0.23	-0.34	-0.25	-0.33
L Car	8	1	0.06	-0.02	0.25	0.05	0.28	0.14	0.06	0.28	-0.07	-0.07	0.02	0.01	-0.04	-0.05
U Car	8	1	0.27	0.22	0.29	0.07	0.22	0.01	...	-0.04	-0.07	0.03	-0.07

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
V Car	8	1	-0.23	0.48	-0.27	0.09	-0.07	0.09	0.06	0.04	-0.05	-0.10	0.03	0.03	-0.05	-0.14
SX Car	8	1	-0.30	0.25	-0.30	0.20	-0.15	-0.02	0.05	0.06	-0.06	-0.11	-0.07	-0.23	-0.13	-0.17
UW Car	8	1	-0.23	0.39	-0.28	0.15	-0.12	0.04	0.07	0.11	-0.03	-0.07	0.03	-0.13	-0.12	-0.11
UX Car	8	1	-0.15	0.44	-0.04	0.20	-0.08	0.03	0.09	0.12	0.00	0.04	0.01	0.03	0.00	-0.12
UY Car	8	1	-0.10	0.37	-0.15	0.14	0.03	0.12	0.08	0.18	-0.08	0.05	0.02	-0.05	0.01	-0.04
UZ Car	8	1	-0.17	0.40	-0.10	0.24	0.05	0.14	0.12	0.21	0.03	0.05	0.11	0.01	0.04	-0.03
VY Car	8	1	-0.21	0.28	0.16	0.28	0.19	0.57	0.15	...	0.02	0.03	0.04	0.09
WW Car	8	1	-0.22	0.30	-0.55	0.07	-0.12	0.01	-0.01	0.07	-0.15	-0.13	-0.10	-0.14	-0.14	-0.22
WZ Car	8	1	-0.10	0.41	...	0.35	-0.11	0.15	0.00	0.21	-0.18	0.10	-0.11	0.05	0.02	-0.16
XX Car	8	1	-0.31	0.63	-0.06	0.40	0.05	0.19	0.14	0.22	0.02	0.19	0.10	0.11	0.10	-0.04
XY Car	8	1	-0.15	0.39	-0.29	0.18	0.03	0.09	0.07	0.19	-0.08	0.12	0.05	-0.03	-0.01	-0.07
XZ Car	8	1	-0.07	0.57	...	0.36	0.08	0.24	0.21	0.24	0.06	0.05	0.04	0.11	0.14	0.06
YZ Car	8	1	-0.26	0.28	-0.15	0.16	0.06	0.13	0.05	0.07	-0.04	0.04	0.07	0.03	-0.08	-0.09
AQ Car	8	1	-0.13	0.34	-0.10	0.06	-0.10	0.04	0.05	0.14	-0.10	-0.02	0.03	0.05	-0.06	-0.13
CN Car	8	1	-0.08	0.47	-0.11	0.18	0.00	0.14	0.12	0.21	0.05	0.03	0.13	0.10	0.01	0.04
CY Car	8	1	-0.07	0.57	-0.08	0.23	0.01	0.16	0.13	0.27	0.04	0.10	0.11	0.06	0.06	-0.04
DY Car	8	1	-0.22	0.34	-0.28	0.09	-0.12	-0.01	0.04	0.05	-0.14	-0.07	-0.07	-0.18	-0.09	-0.12
ER Car	8	1	-0.16	0.34	-0.09	0.10	-0.15	0.09	0.02	0.18	-0.09	-0.07	0.00	0.05	-0.05	-0.13
FI Car	8	1	-0.22	0.06	-0.25	0.24	0.03	0.21	0.10	0.28	0.12	0.04	0.06	-0.06	0.04	0.11
FR Car	8	1	-0.51	0.48	-0.18	0.14	0.16	0.10	0.05	0.09	-0.10	0.02	0.06	0.02	-0.04	-0.17
GH Car	8	1	-0.26	0.31	-0.17	0.24	0.00	0.06	0.07	0.20	-0.05	-0.02	0.17	0.11	-0.03	-0.08
GX Car	8	1	-0.26	0.39	-0.07	0.09	-0.10	0.03	0.06	0.12	-0.08	-0.02	0.02	-0.03	-0.02	-0.14
HW Car	8	1	-0.15	0.35	0.02	0.21	-0.12	0.04	-0.02	0.13	-0.14	0.00	-0.01	-0.01	-0.05	-0.19
IO Car	8	1	-0.24	0.27	-0.35	0.14	-0.18	0.11	0.00	0.10	-0.16	-0.04	-0.02	-0.01	-0.08	-0.10
IT Car	8	1	-0.15	0.45	-0.15	0.31	0.11	0.17	0.10	0.16	-0.02	0.02	0.08	0.02	0.04	-0.02
V397 Car	8	1	-0.15	0.42	-0.14	0.17	-0.03	0.10	0.05	0.16	0.01	0.01	0.01	0.05	-0.07	-0.09
RW Cas	7	1	-0.14	...	-0.01	0.05	0.13	...	0.28	0.30	0.10	-0.04	0.15	...
RY Cas	7	1	0.25	...	0.31	0.26	...	0.15	0.22	0.03	-0.07	0.22	0.30	0.19	0.09	...
SU Cas	11	13	-0.13	...	-0.02	0.26	-0.22	0.10	0.09	0.13	0.07	-0.10	0.09	0.10	0.10	0.10
SW Cas	7	1	0.13	...	0.27	0.26	...	0.22	0.12	0.00	0.04	0.15	0.20	-0.01	0.18	0.41
SY Cas	7	1	0.21	...	0.31	0.16	0.32	0.15	0.07	0.01	0.10	0.10	0.22	-0.06	0.19	...

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
SZ Cas	7	1	-0.13	...	0.06	0.51	...	0.17	0.28	-0.09	0.14	0.29	0.21	-0.21	0.14	0.62
TU Cas	1	12	-0.19	...	-0.03	0.15	-0.19	0.14	0.10	-0.03	-0.02	-0.19	0.05	0.02	0.02	0.06
XY Cas	7	1	-0.24	...	-0.09	0.45	...	0.10	0.13	-0.47	0.14	-0.10	0.14	-0.23	0.00	...
BD Cas	1	3	-0.14	...	-0.09	-0.03	-0.26	-0.09	0.03	0.26	-0.19	-0.23	-0.06	-0.06	-0.14	-0.13
CE Cas A	7	1	-0.16	...	-0.04	0.56	...	0.01	0.33	-0.18	0.29	0.35	0.31	-0.16	0.29	...
CE Cas B	7	1	0.05	...	-0.04	0.23	...	0.20	0.25	-0.07	0.29	0.35	0.31	0.05
CF Cas	1	5	-0.19	...	0.06	0.09	-0.21	0.10	0.01	0.10	-0.01	-0.04	0.00	-0.06	0.06	-0.01
CH Cas	7	1	0.00	...	0.16	0.28	0.14	-0.03	-0.04	0.12	0.15	0.01	0.02	...
CY Cas	7	1	-0.42	...	-0.04	0.08	0.11	0.03	-0.01	0.08	-0.04	-0.27	0.01	0.15
DD Cas	7	1	0.02	...	0.07	0.30	0.20	0.10	0.10	-0.05	0.00	0.10	0.23	-0.10	0.01	...
DF Cas	1	1	-0.30	0.16	-0.33	...	0.03	0.39	-0.18	-0.09	0.00	-0.01	0.11	-0.12
DL Cas	1	3	-0.31	...	-0.01	0.11	0.11	0.14	0.02	0.21	0.01	-0.16	0.03	-0.04	0.10	0.07
FM Cas	7	1	-0.45	...	-0.21	0.17	0.20	0.30	0.09	-0.31	0.14	-0.08	0.11	-0.42	-0.08	...
V379 Cas	7	2	-0.10	...	0.07	0.21	...	0.23	0.19	-0.11	0.18	0.12	0.23	-0.16	-0.02	...
V636 Cas	11	8	-0.06	...	-0.18	0.28	-0.14	0.12	0.06	0.13	0.06	-0.16	0.05	-0.04	0.16	0.09
V Cen	108	3	-0.20	0.34	-0.16	0.07	-0.15	0.08	0.02	0.09	-0.10	-0.06	0.00	-0.04	-0.06	-0.11
QY Cen	8	1	-0.07	0.61	-0.09	0.43	0.15	0.22	0.22	0.29	0.05	...	0.16	0.10	0.12	0.08
XX Cen	8	1	-0.07	0.56	-0.03	0.30	0.02	0.22	0.13	0.28	0.05	0.14	0.14	0.16	0.08	0.05
AY Cen	8	1	-0.18	0.35	-0.15	0.20	-0.07	0.05	0.04	0.07	-0.06	-0.01	0.02	-0.03	-0.04	-0.11
AZ Cen	8	1	-0.21	0.35	-0.10	0.27	-0.07	0.02	0.06	0.14	-0.13	-0.04	-0.04	0.00	-0.07	-0.17
BB Cen	8	1	-0.03	0.64	0.06	0.30	-0.13	0.19	0.17	0.31	-0.03	0.14	0.10	0.12	0.04	0.01
KK Cen	8	1	-0.09	0.47	0.01	0.31	0.09	0.18	0.12	0.22	0.02	0.05	0.17	0.11	0.07	-0.01
KN Cen	8	1	0.45	...	0.62	...	0.59	0.53	0.43	1.02	0.25	0.43	0.22	0.24	0.29	0.38
MZ Cen	8	1	0.02	0.65	-0.13	0.35	0.10	0.24	0.15	0.34	-0.05	0.23	0.12	0.15	0.09	0.14
V339 Cen	8	1	-0.13	0.36	-0.20	0.19	-0.11	0.06	0.06	0.17	-0.11	-0.04	0.04	0.08	-0.02	-0.10
V378 Cen	8	1	-0.28	0.35	-0.09	0.19	-0.24	0.06	0.07	0.15	-0.17	-0.07	0.05	0.02	-0.06	-0.13
V381 Cen	8	1	-0.20	0.35	-0.09	0.15	-0.04	0.02	0.08	0.12	-0.03	0.00	0.04	-0.04	0.00	-0.12
V419 Cen	8	1	-0.07	0.39	-0.12	0.17	-0.10	0.20	0.11	0.22	0.06	0.01	0.16	0.07	-0.01	0.01
V496 Cen	8	1	-0.18	0.39	-0.16	0.18	-0.02	0.12	0.07	0.13	-0.07	0.01	-0.01	0.02	-0.02	-0.08
V659 Cen	8	1	-0.10	0.41	0.00	0.18	-0.08	0.13	0.07	0.17	-0.04	0.01	0.02	-0.02	-0.07	-0.05
V737 Cen	8	1	-0.05	0.47	-0.09	0.24	0.01	0.18	0.13	0.26	0.02	-0.01	0.17	0.06	0.05	0.05

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
Del Cep	12	18	-0.16	0.34	0.01	0.20	0.03	0.16	0.09	0.16	0.01	-0.07	0.03	0.04	0.08	0.19
CP Cep	7	1	-0.39	...	-0.16	0.13	0.10	0.07	0.10	-0.17	0.14	0.04	0.04	-0.12	-0.07	...
CR Cep	7	1	-0.31	...	-0.09	0.09	0.39	0.19	0.02	-0.23	0.02	-0.14	0.02	-0.36	-0.09	...
IR Cep	107	2	-0.12	...	0.04	0.36	-0.08	0.24	0.19	0.12	0.08	-0.01	0.19	0.09	-0.01	-0.02
V351 Cep	107	3	-0.15	...	0.02	0.20	-0.21	0.04	0.09	0.11	0.00	0.02	0.12	0.01	0.04	-0.03
AV Cir	8	1	-0.06	0.51	-0.08	0.24	0.03	0.16	0.17	0.26	0.04	0.04	0.14	0.01	0.05	-0.01
AX Cir	8	2	-0.25	0.32	-0.07	0.09	-0.05	0.01	-0.02	0.06	-0.13	-0.14	-0.05	-0.11	-0.12	-0.25
BP Cir	8	1	-0.24	0.34	-0.18	0.14	-0.07	0.01	0.05	0.11	-0.14	-0.11	-0.13	-0.11	-0.11	-0.20
RY CMa	5	1	-0.27	...	-0.30	0.16	0.02	-0.23	-0.02	-0.14	0.16	0.15	0.08	0.04
RZ CMa	7	2	-0.13	...	0.03	0.19	0.32	-0.12	0.06	-0.19	0.01	0.04	0.02	-0.17	-0.04	...
TW CMa	5	1	-0.68	...	-0.16	-0.03	-0.10	-0.38	-0.19	-0.25	0.14	0.10	-0.11	-0.23
VZ CMa	5	1	-0.34	...	-0.39	0.16	0.00	-0.27	-0.06	-0.14	0.03	0.22	0.01	-0.06
R Cru	8	1	-0.16	0.34	-0.11	0.24	-0.10	0.13	0.13	0.16	-0.07	-0.01	0.11	0.04	0.03	0.01
S Cru	8	1	-0.31	0.26	-0.06	0.08	-0.12	-0.04	0.01	0.02	-0.16	-0.12	-0.14	-0.27	-0.15	-0.15
T Cru	8	1	0.00	0.49	-0.03	0.16	-0.06	0.15	0.10	0.31	-0.03	0.03	0.14	0.10	0.10	-0.02
X Cru	8	1	-0.06	0.60	0.08	0.31	0.07	0.22	0.18	0.22	0.08	0.04	0.21	0.07	0.10	0.07
AD Cru	8	1	-0.13	0.34	-0.06	0.24	0.04	0.06	0.09	0.15	-0.06	-0.01	-0.01	0.11	0.02	-0.06
AG Cru	8	1	-0.29	0.36	-0.16	0.05	-0.16	-0.17	-0.04	0.05	-0.21	-0.16	-0.16	-0.28	-0.15	-0.21
BG Cru	108	2	-0.12	0.46	0.02	0.22	0.17	0.23	0.09	0.19	-0.02	-0.14	0.10	0.14	-0.03	0.00
VW Cru	8	1	-0.15	0.35	-0.07	0.15	0.01	0.10	0.08	0.17	-0.04	0.04	0.07	0.04	0.04	-0.10
X Cyg	10	26	-0.09	0.55	0.07	0.25	0.04	0.25	0.09	0.16	0.09	0.09	0.06	-0.06	0.16	0.16
SU Cyg	12	12	-0.29	...	-0.29	0.21	-0.16	0.14	0.04	0.01	0.03	-0.07	0.03	0.01	-0.02	-0.01
SZ Cyg	7	1	-0.07	...	0.10	0.44	0.03	0.22	0.25	0.11	0.19	0.09	0.13	0.05	0.10	...
TX Cyg	7	1	0.19	...	0.17	0.32	...	0.21	0.22	0.03	0.15	0.09	0.45	0.02	0.20	...
VX Cyg	7	1	-0.30	...	0.17	0.41	-0.16	0.13	0.18	-0.09	0.20	0.14	0.11	-0.02	0.10	...
VY Cyg	7	1	-0.26	...	0.06	0.23	0.19	0.15	0.06	-0.29	0.06	0.02	0.13	-0.17	0.00	...
VZ Cyg	7	1	-0.09	...	0.18	0.26	0.21	0.39	0.10	-0.11	0.03	0.14	0.14	-0.11	0.09	...
BZ Cyg	7	1	0.10	...	0.26	0.38	...	0.24	0.29	-0.02	0.17	-0.05	0.14	-0.03	0.18	...
CD Cyg	10	16	-0.10	...	-0.03	0.27	-0.23	0.18	0.09	0.23	0.04	0.05	0.06	-0.01	0.10	0.20
DT Cyg	11	14	-0.05	...	0.01	0.28	-0.05	0.13	0.12	0.21	0.09	-0.01	0.15	0.09	0.18	0.19
MW Cyg	7	1	-0.09	...	0.14	0.15	0.08	0.18	0.06	-0.05	-0.01	0.05	0.07	-0.13	-0.03	...

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
V386 Cyg	7	1	0.12	...	-0.06	0.23	...	0.15	0.14	-0.06	0.02	0.09	0.14	-0.01	0.08	...
V402 Cyg	7	1	-0.18	...	0.11	0.40	0.15	0.19	0.08	-0.14	0.12	0.07	0.08	-0.04	-0.05	...
V532 Cyg	7	1	-0.10	...	0.03	0.26	0.14	0.16	0.15	-0.18	0.12	-0.04	0.27	-0.13	0.06	...
V924 Cyg	1	1	-0.30	-0.04	-0.38	0.09	-0.04	0.05	-0.21	-0.37	-0.21	0.01	-0.09	0.10
V1154 Cyg	7	1	-0.19	...	0.00	0.11	0.53	0.09	0.04	-0.34	0.13	-0.02	0.08	-0.26	-0.05	...
V1334 Cyg	11	11	-0.19	...	-0.13	0.19	-0.29	0.17	0.06	-0.03	-0.02	-0.05	0.02	0.06	0.05	0.09
V1726 Cyg	1	1	-0.22	0.29	-0.12	0.07	0.11	0.17	-0.16	-0.05	0.15	...	-0.07	0.00
TX Del	1	1	0.06	...	0.16	0.48	-0.22	0.16	...	0.17	0.15	...	0.38
Beta Dor	1	1	-0.31	...	-0.08	0.07	-0.30	0.07	0.00	-0.04	-0.18	-0.11	0.01	-0.05	-0.04	0.03
Zeta Gem	11	11	-0.22	...	-0.05	0.24	-0.09	0.12	0.02	0.07	-0.07	0.05	-0.01	-0.08	0.06	0.03
W Gem	9	8	-0.24	...	-0.15	0.17	-0.22	0.05	0.03	0.03	-0.07	0.05	0.10	0.04	0.04	-0.01
RZ Gem	5	1	-0.32	...	-0.23	-0.06	-0.12	-0.33	-0.27	-0.13	-0.03	-0.12	0.00	-0.22
AA Gem	5	1	0.17	...	0.07	0.10	-0.21	-0.28	-0.21	-0.15	-0.08	-0.31	-0.44	-0.38
AD Gem	5	1	-0.36	0.07	-0.24	-0.42	-0.17	-0.06	-0.08	0.11	-0.09	-0.25
BB Gem	5	1	-0.31	...	-0.45	0.13	-0.07	-0.37	-0.31	-0.10	0.24	0.12	0.06	-0.20
DX Gem	5	1	-0.42	...	-0.28	0.17	0.01	-0.19	-0.05	-0.03	0.02	-0.03	0.10	-0.11
BB Her	1	4	-0.10	...	0.04	0.40	-0.01	0.23	0.15	...	-0.01	0.07	0.09	0.07	0.10	0.30
V Lac	7	1	-0.06	...	0.17	0.19	-0.16	0.16	0.15	-0.13	0.10	-0.03	-0.02	-0.07	0.04	...
X Lac	7	1	-0.02	...	0.10	0.21	0.07	0.09	0.10	-0.15	0.06	-0.03	0.18	-0.22	0.02	...
Y Lac	12	9	-0.23	...	-0.26	0.13	-0.15	0.17	0.05	0.00	-0.04	-0.25	0.01	0.04	0.00	-0.04
Z Lac	10	9	-0.22	...	-0.11	0.23	-0.21	0.11	0.04	0.12	-0.08	-0.10	-0.01	-0.10	0.08	0.06
RR Lac	7	1	-0.04	...	0.26	0.16	...	0.24	0.12	-0.14	0.19	0.09	0.29	-0.10	0.18	...
BG Lac	1	3	-0.17	...	0.10	0.17	-0.25	0.08	0.04	0.09	-0.01	-0.11	0.03	-0.05	0.06	0.04
GH Lup	8	1	-0.02	0.32	-0.04	0.23	-0.07	0.19	0.08	0.30	-0.03	0.00	0.04	-0.05	0.06	0.00
V473 Lyr	1	2	-0.34	...	-0.24	0.01	-0.14	-0.06	-0.03	0.09	-0.10	-0.05	-0.06	-0.04	-0.08	-0.22
T Mon	10	20	-0.23	0.59	0.04	0.41	0.17	0.22	0.15	0.39	0.08	0.01	0.14	0.02	0.23	0.16
SV Mon	10	9	-0.90	0.22	-0.28	0.28	-0.05	0.07	0.00	-0.02	-0.12	-0.01	-0.06	-0.13	0.02	-0.04
TW Mon	4	1	-0.50	0.00	-0.35	0.01	-0.41	-0.10	-0.17	-0.15	-0.16	-0.29	-0.21	-0.27	-0.16	-0.40
TX Mon	3	1	-0.41	0.29	-0.16	-0.08	-0.26	-0.07	-0.09	-0.17	-0.24	-0.16	-0.17	-0.28	-0.16	-0.25
TZ Mon	304	2	-0.44	0.31	0.16	0.10	-0.16	0.05	-0.03	0.06	-0.03	-0.18	-0.08	-0.15	-0.08	0.09
UY Mon	5	1	-0.28	...	-0.24	0.13	-0.08	-0.22	-0.07	-0.04	0.19	0.09	0.01	-0.19

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
WW Mon	4	1	-0.84	-0.38	...	-0.04	-0.29	-0.27	-0.26	-0.39	-0.26	-0.36	-0.10	-0.40	...	-0.46
XX Mon	304	2	-0.50	0.19	-0.02	0.02	-0.20	0.14	-0.11	-0.18	-0.13	-0.09	-0.19	-0.10	-0.13	-0.24
AA Mon	3	1	-0.49	0.35	-0.19	0.04	-0.22	-0.14	-0.12	-0.12	-0.26	-0.21	-0.23	0.02	-0.26	-0.29
AC Mon	103	2	-0.47	0.23	-0.25	0.14	-0.40	-0.36	-0.05	-0.18	-0.11	-0.14	-0.04	-0.23	-0.16	-0.22
CU Mon	4	1	-0.52	0.29	-0.06	0.23	-0.36	-0.05	-0.18	-0.36	-0.24	0.02	-0.06	-0.26	-0.06	-0.31
CV Mon	1	1	-0.25	...	0.02	0.03	-0.32	-0.05	0.01	0.08	-0.19	-0.14	0.10	0.30	0.04	-0.05
EE Mon	3	1	-0.48	0.14	...	-0.20	-0.60	...	-0.35	-0.56	-0.50	-0.42	-0.26	-0.41	-0.35	-0.66
EK Mon	3	1	-0.42	0.26	-0.28	0.04	-0.18	-0.04	-0.05	-0.15	-0.10	-0.05	-0.18	-0.10	-0.15	-0.19
FG Mon	4	1	-0.48	0.26	-0.46	0.09	-0.30	-0.01	-0.10	-0.13	-0.03	-0.23	-0.19	-0.22	-0.11	-0.39
FI Mon	4	1	-0.56	...	-0.41	0.08	-0.03	-0.03	-0.07	-0.14	-0.04	-0.11	-0.06	-0.12	-0.13	-0.24
V465 Mon	7	1	0.10	...	0.22	0.11	0.10	-0.21	-0.10	0.00	0.26	-0.15	-0.11	...
V495 Mon	3	1	-0.77	-0.12	-0.09	0.00	-0.28	-0.25	-0.18	-0.07	-0.29	-0.34	-0.29	-0.28	-0.32	-0.39
V504 Mon	3	1	-0.53	0.14	-0.35	-0.08	-0.45	-0.13	-0.17	-0.23	-0.21	-0.33	-0.28	-0.11	-0.30	-0.38
V508 Mon	3	1	-0.77	0.07	-0.54	-0.01	-0.28	-0.15	-0.18	-0.19	-0.22	-0.21	-0.13	-0.22	-0.22	-0.41
V510 Mon	4	1	-0.54	0.01	-0.14	-0.04	-0.27	0.11	-0.10	-0.29	-0.04	-0.34	-0.07	-0.21	-0.24	-0.33
V526 Mon	1	1	-0.28	0.44	-0.52	0.11	-0.09	...	-0.01	0.05	-0.08	-0.20	-0.04	-0.18	-0.02	-0.14
R Mus	8	1	-0.10	0.53	-0.02	0.26	-0.01	0.20	0.13	0.25	0.05	0.07	0.04	0.07	0.05	0.01
S Mus	8	1	-0.19	0.29	-0.19	0.19	-0.07	0.11	0.02	0.14	-0.10	-0.04	0.00	-0.02	-0.06	-0.15
RT Mus	8	1	-0.22	0.38	0.02	0.18	-0.19	0.03	0.05	0.08	-0.11	-0.01	-0.01	0.02	-0.03	-0.15
TZ Mus	8	1	-0.14	0.46	-0.16	0.14	-0.09	0.08	0.09	0.18	0.01	-0.04	0.02	-0.01	-0.02	-0.06
UU Mus	8	1	-0.15	0.43	-0.06	0.24	-0.07	0.15	0.13	0.16	0.03	-0.02	0.03	0.15	0.00	-0.03
S Nor	108	3	-0.18	0.60	-0.15	0.26	-0.18	0.14	0.06	0.14	-0.06	0.03	0.05	0.03	-0.06	-0.09
U Nor	8	1	0.10	0.72	0.04	0.36	0.04	0.18	0.15	0.39	0.00	0.02	0.05	0.05	0.04	0.18
SY Nor	8	1	0.24	0.69	0.21	0.41	0.16	0.29	0.31	0.50	0.13	0.37	0.19	0.24	0.20	0.22
TW Nor	8	1	0.06	0.62	0.28	0.46	0.20	0.35	0.31	0.46	0.15	...	0.33	0.27	0.21	0.26
GU Nor	8	1	-0.03	0.57	0.15	0.40	0.14	0.19	0.18	0.37	0.13	0.13	0.14	0.12	0.14	0.11
V340 Nor	108	2	-0.03	0.54	0.07	0.31	-0.15	0.08	0.06	0.23	-0.10	-0.03	0.06	0.04	0.00	0.01
Y Oph	11	14	-0.10	...	0.00	0.07	-0.27	0.14	0.02	0.09	-0.07	-0.08	0.05	0.02	0.08	0.04
BF Oph	708	2	-0.05	0.40	-0.05	0.20	0.03	0.06	0.11	0.02	-0.01	0.01	0.06	-0.07	0.02	-0.07
RS Ori	104	5	-0.45	0.29	-0.18	0.06	-0.29	0.03	0.02	0.00	-0.06	-0.18	0.07	-0.12	-0.08	-0.11
CS Ori	3	1	-0.58	-0.12	-0.61	0.05	-0.40	-0.31	-0.16	-0.32	-0.20	-0.11	-0.23	...	-0.24	-0.43

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
GQ Ori	107	2	-0.20	0.29	-0.03	0.20	0.21	0.17	0.05	-0.07	-0.14	0.14	0.13	-0.02	0.00	-0.14
SV Per	7	1	-0.04	...	0.15	0.25	0.16	0.09	0.04	-0.19	-0.05	-0.01	0.13	-0.13	-0.13	...
UX Per	6	1	-0.42	0.24	-0.38	-0.05	-0.40	-0.45	-0.14	-0.07	-0.15	-0.47	-0.22	-0.33	-0.25	-0.14
VX Per	10	9	-0.22	...	-0.18	0.15	-0.28	0.07	-0.01	0.03	-0.15	-0.17	-0.08	-0.15	0.01	-0.07
AS Per	7	1	-0.04	...	0.06	0.31	0.10	0.03	0.14	-0.05	0.06	0.06	0.14	-0.09	0.10	...
AW Per	1	4	-0.23	...	-0.03	0.24	-0.27	0.07	0.06	0.18	-0.03	-0.15	0.01	0.15	0.27	0.10
BM Per	607	5	-0.21	0.43	-0.04	0.20	0.04	0.06	0.10	0.07	0.06	0.11	0.11	-0.08	0.02	-0.02
HQ Per	6	2	-0.68	-0.02	0.13	0.05	-0.30	-0.24	-0.21	-0.39	-0.35	-0.30	-0.33	-0.29	-0.30	-0.48
MM Per	5	1	-0.26	...	-0.08	0.07	-0.07	-0.04	-0.05	-0.09	0.00	-0.17	-0.08	-0.10
V440 Per	11	10	-0.27	...	-0.12	0.07	-0.39	0.02	-0.02	-0.05	-0.18	-0.08	-0.02	-0.04	0.00	-0.12
X Pup	10	7	-0.21	...	-0.22	0.17	-0.25	0.10	-0.03	0.02	-0.09	-0.12	-0.05	-0.17	0.03	-0.08
RS Pup	4	2	0.03	0.73	0.10	0.42	...	0.17	0.11	0.31	0.21	0.18	0.03	0.00	-0.02	0.13
VW Pup	3	1	-0.48	-0.12	0.19	0.02	-0.31	-0.21	-0.16	-0.29	-0.23	-0.19	-0.28	-0.31	-0.07	-0.37
VX Pup	1	1	0.08	-0.06	...	-0.33	-0.13	-0.01	-0.02	-0.16	-0.10
VZ Pup	3	1	-0.83	0.02	-0.10	0.00	-0.15	-0.15	-0.09	-0.22	-0.12	-0.16	-0.26	-0.01	-0.18	-0.28
WW Pup	3	1	-0.64	-0.16	...	0.01	-0.33	-0.12	-0.14	-0.20	-0.22	-0.31	-0.25	-0.19	-0.20	-0.31
AD Pup	3	1	-0.77	0.49	...	0.06	...	0.00	-0.19	-0.13	-0.17	-0.04	-0.22	-0.32	-0.38	-0.33
AP Pup	8	1	-0.13	0.43	-0.25	0.18	-0.02	0.10	0.09	0.21	0.03	0.04	0.07	0.03	0.02	-0.02
AQ Pup	4	2	-0.51	-0.07	...	0.09	...	0.01	-0.10	-0.20	-0.07	-0.05	-0.26	-0.21	-0.17	-0.43
AT Pup	8	1	-0.28	0.26	-0.31	0.02	-0.20	-0.10	-0.01	-0.05	-0.22	-0.07	-0.11	-0.27	-0.15	-0.26
BC Pup	4	2	-0.65	-0.04	-0.55	0.01	-0.30	-0.05	-0.15	-0.27	-0.15	-0.15	-0.10	-0.14	-0.19	-0.19
BN Pup	3	1	-0.45	0.55	-0.06	0.09	0.21	0.04	-0.01	0.19	0.04	-0.02	-0.05	-0.15	0.07	-0.02
CE Pup	8	1	-0.81	0.57	-0.32	0.24	-0.07	0.09	0.02	0.04	-0.11	0.03	-0.05	-0.09	-0.11	-0.15
HW Pup	304	2	-0.51	0.08	-0.24	-0.10	-0.49	-0.10	-0.16	-0.24	-0.25	-0.25	-0.18	-0.23	-0.27	-0.31
MY Pup	108	2	-0.32	0.23	-0.16	0.11	-0.29	0.00	-0.05	-0.06	-0.17	-0.12	-0.09	-0.06	-0.19	-0.24
NT Pup	8	1	-1.53	0.62	-0.39	0.41	-0.39	-0.06	-0.11	-0.07	-0.20	-0.17	-0.10	-0.21	-0.21	-0.31
V335 Pup	7	1	0.06	...	0.13	0.13	0.11	0.11	0.07	-0.22	-0.14	0.00	0.13	-0.06	-0.04	...
RV Sco	708	2	-0.19	0.43	-0.02	0.16	0.02	0.16	0.12	0.03	0.05	0.00	0.06	-0.04	0.10	-0.01
RY Sco	7	1	0.04	...	0.06	0.44	0.60	0.28	0.13	0.07	0.03	0.28	0.09	-0.01	0.14	...
KQ Sco	2	1	-0.02	...	0.21	0.42	0.21	0.33	0.39	...	0.20	0.19	0.29	-0.09
V482 Sco	8	1	-0.10	0.51	-0.05	0.24	0.03	0.14	0.11	0.24	-0.06	0.12	0.04	0.10	0.05	-0.04

Table 4A
 Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
V500 Sco	9	5	-0.15	...	-0.12	0.14	-0.17	0.08	0.04	0.02	-0.04	-0.05	0.03	0.05	0.02	0.00
V636 Sco	8	1	-0.05	0.37	-0.08	0.20	-0.20	0.15	0.09	0.14	-0.04	-0.09	0.00	-0.05	0.00	0.00
V950 Sco	8	1	-0.12	0.54	-0.05	0.25	-0.05	0.14	0.14	0.28	-0.04	0.07	0.12	0.04	0.03	-0.02
Z Sct	7	1	0.12	...	0.16	0.58	...	0.52	0.31	0.23	0.16	0.57	0.36	0.26	0.29	...
SS Sct	7	1	-0.32	...	-0.04	0.22	...	0.24	0.21	-0.12	0.18	0.02	0.05	-0.23	0.07	...
UZ Sct	2	1	0.04	0.70	0.49	0.76	...	0.44	0.33	0.63	0.35	0.36	0.25	0.23	0.25	0.11
EW Sct	1	3	-0.07	...	-0.04	0.07	-0.10	0.15	0.08	0.15	-0.01	-0.09	0.09	0.08	0.05	0.08
V367 Sct	1	1	-0.38	0.21	-0.48	0.21	0.05	0.15	-0.15	0.07	0.24	0.06	-0.05	-0.13
BQ Ser	1	3	-0.15	...	-0.13	0.12	-0.14	0.14	0.07	0.13	-0.05	-0.17	0.03	-0.01	0.04	-0.04
S Sge	9	9	-0.11	...	-0.06	0.20	-0.17	0.11	0.10	0.15	-0.03	-0.04	0.11	0.11	0.11	0.14
U Sgr	9	21	-0.11	...	0.03	0.21	-0.17	0.21	0.08	0.11	-0.04	-0.16	0.06	0.06	0.08	0.12
W Sgr	9	8	-0.18	...	-0.14	0.18	-0.25	0.07	0.05	0.08	-0.07	-0.12	0.08	0.06	0.03	0.04
Y Sgr	12	12	-0.16	...	-0.18	0.27	-0.08	0.23	0.09	0.11	0.05	-0.16	0.12	0.05	0.12	0.10
VY Sgr	2	1	0.01	0.50	0.18	0.66	...	0.42	0.30	0.56	0.23	0.31	0.24	0.20	0.22	0.22
WZ Sgr	10	12	0.01	0.42	0.00	0.39	-0.06	0.33	0.16	0.49	0.03	-0.06	0.18	0.08	0.12	0.20
XX Sgr	7	1	-0.21	...	0.07	0.27	0.34	0.34	0.11	-0.15	0.04	0.04	0.11	-0.02	0.10	...
YZ Sgr	9	8	-0.10	...	-0.12	0.25	-0.17	0.17	0.11	0.14	-0.02	0.06	0.11	0.08	0.10	0.11
AP Sgr	7	1	-0.05	...	-0.23	0.47	0.25	0.08	0.27	-0.04	0.24	0.04	0.16	-0.04	0.19	...
AV Sgr	2	1	0.21	0.82	0.36	0.58	-0.12	0.68	0.35	0.39	0.13	0.32	0.38	0.37	0.29	0.12
BB Sgr	7	1	-0.06	...	-0.13	0.36	...	0.15	0.14	-0.17	0.12	0.08	0.22	-0.10	0.09	...
V350 Sgr	7	1	0.12	...	0.23	0.23	0.19	0.32	0.13	-0.04	0.08	0.17	0.20	0.01	0.02	...
ST Tau	1	3	-0.27	...	-0.29	0.23	-0.18	0.03	0.03	0.04	-0.04	-0.11	0.10	-0.07	-0.04	-0.02
SZ Tau	11	16	-0.17	...	-0.03	0.27	-0.18	0.10	0.07	0.03	-0.02	-0.07	0.02	0.04	0.14	0.12
AE Tau	3	1	-0.48	0.07	-0.17	-0.10	-0.36	-0.30	-0.18	-0.33	-0.25	-0.08	-0.06	-0.21	-0.12	-0.41
EF Tau	6	1	-0.78	0.36	-0.21	-0.48	-0.74	-0.46	-0.65	-0.45	-0.62	-0.74	-0.61	-0.51	-0.72	-1.05
EU Tau	1	2	-0.24	...	-0.05	0.24	-0.28	-0.01	0.04	0.09	-0.05	-0.07	0.03	-0.05	-0.02	-0.05
R TrA	8	1	-0.23	0.36	-0.08	0.26	0.08	0.14	0.18	0.29	0.04	0.04	0.10	0.16	0.07	0.03
S TrA	8	1	-0.08	0.51	-0.13	0.28	-0.01	0.15	0.12	0.28	0.04	0.12	0.12	0.09	0.07	0.04
LR TrA	8	1	0.07	0.41	0.03	0.28	0.27	0.22	0.19	0.34	0.17	0.11	0.24	0.18	0.21	0.11
T Vel	408	3	-0.26	0.21	-0.01	0.06	-0.19	0.07	0.03	0.00	-0.03	-0.09	0.00	-0.11	0.01	-0.16
V Vel	8	1	-0.42	-0.04	-0.35	-0.03	-0.28	-0.14	-0.15	-0.09	-0.28	-0.28	-0.26	-0.29	-0.30	-0.27

Table 4A
Abundance Data For Cepheids: Carbon through Manganese

Name	Ref	Sp	[C/H]	[N/H]	[O/H]	[Na/H]	[Mg/H]	[Al/H]	[Si/H]	[S/H]	[Ca/H]	[Sc/H]	[Ti/H]	[V/H]	[Cr/H]	[Mn/H]
RY Vel	408	3	-0.15	0.53	-0.17	0.20	-0.16	0.13	0.07	0.14	-0.11	0.03	0.00	0.02	-0.04	0.04
RZ Vel	408	3	-0.25	0.52	-0.15	0.14	-0.10	0.09	0.07	-0.01	-0.06	-0.13	0.05	-0.02	-0.08	-0.09
ST Vel	8	1	-0.15	0.29	-0.33	0.12	-0.03	0.04	0.07	0.10	-0.04	-0.04	-0.04	-0.07	0.00	-0.10
SV Vel	8	1	-0.16	0.50	-0.16	0.25	-0.04	0.07	0.09	0.15	-0.11	-0.01	0.02	0.14	-0.04	-0.06
SW Vel	108	4	-0.38	0.43	-0.01	0.12	0.05	0.10	-0.04	0.05	-0.08	0.02	-0.08	-0.15	-0.07	-0.16
SX Vel	408	3	-0.22	0.25	0.02	0.07	-0.18	0.05	0.02	0.06	-0.06	-0.02	-0.06	-0.08	-0.03	-0.12
XX Vel	8	1	-0.24	0.34	-0.29	0.11	-0.17	-0.04	-0.01	0.07	-0.17	-0.02	-0.07	-0.17	-0.08	-0.18
AE Vel	8	1	-0.14	0.48	-0.03	0.13	-0.06	0.12	0.05	0.15	-0.09	-0.03	-0.03	-0.01	-0.05	-0.10
AH Vel	8	1	-0.21	0.70	-0.05	0.28	-0.13	0.17	0.10	0.28	-0.05	0.08	0.11	0.14	0.01	-0.06
BG Vel	8	1	-0.18	0.38	0.02	0.18	-0.04	0.08	0.03	0.07	-0.06	-0.14	0.01	-0.07	-0.10	-0.13
CS Vel	8	1	-0.02	0.23	-0.01	0.13	0.01	0.32	0.11	0.23	0.00	-0.11	0.08	-0.04	0.03	0.02
CX Vel	8	1	-0.16	0.43	-0.30	0.13	-0.05	0.04	0.08	0.18	-0.09	0.01	0.01	0.03	0.03	-0.07
DK Vel	8	1	-0.15	0.50	0.03	0.15	0.00	0.09	0.08	0.20	-0.02	-0.03	-0.05	-0.06	-0.05	-0.09
DR Vel	8	1	-0.09	0.62	-0.09	0.15	0.08	0.18	0.09	0.24	0.01	0.04	0.09	0.03	0.03	0.02
EX Vel	8	1	-0.17	0.43	-0.11	0.11	0.02	0.08	0.01	0.15	-0.11	-0.02	0.04	0.02	-0.01	-0.15
FG Vel	8	1	-0.35	0.25	-0.06	0.16	-0.04	0.04	0.00	0.06	-0.11	-0.14	-0.06	-0.09	-0.09	-0.20
FN Vel	8	1	-0.14	0.47	-0.17	0.14	0.02	0.10	0.09	0.23	-0.04	-0.01	0.00	0.03	0.05	-0.04
S Vul	10	4	-0.31	...	-0.20	0.22	...	0.22	-0.03	0.12	0.04	...	-0.14	-0.12	0.05	0.06
T Vul	12	12	-0.25	...	-0.09	0.15	-0.13	0.10	0.04	0.04	-0.01	-0.09	0.05	0.01	-0.01	0.00
U Vul	9	7	-0.11	...	-0.04	0.19	-0.14	0.14	0.11	0.13	0.00	-0.04	0.13	0.11	0.13	0.08
X Vul	9	6	-0.11	...	-0.03	0.17	-0.20	0.14	0.09	0.16	-0.02	0.02	0.11	0.10	0.10	0.08
SV Vul	10	23	-0.02	0.17	-0.01	0.05	-0.17	0.12	0.04	0.16	-0.04	...	-0.02	-0.13	0.09	0.10

Notes:

Reference Codes: 1 – Andrievsky et al. (2002a (Paper I)), 2 - Andrievsky et al. (2002b (Paper II)), 3 – Andrievsky et al. (2002c (Paper III)), 4 – Luck et al. (2003 (Paper IV)), 5 – Andrievsky et al. (2004 (Paper V)), 6 – Kovtyukh, Wallerstein, & Andrievsky (2005), 7 – Luck, Kovtyukh, & Andrievsky (2006 (Paper VI)), 8 – This paper, 9 – Luck & Andrievsky (2004), 10 – Kovtyukh et al. (2005), 11- Luck et al. (2008) and 12 - Andrievsky, Luck, & Kovtyukh (2005). For references greater than 100 the reference code is (100 x First Reference) + Second Reference (that is, 408 = references 4 and 8).

Sp: Total number of spectra (phases) contributing to the abundances.

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
T Ant	8	1	-0.24	-0.43	-0.27	-0.08	-0.23	-0.09	-0.22	-0.01	-0.01	-0.28	-0.06	-0.08	0.11	...
Eta Aql	9	14	0.08	-0.07	0.09	0.20	0.34	0.27	0.00	0.24	-0.07	...	0.16	...	0.09	0.06
SZ Aql	10	11	0.17	-0.02	0.12	0.06	0.41	0.37	0.00	0.27	-0.09	...	0.15	...	0.14	0.13
TT Aql	10	8	0.10	-0.07	0.07	0.02	0.36	0.31	-0.06	0.18	-0.10	...	0.13	...	0.05	0.05
FF Aql	11	14	0.04	-0.07	0.05	0.28	0.28	0.27	-0.10	0.23	-0.14	...	0.12	...	0.14	0.14
FM Aql	1	2	0.08	0.02	0.09	0.26	...	0.16	-0.01	0.23	-0.17	...	0.14	...	0.09	...
FN Aql	1	4	-0.02	-0.14	-0.05	0.09	0.15	0.16	-0.07	0.23	-0.09	...	0.12	...	0.08	0.12
V496 Aql	1	2	0.05	-0.09	0.03	...	0.33	0.14	-0.10	0.09	-0.23	...	0.02	...	-0.01	-0.09
V600 Aql	7	1	0.03	-0.08	-0.09	0.20	...	0.16	...	0.15	-0.05	...	0.03	...	0.00	...
V733 Aql	7	1	0.08	-0.03	-0.06	-0.08	...	0.16	...	0.21	-0.13	...	0.02	...	-0.08	...
V1162 Aql	1	2	0.01	-0.15	-0.02	0.28	0.14	0.21	-0.21	0.09	-0.24	...	0.02	...	-0.06	-0.23
V1359 Aql	7	1	0.09	0.18	0.08	0.17	...	0.21	0.14	...	0.16	...	0.28	...
V340 Ara	2	1	0.31	0.15	0.39	0.29	0.46	0.34	0.20	0.19	-0.01	...	0.05	...	0.29	0.21
Y Aur	7	1	-0.23	...	-0.34	-0.39	...	-0.22	-0.27	...	-0.07	...	-0.15	...
RT Aur	12	10	0.06	-0.11	0.06	0.17	0.22	0.24	-0.02	0.20	-0.14	...	0.09	...	0.06	0.06
RX Aur	10	16	-0.01	-0.14	-0.05	0.11	0.29	0.17	-0.04	0.30	-0.13	-0.40	0.16	...	0.16	0.18
SY Aur	6	1	-0.02	-0.11	0.00	0.30	0.24	0.18	-0.15	0.30	0.08	0.01	0.04	...	0.02	0.08
YZ Aur	607	3	-0.36	-0.41	-0.39	-0.46	...	-0.30	-0.32	0.10	-0.38	-0.36	-0.22	...	-0.17	-0.09
AN Aur	607	4	-0.15	-0.02	-0.16	0.14	0.08	0.06	-0.18	0.20	-0.05	-0.34	0.10	...	-0.01	0.14
AO Aur	5	1	-0.14	0.06	-0.19	0.16	0.00	...	0.29	...	-0.19	...
BK Aur	7	1	0.17	0.08	0.04	0.32	0.09	0.35	-0.09	...	0.31	...	0.14	...
CY Aur	6	1	-0.40	-0.02	-0.38	-0.20	...	-0.08	-0.23	...	-0.06	...	-0.07	...
ER Aur	6	2	-0.34	0.27	-0.37	-0.04	...	-0.06	-0.04	...	0.00	-0.04	0.14	...	0.28	...
V335 Aur	5	1	-0.27	0.30	0.05
RW Cam	610	17	0.09	-0.03	0.05	0.04	0.43	0.25	-0.03	0.26	-0.08	...	0.13	...	0.16	0.02
RX Cam	9	9	0.04	-0.14	0.03	0.20	0.25	0.27	0.00	0.26	-0.05	...	0.21	...	0.11	-0.09
TV Cam	6	1	-0.08	...	-0.18	0.48	...	0.02	0.01	0.19	-0.43	...	0.02	...	0.25	0.35
AB Cam	6	1	-0.09	-0.03	-0.11	-0.22	...	0.17	-0.33	0.16	0.09	-0.26	0.10	...	0.05	...
AD Cam	6	1	-0.22	-0.15	-0.19	-0.30	...	-0.10	...	0.11	-0.09	...	-0.02	...	0.02	...
L Car	8	1	0.05	-0.09	0.02	0.10	...	0.11	0.04	0.19	0.03	-0.10	-0.03	...	0.09	...

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
U Car	8	1	0.01	-0.18	0.02	-0.26	...	0.22	-0.04	-0.24	-0.05	...	0.16	...
V Car	8	1	0.01	-0.10	-0.03	-0.04	-0.15	0.10	0.13	-0.02	0.12	-0.29	0.09	0.01	0.12	...
SX Car	8	1	-0.09	-0.05	-0.09	0.10	-0.17	0.01	...	0.19	-0.02	-0.42	-0.10	...	0.01	...
UW Car	8	1	-0.06	-0.02	-0.02	0.20	-0.10	0.03	...	0.00	-0.13	...	0.02	0.04	-0.03	...
UX Car	8	1	0.02	-0.03	-0.04	0.12	...	0.15	0.25	...	0.15	-0.42	0.06	...	0.13	...
UY Car	8	1	0.03	-0.09	-0.03	0.16	-0.15	0.20	0.31	0.36	0.17	...	0.01	...	0.13	...
UZ Car	8	1	0.07	-0.04	0.07	0.15	-0.17	0.17	0.12	0.28	0.01	-0.22	0.09	...	0.08	...
VY Car	8	1	0.26	-0.01	0.26	0.46	...	0.56	0.32	0.13	0.33	...	0.46	...
WW Car	8	1	-0.07	-0.17	-0.16	-0.21	-0.29	0.02	0.05	0.15	-0.05	...	-0.04	...	-0.07	...
WZ Car	8	1	0.03	-0.13	-0.08	-0.11	-0.39	0.16	0.10	...	0.07	-0.19	0.11	0.13	0.23	0.27
XX Car	8	1	0.11	0.02	0.09	0.07	-0.05	0.32	0.24	0.01	0.28	0.04	0.18	...	0.19	0.30
XY Car	8	1	0.04	-0.11	0.01	0.03	-0.16	0.25	0.19	0.18	0.08	0.12	0.11	...	0.19	...
XZ Car	8	1	0.14	0.06	0.07	0.20	-0.02	0.23	0.07	0.22	0.24	-0.17	0.11	0.11	0.23	...
YZ Car	8	1	0.02	-0.11	0.02	-0.04	0.11	0.18	0.11	0.21	0.09	-0.19	0.02	0.05	0.09	...
AQ Car	8	1	0.06	-0.08	-0.03	-0.11	-0.14	0.19	0.16	0.06	0.14	-0.19	0.06	0.00	0.14	...
CN Car	8	1	0.06	-0.02	0.04	0.22	-0.05	0.20	0.01	0.15	0.13	-0.08	0.03	-0.02	0.08	...
CY Car	8	1	0.10	-0.03	0.01	0.03	-0.03	0.22	0.04	0.23	0.17	-0.11	0.08	0.03	0.15	0.18
DY Car	8	1	-0.07	...	-0.15	0.08	-0.25	0.04	0.18	...	-0.01	...	-0.03	...	0.01	...
ER Car	8	1	0.03	-0.19	-0.03	-0.07	-0.20	0.15	0.11	0.03	0.07	-0.31	0.04	-0.08	0.13	...
FI Car	8	1	0.06	0.03	0.03	-0.13	0.42	0.09	0.21	0.38	0.10	-0.18	0.11	...	0.31	0.20
FR Car	8	1	0.02	-0.13	-0.06	-0.11	-0.48	0.16	0.10	0.24	0.13	-0.27	0.09	...	0.14	0.12
GH Car	8	1	-0.01	-0.08	0.00	0.26	-0.22	0.13	0.15	0.26	0.05	-0.30	0.00	...	0.16	...
GX Car	8	1	0.01	-0.10	-0.05	0.04	-0.22	0.14	0.21	0.23	0.09	-0.26	0.00	...	0.05	...
HW Car	8	1	0.04	-0.09	-0.03	-0.17	-0.37	0.15	0.27	0.01	0.18	-0.03	0.09	...	0.09	0.18
IO Car	8	1	-0.05	-0.20	-0.02	0.00	-0.12	0.10	0.01	0.01	0.03	-0.01	-0.06	-0.07	0.11	...
IT Car	8	1	0.06	-0.05	0.04	0.03	-0.20	0.22	0.08	0.14	0.03	-0.29	0.02	...	0.05	0.06
V397 Car	8	1	0.03	-0.22	-0.06	0.08	-0.22	0.13	0.23	0.06	0.09	...	0.05	-0.05	0.09	...
RW Cas	7	1	0.22	0.15	0.12	0.23	0.00	...	0.11	...	0.23	...
RY Cas	7	1	0.26	...	0.06	...	0.24	0.61	0.35	...	0.40	...	0.53	...
SU Cas	11	13	0.06	-0.04	0.04	0.30	0.17	0.26	0.02	0.22	-0.05	...	0.14	...	0.09	0.03
SW Cas	7	1	0.13	-0.03	-0.03	-0.08	...	0.31	...	0.30	-0.12	...	0.16	...	0.15	...

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
SY Cas	7	1	0.04	0.31	-0.03	0.49	0.44	0.11	...	0.42	0.01	...	0.14	...	0.10	...
SZ Cas	7	1	0.04	...	0.03	0.23	0.00	...	0.32	...	0.28	...
TU Cas	1	12	0.03	-0.08	-0.04	0.15	0.46	0.17	0.01	0.24	-0.05	...	0.08	...	0.11	0.17
XY Cas	7	1	0.03	-0.05	-0.07	0.28	...	0.20	...	0.16	-0.19	...	-0.08	...	-0.09	...
BD Cas	1	3	-0.07	0.09	-0.26	-0.14	...	0.01	0.13	0.41	0.19	...	-0.25	0.30
CE Cas A	7	1	0.18	0.45	0.13	...	0.68	0.32	-0.17	...	-0.24	...	0.17	...
CE Cas B	7	1	0.22	0.40	0.11	...	0.25	0.56	0.30	...	0.30	...	0.42	...
CF Cas	1	5	-0.01	-0.15	-0.03	-0.11	0.25	0.11	-0.19	0.14	-0.17	...	0.04	...	0.06	-0.02
CH Cas	7	1	0.17	...	0.11	...	0.18	0.70	0.11	...	0.20	...	0.50	...
CY Cas	7	1	0.06	0.05	-0.06	...	0.16	0.21	...	0.23	0.00	...	0.03	...	0.22	...
DD Cas	7	1	0.10	0.03	-0.06	0.62	0.24	0.24	...	0.09	-0.02	...	0.06	...	0.09	...
DF Cas	1	1	0.13	-0.30	0.04	-0.43	...	0.06	0.22	...	0.07	...	0.38	...	0.28	...
DL Cas	1	3	-0.01	-0.04	0.00	-0.19	0.47	0.21	0.16	0.12	0.09	...	0.12	...	0.11	-0.05
FM Cas	7	1	-0.09	-0.16	-0.15	-0.02	...	-0.06	...	-0.01	-0.25	...	-0.14	...	-0.25	...
V379 Cas	7	2	0.06	0.07	0.00	0.24	0.51	0.16	...	0.30	-0.06	...	0.12	...	0.12	...
V636 Cas	11	8	0.07	-0.08	0.09	0.04	0.35	0.18	-0.07	0.14	-0.15	...	0.11	...	0.02	-0.03
V Cen	108	3	-0.01	-0.17	-0.02	0.02	-0.03	0.15	0.10	0.19	0.08	-0.35	0.05	-0.05	0.12	...
QY Cen	8	1	0.16	0.08	0.13	0.22	0.14	0.27	0.15	0.18	0.14	-0.27	0.10	...	0.28	...
XX Cen	8	1	0.16	0.01	0.10	0.08	0.00	0.29	0.23	0.13	0.23	-0.09	0.17	0.17	0.19	...
AY Cen	8	1	0.01	-0.07	-0.04	-0.04	-0.25	0.18	0.11	0.11	0.14	-0.10	0.08	...	0.09	...
AZ Cen	8	1	-0.05	-0.03	-0.07	0.08	0.06	0.06	0.08	0.10	0.03	-0.31	0.00	...	0.04	...
BB Cen	8	1	0.13	0.08	0.11	0.13	-0.15	0.25	0.13	0.16	0.11	-0.10	0.07	...	0.25	...
KK Cen	8	1	0.12	0.00	0.07	0.05	-0.16	0.25	0.12	0.26	0.04	-0.27	0.02	...	0.20	...
KN Cen	8	1	0.35	0.31	0.37	0.63	0.40	0.66	0.44	0.04	0.36	0.67
MZ Cen	8	1	0.20	0.01	0.18	0.01	-0.16	0.20	0.18	0.23	-0.07	-0.29	0.02	...	0.16	...
V339 Cen	8	1	0.04	-0.15	0.01	-0.02	-0.11	0.17	0.06	0.08	0.08	-0.15	-0.03	-0.08	0.14	...
V378 Cen	8	1	-0.02	-0.03	-0.01	-0.02	-0.22	0.23	0.17	0.15	0.08	0.02	0.12	...	0.19	...
V381 Cen	8	1	0.02	-0.04	-0.02	0.06	-0.16	0.11	0.22	0.17	-0.02	-0.33	0.01	...	0.08	...
V419 Cen	8	1	0.07	-0.05	0.02	0.09	-0.36	0.21	0.17	0.36	0.12	-0.40	0.08	...	0.16	0.18
V496 Cen	8	1	0.00	-0.02	-0.05	0.17	...	0.13	0.12	0.31	0.15	...	-0.04	...	0.08	...
V659 Cen	8	1	0.07	-0.09	0.00	0.02	-0.10	0.12	0.03	0.20	0.14	-0.25	0.03	-0.03	0.23	...

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
V737 Cen	8	1	0.13	-0.04	0.05	0.11	-0.01	0.22	0.05	0.06	0.18	-0.21	0.08	-0.02	0.18	...
Del Cep	12	18	0.09	-0.06	0.06	0.12	0.22	0.24	-0.01	0.21	-0.10	...	0.16	...	0.06	0.11
CP Cep	7	1	-0.01	-0.07	-0.13	...	0.28	0.05	...	0.12	-0.12	...	0.03	...	0.00	...
CR Cep	7	1	-0.06	0.00	-0.19	0.10	...	0.05	...	0.14	-0.20	...	0.00	...	-0.11	...
IR Cep	107	2	0.05	0.01	-0.03	-0.03	0.33	0.13	0.16	0.16	0.02	...	0.09	...	0.12	...
V351 Cep	107	3	0.02	-0.04	-0.02	0.03	0.17	0.20	-0.01	0.22	-0.06	...	0.13	...	0.08	0.16
AV Cir	8	1	0.10	0.06	0.06	0.09	-0.01	0.20	0.14	0.00	0.12	-0.04	-0.02	-0.05	0.07	...
AX Cir	8	2	-0.06	-0.26	-0.14	-0.13	-0.34	-0.01	0.03	0.04	-0.08	-0.49	-0.10	-0.45	0.01	0.05
BP Cir	8	1	-0.06	-0.22	-0.08	0.08	-0.19	0.09	0.04	0.05	-0.02	-0.25	-0.03	-0.12	0.12	...
RY CMa	5	1	0.02	0.12	0.02	-0.09	0.20	-0.31	...	0.34	...	-0.08	...
RZ CMa	7	2	-0.03	-0.01	-0.05	0.45	...	0.23	...	0.23	-0.02	...	0.13	...	0.12	...
TW CMa	5	1	-0.19	...	-0.05	-0.10	0.28	-0.04	...	0.44	...	-0.15	...
VZ CMa	5	1	-0.06	...	-0.02	-0.18	0.33	-0.02	...	0.41	...	0.22	...
R Cru	8	1	0.08	0.10	0.02	0.08	-0.03	0.19	0.00	0.13	0.10	-0.21	0.01	-0.09	0.12	...
S Cru	8	1	-0.12	-0.08	-0.17	0.03	...	0.00	0.00	...	0.00	...	-0.14	...	-0.06	...
T Cru	8	1	0.09	-0.07	0.02	0.02	-0.08	0.23	0.11	0.17	0.19	-0.20	0.17	0.17	0.16	...
X Cru	8	1	0.14	0.04	0.08	0.07	-0.01	0.23	0.22	0.16	0.19	-0.18	0.14	0.00	0.18	...
AD Cru	8	1	0.06	-0.08	-0.01	0.07	-0.18	0.16	0.15	0.07	0.12	-0.05	0.10	0.00	0.25	0.22
AG Cru	8	1	-0.13	...	-0.14	0.08	-0.33	-0.04	0.11	0.10	-0.19	...	-0.22	...	-0.06	...
BG Cru	108	2	0.02	-0.01	-0.06	-0.19	-0.40	0.08	0.08	...	0.23	-0.11	0.00	...	0.23	0.38
VW Cru	8	1	0.10	-0.13	0.01	0.03	0.16	0.21	0.14	0.17	0.13	-0.21	0.02	...	0.22	...
X Cyg	10	26	0.10	-0.03	0.06	0.01	0.52	0.28	-0.01	0.23	-0.07	...	0.12	...	0.11	0.13
SU Cyg	12	12	-0.03	-0.08	-0.01	0.22	0.14	0.15	0.01	0.24	-0.11	...	0.15	...	0.08	0.10
SZ Cyg	7	1	0.09	0.07	0.02	0.43	0.39	0.22	...	0.21	0.00	...	0.03	...	0.15	...
TX Cyg	7	1	0.20	...	0.10	0.36	0.34	0.45	...	0.44	0.23	...	0.30	...	0.13	...
VX Cyg	7	1	0.09	0.11	0.04	0.14	...	0.16	-0.01	...	0.01	...	0.17	...
VY Cyg	7	1	0.00	-0.10	-0.11	0.09	0.10	0.17	...	0.21	0.01	...	0.09	...	0.01	...
VZ Cyg	7	1	0.05	-0.06	-0.07	0.13	...	0.17	...	0.14	0.01	...	0.08	...	0.11	...
BZ Cyg	7	1	0.19	...	0.06	0.17	...	0.31	-0.07	...	0.15	...	0.12	...
CD Cyg	10	16	0.11	-0.02	0.07	0.05	0.35	0.25	-0.04	0.24	-0.07	...	0.12	...	0.11	0.08
DT Cyg	11	14	0.10	0.07	0.09	0.23	0.20	0.31	-0.03	0.22	-0.03	...	0.19	...	0.18	0.20

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
MW Cyg	7	1	0.09	-0.05	-0.09	-0.01	...	0.24	...	0.15	0.04	...	0.13	...	0.06	...
V386 Cyg	7	1	0.11	...	-0.03	...	0.21	0.35	...	0.41	0.10	...	0.42	...	0.41	...
V402 Cyg	7	1	0.02	-0.06	-0.09	0.01	...	0.15	...	0.16	0.03	...	0.01	...	0.01	...
V532 Cyg	7	1	-0.04	-0.08	-0.09	0.36	0.38	0.12	...	0.09	0.00	...	-0.05	...	-0.03	...
V924 Cyg	1	1	-0.09	...	-0.14	0.12	...	-0.18	0.04
V1154Cyg	7	1	-0.10	0.05	-0.12	0.13	0.14	0.08	...	0.18	-0.10	...	0.05	...	-0.06	...
V1334Cyg	11	11	0.03	-0.32	0.08	0.29	...	0.18	-0.08	0.27	-0.09	...	0.16	...	0.17	...
V1726Cyg	1	1	-0.02	...	-0.15	0.14	0.24	...	0.31	...
TX Del	1	1	0.24	...	0.17	0.07	...	0.13	-0.34	...	-0.38
Beta Dor	1	1	-0.01	-0.19	-0.04	-0.45	0.14	0.02	0.03	0.18	0.05	...	-0.05	...	0.04	0.20
Zeta Gem	11	11	0.00	-0.16	-0.01	-0.02	0.20	0.21	-0.09	0.14	-0.11	...	0.04	...	0.05	0.00
W Gem	9	8	-0.01	-0.14	-0.05	0.10	0.18	0.23	-0.03	0.29	0.01	...	0.19	...	0.12	0.06
RZ Gem	5	1	-0.12	-0.06	-0.07	-0.29	0.32	0.01	...	0.36	...	0.00	...
AA Gem	5	1	-0.24	-0.35	-0.11	0.03	0.37	-0.05	...	0.45	...	0.16	...
AD Gem	5	1	-0.18	...	-0.18	0.05	-0.11	...	0.22	...	0.04	...
BB Gem	5	1	-0.09	0.08	-0.09	-0.12	0.22	0.31	...	0.12	...	0.14	...
DX Gem	5	1	-0.02	...	-0.11	-0.12	0.41	0.01	...	0.42	...	0.04	...
BB Her	1	4	0.15	-0.04	0.15	0.19	0.39	0.32	0.00	0.11	-0.17	...	0.02	...	0.08	...
V Lac	7	1	0.00	...	-0.09	0.63	0.15	0.26	...	0.19	0.14	...	0.33	...	0.10	...
X Lac	7	1	-0.02	0.00	-0.10	0.24	0.12	0.18	...	0.19	0.00	...	0.14	...	-0.02	...
Y Lac	12	9	-0.04	-0.15	-0.09	0.18	0.08	0.15	-0.09	0.22	-0.06	...	0.14	...	0.07	0.33
Z Lac	10	9	0.01	-0.14	-0.03	0.07	0.26	0.20	-0.07	0.25	-0.05	...	0.11	...	0.07	0.06
RR Lac	7	1	0.13	0.02	0.00	0.18	...	0.28	...	0.44	0.00	...	0.29	...	0.08	...
BG Lac	1	3	-0.01	-0.13	-0.03	0.10	0.28	0.14	-0.12	0.07	-0.17	...	0.05	...	0.02	0.18
GH Lup	8	1	0.08	-0.15	-0.02	0.04	-0.03	0.11	0.16	0.13	0.07	-0.37	0.04	...	0.08	...
V473 Lyr	1	2	-0.06	-0.13	-0.11	-0.10	0.12	0.10	0.02	0.20	0.11	...	0.03	...	-0.02	0.00
T Mon	10	20	0.13	0.06	0.12	-0.15	0.54	0.34	0.03	0.35	0.07	...	0.20	...	0.21	0.20
SV Mon	10	9	-0.03	-0.23	-0.08	-0.10	0.31	0.21	-0.08	0.24	-0.10	...	0.14	...	0.04	0.07
TW Mon	4	1	-0.24	-0.18	-0.33	-0.34	0.06	-0.08	-0.29	0.17	-0.18	...	-0.09	...	-0.03	...
TX Mon	3	1	-0.14	-0.24	-0.20	-0.04	0.15	0.06	-0.27	0.23	0.10	-0.12	-0.10	...	0.07	-0.23
TZ Mon	304	2	-0.07	-0.17	-0.14	-0.01	0.20	-0.06	-0.16	0.10	-0.17	-0.06	-0.17	...	0.00	...

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
UY Mon	5	1	-0.08	0.29	-0.03	-0.05	0.32	-0.27	...	0.42	...	-0.06	...
WW Mon	4	1	-0.29	0.03	-0.30	-0.14	-0.04	-0.06	...	0.04	-0.11	...	0.38	...	-0.05	...
XX Mon	304	2	-0.14	-0.22	-0.19	-0.12	0.23	0.03	-0.20	0.09	-0.03	-0.08	0.05	...	0.05	0.04
AA Mon	3	1	-0.21	...	-0.30	0.29	...	0.07	0.03	...	-0.11	...	-0.32	...
AC Mon	103	2	-0.14	...	-0.23	-0.71	...	-0.03	...	0.26	-0.20	...	0.11	...	0.23	...
CU Mon	4	1	-0.26	-0.33	-0.27	-0.15	0.10	0.08	...	0.24	0.22	-0.23	0.13	...	0.31	...
CV Mon	1	1	-0.03	...	-0.08	-0.05	...	0.01	0.00	0.19	-0.03	...	0.29	...	0.13	...
EE Mon	3	1	-0.51	...	-0.58	-0.40	-0.27	...	-0.23
EK Mon	3	1	-0.10	-0.06	-0.20	-0.96	...	-0.07	0.05	...	-0.22	...	0.06	...	0.31	...
FG Mon	4	1	-0.20	-0.16	-0.13	-0.16	0.16	-0.03	-0.34	-0.13	0.03	-0.02	-0.01	...	0.01	0.31
FI Mon	4	1	-0.18	0.09	-0.14	-0.18	0.10	0.04	...	0.03	-0.05	-0.29	0.02	...	0.11	...
V465 Mon	7	1	0.03	...	-0.05	0.32	0.08	0.29	...	0.38	0.08	...	0.23	...	0.22	...
V495 Mon	3	1	-0.26	-0.25	-0.36	-0.31	...	-0.10	-0.44	0.05	0.04	-0.20	-0.14	...	-0.17	...
V504 Mon	3	1	-0.31	...	-0.36	0.20	...	-0.17	-0.24	...	-0.26	-0.39	-0.30	...	-0.15	...
V508 Mon	3	1	-0.25	-0.35	-0.35	-0.30	0.11	-0.17	-0.16	0.06	-0.17	-0.54	-0.24	...	-0.27	-0.14
V510 Mon	4	1	-0.19	...	-0.22	-0.08	0.07	-0.09	-0.29	0.00	-0.16	...	0.02	...	-0.18	-0.17
V526 Mon	1	1	-0.13	0.04	-0.07	-0.11	0.41	0.25	...	0.16	...
R Mus	8	1	0.10	-0.02	0.09	0.13	-0.01	0.26	0.13	0.12	0.20	-0.20	0.12	0.03	0.22	...
S Mus	8	1	-0.02	-0.16	-0.08	-0.12	-0.26	0.10	0.09	0.09	0.03	-0.11	-0.03	...	0.06	...
RT Mus	8	1	0.02	-0.06	-0.05	0.12	-0.24	0.15	0.27	0.25	0.13	-0.17	0.06	...	0.13	...
TZ Mus	8	1	-0.01	-0.07	0.00	-0.33	0.01	0.10	...	0.28	0.01	...	-0.03	...	0.11	...
UU Mus	8	1	0.05	-0.05	0.02	0.12	0.00	0.20	0.06	0.20	0.14	-0.26	0.01	0.07	0.20	...
S Nor	108	3	0.06	-0.08	-0.04	-0.09	-0.18	0.14	0.14	0.31	-0.06	-0.32	0.01	...	0.04	...
U Nor	8	1	0.15	-0.04	0.09	0.25	0.17	0.26	0.16	0.03	0.10	-0.04	0.07	-0.08	0.15	0.07
SY Nor	8	1	0.31	0.21	0.29	0.30	0.11	0.39	0.28	0.24	0.27	-0.03	0.28	...	0.35	...
TW Nor	8	1	0.28	0.18	0.29	0.24	0.14	0.31	...	0.35	...	-0.16	0.16	...	0.43	...
GU Nor	8	1	0.15	0.02	0.12	0.27	-0.06	0.25	0.08	0.09	0.08	-0.26	-0.05	...	0.11	0.14
V340 Nor	108	2	0.04	-0.08	0.04	-0.04	0.02	0.11	0.17	0.15	-0.11	-0.39	-0.05	0.15	0.06	0.12
Y Oph	11	14	0.06	-0.10	0.06	0.05	0.20	0.31	-0.05	0.24	-0.07	...	0.17	...	0.13	-0.02
BF Oph	708	2	0.03	0.00	-0.05	0.10	-0.04	0.19	0.26	0.19	0.05	-0.29	-0.01	...	0.09	...
RS Ori	104	5	-0.10	-0.01	-0.12	0.11	0.21	0.15	-0.12	0.18	-0.19	-0.31	0.05	...	0.00	0.07

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
CS Ori	3	1	-0.26	...	-0.25	0.19	...	-0.09	...	0.21	0.07	...	-0.17	...	-0.03	...
GQ Ori	107	2	0.01	0.05	-0.12	0.20	0.17	0.32	...	0.30	0.04	...	0.05	...	0.16	...
SV Per	7	1	0.01	-0.12	-0.15	0.02	0.04	0.26	...	0.28	0.11	...	0.16	...	0.17	...
UX Per	6	1	-0.21	0.27	-0.21	0.43	0.27	-0.18	...	0.05	-0.25	0.33	-0.03	...	-0.17	...
VX Per	10	9	-0.04	-0.15	-0.09	0.00	0.19	0.13	-0.14	0.21	-0.11	...	0.09	...	0.05	-0.20
AS Per	7	1	0.10	0.05	-0.08	0.19	0.24	0.16	...	0.10	0.02	...	0.07	...	0.10	...
AW Per	1	4	0.01	-0.01	0.04	0.57	0.51	0.11	-0.02	0.25	-0.11	...	0.10	...	0.11	-0.12
BM Per	607	5	0.02	-0.03	-0.05	-0.09	0.27	0.19	0.11	0.31	0.02	-0.33	0.09	...	0.20	0.11
HQ Per	6	2	-0.31	-0.37	-0.33	-0.22	-0.10	-0.09	-0.15	-0.06	-0.26	-0.28	-0.11	...	-0.10	0.07
MM Per	5	1	-0.01	-0.03	-0.15	-0.16	0.18	0.06	...	0.44	...	-0.08	...
V440 Per	11	10	-0.04	-0.06	-0.08	0.14	0.10	0.27	-0.05	0.31	-0.07	...	0.18	...	0.15	0.16
X Pup	10	7	-0.03	-0.26	-0.07	-0.08	0.22	0.14	-0.03	0.28	-0.07	...	0.21	...	0.11	-0.04
RS Pup	4	2	0.17	-0.01	0.06	-0.09	...	0.18	0.09	0.33	0.09	-0.09	0.13	...	0.24	0.13
VW Pup	3	1	-0.19	-0.26	-0.17	-0.64	...	-0.09	...	0.19	0.08	-0.38	-0.06	...	-0.08	...
VX Pup	1	1	-0.13	...	-0.18	0.25	...	0.10	0.35	...	-0.15	...
VZ Pup	3	1	-0.16	...	-0.28	0.10	...	-0.06	-0.11	-0.21	0.02	...	0.02	0.32
WW Pup	3	1	-0.18	...	-0.21	-0.34	-0.01	0.04	...	0.15	0.00	-0.35	-0.04	...	-0.09	...
AD Pup	3	1	-0.24	-0.48	-0.37	-0.47	...	-0.11	-0.20	0.27	-0.14	-0.29	-0.12	...	-0.06	-0.03
AP Pup	8	1	0.06	-0.15	0.00	0.14	-0.10	0.17	0.16	0.13	0.15	-0.24	0.08	0.05	0.19	...
AQ Pup	4	2	-0.14	-0.34	-0.20	-0.46	...	0.05	-0.33	0.13	-0.17	-0.27	0.00	...	0.03	0.12
AT Pup	8	1	-0.14	...	-0.15	-0.38	-0.30	0.01	0.13	0.27	0.11	...	0.04	...	0.07	...
BC Pup	4	2	-0.23	-0.03	-0.19	-0.14	-0.20	-0.14	-0.50	0.08	-0.11	0.01	0.19	...	0.21	...
BN Pup	3	1	0.01	-0.23	-0.03	-0.24	...	0.24	-0.17	0.30	0.00	-0.15	0.03	...	0.07	...
CE Pup	8	1	-0.04	-0.20	-0.01	0.04	-0.19	0.27	0.16	0.42	0.15	-0.21	0.13	...	0.30	...
HW Pup	304	2	-0.25	-0.15	-0.25	-0.25	0.17	-0.07	0.00	-0.08	-0.05	-0.22	-0.08	...	-0.02	...
MY Pup	108	2	-0.13	-0.16	-0.08	-0.16	-0.09	0.04	0.04	0.12	-0.04	0.18	0.01	...	0.04	...
NT Pup	8	1	-0.15	-0.45	-0.20	-0.27	-0.41	0.10	-0.08	0.11	0.07	-0.06	0.04	-0.36	0.04	-0.06
V335 Pup	7	1	-0.01	...	-0.12	0.22	-0.04	0.34	...	0.43	0.20	...	0.34	...	0.32	...
RV Sco	708	2	0.06	0.04	-0.01	0.09	-0.20	0.17	0.25	0.25	0.02	-0.32	0.10	...	0.03	...
RY Sco	7	1	0.09	0.13	0.01	0.19	...	0.39	...	0.45	0.05	...	0.24	...	0.26	...
KQ Sco	2	1	0.16	0.12	0.13	-0.06	...	0.40	...	0.05	-0.31	...	0.13	...	0.02	...

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
V482 Sco	8	1	0.07	-0.06	0.01	0.10	...	0.23	0.20	0.21	0.14	-0.27	0.02	...	0.18	...
V500 Sco	9	5	0.01	-0.08	0.00	0.09	0.21	0.23	-0.12	0.20	-0.03	...	0.11	...	0.07	-0.24
V636 Sco	8	1	0.07	-0.16	0.02	-0.06	-0.01	0.15	0.11	0.19	-0.08	-0.32	-0.09	...	0.06	...
V950 Sco	8	1	0.11	-0.03	0.05	0.13	-0.06	0.18	0.08	0.03	0.10	-0.18	0.07	0.00	0.14	...
Z Sct	7	1	0.29	0.28	0.24	0.38	...	0.36	...	0.24	0.03	...	0.14	...	0.29	...
SS Sct	7	1	0.06	...	-0.01	0.48	0.29	0.19	...	0.40	0.16	...	0.05	...
UZ Sct	2	1	0.33	0.19	0.31	0.43	0.78	0.43	0.05	0.29	0.09	...	-0.01	...	0.25	0.38
EW Sct	1	3	0.04	-0.10	-0.01	0.11	0.34	0.22	-0.12	0.29	-0.07	...	0.17	...	0.06	...
V367 Sct	1	1	-0.01	0.03	-0.01	-0.02	...	-0.06	-0.15	0.45	0.18	...	0.36	...
BQ Ser	1	3	-0.04	-0.17	-0.07	0.08	0.35	0.13	-0.10	0.13	-0.09	...	0.22	...	0.07	0.20
S Sge	9	9	0.08	-0.05	0.07	0.18	0.39	0.26	-0.01	0.23	-0.08	...	0.15	...	0.07	0.04
U Sgr	9	21	0.08	-0.08	0.04	0.00	0.27	0.19	-0.01	0.18	-0.03	...	0.09	...	0.07	0.08
W Sgr	9	8	0.02	-0.06	-0.01	0.17	0.23	0.20	-0.07	0.23	-0.04	...	0.10	...	0.03	0.10
Y Sgr	12	12	0.05	-0.09	0.07	0.24	0.23	0.23	-0.04	0.15	-0.18	...	0.08	...	0.01	0.01
VY Sgr	2	1	0.26	0.24	0.33	0.24	0.78	...	-0.04	0.25	-0.01	...	-0.07	...	0.20	0.18
WZ Sgr	10	12	0.19	0.10	0.18	0.10	0.48	0.25	-0.01	0.28	0.04	...	0.12	...	0.24	0.19
XX Sgr	7	1	0.10	0.10	-0.02	0.21	...	0.26	...	0.43	0.10	...	0.27	...	0.09	...
YZ Sgr	9	8	0.06	-0.01	0.06	0.11	0.25	0.30	-0.03	0.19	-0.10	...	0.09	...	0.07	0.08
AP Sgr	7	1	0.10	...	0.06	...	0.17	0.28	...	0.02	0.05	0.14	...
AV Sgr	2	1	0.34	0.11	0.38	0.41	0.61	0.13	0.14	0.21	0.00	...	0.10	...	0.39	0.35
BB Sgr	7	1	0.08	0.15	0.00	0.21	0.38	0.18	...	0.22	-0.09	...	-0.03	...	0.04	...
V350 Sgr	7	1	0.18	0.15	0.03	0.13	...	0.33	...	0.26	0.05	...	0.16	...	0.15	...
ST Tau	1	3	-0.05	-0.33	-0.04	0.19	0.02	0.18	-0.13	0.17	-0.10	...	0.14	...	0.04	0.13
SZ Tau	11	16	0.07	-0.14	0.05	0.20	0.26	0.21	0.00	0.25	-0.03	...	0.11	...	0.14	0.05
AE Tau	3	1	-0.19	-0.45	-0.22	-0.14	...	0.08	-0.18	0.32	-0.27	...	-0.08	...	0.11	...
EF Tau	6	1	-0.74	...	-0.82	-0.36	...	-0.67	...	-0.80	-0.68	...	-0.33	...	-0.55	...
EU Tau	1	2	-0.06	-0.02	-0.08	0.21	...	0.07	-0.08	0.16	-0.18	...	-0.02	...	0.01	0.18
R TrA	8	1	0.06	-0.07	0.00	0.18	0.03	0.18	-0.16	0.27	0.11	-0.33	0.09	0.15	0.14	...
S TrA	8	1	0.12	-0.07	0.06	0.07	...	0.30	0.20	0.31	0.16	-0.17	0.07	...	0.17	...
LR TrA	8	1	0.25	0.12	0.15	0.13	0.01	0.26	0.24	0.33	0.09	-0.17	0.04	...	0.22	0.26
T Vel	408	3	-0.02	-0.18	-0.08	-0.07	0.13	0.19	-0.13	0.15	0.04	-0.12	0.02	...	-0.02	0.03

Table 4B
Abundance Data For Cepheids: Iron through Gadolinium

Name	Ref	Sp	[Fe/H]	[Co/H]	[Ni/H]	[Cu/H]	[Zn/H]	[Y/H]	[Zr/H]	[La/H]	[Ce/H]	[Pr/H]	[Nd/H]	[Sm/H]	[Eu/H]	[Gd/H]
V Vel	8	1	-0.23	-0.29	-0.27	-0.09	-0.29	-0.13	-0.03	...	-0.01	...	-0.20	...	-0.04	...
RY Vel	408	3	0.01	0.04	0.00	0.18	0.29	0.20	0.00	0.26	0.09	0.02	0.21	0.06	0.25	0.34
RZ Vel	408	3	-0.02	-0.13	-0.04	0.38	0.41	0.19	-0.23	0.32	-0.06	0.10	0.10	...	0.12	...
ST Vel	8	1	0.00	-0.04	-0.03	0.13	-0.19	0.17	0.12	0.25	0.11	...	-0.05	...	0.04	...
SV Vel	8	1	0.08	-0.10	-0.02	0.03	-0.20	0.22	0.12	0.08	0.12	-0.21	0.15	0.04	0.18	...
SW Vel	108	4	-0.07	-0.22	-0.12	-0.35	0.11	0.14	-0.03	0.23	-0.09	...	0.14	...	0.09	0.11
SX Vel	408	3	-0.02	-0.19	-0.06	-0.07	0.16	0.17	-0.10	0.13	-0.03	-0.23	-0.02	-0.08	0.05	0.01
XX Vel	8	1	-0.05	-0.27	-0.10	0.10	-0.25	0.10	0.19	...	0.01	...	0.06	...	0.03	...
AE Vel	8	1	0.05	-0.15	0.01	-0.13	-0.07	0.14	0.06	0.22	0.04	-0.06	-0.02	...	0.09	...
AH Vel	8	1	0.10	-0.03	0.06	-0.16	-0.07	0.26	0.14	0.17	0.24	-0.06	0.14	0.08	0.21	...
BG Vel	8	1	-0.01	-0.21	-0.06	-0.15	-0.12	0.08	-0.15	0.06	-0.01	-0.36	-0.05	0.05	0.01	...
CS Vel	8	1	0.08	-0.11	0.05	-0.07	0.25	0.13	0.04	0.20	0.03	...	0.06	...	0.05	...
CX Vel	8	1	0.06	-0.07	0.00	0.11	-0.33	0.17	0.14	0.23	0.05	...	-0.02	...	0.05	...
DK Vel	8	1	-0.02	0.00	-0.04	0.11	-0.08	0.09	0.10	0.08	0.01	-0.23	-0.04	-0.39	0.14	...
DR Vel	8	1	0.08	-0.07	0.03	0.12	0.22	0.16	0.16	0.16	0.07	-0.21	0.05	...	0.14	0.10
EX Vel	8	1	0.05	0.01	-0.03	-0.10	-0.28	0.15	0.11	-0.02	0.14	-0.13	0.07	0.34	0.20	0.12
FG Vel	8	1	-0.05	-0.18	-0.07	-0.15	0.26	0.01	-0.20	0.08	-0.02	-0.33	0.04	...	-0.15	...
FN Vel	8	1	0.06	-0.07	-0.03	0.00	0.25	0.15	0.20	0.27	0.14	-0.24	0.00	...	0.06	...
S Vul	10	4	-0.01	-0.23	-0.02	-0.04	...	0.21	-0.09	0.18	-0.25	...	0.12	...	0.02	-0.01
T Vul	12	12	0.01	-0.12	-0.01	0.14	0.13	0.15	-0.01	0.24	-0.08	...	0.14	...	0.08	0.07
U Vul	9	7	0.09	-0.04	0.11	0.22	0.31	0.27	-0.04	0.13	-0.06	...	0.19	...	0.07	0.02
X Vul	9	6	0.07	-0.05	0.08	0.09	0.35	0.20	-0.01	0.15	-0.06	...	0.13	...	0.07	0.06
SV Vul	10	23	0.05	-0.15	0.03	-0.11	0.26	0.24	-0.08	0.20	-0.13	...	0.06	...	0.04	-0.04

Notes: Same as for Table 4A.

Table 5
[Fe/H] Comparisons

Star	Source	Papers I-VI		R	Current	D1	D2
		[Fe/H]					
I Car	0.00	0.05	...	0.05	
U Car	0.15	0.01	...	-0.14	
V Car	-0.04	0.01	...	0.05	
WZ Car	0.13	0.03	...	-0.10	
V Cen	1	0.04	0.00	-0.03	-0.07	-0.03	
KN Cen	0.13	0.35	...	0.22	
XX Cen	0.04	0.16	...	0.12	
BG Cru	1	-0.02	...	0.06	0.08	...	
GH Lup	0.03	0.08	...	0.05	
S Mus	0.16	-0.02	...	-0.18	
UU Mus	0.08	0.05	...	-0.03	
S Nor	1	0.05	0.03	0.07	0.02	0.04	
U Nor	0.10	0.15	...	0.05	
V340 Nor	1	0.00	...	0.08	0.08	...	
BF Oph	7	0.00	...	0.05	0.05	...	
AP Pup	-0.07	0.06	...	0.13	
CE Pup	-0.15	
MY Pup	1	-0.12	...	-0.14	-0.02	...	
NT Pup	-0.15	
RV Sco	7	0.10	...	0.03	-0.07	...	
T Vel	4	-0.02	0.06	-0.02	0.00	-0.08	
RY Vel	4	-0.03	-0.07	0.10	0.13	0.17	
RZ Vel	4	-0.07	-0.16	0.07	0.14	0.23	
SW Vel	1	0.01	-0.20	-0.16	-0.17	0.04	
SX Vel	4	-0.03	0.00	0.00	0.03	0.00	
				Mean	0.02	0.03	
				N	12	18	
				Max	0.14	0.23	
				Min	-0.17	-0.18	
				Sigma	0.09	0.12	

Notes

- Source: 1 – Andrievsky et al. (2002a (Paper I)) , 4 – Luck et al. (2003 (Paper IV)), 7 – Luck, Kovtyukh, & Andrievsky (2006 (Paper VI)).
- R: Romaniello et al. (2008).
- Current: This Paper.
- D1 & D2: This Paper – Papers I-VI and This Paper – Romaniello et al. (2008).

Table 6
Abundance Gradients: Species = $a^* Rg + b$

Species	Gradient		Uncertainty		Sigma	N
	a	b	a	b		
[C/H]	-0.077	0.442	0.006	0.052	0.183	265
[N/H]	-0.053	0.811	0.006	0.058	0.176	150
[O/H]	-0.038	0.240	0.006	0.050	0.169	253
[Na/H]	-0.044	0.564	0.004	0.033	0.118	266
[Mg/H]	-0.048	0.326	0.006	0.052	0.172	229
[Al/H]	-0.053	0.546	0.004	0.033	0.114	251
[Si/H]	-0.049	0.468	0.003	0.024	0.086	269
[S/H]	-0.076	0.699	0.005	0.045	0.159	264
[Ca/H]	-0.040	0.300	0.004	0.032	0.115	269
[Sc/H]	-0.045	0.356	0.004	0.037	0.130	261
[Ti/H]	-0.043	0.398	0.004	0.033	0.119	269
[V/H]	-0.047	0.365	0.004	0.032	0.113	267
[Cr/H]	-0.046	0.385	0.004	0.031	0.110	266
[Mn/H]	-0.062	0.466	0.005	0.040	0.139	229
[Fe/H]	-0.055	0.475	0.003	0.027	0.095	270
[Co/H]	-0.018	0.093	0.005	0.043	0.141	236
[Ni/H]	-0.054	0.419	0.003	0.028	0.100	270
[Cu/H]	-0.041	0.391	0.007	0.061	0.205	236
[Zn/H]	-0.003	0.112	0.010	0.088	0.244	193
[Y/H]	-0.044	0.523	0.004	0.038	0.132	256
[Zr/H]	-0.047	0.404	0.005	0.044	0.127	195
[La/H]	-0.019	0.347	0.005	0.039	0.129	244
[Ce/H]	-0.021	0.173	0.004	0.039	0.136	262
[Pr/H]	0.002	-0.211	0.007	0.060	0.146	112
[Nd/H]	-0.006	0.130	0.004	0.039	0.137	268
[Eu/H]	-0.021	0.278	0.004	0.037	0.127	264
[Gd/H]	-0.021	0.278	0.008	0.072	0.143	96
[Sm/H]	-0.055	0.412	0.025	0.194	0.140	39

Note: Sigma is the standard deviation of the fit using N stars.

Figures

- Figure 1: The gradient in [Fe/H] for the 270 Cepheid variables from this and preceding studies. The red line is a simple least squares fit to the entire dataset which yields a gradient $d[\text{Fe}/\text{H}]/dR_G = -0.055 \text{ dex kpc}^{-1}$. The blue line is a LOWESS fit which uses localized weighting. The LOWESS fit shows a flattening of the gradient in the 8 – 10 kpc region. However, the flattening is controlled by a small number of stars at the 9.5 kpc distance mark. CE Pup and TW Nor at $R_G = 14.7$ and 5.8 kpc have typical error bars for distance and abundance indicated. Note that the distance uncertainties vary with R_G with the error minimizing at $R_G = 7.9$ kpc – the solar galactocentric radius. The stars in green comes from prior work in this series while the yellow symbols are for stars in the Carina region. This color scheme is used in all figures which follow.
- Figure 2: The azimuthal variation in [Fe/H] for two annuli near the solar galactocentric radius. There is no discernible dependence on galactocentric angle. The formal slope is $-4.56E-4$ dex/degree with an uncertainty of $\pm 5.6E-4$. The confidence interval indicates the data is consistent with no gradient. The solar region is at an angle of 0° .
- Figure 3: The distribution of program Cepheids in the galactic plane.
- Figure 4: Distance above or below the plane versus galactocentric radius. The stars at large distances from the plane do not perturb the derived gradients.
- Figure 5: A contour map of the [Fe/H] abundances versus spatial position. The salient features of this plot are the smooth variation of the [Fe/H] ratio with position, and the presence of the “metallicity island” at (1,3) kpc. The island is dependent on the abundances of less than 10 stars and hence, is rather uncertain.
- Figure 6: The [Fe/H], [C/Fe], [O/Fe], and [Na/Fe] ratios versus $\log(\text{Period})$. There is no discernible dependence of the ratios on $\log(P)$ which can be interpreted as the degree of processing and mixing is comparable in all of these objects.
- Figure 7: The gradient in [C/H] and [C/Fe]. Note that the gradient in [C/H] is steeper than that in [Fe/H] which manifests in the non-zero slope in [C/Fe]. For the [C/Fe] data we also show the 95% confidence interval.
- Figure 8: [O/H] and [O/Fe] versus galactocentric distance. The scatter in oxygen is significant but the gradient is comparable to that found in B stars. For the [O/Fe] data we also show the 95% confidence interval.
- Figure 9: The gradient data for [Si/H], [Y/H], [Nd/H], and [Eu/H]. Nd is the one element which shows no gradient but one must wonder if the gradient is hidden in the scatter.




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9