A History of Cluster Analysis Using the Classification Society's Bibliography Over Four Decades

Fionn Murtagh (1) and Michael J. Kurtz (2)
(1) School of Computer Science and Informatics De Montfort University Leicester LE1 9BH, UK
(2) Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, USA Email: fmurtagh@acm.org

August 20, 2013

Abstract

The Classification Literature Automated Search Service, an annual bibliography based on citation of one or more of a set of around 80 book or journal publications, ran from 1972 to 2012. We analyze here the years 1994 to 2011. The Classification Society's *Service*, as it was termed, has been produced by the Classification Society. In earlier decades it was distributed as a diskette or CD with the *Journal of Classification*. Among our findings are the following: an enormous increase in scholarly production post approximately 2000; a very major increase in quantity, coupled with work in different disciplines, from approximately 2004; and a major shift also from cluster analysis in earlier times having mathematics and psychology as disciplines of the journals published in, and affiliations of authors, contrasted with, in more recent times, a "centre of gravity" in management and engineering.

1 Introduction

Clustering as a problem and as a practice in many different domains has proven to be quite perennial. Testifying to this is the presence of "clustering" or "cluster analysis" as a term in an important classification system. The premier professional organisation in computing research, the ACM (Association for Computing Machinery), has a standard classification labelling system for publications. Released in 1998, a major update was released in Sepember 2012, and another release is expected in 2014. In the 2012 ACM Computing Classification System





Decade to end 50s, 60s, 70s, 80s, 90s, 00s

Figure 1: Google Scholar retrievals using search term "cluster analysis", for the years 1950-1959, 1960-1960, etc., up to 2000-2009. (Data collected in September 2012.)

(CCS, 2012), part of the category tree, at increasing level of detail, is as follows: "Mathematics of Computing", "Probability and Statistics", "Statistical Paradigms", "Cluster Analysis". The 1998 Computing Classification System (CCS, 1998) had clustering included in category H.3.3, and I.5.3 was another category "Clustering".

Figures 1 and 2, using the Google Scholar content-searchable holdings, present a view of this perennial and mostly ever growing use of clustering. The term "cluster analysis" was used. Documents retrieved, that use that term in the title or body, increased to 404,000 in the decade 2000-2009. Of course lots of other closely related terms, or more specific terms, could additionally be availed of. These figures present no more than an expression of the growth of the field of cluster analysis. The tremendous growth in activity post-2000 is looked at in more detail in Figure 2. Time will tell if there is a decrease in use of the term "cluster analysis". Again we note that this is just one term and many other related terms are relevant too.



Figure 2: Google Scholar retrievals using search term "cluster analysis", for the years 2000, 2001, 2002, ..., 2011. (Data collected in September 2012.)

A sampling of historical overviews of clustering follow. Kurtz (1983) presents an overview for the astronomer and space scientist. The orientation towards computer science is strong in Murtagh (2008), which takes in linkages to the Benzécri school of data analysis, and also current developments that have led Google's Peter Norvig to claim (with some justification, albeit very debatable) that similarity-based clustering has led to a correlation basis coming to the fore in science, potentially replacing entirely the causation principle. A general history is also presented in Murtagh (2013).

2 40 Years of Service, the Classification Literature Automated Search Service

The Classification Literature Automated Search Service started with Volume 1 in 1972 (using the previous calendar year's data). It was published as a printed booklet from the start and bore the ISSN 0731-4043. It was necessary in the editorial and printing team to plan carefully the total number of printed pages, to liaise with Springer's headquarters and distribution center (these were in New York City and in Secaucus, New Jersey) and the printing company used (Sheridan Press, Pennsylvania) and then to have copies of the bibliography shipped with the *Journal of Classification* to subscribers and also to libraries.

From June 1984 through May 1993, the Editor of *Service*, or sometimes *CSNA Service* as it was referred to, was William H.E. Day. During that time the Technical Editors were Elaine Boone (1984–1988) and Eva Whitmore (1989–1993). Bill Day also had the assistance of Todd Wareham, a computer science student then, in the preparation of camera-ready copy for volumes 14–16 (1985–1987). Technical Support included use of C programs and Unix scripts for reformatting the data. Bill Day was based in the Department of Computer Science, Memorial University of Newfoundland, St. John's, Newfoundland.

The data was obtained from ISI, the Institute for Scientific Information, which is now a subsidiary of Thomson-Reuters (and publishes the World of Science, the Science Citation Index, the Social Science Citation Index, and other products). Processing of the bibliographic data was always required. In the early years, a range of nroff and troff text processing utilities were used to re-format the data. Due to limitations on the output and distributed format (book, later diskette, then CD), various algorithms were applied to restrict the quantity of data. This included filtering by listing journal titles, and keywords to be excluded in titles of published articles. Thus, in the latter case, medical terms, or "galaxy cluster", betokened non-algorithmic matters and hence were to be excluded.

Before Bill Day, Roger K. Blashfield (University of Florida) was Editor. Fionn Murtagh was Editor from 1993 to 2008. Michael Kurtz was Editor thereafter. Eva Whitmore remained as Technical Editor, having started as noted above in 1988.

In the 1990s the bibliography went to diskette format and there too we

rapidly went to the storage capacity of the media at that time -5.25 inch "floppies" that were to be replaced by 3.5 inch diskettes. It made sense then, as announced by us in the production team in October 1999, to transit to CDs, which additionally allowed us, due to the storage available, to have previous years' bibliographies, and then to have scanned copies of "profile" books available on the CD. Below it is explained just how the profile of books and articles was used to drive the retrieval process and thereby to define the domain of interest.

In 1994, on-line content search to the bibliographies was supported by the WAIS, Wide-Area Information System, distributed search and retrieval standard. This was an early forerunner of the search engines to come a few years later.

As either book or as CD, the bibliography, that was termed *Service*, was distributed as a supplement to the *Journal of Classification*, published by Springer on behalf of what is now called the Classification Society¹. The Classification Society was set up in April 1964. In December 1968, European and North American branches were set up, and were largely autonomous. These branches became the Classification Society of North America (CSNA), and the British Classification Society. In 2008, CSNA reverted to its former name of the Classification Society. (Various historical documents can be found on the web sites of the Classification Society, and of the British Classification Society².) The *Journal of Classification* saw its Volume 1, Number 1, in 1984, and its first Editor-in-Chief was Phipps Arabie (born 13 March 1948, died 23 June 2011). Phipps Arabie was a very strong supporter always of the *Service* bibliographies. From 2002 to date (2012), Willem Heiser is Editor-in-Chief of the *Journal of Classification*.

In 2008, the last CD was produced, due to the plan be be web-based only. In 2012, ISI discontinued the provision of data completely. For online access now to *Service*, see https://www.cfa.harvard.edu/~kurtz

The following³ is from the introduction to Volume 23, 1994. It explains the mechanism used to carry out the searches and to assemble the bibliographies.

"This volume of the Classification Literature Automated Search Service contains a bibliography of 2497 classification-related journal papers which appeared in 1994. In order to use the Service knowledgeably for reference, readers should know about the databases from which the journal papers were selected, the criteria employed to identify classification-related papers, and the mechanisms provided to access bibliographic information about classification-related papers.

The first step in constructing the bibliography is to collect data about journal papers. The Service obtains these data from Research

¹http://www.classification-society.org/clsoc

²Currently http://thames.cs.rhul.ac.uk/bcs

 $^{^{3}}$ Currently available as file service 23.profile.txt at address ftp://ftp.pitt.edu/group/csna.



Figure 3: A typical cover of the printed volume of Service.

Alert, a bibliographic service of the Institute for Scientific Information (ISI, Philadelphia). Research Alert enables the Service to access papers in over 8000 science, technical, and social sciences journals including those from the Science Citation Index, Social Sciences Citation Index, and Arts Humanities Citation Index databases. To use Research Alert, the Service's Editorial Board compiles a list, or profile, of books or papers, called profile items, that are indicative contributions to the theory and practice of classification. A journal paper is considered to be classification-related if it cites one or more profile items. Using the profile, Research Alert provides the Service with bibliographic information about classification-related papers in recent issues of the 8000 journals it processes.

Research Alert's selection procedure depends completely on the profile. The Editorial Board reviews the profile regularly in order to ensure that the papers selected by Research Alert are relevant to classification and related areas of data analysis. The profile for this volume of the Service contained 82 items and appears in the file 'profile.txt'. The Editor welcomes your suggestions for improving the composition of future profiles."

3 The Data: The Bibliographies of Clustering from 1994 to 2011

The bibliography was always collected for the previous year. Hence volume 23, corresponding to 1994 data, was published in 1995. The volumes continue up

to volume 40, with 2011 data, consolidated in 2012. In volumes 23 to 40, there are 85,020 bibliographic records.

3.1 The Profile Publications Used to Drive the Search and Retrieval

The "profile" publications used in the past few years are listed in the Appendix. Citing any one of these publications was therefore the criterion used for assembling the annual bibliography.

The number of citations per year is shown in Table 1. This relates to the bibliographies for the years 1994 to 2011.

It is to be noted how some of the profile publications were introduced in a given year. (Consider, for example, Blashfield76, introduced from 2004.)

In the case of, for example, Bishop95, in pre-1995 years, the search term used here ("BISHOP CM") picked him up as an author of another publication and not the profile publication, his 1995 book.

Note too that the (different) works of some authors are combined by us. Such is the case for example for two publications by Doug Carroll, published in 1970 and in 1980. (J. Douglas Carroll, 1939–2011, worked most recently at Rutgers Business School. He was an early developer of, and founder of the field of, multidimensional scaling and other methods and their applications in psychometrics.)

3.2 Changed Data Provision After 2003

What is particularly noticeable about Table 1 is the increase in citations over time. See Figure 4. While it is the case that (i) there was some net increase each year, but (ii) nonetheless the lack of constraint related to distribution medium from 2004, (iii) that can be coupled with the massively growing volume of research production worldwide, and finally (iv) the high point of 2009, maybe given a lag to be expected in publishing following the economic downturn in the Western countries that started in 2008. Among other changes from 2004, see how Sneath73 is replaced largely (cf. Table 1) by the earlier jointly authored volume, Sokal63. (P.H.A. Sneath, University of Leicester, UK, 17 November 1923 – 9 September 2011, and R.R. Sokal, State University of New York, 13 January 1926 – 9 April 2012, were key names in the development of numerical taxonomy.)

Table 2 is an alternative view of the 18 years we are dealing with. This table shows a range of discipline names that are picked up in the data by their appearance in a journal title, or a publication title, or an area title. The terms used are: Medicine, Biology, Physics, Chemistry, Astronomy, Mathematics, Statistics, Engineering, Psychology, Psychiatry, Literature, Humanities, Economics and Sociology.

From the editorial report of *Service* to the Board of the Classification Society of North America in June 2003, there is the following explanation of the seachange in the bibliographic source data from 2004 onwards.

	94	95	96	97	98	99	00	01	02	03	04	05	06	07	08	09	10	11	
Adams72	8	12	7	7	5	4	2	5	5	5	5	2	5	6	3	5	3	3	
Anderberg73	73	54	67	60	64	78	72	58	65	56	39	56	48	64	53	77	52	67	
Arabie87	8	7	11	8	10	10	5	4	6	4	0	0	0	0	0	0	0	0	
Avise74	11	12	15	9	9	10	5	7	1	3	1	6	2	1	3	0	4	3	
Benzecri73	41	50	50	40	51	43	51	30	29	39	24	30	32	25	32	34	38	35	
Bezdek81	45	45	107	87	114	131	97	118	126	151	337	432	496	495	558	701	588	551	
Bighon 95	20		1	0	1	101	0	10	262	335	001	0	0	0	000	0	000	001	
Plachfield76	Â	0	0	ő	0	0	0	10	202	000	2	6		4	2		5	5	
Brashrieru/0	100	120	101	100	100	000	004	004	075	250	000	204	245	202	444	600	500	647	
Breimano4	106	130	101	100	199	220	224	224	215	350	200	294	345	393	441	620	526	047	
Carro1170,80	34	24	25	31	24	40	27	40	33	28	0	0	0	0	0	0	0	0	
Cormack71	2	6	7	2	4	7	5	4	8	2	7	8	3	5	8	9	6	9	
Cover67	24	21	21	24	28	30	28	31	25	54	0	0	0	0	0	0	0	0	
Devijver82	32	28	42	59	54	37	32	43	31	47	64	63	72	50	64	62	43	49	
Diggle83	33	35	41	36	38	49	57	51	56	56	77	87	68	78	84	107	97	73	
Duda73	241	252	304	283	337	309	289	324	379	600	825	1033	1175	1309	1416	1554	1164	1316	
Efron83	14	24	21	21	20	30	32	26	16	25	20	43	60	61	56	66	56	53	
Eldredge80	25	21	24	24	25	19	15	16	17	23	38	30	19	32	43	31	37	38	
Everitt79.80	33	52	47	35	38	39	37	41	26	18	132	146	139	133	148	181	186	166	
Farris72	22	23	39	26	21	25	12	21	18	9	5	10		12	9	10	3	7	
Felgensteinen	25	20	22	16	16	12	6	16	7	10	2	10	2	5	0	10	4	2	
Feisensteinoz	40	40	23	70	20	10	60	20		10	00	207	107	002	040	000	007	004	
Fisher30	42	49	50		04	00	110	0/	00	90	96	207	107	223	249	200	201	204	
Fitch6/	102	104	113	111	90	79	110	/5	85	65	63	84	64	51	62	47	44	36	
Friedman//	10	8	13	13	18	18	18	12	17	17	26	28	23	30	40	38	38	34	
ru/4,82	33	26	27	20	29	32	22	23	10	23	58	58	58	52	57	58	46	58	
Fukunaga72	28	38	43	38	37	34	29	31	36	34	374	447	396	478	528	549	424	455	
Gauch82	73	80	80	104	76	104	77	91	90	88	0	0	0	0	0	0	0	0	
Gnanadesikan77	15	26	13	15	8	17	19	12	14	11	0	0	0	0	0	0	0	0	
Gordon81	21	23	18	16	20	12	20	16	16	8	65	73	66	70	61	87	56	60	
Gower66	40	14	33	37	27	34	34	33	33	47	29	52	66	60	60	87	61	95	
Greenacre84	46	56	69	50	69	71	51	52	49	61	25	41	34	28	33	36	40	39	
Guttman68	25	16	11	14	18	13	14	15	12	16	14	14	20	16	20	20	9	7	
Hand81	33	26	30	28	30	33	20	18	28	25	65	80	96	83	95	110	102	110	
Handol Hartigar7E	60	61	76	60	60	70	70	07	20	04	142	150	1/10	160	105	244	170	202	
hartigan/b	00	04	10	02	02	72	19	01	00	94	143	150	145	100	195	244	1/0	203	
Hennigoo	86	79	87	93	80	76	81	72	12	79	102	100	105	103	115	110	97	130	
Hill74	14	15	19	14	13	10	11	11	4	12	0	5	9	3	18	14	11	2	
Huber85	22	24	29	18	19	37	18	27	20	24	0	0	0	0	0	0	0	0	
Hubert7685	15	12	14	16	13	19	8	23	18	37	36	48	72	78	104	135	137	134	
Jain88	52	44	54	58	59	81	74	81	81	115	716	860	910	939	1014	1190	882	969	
Jardine71	6	6	6	9	7	4	5	8	6	6	14	21	13	18	25	32	24	26	
Johnson67	24	27	20	18	10	13	7	7	9	7	11	29	28	37	55	48	40	48	
Kluge69	58	42	55	56	66	63	79	96	58	85	59	78	81	85	99	115	105	112	
Kohonen95	0	0	2	0	13	52	88	80	91	97	374	444	415	450	534	693	438	462	
Kruska164.78	72	78	90	102	99	98	112	119	123	141	152	186	204	207	255	255	223	278	
Lance67	11	13	14	15	10	22		18	13	16	18	24	17	13	21	17	15	25	
Logondro??	20	24	22	21	20	25	26	24	20	21	26	44	22	40	46	24	25	27	
refeinteo2	20	10	12	51	10	20	30	24	22	21	20	10	10	42	40	10	10	17	
Lorros	11	19	13	0	10	- 0	5		9	11	11	19	12	19	12	13	10	17	
Madd1son84	55	48	41	38	48	50	46	34	35	23	0	0	0	0	0	0	0	0	
Mantel67	61	-77	99	117	112	138	145	185	182	207	163	296	308	360	362	453	392	452	
Mayr69	26	22	19	31	22	25	26	21	19	15	132	140	124	152	142	149	128	179	
McLachlan88,92,97	28	33	37	33	33	28	34	50	130	136	154	137	168	188	173	213	234	235	
Michalski83	53	45	52	38	43	38	31	21	9	15	48	30	28	22	31	45	33	26	
Milligan80,81,85	39	35	35	40	34	36	29	39	66	63	56	58	84	79	91	105	88	106	
Murtagh83	2	2	0	0	4	4	0	2	1	0	6	8	8	8	9	10	15	15	
Nei72	139	140	170	179	156	169	185	172	169	166	131	188	185	193	198	198	191	220	
Nelson81	45	32	46	27	38	33	34	39	49	30	46	61	60	50	60	77	52	62	
Norofeku84	14	15	14	16	25	10	15	11	21	20	8	16	17	14	17	10	23	27	
Orloci78	11	- 10	15	10	10	10	11	10	21	20	0	10	10	17	11	10	20	21	
Pavlidis77	1/1	15	18	10	10	21	7	10	10	9	an	103	50	50	00	01	50	20 60	
Duni83	11	10	14	11	12	10		0	10		17	103	01	10	0/	E1	202	45	
Pommo 196	11	13	14		10	14	10	•••	10	20	11	23	21	10	24	01	30	40	
namma100	13	9	9		10	11	12	14	14	5	17	0	0	U	0	110	101	0	
Rand/1	4	8	4	6	2	3	2	11	9	11	17	33	39	51	78	118	104	85	
Reyment84	13	15	10	17	12	12	10	4	10	10	12	18	14	21	15	17	10	18	
Ripley81	50	46	52	63	59	64	60	63	60	57	173	192	193	175	179	244	178	215	
Rohlf82	10	6	7	10	3	3	6	4	4	6	2	2	2	7	2	4	2	3	
Sammon69	22	27	29	36	32	47	45	47	43	63	0	0	0	0	0	0	0	0	
Sankoff83	31	24	31	27	38	28	36	27	28	26	55	68	76	72	64	58	71	59	
Sattath77	8	10	15	9	12	8	12	16	9	11	7	9	8	9	11	11	5	9	
Schiffman81	22	32	34	33	25	21	20	28	19	24	20	17	14	12	18	18	14	17	
Silverman86	117	131	183	140	161	192	172	158	191	206	264	306	287	350	384	462	410	383	
Sneath73	385	374	122	435	406	386	367	360	355	357	0/	000	111	130	122	133	02	128	
Soka163	E.0	E0	122	100	100	300	11	100	100	307	225	270	251	103	207	200	205	220	
DURAIUS	03	12	40	17	42	30	44	43	40	30	47	212	201	202	201	202	220	202	
Spaetneu	9	13	10	1/	10	6	10	12	9	16	1/	32	26	24	29	43	35	32	
spitzer/4	12	5	5	2	4	2	2	4	3	8	6	3	3	7	4	9	5	4	
Swofford81	116	127	171	151	135	127	125	115	102	84	55	67	46	36	32	20	9	24	
Tversky77	46	68	65	82	69	81	74	70	63	97	62	97	109	101	126	142	134	136	
VanLaarhoven87	46	56	65	45	45	42	48	44	33	32	54	65	58	64	53	64	38	61	
VanRijsbergen79	0	0	2	0	0	0	46	54	38	88	2	2	8	7	9	19	12	18	
Ward63	65	74	75	81	81	95	109	115	100	130	109	191	182	223	231	303	274	318	
Wiley81	79	66	52	66	61	54	59	53	43	60	47	71	53	69	75	66	56	68	
Wishart87	20	16	12	18	10	8	17	7	14	14	7	9	15	17	16	19	23	12	
	2.1																		
Wolfe70	6	9	8	8	8	11	8	8	9	4	7	7	8	7	5	13	8	16	
Wolfe70 Zahn71	6	9	8	8	8	11	8	8	9	4 21	7	7 24	8	7	5	13	8	16	

Table 1: Frequencies of occurrence found for the 82 profile publications, over 18 years. There are 135,088 bibliographic citations in all, i.e. the grand total of this table.

Based on 82 'profile' publications



Figure 4: Increase of citing bibliographic entries over the years.

	94	95	96	97	98	99	00	01	02	03	04	05	06	07	08	09	10	11
Med	1	0	1	2	2	1	3	3	5	5	82	111	120	136	147	205	146	156
Bio	334	345	372	369	389	364	387	346	397	392	274	354	360	393	463	559	508	545
Phys	5	5	1	2	4	1	4	5	9	5	73	60	104	94	129	113	132	131
Chem	76	55	64	59	88	63	88	87	100	117	57	83	86	71	93	138	125	115
Astr	1	0	1	0	1	0	0	2	3	1	4	4	9	4	14	5	3	19
Math	70	63	84	63	82	89	77	79	86	79	23	42	27	39	41	55	48	62
Stat	98	105	117	94	92	128	111	104	125	101	207	255	266	287	312	340	345	310
Eng	108	118	121	137	135	132	134	161	216	217	355	424	468	470	753	517	472	689
Psych	128	155	164	141	128	132	147	118	124	151	77	72	85	94	97	103	93	99
Psy	2	0	0	1	0	0	0	2	1	0	15	12	6	12	10	13	10	9
Lit	2	1	1	1	3	1	3	2	1	5	9	9	8	4	3	7	9	10
Hum	9	19	15	15	18	14	23	17	19	36	1	0	1	1	4	4	7	4
Eco	0	0	0	0	2	0	0	2	1	1	26	29	33	30	40	53	45	42
Soc	21	24	27	16	25	17	17	24	24	20	7	2	5	16	2	13	11	12

Table 2: Frequencies of occurrence found for the discipline terms – used in journal or article titles or otherwise. The columns are the years 1994 to 2011. See text for the spelling out of the disciple labels. The number of occurrences here is, in all, 23,997.

Т	Learning to Set-Up Numerical Optimizations of
Т	Engineering Designs
Α	SCHWABAC.M
Α	ELLMAN T
Α	HIRSH H
K	MATHEMATICAL SCIENCES - Computer Science
U	AI EDAM 12(2): 173-192, APR 1998
W	M Schwabacher, Natl Inst Stand &
W	Technol, Gaithersburg, MD 20899
W.	BREIMAN L 84

Table 3: "Research Alert" format for the bibliography data used up to 2003. First entry of Volume 27, 1998. AI EDAM is the Cambridge University Press *Artificial Intelligence for Engineering Design, Analysis and Manufacturing.* The "profile" entry is Breiman, Friedman, Olshen and Stone, *Classification and Re*gression Trees, Wadsworth, 1984.

"The CD containing Service data, cumulative over a number of years, with a Java graphical user interface, and copies of Hartigan's (scanned) and van Rijsbergen's classical books, was distributed as usual with issue 1 of the Journal of Classification. Number of copies produced 525. ...

Up to now, Eva got the data quarterly and initially processed it at Memorial University. (A long time ago Bill Day there was the link with Memorial). Probably the scripts in use there are 15 years old, or more. Then I did some processing, with a number of Unix scripts. For the CD, a Java application based search GUI was written 2 or 3 years ago, and of course assumed the particular format discussed above. Now ISI, from whom we purchase the data (about USD 70 per profile item) are changing the dissemination mechanism and the format. ...

... our new format for receiving data from ISI. [ISI] emailed me about a week ago and informed me that "Research Alert" data will no longer be available – they are switching totally to "Personal Alert", as below. We get the same data, in a weekly email, but as you can see, the format is different.

[...]

I notice this data has keywords associated."

Tables 3 and 4 are indicative of these formats.

TITLE: Multiscale spatial variation of the bark beetle Ips sexdentatus damage in a pine plantation forest (Landes de Gascogne, Southwestern France) (Article, English) Rossi, JP; Samalens, JC; Guyon, D; van Halder, I; AUTHOR: Jactel, H; Menassieu, P; Piou, D SOURCE: FOREST ECOLOGY AND MANAGEMENT 257 (7). MAR 22 2009. p.1551-1557 ELSEVIER SCIENCE BV, AMSTERDAM SEARCH TERM(S): RIPLEY BD rauth; DENSITY ESTIM* rwork; MULTI* rwork KEYWORDS: Bark beetle; Ips sexdentatus; Pinus pinaster; Spatial statistics; Ripley's statistic; Aggregation; Landscape; Plantation forest KEYWORDS+: POINT PATTERN-ANALYSIS; TYPOGRAPHUS L.; FELLED TREES; SPRUCE; SCOLYTIDAE; COLEOPTERA; MANAGEMENT; WINDTHROW; RISK; COLONIZATION AUTHOR ADDRESS: JP Rossi, INRA, UMR BIOGECO, Domaine Hermitage 69 Route Arcachon, F-33612 Cestas, France

Table 4: "Personal Alert" format for the bibliography data used from 2004. First entry of Volume 38, 2009. The "profile" item is B.D. Ripley, *Spatial Statistics*, Wiley, 1981.

4 Semantic Analysis of Profile Publications and of Disciplines, over 18 Years

4.1 Semantic Analysis

Take the observables, e.g. profile publications, or disciplines, as indexed by i. Take the attributes, e.g. the years, as indexed by j. Call the mass of observable i to be f_i , and analogously the mass of attribute j, f_j . These masses are components of marginal distributions. Alternatively expressed, the f_i and f_j terms, for all i and j, are respectively the empirical probability distribution defined on the set of all observables, i, and on the set of all attributes, j. The domains of the function f are thus, respectively, the observables set and the attributes set.

The frequency of occurrence data used for observable i and attribute j is f_{ij} . Correspondence Analysis is firstly and foremostly the study of discrepancy of f_{ij} from a sort of null hypothesis expressed by $f_i f_j$.

A successively best fit Euclidean representation is found, to embed the observable set, and the attribute set. Let the observable *i* have embedding, firstly, and then, secondly, projection ψ_i relative to factor ψ , and similarly for attribute *j* relative to factor ϕ . The associated eigenvalue of the pair of factors ψ_i and ϕ is λ .

We require the semantic relationship tying together observables and attributes vis-à-vis each successive factor:

$$\sqrt{\lambda}\psi_i = \sum_j \frac{f_{ij}}{f_i}\phi_j$$
 and in the dual space $\sqrt{\lambda}\phi_j = \sum_i \frac{f_{ij}}{f_j}\psi_i$

These are termed *transition formulas*.

Supplementary elements, rows or columns, are when we use f_{ij} values that are, through these relationships, projected post hoc into the analysis.

The semantic analysis framework is now used to provide (1) visualization, seeking particular salient interrelationships in the data, and (2) summarization of the data through clusters, where we use years, disciplines and publications to achieve a good understanding of the data. Here (1) is a planar, and hence low-dimensional, expression of the data, whereas in (2) the clustering is carried out in the data's full dimensionality.

4.2 Major Change: Pre-2004 and From 2004 Onwards

The profile publications, as seen in Table 1, contain inclusions and withdrawals, and also data source issues over which there was no control. So a more suitable analysis, because it was based on free text search and no more than that, is based on the discipline labels. Therefore our first analysis is of the frequency of occurrence data for 16 disciplines crossed by 18 years. Figure 5 shows the principal factor plane. Humanities (denoted Hum), is off to the left (on the positive side of the ordinate).

The major issue of note in Figure 5 is how one-dimensional the data is. In information content expressed by percentage of inertia explained by these principal axes, the first axis dominates.

The (red in the original) lines connect the successive years, that are projected onto this principal factor plane. The clump of years around Math (mathematics) and Psych (psychology) are all the years 1994 to 2000; and then just north east of them is 2001, followed by 2002, and north west of it, 2003. They are all on the negative side of the first factor, in terms of projections on that factor. Over to the positive side of the first factor are the years 2004 through to 2011. The years that lie out a little to the north of the clump are 2011 and (the further away year) 2008.

Can we say that Math and Psych, and Soc (sociology) are more typical of the earlier years in regard to cluster analysis research; and that if anything Mgt (management) is most typical of the later years here, in regard to computer science research? In order to address this, we ought to look at the full dimensionality of the data rather than just a 2-dimensional projection. This will be done below.

Profile publications are shown as dots in Figure 5 (so as not to crowd the figure). Some are projected well off this figure. Because these are cited publications rather than coming from a given discipline, let us look at them through the cluster analyses to follow now.

4.3 Semantics Analyzed through Clustering of Years, Disciplines and Publications

In the following we use the Euclidean space, with equiweighted points, as provided by the Correspondence Analysis. The points in this space are equiweighted. Furthermore we use the full dimensionality Euclidean space. Since the active analysis was on the 16 disciplines crossed by 18 years data, the full dimensionality of the Euclidean factor space is min (16-1, 18-1), i.e. 15. In this 15-dimensional space (illustrated by the planar projection in Figure 5 we thus have disciplines and years projected, and then as passive (or post hoc) elements we have publications projected. Because the projection takes full account of interrelationships as discussed in subsection 4.1 we have that years, disciplines and publications are all projected into the same space.

Ward's minimum variance hierarchical clustering using Euclidean distances is an appropriate method to use. It is appropriate in the sense that it uses aggregation based on inertia (masses all identical) which dovetails with the inertia-based decomposition of the Correspondence Analysis. (This hierarchical clustering criterion was initially described by Joe H. Ward Jr., who died on 23 June 2011, aged 84.)

Figure 6 relates to disciplines and years. The very clear year-based division of the data is displayed by the two big branches in the dendrogram. We also have further support of the quite key role of Psych (psychology) and Math (mathematics), and others, in the early years; and the key role of Mgt (management), Stat (statistics) less pronounced but present, and others, in the later



16 disciplines; 18 years (connected); 82 publications (dots)

Figure 5: Principal factor plane of a Correspondence Analysis of (primary analysis) 16 disciplines crossed by 18 years; and projected into this (supplementary elements) 82 "profile" publications. (Medicine is very slightly repositioned to avoid overlap. Humanities is off the figure to the left, at coordinates -1.168, 0.251.)

Hierarchy (Ward criterion) of 18 years and 16 disciplines



Years 1994 to 2011; 16 disciplines

Figure 6: Hierarchical clustering of the years and the disciplines. (Relative horizontal positioning of terminals is for display purposes only.)

years.

In Figure 7, the 82 documents are also included. For discussion of clusters, we will use the labels shown in Figure 8. This allows us more easily to discuss the publications, and their associations with years and disciplines, in order to home in on major trends and patterns in this data.

Cluster 1 (cf. Figure 8):

Disciplines: Med Phys Astr Eng Ecol Psy Lit Econ Mgt

Years: 04 05 06 07 08 09 10 11

Publications: Bezdek81 Blashfield76 Duda73 Everitt79,80 Fisher36 Fukunaga72 Gordon81 Hand81 Hubert7685 Jain88 Kohonen95 Mayr69 McLachlan88,92,97 Murtagh83 Pavlidis77 Rand71 Ripley81 Sokal63

Cluster 2:

Disciplines: Bio Chem Stat



18 years, 16 disciplines, 82 publications

Figure 7: Hierarchical clustering of the years, the disciplines, and the profile documents.



Figure 8: As Figure 7, where clusters of the 5-class partition are labelled.

Publications: Breiman84 Cormack71 Devijver82 Diggle83 Efron83 Eldredge80 Friedman77 Fu74,82 Gower66 Hartigan75 Hennig66 Jardine71 Johnson67 Kluge69 Kruskal64,78 Lance67 Legendre83 Lorr83 Mantel67 Milligan80,81,85 Nei72 Nelson81 Orloci78 Punj83 Reyment84 Sankoff83 Silverman86 Spaeth80 Tversky77 VanLaarhoven87 Ward63 Wiley81 Wolfe70 Zahn71

Cluster 3:

Disciplines: Math Psych Soc

Years: 94 95 96 97 98 99 00 01 02 03

Publications: Adams72 Anderberg73 Avise74 Benzecri73 Farris72 Felsenstein82 Fitch67 Greenacre84 Guttman68 Hill74 Michalski83 Nosofsky84 Rohlf82 Sattath77 Schiffman81 Sneath73 Spitzer74 Swofford81 Wishart87

Cluster 4:

Discipline: Hum

Publications: Arabie87 Carroll70,80 Cover67 Gauch82 Gnanadesikan77 Huber85 Maddison84 Rammal86 Sammon69

Cluster 5:

Publications: Bishop95 VanRijsbergen79

From these clusters it can be seen how the "classical" period characterized by cluster 3 is counterposed to the "modern" period of cluster 1.

The dominant disciplines of the "classical" period were Math, Psych and Soc (mathematics, psychology and sociology). Certainly some of the profile publications cited in the "classical" period come from ecology, phylogeny and even machine learning, but this is not a matter of their disciplines but rather cross-discipline influence.

For the "modern" period, cluster 1, it is seen in the planar projection of Figure 5 how Mgt, management, is very central. Other disciplines that characterize especially this cluster are noted above. The more influential profile publications can be read off too.

Clusters 4 and 5 are broadly associated with the "classical" period. The pattern recognition and information retrieval profile publications of cluster 5 are in tune with this (given the major ongoing role certainly from the 1960s of these sub-disciplines).

Cluster 2, closest to the "modern" period, is characterized most of all by the disciplines of Bio, Chem, Stat, viz. biology, chemistry and statistics. See how in Figure 5, we would not have found that outcome from the planar projection alone.

5 A Search User Interface

The open source Apache Solr indexing, querying and search system (Solr, 2013a) was used. Version 4.0 was used in our work.

Figure 9 shows a screen in a sample session. All of the following are supported: querying repeatedly; constraining the query by field (e.g. "author:Arabie"); having a web-wide Google search carried out in another browser screen for the set of words appearing in a title; and finding three "More Like This" results for a given bibliographic record, based on a weighted (for the fields) set of common words. There is practically no latency in having query results returned and displayed. As set up, 10 results are shown per page, and successive records are displayed with grey and with white background.

Solr is an enterprise search and display facility, implying that its secure use needs to be within an enterprise (i.e. firewall or access) setting. See Solr (2013b).

6 Conclusions

The 135,088 citations to one or more of the 82 profile publications have led us to find a major thematic shift in clustering research over the 18 years considered here. At its most basic, this thematic shift is from the central role of mathematical psychology in the years 1994 to 2003, and then the central role subsequently of management. A trend of massive proportions has also been the annual increase in *Service* contents. Other less pronounced trends can be noted also.

Cluster analysis has shown, and continues to show, great vitality in terms of responding to the challenges raised in many different disciplines. Vitality is both methodological and practical.

Acknowledgement

Eva Whitmore's role as Technical Editor from the academic year 1988–1989 to date (mid-2012) has been greatly appreciated.

References

CCS (1998). Computing Classification System, Association for Computing Machinery, ACM, 1998. http://www.acm.org/about/class/ccs98-html (Viewed: 2013-03-03.)

CCS (2012). Computing Classification System, Association for Computing Machinery, ACM, 2012. http://dl.acm.org/ccs.cfm (Viewed: 2013-03-03.)

KURTZ, M.J. (1983). "Classification methods: an introductory survey", in *Statistical Methods in Astronomy*, European Space Agency Special Publication 201, pp. 47–58.



Query interface for the Classification Literature Automated Search Service. 85,020 records, from the years 1994 to 2011 *Classification Society* Query by words entered. Can use AND, OR, - (not). "More like this" for three best matches. Google web search on title.



Find: computational AND network

Submit



Figure 9: Example screenshot of use of Solr search. The query submitted is "computational AND network" where these terms can appear in any field. The "More Like This" facility provides three close matches, on the basis of words used in any field. Clicking on the document title provides output from a Google search on the web, using all words in the title.

MURTAGH, F. (2008). "Origins of modern data analysis linked to the beginnings and early development of computer science and information engineering", Electronic Journal for History of Probability and Statistics, 4 (2), pp. 26.

MURTAGH, F. (2013). "History of cluster analysis", in J. Blasius and M. Greenacre, Eds., The Visualization and Verbalization of Data, Chapman and Hall, forthcoming.

SOLR (2013a). Apache Solr, Open source enterprise search platform, version 4.1. http://lucene.apache.org/solr (Viewed: 2013-03-03.)

SOLR (2013b). Solr Wiki, Solr security, http://wiki.apache.org/solr/SolrSecurity (Viewed: 2013-03-03.)

Appendix: The Profile Publications Used

AUTHOR	JOURNAL/BOOK TITLE	VOL	Ρ.	YR.
ADAMS EN	SYST ZOOL	21	390	72
ANDERBERG MR	CLUSTER ANAL APPLICA			73
ARABIE P	3 WAY SCALING CLUSTE			87
AVISE JC	SYST ZOOL	23	465	74
BENZECRI JP	ANAL DONNEES			73
BEZDEK JC	PATTERN RECOGNITION			81
BISHOP CM	NEURAL NETWORKS PATT			95
BLASHFIELD RK	PSYCHOL B	83	377	76
BREIMAN L	CLASSIFICATION REGRE			84
CARROLL JD	ANN R PSYCH	31	607	80
CARROLL JD	PSYCHOMETRI	35	283	70
CORMACK RM	J ROYAL STA A	134	321	71
COVER TM	IEEE INFO T	13	21	67
DEVIJVER PA	PATTERN RECOGNITION			82
DIGGLE PJ	STATISTICAL ANAL SPA			83
DUDA RO	PATTERN CLASSIFICATI			73
EFRON B	J AM STAT A	78	316	83
ELDREDGE N	PHYLOGENETIC PATTERN			80
EVERITT BS	BIOMETRICS	35	169	79
EVERITT BS	CLUSTER ANAL			80
FARRIS JS	AM NATURAL	106	646	72
FELSENSTEIN J	Q REV BIOL	57	379	82
FISHER RA	ANN EUGENICS 2	7	179	36
FITCH WM	SCIENCE	155	279	67
FRIEDMAN JH	ACM T MATH	3	209	77
FU KS	SYNTACTIC METHODS PA			74
FU KS	SYNTACTIC PATTERN RE			82
FUKUNAGA K	INTRO STATISTICAL PA			72
GAUCH HG	MULTIVARIATE ANAL CO			82

GNANADESIKAN	METHODS STATISTICAL			77
GORDON AD	CLASSIFICATION			81
GOWER JC	BIOMETRIKA	53	325	66
GREENACRE MJ	THEORY APPLICATION C			84
GUTTMAN L	PSYCHOMETRI	33	469	68
HAND DJ	DISCRIMINATION CLASS			81
HARTIGAN JA	CLUSTERING ALGORITHM			75
HENNIG W	PHYLOGENETIC SYSTEMA			66
HILL MO	APPL STAT	23	340	74
HUBER P.J	ANN STATIST	13	435	85
HUBERT L	BR. J MATH S	29	190	76
HUBERT L.I	I CLASSIF	2	193	85
ΤΔΤΝ ΔΚ	ALGORITHMS CLUSTERIN	-	100	88
IARDINE N	ΜΑΤΗ ΤΑΧΟΝΟΜΥ			71
IOHNSON SC	PSYCHOMETRI	32	241	67
KLUGE AG	SYST ZOOL	18	1	69
KOHONEN T	SELF ORG MAPS	10	1	95
KRIISKAI IR	MILTIDIMENSIONAL SCA			78
KRIISKAI IB	PSYCHOMETRI	29	1	64
IANCE CN	COMPLITER I	2 <i>3</i>	373	67
LENDE UN		5	010	83
	CLUSTER ANAL SOCIAL			83
MADDIGON UD	SVST 7001	33	83	87 87
MANTEI N	CANCER RES	27	200	67
MANDE	DRINCIDI ES SYSTEMATI	21	209	60
MCIACHIAN CI	DISCRIMINANT ANAL ST			0 <i>9</i> 02
MCLACHLAN GJ	EM ALCORITHM EXTENSI			97
MCLACHLAN GI	MIXTURE MODELS INFER			88
MTCHAISKT BS	MACHINE LEARNING			83
MILITGAN GW	MILTIV B B	16	379	81
MILLIGAN GW	PSYCHOMETRI	45	325	80
MILLIGAN GW	PSYCHOMETRI	50	150	85
MIRTACH F	COMPLIT I	26	354	83
NFT M		106	283	72
NEL M	SYSTEMATICS BIOGEOGR	100	200	81
NUSUESKA BW	I FYP PSY I	10	104	84
ORLOCT I	MILTIVARIATE ANAL VE	10	104	78
PAVITOIS T	STRUCTURAL PATTERN R			77
	I MARKET RES	20	134	22
	DEV M DHVG	58	765	86
		66	016	71
DEVMENT DA	MILTIVADIATE MODDHOM	00	040	7 I 8/1
DIDIEV DD	CONTINUE CONTINUE			04
	MATH BINGCT	50	121	8J 01
	TEEE COMPUT	19	101 401	60
CANKUEE D		10	401	09
DANNOFF D	IITE WARES SIRING ED			03

SATTATH S	PSYCHOMETRI	42	319	77
SCHIFFMAN SS	INTRO MULTIDIMENSION			81
SILVERMAN BW	DENSITY ESTIMATION S			86
SNEATH PHA	NUMERICAL TAXONOMY P			73
SOKAL RR	PRINCIPLES NUMERICAL			63
SPATH H	CLUSTER ANAL ALGORIT			80
SPITZER RL	BRIT J PSYCHI	125	341	74
SWOFFORD DL	J HEREDITY	72	281	81
TVERSKY A	PSYCHOL REV	84	327	77
VANLAARHOVEN	SIMULATED ANNEALING			87
VANRIJSBERGEN	INFORMATION RETRIEVA			79
WARD JH	J AM STAT A	58	236	63
WILEY EO	PHYLOGENETICS			81
WISHART D	CLUSTAN USER MANUAL			87
WOLFE JH	MULTIV B R	5	329	70
ZAHN CT	IEEE COMPUT	20	68	71