1	The composite theory as the explanation of Haldane's			
2	rule should be abandoned			
3	Ren-Xue Wang *			
4				
5	BC Cancer Research Centre, BC Cancer Agency, Vancouver, British Columbia, Canada			
6				
7	BC Cancer Research Centre, BC Cancer Agency, 675 West 10th Avenue,			
8	Vancouver, British Columbia, Canada			
9				
10	Keywords:			
11	Heterogamety			
12	Homogamety			
13	Hybrid sterility			
14	Hybrid inviability			
15	Speciation.			

<sup>\*</sup> Tel.: 604 675 8000 Ext. 7709; Fax: 604 675 8185; E-mail address: rwang@bccrc.ca

16 Abstract

17 In 1922, JBS Haldane discovered an intriguing bias of postzygotic isolation 18 during early speciation: the heterogametic sex of  $F_{I}$  hybrids between closely related 19 species or subspecies is more susceptible to sterility or inviability than the homogametic 20 sex. This phenomenon, now known as Haldane's rule, has been repeatedly confirmed 21 across broad taxa in diecious animals and plants. Currently, the dominant view in the 22 field of speciation genetics believes that Haldane's rule for sterility, inviability, male 23 heterogamety and female heterogametic belongs to different entities; and Haldane's rule 24 in these subdivisions has different causes, which operate coincidentally and/or 25 collectively resulting in this striking bias against the heterogametic sex in hybridization. 26 This view, known as the composite theory, was developed after many unsuccessful quests 27 in searching for a unitary genetic mechanism. The composite theory has multiple sub-28 theories. The dominance theory and the faster male theory are the major ones. In this 29 note, I challenge the composite theory and its scientific validity. By declaring Haldane's 30 rule as a composite phenomenon caused by multiple mechanisms 31 coincidentally/collectively, the composite theory becomes a self-fulfilling prophecy and 32 untestable. I believe that the composite theory is an *ad hoc* hypothesis that lacks 33 falsifiability, refutability and testability that a scientific theory requires. It is my belief 34 that the composite theory does not provide meaningful insights for the study of speciation 35 and should be abandoned. 36

37	How many times in the history of science has a seemingly correct theory been
38	falsified based on evidence?

- How many times then, has such a theory later been revived and announced correctagain, while the falsifying evidence still stands?
- 41 How many times has one single natural phenomenon been explained by many
- 42 theories collectively? If one of these theories does not apply, then another one comes in;
- 43 if none of them applies, there must be one yet to be identified. At the same time, all the
- 44 aforementioned theories remain correct collectively!

45 No, I am not referring to astrology; I am not referring to some ancient 46 superstition. I am referring to an important field in the study of evolution; Haldane's rule 47 and the composite theory. The core of the composite theory – the dominance theory went 48 through just such episodes of acceptance, refutation and resurrection. The dominance 49 theory, together with the faster male theory, is the sub-theory of the so-called composite 50 theory. These theory and sub-theories together (thus "composite") have been declared to 51 be the 'correct' explanation of Haldane's rule by leading investigators in the field (Orr, 52 1997; Turelli, 1998).

Haldane's rule is a phenomenon that was first formulated in 1922 by JBS Haldane through the examination of hybridization data in literature (Haldane, 1922): "When in the  $F_I$  offspring of two different animal races one sex is absent, rare, or sterile, that sex is the heterozygous sex [heterogametic sex]." Haldane's rule is one of the most consistent patterns in early speciation of sexually reproducing animals. It concerns a form of postzygotic isolation frequently observed in early speciation: the pervasive occurrence of sterility or inviability in  $F_I$  hybrids of the heterogametic (*XY* or *ZW*) sex than the

60	homogametic (XX or ZZ) sex in hybridization between closely related species or
61	subspecies. In mammals and in Drosophila (XY sex determination, males are XY and
62	females $XX$ ), the affected sex is male; in birds and in butterflies ( $ZW$ sex determination,
63	females are ZW and males ZZ), the affected sex is female. By appearance, Haldane's rule
64	is a phenomenon associated with the heterogamety of sex chromosomes. The rule has
65	been documented and confirmed repeatedly, including all major taxa of diecious animals
66	and plants (Coyne and Orr, 1989; Johnson, 2000; Laurie, 1997).
67	Haldane's rule is almost an obligative step during early speciation and imposes
68	one of the fundamental questions in speciation study: how postzygotic isolation evolves
69	during early speciation and why the heterogametic sex is much more vulnerable to hybrid
70	inferiority (sterility and inviability) than the homogametic sex. How heterogamety plays a
71	role in Haldane's rule is one of the most intriguing questions of speciation genetics.
72	Currently, the cause of Haldane's rule is claimed to be a "solved" problem. The
73	mainstream view believes that Haldane's rule is coincidentally/collectively caused by
74	multiple mechanisms. This so-called composite theory subdivides Haldane's rule and
75	invokes different explanations for different subdivisions (Turelli, 1998). Based on this
76	theory, Haldane's rule for sterility and inviability, male heterogamety and female
77	heterogamety belongs to separate subdivisions and require different explanations. It is
78	also believed that different explanatory theories operate in certain subdivisions
79	individually or collectively (Turelli and Orr, 2000). I am strongly opposed to the
80	composite theory and its major sub-theories. I will start by briefly reiterating the history
81	of the study.

-4-

82	In 1940s, Muller proposed that the epistatic recessive defects of loci linked to the
83	X chromosome caused imbalance of gene expression that leads to sterility/inviability in
84	hybrids. Such X linked recessiveness would not affect individuals in their native
85	population due to coevolved autosomal background that mask the defects. After
86	hybridization, however, a heterogametic $F_I$ hybrid carries only one X chromosome
87	(hemizygote), the recessive incompatibility would thus be expressed and cause sterility or
88	inviability in the heterogametic sex. A homogametic $F_1$ hybrid, on the other hand, carries
89	two X chromosomes (heterozygote); one of each from both parental populations, the
90	recessiveness of the $X$ would be masked by the dominant allele on the other $X$ and cause
91	no sterility or inviability. In this scenario, the X chromosomes and autosomes are all
92	heterozygous and Muller suggested that the recessive defects on the $X$ would be balanced
93	out by the corresponding autosomes (Muller, 1940; Muller, 1942; Muller and Pontecorvo,
94	1942).

Muller's explanation was originally known as the *X*-autosome imbalance theory (Muller, 1940; Muller, 1942; Muller and Pontecorvo, 1942), and later renamed as the dominance theory to better describe its dominant/recessive nature (for consistency, I will use the dominance theory throughout in the following). Until 1985, Muller's explanation had been considered to be the general explanation as to how and why the heterogametic  $F_I$  hybrids are more susceptible to sterility and inviability (Laurie, 1997).

101 In 1985, Coyne published a monumental report of a Drosophila experiment that 102 negated Muller's dominance theory. In a hybridization experiment between *Drosophila* 103 *simulans* and its sibling species *D. sechellia* and *D.mauritiana*, Coyne engineered female 104 hybrids that carried two identical *X* chromosomes from *D. simulans* with an otherwise  $F_1$ 

-5-

105	genetic background where the male was sterile. Based on the dominance theory, this is a
106	scenario where the recessive imbalance between the $X$ chromosome and an autosome(s)
107	should lead to female sterility. However, the female $F_1$ that Coyne obtained were fertile.
108	The predicted recessive locus/loci on the homozygous $X$ chromosomes, expected to cause
109	female sterility based on the dominance theory, failed to cause sterility in these female $F_1$
110	hybrids, which carried two identical X chromosomes of D. simulans (Coyne, 1985). This
111	classic study prompted an intense interest in seeking for an alternative explanation for
112	Haldane's rule.

113 The focus had been mainly on searching for an alternative genetic cause that 114 applied unitarily to all or most cases. However, these efforts were unsuccessful (Coyne, 115 1992). Exhaustive search and analysis of various possibilities failed to produce a single 116 unitary genetic mechanism of Haldane's rule that many were searching for. Besides the 117 dominance theory, the mechanisms ever proposed cover a wide array of cytogenetic 118 incompatibilities, e.g. chromosomal rearrangements (Haldane, 1932), dosage 119 compensation (Cline and Meyer, 1996), X-Y incompatibilities (Heikkinen and Lumme, 120 1998; Muller, 1942), Y-autosomal incompatibilities (Heikkinen and Lumme, 1998; 121 Pantazidis and Zouros, 1988; Pantazidis et al., 1993), and meiotic drive (Frank, 1991; 122 Hurst and Pomiankowski, 1991). Another curious fact from these studies is that while 123 none of these mechanisms qualifies as the general genetic basis, many of them seem 124 perfectly applicable to some isolated cases. This puzzling situation came to an end in 1992. 125

In 1992, Wu proposed that Haldane's rule may not have a single genetic basis,
based on discrepancies in literature: two previous observations of hybrid inviability

-6-

128 supported Muller's dominance theory but Coyne's test on sterility clearly negated the 129 Muller's theory (Wu, 1992). Wu reasoned that Haldane's rule was possibly a composite 130 phenomenon caused by multiple mechanisms, and Haldane's rule for sterility and 131 inviability may belong to different entities that require different explanations. Based on 132 this notion, Wu compared the evolution rates of complete (or nearly complete) inviability 133 and sterility in Drosophila and mammals compiled previously by two other researchers, 134 and discovered that the evolution rate of hybrid sterility in Drosophila and mammals were 135 much faster than that of inviability (Wu, 1992). 136 In 1993, Wu and Davis elaborated further on the idea of Haldane's rule being a 137 composite phenomenon requiring different explanations. Wu and Davis provided a more 138 extensive literature examination to support the faster male theory. The arguments Wu and 139 Davis made were that: (1) genes causing sterility usually behave sex-dependently but 140 those causing hybrid inviability do not; (2) the cases of Haldane's rule for sterility 141 outnumbers those for inviability by more than 10-fold in Drosophila and mammals; and 142 (3) in Drosophila, genes causing hybrid male sterility greatly outnumber genes causing 143 male inviability, but mutagenesis experiments indicated that mutations affecting viability 144 outnumber those sterility. Therefore, BDM isolation causing sterility evolved much faster 145 than ones causing inviability and they believed that Haldane's rule for sterility was a 146 result of such evolutionary dynamics. Wu and Davis suggested that the dominance theory 147 remained to be the valid explanation for Haldane's rule for inviability. Also, Wu and 148 Davis suggested that the sterility component of Haldane's rule should be further 149 subdivided, and Haldane's rule for sterility in male heterogametic species and in female 150 heterogametic species may have different causes. The faster male theory was offered as a

-7-

151 general mechanism of Haldane's rule for sterility in taxa with XY sex determination (Wu 152 and Davis, 1993). In the same paper, Wu and Davis provided clear descriptions of the 153 composite theory: (1) Haldane's rule is a composite phenomenon that can be divided into 154 different subdivisions; and (2) Haldane's rule for sterility and inviability has different 155 causes (Wu and Davis, 1993). 156 The notion of Haldane's rule being a composite phenomenon and Haldane's rule 157 for sterility and inviability requiring different explanations were quickly embraced by 158 others. In 1993, Orr published a very similar experiment to Coyne's test of sterility, but 159 Orr tested inviability with the cross of *D. simulus* and *D. teissieri* (Orr, 1993a). The cross 160 of D. simulus and D. teissieri obeys Haldane's rule by  $F_1$  male inviability. What he found 161 was that the homozygous X chromosomes of D. simulus did cause inviability in the 162 female hybrids in an otherwise  $F_1$  male genetic background. Orr demonstrated that the recessiveness that causes  $F_1$  male inviability could cause  $F_1$  female inviability. In Orr's 163 164 experiment, the supposed recessive defects did indeed caused inviability in the 165 engineered females, in contrast to what Coyne found in 1985 in a similar setting to test 166 sterility where the homozygous X chromosomes failed to cause sterility as the dominance 167 theory predicted. Orr's experiment convincingly demonstrated that recessive defects 168 could indeed cause Haldane's rule for inviability in the species pair of D. simulus and D. 169 *teissieri* (Orr, 1993a). In the same year, Orr provided a mathematical interpretation how a 170 partial recessive incompatibility could cause Haldane's rule for inviability (Orr, 1993b). 171 He declared that a modified version of the dominance theory could explain Haldane's rule for inviability. In 1995, Turelli and Orr followed up with an additional mathematical 172 173 elaboration (Turelli and Orr, 1995). In 2000, Turelli and Orr further expanded the

-8-

174	applicability of this theory to hybrid sterility (Turelli and Orr, 2000). A third point was
175	also added into the composite theory by Orr and Turreli (2000), which was that different
176	mechanisms not only operate coincidentally, they also operate collectively to cause
177	Haldane's rule. These two papers (Turelli and Orr, 1995; Turelli and Orr, 2000) are
178	deemed to be the mathematical validation of the dominance theory.
179	The claim that because Haldane's rule has multiple genetic bases, it therefore has
180	multiple causes was never seriously challenged and extensively tested. Up to now,
181	investigators often equate the cause of Haldane's rule and the genetic bases of Haldane's
182	rule, and use the cause and the genetic bases of Haldane's rule interchangeably (Orr,
183	1993b; Turelli, 1998). It has become the dominant belief in the field that Haldane's rule
184	consists of multiple subdivisions that require different explanations (Orr, 1993a; Orr,
185	1997; Turelli, 1998; Wu, 1992; Wu and Davis, 1993). It was announced that the cause of
186	Haldane's rule is a solved problem, what remained to be done was "about the genes that
187	cause postzygotic isolation" and direct genetic analyses assessing X-linked recessivity in
188	hybrids (Turelli, 1998).
189	I disagree. My disagreement towards the composite theory is based on the
190	following two reasons. First, I believe that the founders of the composite theory are

191 confused about the genetic bases and the cause of Haldane's rule. From the very

192 beginning since the birth of Haldane's rule, the quest to search for the mechanism that

193 causes Haldane's rule had been mainly focusing on a unitary genetic mechanism that

194 offers a general explanation (Dobzhansky, 1937; Haldane, 1932; Muller, 1940; Muller,

195 1942; Muller and Pontecorvo, 1942). Based on the evidence before Coyne's study (1985),

196 Muller's dominance theory seemed to be a quite reasonable proposition – an *X*-autosome

-9-

197	imbalance with X-linked recessive defects could indeed cause $F_1$ sterility/inviability in
198	the heterogametic but not in the homogametic sex. However, there has been no evidence
199	whatsoever that has proven that it is only a genetic mechanism(s) should be the cause of
200	Haldane's rule. The genetic cause of inferiority does not necessarily have to be the <i>cause</i>
201	of Haldane's rule. Haldane's rule always has genetic bases of a certain form(s), but it is
202	quite different from Haldane's rule as a 'rule' caused by certain genetic cause. Wu's
203	analysis and Orr's critical experiment and mounting evidence from many authors
204	convincingly demonstrated that Haldane's rule has multiple genetic bases. The logic that
205	Haldane's rule has to be caused by multiple mechanisms because of the presence of
206	multiple genetic bases in different cases is simply a fallacy used to justify the founders'
207	own theories.
208	What is more interesting is that through such reasoning (Orr, 1993b; Turelli,
209	1998; Wu and Davis, 1993), heterogamety became a non-essential part of Haldane's rule.
210	At least in the faster male theory, it is the sex, not the heterogamety, to be considered to
211	be the cause of Haldane's rule. The fact that Haldane's rule has been such an amazing
212	natural phenomenon is largely because its association with heterogamety and wide
213	applicability in broad taxa. The heterogamety and wide applicability both disappeared
214	under the composite theory (well probably not totally disappeared, heterogamety is
215	invoked when needed such as in the dominance theory under some dubious
216	presumptions).
217	Even more curiously, while non-unitary genetic causes was used as the evidence
010	for multiple courses of Heldone's rule a machanism other than consting is the factor

219 male theory – a theory about evolutionary dynamics, was first to be invoked (Wu, 1992;

-10-

Wu and Davis, 1993). The dominance theory, on the other hand, is a theory about the
cytogenetic bases. It would a big case to prove if one wanted to claim that these two
mechanisms (plus others) at different levels (The dominance theory is about cytogenetics
and the faster male theory is about population dynamics) could operate together and
produce Haldane's rule – such a strikingly consistency in nature across broad taxa. This
issue seems easily resolved by declaring Haldane's rule as a coincident caused by
multiple mechanisms. And that leads to my second point.

227 Second, the composite theory lacks testability. By declaring Haldane's rule as a 228 coincident caused by multiple mechanisms, the founders of the composite theory relieved 229 themselves from the heavy burden of proof. Nobody bothered to prove or convince others 230 why Haldane's rule has to be a coincident except for the previous failure of finding a 231 unitary genetic mechanism. The reasoning and analysis leading to the composite theory at 232 best provided some corroborating and circumstantial evidences. Corroborating and 233 circumstantial evidences would be everywhere if one looks for them (Popper, 1963). That 234 was exactly what the founders of the composite theory did when they formulate their 235 theories. The corroborating and circumstantial evidences for the composite theory include 236 the faster male theory and the dominance theory (Orr, 1993a; Orr, 1997; Turelli, 1998; 237 Wu, 1992; Wu and Davis, 1993), the two that need the composite theory to justify their 238 own righteousness.

I found this kind of reasoning and generalization rather troublesome. The
dominance theory was proposed by Muller as the general explanation of Haldane's rule.
Coyne's experiment (1885) convincingly dismissed the possibility of the dominance
theory as the general explanation by demonstrating that the same incompatibility causing

-11-

243	male sterility failed to cause female sterility in the otherwise same genetic background.
244	Even if one might agree with the view that Haldane's rule for sterility and for inviability
245	are indeed different entities and have different causes, Orr's results only prove the
246	existence of dominance effects that could cause $F_1$ hybrid inviability in one cross. It is far
247	from proving the dominance effects as the general cause of Haldane's rule for inviability!
248	Another troublesome point is that in the dominance theory Turreli and Orr
249	elaborated, the dominance/recessiveness relationship on X alleles was devised as a special
250	case of postzygotic isolation known as BDM incompatibilities (Orr, 1996). Even if one
251	might agree with the view that Haldane's rule for inviability indeed had its own cause
252	that was different from other subdivisions, why would not then those other forms of $X$ -
253	autosome BDM isolation, which do not have dominance/recessive defects on the X but
254	could cause sex-biased inviability in $F_1$ , evolve during speciation? Why must BDM
255	incompatibilities with X-linked partial recessive defects be the pervasive form of X-
256	autosome BDM isolation in causing sex-biased inviability during early speciation but
257	other forms becomes invisible? Without addressing these outstanding questions, how can
258	the dominance theory be "correct" in explaining Haldane's rule for inviability?
259	So far, the only other test for the composite theory outside of cytogenetics is the
260	test for the faster male theory, which cannot stand alone and is not a theory about
261	heterogamety. The faster male theory cannot adequately explain why homogametic male
262	traits did not evolve faster and produce the reversal Haldane's rule, <i>i.e.</i> $F_1$ homogametic
263	sterility, in female heterogametic species such as butterflies and birds. An ad hoc
264	presumption was again made: the sterility component of Haldane's rule might be further

-12-

subdivided, and Haldane's rule for sterility in male heterogametic species and in female
heterogametic species may have different causes (Wu and Davis, 1993).

267 With the declaration of Haldane's rule as a coincidence caused by multiple 268 mechanisms, the composite theory becomes a theory too good to be true - it has an 269 enormous explanatory power to apply to practically any case of Haldane's rule. By 270 adopting multiple alternating theories at different levels, none of which need to stand 271 alone to prove the case, the composite theory becomes unfalsifiable and irrefutable. If 272 Haldane's rule in a certain instance cannot be explained by the dominance theory, then it 273 might be explained by the faster male theory; if it cannot be explained by either, then it 274 must be explained by some other mechanisms, identified or yet to be identified. This is a 275 theory that never fails. With such approach, just about any phenomenon or puzzle in 276 nature can be explained or solved by a "composite" theory of some sort. What is the use 277 of such a bulletproof and invincible theory for the advancement of science, and for the 278 advancement of speciation genetics? Karl Popper once wrote: "Irrefutability is not a 279 virtue of a theory" (Popper, 1963). Is the composite theory really a scientific theory? 280 I challenge the founders and proponents of the composite theory to prove the 281 composite theory as a theory testable, refutable and falsifiable, rather than a theory as the 282 ultimate truth for explaining Haldane's rule.

In short, the composite theory was proposed to provide *ad hoc* presumptions to justify the faster male theory and the dominance theory, as a consequence of the failure to find a unitary genetic cause of Haldane's rule. The presumptions that the composite theory represents have not be tested and validated. I believe the composite theory does

-13-

287	not possess testability.	falsifiability.	and refutability	v that a real	scientific theory	requires.
					~~~~~	,

and should be abandoned!

20	$\mathbf{n}$
- 2.8	9

291

# 290 **References:**

- Cline, T.W., and Meyer, B.J., 1996. Vive la difference: males vs females in flies vs
   worms. Annu Rev Genet 30, 637-702.
- Coyne, J.A., 1985. The genetic basis of Haldane's rule. Nature 314, 736-8.
- 295 Coyne, J.A., 1992. Genetics and speciation. Nature 355, 511-5.
- Coyne, J.A., and Orr, H.A., Two rules of speciation, in: Otte, D. and Endler, J. A., Eds.),
   Speciation and Its Consequences, Sinauer Associates, Sunderland, MA 1989, pp.
   180-207.
- Dobzhansky, T.G., 1937. Genetics and the origin of species. Columbia University Press,
   New York.
- Frank, S.A., 1991. Divergence of Meiotic Drive-Suppression Systems as an Explanation
   for Sex- Biased Hybrid Sterility and Inviability. Evolution 45, 262-267.
- Haldane, J.B.S., 1922. Sex-ratio and unisexual sterility in hybrid animals. J. Genet. 12,
   101-09.
- Haldane, J.B.S., 1932. The causes of evolution. Longmans Green and Co., London, New
   York.
- Heikkinen, E., and Lumme, J., 1998. The Y chromosomes of *Drosophila lummei* and *D. novamexicana* differ in fertility factors. Heredity 81, 505-13.
- Hurst, L.D., and Pomiankowski, A., 1991. Causes of sex ratio bias may account for
  unisexual sterility in hybrids: a new explanation of Haldane's rule and related
  phenomena. Genetics 128, 841-58.
- Johnson, N.A., 2000. Speciation: Dobzhansky-Muller incompatibilities, dominance and
   gene interactions. Trends Ecol Evol 15, 480-482.
- Laurie, C.C., 1997. The weaker sex is heterogametic: 75 years of Haldane's rule. Genetics
   147, 937-51.
- Muller, H.J., Bearings of the "*Drosophila*" work on systematics, in: Huxley, J. S., (Ed.),
  The new systematics, Clarendon, Oxford 1940, pp. 185-268.
- Muller, H.J., 1942. Isolating mechanisms, evolution and temperature. Biological
   Symposia 6, 71-125.
- Muller, H.J., and Pontecorvo, G., 1942. Recessive genes causing interspecific sterility
   and other disharmonies between *Drosophila melanogaster and simulans*. Genetics
   27, 157.
- 323 Orr, H.A., 1993a. Haldane's rule has multiple genetic causes. Nature 361, 532-3.
- 324 Orr, H.A., 1993b. A mathematical model of Haldane's rule. Evolution 47, 1606-11.
- Orr, H.A., 1996. Dobzhansky, Bateson, and the genetics of speciation. Genetics 144,
   1331-5.
- 327 Orr, H.A., 1997. HALDANE'S RULE. Ann. Rev. Ecol. Syst. 28, 195-218.
- Pantazidis, A.C., and Zouros, E., 1988. Location of an autosomal factor causing sterility
   in *Drosophila mojavensis* males carrying the *Drosophila arizonensis* Y
   chromosome. Heredity 60, 299-304.

- Pantazidis, A.C., Galanopoulos, V.K., and Zouros, E., 1993. An autosomal factor from
   Drosophila arizonae restores normal spermatogenesis in *Drosophila mojavensis* males carrying the *D. arizonae* Y chromosome. Genetics 134, 309-18.
- Popper, K.R., 1963. Conjectures and refutations : the growth of scientific knowledge.
   Routledge & K. Paul, London.
- Turelli, M., 1998. The causes of Haldane's rule. Science 282, 889-91.
- Turelli, M., and Orr, H.A., 1995. The dominance theory of Haldane's rule. Genetics 140,
  389-402.
- Turelli, M., and Orr, H.A., 2000. Dominance, Epistasis and the Genetics of Postzygotic
   Isolation. Genetics 154, 1663-1679.
- Wu, C.-I., 1992. A Note on Haldane's Rule: Hybrid Inviability Versus Hybrid Sterility.
   Evolution 46, 1584-1587.
- Wu, C.-I., and Davis, A.W., 1993. Evolution of postmating reproductive isolation: the
   composite nature of Haldane's rule and its genetic bases. Am. Nat. 142, 187-212.
- 345 346