

Host Cell Factors Necessary for Influenza A Infection: Meta-Analysis of Genome Wide Studies

Juliana S. Capitanio and Richard W. Wozniak

Department of Cell Biology, Faculty of Medicine and Dentistry, University of Alberta

Abstract: The Influenza A virus belongs to the Orthomyxoviridae family. Influenza virus infection occurs yearly in all countries of the world. It usually kills between 250,000 and 500,000 people and causes severe illness in millions more. Over the last century alone we have seen 3 global influenza pandemics. The great human and financial cost of this disease has made it the second most studied virus today, behind HIV.

Recently, several genome-wide RNA interference studies have focused on identifying host molecules that participate in Influenza infection. We used nine of these studies for this meta-analysis. Even though the overlap among genes identified in multiple screens was small, network analysis indicates that similar protein complexes and biological functions of the host were present. As a result, several host gene complexes important for the Influenza virus life cycle were identified. The biological function and the relevance of each identified protein complex in the Influenza virus life cycle is further detailed in this paper.

Background

Influenza virus

Viruses are the simplest life form on earth. They parasite host organisms and subvert the host cellular machinery for different steps of their life cycle. One such example is the Influenza A virus, belonging to the Orthomyxoviridae family. It has a negative-sense, single-stranded, and segmented RNA genome stored in a ribonucleoprotein complex within the viral core. This complex contains the viral polymerases PB1, PB2

and PA bound to the viral genome via nucleoprotein (NP). The viral core is enveloped by a lipid membrane derived from the host cell. The viral protein M1 underlies the membrane and anchors NEP/NS2. Hemagglutinin (HA), neuraminidase (NA), and M2 proteins are inserted into the envelope, facing the viral exterior.

A diagram of the Influenza A virus life cycle from the Reactome database (1) can be seen in figure 1. To initiate infection and replication the Influenza virus binds to molecules of sialic acids on the surface of a host cell. Binding at the cell surface, the virus is internalized by receptor-mediated




Figure 1: Influenza virus life cycle. Illustration of the influenza virus replication cycle from the Reactome database (1).

endocytosis, most commonly clathrin mediated endocytosis. The low pH in the endosome promotes the fusion of the viral and endosomal membranes, releasing the viral ribonucleoprotein complexes (vRNPs) into the cytoplasm. The vRNPs, containing the viral genome coated by NPs and associated to the viral polymerases must be imported into the nucleus for transcription and replication. Nucleoprotein has been shown to possess a nuclear localization signal that is sufficient to activate the nuclear import of the vRNPs. Once in the nucleus the viral RNA will be replicated into new vRNA through a positive-sense intermediate (cRNA) and transcribed into viral messenger RNAs. The viral mRNAs can be spliced into different transcripts and they are exported from the nucleus and translated into viral proteins in the cytoplasm. Some of the viral proteins re-enter the nucleus to assemble vRNPs. Others are directed to the cell membrane through the Golgi apparatus where they form lipid rafts. The vRNPs are then also directed to the same region of the cell membrane where the budding of new viral particles occurs.

All the steps described above significantly depend on the host cell machinery, therefore characterizing the involvement of host factors in infections is of great scientific interest. It can better clarify the viral life cycle and allow the identification of important drug targets to treat the diseases caused by these infections.

Influenza virus infection occurs yearly in all countries of the world. It usually kills between 250,000 and 500,000 people and causes severe illness in millions more. Over the last century alone we have seen 3 global influenza pandemics. The great human and financial cost of this disease has made it the second most studied virus today, behind HIV (2).

Genome-wide Influenza dependency host factor screens

In order to gain new insight into the life cycle of Influenza viruses and to identify potential therapeutic targets for infection, several laboratories have focused in genome-wide screen strategies. Screens based on four different strategies were compiled for this meta-analysis (table I).

Genome-wide RNAi screening

Most of the data collected was based on genome-wide RNAi experiments, this type of screen employs systematic knock-down of known genes and evaluates the effect depletion of that given target has in infection.

The first Influenza infection RNAi screen was reported by Hao, et al in 2008 (3). This study was based on infection of *Drosophila* cells; it used a modified A/WSN/33 influenza strain capable of infecting *Drosophila* cells and producing a fluorescent reporter in infected cells (table I). Out of the 13,071 genes targeted 175 were identified as affecting reporter expression and therefore Influenza infection. A list of 130 human homologues to the 175 genes identified was used in this meta-analysis (table SI). Among these are ATP6V0D1, COX6A1 and NFX1, genes whose importance in Influenza infection was confirmed in mammalian cell systems (3).

Using genome wide RNAi screens targeting over 17,000 genes in mammalian cells other groups also investigated the importance of host factors for Influenza infection. Konig, et al (4) and Karlas, et al (5) both used the human A549 lung cell line infected with A/WSN/33 Influenza strain for their screens. Brass, et al (6) made use of an osteosarcoma cell line infected with A/PR8/34 strain of Influenza (table I). As seen in the experiments performed by Hao, et al (3) the as-

say readout for two of these screens was quantification of a virally encoded reporter protein (4) or a viral protein (6). The three screens described above (Hao, et al (3); Konig, et al (4) and Brass, et al (6)) can evaluate only part of the viral life cycle, up to the point of viral protein translation. They do not assess factors needed for viral budding or the infectivity of the produced viruses. Circumventing this problem Karlas, et al (5) evaluated the entire viral life cycle by quantifying the infectivity of viruses produced by the RNAi containing cells.

One last genome-wide RNAi screen used in this meta-analysis came from the work of Shapira, et al (7). In a different approach, this group started out by using a combination of yeast two hybrid, to detect host-viral protein interactions, and microarray, to evaluate how infection altered the expression of host genes. These identified host genes affected by Influenza viruses were then targeted by RNAi to determine their importance in infection. This screen also assessed the infectivity of viruses produced by RNAi treated cells, making it possible to evaluate the entire viral life cycle.

These screens identified hundreds of novel host factors required for Influenza infection, they are summarized in table I and table SI. Only the final results presented in each paper, after application of all statistical tests, were used in this meta-analysis (table SI).

Random homozygous gene perturbation (RHGP)

In a different perspective on the issue, Sui, et al (8) looked to identify host genes that contributed to resistance to Influenza infection. They used RHGP to generate a library of randomly silenced or overexpressed genes in MDCK cells. This library was infected with a high dose of Influenza virus (A/Udmn/72 strain) that would lead to cell death. Surviving cells presented altered expression of a gene that rendered them resistant to Influenza infection, allowing the identification of 110 such host cell factors (table I and table SI).

Viral particles proteomics

All the proteins controlling viral exit, entrance and initial replication in the host cell are thought to be contained within the viral particle. Two reports by Shaw, et al (9) and Song, et al (10) demonstrate that these viral particles contain not only viral proteins, but also several host proteins. In order to identify these host proteins packaged within the Influenza virion these two groups purified Influenza virus particles (9) or recombinant Influenza virus-like particles (10) and used mass spectrometry to identify all proteins present. Over 30 host proteins were identified in each screen, with the presence of cytoskeletal proteins been a common theme on both (table I and table SI). Identification of host proteins specifically incorporated into virions can indicate their requirement for infection, making them good targets for antiviral drugs.

Host-pathogen protein-protein interaction database (HPIDB)

Host-pathogen protein interactions have a very important role in infection. From infection initiation to the budding of new viral particles the virally encoded proteins interact with several host factors. These interactions have been described extensively in the literature and in numerous databases. The HPIDB integrates these experimental results into a single, non-redundant resource (11). It collects data on several pathogens, for this analysis all information available for Influenza virus (A/PR8/34) was downloaded from their server (12) and identified genes can be seen in table SI.

Table 1: Genome-wide data used in this meta-analysis. Description of Influenza virus host dependency factor screens and their main results.

Authors	Cell line	Viral Strain	Identified host factors	Screen type	Main affected proteins / pathways
Brass et al, 2009	U2OS	A/PR/8/34 (PR8)	120	genome-wide RNAi	endosomal acidification, vesicular trafficking, mitochondrial metabolism and RNA splicing
Konig et al, 2010	A549	A/WSN/33 with HA sequence substituted by Renilla.	295	genome-wide RNAi	kinase regulated signaling, ubiquitination and phosphatase activity
Karlas et al, 2010	A549	A/WSN/33	287	genome-wide RNAi	spliceosome, ribosome, nuclear pore complex, ATPase complex, COPI and EIF3.
Hao et al, 2008	D-Mel2	A/WSN/33 with HA substituted by VSV-G and NA by Renilla.	104	genome-wide RNAi	ATP6V0D1, COX6A 1 and NXF1
Shapira et al, 2009	HBEC	A/PR/8/34 (PR8)	616	genome-wide RNAi	RNA binding proteins, apoptosis, MAPK pathway, WNT and NF-kB signaling
Song et al, 2011	SF9	A/PR/8/34 (H1N1) containing A/Indonesia/5/2005 (H5N1) HA	37	virus-like particles proteome	cytoskeleton, translation, chaperone and metabolism
Shaw et al, 2008	Vero	A/WSN/33	36	viral particle proteome	cytoskeletal proteins, annexins, glycolytic enzymes, and tetraspanins
Sui et al, 2009	MDCK	A/Udorn/72	110	Random Homozygous Gene Perturbation	nucleic acid and protein metabolism and intracellular protein trafficking
HPIDB (Kumar et al, 2010)	not specified	A/PR/8/34 (H1N1)	421	database retrieval	translation, RNA processing, chromatin organization, glycolysis

	Brass et al, 2009	Karlas et al, 2010	Konig et al, 2010	Hao et al, 2008	Shapira et al, 2009	Sui et al, 2009	HPIDB (Kumar et al, 2010)	Shaw et al, 2008	Song et al, 2011
ARCN1									
ATP6AP1									
COPG									
NXF1									
RPS10									
RPS16									
TUBB									
ATP6V0C									
ATP6V0D1									
CD81									
COPA									
COPB2									
EIF3G									
FAU									
GAPDH									
HSP90AA1									
KPNB1									
NUP98									
PGD									
PTBP1									
RPS20									
RPS24									
RPS27A									
RPS3									
RPS4X									
RPS5									
WDR18									
ACTB									
AIG1									
AKT1									
ATF1									
ATP5B									
ATP6AP2									
ATP6V0B									
ATP6V1A									
ATP6V1B2									
BARHL2									
BZRAP1									
C14orf166									
C21orf33									
CALCOCO2									
CFL1									
CLIC4									
CLK1									
COPB1									
DCLK2									
DDX17									
EEF1A1									
EIF2AK2									
EIF3C									
EIF3D									
EIF3F									
EIF4A2									
EIF5A									
ENO1									
FAM135A									
FASN									
FBXW2									

	Brass et al, 2009	Karlas et al, 2010	Konig et al, 2010	Hao et al, 2008	Shapira et al, 2009	Sui et al, 2009	HPIDB (Kumar et al, 2010)	Shaw et al, 2008	Song et al, 2011
FGFR2									
FKBP5									
FKBP8									
FUS									
GRK6									
HAND2									
HIST1H1T									
HIST1H2BN									
HLA-A									
HNRNPU									
HSP90AB1									
HSPA8									
HSPD1									
IFNGR2									
IGSF1									
IL17RA									
ISG15									
JUN									
KRTCAP2									
LGALS3BP									
LRP1B									
LY6G6C									
MAGEA11									
MAP2K3									
MDM2									
MRPL12									
MYC									
NHP2L1									
NTSR1									
NUP153									
NUP205									
OSMR									
PAICS									
PCID2									
PEPD									
PGK1									
PHF2									
PIK3CB									
PIK3R2									
PIK3R3									
PIN1									
PLAU									
PLK3									
PPP1R14D									
PRPF8									
PSENFEN									
PTMA									
PTPRN									
PTS									
RAB10									
RAB5A									
RACGAP1									
RBCK1									
RPA1									
RPL15									
RPL23A									
RPL28									
RPL35									

	Brass et al, 2009	Kenias et al, 2010	Konig et al, 2010	Hao et al, 2008	Shapira et al, 2009	Sui et al, 2009	HPIDB (Kumar et al, 2010)	Shaw et al, 2008	Song et al, 2011
RPLP1									
RPLP2									
RPS11									
RPS14									
RPS18									
RPS2									
RUNX1									
SF3A1									
SF3B1									
SLC1A3									
SNRPD3									
SNRPF									
SNW1									
STARD5									
STX5									
SUPT6H									
THOC4									
TNK2									
TRIM25									
TRIM27									
TRIM28									
TUBA1A									
TUBA1B									
TUBB2C									
TUBB3									
UBA52									
UBB									
UBC									
XPO1									
YWHAZ									
ZMAT4									

Figure 3: Influenza host dependency factors detected in multiple genome-wide screens. Presence – absence map of genes detected in at least two different screens used in this meta-analysis (black – absent, green – present).

This indicates that the identified clusters are likely protein complexes that participate in the enriched biological processes identified. In this case: translation, translation initiation, RNA processing, vATPase complex, Golgi vesicle coating, nuclear pore complex transport, nitrogen compound metabolism and phosphoinositide 3-kinase complex. This analysis identified with high confidence the biological complexes in the host cell that were important for Influenza infection (figure 4).

Expanding analysis to all identified Influenza dependency host factors.

In order to expand our analysis to all genes identified in all different screens a new PPI network was created. Nodes in this network represented all genes present in all gene lists used in this meta-analysis. Interaction information was obtained from curated databases (13, 14) in conjunction with the interactions described at HPIDB (11).

Clustering and GO annotation enrichment analysis of this network identified the same clusters found in the high confidence network from figure 4, however expanding the identi-

fied complexes to incorporate novel nodes identified in only one screen (figures 5 and 6). Several new complexes with different biological functions were also identified in the analysis of the complete network, bringing the total of biological complexes important for Influenza infection to 17, as seen in figure 5.

Host cell protein complexes and biological processes involved in the Influenza virus life cycle.

The host-pathogen interaction network displayed in figure 5 was constructed using all genes present in this meta-analysis (table SI) and curated databases of PPIs (11, 13, 14). The resulting network contained 1,295 nodes connected by 18,452 edges. Clustering analysis identified 17 protein complexes in this network, comprised of 369 nodes highly interconnected by 9,893 edges (926 nodes remained unclustered). These protein complexes are enriched for specific GO categories, indicating their function in the cell (figure 6).

Insights into the role these protein complexes might play during infection can be obtained by correlating them to the Influenza virus life cycle. This life cycle can be summarized into the following: viral entry into the host cell, import of vRNPs into the host nucleus, transcription and replication of the viral genome, export of vRNPs from the host nucleus, and assembly and budding at the host cell plasma membrane.

Viral entry into the host cell and uncoating

Viral entry into the cell is mediated by the interaction of the viral membrane protein HA with sialic acid on the host cell's surface. This binding leads to receptor mediated endocytosis and the viral entry into the host cell in an endosome.

Several of the protein complexes identified as host dependency factors for Influenza infection likely play a role in this stage of the viral life cycle. For example, a transient PI3K activation (fig. 6, cluster 5) due to virion attachment promotes its internalization (16), while at the same time inhibiting apoptosis in the early stages of viral infection (17). Regulation of apoptosis (detected in cluster 10, fig. 6) is a common theme during the Influenza virus life cycle, with viral proteins promoting its inhibition in the initial stages of infection and its induction in later stages(18).

Endocytosis of Influenza virus also utilizes pathways used by growth factor receptors (fig. 6, cluster 12), and viral particles are sorted into the same endosomal populations as GFRs. Activation of signaling by these receptors also enhances viral uptake by the cell and later viral replication (19). Protein ubiquitination (fig. 6, cluster 2) is also required for proper sorting of GFRs into the vacuolar pathway, and it is possible this pathway also has an effect in proper sorting of Influenza virus containing vacuoles (19). Inhibition of the ubiquitin-proteasome system has been shown to impair viral entry into the cell by sequestering viruses into endocytic compartments (20).

Once the virus enters the cell through endocytosis, most of its initial trafficking within the host cell is mediated by vesicle transport. The coatamer 1 vesicle transport complex was identified as a host dependency factor in several screens (fig. 6, cluster 9) and it mediates vesicle transport from the early to the late endosome(17). Other vesicle transport factors have also been identified in cluster 15 (fig.6).

The endocytic compartment is also where viral uncoating happens, the endosomal membrane fuses with the viral membrane while the vRNPs are released into the cytoplasm





Figure 4: Highest confidence Influenza dependency host factors interaction network. Genes identified in two or more screens were used to build the interaction network presented in the center of the figure. MCODE analysis (degree cutoff = 2) identified clusters present, these are shown larger next to the respective network cluster. The main statistically significant GO annotation enrichment in each of the clusters is also indicated.

of the host cell. This membrane fusion event requires a low pH environment; this is achieved in the endosome by proton transporting V-type ATPases (clusters 10 and 17, fig. 6). The acidity found in the endosome, created by these vATPases, is also responsible for opening the viral M2 ion transporting channel, thus acidifying the viral core and releasing the vRNPs from M1 so they are free to enter the cytoplasm (21). As described above, 7 out of 17 protein complexes identified as host dependency factors in this meta-analysis are import-

ant for these initial steps of Influenza infection. It's possible that this is partially due to the design of the screens used, with 3 of the genome-wide RNAi screens only evaluating the viral life cycle until viral protein translation, therefore focusing only in these initial stages of infection.

Import of vRNPs into the host nucleus

The vRNPs that have been released into the cytoplasm must enter the nucleus for transcription and replication of the viral








1 to 17 - MCODE network clusters	Node label - gene symbol	Node color - gene list
Node size - number of lists present	Node color - gene list	Node color - gene list
Edge color - database	■ 2 or more lists	■ Shapira, <i>et al</i>
— geneMANIA	■ HPIDB	■ Karlas, <i>et al</i>
— STRING	■ Song, <i>et al</i>	■ Konig, <i>et al</i>
— HPIDB	■ Shaw, <i>et al</i>	■ Brass, <i>et al</i>
	■ Sui, <i>et al</i>	■ Hao, <i>et al</i>

Figure 5: Influenza dependency host factors interaction network. Genes identified in all screens were used to build the interaction network displayed. MCODE analysis (degree cutoff = 2) identified 17 clusters present, these are described in more detail on figure 6.

genome. Nuclear replication is very beneficial to the virus, as it gains access to the host splicing machinery, facilitates cap-snatching and increases opportunities for evasion of antiviral host responses (22).





Large structures, such as the vRNPs can only enter the cellular nucleus through translocation across nuclear pore complexes. NPC transport is mediated by the interaction of the target proteins with transport factors known as karyopherins, entrance into the nucleus is mediated by importins while nuclear export is done by exportins. The interaction between target proteins and karyopherins is mediated by short amino acid motifs present in the target proteins; nuclear localization signals (NLSs) mediate interaction with importins while nu-

clear export signals promote interactions with exportins. Viral proteins present in the vRNP (NP, PA, PB1 and PB2) contain nuclear localization signals (NLS) (21), these NLSs become apparent after the vRNP is released from the M1 viral protein, enabling them to enter the nucleus through nuclear pore complex transport pathways (cluster 4, fig 6). Newly synthesized viral proteins that are part of the vRNPs (PA, PB1, PB2 and NP) also have to be imported into the nucleus after cytoplasmic translation to assemble novel vRNP particles. These proteins interact with a range of importins for nuclear entrance and it has been shown that these importins function as chaperones for these subunits as well as chaperoning the formation of the vRNP complex itself (22).



1 to 5 - MCODE network cluster
Node label - gene symbol
Edge color - database
 — geneMANIA
 — STRIN
 — HPIDB

Node size - number of lists present
 Node color - gene list
 2 or more lists
 — Shapira, et al
 — Karlas, et al
 — Konig, et al
 — Song, et al
 — Shaw, et al
 — Brass, et al
 — Sui, et al





6 to 9 - MCODE network cluster
Node label - gene symbol

Edge color - database
 — geneMANIA
 — STRIN
 — HPIDB

Node size - number of lists present

Node color - gene list
 ■ 2 or more lists ■ Shapira, et al
 ■ HPIIDB ■ Karlas, et al
 ■ Song, et al ■ Konig, et al
 ■ Shaw, et al ■ Brass, et al
 ■ Sui, et al ■ Hao, et al





10 to 13 - MCODE network cluster
Node label - gene symbol

Edge color - database
 — geneMANIA
 — STRIN
 — HPIDB

Node size - number of lists present

Node color - gene list
 ■ 2 or more lists ■ Shapira, *et al*
 ■ HPIDB ■ Karlas, *et al*
 ■ Song, *et al* ■ Konig, *et al*
 ■ Shaw, *et al* ■ Brass, *et al*
 ■ Sui, *et al* ■ Hao, *et al*






Figure 6: Gene clusters identified in the PPI network of Influenza host dependency factors. Gene clusters identified in figure 5 are shown here in more detail. The main statistically significant GO annotation enrichment in each cluster is also indicated.

Transcription and replication of the viral genome

Once inside the nucleus the vRNPs get transcribed into mRNAs and replicated via positive sense RNAs. While the viral polymerase complex catalyzes transcription and genome replication, several host proteins play a role in these processes and can affect their efficiency.

Host RNA polymerase II (RNPII) for example (identified in fig. 6, cluster 8), when in its active state (phosphorylated Ser5 on the CTD) can bind the viral polymerase complex (21). RNAPII has also been shown to be required for transcription of viral mRNAs (17).

As mentioned previously, nuclear transcription of viral mRNAs gives it access to the host splicing machinery. The Influenza virus genome has two segments that encode two different proteins due to alternative splicing, segment 7 encodes M1 and M2 while segment 8 encodes NS1 and NS2 (or NEP). The Influenza virus uses the host cell splicing machinery to express these two proteins (cluster 1, fig. 6). At the same time viral proteins prevent the host cell from using its own splicing machinery hampering the processing of host mRNAs (21).

Nuclear export of vRNPs and viral mRNAs and translation of viral proteins.

The viral mRNAs encoding viral proteins must be exported from the nucleus for translation. Viral genomes, packaged into vRNPs also have to be exported from the nucleus for assembly of novel viral particles in the cytoplasm of the host cell. This nucleo-cytoplasmic trafficking occurs through transport across nuclear pore complexes, using different transport factors (cluster 4, fig. 6).

The export of viral mRNAs is dependent on NXF1, a known host mRNA export pathway that gets exploited by the Influenza virus. Not only does the virus hijack this pathway for export of its own mRNAs it also blocks its usage for export of host mRNAs, which are then retained in the nucleus (23). The nuclear retention of host mRNAs increases viral “cap-snatching” and inhibits the host immune response (17). Another important modulator of immune response is WNT signaling (cluster 14, fig. 6), this pathway not only affects the host immune response but also significantly impacts Influenza replication of the viral genome (7). The nuclear export of negative sense vRNPs containing the viral genome is mediated by CRM1. In order for vRNP export to occur M1 and NS2 are required. M1 can interact with the vRNA and with NS2, while NS2 then interacts with CRM1 for nuclear export (21). Interestingly, PI3K signaling (cluster 5, fig. 6) has also been shown to affect vRNP nuclear export, as well as viral mRNA transcription and translation (16).

When the viral mRNAs reach the cytoplasm they require the cellular machinery for translation (cluster 1, fig. 6). Viral infection shuts-off translation of host-proteins and enhances translation of viral proteins. This meta-analysis identified not only several genes involved in mRNA translation (cluster 1, fig. 6), but also a large cluster of translation initiation factors (cluster 3, fig. 6). It's possible that these translation initiation factors play an important role in the selectivity of virus specific translation initiation or on the inhibition of host translation initiation.

Assembly and budding of viral particles

During the last stages of the Influenza virus life cycle all viral components are transported to the host cell plasma membrane for assembly. Transport of viral proteins to these sites is dependent on several host factors. Several viral proteins get to the plasma membrane through vesicle transport pathways (cluster 15, fig. 6). The COPI complex has an important role in the transport of viral glycoproteins (cluster 9, fig. 6). The transport of vRNPs to the budding site may be mediated by its interaction with host cytoskeletal components (clusters 7 and 10, fig. 6), facilitated by the interaction of NP and M1 with actin. The last step in Influenza infection, viral budding from the host cell membrane is also dependent on the host cell cytoskeleton (17).

Other identified functions

Several other new protein complexes have been identified in this meta-analysis, whose function in the Influenza life cycle is still unknown, such as: cluster 6, glycerolipid metabolism; cluster 7, Arp 2/3 protein complex and respiratory chain; cluster 11, phosphorylation signaling; cluster 13, G protein coupled receptor signaling; cluster 16, Glutathione transferase and glycolysis. Further studies are required to determine the relevance of these results and to better define the importance of these host factors in Influenza infection.

Concluding remarks

As seen in several viruses, Influenza A takes advantage of several components of the host cell machinery for its replication. Recent advances in science have now allowed the development of genome-wide screens that can be used to investigate the importance of nearly all host genes in the viral life cycle.

Taking advantage of such technique, several screens in the past few years have evaluated genome-wide host factor dependencies for Influenza infection. This meta-analysis evaluates nine such screens to identify commonalities that point towards protein complexes that can be identified with high confidence as host dependency factors for Influenza infection.

These high confidence host dependency factors identified could be important drug targets to treat Influenza infection, aiming to alleviate the large burden brought upon global health by this virus.

Methods

This meta-analysis used results for published genome-wide screens for Influenza virus host dependency factors. The list of dependency factors collected from each screen was based on the reporting paper's final results, after results had been filtered into high confidence gene lists. Gene lists from screens performed in other species were matched to their annotated human orthologs. Screens used are detailed in table I and complete gene list can be found in table SI.

Comparison of gene list was performed using the statistical language R (24) in RStudio (25). Network analysis were done in Cytoscape (26), using the plugins geneMANIA (14), MCODE (15) and BiNGO (27). Interaction network data imported into Cytoscape was also imported from the STRING database (13).

References

1. Croft D, O'Kelly G, Wu G, Haw R, Gillespie M, Matthews L, et al. Reactome: a database of reactions, pathways and biological processes. *Nucleic Acids Res.* 2011 Jan;39(Database issue):D691-7. PubMed PMID: 21067998. Pubmed Central PMCID: PMC3013646. eng.
2. Organization WH. The influenza enigma. *Bulletin of the World Health Organization.* 2012 2012-04-30 17:02:26;90(4):245-320.
3. Hao L, Sakurai A, Watanabe T, Sorensen E, Nidom C, Newton M, et al. Drosophila RNAi screen identifies host genes important for influenza virus replication. *Nature.* 2008 Aug;454(7206):890-3. PubMed PMID: 18615016. Pubmed Central PMCID: PMC2574945. eng.
4. König R, Stertz S, Zhou Y, Inoue A, Hoffmann H, Bhattacharyya S, et al. Human host factors required for influenza virus replication. *Nature.* 2010 Feb;463(7282):813-7. PubMed PMID: 20027183. eng.
5. Karlas A, Machuy N, Shin Y, Pleissner K, Artarini A, Heuer D, et al. Genome-wide RNAi screen identifies human host factors crucial for influenza virus replication. *Nature.* 2010 Feb;463(7282):818-22. PubMed PMID: 20081832. eng.
6. Brass A, Huang I, Benita Y, John S, Krishnan M, Feeley E, et al. The IFITM proteins mediate cellular resistance to influenza A H1N1 virus, West Nile virus, and den-

- gue virus. *Cell*. 2009 Dec;139(7):1243-54. PubMed PMID: 20064371. Pubmed Central PMCID: PMC2824905. eng.
7. Shapira S, Gat-Viks I, Shum B, Dricot A, de Grace M, Wu L, et al. A physical and regulatory map of host-influenza interactions reveals pathways in H1N1 infection. *Cell*. 2009 Dec;139(7):1255-67. PubMed PMID: 20064372. eng.
 8. Sui B, Bamba D, Weng K, Ung H, Chang S, Van Dyke J, et al. The use of Random Homozygous Gene Perturbation to identify novel host-oriented targets for influenza. *Virology*. 2009 May;387(2):473-81. PubMed PMID: 19327807. Pubmed Central PMCID: PMC2674145. eng.
 9. Shaw ML, Stone KL, Colangelo CM, Gulcicek EE, Palese P. Cellular proteins in influenza virus particles. *PLoS Pathog*. 2008 Jun;4(6):e1000085. PubMed PMID: 18535660. Pubmed Central PMCID: PMC2390764. eng.
 10. Song JM, Choi CW, Kwon SO, Compans RW, Kang SM, Kim SI. Proteomic characterization of influenza H5N1 virus-like particles and their protective immunogenicity. *J Proteome Res*. 2011 Aug;10(8):3450-9. PubMed PMID: 21688770. Pubmed Central PMCID: PMC3151535. eng.
 11. Kumar R, Nanduri B. HPIDB--a unified resource for host-pathogen interactions. *BMC Bioinformatics*. 2010;11 Suppl 6:S16. PubMed PMID: 20946599. Pubmed Central PMCID: PMC3026363. eng.
 12. Host Pathogen Interaction database 2012. Available from: <http://agbase.msstate.edu/hpi/main.html>.
 13. Szklarczyk D, Franceschini A, Kuhn M, Simonovic M, Roth A, Minguez P, et al. The STRING database in 2011: functional interaction networks of proteins, globally integrated and scored. *Nucleic Acids Res*. 2011 Jan;39(Database issue):D561-8. PubMed PMID: 21045058. Pubmed Central PMCID: PMC3013807. eng.
 14. Montojo J, Zuberi K, Rodriguez H, Kazi F, Wright G, Donaldson SL, et al. GeneMANIA Cytoscape plugin: fast gene function predictions on the desktop. *Bioinformatics*. 2010 Nov;26(22):2927-8. PubMed PMID: 20926419. Pubmed Central PMCID: PMC2971582. eng.
 15. Bader GD, Hogue CW. An automated method for finding molecular complexes in large protein interaction networks. *BMC Bioinformatics*. 2003 Jan;4:2. PubMed PMID: 12525261. Pubmed Central PMCID: PMC149346. eng.
 16. Ayllon J, García-Sastre A, Hale BG. Influenza A viruses and PI3K: are there time, place and manner restrictions? *Virulence*. 2012 Jul;3(4):411-4. PubMed PMID: 22722241. Pubmed Central PMCID: PMC3478246. eng.
 17. Watanabe T, Watanabe S, Kawaoka Y. Cellular networks involved in the influenza virus life cycle. *Cell Host Microbe*. 2010 Jun;7(6):427-39. PubMed PMID: 20542247. Pubmed Central PMCID: PMC3167038. eng.
 18. Herold S, Ludwig S, Pleschka S, Wolff T. Apoptosis signaling in influenza virus propagation, innate host defense, and lung injury. *J Leukoc Biol*. 2012 Jul;92(1):75-82. PubMed PMID: 22345705. eng.
 19. Meliopoulos VA, Andersen LE, Birrer KF, Simpson KJ, Lowenthal JW, Bean AG, et al. Host gene targets for novel influenza therapies elucidated by high-throughput RNA interference screens. *FASEB J*. 2012 Apr;26(4):1372-86. PubMed PMID: 22247330. Pubmed Central PMCID: PMC3316894. eng.
 20. Khor R, McElroy LJ, Whittaker GR. The ubiquitin-vacuolar protein sorting system is selectively required during entry of influenza virus into host cells. *Traffic*. 2003 Dec;4(12):857-68. PubMed PMID: 14617349. eng.
 21. Samji T. Influenza A: understanding the viral life cycle. *Yale J Biol Med*. 2009 Dec;82(4):153-9. PubMed PMID: 20027280. Pubmed Central PMCID: PMC2794490. eng.
 22. Hutchinson EC, Fodor E. Nuclear import of the influenza A virus transcriptional machinery. *Vaccine*. 2012 May. PubMed PMID: 22652398. ENG.
 23. Satterly N, Tsai PL, van Deursen J, Nussenzveig DR, Wang Y, Faria PA, et al. Influenza virus targets the mRNA export machinery and the nuclear pore complex. *Proc Natl Acad Sci U S A*. 2007 Feb;104(6):1853-8. PubMed PMID: 17267598. Pubmed Central PMCID: PMC1794296. eng.
 24. Team RC. A Language and Environment for Statistical Computing. 2012.
 25. RStudio. RStudio: Integrated development environment for R (Version 0.96.331). 0.96.331 ed2012.
 26. Smoot ME, Ono K, Ruscheinski J, Wang PL, Ideker T. Cytoscape 2.8: new features for data integration and network visualization. *Bioinformatics*. 2011 Feb;27(3):431-2. PubMed PMID: 21149340. Pubmed Central PMCID: PMC3031041. eng.
 27. Maere S, Heymans K, Kuiper M. BiNGO: a Cytoscape plugin to assess overrepresentation of gene ontology categories in biological networks. *Bioinformatics*. 2005 Aug;21(16):3448-9. PubMed PMID: 15972284. eng.

Table S1: Gene lists used in this meta-analysis. Complete list of host factors necessary for Influenza infection identified in each different genome-wide screens.

Brass et al		Shapira et al		Karlas et al		Konig et al		Hao et al		Sui et al		HPIDB		Shaw et al		Song et al	
Symbol	ID	Symbol	ID	Symbol	ID	Symbol	ID	Symbol	ID	Symbol	ID	Symbol	ID	Symbol	ID	Symbol	ID
AHCY	191	ACP2	53	ACACA	31	ACTC1	70	ARCN1	372	ACAP2	23527	SEPT1	1731	ACTB	60	ACTB	60
ABCD1	215	ACTN2	88	ABCC6	368	ACVR2A	92	ATP5B	506	ADAM20	8748	ABLIM1	3983	AKR1B1	231	ACTG1	71
XIAP	331	Adam8	101	ARCN1	372	ADRA1B	147	ATP5C1	509	AKT1	207	ACOT9	23597	ANXA1	301	ARF1	375
ARCN1	372	ADCY7	113	ASPA	443	ADRBK2	157	ATP6V0C	527	ANKS1A	23294	ACTA2	59	ANXA11	311	ARF6	382
ASAH1	427	AMHR2	269	ATP1A2	477	AKT1	207	ATP6AP1	537	ARID1B	57492	ACTG2	72	ANXA2	302	ARPC1A	10552
ATF1	466	ATF4	468	ATP6V1A	523	ANPEP	290	CCT6A	908	BACH1	571	ADAR	103	ANXA4	307	ARPC1B	10095
ATP1A3	478	Cacna1a	773	ATP6V1B2	526	APOA1	335	CHEK1	1111	BCL2	596	ALDOA	226	ANXA5	308	ARPC2	10109
ATP5F1	515	CALM	805	ATP6V0C	527	APP	351	COX6A1	1337	BMPR2	659	ARIH1	25820	CD59	966	ARPC3	10094
ATP5I	521	CAMK2G	818	ATP6AP1	537	AQP4	361	EIF1AX	1964	BPTF	2186	ATF1	466	CD81	975	ARPC4	10093
ATP6V0B	533	CISH	1154	B2M	567	ARAF	369	EIF4A2	1974	BTBD8	284697	ATP5B	506	CD9	928	ARPC5	10092
ATP6AP1	537	clu	1191	OPN1SW	611	ARCN1	372	EIF5	1983	C21orf33	8209	ATXN2L	11273	CFL1	1072	CSNK2A1	1457
BUB1B	701	COL1A1	1277	RUNX1	861	ATP6V1A	523	FAU	2197	C4orf32	132720	BANP	54971	CNP	1267	CSNK2A2	1459
CACNB4	785	copA	1314	CD47	961	ATP6V1B2	526	HMGCR	3156	CHM	1121	BASP1	10409	DBI	1622	EIF5A	1984
RUNX1	861	klf6	1316	CD48	962	ATP6V0C	527	HSPA8	3312	CIP29	84324	BCAP29	55973	DSTN	11034	FABP3	2170
CEACAM7	1087	Atf2	1386	CD58	965	ATP6V0B	533	EIF3E	3646	CLIP1	6249	BHLHB2	8553	ENO1	2023	GABRR1	2569
CLK3	1198	Csf2	1437	CD81	975	ATP6AP1	537	KRAS	3845	CLNS1A	1207	BLZF1	8548	FASN	2194	GAPDH	2597
CLN5	1203	csnk1a1	1452	CDKN1B	1027	BCL3	602	MAN2A2	4122	COX5A	9377	C10orf35	219738	GAPDH	2597	GLRX	2745
COPA	1314	CYLD	1540	CEL	1056	BMPR1B	658	MAT2A	4144	CRLS1	54675	C10orf96	374355	GGT1	2678	GSTA2	2939
COPB1	1315	cyp2j2	1573	CHRM1	1128	CAD	790	ALDH6A1	4329	CSK	1445	C14orf166	51637	GPC4	2239	GSTM2	2946
CPN2	1370	Dlx2	1746	CHUK	1147	CAMK2B	816	CNOT3	4849	CSNKID	no data	C16orf45	89927	HSPB1	3315	GSTO2	119391
DHX8	1659	ducp5	1847	CKS1B	1163	CAPN6	827	NTSR1	4923	DDX17	10521	C1orf94	84970	ITGB1	3688	GSTT2	2953
DMD	1756	elk1	2002	AP2M1	1173	CD81	975	NUP98	4928	DDX58	23586	C22orf28	51493	PGK1	5230	HSP90AA1	3320
DYNC111	1780	EP300	2033	CLK1	1195	CDK4	1019	P4HA1	5033	DEDD2	162989	CALCOCO1	57658	PKM2	5315	HSP90AB1	3326
DSC3	1825	EPHA4	2043	CNGB1	1258	CLK1	1195	PEPD	5184	DENND1B	163486	CALM1	801	PRDX1	5052	HSP90B1	7184
EIF2S1	1965	Acsl4	2182	PLK3	1263	PLK3	1263	PGD	5226	DPYD	1806	CALM2	805	S100A11	6282	MYL2	4633
EIF4A2	1974	FASN	2194	COPA	1314	COL2A1	1280	PLXNA2	5362	DYRK1A	1859	CALM3	808	TAGLN	6876	PIN1	5300
EPRS	2058	FGFR2	2263	COPB1	1315	COPA	1314	PSMB1	5689	FAM13B1	51306	CALR	811	TPM1	7168	PTP4A1	7803
ERCC4	2072	FKBP5	2289	CRY2	1408	CREB1	1385	PSMB3	5691	FAM13C1	220965	CBS	875	TPM3	7170	PTP4A2	8073
FCGR2A	2212	GOLGA3	2802	CRYAA	1409	CRHR1	1394	PSMB4	5692	FBXL17	64839	CCDC33	80125	TPM4	7171	PTP4A3	11156
FOXE1	2304	Gpd2	2820	CTNNB1	1499	CSE1L	1434	PSMB6	5694	FHIT	2272	CCT5	22948	TUBA1A	7846	RPLP1	6176
FLNC	2318	GRB2	2885	CYP17A1	1586	CSNK1G2	1455	PSMC1	5700	FKBP5	2289	CDC42EP4	23580	TUBB	203068	RPLP2	6181
FUS	2521	HLA-A	3105	DBT	1629	CTSG	1511	PSMC3	5702	GLCE	26035	CDC73	79577	UBB	7314	RPS24	6229
GJA3	2700	HLA-G	3135	DLG2	1740	CTSW	1521	PSMD11	5717	GNL3L	54552	CEP70	80321	UCHL1	7345	RPS27A	6233
GSK3A	2931	NR4A1	3164	E2F1	1869	DAPK3	1613	PSMD12	5718	GOLGA4	2803	CFL1	1072	WDR1	9948	SYBL1	6845
HIST1H1T	3010	ICAM1	3383	EEF1A1	1915	DHCR7	1717	RAB1A	5861	GON4L	54856	CHD1	1105			TRUB2	26995
HNRNPU	3192	IRF8	3394	EPHB6	2051	DIO1	1733	RAB5A	5868	GRK6	2870	CHMP1B	57132			TUBA1B	10376
LFNG	3955	Ifit2	3433	FAU	2197	TRDMT1	1787	DPF2	5977	HEATR7A	727957	CHMP6	79643			TUBA1C	84790
LRPAP1	4043	IFNGR2	3460	GDF10	2662	DSP	1832	RET	5979	HERC6	55008	CKB	1152			TUBA3C	7278
SH2D1A	4068	IGFBP6	3489	GCLC	2729	DUSP3	1845	RPL5	6125	IQGAP1	8826	CMTM5	116173			TUBA3D	113457
MFAP1	4236	IL15RA	3601	GNRH2	2797	MARK2	2011	RPL15	6138	KDSR	2531	COL4A3BP	10087			TUBB	203068
MPG	4350	Irak1	3654	GRIN2C	2905	ENG	2022	RPL23A	6147	KIAA1033	23325	CPSF1	29894			TUBB1	81027
ATP8	4509	Irf1	3659	GSTM4	2948	EPHA7	2045	RPL28	6158	KIAA1107	23285	CPSF4	10898			TUBB2A	7280
MYBL2	4605	irf2	3660	GTF2H3	2967	EPHB2	2048	RPLP2	6181	KIDINS220	57498	CREB3	10488			TUBB2B	347733

MYO1E	4643	irf6	3664	HPGD	3248	EPHB4	2050	MRPL12	6182	LRRC16A	55604	CRX	1406			TUBB2C	10383
NAGA	4668	Itpkb	3707	HSF4	3299	F13A1	2162	RPS2	6187	LSM4	25804	CRYAB	1410			TUBB3	10381
NDUFB1	4707	junb	3726	HSPD1	3329	FGFR1	2260	RPS3	6188	MARK3	4140	CSDA	8531			TUBB4	10382
NDUFB8	4714	Kras	3845	TNC	3371	FGFR2	2263	RPS3A	6189	MBOAT2	129642	CTR9	9646			TUBB8	347688
NDUFB9	4715	LAMA5	3911	IFNA7	3444	FGFR4	2264	RPS4X	6191	MDN1	23195	DDB1	1642			UBA52	7311
NHP2L1	4809	LGALS3BP	3959	IFNAR2	3455	FLT3	2322	RPS5	6193	MRPL42	28977	DDX17	10521			VAMP1	6843
NOS3	4846	Igals9	3965	IFNGR2	3460	FLT4	2324	RPS6	6194	N4BP2	55728	DDX3X	1654			VAMP2	6844
NUP98	4927	Imna	4000	IGSF1	3547	AFF2	2334	RPS8	6202	NDRG3	57446	DDX3Y	8653			VAMP3	9341
NUP98	4928	Smad5	4090	IK	3550	FNTB	2342	RPS9	6203	NDUFA7	4701	DHX15	1665			VAMP4	8674
PCSK5	5125	SMAD7	4092	IL1A	3552	FOLH1	2346	RPS10	6204	NDUFAF2	91942	DHX30	22907			VAMP5	10791
PGD	5226	MAGEA11	4110	IRF2	3660	FPR1	2357	RPS11	6205	NOTUM	147111	DHX9	1660			VAMP8	8673
PIGH	5283	Mfap1	4236	JUN	3725	FRK	2444	RPS13	6207	NPNT	255743	DKFZp686D0972	345651			VPS28	51160
PIP	5304	Cxcl9	4283	KCNJ12	3768	FRAP1	2475	RPS14	6208	OLA1	29789	DOCK8	81704			YWHAZ	7534
PLP1	5354	MYC	4609	KNG1	3827	G6PD	2539	RPS15A	6210	OOG5	no data	DVL2	1856			ZNF347	84671
PPARA	5465	NBN	4683	KIF11	3832	GABBR1	2550	RPS16	6217	PAPOLA	10914	DVL3	1857				
PRCC	5546	Neu1	4758	KPNB1	3837	GAK	2580	RPS17	6218	PC	5091	DYNLL2	140735				
PRSS8	5652	NF1	4763	LGALS2	3957	GJA8	2703	RPS18	6222	PCMT1	5110	EEF1A1	1915				
PTBP1	5725	NFE2L1	4779	MAN2B1	4125	GRK5	2869	RPS20	6224	PEX5L	51555	EEF1A2	1917				
PTBS1	5725	NFIL3	4783	MATN3	4148	GRK6	2870	RRBP1	6238	PIK3C3	5289	EEF2	1938				
PTPRA	5786	NFKB1	4790	MDM2	4193	GSK3B	2932	SCD	6319	PKD2L2	27039	EIF2AK2	5610				
PTS	5805	NFKBIA	4792	MSRA	4482	GSR	2936	TAF12	6883	PLAU	5328	EIF2B4	8890				
PVALB	5816	Nfkbie	4794	MST1R	4486	HRAS	3265	TDG	6996	PLCB1	23236	EIF2C1	26523				
RAB5A	5868	OAS1	4938	MYC	4609	HSP90AA1	3320	UQCRC2	7385	PLEC1	5339	EIF2S2	8894				
RNH1	6050	pck2	5106	MYOD1	4654	HTR2A	3356	VCP	7415	POLK	51426	EIF3D	8664				
RPS4X	6191	PDGFA	5154	NAIP	4671	IGSF1	3547	ZNF84	7637	PRKD3	23683	EIF3G	8666				
RPS16	6217	PGD	5226	NPAS1	4861	IL5RA	3568	EIF3B	8662	PTBP1	5725	EIF5A	1984				
ST8SIA1	6489	pik3c2a	5286	NTHL1	4913	IL9R	3581	EIF3C	8663	RAD51L1	5890	EIF5A2	56648				
SLC1A3	6507	PIK3CD	5293	NUP98	4928	ITGA2B	3674	EIF3D	8664	REV3L	5980	EIF5AL1	143244				
SLC2A2	6514	PIK3R2	5296	SERPINB2	5055	ITGA3	3675	EIF3F	8665	RFNG	5986	ELAVL1	1994				
SNRPB	6628	Prkca	5578	PDGFRL	5157	JAK2	3717	EIF3G	8666	RFX3	5991	ENO1	2023				
SNRPD2	6633	Mapk11	5600	PEPD	5184	JUN	3725	EIF3H	8667	RGNEF	64283	ENY2	56943				
SNRPD3	6634	MAPK13	5603	PHF2	5253	KCNJ3	3760	RNMT	8731	RGS2	5997	ERH	2079				
SRP54	6729	Map2k3	5606	SERPINA1	5265	KCNJ11	3767	ATP6V0D1	9114	RPA1	6117	EXOSC8	11340				
THRSP	7069	PRKY	5616	PIK3C2G	5288	KCNMA1	3778	HAND2	9464	SEMA3A	10371	EZR	7430				
TPSAB1	7177	psmb9	5698	PIK3CB	5291	KPNB1	3837	PSMD6	9861	SF3A3	10946	FAU	2197				
TSTA3	7264	PTPN11	5781	PIN1	5300	LIMK1	3984	AMMECR1	9949	SLC25A25	114789	FBL	2091				
TUFT1	7286	RBBP6	5930	PLAU	5328	LTK	4058	NUP153	9972	SLC30A9	10463	FLNB	2317				
UBE2A	7319	TRIM27	5987	PLD2	5338	MDM2	4193	THOC4	10189	SLIRP	81892	FUS	2521				
UBE2E1	7324	Rnase4	6038	POLR2H	5437	MAP3K11	4296	TIMM17B	10245	SNW1	22938	FXR2	9513				
ZNF16	7564	RNASEL	6041	POLR2L	5441	NHP2L1	4809	STUB1	10273	SOSTDC1	25928	GABPB2	2553				
ZNF132	7691	RXRG	6258	MAP2K3	5606	NPY1R	4886	NXF1	10482	SPINT2	10653	GAPDH	2597				
ZNF154	7710	CCL3	6348	PRPS1	5631	NTRK1	4914	YK16	10652	SSH3	54961	GLYAT	10249				
ZNF224	7767	Sdc4	6385	PSAP	5660	NTRK2	4915	RAB10	10890	STAT3	6774	GMCL1	64395				
LZTR1	8216	SHC1	6464	PSMA1	5682	ROR2	4920	RNPS1	10921	STIP1	10963	GNB1	2782				
TMEM187	8269	SLC1A3	6507	PSMC6	5706	NTSR1	4923	COPG	22820	STXBP1	6812	GNB2	2783				
FZD8	8325	SLC7A1	6541	PSMD2	5708	PAK2	5062	CLUAP1	23059	SUPT3H	8464	GNB3	2784				

PIP4K2B	8396	SORL1	6653	PTPRN	5798	PAK3	5063	NUP205	23165	SUZ12	23512	GNB4	59345				
TCAP	8557	SUPT6H	6830	RBM3	5935	PCCB	5096	SCFD1	23256	TAPT1	202018	GOLGA2	2801				
B4GALT2	8704	SVIL	6840	RPS3	6188	PDK3	5165	DDAH1	23576	TASP1	55617	GRPEL1	80273				
B3GALT2	8707	SYK	6850	RPS5	6193	PHF2	5253	NUP62	23636	UBR2	23304	H1FX	8971				
CRADD	8738	Tbcd	6904	RPS10	6204	PKD1	5310	PPP1R15A	23645	VPS33A	65082	H2AFJ	55766				
HRK	8739	TCF20	6942	RPS14	6208	POLA1	5422	MRPL22	29093	WWP2	11060	H2BFS	54145				
RAB7L1	8934	TFAP2A	7020	RPS16	6217	PRKACA	5566	WAC	51322	YLPM1	56252	HERC5	51191				
MPZL1	9019	TFAP2C	7022	RPS24	6229	PRKCD	5580	FZR1	51343	ZFAND3	60685	HIST1H1A	3024				
SART1	9092	tgfbr1	7046	RPS27A	6233	PRKCI	5584	EIF3I	51386	ZFH3	463	HIST1H1T	3010				
USP6	9098	UBC	7316	SAFB	6294	MAPK1	5594	ARID4B	51742	ZNF7	7553	HIST1H2AC	8334				
BUB3	9184	UMPS	7372	SARS	6301	MAP2K2	5605	SEC61A2	55176			HIST1H2AD	3013				
COPB2	9276	WNT5A	7474	SCNN1D	6339	MAP2K3	5606	VAC14	55697			HIST1H2AE	3012				
EFTUD2	9343	Xbp1	7494	SELPLG	6404	MAP2K5	5607	PCID2	55795			HIST1H2AG	8969				
ONECUT2	9480	ZIC1	7545	SFTPBB	6439	EIF2AK2	5610	NXT2	55916			HIST1H2AH	85235				
APBA3	9546	ZKSCAN1	7586	SLC12A4	6560	PSMD1	5707	RPTOR	57521			HIST1H2AI	8329				
ATP6V1G1	9550	TRIM25	7706	SNRP70	6625	PTMA	5757	RFX7	64864			HIST1H2AJ	8331				
MTFR1	9650	TRIM26	7726	SNRPF	6636	PTPRM	5797	AAGAB	79719			HIST1H2AK	8330				
PLCH2	9651	ZNF217	7764	SON	6651	PTPRN	5798	ZBTB3	79842			HIST1H2AL	8332				
ZNF432	9668	VPS24	7844	TRIM21	6737	PTS	5805	BICC1	80114			HIST1H2BB	3018				
KIAA0391	9692	HMGA2	8091	SSTR5	6755	PRPH2	5961	RAB1B	81876			HIST1H2BC	8347				
AQR	9716	C21orf33	8209	SUPT6H	6830	RING1	6015	ATPBD4	89978			HIST1H2BD	3017				
KIAA0652	9776	stk24	8428	TCF3	6929	ROCK1	6093	CDC149	91050			HIST1H2BD	3017				
FAM38A	9780	PIK3R3	8503	TFE3	7030	RPS6KA2	6196	C20orf54	113278			HIST1H2BE	8344				
SPCS2	9789	bhlhe40	8553	TK2	7084	RPS10	6204	OSBPL1A	114876			HIST1H2BF	8343				
PHYHIP	9796	OASL	8638	WNT9A	7483	RPS20	6224	HIST2H3C	126961			HIST1H2BH	8345				
NUPL1	9818	RIPK2	8767	XPNPEP1	7511	SCN3A	6328	C9orf85	138241			HIST1H2BI	8346				
IQSEC1	9922	TNFRSF6B	8771	XPO1	7514	SCN8A	6334	DCP2	167227			HIST1H2BJ	8970				
DCLRE1A	9937	Riok3	8780	DAP3	7818	SCNN1G	6340	KRTCAP2	200185			HIST1H2BK	85236				
TRIM28	10155	TNFRSF10D	8793	BRPF1	7862	CCL13	6357	ANKS6	203286			HIST1H2BL	8340				
NUTF2	10204	SYNJ1	8867	LHX3	8022	SGCA	6442	PHACTR1	221692			HIST1H2BM	8342				
RBM14	10432	Elf2s2	8894	ARD1A	8260	SGK1	6446	C3orf23	285343			HIST1H2BN	8341				
OLFM1	10439	WASF1	8936	AXIN1	8312	SIAH2	6478	LIN9	286826			HIST1H2BO	8348				
NXF1	10482	RPS6KA4	8986	HIST1H2BN	8341	SMARCD3	6604	BARHL2	343472			HIST1H4A	8359				
SLC35A1	10559	OSMR	9180	NCK2	8440	SUMO2	6613	RSPH4A	345895			HIST1H4B	8366				
PRPF8	10594	Bub3	9184	EIF3A	8661	FSCN1	6624	NUP43	348995			HIST1H4C	8364				
SLC17A3	10786	RPS6KA5	9252	EIF3C	8663	SNRNP70	6625	RPL13P12	388344			HIST1H4D	8360				
CPLX1	10815	CYTH2	9266	EIF3F	8665	SNRPA1	6627	RPS9	388556			HIST1H4E	8367				
HPSE	10855	GPR56	9289	EIF3G	8666	CDKL5	6792	EIF3F	390282			HIST1H4F	8361				
RAB10	10890	Tceal1	9338	SIGLEC5	8778	STX5	6811	HSPA5	400750			HIST1H4H	8365				
COPS6	10980	FADS2	9415	TNFRSF18	8784	TEAD3	7005	EIF2AK4	440275			HIST1H4I	8294				
SF3B2	10992	elf2ak3	9451	VNN2	8875	TPT1	7178	RPS7P3	440732			HIST1H4J	8363				
ERLIN2	11160	Adams1	9510	NAE1	8883	TXK	7294					HIST1H4L	8368				
INMT	11185	MICAL2	9645	BAIAP3	8938	SUMO1	7341					HIST2H2AA3	8337				
AKAP11	11215	KIAA0406	9675	ARTN	9048	VEGFB	7423					HIST2H2AA4	723790				
CBX2	12416	RAPGEF2	9693	ATP6V0D1	9114	MAP3K12	7786					HIST2H2AC	8338				
ITGA11	22801	KIAA0226	9711	LARGE	9215	NUP214	8021					HIST2H2BE	8349				

COPZ1	22818	mtss1	9788	BZRAP1	9256	HIST3H3	8290				HIST2H2BF	440689				
COPG	22820	TK1	9874	COPB2	9276	RAD54L	8438				HIST2H4A	8370				
RBM34	23029	CLEC2B	9976	MED14	9282	CDC42BPA	8476				HIST2H4B	554313				
MCF2L	23263	Snupn	10073	SLC22A6	9356	CDK10	8558				HIST3H2A	92815				
SF3B3	23450	ptpru	10076	LONP1	9361	KHSRP	8570				HIST3H2BB	128312				
SF3B1	23451	Rasgrp2	10235	SLC9A3R1	9368	STX10	8677				HLA-A	3105				
GCAT	23464	CALCOCO2	10241	ISG15	9636	SYNGAP1	8831				HLA-DRA	3122				
ETHE1	23475	SPRY1	10252	CLSTN3	9746	CFLAR	8837				HLA-DRA	3122				
RPL13A	23521	TRIM22	10346	EIF4A3	9775	ATP6V0D1	9114				HLA-DRB1	3123				
ADAT1	23536	NOD1	10392	HARBI1	9776	RABEP1	9135				HLA-DRB1	3123				
BACE1	23621	Tab1	10454	TRIM14	9830	DYRK1B	9149				HMBOX1	79618				
IFIT5	24138	NXF1	10482	LPPR4	9890	PCSK7	9159				HNRNPA0	10949				
SAMM50	25813	RBCK1	10616	FGF19	9965	OSMR	9180				HNRNPA1	3178				
ZNF473	25888	IVNS1ABP	10625	MED6	10001	DCLK1	9201				HNRNPA2B1	3181				
CNOT10	25904	GMEB1	10691	RANBP9	10048	RAB11B	9230				HNRNPC	3183				
CHMP2B	25978	pold3	10714	TRAP1	10131	DLG5	9231				HNRNPL	3191				
PRPF31	26121	mthfd2	10797	ATP6AP2	10159	BZRAP1	9256				HNRNPR	10236				
C14orf109	26175	WASF3	10810	TNK2	10188	COPB2	9276				HNRNPU	3192				
FBXO22	26263	rab40b	10966	DHRS2	10202	MAP4K4	9448				HNRPA3	220988				
SIGLEC9	27180	KIF2C	11004	PSMD14	10213	HAND2	9464				HNRPAB	3182				
SULT1C4	27233	li24	11009	SIGMAR1	10280	ADAMTS2	9509				HNRPD	3184				
GPKOW	27238	PRAF2	11230	SF3A1	10291	CLOCK	9575				HNRPDL	9987				
PDLIM3	27295	stk38	11329	KATNB1	10300	CDC42BPB	9578				HNRPF	3185				
MOCS3	27304	WDR37	22884	BAIAP2	10458	AATK	9625				HNRPH1	3187				
RAB30	27314	DAAM1	23002	TIMM44	10469	IKBKE	9641				HNRPH2	3188				
ANGPTL3	27329	ipin1	23175	NXF1	10482	OXR1	9943				HNRPH3	3189				
NT5C	30833	Rftn1	23180	FBXW10	10517	NUP153	9972				HNRPK	3190				
TRIM17	51127	PHF3	23469	PRPF8	10594	CHAF1A	10036				HNRPUL1	11100				
C5orf45	51149	ZFYVE26	23503	PAICS	10606	SAE1	10055				HOOK1	51361				
CYB5R4	51167	RPL13AP7	23521	TBL3	10607	PPIF	10105				HRNR	388697				
FAM13B	51306	ifit5	24138	CXCR6	10663	HIPK3	10114				HSD17B10	3028				
CRNKL1	51340	CCRN4L	25819	AHCYL1	10768	TRIM28	10155				HSP90AA1	3320				
C14orf166	51367	TMEM186	25880	TXNL4A	10907	ATP6AP2	10159				HSP90AB1	3326				
VPS54	51542	CLIC4	25932	CENTA1	11033	RBM5	10181				HSPA1L	3305				
PIGT	51604	TBC1D10B	26000	NUDT4	11163	TNK2	10188				HSPA6	3310				
GINS2	51659	c14orf109	26175	RPL35	11224	OPRS1	10280				HSPA8	3312				
LRP1B	53353	FBXW2	26190	COPE	11316	SF3A1	10291				HSPD1	3329				
CNTN5	53942	alg6	29929	FKBP9	11328	APC2	10297				IGF2BP1	10642				
NDUFB11	54539	cutC	51076	COPG	22820	TUBB3	10381				IGF2BP2	10644				
NDE1	54820	copz2	51226	SNW1	22938	ERN2	10595				IGF2BP3	10643				
SLC41A3	54946	TAOK3	51347	MYT1L	23040	RBCK1	10616				IKZF3	22806				
CDK5RAP2	55755	PCYOX1	51449	NUP205	23165	NFAT5	10725				ILF2	3608				
TBC1D23	55773	Pcf11	51585	STAB1	23166	PLK4	10733				ILF3	3609				
MBNL3	55796	NBAS	51594	KIAA0664	23277	NEK6	10783				IRS4	8471				
PCDHGA1	56114	Isr	51599	LARP1	23367	CD3EAP	10849				ISG15	9636				
PPAN	56342	inpp5k	51763	MLYCD	23417	CIT	11113				JTV1	7965				

TMEM167B	56900	PION	54103	SF3B1	23451	IRAK3	11213				KCNRG	283518				
C11orf60	56912	Fam35a	54537	ABCB10	23456	AKAP13	11214				KHDRBS1	10657				
NUP107	57122	Ing3	54556	TRAM1	23471	COPG	22820				KHDRBS3	10656				
SCYL3	57147	zcchc8	55596	SRRM2	23524	SMG1	23049				KIAA1143	57456				
WDR18	57418	Polr3b	55703	PIK3R5	23533	TBC1D1	23216				KIAA1967	57805				
ZNF492	57615	KBTBD4	55709	CHST5	23563	UBR4	23352				KPNA1	3836				
CWC22	57703	LIN37	55957	IL17RA	23765	NUDCD3	23386				KPNA3	3839				
LSM2	57819	ccn1	57018	FKBP8	23770	KIAA0999	23387				KPNA6	23633				
C19orf29	58509	PELI1	57162	PART1	25859	PIP5K1C	23396				KPNB1	3837				
UBL5	59286	Zmiz1	57178	CNRIP1	25927	TNPO3	23534				LDHB	3945				
ZNF350	59348	ZNF512B	57473	CLIC4	25932	CCRK	23552				LENG8	114823				
DCLRE1B	64858	KIAA1609	57707	HERC4	26091	DAPK2	23604				LEO1	123169				
FAM173A	65990	Scpep1	59342	FBXW2	26190	IL17RA	23765				LGALS3BP	3959				
FN3KRP	79672	Sav1	60485	CNNM1	26507	FKBP8	23770				LNx2	222484				
TBL1XR1	79718	rtp4	64108	ATP2C1	27032	HECTD1	25831				LYPLA1	10434				
ZNF552	79818	PLA2G2F	64600	TRIB2	28951	CACNG4	27092				LZTS2	84445				
TMEM62	80021	USP46	64854	FHOD1	29109	STK39	27347				MAGEA11	4110				
FHOD3	80206	ARMCX5	64860	RACGAP1	29127	HIPK2	28996				MAGEA12	4111				
LY6G6C	80740	RSRC2	65117	TBX21	30009	C16orf72	29035				MAGEA6	4105				
STARD5	80765	CHAC1	79094	KCNIP3	30818	TBK1	29110				MAGED1	9500				
PRRT1	80863	hectd3	79654	AIG1	51390	RACGAP1	29127				MAPK9	5601				
GDPD5	81544	ZMAT4	79698	SNX9	51429	ANAPC2	29882				MARCKS	4082				
C6orf62	81688	TNIP3	79931	RAB6B	51560	NRBP1	29959				MATR3	9782				
RPS6KL1	83694	ULBP1	80329	SF3B14	51639	HUNK	30811				MDH2	4191				
FRMD8	83786	STARD5	80765	LRP1B	53353	ST6GALNAC6	30815				MEOX2	4223				
PCGF6	84108	TLR10	81793	NLE1	54475	PIK3R4	30849				MGC16075	84847				
ZNF414	84330	tcf7l1	83439	FLJ11235	54508	MINK1	50488				MIF	4282				
ALG10	84920	l兹ts2	84445	PCDH18	54510	TXNDC11	51061				MIPOL1	145282				
SELI	85465	IL1F10	84639	APBB1IP	54518	NAGPA	51172				MLH1	4292				
CCDC74A	90557	ABCC10	89845	PPP1R14D	54866	02-Mar	51257				MOV10	4343				
PAGE5	90737	IL33	90865	SMU1	55234	AIG1	51390				MRPL12	6182				
ESAM	90952	PLCD3	113026	ITLN1	55600	TRPV2	51393				MTAP	4507				
CCDC74B	91409	AHNAK2	113146	TRERF1	55809	PRKAG2	51422				MYH10	4628				
YTHDC1	91746	Apoa5	116519	PSENE1	55851	C20orf111	51526				MYH14	79784				
MYOCD	93649	Il31ra	133396	DMAP1	55929	ADAMTSL4	54507				MYH9	4627				
TGS1	96764	LOC285830	285830	SULF2	55959	PPP1R12C	54776				MYL6	4637				
BIRC8	112401	NLRP10	338322	NXF3	56000	PPP1R14D	54866				MYO1C	4641				
C21orf82	114036	NLRP14	338323	RETN	56729	C2orf42	54980				NCALD	83988				
CARD16	114769	INCA1	388324	C21orf7	56911	C1orf159	54991				NCAPH2	29781				
STK11IP	114790			XAB2	56949	PANK4	55229				NDUFS3	4722				
NOSTRIN	115677			RNF150	57484	NAGK	55577				NEFH	4744				
ZNF653	115950			HEG	57493	SLC48A1	55652				NISCH	11188				
SFXN2	118980			FAM135A	57579	USE1	55850				NKRF	55922				
CCDC78	124093			CRAMP1L	57585	PSENE1	55851				NOL5A	10528				
RAVER1	125950			ZBTB2	57621	PBK	55872				NPM1	4869				
EVC2	132884			SNX6	58533	STK31	56164				NRF1	4899				

SAMD8	142891		BACH2	60468	IL1F9	56300			PABPC1	26986				
C22orf15	150248		AKTIP	64400	ANKRD7	56311			PABPC4	8761				
NFXL1	152518		ENGASE	64772	KCNK12	56660			PABPN1	8106				
SLC36A2	153201		P2RY12	64805	UBQLN4	56893			PAF1	54623				
AMOTL1	154810		RBM42	79171	CABC1	56997			PAICS	10606				
ATP6V0E2	155066		LASS4	79603	AGTRAP	57085			PARP1	142				
ZNF567	163081		CCDC51	79714	GOPC	57120			PCBP1	5093				
C1orf55	163859		FLJ23554	79864	WDR18	57418			PCBP2	5094				
SLU7	193116		C10orf57	80195	NLGN4X	57502			PCBP3	54039				
MLKL	197259		LY6G6C	80740	MIB1	57534			PCID2	55795				
SPAG17	200162		AMN	81693	TAOK1	57551			PFN1	5216				
KRTCAP2	200185		FERMT3	83706	FAM135A	57579			PGAM1	5223				
C2orf69	205327		PRSS27	83886	MID1IP1	58526			PGAM2	5224				
C11orf82	220042		TSSK6	83983	RAB17	64284			PGAM4	441531				
CADM2	239857		USP42	84132	VPS16	64601			PGK1	5230				
STAC3	246329		MORG1	84292	NADK	65220			PIK3CA	5290				
TCTEX1D2	255758		ZNF512	84450	EPS8L3	79574			PIK3CB	5291				
TPRX1	284355		USMG5	84833	ROGDI	79641			PIK3R1	5295				
CXorf59	286464		LINGO1	84894	LRRK1	79705			PIK3R2	5296				
CALCOCO2	303479		LRP11	84918	CBLL1	79872			PIK3R3	8503				
C1orf222	339457		ATCAY	85300	CXorf21	80231			PLAC8	51316				
LOC339524	339554		PAQR8	85315	ZNF436	80818			PNMA1	9240				
FREM2	341640		CCNB3	85417	SGK196	84197			POLR2A	5430				
			KCNK17	89822	WDR34	89891			PPIA	5478				
			NYD-SP25	89882	FAM104B	90736			PPP1CA	5499				
			GGTLC2	91227	G6PC3	92579			PPP1CB	5500				
			DERL3	91319	FBXO44	93611			PPP1CC	5501				
			NEK9	91754	ACRC	93953			PPP2R5C	5527				
			C19orf20	91978	FOXQ1	94234			PRDX6	9588				
			DUSP27	92235	LIMS3	96626			PRKRA	8575				
			MEX3A	92312	DTX2	113878			PRPF6	24148				
			B3GNT7	93010	PALM2	114299			PTBP1	5725				
			CYP2U1	113612	CSMD3	114788			PTMA	5757				
			GPR146	115330	OSBPL6	114880			QTRT1	81890				
			FCHO2	115548	PTPMT1	114971			RABGEF1	27342				
			C14orf172	115708	ALPK2	115701			RALY	22913				
			RFFL	117584	TOP1MT	116447			RAN	5901				
			AGAP4	119016	GPR62	118442			RARA	5914				
			SPATA2L	124044	C14orf28	122525			RBMX	27316				
			ACVR1C	130399	CANT1	124583			RBPM5	11030				
			C3orf31	132001	OR10H4	126541			RNF5	6048				
			PASD1	139135	UBXN10	127733			RP11-78J21.1	144983				
			C21orf121	150142	C5orf38	153571			RPA1	6117				
			DCLK2	166614	DCLK2	166614			RPL11	6135				
			TRIM60	166655	PRSS35	167681			RPL12	6136				
			DTX3	196403	TUBB	203068			RPL14	9045				

			PAOX	196743	HIPK1	204851				RPL15	6138				
			STXBP4	252983	BRWD3	254065				RPL17	6139				
			ANKK1	255239	SYCE2	256126				RPL18	6141				
			SPRYD4	283377	KSR2	283455				RPL19	6143				
			KIAA1267	284058	RPL36AP49	284230				RPL21	6144				
			NEK8	284086	KLK9	284366				RPL22	6146				
			UBAC2	337867	DUPD1	338599				RPL23	9349				
			MGC48998	339512	SLC6A19	340024				RPL23A	6147				
			BARHL2	343472	UNCX	340260				RPL24	6152				
			CA13	377677	ENTPD8	377841				RPL26	6154				
			LOC401431	401431	SUMO4	387082				RPL26L1	51121				
			FLJ25758	497049	RP11-45B20.2	387911				RPL27A	6157				
			ZNF37B	100129482	NF1L2	401007				RPL28	6158				
			VTRNA3P	100144435	OR51T1	401665				RPL3	6122				
					LOC440396	440396				RPL30	6156				
					MAP1LC3C	440738				RPL31	6160				
					LOC441239	441239				RPL32	6161				
					OR4M1	441670				RPL34	6164				
					ZNF862	643641				RPL35	11224				
					LOC653712	653712				RPL36A	6173				
					LOC728683	728683				RPL36AL	6166				
					LOC730974	730974				RPL37A	6168				
										RPL38	6169				
										RPL4	6124				
										RPL6	6128				
										RPL7	6129				
										RPL7A	6130				
										RPL8	6132				
										RPLP0	6175				
										RPLP0-like	220717				
										RPLP1	6176				
										RPS10	6204				
										RPS11	6205				
										RPS12	6206				
										RPS16	6217				
										RPS18	6222				
										RPS19	6223				
										RPS2	6187				
										RPS20	6224				
										RPS21	6227				
										RPS24	6229				
										RPS26	6231				
										RPS27A	6233				
										RPS3	6188				
										RPS4X	6191				
										RPS5	6193				

												UBC	7316				
												UBE2I	7329				
												UBE2L6	9246				
												UPF1	5976				
												UROS	7390				
												USHBP1	83878				
												USP10	9100				
												USP11	8237				
												WDR18	57418				
												WDR6	11180				
												XPO1	7514				
												XRN2	22803				
												YBX1	4904				
												YIPF6	286451				
												YWHAB	7529				
												YWHAE	7531				
												YWHAG	7532				
												YWHAQ	10971				
												YWHAZ	7534				
												ZBTB25	7597				
												ZMAT3	64393				
												ZMAT4	79698				
												ZNF346	23567				