## REMARK ON THE PAPER "ON THE EIGENVALUES OF THE WITTEN-LAPLACIAN ON COMPACT RIEMANNIAN MANIFOLDS " BY Q.-M. CHENG AND L. ZENG

## S. ILIAS

On April 11, 2013, a preprint was posted on arXiv by Q.-M. Cheng and L. Zeng [1], about eigenvalues of the Witten-Laplacian acting on functions. However, it is very well known that the Witten Laplacian

$$\Delta_f := \Delta + < \nabla f, . >$$

on a compact measure metric space  $(M, g, e^{-f} dv)$  is unitarily equivalent to the Schrödinger operator  $\Delta + \frac{1}{2}\Delta f + \frac{1}{4}|\nabla f|^2$  on (M, g) and it has thus the same spectrum (see for instance [6]). Therefore, all the results of this above mentioned preprint are immediate consequences of that concerning the Schrödinger operator  $\tilde{\Delta}_f := \Delta + \frac{1}{2}\Delta f + \frac{1}{4}|\nabla f|^2$  on (M, g) already obtained in the papers [2, 3, 4, 5, 7], provided replacing the potential q or Vin that papers by  $\frac{1}{2}\Delta f + \frac{1}{4}|\nabla f|^2$  (obviously, this is in particular, the case for the self shrinkers).

Using the same observation of unitary equivalence above, we also note that a lot of published results concerning eigenvalues of the Laplace-Witten operator, can be deduced from that concerning Schrödinger operators.

## References

- Q.-M. Cheng and L. Zeng, Eigenvalues of the Witten-Laplacian on compact Riemannian manifolds. arXiv: math. DG/1304.3212v1.
- [2] A. El Soufi and S. Ilias, Second eigenvalue of Schrödinger operators and mean curvature. Comm. Math. Phys., 208: 761–770, 2000.
- [3] A. El Soufi, E. M. Harrell, II, and S. Ilias, Universal inequalities for the eigenvalues of Laplace and Schrödinger operators on submanifolds. *Trans. Amer. Math. Soc.*, 361 (5): 2337–2350, 2009.
- [4] S. Ilias and O. Makhoul, "Universal" inequalities for the eigenvalues of the Hodge de Rham Laplacian. Ann. Global Anal. Geom., 36 (2): 191–204, 2009.
- [5] S. Ilias and O. Makhoul, A generalization of a Levitin and Parnovski Universal inequality for eigenvalues. J. Geom. Anal., 22: 206–222, 2012.
- [6] A. G. Setti, Eigenvalue estimates for the weighted Laplacian on a Riemannian manifold. Rend. Sem. Mat. Univ. Padova., 100: 27–55, 1998.
- [7] Q. Wang and C. Xia, Universal bounds for eigenvalues of Schrödinger operator on Riemannian manifolds. Ann. Acad. Scient. fennicae math., 33: 319–336, 2008.

## SAID ILIAS

Université F. Rabelais, Dép. de Mathématiques, Tours ilias@univ-tours.fr

Date: 13/04/13.