

***Plasmodium falciparum* Hsp70-x:
A Heat Shock Protein at the Host - Parasite Interface**

Rowan Hatherley¹, Gregory L. Blatch² and Özlem Tastan Bishop^{1,3*}

¹Rhodes University Bioinformatics (RUBi), Department of Biochemistry, Microbiology and Biotechnology, Rhodes University, Grahamstown, 6140, South Africa

²College of Health & Biomedicine, Victoria University, Melbourne, Victoria 8001, Australia

³Biological Sciences and Bioengineering, Faculty of Engineering and Natural Sciences, Sabanci University, Istanbul 34956, Turkey

Running title: *Plasmodium falciparum* Hsp70-x

*Address correspondence to this author at Rhodes University Bioinformatics (RUBi), Department of Biochemistry, Microbiology and Biotechnology, Rhodes University, Grahamstown, 6140, South Africa; Tel: +27-46-603-8956, Fax: +27-46-622-3984. E-mail: o.tastanbishop@ru.ac.za

Abstract

Plasmodium falciparum 70 kDa heat shock proteins (PfHsp70s) are expressed at all stages of the pathogenic erythrocytic phase of the malaria parasite lifecycle. There are six PfHsp70s, all of which have orthologues in other plasmodial species, except for PfHsp70-x which is unique to *P. falciparum*. This paper highlights a number of original results obtained by a detailed bioinformatics analysis of the protein. Large scale sequence analysis indicated the presence of an extended transit peptide sequence of PfHsp70-x which potentially directs it to the endoplasmic reticulum (ER). Further analysis showed that PfHsp70-x does not have an ER-retention sequence, suggesting that the protein transits through the ER and is secreted into the parasitophorous vacuole (PV) or beyond into the erythrocyte cytosol. These results are consistent with experimental findings. Next, possible interactions between PfHsp70-x and exported *P. falciparum* Hsp40s or host erythrocyte DnaJs were interrogated by modeling and docking. Docking results indicated that interaction between PfHsp70-x and each of the Hsp40s, regardless of biological feasibility, seems equally likely. This suggests that J domain might not provide the specificity in the formation of unique Hsp70-Hsp40 complexes, but that the specificity might be provided by other domains of Hsp40s. By studying different structural conformations of PfHsp70-x, it was shown that Hsp40s can only bind when PfHsp70-x is in a certain conformation. Additionally, this work highlighted the possible dependence of the substrate binding domain residues on the orientation of the α -helical lid for formation of the substrate binding pocket.

Keywords

Plasmodium; J domain; Hsp70-Hsp40 complex; homology modeling; protein-protein docking

Introduction

Recent efforts at combating malaria have led to the number of annual deaths caused by this disease finally falling below the one million mark (Campbell & Steketee, 2011). Yet, the control of malaria is limited by resistance of the parasite to available drugs; thus there is continuous research to identify new drug targets and validate potential antimalarial compounds. Recently, heat shock proteins (Hsps) have received much attention as potential drug targets (Akide-Ndunge *et al.*, 2009; Banumathy, Singh, Pavithra, & Tatu, 2003; Chiang *et al.*, 2009; Kumar, Musiyenko, & Barik, 2003; Ramya, Surolia, & Surolia, 2006; Shonhai, 2010). There is evidence that despite the high levels of conservation, Hsps from the same family have sufficient structural and functional differences to be selectively targeted (Pesce, Cockburn, Goble, Stephens, & Blatch, 2010). Furthermore, highly conserved Hsps are often essential for cell survival, and therefore likely to evolve relatively slowly, making them less susceptible to variation under selection pressure. It is these features that make Hsps such as the 70 kDa family (Hsp70) attractive drug targets.

The most virulent malaria parasite, *Plasmodium falciparum* (*P. falciparum*), has six Hsp70 (PfHsp70) proteins, three of which are believed to be localised in the cytosol (PfHsp70-1), in the endoplasmic reticulum (PfHsp70-2) and in the mitochondria (PfHsp70-3) of the parasite (Sargeant *et al.*, 2006). In 2012, PfHsp70-x, a second cytosolic protein, was shown to be exported to the host erythrocyte cytosol (Külzer *et al.*, 2012). Phylogenetic analysis of PfHsp70-y and PfHsp70-z, believed to localise in the ER and cytosol, respectively, revealed them to be closely related to Hsp110s of other organisms (Shonhai, Boshoff, & Blatch, 2007). Recently, Muralidharan, Oksman, Pal, Lindquist, and Goldberg (2012) characterised PfHsp70-z (named PfHsp110c), showing its role in suppressing protein aggregation during heat stress. Furthermore, knock-down of the PfHsp70-z gene left the parasite unable to survive at high temperatures, making this protein an attractive drug target. PfHsp70-1 has

been biochemically characterised and is mainly localised in the cytosol and nucleus of the parasite. It has been shown to display chaperone functions, in both *in vitro* and *in vivo* assays (Matambo, Odunuga, Boshoff, & Blatch, 2004; Shonhai, Boshoff, & Blatch, 2005; Shonhai, Botha, de Beer, Boshoff, & Blatch, 2008). PfHsp70-1 is a ubiquitous, highly abundant protein, expressed at all stages of the erythrocytic phase of the parasite's lifecycle (Shonhai *et al.*, 2007). PfHsp70-1 has been considered as a potential drug target, and small molecule inhibitors specific for PfHsp70-1 have recently been identified (Cockburn *et al.*, 2011).

PfHsp70-x, with 74% sequence identity to PfHsp70-1, was first detected in 1989 (Kun & Muller-Hill, 1989), as a clone which reacted positively to sera from malaria immune patients during immunological screening. Yet, the expression of the protein was only confirmed in 2009 (Acharya *et al.*, 2009). The findings suggested that the expression of PfHsp70-x is linked to the pathogenic stages of the parasite's life cycle, as it had never been detected in laboratory strains. Recently, PfHsp70-x was shown to be partly exported to the host erythrocyte, and partly present in the parasitophorous vacuole (PV) (Külzer *et al.*, 2012), the parasite's membrane bound compartment, which is an important passageway to transport parasite encoded proteins into the host erythrocyte (Lingelbach & Joiner, 1998). It was reported that there are 49 PfHsp40s encoded on the *P. falciparum* genome, of which 18 are predicted to be exported into the erythrocyte (Njunge, Ludewig, Boshoff, Pesce, & Blatch, 2013). Two of the PfHsp40s, PfA and PfE, (PFA0660w and PFE0055c respectively) shown to be exported (Külzer *et al.*, 2010), have also been found to occur in a common complex with PfHsp70-x (Külzer *et al.*, 2012). Generally, the function of Hsp70 is largely linked to its ability to bind and release peptide substrates in an ATP-dependent cycle with help of Hsp40s and nucleotide exchange factors (NEFs) (Dragovic, Broadley, Shomura, Bracher, & Hartl, 2006; Harrison, Hayer-hartl, Liberto, Hartl, & Kuriyan, 1997; Hartl & Hayer-Hartl, 2002; Mayer & Bukau, 2005).

Hsp70s are structurally divided into two major domains: the 45 kDa N-terminal ATPase domain, which regulates the 25 kDa C-terminal substrate binding domain (SBD). The SBD is further sub-divided into a β -domain, containing the substrate binding pocket, and an α -helical lid, located closest to the C-terminus of the protein (Strub, Zufall, & Voos, 2003; Wang, Chang, & Wang, 1993). The SBD and the ATPase domain are joined by a flexible linker region, believed to facilitate inter-domain communication which has been found to be essential to Hsp70 function (Han & Christen, 2001).

At the interface of host - parasite interaction, PfHsp70-x has an important role, yet it is by far the less well-studied of the two cytosolic PfHsp70s, and therefore, it is important to analyse PfHsp70-x in detail. The interest of this paper is to investigate whether PfHsp70-x is a potential drug target by performing a detailed comparative bioinformatics analysis. The study was divided into two parts: 1) *Large scale sequence analysis*: PfHsp70-x was compared with other Hsp70s of *Plasmodium*, Apicomplexa and eukaryotes. To overcome the limitations of handling large data, we proceeded with an unconventional method of using consensus sequences, to simplify the alignments and make it easier to compare different groupings of sequences, as well as identify highly conserved sites. The investigation included sequence features of PfHsp70-x that are predicted to be involved in the interaction with associated proteins and peptide substrates during the ATPase cycle. 2) *Structural analysis*: PfHsp70-x was modeled with J domains of potential *Plasmodium* and human Hsp40 (PfHsp40 and HsHsp40 respectively) co-chaperons. Docking studies were also performed and compared to the homology models. Both aimed at an attempt to better understand the interactions that would aid with targeting the complexes towards anti-malarial drug design. To the authors' knowledge, docking and modeling studies for PfHsp70-x-J-domain complex calculations were not done previously. Further, PfHsp70-x was modeled in three different conformations representing different stages of ATPase cycle to understand the conformational dynamics of

the protein. A number of novel results were obtained, including analysis of the Hsp70-Hsp40 complexes in the dynamics of ATPase cycle, for the first time.

Methodology

Data Retrieval

The sequences of PfHsp70-1, PfHsp70-x, PfHsp70-2 and PfHsp70-3 (accession numbers: PF08_0054, MAL7P1.228, PFI0875w and PF11_0351 respectively) were retrieved from PlasmoDB (The Plasmodium Genome Database Collaborative, 2001). Using PfHsp70-1 and PfHsp70-x, PfHsp70-2 and PfHsp70-3, cytosolic (C-Hsp70), the endoplasmic reticulum (ER-Hsp70) and the mitochondrial (Mt-Hsp70) Hsp70s were searched respectively by NCBI-BLAST (Altschul *et al.*, 1997). An additional 89 sequences were retrieved, making up prokaryotic, eukaryotic, apicomplexan and plasmodial groups, for each type of Hsp70 (see S1). Sequence analyses included 13 eukaryote (non-apicomplexan), 9 apicomplexan (non-plasmodial) and 4 plasmodial (non-*falciparum*) C-Hsp70s; 12 eukaryote (non-apicomplexan), 6 apicomplexan (non-plasmodial), 4 plasmodial (non-*falciparum*) ER-Hsp70s; 15 eukaryote (non-apicomplexan), 8 apicomplexan (non-plasmodial), 3 *Plasmodium* (non-*falciparum*) Mt-Hsp70s as well as 15 prokaryote.

Large Scale Sequence Analysis

Sequence alignments were done using MAFFT (Katoh, Misawa, Kuma, & Miyata, 2002) and PROMALS3D (Pei, Kim, & Grishin, 2008). Alignments were performed using representative sequences from eukaryotes, Apicomplexa and *Plasmodium*, for each type of Hsp70. The results of the two alignment programs were compared. In both cases, residues were aligned identically, except highly un-conserved N-terminal and C-terminal regions (see S2). To be able to visualize and analyse the alignment results easily, consensus sequences were calculated. The sets of sequence alignments for Hsp70s from which the consensus sequences are calculated are given in S3A-S3J. The consensus sequences were then re-aligned for each type of Hsp70 with representatives of that Hsp70 type from *P. falciparum*. Alignments were

visualised using BioEdit (Hall, 1999). Identity calculations were performed for all possible sequence pairs in each alignment. The lowest sequence identity pair for each alignment was then recorded (Table 1). All the large scale calculations were done by Python scripting (van Rossum & de Boer, 1991).

Homology Modeling

Homology modeling was performed for **a)** PfHsp70-x in three different conformations using three different templates (PDB IDs: 1YUW, 2KHO and 3D2F), identified using HHpred (Söding, 2005) **b)** The J domains of nine different Hsp40 co-chaperons, which included three Type II PfHsp40s (PF3D7_0113700/PFA0660w, PF3D7_0201800/PFB0090c and PF3D7_0501100.1/PFE0055c, denoted as PfA, PfB and PfE, respectively), two Type I human Hsp40s (HsDnaJA1 and HsDnaJA2), two Type II human Hsp40s (HsDnaJB1 and HsDnaJB4) and two Type III human Hsp40s (HsDnaJC5 and HsDnaJC13). Templates with the following PDB IDs were used for modeling: PfA - 1HDJ, PfB - 2CTR, PfE - 2CTP, HsDnaJA1 - 2O37, HsDnaJA2 - 1HDJ, HsDnaJB1 – 1HDJ, HsDnaJB4 – 1HDJ, HsDnaJC5 – 2CTW and HsDnaJC13 – 2CTW.

Alignments of template sequences to target sequences were done using PROMALS3D (Pei *et al.*, 2008). The alignment results for PfHsp70-x modeling were compared to the results of the large scale alignment, to make sure that they are accurate and if necessary, hand adjustments were made. Modeling was performed using MODELLER 9v7 (Sali & Blundell, 1993), with slow refinement. For each protein, 100 models were built. The best three models were selected by DOPE Z score calculations. These models were further evaluated using MetaMQAPII (Pawlowski, Gajda, Matlak, & Bujnicki, 2008). Final evaluations were performed using MetaMQAPII, Verify3D (Bowie, Luthy, & Eisenburg, 1991) and ProSA (Sippl, 1993; Wiederstein & Sippl, 2007). Model quality assessment results are presented in S4.

Calculation of Protein Complexes

Hsp70-x-Hsp40 protein complexes were calculated by two different approaches; homology modeling and docking. For homology modeling, a hybrid modeling approach was used (Tastan Bishop & Kroon, 2011). Due to the low sequence identity between auxilin and the different Hsp40s being studied, a set of hybrid templates were created for modeling the Hsp70-Hsp40 complexes. First, each Hsp40 J domain was modeled separately as monomers, as described above. Each J domain was then superimposed with auxilin of template structure (PDB ID 2QWO) to replace auxillin, using PyMOL (Schrödinger, LLC). These hybrid structures were used as templates for modeling PfHsp70-x and each J protein complexes, as described above. The resulting models underwent residue repacking and were then put through 100 cycles of energy minimisation, both done using PyRosetta (Chaudhury, Lyskov, & Gray, 2010).

For molecular docking studies, the HADDOCK web server was used (de Vries, van Dijk, & Bonvin, 2010). Each J domain model was submitted, along with PfHsp70-x, to the program. Residues actively involved in binding were set as those forming the HPD motif of each J protein and residues R201, N204, T207, I246 and V419 of PfHsp70-x. No passive residues were set for each docking run. The best docked structures were ranked by HADDOCK score, the weighted sum of the van der Waals energy, electrostatic energy, desolvation energy, the energy from restraint violations and the buried surface area.

Identification of Important Residues

Important residues were identified from large scale sequence analysis, as well as biochemical data from literature. The Protein Interactions Calculator (PIC) webserver (Tina, Bhadra, & Srinivasan, 2007) was used to identify residue interactions in each protein complex. Default settings were used when submitting models to the PIC server.

Further, SBD residues in contact with α -helical lid of PfHsp70-x, modeled after template 1YUW, were also identified as follows: The SBD and α -helical lid of this PfHsp70-x model were saved to a PDB file as two separate molecules, using PyMOL. Thereafter, a python script was run, which gave each molecule a different chain identifier. This PDB file was then submitted to the PIC webserver as mentioned above in order to identify interactions between the two sub-domains. These contact residues of the SBD were then compared to those in *E. coli* DnaK, that Zhu *et al.* (1996) identified as interacting with the substrate during peptide binding.

Results and Discussion

PfHsp70-x is Atypical of Cytosolic Hsp70s

The initial part of the study was focused on large scale sequence analysis. The use of consensus sequences derived from large scale sequence alignments was found to be very useful for comparing the conservation of sequence features in different groups of related proteins. It also made it easy to identify sequence features of a protein that were distinct from features of other proteins that are supposedly related. PfHsp70-x and PfHsp70-1 were aligned with three consensus sequences of plasmodial, apicomplexan, and eukaryotic C-Hsp70s. Also included in this alignment was a consensus sequence of bacterial and archael DnaKs (Figure 1).

An initial notable feature in this alignment is that PfHsp70-x contains an extended N-terminal region that is 18 residues longer than any other C-Hsp70. An extended N-terminus is indicative of a transit peptide, which targets proteins to specific organelles (Patron & Waller, 2007). This is unusual, as C-Hsp70s usually do not have an N-terminal transit peptide sequence (Renner & Waters, 2007). It can also be seen that the *Plasmodium* consensus sequence contains a highly conserved, extended N-terminal region (Figure 1). This sequence differs to that of the PfHsp70-x. The signal peptide sequence responsible for targeting proteins to the ER has been described by von Heijne (1990) as having the following characteristics. Firstly, a positively-charged N-terminal region of up to five residues in length, followed by a hydrophobic patch of up to 15 residues in length, ending off with a more polar set of residues. PfHsp70-x contains two positively-charged residues (Lys2 and Lys4) within the first five residues of its sequence. This is followed by an unusual stretch of polar residues (Cys6, Ser7, Tyr8, His10 and Tyr11) before a stretch of eight hydrophobic residues. This region ends with 12 of the next 15 residues being polar. An alignment of

PfHsp70-x with the transit peptides described by Renner & Waters (2007), as well as two known ER-Hsp70s (human Grp78 and PfHsp70-2) (see S5), indicates that this region of PfHsp70-x has a similar distribution of amino acids to the transit peptides of these ER-Hsp70s. This indicates that the extended N-terminus of PfHsp70-x potentially directs it to the ER. Recent experimental data has confirmed that the first 24 residues of PfHsp70-x play a role as an ER-type signal sequence allowing secretion into the PV (Külzer *et al.*, 2012). The subsequent eight residues are for secretion into host cell cytosol. Although it is indicated as a unique sequence in the paper, the large scale sequence analysis showed that 3 residues (Asn28, Glu31, Ser32) of this octameric export signal is conserved among *Plasmodium* species and further residue Ala25 conserved between *P. falciparum* and *P. knowlesi* (S2-S3). Furthermore, the fact that PfHsp70-x does not have an ER-retention sequence (e.g. the SDEL found at the C-terminus of PfHsp70-2/PfBiP), is consistent with findings that suggest it transits through the ER and is secreted into the PV or beyond into the erythrocyte cytosol.

In Figure 1, the residues highlighted in dark blue indicate those found only in PfHsp70-x at their given positions. PfHsp70-x contains 123 (18%) of these residues. PfHsp70-1, by comparison, only contains 14 (2%) (highlighted in red). PfHsp70-x also contains 32 (5%) residues that are conserved in eukaryotic, but not found in other plasmodial sequences (highlighted in yellow). PfHsp70-1 contains 2 (0.3%) of such residues. The C-terminal region of the C-Hsp70s has an unconserved, glycine-rich region, often containing at least one GGMP motif. A GGMP repeat is rare in non-parasitic Hsp70s (Matambo *et al.*, 2004; Wiser, Jennings, Lockyer, van Belkum, & van Doorn, 1995) and occurred at most once in the eukaryotic C-Hsp70s considered in this research. In the apicomplexan C-Hsp70s considered, there were several repeats of this motif, most prominent in plasmodial sequences. In PfHsp70-x, however, this region is not glycine-rich and does not contain any GGMP motifs. There is a stretch of 24 residues in the C-terminal region that share no resemblance to any of

the other cytosolic proteins. Another interesting feature of PfHsp70-x is the carboxy-terminal EEVN motif, which differs to the EEVD motif, characteristic of cytosolic eukaryotic Hsp70s (Shonhai *et al.*, 2007).

Although PfHsp70-x appears to be cytosolic-like, these differences as described above indicate that it may have functions that differ to other C-Hsp70s. Thus, the analysis was extended to include all ER and Mt sequences (see S6). An indication of the level of conservation between the sequences aligned is given in Table 1, which reports the lowest sequence identity pair for each alignment. Across all alignments, each sequence was at least 50% identical to every other that was studied. The N-terminal extension of PfHsp70-x is approximately the same length as the transit peptides found in the ER-Hsp70 sequences analysed. PfHsp70-x was found to be more similar to C-Hsp70s than both ER-Hsp70s and Mt-Hsp70s. Based on the alignment, it seems that PfHsp70-x is likely to be cytosolic in origin, but is not under the same evolutionary constraints as other C-Hsp70s.

PfHsp70-x Displays Similar Interactions with Human and Parasitic Hsp40s

Hsp70-Hsp40 protein complexes have been investigated as potential drug targets in various diseases including malaria (Shonhai, 2010). There has been recent evidence which indicates that PfHsp70-x localises with PfA and PfE in structures called J dots, found within the host cytosol (Külzer *et al.*, 2012). Additionally, PfB is predicted to be exported from the parasite (Botha, Pesce, & Blatch, 2007). In this paper, the interaction of PfHsp70-x with these three Type II *P. falciparum* Hsp40 co-chaperones, as well as two of each Type I, Type II and Type III host Hsp40s, was investigated at a structural level using protein complexes, calculated through homology modeling and structural optimisation. The two host Type II Hsp40s (HsDnaJB1 and HsDnaJB4) and Type III Hsp40s (HsDnaJC5 and HsDnaJC13) have both been found to be expressed within the erythrocyte (Pasini *et al.*, 2006; van Gestel *et al.*, 2010). HsDnaJA1 and HsDnaJA2 form a type of negative control, since there is no record of

these proteins being expressed in the erythrocyte cytosol. Although, the absence of these proteins from the erythrocyte cytosol does not necessarily mean they are incapable of interacting with PfHsp70-x. Due to the low sequence identity between the auxilin J domain of the template structure, 2QWO, a set of hybrid templates were made to model each complex as explained in the methodology section. The structures were then optimised using PyRosetta, before interactions were analysed. Figure 2 shows the modeled interaction interface between PfHsp70-x and a J domain, and how the interactions of the nine sets of J domain proteins differed in the way they potentially interact with PfHsp70-x. A number of consistent interactions were observed (see S7). L411 of PfHsp70-x formed hydrophobic interactions with P12, part of the HPD motif (refer to Figure 2C, S7B and S8), in all the J domains studied. Residues L200 and R201 of PfHsp70-x formed hydrogen bonds, mainly with D13 in most proteins and residues A418 and V419 of PfHsp70-x commonly formed hydrogen bonds with K29 of the J domain. A more detailed account of these interactions are tabulated in the supplementary data S7A and S7B. These findings are mostly consistent with Jiang *et al.* (2007), however, they had reported that L200 should interact with H11 of the J domain, which was only seen in HsDnaJC5 and HsDnaJC13. This shift could be due to the variation in residues around the HPD motif of the J domain of auxilin, when compared to *P. falciparum* and human Hsp40s. An ionic interaction was predicted to occur between K420 of PfHsp70-x and acidic residues of the J domains. This was most consistently found to occur with the residue corresponding with E25 of the *P. falciparum* Hsp40s and the immediately adjacent acidic residue of the Type I human Hsp40s, HsDnaJA1 and HSDnaJA2. This interaction did not occur for either Type III host DnaJ. Ionic interactions were also predicted between K189 and R201 of PfHsp70-x and D13 of the J domain. These predicted interactions have not been previously reported. The data suggest that PfHsp70-x is capable of interacting

with all three exported Hsp40s and the set of interactions with the human Hsp40s suggests that these may also interact with PfHsp70-x in a similar manner.

The structures solved by Jiang *et al.* (2007) were determined by cross-linking the residues equivalent to R201 of PfHsp70-x and the aspartic acid of the J domain HPD motif. This was done because work by Suh *et al.* (1998) revealed that these residues are likely to interact during J domain binding. It was mentioned, however, that it was possible that the J domain could freely rotate around this covalent bond when the structure was solved and that a non-functional orientation was calculated. As such, further analysis was conducted by docking each J domain to the ATPase domain of PfHsp70-x. The active residues given to guide the docking were those previously determined to be important to J domain binding. The results presented in Figure 3 indicate the top docking result obtained for each J protein. These reveal a number of orientations that fit the criteria of binding to R201, N204 and T207 (Suh *et al.*, 1998), as well as I246 (Jiang, Prasad, Lafer, & Sousa, 2005) of PfHsp70-x. Remarkably, in all orientations, the residue D13 of the HPD motif is positioned to interact with R201, N204 and T207 and each orientation rotates around this interaction (see S9C). All docked models had good hydrophobic and electrostatic interaction energies, determined by HADDOCK when compared to other complexes that were returned. In spite of these different orientations, the local contact areas on PfHsp70-x were fairly consistent. J domain residues which appeared to be most consistently involved in binding included those of the HPD motif, as well as R4, A7, M8, K14 and F28, indicated in Figures 3B and 3C, with all conserved interactions in the supplementary data S7C and S7D. Residues A7, M8 and F28 were common in hydrophobic interactions, mostly with I246 of PfHsp70-x. D13 formed hydrogen bonds with R201, N204 and T207 of PfHsp70-x and ionic interactions with K185 and R201. K14 was also involved in a large number of interactions, forming hydrogen bonds and ionic interactions with D216, E243, D244, E248, K20 and D421 of PfHsp70-x. H11 and P12 were

found to form hydrogen bonds with F247 and R201, respectively and R4 was found to form both hydrogen bonds and ionic interactions with the adjacent residues, E243 and D244. In addition to the HPD motif, R4 has been found to be a highly conserved (R or K) and functionally important residue in many Hsp40 proteins of prokaryotic, mammalian and parasitic origin (Berjanskii *et al.*, 2000; Genevaux, Schwager, Georgopoulos, & Kelley, 2002; Hennessy, Boshoff, & Blatch, 2005; Nicoll *et al.*, 2007).

The six host Hsp40s had a 3-6 residue truncation within their J domains when compared to auxillin and the three Type II PfHsp40s considered in this study. Residues in this small loop region did display some interactions with PfHsp70-x (Figure 2B, Figure 3B). The docked models suggest this region to be more involved in the J domain-PfHsp70-x interaction than the hybrid models do. As this region does vary quite greatly in size and composition across the different J domains studied it is possible that it contributes to the specificity of this interaction. The correct interaction orientation needs to be determined, however, before this can be further investigated. This does also make it difficult to adequately compare the different groupings of Hsp40s used in this study. Although HsDnaJA1 and HsDnaJA2 were least likely to interact with PfHsp70-x (based on type and localisation), the results indicated that these were just as capable as any other Hsp40s tested. The docking results indicated that the two Type III Hsp40s tested (HsDnaJC5 and HsDnaJC13) may not bind as well as the other Hsp40s, since these displayed the fewest interactions after the HPD motif. However, without knowledge of which interactions are important to this binding process, it is difficult to comment on the significance of this difference.

The interactions observed by docking differ substantially from those present in the hybrid models. The latter of which mostly agreed with findings by Jiang *et al.* (2007). The docking results are similar only in the point of contact between the HPD motif and PfHsp70-x. Although, the residue D13 is just buried deeper within the ATPase domain interface, which

allows interactions with N204 and T207. It is possible that this orientation was hindered by the mutation and cross-linking performed by Jiang *et al.* (2007), which may further explain the weaker J domain stimulation of BvHsc70 reported for their complex. The present work suggests an interaction interface which agrees more closely with work performed by Suh *et al.* (1998). Overall, an interaction between PfHsp70-x and each of these Hsp40s seems equally likely.

Hsp40s can only bind when PfHsp70-x is in a Certain Conformation

To get an idea of which J domain binding orientations were most accurate, the docked structures were superimposed with different conformations of PfHsp70-x, modeled based on templates 1YUW and 2KHO (Figure 4). J domain binding is supposed to regulate the interaction of the SBD and the ATPase domain of Hsp70s (Jiang *et al.*, 2007). All complex models were bound in orientations which clashed with this interaction (Figure 4B; S10A). If this is a competitive interaction, it is possible that the J domain displaces the SBD when interacting with the ATPase domain. Only three of the complex models did not interfere with the SBD of PfHsp70-x in its ADP-bound state (Figure 4C; S10B). These were models of PfHsp70-x complexed with HsDnaJA2, PfB and PfE. All three of these binding orientations involve interactions with the correct PfHsp70-x residues and do not clash with the ADP-bound form of PfHsp70-x.

Substrate Binding is Dependent on the Orientation of the α -Helical Lid, Relative to the Substrate Binding Domain

Residues involved in the formation of a substrate binding pocket were identified within PfHsp70-x, based on research done by Zhu *et al.* (1996) and Mayer *et al.* (2000). These residues are identical to those found in PfHsp70-1 and all *Plasmodium* and Apicomplexa C-Hsp70s used in this study. The only residue which differed between PfHsp70-x and the eukaryotic consensus sequence was L434, which was more commonly conserved as

isoleucine. When these residues were mapped to the 3D structures of PfHsp70-x, it was revealed that the conformation of these residues changed with the structural conformation of the protein (Figure 5). The substrate binding pocket formed only when the α -helical lid of the SBD was in contact with the β sub-domain. When the lid was orientated away from the β sub-domain, the substrate binding pocket residues disassembled and the pocket closed. Another interesting effect was that the substrate-binding pocket was found to form independent of whether the SBD and ATPase domain were in contact with each other or if they were separated. As shown in (Figure 5C), even in the absence of a peptide substrate, the α -helical lid itself is bound by the SBD. This phenomenon was also found to occur in template 1YUW, used to model PfHsp70-x in this conformation. This further indicates that the orientation of the lid is important to the formation of the substrate binding pocket. The PIC webserver (Tina *et al.*, 2007), was used once again, this time to identify which residues in the SBD made contact with the α -helical lid. When compared to residues which have been found to interact with the peptide substrate during substrate binding (Zhu *et al.* 1996), the substrate contact residues of PfHsp70-x include L434, T436, V440, T442, F549, T460, Q466, G468 and I471. The residues found to interact with the α -helical lid, did include some of these residues (V440, T460 and Q466), as well as adjacent residues A437, Q457, P467 and L470. While there is some overlap, it would seem that the lid is not bound as a peptide substrate would be, indicating that it may be merely present in the substrate binding pocket which forms, rather than bound by it. There has been much work done regarding the mechanism of substrate binding in Hsp70/DnaK and the α -helical lid has been found to be important in stabilising substrate binding (Moro, Fernández-Sáiz, & Muga, 2004). It has been shown by Pellecchia *et al.* (2000) that the removal of the α -helical lid from DnaK does not abolish substrate binding or ATP-induced release of substrate. However, research by Mayer *et al.* (2000) revealed that without the α -helical lid, DnaK is unable to refold denatured

protein substrates. It has additionally been shown that the lid of DnaK will open to varying degrees to accommodate different types of substrate and will often not enclose the peptide (Schlecht, Erbse, Bukau, & Mayer, 2011). This indicates that the lid does not stabilise substrate binding by closing over the peptide substrate. The present findings for PfHsp70-x may further contribute to the understanding of the Hsp70 substrate-binding mechanism. These indicate that the residues of the SBD form a substrate binding pocket, based on the position of the alpha-helical lid, relative to the SBD. This would suggest that the role of the α -helical lid in substrate binding is an interaction with the β subdomain of the SBD, rather than the substrate itself.

Conclusion

PfHsp70-x has been found to be a highly unusual protein, when compared at an amino acid sequence level to other cytosolic Hsp70s even from the *Plasmodium* genus. Although the fact that PfHsp70-x is exported into the host erythrocyte suggests a possible interaction with exported *P. falciparum* Hsp40s or host erythrocyte DnaJs, analysis conducted in this study was unable to provide any significant differences in the way these Hsp40s may interact with PfHsp70-x. This was largely due to inconclusive findings regarding the nature of the PfHsp70-x interaction with the J domains of these proteins. The loop region right after HPD motif varies quite greatly in size and composition across the different J domains studied and it is possible that it contributes to the specificity of the interactions. However, it is also possible that the domains of Hsp40s other than J domain play a role in the formation of specific Hsp70-x-Hsp40 complexes as indicated by Kampinga and Craig (2010). Homology models of the complexes were informative to a certain extent, as the template used for modeling was a crystal structure in which complex formation was formed by cross-linking. Docking results highlighted that J domain can rotate around HPD motif and present equally likely different orientations for docking. Further, by studying different structural conformations of PfHsp70-x, it was shown that Hsp40s can only bind when PfHsp70-x is in a certain conformation. Additionally, this work highlighted the possible dependence of the SBD residues on the orientation of the α -helical lid for formation of the substrate binding pocket. Since the α -helical lid is a very variable region across Hsp70s, it may present a preferable target for drug design. Overall, the unique substitutions found across the sequence of PfHsp70-x, often in regions highly conserved in other Hsp70s, may make this protein a potential target for drug design.

Acknowledgements

RH thanks Rhodes University and National Research Foundation (NRF), South Africa, for financial support. Opinions expressed and conclusions arrived at, are those of the author and are not necessarily to be attributed to the NRF.

References

- Acharya, P., Pallavi, R., Chandran, S., Chakravarti, H., Middha, S., Acharya, J., ... Tatu, U. (2009). A glimpse into the clinical proteome of human malaria parasites Plasmodium falciparum and Plasmodium vivax. *Proteomics. Clinical Applications*, 3(11), 1314–25. doi:10.1002/prca.200900090
- Akide-Ndunge, O. B., Tambini, E., Giribaldi, G., McMillan, P. J., Müller, S., Arese, P., & Turrini, F. (2009). Co-ordinated stage-dependent enhancement of Plasmodium falciparum antioxidant enzymes and heat shock protein expression in parasites growing in oxidatively stressed or G6PD-deficient red blood cells. *Malaria Journal*, 8, 113. doi:10.1186/1475-2875-8-113
- Altschul, S. F., Madden, T. L., Schäffer, A. A., Zhang, J., Zhang, Z., Miller, W., & Lipman, D. J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Research*, 25(17), 3389–402.
- Banumathy, G., Singh, V., Pavithra, S. R., & Tatu, U. (2003). Heat shock protein 90 function is essential for Plasmodium falciparum growth in human erythrocytes. *The Journal of Biological Chemistry*, 278(20), 18336–45. doi:10.1074/jbc.M211309200
- Berjanskii, M. V., Riley, M. I., Xie, A., Semenchenko, V., Folk, W. R., & Doren, S. R. V. (2000). NMR Structure of the N-terminal J Domain of Murine Polyomavirus T Antigens. *The Journal of Biological Chemistry*, 275(46), 36094–36103. doi:10.1074/jbc.M006572200
- Botha, M., Pesce, E.-R., & Blatch, G. L. (2007). The Hsp40 proteins of Plasmodium falciparum and other apicomplexa: regulating chaperone power in the parasite and the host. *The International Journal of Biochemistry & Cell Biology*, 39(10), 1781–803. doi:10.1016/j.biocel.2007.02.011
- Bowie, J. U., Luthy, R., & Eisenburg, D. (1991). A method to identify protein sequences that fold into a known three-dimensional structure. *Science*, 253(5016), 164–70.
- Campbell, C. C., & Steketee, R. W. (2011). Malaria in Africa can be eliminated. *The American Journal of Tropical Medicine and Hygiene*, 85(4), 584–5. doi:10.4269/ajtmh.2011.11-0529
- Chaudhury, S., Lyskov, S., & Gray, J. J. (2010). PyRosetta: a script-based interface for implementing molecular modeling algorithms using Rosetta. *Bioinformatics*, 26(5), 689–91. doi:10.1093/bioinformatics/btq007
- Chiang, A. N., Valderramos, J.-C., Balachandran, R., Chovatiya, R. J., Mead, B. P., Schneider, C., ... Brodsky, J. L. (2009). Select pyrimidinones inhibit the propagation of the malarial parasite, Plasmodium falciparum. *Bioorganic & Medicinal Chemistry*, 17(4), 1527–33. doi:10.1016/j.bmc.2009.01.024
- Cockburn, I. L., Pesce, E.-R., Pryzborski, J. M., Davies-Coleman, M. T., Clark, P. G. K., Keyzers, R. A., ... Blatch, G. L. (2011). Screening for small molecule modulators of

Hsp70 chaperone activity using protein aggregation suppression assays: inhibition of the plasmodial chaperone PfHsp70-1. *Biological Chemistry*, 392(5), 431–8.
doi:10.1515/BC.2011.040

de Vries, S.J., van Dijk, M., & Bonvin, A.M.J.J. (2010). The HADDOCK web server for data-driven biomolecular docking. *Nature Protocols*, 5, 883–897.

Dragovic, Z., Broadley, S. A., Shomura, Y., Bracher, A., & Hartl, F. U. (2006). Molecular chaperones of the Hsp110 family act as nucleotide exchange factors of Hsp70s. *The EMBO Journal*, 25(11), 2519–28. doi:10.1038/sj.emboj.7601138

Genevaux, P., Schwager, F., Georgopoulos, C., & Kelley, W. L. (2002). Scanning Mutagenesis Identifies Amino Acid Residues Essential for the in Vivo Activity of the Escherichia coli DnaJ (Hsp40) J-Domain. *Genetics*, 162, 1045–1053.

Hall, T. A. (1999). BioEdit: A user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series*, 41, 95–8.

Han, W., & Christen, P. (2001). Mutations in the interdomain linker region of DnaK abolish the chaperone action of the DnaK/DnaJ/GrpE system. *FEBS Letters*, 497(1), 55–8.

Harrison, C. J., Hayer-Hartl, M., Liberto, M. D., Hartl, F., & Kuriyan, J. (1997). Crystal Structure of the Nucleotide Exchange Factor GrpE Bound to the ATPase Domain of the Molecular Chaperone DnaK. *Science*, 276(5311), 431–435.
doi:10.1126/science.276.5311.431

Hartl, F. U., & Hayer-Hartl, M. (2002). Molecular chaperones in the cytosol: from nascent chain to folded protein. *Science (New York, N.Y.)*, 295(5561), 1852–8.
doi:10.1126/science.1068408

Hennessy, F., Boshoff, A., & Blatch, G. L. (2005). Rational mutagenesis of a 40 kDa heat shock protein from Agrobacterium tumefaciens identifies amino acid residues critical to its in vivo function. *The International Journal of Biochemistry & Cell Biology*, 37, 177–191. doi:10.1016/j.biocel.2004.06.009

Jiang, J., Maes, E. G., Taylor, A. B., Wang, L., Hinck, A. P., Lafer, E. M., & Sousa, R. (2007). Structural Basis of J Cochaperone Binding and Regulation of Hsp70. *Molecular Cell*, 28(3), 422–433.

Jiang, J., Prasad, K., Lafer, E. M., & Sousa, R. (2005). Structural basis of interdomain communication in the Hsc70 chaperone. *Molecular Cell*, 20, 513–24.
doi:10.1016/j.molcel.2005.09.028

Katoh, K., Misawa, K., Kuma, K., & Miyata, T. (2002). MAFFT: a novel method for rapid multiple sequence alignment based on fast Fourier transform. *Nucleic Acids Research*, 30(14), 3059–66.

Kampinga, H. H., & Craig, E. A. (2010). The HSP70 chaperone machinery: J proteins as drivers of functional specificity. *Nature Reviews Molecular Cell Biology*, 11, 579–592.
doi:10.1038/nrm2941

Kumar, R., Musiyenko, A., & Barik, S. (2003). The heat shock protein 90 of Plasmodium falciparum and antimalarial activity of its inhibitor, geldanamycin. *Malaria Journal*, 2, 30. doi:10.1186/1475-2875-2-30

Kun, J., & Muller-Hill, B. (1989). The sequence of a third member of the heat shock protein family in Plasmodium falciparum. *Nucleic Acids Research*, 17(13), 5384.

Külzer, S., Charnaud, S., Dagan, T., Riedel, J., Mandal, P., Pesce, E. R., ... Przyborski, J. M. (2012). Plasmodium falciparum-encoded exported hsp70/hsp40 chaperone/co-chaperone complexes within the host erythrocyte. *Cellular Microbiology*, 14(11), 1784–95. doi:10.1111/j.1462-5822.2012.01840.x

Külzer, S., Rug, M., Brinkmann, K., Cannon, P., Cowman, A., Lingelbach, K., ... Przyborski, J. M. (2010). Parasite-encoded Hsp40 proteins define novel mobile structures in the cytosol of the P. falciparum-infected erythrocyte. *Cellular Microbiology*, 12(10), 1398–420. doi:10.1111/j.1462-5822.2010.01477.x

Lingelbach, K., & Joiner, K. A. (1998). The parasitophorous vacuole membrane surrounding Plasmodium and Toxoplasma: an unusual compartment in infected cells. *Journal of Cell Science*, 111, 1467–75.

Matambo, T. S., Odunuga, O. O., Boshoff, A., & Blatch, G. L. (2004). Overproduction, purification, and characterization of the Plasmodium falciparum heat shock protein 70. *Protein Expression and Purification*, 33(2), 214–222. doi:10.1016/j.pep.2003.09.010

Mayer, M. P., & Bukau, B. (2005). Hsp70 chaperones: cellular functions and molecular mechanism. *Cellular and Molecular Life Sciences : CMLS*, 62(6), 670–84. doi:10.1007/s00018-004-4464-6

Mayer, M. P., Schröder, H., Rüdiger, S., Paal, K., Laufen, T., & Bukau, B. (2000). Multistep mechanism of substrate binding determines chaperone activity of Hsp70. *Nature Structural Biology*, 7(7), 586–93. doi:10.1038/76819

Moro, F., Fernández-Sáiz, V., & Muga, A. (2004). The lid subdomain of DnaK is required for the stabilization of the substrate-binding site. *The Journal of Biological Chemistry*, 279(19), 19600–6. doi:10.1074/jbc.M400921200

Muralidharan, V., Oksman, A., Pal, P., Lindquist, S., & Goldberg, D. E. (2012). Plasmodium falciparum heat shock protein 110 stabilizes the asparagine repeat-rich parasite proteome during malarial fevers. *Nature Communications*, 3, 1–10. doi:10.1038/ncomms2306

Nicoll, W. S., Botha, M., McNamara, C., Schlange, M., Pesce, E.-R., Boshoff, A., ... Blatch, G. L. (2007). Cytosolic and ER J-domains of mammalian and parasitic origin can functionally interact with DnaK. *The International Journal of Biochemistry & Cell Biology*, 39(4), 736–51. doi:10.1016/j.biocel.2006.11.006

Njunge, J. M., Ludewig, M. H., Boshoff, A., Pesce, E.-R., & Blatch, G. L. (2013). Hsp70s and J proteins of Plasmodium parasites infecting rodents and primates: structure, function, clinical relevance, and drug targets. *Current Pharmaceutical Design*, 19(3), 387–403.

- Pasini, E. M., Kirkegaard, M., Mortensen, P., Lutz, H. U., Thomas, A. W., & Mann, M. (2006). In-depth analysis of the membrane and cytosolic proteome of red blood cells. *Blood*, 108(3), 791–801. doi:10.1182/blood-2005-11-007799. Supported
- Patron, N. J., & Waller, R. F. (2007). Transit peptide diversity and divergence: A global analysis of plastid targeting signals. *BioEssays*, 29(10), 1048–58. doi:10.1002/bies.20638
- Pawlowski, M., Gajda, M. J., Matlak, R., & Bujnicki, J. M. (2008). MetaMQAP: a meta-server for the quality assessment of protein models. *BMC Bioinformatics*, 9, 403. doi:10.1186/1471-2105-9-403
- Pei, J., Kim, B.-H., & Grishin, N. V. (2008). PROMALS3D: a tool for multiple protein sequence and structure alignments. *Nucleic Acids Research*, 36(7), 2295–300. doi:10.1093/nar/gkn072
- Pellecchia, M., Montgomery, D. L., Stevens, S. Y., Kooi, C. W. V., Feng, H., Giersch, L. M., & Zuiderweg, E. R. P. (2000). Structural insights into substrate binding by the molecular chaperone DnaK. *Nature Structural Biology*, 7(4), 298–303.
- Pesce, E.-R., Cockburn, I. L., Goble, J. L., Stephens, L. L., & Blatch, G. L. (2010). Malaria heat shock proteins: Drug targets that chaperone other drug targets. *Infectious Disorders Drug Targets*, 10(3), 147–57.
- Ramya, T. N. C., Surolia, N., & Surolia, A. (2006). 15-Deoxyspergualin modulates Plasmodium falciparum heat shock protein function. *Biochemical and Biophysical Research Communications*, 348(2), 585–92. doi:10.1016/j.bbrc.2006.07.082
- Renner, T., & Waters, E. R. (2007). Comparative genomic analysis of the Hsp70s from five diverse photosynthetic eukaryotes. *Cell Stress & Chaperones*, 12(2), 172–85.
- Sali, A., & Blundell, T. L. (1993). Comparative Protein Modelling by Satisfaction of Spatial Restraints. *Journal of Biological Chemistry*, 234, 779–815.
- Sargeant, T. J., Marti, M., Caler, E., Carlton, J. M., Simpson, K., Speed, T. P., & Cowman, A. F. (2006). Lineage-specific expansion of proteins exported to erythrocytes in malaria parasites. *Genome Biology*, 7(2), R12. doi:10.1186/gb-2006-7-2-r12
- Schlecht, R., Erbse, A. H., Bukau, B., & Mayer, M. P. (2011). Mechanics of Hsp70 chaperones enables differential interaction with client proteins. *Nature Structural & Molecular Biology*, 18(3), 345–51. doi:10.1038/nsmb.2006
- Shonhai, A. (2010). Plasmoidal heat shock proteins: targets for chemotherapy. *FEMS Immunology and Medical Microbiology*, 58(1), 61–74. doi:10.1111/j.1574-695X.2009.00639.x
- Shonhai, A., Boshoff, A., & Blatch, G. L. (2005). Plasmodium falciparum heat shock protein 70 is able to suppress the thermosensitivity of an Escherichia coli DnaK mutant strain. *Molecular Genetics and Genomics : MGG*, 274(1), 70–8. doi:10.1007/s00438-005-1150-9

- Shonhai, A., Boshoff, A., & Blatch, G. L. (2007). The structural and functional diversity of Hsp70 proteins from *Plasmodium falciparum*. *Protein Science*, 16, 1803–1818. doi:10.1110/ps.072918107.affinity
- Shonhai, A., Botha, M., de Beer, T. a P., Boshoff, A., & Blatch, G. L. (2008). Structure-function study of a *Plasmodium falciparum* Hsp70 using three dimensional modelling and in vitro analyses. *Protein and Peptide Letters*, 15(10), 1117–25.
- Sippl, M. J. (1993). Recognition of errors in the three-dimensional structures of Proteins. *Proteins*, 17, 355–62.
- Strub, A., Zufall, N., & Voos, W. (2003). The Putative Helical Lid of the Hsp70 Peptide-binding Domain is Required for Efficient Preprotein Translocation into Mitochondria. *Journal of Molecular Biology*, 334(5), 1087–1099. doi:10.1016/j.jmb.2003.10.023
- Suh, W. C., Burkholder, W. F., Lu, C. Z., Zhao, X., Gottesman, M. E., & Gross, C. A. (1998). Interaction of the Hsp70 molecular chaperone, DnaK, with its cochaperone DnaJ. *Proceedings of the National Academy of Sciences of the United States of America*, 95(26), 15223–8.
- Söding, J. (2005). Protein homology detection by HMM-HMM comparison. *Bioinformatics*, 21(7), 951–60. doi:10.1093/bioinformatics/bti125
- Tastan Bishop, Özlem, & Kroon, M. (2011). Study of protein complexes via homology modeling, applied to cysteine proteases and their protein inhibitors. *Journal of Molecular Modeling*, 17(12), 3163–72. doi:10.1007/s00894-011-0990-y
- The Plasmodium Genome Database Collaborative. (2001). PlasmoDB: An integrative database of the *Plasmodium falciparum* genome. Tools for accessing and analyzing finished and unfinished sequence data. *Nucleic Acids Research*, 29(1), 66–69. doi:10.1093/nar/29.1.66
- Tina, K. G., Bhadra, R., & Srinivasan, N. (2007). PIC: Protein Interactions Calculator. *Nucleic Acids Research*, 35(Web Server issue), W473–6. doi:10.1093/nar/gkm423
- Wang, T.-F., Chang, J.-H., & Wang, C. (1993). Identification of the Peptide Binding Domain of hsc70. *The Journal of Biological Chemistry*, 268(35), 26049–26051.
- Wiederstein, M., & Sippl, M. J. (2007). ProSA-web: interactive web service for the recognition of errors in three-dimensional structures of proteins. *Nucleic Acids Research*, 35(Web Server issue), W407–10. doi:10.1093/nar/gkm290
- Wiser, M. F., Jennings, G. J., Lockyer, J. M., van Belkum, a, & van Doorn, L. J. (1995). Chaperonin-like repeats in a 34-kDa *Plasmodium berghei* phosphoprotein. *Parasitology Research*, 81(2), 167–9.
- Zhu, X., Zhao, X., Burkholder, W. F., Gragerov, A., Ogata, C. M., Gottesman, M. E., & Hendrickson, W. A. (1996). Structural Analysis of Substrate Binding by the Molecular Chaperone DnaK. *Science*, 272, 1606–14.

van Gestel, R. a, van Solinge, W. W., van der Toorn, H. W. P., Rijken, G., Heck, A. J. R., van Wijk, R., & Slijper, M. (2010). Quantitative erythrocyte membrane proteome analysis with Blue-native/SDS PAGE. *Journal of Proteomics*, 73(3), 456–65.
doi:10.1016/j.jprot.2009.08.010

van Rossum, G., & de Boer, J. (1991). Interactive Testing Remote Servers Using the Python Programming Language. *CWI Quarterly*, 4(4), 283–303.

von Heijne, G. (1990). The signal peptide. *Journal of Membrane Biology*, 115, 195–201.

Tables

Table 1: Lowest sequence identity pairs from each alignment. For each alignment performed, the sequence identity was calculated for each pair of sequences in the alignment. Listed below are the sequence pairs from each alignment with the lowest sequence identity, as well as the sequence identity for the pair.

Hsp70 Sequences Aligned	Sequence 1	Sequence 2	Sequence Identity (%)
DnaKs (Prokaryotic)	<i>R. bacterium</i> DnaK	<i>M. tarda</i> DnaK	51.62
Cytosolic Eukaryotic	<i>A. thaliana</i> Hsp70B	<i>S. cerevisiae</i> Ssa1p	69.98
Cytosolic Apicomplexan	<i>T. annulata</i> Hsp70	<i>C. parvum</i> Hsp70	70.86
Cytosolic Plasmodial	<i>P. vivax</i> Hsp70	<i>P. yoelii yoelii</i> Hsp70	95.80
ER Eukaryotic	<i>C. elegans</i> Hsp-3	<i>A. thaliana</i> BiP-2	64.55
ER Apicomplexan	<i>E. tenella</i> BiP	<i>B. rodhaini</i> Grp78	59.46
ER Plasmodial	<i>P. yoelii yoelii</i> ER-Hsp70	<i>P. vivax</i> Grp78	85.21
Mitochondrial Eukaryotic	<i>E. tenella</i> mtHsp70	<i>A. echinatior</i> Hsc70-5	53.00
Mitochondrial Apicomplexan	<i>T. annulata</i> mtHsp70	<i>T. gondii</i> mtHsp70	64.06
Mitochondrial Plasmodial	<i>P. knowlesi</i> mtHsp70	<i>P. vivax</i> mtHsp70	97.44

Figure Legends

Figure 1: Cytosolic Hsp70 sequence alignment. PfHsp70-1 and PfHsp70-x were aligned with consensus sequences of cytosolic Hsp70 representatives of *Plasmodium*, Apicomplexa and eukaryotes, as well as prokaryotic DnaKs. Residues are highlighted as follows: Dark Blue: Unique to PfHsp70-x; Red: Unique to PfHsp70-1; Yellow: Residues present in either PfHsp70-x or PfHsp70-1 and eukaryotes, but not conserved in other *Plasmodium* Hsp70s; Green: Residues conserved in *Plasmodium*; Light Blue: Residues conserved in Apicomplexa; Purple: Residues which are highly conserved in eukaryotes, but not in PfHsp70-1 or PfHsp70-x. Consensus sequence letters in upper case were conserved in all sequences examined, whereas lower case letters indicate residues conserved in most sequences examined. A tilde (~) indicates a lack of consensus.

Figure 2: Comparisons of PfHsp70-x binding to the J domains of different Hsp40s, based on Hybrid modeling. A) Sequence regions of PfHsp70-x which were found to interact with the different J domains. The Hsp40 interacted with is indicated in parentheses. J proteins are denoted as follows: JA1 - HsDnaJA1; JA2 - HsDnaJA2; JB1 – HsDnaJB1; JB4 – HsDnaJB4; JC5 – HsDnaJC5; JC13 – HsDnaJC13. Residues highlighted in red and light blue, respectively, represent interactions found before and after residue repacking and energy minimisation using PyRosetta (refer to methodology). Residues highlighted in green are those which displayed interactions in both structures. B) Sequences are shown for portions of the J domains which displayed interactions with PfHsp70-x. Residues mapped to the structure in C are indicated over their position in the alignment. C) The interactions between PfHsp70-x and J proteins are shown, based on those which are most conserved across the 9 different J proteins. A section of the J domain is shown in cartoon form, with interacting residues displayed as text. Residues of PfHsp70-x are coloured blue, whereas J protein residues are

black and numbered according to their position in alignment 2B. The different types of interactions are displayed alongside.

Figure 3: Comparisons of PfHsp70-x binding to the J domains of different Hsp40s as determined by docking. Each J domain was docked to PfHsp70-x and the interactions between the two proteins were determined using the PIC webserver. A) Sequence regions of PfHsp70-x which were found to interact with the different J domains. Sequences are named as in Fig. 2A. B) Portions of each J domain, highlighting residues predicted to interact with PfHsp70-x. C) The interactions between PfHsp70-x and J proteins are shown, as in Fig. 2C.

Figure 4: Hsp40 binding within the ATPase cycle of Hsp70. A) The ATPase cycle of Hsp70 is shown. The two circled representations of Hsp70 are those found in the PDB. The binding of a J protein occurs between these two states. B and C represent the docked complex of HsDnaJA2 and PfHsp70-x being superimposed with the full length model of PfHsp70-x in an ATP-bound and ADP-bound conformations, respectively. The PfHsp70-x domains are coloured as follows: Grey – ATPase domain; Yellow – β subdomain of the SBD; Pale blue – α helical lid of the SBD. The J domain of HsDnaJA2 is coloured teal.

Figure 5: Formation of the substrate binding is dependent on the orientation of the α -helical lid, relative to the substrate binding domain. A) PfHsp70-x is shown as it is modeled, based on a substrate-bound template, 2KHO (Left) and a template not involved in substrate binding, 3D2F (Right). The domains are coloured in a similar way to those in Figure 4. Residues involved in substrate binding were mapped to the protein and are coloured as follows: Blue – residues that bind substrate peptides; Red – hydrophobic arch residues; Green - residue that forms the hydrophobic pocket. B) Areas on the protein boxed in dashed lines are represented below each structure in surface view. C) The SBD of PfHsp70-x is also shown as modeled after template 1YUW, whose structure was solved in the absence of a peptide substrate. This is shown at two different angles in order to emphasise how the alpha-

helical lid is bound by the substrate binding pocket in the absence of substrate. Residues involved in substrate binding are shown as spheres.




Figure 1: Cytosolic Hsp70 sequence alignment.

A.

PfHsp70x(PfA)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(PfB)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(PfE)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(JA1)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(JA2)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(JB4)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(JB1)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(JC5)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(JC13)	179	YFNDSQRQATKDAGAIAGLNVLRIINEPTAAAIAYGLDKKGKGEQN	224
PfHsp70x(PfA)	240	LTL _{EDG} IFEVKAT	252
PfHsp70x(PfB)	240	LTLED _G IFEVKAT	252
PfHsp70x(PfE)	240	LTLEDGIFEVKAT	252
PfHsp70x(JA1)	240	LTLEDGIFEVKAT	252
PfHsp70x(JA2)	240	LTLEDGIFEVKAT	252
PfHsp70x(JB4)	240	LTLEDGIFEVKAT	252
PfHsp70x(JB1)	240	LTLEDG _I FEVKAT	252
PfHsp70x(JC5)	240	LTLEDGIFEVKAT	252
PfHsp70x(JC13)	240	LTLED _{DG} IFEVKAT	252
		406 QAAIL _{LS} GDQSSAVKD _{LL}	423
		406 QAAIL _{LS} GDQSSAVKD _{LL}	423
		406 QAAIL _{SG} DQSSAVKD _{LL}	423
		406 QAAIL _S GDQSSAVKD _{LL}	423
		406 QAAIL _{SGD} QSSAVKD _{LL}	423
		406 QAAIL _S GDQSSAVKD _{LL}	423
		406 QAAIL _{SGD} QSSAVKD _{LL}	423
		406 QAAIL _S GDQSSAVKD _{LL}	423
		406 QAAIL _{SGD} QSSAVKD _{LL}	423

B.

		5	10	15	20	25	30	35	40	
		
				
				H P D						
					E					
						K				
PfA	100	R A Y L K L A M K W H P D K H V N R G S K V E A E B E K F X N I C G A Y S V L S D								140
PfB	106	K A Y K K L A M K W H P D K H L N A A S K K E A D N M F K S I S E A Y E V L S D								146
PfE	98	K A Y R K L A M K W H P D K H L N D E D K V E A E R K F K L I G E A Y E V L S D								138
JA1	24	K A Y R K L A L K Y H P D K N - - - - - P N E G E K F K Q I S Q A Y E V L S D								58
JA2	26	K A Y R K L A L K E Y H P D K N - - - - - P N A G D K F E K I S F A Y E V L S N								60
JB4	22	K A Y R K Q A L K F H P D K N K S - - - - - P Q A B E K F E K V E A E Y E V L S D								57
JB1	22	R A Y R R Q A L R Y H P D K N K E - - - - - P G A B E K F E K I A E A Y D V L S D								57
JC5	33	K S Y R K L A L K Y H P D K N P D N - - - - - P E A A D K F E K I N N A H A I L T D								69
JC13	1322	K A Y F R L A Q K Y H P D K N P E - - - - - G R D M F E K V N K A Y E F L C T								1355




Figure 2 Comparisons of PfHsp70-x binding to the J domains of different Hsp40s, based on Hybrid modeling.

B.

A horizontal number line starting at 5 and ending at 50. Tick marks are present at 5, 10, 15, 20, 25, 30, 35, 40, 45, and 50. The labels are placed above the line.

PfA	100	R	AM	H P D K	F	
PfB	106	KAY	R	K L A M K W H P D K H L	V N K G S K V E A E E K F K N I C E A X Y S V L S D N E K R V K Y D L F G M D A L K Q S	158
PfE	98	KAY	R	K L A M K W H P D K H L N A A S K	E D K V E A E R K F K L I G E A Y E V L S D E E K R K N Y D L F G Q S G L G G T	156
JAI	24	KAY	R	K L A L K Y H P D K N	----- P N E G E K F K Q I S Q A Y E V L S D A K K R E L Y D K G G E Q A I K E G	76
JA2	26	KAY	R	K L A K E Y H P D K N	----- P N A G D K F K E I S P A Y E V L S N P E K R E L Y D R Y G E Q G L F E G	78
JB4	22	KAY	R	K Q A L K F H P D K N K S	----- P Q A E E K F K E V A A Y E V L S D P K K R E I Y D Q F G E E G L K G G	75
JB1	22	RAY	R	R Q A L R Y H P D K N K E	----- P G A E E K F K E I A H A Y D V L S D P R K R E I F D R Y G E E G L K G S	75
JCS	33	K S Y	R	K L A L K Y H P D K N P D N	----- P E A A D K F K E I N N A H I L T D A T K R N I Y D K Y -----	79
JC13	1322	KAY	F	R L A Q K Y H P D K N P E	----- G R D M F E K V N K A Y E F L C T K S A K I V D G P D P E N I I L I L	1373

C.




Figure 3: Comparisons of PfHsp70-x binding to the J domains of different Hsp40s as determined by docking.




Figure 4: Hsp40 binding within the ATPase cycle of Hsp70.




Figure 5: Formation of the substrate binding is dependent on the orientation of the α -helical lid, relative to the substrate binding domain.

Supplementary Data S1:

List of Hsp70 sequences used for alignments. Listed is the name of the Hsp70s used in the alignments performed. Included is the organism the protein comes from, the Genbank, NCBI or Uniprot reference number of the protein, the predicted cellular localization of the protein and the alignment group it was included in when making consensus sequences.

Supplementary Data S2:

Supplementary Data S2A: Comparison of alignments of eukaryote C-Hsp70s as performed by MAFFT and PROMALS3D. C-Hsp70s obtained from a variety of eukaryote sources were aligned using PROMALS3D and MAFFT. PfHsp70-1 and PfHsp70-x were included in this alignment. Each sequence aligned using PROMALS3D was placed directly above the same sequence aligned using MAFFT. Sequences aligned using PROMALS 3D have the suffix _Pm added to their names whereas those aligned using MAFFT have the suffix _Ma.

Supplementary Data S2B: Comparison of alignments of eukaryote ER-Hsp70s as performed by MAFFT and PROMALS3D. The eukaryotic ER-Hsp70s were aligned with PfHsp70-2 using PROMALS3D and MAFFT and annotated as in Supplementary Data S2A. Since the Alignments done by the two programs were of different lengths, the PROMALS3D sequences were moved forward until the GIDL motif of each sequence was aligned. A tilde (~) indicates that the sequence was moved one space forward.

Supplementary Data S2C: Comparison of alignments of eukaryote Mt-Hsp70s as performed by MAFFT and PROMALS3D. The eukaryotic Mt-Hsp70s were aligned with PfHsp70-3 using PROMALS3D and MAFFT and annotated as in Figure B.1. Sequences were hand-adjusted as in Supplementary Data S2A.

Supplementary Data S3:

Supplementary Data S3A: Alignment of eukaryote C-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1, whose predicted cellular localization was the cytosol and were in the eukaryotic alignment group. Alignment of these sequences was done using MAFFT. Residues highlighted in black represent those which are conserved at the level of identity, whereas those highlighted in grey represent those that were conserved at the level of similarity. A consensus sequence of these sequences is represented at the top of the alignment. Residues in upper case were conserved in all sequences whereas those in lower case were conserved in most sequences. A tilde (~) represents a variable region where there is no consensus residue.

Supplementary Data S3B: Alignment of apicomplexan C-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1, whose predicted cellular localization was the cytosol and were in the Apicomplexa alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3C: Alignment of *Plasmodium* C-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the cytosol and were in the *Plasmodium* alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3D: Alignment of eukaryote ER-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the ER and were in the eukaryotic alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3E: Alignment of apicomplexan ER-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the ER and were in the Apicomplexa alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3F: Alignment of *Plasmodium* ER-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the ER and were in the *Plasmodium* alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3G: Alignment of eukaryote Mt-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the mitochondria and were in the eukaryotic alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3H: Alignment of apicomplexan Mt-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the mitochondria and were in the Apicomplexa alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3I: Alignment of *Plasmodium* Mt-Hsp70 protein sequences. Sequences aligned include those listed in Supplementary Data S1 whose predicted cellular localization was the mitochondria and were in the *Plasmodium* alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S3J: Alignment of prokaryote DnaK protein sequences. Sequences aligned include those listed in Supplementary Data S1 that were in the prokaryote alignment group. This figure was otherwise constructed and highlighted as described in Supplementary Data S3A.

Supplementary Data S4:

Comparison of top models produced using original and modified templates. Models were all produced using the same modeling procedure, with exception to the template used. Five different model quality assessment scores are reported for each set of models. DOPE Z score was calculated using MODELLER and the GDT_TS scores are values predicted by MetaMQAPII.

Supplementary Data S5:

Alignment of N-terminal sequence of PfHsp70-x with other ER-transit peptides. PfHsp70-x was aligned with the sequences of five different ER-Hsp70 sequences from *Chlamydomonas reinhardtii* (CrHsp70-4 and CrHsp70-5), *Ostreococcus lucimarinus* (OlHsp70-3), humans (HsGrp78) and *P. falciparum* (PfHsp70-2). Residues are coloured according to their physicochemical properties.

Supplementary Data S6:

Localization Alignment of Hsp70s. The sequences of PfHsp70-1 and PfHsp70-x were aligned with the consensus sequences of cytosolic, ER- and Mt-Hsp70s of representative sequences of eukaryotic, apicomplexan and plasmodial species. The Residues are highlighted as follows: Dark Blue - Residues previously identified as being “unique” to PfHsp70-x, as indicated in Figure 1; Light Blue - Residues conserved specifically in C-Hsp70s. Green - Residues conserved specifically in ER-Hsp70s. Red - Residues conserved specifically in Mt-Hsp70s. Pink - PfHsp70-x residues not found in any of the cytosolic groups, but were highly conserved in ER-Hsp70s and/or Mt-Hsp70s. Yellow boxed line - gap regions common to more than one of the Hsp70 groups.

Supplementary Data S7:

Supplementary Data S7A: Conserved interactions between PfHsp70-x and each J protein, based on Hybrid modeling. The different types of interactions are displayed for PfHsp70-x, modeled in complex with each of nine J proteins.

Supplementary Data S7B: Conserved interactions between PfHsp70-x and each J protein, based on Hybrid modeling (Alignment renumbered). The different types of interactions are displayed for PfHsp70-x, modeled in complex with each of nine J proteins. Residues of the J proteins have been renumbered, according to their position in the alignment of Figure 2B, in order to make these interactions comparable.

Supplementary Data S7C: Conserved interactions between PfHsp70-x and each J protein, based on HADDOCK Docking. The different types of interactions are displayed for PfHsp70-x, docked to each of nine J proteins, using the HADDOCK online webserver.

Supplementary Data S7D: Conserved interactions between PfHsp70-x and each J protein, based on HADDOCK Docking (Alignment renumbered). The different types of interactions are displayed for PfHsp70-x, docked to each of nine J proteins, using the HADDOCK online webserver. Residues of the J proteins have been renumbered, according to their position in the alignment of Figure 3B, in order to make these interactions comparable.

Supplementary Data S8:

Interaction interface between PfHsp70-x and a J domain as determined by Hybrid modelling. A) The interaction interface between the ATPase domain of PfHsp70-x (grey) and a J domain (green). The area within the dashed box is shown in B. Some of the residues which showed conserved interactions are mapped to the structure in stick representation.

Supplementary Data S9:

Interaction interface between PfHsp70-x and a J domain as determined by HADDOCK docking. A) Superimposition of the five different Type II J proteins docked in complex with PfHsp70-x, showing the different orientations adopted by the J domain proteins docked. These proteins are coloured as follows: Purple – PfA; Yellow – PfB; Orange – PfE; Red – HsDnaJB1; Green – HsDnaJB4. The ATPase domains of PfHsp70-x in each complex are coloured grey. B) The models are rotated 90° to indicate the interaction interface between the ATPase domain of PfHsp70-x and the J domains. The area within the dashed box is shown in C. Residues which showed conserved interactions are mapped to the structure in stick representation. The aspartic acids of each HPD motif are also shown as yellow sticks.

Supplementary Data S10:

Supplementary Data S10A:

Superimposition of J domain binding orientations to PfHsp70-x in an ATP-bound state. The J domain of each J protein docked to the ATPase domain of PfHsp70-x was superimposed with the full length structure of PfHsp70-x, modeled after template 1YUW. The J domain docked is labelled next to each model. JA1 and JA2 represent HsDnaJA1 and HsDnaJA2, respectively.

Supplementary Data S10B:

Superimposition of J domain binding orientations to PfHsp70-x in an ADP-bound state. The J domain of each J protein docked to the ATPase domain of PfHsp70-x was superimposed with the full length structure of PfHsp70-x, modeled after template 2KHO. The J domain docked is labelled next to each model. JA1 and JA2 represent HsDnaJA1 and HsDnaJA2, respectively.

Supplementary Data S1

Protein	Organism	Type of Organism	Reference/Accession no.	Predicted Cellular Localization	Alignment Group
Hsp70	<i>Prorocentrum minimum</i>	Dinoflagellate	GB: ABI14407.1	Cytosol	Eukaryote
Hsp70	<i>Phytophthora infestans</i>	Oomycete	NCBI: XP_002902008.1	Cytosol	Eukaryote
Hsc70-4	<i>Acromyrmex echinatior</i>	Ant	GB: EGI62314.1	Cytosol	Eukaryote
Hsp70	<i>Xenopus laevis</i>	Frog	GB: AAH78115.1	Cytosol	Eukaryote
Hsp70	<i>Lates calcarifer</i>	Fish	GB: AEH27544.1	Cytosol	Eukaryote
Hsc70	<i>Haliotis diversicolor</i>	Sea Snail	GB: ACO36047.1	Cytosol	Eukaryote
Hsp-1	<i>Caenorhabditis elegans</i>	Roundworm	NCBI: NP_503068.1	Cytosol	Eukaryote
Hsc70	<i>Fenneropenaeus chinensis</i>	Prawn	GB: AAW71958.1	Cytosol	Eukaryote
Hsp70-B	<i>Arabidopsis thaliana</i>	Plant	NCBI: NP_173055.1	Cytosol	Eukaryote
Hsp70	<i>Capsaspora owczarzaki</i>	Single-Celled Eukaryote	GB: EFW40320.1	Cytosol	Eukaryote
Hsp70	<i>Rattus norvegicus</i>	Rat	GB: CAA54424.1	Cytosol	Eukaryote
Hsp70	<i>Coturnix japonica</i>	Quail	GB: BAF38390.1	Cytosol	Eukaryote
Ssa1p	<i>Saccharomyces cerevisiae</i>	Yeast	GB: EGA63465.1	Cytosol	Eukaryote
Hsp70	<i>Toxoplasma gondii</i>	Intracellular Parasite	GB: AAC26629.1	Cytosol	Apicomplexa
HSP	<i>Cryptosporidium parvum</i>	Intracellular Parasite	GB: AAB16853.1	Cytosol	Apicomplexa
HSP	<i>Cryptosporidium hominis</i>	Intracellular Parasite	NCBI: XP_666754.1	Cytosol	Apicomplexa
Hsp70	<i>Theileria parva</i>	Intracellular Parasite	GB: AAB53893.1	Cytosol	Apicomplexa
Hsp70	<i>Theileria annulata</i>	Intracellular Parasite	NCBI: XP_952563.1	Cytosol	Apicomplexa
HSP	<i>Eimeria acervulina</i>	Intracellular Parasite	GB: CAA81135.1	Cytosol	Apicomplexa

Supplementary Data S1

Protein	Organism	Type Of Organism	Reference/Accession no.	Predicted Cellular Localization	Alignment Group
Hsp70	<i>Cyclospora cayetanensis</i>	Intracellular Parasite	GB: ADZ45037.1	Cytosol	Apicomplexa
Hsp70	<i>Neospora caninum</i>	Intracellular Parasite	GB: CBZ53608.1	Cytosol	Apicomplexa
Hsp70	<i>Babesia divergens</i>	Intracellular Parasite	GB: BAF02616.1	Cytosol	Apicomplexa
Hsp70	<i>Plasmodium vivax</i>	Intracellular Parasite	NCBI: XP_001614972.1	Cytosol	Plasmodium
Hsp70	<i>Plasmodium yoelii yoelii</i>	Intracellular Parasite	NCBI: XP_726754.1	Cytosol	Plasmodium
Hsp70	<i>Plasmodium berghei</i>	Intracellular Parasite	GB: AAL34314.1	Cytosol	Plasmodium
Hsp70	<i>Plasmodium knowlesi</i>	Intracellular Parasite	NCBI: XP_002258136.1	Cytosol	Plasmodium
Grp78 precursor	<i>Homo sapiens</i>	Human	NCBI: NP_005338.1	ER	Eukaryote
BiP-2	<i>Arabidopsis thaliana</i>	Small Flowering Plant	NCBI: NP_851119.1	ER	Eukaryote
BiP-3 precursor	<i>Phytophthora infestans</i>	Oomycete	NCBI: XP_002909118.1	ER	Eukaryote
Hsc70-3	<i>Acromyrmex echinatior</i>	Ant	GB: EGI70210.1	ER	Eukaryote
Grp78	<i>Fenneropenaeus chinensis</i>	Prawn	GB: ABM92447.1	ER	Eukaryote
Hsp70	<i>Capsaspora owczarzaki</i>	Single-Celled Eukaryote	GB: EFW43336.1	ER	Eukaryote
Grp78 precursor	<i>Rattus norvegicus</i>	Rat	NCBI: NP_037215.1	ER	Eukaryote
Hsp70	<i>Coturnix japonica</i>	Quail	GB: BAF38391.1	ER	Eukaryote
Hspa5	<i>Xenopus laevis</i>	Frog	GB: AAH41200.1	ER	Eukaryote
Kar2p	<i>Saccharomyces cerevisiae</i>	Yeast	GB: GAA24327.1	ER	Eukaryote
BiP	<i>Oryzias latipes</i>	Fish	GB: BAL14281.1	ER	Eukaryote
Hsp-3	<i>Caenorhabditis elegans</i>	Roundworm	NCBI: NP_509019.1	ER	Eukaryote
BiP	<i>Cryptocodon cohnii</i>	Red Algae	GB: AAM02971.2	ER	Eukaryote
Grp78	<i>Aplysia californica</i>	Sea Slug	NCBI: NP_001191581.1	ER	Eukaryote

Supplementary Data S1

Protein	Organism	Type Of Organism	Reference/Accession no.	Predicted Cellular Localization	Alignment Group
Hsp70 precursor	<i>Toxoplasma gondii</i>	Intracellular Parasite	GB: AAF23321.1	ER	Apicomplexa
Hsp70	<i>Cryptosporidium parvum</i>	Intracellular Parasite	NCBI: XP_628228.1	ER	Apicomplexa
BiP	<i>Eimeria tenella</i>	Intracellular Parasite	GB: CAA91253.1	ER	Apicomplexa
Hsp70 Precursor	<i>Neospora caninum</i>	Intracellular Parasite	GB: CBZ55124.1	ER	Apicomplexa
Grp78	<i>Babesia rodhaini</i>	Intracellular Parasite	GB: BAE16574.1	ER	Apicomplexa
Grp78	<i>Babesia microti</i>	Intracellular Parasite	GB: BAH28858.1	ER	Apicomplexa
Grp78	<i>Plasmodium vivax</i>	Intracellular Parasite	NCBI: XP_001614712.1	ER	Plasmodium
HSP	<i>Plasmodium yoelii yoeli</i>	Intracellular Parasite	NCBI: XP_725393.1	ER	Plasmodium
HSP	<i>Plasmodium berghei</i>	Intracellular Parasite	NCBI: XP_677775.1	ER	Plasmodium
HSP	<i>Plasmodium knowlesi</i>	Intracellular Parasite	NCBI: XP_002258451.1	ER	Plasmodium
HspA9B	<i>Homo sapiens</i>	Human	Uniprot: P38646	Mitochondria	Eukaryote
Mt-Hsp70 precursor	<i>Phytophthora infestans</i>	Oomycete	NCBI: XP_002898043.1	Mitochondria	Eukaryote
Hsc70-5	<i>Acromyrmex echinatior</i>	Ant	GB: EGI69033.1	Mitochondria	Eukaryote
Hsp-6	<i>Caenorhabditis elegans</i>	Roundworm	NCBI: NP_504291.1	Mitochondria	Eukaryote
Mt-Hsp70-2	<i>Arabidopsis thaliana</i>	Plant	NCBI: NP_196521.1	Mitochondria	Eukaryote
Hsp70-2	<i>Capsaspora owczarzaki</i>	Single-Celled Eukaryote	GB: EFW47073.1	Mitochondria	Eukaryote
Mt-Hsp70	<i>Rattus norvegicus</i>	Rat	NCBI: NP_001094128.1	Mitochondria	Eukaryote
Ssc1p	<i>Saccharomyces cerevisiae</i>	Yeast	NCBI: NP_012579.1	Mitochondria	Eukaryote
Hsp70-9	<i>Xenopus laevis</i>	Frog	NCBI: NP_001080166.1	Mitochondria	Eukaryote
Hsp70	<i>Moina mongolica</i>	Crustacea	GB: ADA79523.1	Mitochondria	Eukaryote
mortalin-2	<i>Mya arenaria</i>	Clam	GB: AAP78491.2	Mitochondria	Eukaryote

Supplementary Data S1

Protein	Organism	Type of Organism	Reference/Accession no.	Predicted Cellular Localization	Alignment Group
Hsp70-type	<i>Durinskia baltica</i>	Dinoflagellate	NCBI: YP_003735045.1	Mitochondria	Eukaryote
Grp75	<i>Sparus aurata</i>	Fish	GB: ABF70949.1	Mitochondria	Eukaryote
Mt-Hsp70 precursor	<i>Gallus gallus</i>	Chicken	NCBI: NP_001006147.1	Mitochondria	Eukaryote
Putative Hsp70	<i>Toxoplasma gondii</i>	Intracellular Parasite	NCBI: XP_002367417.1	Mitochondria	Apicomplexa
Mt-Hsp70	<i>Cryptosporidium parvum</i>	Intracellular Parasite	NCBI: XP_626895.1	Mitochondria	Apicomplexa
DnaK-like protein	<i>Cryptosporidium muris</i>	Intracellular Parasite	NCBI: XP_002142457.1	Mitochondria	Apicomplexa
Hsp70	<i>Theileria parva</i>	Intracellular Parasite	NCBI: XP_765320.1	Mitochondria	Apicomplexa
Hsp70	<i>Theileria annulata</i>	Intracellular Parasite	GB: AAQ63186.1	Mitochondria	Apicomplexa
Organelle Hsp70	<i>Eimeria tenella</i>	Intracellular Parasite	GB: CAA87086.1	Mitochondria	Apicomplexa
hypothetical protein	<i>Neospora caninum</i>	Intracellular Parasite	GB: CBZ56259.1	Mitochondria	Apicomplexa
Hsp70	<i>Babesia bovis</i>	Intracellular Parasite	NCBI: XP_001609513.1	Mitochondria	Apicomplexa
Hsp70 homologue	<i>Plasmodium vivax</i>	Intracellular Parasite	NCBI: XP_001615454.1	Mitochondria	Plasmodium
Hsp70	<i>Plasmodium yoelii yoelii</i>	Intracellular Parasite	NCBI: XP_727747.1	Mitochondria	Plasmodium
Hsp70 homologue	<i>Plasmodium knowlesi</i>	Intracellular Parasite	NCBI: XP_002259347.1	Mitochondria	Plasmodium
DnaK	<i>Rhodobacterales bacterium</i>	Bacteria	NCBI: ZP_01447398.1	N/A	Prokaryote
DnaK	<i>Desulfurispirillum indicum</i>	Bacteria	NCBI: YP_004113662.1	N/A	Prokaryote
DnaK	<i>Leptospirillum</i>	Bacteria	GB: EDZ39004.1	N/A	Prokaryote
DnaK	<i>Methanolinea tarda</i>	Archae	NCBI: ZP_09043230.1	N/A	Prokaryote
DnaK	<i>Methanohalophilus mahii</i>	Archae	NCBI: YP_003542757.1	N/A	Prokaryote
DnaK	<i>Bartonella henselae</i>	Bacteria	NCBI: YP_032930.1	N/A	Prokaryote
DnaK	<i>Ochrobactrum anthropi</i>	Bacteria	NCBI: YP_001369341.1	N/A	Prokaryote
DnaK	<i>Thermodesulfovibrio yellowstonii</i>	Bacteria	NCBI: YP_002249549.1	N/A	Prokaryote

Supplementary Data S1

Protein	Organism	Type of Organism	Reference/Accession no.	Predicted Cellular Localization	Alignment Group
DnaK	<i>Methanoculleus marisnigri</i>	Archae	NCBI: YP_001046976.1	N/A	Prokaryote
DnaK	<i>Methanoplanus petrolearius</i>	Archae	NCBI: YP_003893884.1	N/A	Prokaryote
DnaK	<i>Mesorhizobium alhagi</i>	Bacteria	NCBI: ZP_09291376.1	N/A	Prokaryote
DnaK	<i>Chelativorans</i>	Bacteria	NCBI: YP_673244.1	N/A	Prokaryote
DnaK	<i>Candidatus Nitrospira defluvii</i>	Bacteria	NCBI: YP_003797385.1	N/A	Prokaryote
DnaK	<i>Methanosalsum zhilinae</i>	Archae	NCBI: YP_004616671.1	N/A	Prokaryote
DnaK	<i>Methanosaarcina mazei</i>	Archae	NCBI: NP_634529.1	N/A	Prokaryote

Supplementary Data S2A

A._echinatior_Hsc70-4_Pm
 A. echinatior Hsc70-4 Ma
 S._cerevisiae_Ssalp_Pm
 S. cerevisiae Ssalp_Ma
 C._japonica_Hsp70_Pm
 C. japonica Hsp70 Ma
 F._chinensis_Hsc70_Pm
 F. chinensis Hsp70_Ma
 H._diversicolor_Hsc70_Pm
 H. diversicolor Hsp70 Ma
 R._norvegicus_Hsp70_Pm
 R. norvegicus Hsp70_Ma
 Human_Hsp70-1_Pm
 Human Hsp70-1_Ma
 L._calcarifer_Hsp70_Pm
 L. calcarifer Hsp70_Ma
 X._laevis_Hsp70_Pm
 X. laevis Hsp70_Ma
 C._owczarszaki_Hsp70_Pm
 C. owczarszaki Hsp70_Ma
 C._elegans_Hsp-1_Pm
 C. elegans Hsp-1 Ma
 P._infestans_Hsp70_Pm
 P. infestans Hsp70_Ma
 A._thaliana_Hsp70B_Pm
 A. thaliana Hsp70B_Ma
 PfHsp70-x_Pm
 PfHsp70-x_Ma
 PfHsp70-1_Ma
 PfHsp70-1 Ma

Supplementary Data S2A

A. echinatior Hsc70-4_Pm
A. echinatior Hsc70-4_Ma
S. cerevisiae Ss1p_Pm
S. cerevisiae Ss1p_Ma
C. japonica Hsp70_Pm
C. japonica Hsp70_Ma
F. chinensis Hsc70_Pm
F. chinensis Hsc70_Ma
H. diversicolor Hsc70_Pm
H. diversicolor Hsc70_Ma
R. norvegicus Hsp70_Pm
R. norvegicus Hsp70_Ma
Human Hsp70-1_Pm
Human Hsp70-1_Ma
L. calcarifer Hsp70_Pm
L. calcarifer Hsp70_Ma
X. laevis Hsp70_Pm
X. laevis Hsp70_Ma
C. owczarzaki Hsp70_Pm
C. owczarzaki Hsp70_Ma
C. elegans Hsp-1_Pm
C. elegans Hsp-1_Ma
P. infestans Hsp70_Pm
P. infestans Hsp70_Ma
A. thaliana Hsp70B_Pm
A. thaliana Hsp70B_Ma
PfHsp70-x_Pm
PfHsp70-x_Ma
PfHsp70-1_Ma
PfHsp70-1_Ma

A. echinatior Hsc70-4_Pm
A. echinatior Hsc70-4_Ma
S. cerevisiae Ss1p_Pm
S. cerevisiae Ss1p_Ma
C. japonica Hsp70_Pm
C. japonica Hsp70_Ma
F. chinensis Hsc70_Pm
F. chinensis Hsc70_Ma
H. diversicolor Hsc70_Pm
H. diversicolor Hsc70_Ma
R. norvegicus Hsp70_Pm
R. norvegicus Hsp70_Ma
Human Hsp70-1_Pm
Human Hsp70-1_Ma
L. calcarifer Hsp70_Pm
L. calcarifer Hsp70_Ma
X. laevis Hsp70_Pm
X. laevis Hsp70_Ma
C. owczarzaki Hsp70_Pm
C. owczarzaki Hsp70_Ma
C. elegans Hsp-1_Pm
C. elegans Hsp-1_Ma
P. infestans Hsp70_Pm
P. infestans Hsp70_Ma
A. thaliana Hsp70B_Pm
A. thaliana Hsp70B_Ma
PfHsp70-x_Pm
PfHsp70-x_Ma
PfHsp70-1_Ma
PfHsp70-1_Ma

A. echinatior Hsc70-4_Pm
A. echinatior Hsc70-4_Ma
S. cerevisiae Ss1p_Pm
S. cerevisiae Ss1p_Ma
C. japonica Hsp70_Pm
C. japonica Hsp70_Ma
F. chinensis Hsc70_Pm
F. chinensis Hsc70_Ma
H. diversicolor Hsc70_Pm
H. diversicolor Hsc70_Ma
R. norvegicus Hsp70_Pm
R. norvegicus Hsp70_Ma
Human Hsp70-1_Pm
Human Hsp70-1_Ma
L. calcarifer Hsp70_Pm
L. calcarifer Hsp70_Ma
X. laevis Hsp70_Pm
X. laevis Hsp70_Ma
C. owczarzaki Hsp70_Pm
C. owczarzaki Hsp70_Ma
C. elegans Hsp-1_Pm
C. elegans Hsp-1_Ma
P. infestans Hsp70_Pm
P. infestans Hsp70_Ma
A. thaliana Hsp70B_Pm
A. thaliana Hsp70B_Ma
PfHsp70-x_Pm
PfHsp70-x_Ma
PfHsp70-1_Ma
PfHsp70-1_Ma

A. echinatior Hsc70-4_Pm
A. echinatior Hsc70-4_Ma
S. cerevisiae Ss1p_Pm
S. cerevisiae Ss1p_Ma
C. japonica Hsp70_Pm
C. japonica Hsp70_Ma
F. chinensis Hsc70_Pm
F. chinensis Hsc70_Ma
H. diversicolor Hsc70_Pm
H. diversicolor Hsc70_Ma
R. norvegicus Hsp70_Pm
R. norvegicus Hsp70_Ma
Human Hsp70-1_Pm
Human Hsp70-1_Ma
L. calcarifer Hsp70_Pm
L. calcarifer Hsp70_Ma
X. laevis Hsp70_Pm
X. laevis Hsp70_Ma
C. owczarzaki Hsp70_Pm
C. owczarzaki Hsp70_Ma
C. elegans Hsp-1_Pm
C. elegans Hsp-1_Ma
P. infestans Hsp70_Pm
P. infestans Hsp70_Ma
A. thaliana Hsp70B_Pm
A. thaliana Hsp70B_Ma
PfHsp70-x_Pm
PfHsp70-x_Ma
PfHsp70-1_Ma
PfHsp70-1_Ma

Supplementary Data S2A

Supplementary Data S2B

Human_Grp78_Pm	GERLIGDAAKNQLTSNPENTVFDAKRLIGEYWNDL	SVVOODIKFIPFKVVEPKTKPKEYIYQIVD	IGGCOTKTPAEEEISAMVL	I
Human_Grp78_Ma	GERLIGDAAKNQLTSNPENTVFDAKRLIGEYWNDL	SVVOODIKFIPFKVVEPKTKPKEYIYQIVD	IGGCOTKTPAEEEISAMVL	I
R._norvegicus_Grp78_Pm	GERLIGDAAKNQLTSNPENTVFDAKRLIGEYWNDL	SVVOODIKFIPFKVVEPKTKPKEYIYQIVD	IGGCOTKTPAEEEISAMVL	I
R._norvegicus_Grp78_Ma	GERLIGDAAKNQLTSNPENTVFDAKRLIGEYWNDL	SVVOODIKFIPFKVVEPKTKPKEYIYQIVD	IGGCOTKTPAEEEISAMVL	I
O._latipes_Bip_Pm	GERLIGDAAKNQLTSNPENTVFDAKRLIGESWGD	SVVOODIKYIFPKVIEPKSKPEHIQID	IGGCOTKTPAEEEISAMVL	I
O._latipes_Bip_Ma	GERLIGDAAKNQLTSNPENTVFDAKRLIGESWGD	SVVOODIKYIFPKVIEPKSKPEHIQID	IGGCOTKTPAEEEISAMVL	I
F._chinensis_Grp78_Pm	GERLIGDAAKNQLTINPENTVFDAKRLIGEWTDK	RSVQODIKQFPFKVINKNDKEH	KMKETAEAYLGLKVTHAVVTPAYFNDAQRQATKDAGTI	I
F._chinensis_Grp78_Ma	GERLIGDAAKNQLTINPENTVFDAKRLIGEWTDK	RSVQODIKQFPFKVINKNDKEH	KMKETAEAYLGLKVTHAVVTPAYFNDAQRQATKDAGTI	I
C._elegans_Hsp-3_Pm	GERLIGDAAKNQLTINPENTVFDAKRLIGEDYNDK	TWDSVQODIKQFPFKVINKNDKEH	KMKETAEAYLGLKVTHAVVTPAYFNDAQRQATKDAGTI	I
C._elegans_Hsp-3_Ma	GERLIGDAAKNQLTINPENTVFDAKRLIGEDYNDK	TWDSVQODIKQFPFKVINKNDKEH	KMKETAEAYLGLKVTHAVVTPAYFNDAQRQATKDAGTI	I
A._thaliana_Bip-2_Pm	SERLIGEAAKNQAAVNPERTFVFDVKRLIGKFED	IKVQDKEPKLVYQVIMKDGEPIYQIK	KMKETAEAYLGLKVTHAVVTPAYFNDAQRQATKDAGTI	I
A._thaliana_Bip-2_Ma	SERLIGEAAKNQAAVNPERTFVFDVKRLIGKFED	IKVQDKEPKLVYQVIMKDGEPIYQIK	KMKETAEAYLGLKVTHAVVTPAYFNDAQRQATKDAGTI	I
S._cerevisiae_Kar2p_Pm	--ERLIGDAAKNQVAANPONTFDIKRLLGK	LYKNDRSVPQDKIHIPFNVVMDGKEAVEV	VKGSDN-KOPTEEVSAMVL	I
S._cerevisiae_Kar2p_Ma	--ERLIGDAAKNQVAANPONTFDIKRLLGK	LYKNDRSVPQDKIHIPFNVVMDGKEAVEV	VKGSDN-KOPTEEVSAMVL	I
A._californica_Grp78_Pm	GERLIGDAAKNQLTSNPENTFDV	PKVRLIGRFDDRSVQODIKYIPFKVINA	NNKEHQIAATGE	I
A._californica_Grp78_Ma	GERLIGDAAKNQLTSNPENTFDV	PKVRLIGRFDDRSVQODIKYIPFKVINA	NNKEHQIAATGE	I
X._laevis_Hsp5_Pm	GERLIGDAAKNQLTSNPENTFDV	PKVRLIGRFDDRSVQODIKYIPFKVINA	NNKEHQIAATGE	I
X._laevis_Hsp5_Ma	GERLIGDAAKNQLTSNPENTFDV	PKVRLIGRFDDRSVQODIKYIPFKVINA	NNKEHQIAATGE	I
A._echinatior_Hsc70-3_Pm	GERLIGDAAKNQLTSNPENTFDV	PKVRLIGRFDDRSVQODIKYIPFKVINA	NNKEHQIAATGE	I
A._echinatior_Hsc70-3_Ma	GERLIGDAAKNQLTSNPENTFDV	PKVRLIGRFDDRSVQODIKYIPFKVINA	NNKEHQIAATGE	I
C._owczarzaki_Hsp70-Like_Pm	GERLIGDAAKNQLTINPENTVFDAKRLIGEWWS	DPTVOWDVKFEPFPEVILPKNNKEH	KVFAEEISAMVL	I
C._owczarzaki_Hsp70-Like_Ma	GERLIGDAAKNQLTINPENTVFDAKRLIGEWWS	DPTVOWDVKFEPFPEVILPKNNKEH	KVFAEEISAMVL	I
C._cohnii_BiP_Pm	GERLIGDAAKNQLTINPENTFDAKRLIGEFNEK	STODIKLPFKVVA	NKAPEYIKVATSACD	I
C._cohnii_BiP_Ma	GERLIGDAAKNQLTINPENTFDAKRLIGEFNEK	STODIKLPFKVVA	NKAPEYIKVATSACD	I
PfHsp70-2_Pm	--ERLIGEAAKNQATINPACTFDV	KRLIGRFKDSIVOKDIKLIPFDP	VSQVKGET-KQMAPEEVSSMVI	I
PfHsp70-2_Ma	--ERLIGEAAKNQATINPACTFDV	KRLIGRFKDSIVOKDIKLIPFDP	VSQVKGET-KQMAPEEVSSMVI	I

Supplementary Data S2B

Human_Grp78_Pm	SFVEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKSDIDEIVLVGGSTRIPK	IQQLVKEFFNGKEPSRGINDEAAYGAAVQAGVLSGD	QDTGDLVLLDVCPPLTLGIET
Human_Grp78_Ma	SFVEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKSDIDEIVLVGGSTRIPK	IQQLVKEFFNGKEPSRGINDEAAYGAAVQAGVLSGD	QDTGDLVLLDVCPPLTLGIET
R._norvegicus_Grp78_Pm	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKSDIDEIVLVGGSTRIPK	IQQLVKEFFNGKEPSRGINDEAAYGAAVQAGVLSGD	QDTGDLVLLDVCPPLTLGIET
R._norvegicus_Grp78_Ma	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKSDIDEIVLVGGSTRIPK	IQQLVKEFFNGKEPSRGINDEAAYGAAVQAGVLSGD	QDTGDLVLLDVCPPLTLGIET
O._latipes_Bip_Pm	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKSEIDEIVLVGGSTRIPK	IQQLVKEFFNGKEPSRGINDEAAYGAAVQAGVLSGE	EDTGDVLLDVCPPLTLGIET
O._latipes_Bip_Ma	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKSEIDEIVLVGGSTRIPK	IQQLVKEFFNGKEPSRGINDEAAYGAAVQAGVLSGE	EDTGDVLLDVCPPLTLGIET
F._chinensis_Grp78_Pm	SFFEGDDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKEIDEIVLVGGSTRIPK	IQQLVKEFFGKEPSRGINDEAAYGAAVQAGVLSGE	DDTDLVLLDVNPPLTLGIET
F._chinensis_Grp78_Ma	SFFEGDDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDSDLKKEIDEIVLVGGSTRIPK	IQQLVKEFFGKEPSRGINDEAAYGAAVQAGVLSGE	DDTDLVLLDVNPPLTLGIET
C._elegans_Hsp-3_Pm	SLEDGEDFSETLTRAKFEELNMDLFRAT1KPVQKVLEDSDLKKDVBEIVLVGGSTRIPK	IKEFFNGKEPSRGINDEAAYGAAVQAGVLSGE	EDTGIVLLDVNPPLTMGIET
C._elegans_Hsp-3_Ma	SLEDGEDFSETLTRAKFEELNMDLFRAT1KPVQKVLEDSDLKKDVBEIVLVGGSTRIPK	IKEFFNGKEPSRGINDEAAYGAAVQAGVLSGE	EDTGIVLLDVNPPLTMGIET
A._thaliana_BiP-2_Pm	SLEDGVDSLSEPLTRARFEELNNDLFRKTMPGVKAMDDAGLOKSQIDEIVLVGGSTRIPK	VQQLIKEKFDFEEGKEPNKGVNDEAAYGAAVQAGVLSGE	GDETKDILLLDVPAPLTLGIET
A._thaliana_BiP-2_Ma	SLEDGVDSLSEPLTRARFEELNNDLFRKTMPGVKAMDDAGLOKSQIDEIVLVGGSTRIPK	VQQLIKEKFDFEEGKEPNKGVNDEAAYGAAVQAGVLSGE	GDETKDILLLDVPAPLTLGIET
S._cerevisiae_Kar2p_Pm	SFVDGIDLSSETLTRAKFEELNNDLKK1T1KPKVPEVKVLDGS	LEKRDVDDIVLVGGSTRIPKVKQQLIESYFDGKKASKGINDEAAYGAAVQAGVLSGE	EGVEDIVLLDVNAALTLGIET
S._cerevisiae_Kar2p_Ma	SFVDGIDLSSETLTRAKFEELNNDLKK1T1KPKVPEVKVLDGS	LEKRDVDDIVLVGGSTRIPKVKQQLIESYFDGKKASKGINDEAAYGAAVQAGVLSGE	EGVEDIVLLDVNAALTLGIET
A._californica_Grp78_Pm	SFPEDGEDFSESLTRAKFEELNMDLFRSTMKPQVKVLEDADLKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGE	EDTGDVLLDVNPPLTMGIET	
A._californica_Grp78_Ma	SFPEDGEDFSESLTRAKFEELNMDLFRSTMKPQVKVLEDADLKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGE	EDTGDVLLDVNPPLTMGIET	
X._laevis_Hspa5_Pm	SFVEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDADLKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGD	QDTGDLVLLDVCPPLTLGIET	
X._laevis_Hspa5_Ma	SFVEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDADLKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGD	QDTGDLVLLDVCPPLTLGIET	
A._echinatior_Hsc70-3_Pm	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDADLKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGE	QDTDATIVLLDVNPPLTMGIET	
A._echinatior_Hsc70-3_Ma	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDADLKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGE	QDTDATIVLLDVNPPLTMGIET	
C._owczarszaki_Hsp70-Like_Pm	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDADMSKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGE	ESTGDLVLLDVNPPLTLGIET	
C._owczarszaki_Hsp70-Like_Ma	SFFEGEDFSETLTRAKFEELNMDLFRSTMKPQVKVLEDADMSKIDIDEIVLVGGSTRIPKVKQQLKEYFNGKEPSRGINDEAAYGAAVQAGVLSGE	ESTGDLVLLDVNPPLTLGIET	
C._cohnii_BiP_Pm	AFFGEDFSETLTRAKFEELNADLFRST1APVKVLEDSDLRKBEIDEIVLVGGSTRIPKVKQQLKEYFNGKEPNRGINDEAAYGAAVQAGVLCGE	ESTGDLVLLDVNPPLTLGIET	
C._cohnii_BiP_Ma	AFFGEDFSETLTRAKFEELNADLFRST1APVKVLEDSDLRKBEIDEIVLVGGSTRIPKVKQQLKEYFNGKEPNRGINDEAAYGAAVQAGVLCGE	ESTGDLVLLDVNPPLTLGIET	
PfHsp70-2_Pm	AIEDGVDFSETLTRARFEENNDLFRKT1LGPVKQVIEDSGLKKTQIDEIVLVGGSTRIPKVKQQLKEYFNGKEPNRGINDEAAYGAAVQAGVLSGE	GGDILLLDVTPLTLGIET	
PfHsp70-2_Ma	AIEDGVDFSETLTRARFEENNDLFRKT1LGPVKQVIEDSGLKKTQIDEIVLVGGSTRIPKVKQQLKEYFNGKEPNRGINDEAAYGAAVQAGVLSGE	GGDILLLDVTPLTLGIET	

Supplementary Data S2B

Human_Grp78_Pm
 Human_Grp78_Ma
 R._norvegicus_Grp78_Pm
 R._norvegicus_Grp78_Ma
 O._latipes_Bip_Pm
 O._latipes_Bip_Ma
 F._chinensis_Grp78_Pm
 F._chinensis_Grp78_Ma
 C._elegans_Hsp-3_Pm
 C._elegans_Hsp-3_Ma
 A._thaliana_Bip-2_Pm
 A._thaliana_Bip-2_Ma
 S._cerevisiae_Kar2p_Pm
 S._cerevisiae_Kar2p_Ma
 A._californica_Grp78_Pm
 A._californica_Grp78_Ma
 X._laevis_Hspa5_Pm
 X._laevis_Hspa5_Ma
 A._echinatior_Hsc70-3_Pm
 A._echinatior_Hsc70-3_Ma
 C._owczarszaki_Hsp70-Like_Pm
 C._owczarszaki_Hsp70-Like_Ma
 C._cohnii_Bip_Pm
 C._cohnii_Bip_Ma
 PfHsp70-2_Pm
 PfHsp70-2_Ma

Human_Grp78_Pm
Human_Grp78_Ma
R._norvegicus_Grp78_Pm
R._norvegicus_Grp78_Ma
O._latipes_Bip_Pm
O._latipes_Bip_Ma
F._chinensis_Grp78_Pm
F._chinensis_Grp78_Ma
C._elegans_Hsp-3_Pm
C._elegans_Hsp-3_Ma
A._thaliana_Bip-2_Pm
A._thaliana_Bip-2_Ma
S._cerevisiae_Kar2p_Pm
S._cerevisiae_Kar2p_Ma
A._californica_Grp78_Pm
A._californica_Grp78_Ma
X._laevis_Hspa5_Pm
X._laevis_Hspa5_Ma
A._echinatior_Hsc70-3_Pm
A._echinatior_Hsc70-3_Ma
C._owczarzaki_Hsp70-Like_Pm
C._owczarzaki_Hsp70-Like_Ma
C._cohnii_Bip_Pm
C._cohnii_Bip_Ma
PfHsp70-2_Pm
PfHsp70-2_Ma

Supplementary Data S2B

Human_Grp78_Pm
Human_Grp78_Ma	KDEL
R._norvegicus_Grp78_Pm	DE L
R._norvegicus_Grp78_Ma	KDEL
O._latipes_Bip_Pm	KDEL
O._latipes_Bip_Ma	DE L
F._chinensis_Grp78_Pm	KDEL
F._chinensis_Grp78_Ma	DE L
C._elegans_Hsp-3_Pm	KDEL
C._elegans_Hsp-3_Ma	DE L
A._thaliana_BiP-2_Pm	HDEL
A._thaliana_BiP-2_Ma	DE L
S._cerevisiae_Kar2p_Pm	HDEL
S._cerevisiae_Kar2p_Ma	DE L
A._californica_Grp78_Pm	KDEL
A._californica_Grp78_Ma	DE L
X._laevis_Hspa5_Pm	KDEL
X._laevis_Hspa5_Ma	DE L
A._echinatior_Hsc70-3_Pm	RDEL
A._echinatior_Hsc70-3_Ma	DE L
C._owczarzaki_Hsp70-Like_Pm	HDEF
C._owczarzaki_Hsp70-Like_Ma	DEF
C._cohnii_BiP_Pm	HDEL
C._cohnii_BiP_Ma	DE L
PfHsp70-2_Pm	SDEL
PfHsp70-2_Ma	DE L

Supplementary Data S2C

Supplementary Data S2C

PfHsp70-3_Pm
 PfHsp70-3_Ma
 C._owczarzaki_Hsp70-2_Pm
 C._owczarzaki_Hsp70-2_Ma
 G._gallus_Mt-Hsp70 __Pm
 G._gallus_Mt-Hsp70 __Ma
 Human_Mt-Hsp70 __Pm
 Human_Mt-Hsp70 __Ma
 R._norvegicus_Mt-Hsp70 __Pm
 R._norvegicus_Mt-Hsp70 __Ma
 S._aurata_Grp75_Pm
 S._aurata_Grp75_Ma
 X._laevis_Hsp70-9_Pm
 X._laevis_Hsp70-9_Ma
 M._mongolica_Hsp70_Pm
 M._mongolica_Hsp70_Ma
 A._echinatior_Hsc70-5_Pm
 A._echinatior_Hsc70-5_Ma
 M._arenaria_mortalini-2_Pm
 M._arenaria_mortalini-2_Ma
 C._elegans_Hsp-6_Pm
 C._elegans_Hsp-6_Ma
 S._cerevisiae_Ssc1p_Pm
 S._cerevisiae_Ssc1p_Ma
 A._thaliana_HSO70-2_Pm
 A._thaliana_HSO70-2_Ma
 P._infestans_Mt-Hsp70 __Pm
 P._infestans_Mt-Hsp70 __Ma
 E._tenella_Mt-Hsp70 __Pm
 E._tenella_Mt-Hsp70 __Ma
 D._baltica_Hsp70-type_Pm
 D._baltica_Hsp70_Ma

PfHsp70-3_Pm
 PfHsp70-3_Ma
 C._owczarzaki_Hsp70-2_Pm
 C._owczarzaki_Hsp70-2_Ma
 G._gallus_Mt-Hsp70 _Pm
 G._gallus_Mt-Hsp70 _Ma
 Human_Mt-Hsp70 _Pm
 Human_Mt-Hsp70 _Ma
 R._norvegicus_Mt-Hsp70 _Pm
 R._norvegicus Mt-Hsp70 _Ma
 S._aurata_Grp75_Pm
 S._aurata_Grp75 Ma
 X._laevis_Hsp70-9_Pm
 X._laevis_Hsp70-9_Ma
 M._mongolica_Hsp70_Pm
 M._mongolica_Hsp70_Ma
 A._echinatior_Hsc70-5_Pm
 A._echinatior Hsc70-5_Ma
 M._arenaria_mortalini-2_Pm
 M._arenaria mortalini-2_Ma
 C._elegans_Hsp-6_Pm
 C._elegans_Hsp-6 Ma
 S._cerevisiae_Ssclp_Pm
 S._cerevisiae Ssclp_Ma
 A._thaliana_HSO70-2_Pm
 A._thaliana HSO70-2 Ma
 P._infestans_Mt-Hsp70 _Pm
 P._infestans Mt-Hsp70 _Ma
 E._tenella_Mt-Hsp70 _Pm
 E._tenella Mt-Hsp70 _Ma
 D._baltica_Hsp70-type_Pm
 D._baltica_Hsp70 Ma

Supplementary Data S2C

P.FHsp70-3_Pm	KSQGIFTSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
P.FHsp70-3_Ma	TTKSQFSTSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
C._owczarzaki_Hsp70-2_Pm	TTKSQFSTSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
C._owczarzaki_Hsp70-2_Ma	TTKSQFSTSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
G._gallus_Mt-Hsp70_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
G._gallus_Mt-Hsp70_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
Human_Mt-Hsp70_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
Human_Mt-Hsp70_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
R._norvegicus_Mt-Hsp70_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
R._norvegicus_Mt-Hsp70_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
S._aurata_Grp75_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
S._aurata_Grp75_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
X._laevis_Hsp70-9_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
X._laevis_Hsp70-9_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
M._mongolica_Hsp70_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
M._mongolica_Hsp70_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
A._echinatior_Hsc70-5_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
A._echinatior_Hsc70-5_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
M._arenaria_mortalini-2_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
M._arenaria_mortalini-2_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
C._elegans_Hsp-6_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
C._elegans_Hsp-6_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
S._cerevisiae_Ssc1p_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
S._cerevisiae_Ssc1p_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
A._thaliana_HS070-2_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
A._thaliana_HS070-2_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
P._infestans_Mt-Hsp70_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
P._infestans_Mt-Hsp70_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
E._tenella_Mt-Hsp70_Pm	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
E._tenella_Mt-Hsp70_Ma	TTKSQFVSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
D._baltica_Hsp70-type_Pm	VKKSEMFSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA
D._baltica_Hsp70_Ma	VKKSEMFSTAADQTOVSIKVEPGERERMASDNKLGLSPFLVGIPPPAPRGPVQPIEVTFDIDPANAIINSAIDKWTIKQOIQIISQGGGLSKREIEPKMVQDPEALNREKQQLNNLTDSNEA

PfHsp70-3_Pm	ETLIVSSEKQDIFKDKISDSKDEIKRQHITVIRENTS	EDLDSKIDAKIKCQERSWAISQEMYKINNAOGAQO	-EQPNNEENKAENKDNA
PfHsp70-3_Ma	ETLIVSSEKQDIFKDKISDSKDEIKRQHITVIRENTS	EDLDSKIDAKIKCQERSWAISQEMYKINNAOGAQO	-EQPNNEENKAENKDNA
C._owczarzaki_Hsp70-2_Pm	ETFLHDTEKSIAEVEGCGIKGEDMKVLRVDLINKRDCIIEK-	K-APADEIKKLIGAAQQLSLKIFEADEVYKQKRNATSSSS	-DSKDTKVDAEKFKDNN
C._owczarzaki_Hsp70-2_Ma	ETFLHDTEKSIAEVEGCGIKGEDMKVLRVDLINKRDCIIEK-	K-APADEIKKLIGAAQQLSLKIFEADEVYKQKRNATSSSS	-DSKDTKVDAEKFKDNN
G._gallus_Mt-Hsp70_-Pm	EGIIHDTESKMEEFKDQLPADECNKLKEEPKAKMREILAR-	KDSETGPNIIRCAATSLQQASLKLFEAMYKKMASERESS	-GSSG- DQEKEKQ-
g. gallus Mt-Hsp70_-Ma	EGIIHDTESKMEEFKDQLPADECNKLKEEPKAKMREILAR-	KDSETGPNIIRCAATSLQQASLKLFEAMYKKMASERESS	-GSSG- DQEKEKQ-
Human_Mt-Hsp70_-Pm	EGIIHDTESKMEEFKDQLPADECNKLKEEPKAKMREILAR-	KDSETGPNIIRCAATSLQQASLKLFEAMYKKMASERESS	-GS - SGDPEPERQ
Human_Mt-Hsp70_-Ma	EGIIHDTESKMEEFKDQLPADECNKLKEEPKAKMREILAR-	KDSETGPNIIRCAATSLQQASLKLFEAMYKKMASERESS	-GS - SGDPEPERQ
R._norvegicus_Mt-Hsp70_-Pm	EGIIHDTESKMEEFKDQLPADECNKLKEEPKAKMREILAR-	KDSETGPNIIRCAATSLQQASLKLFEAMYKKMASEREGS	-GSSCTGEQKEDQKEEK-
R._norvegicus_Mt-Hsp70_-Ma	EGIIHDTESKMEEFKDQLPADECNKLKEEPKAKMREILAR-	KDSETGPNIIRCAATSLQQASLKLFEAMYKKMASEREGS	-GSSCTGEQKEDQKEEK-
S._aurata_Grp75_Pm	EGIVHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-GSS- CTGEQ- KEDQPERQ
S._aurata_Grp75_Ma	EGIVHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-GSS- CTGEQ- KEDQPERQ
X._laevis_Hsp70-9_Pm	EGIVHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-GSS- CTGEQ- KEDQPERQ
X._laevis_Hsp70-9_Ma	EGIVHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-GSS- CTGEQ- KEDQPERQ
M._mongolica_Hsp70_Pm	EGIVHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-GSS- CTGEQ- KEDQPERQ
M._mongolica_Hsp70_Ma	EGIVHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-GSS- CTGEQ- KEDQPERQ
A._echinatior_Hsc70-5_Pm	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-ESGPQDDQKEEK-
A._echinatior_Hsc70-5_Ma	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-ESGPQDDQKEEK-
M._arenaria_mortalini-2_Pm	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-KDDQPERQ
M._arenaria_mortalini-2_Ma	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-KDDQPERQ
C._elegans_Hsp-6_Pm	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-NSSSSGESCEKKE
C._elegans_Hsp-6_Ma	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-NSSSSGESCEKKE
S._cerevisiae_Ssc1p_Pm	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-NSSSSGESCEKKE
S._cerevisiae_Ssc1p_Ma	EGIIXHDTESKMEEFKDQLPADECNKLKEEPKSKVRDILAN-	KDSETGPNIIRCAATTLQQASLKLFEAMYKKMASEREGS	-NSSSSGESCEKKE
A._thaliana_HS070-2_Pm	DTHIYDEKAKMDFKEIQLDQGSDQMRKIDAAARREVIA-	KDSETPSIRKLNELQSQSLKLFEIYKKMQADQDQON0000GGSSSDSSSTTDEQKEKEEKK-	-EKEKEEKK-
A._thaliana_HS070-2_Ma	DTHIYDEKAKMDFKEIQLDQGSDQMRKIDAAARREVIA-	KDSETPSIRKLNELQSQSLKLFEIYKKMQADQDQON0000GGSSSDSSSTTDEQKEKEEKK-	-EKEKEEKK-
P._infestans_Mt-Hsp70_-Pm	EGIIXHDTEKAKMTEFBDQLPKDEC2ALETKHDADIKKIDN-	KDNETPPIAKRACNTLQQOSLKLFEAYKMAAKNSGG- -DAQEAKTAEFKEKEQN	-DAQEAKTAEFKEKEQN
P._infestans_Mt-Hsp70_-Ma	EGIIXHDTEKAKMTEFBDQLPKDEC2ALETKHDADIKKIDN-	KDNETPPIAKRACNTLQQOSLKLFEAYKMAAKNSGG- -DAQEAKTAEFKEKEQN	-DAQEAKTAEFKEKEQN
E._tenella_Mt-Hsp70_-Pm	DQLANDTENSLKEEKGKVDKAEACKVRDQTSKELVAVRQGEEEVNAEIKTKEELOSTSSMLKFEIDYKNDSNNNNNN-	-DQLANDTENSLKEEKGKVDKAEACKVRDQTSKELVAVRQGEEEVNAEIKTKEELOSTSSMLKFEIDYKNDSNNNNNN-	-NGN- NAES- ETRQ
E._tenella_Mt-Hsp70_-Ma	DQLANDTENSLKEEKGKVDKAEACKVRDQTSKELVAVRQGEEEVNAEIKTKEELOSTSSMLKFEIDYKNDSNNNNNN-	-DQLANDTENSLKEEKGKVDKAEACKVRDQTSKELVAVRQGEEEVNAEIKTKEELOSTSSMLKFEIDYKNDSNNNNNN-	-NGN- NAES- ETRQ
D._baltica_Hsp70-type_Pm	DTHIYSEKSLCPKREKIPSEIAIKEIEDAVADPSSSG-	DDLNEIKAKIEAAAKVSKIGEMGGSSGGGSAPI- -GGSEGGSDQAPAEYEVKEVK	-GGSEGGSDQAPAEYEVKEVK
D._baltica_Hsp70-type_Ma	DTHIYSEKSLCPKREKIPSEIAIKEIEDAVADPSSSG-	DDLNEIKAKIEAAAKVSKIGEMGGSSGGGSAPI- -GGSEGGSDQAPAEYEVKEVK	-GGSEGGSDQAPAEYEVKEVK
DSTLYSTEK1K1C8EDKID-NETLEQVKTAITLDRTKSEG-	DNTDEIKAEELEVYOKLMSKIGEAVYKQSQCESAAS- -DDNKDENVHDLEFFKDKD-	-DDNKDENVHDLEFFKDKD-	
DSTLYSTEK1K1C8EDKID-NETLEQVKTAITLDRTKSEG-	DNTDEIKAEELEVYOKLMSKIGEAVYKQSQCESAAS- -DDNKDENVHDLEFFKDKD-	-DDNKDENVHDLEFFKDKD-	
ETLVYSEKQISD1K1K1S1EDKID-NETLEQVKTAITLDRTKSEG-	GELDTIRSVRKAQLOELSIVKVSQDAYSQSNNTSADG- -DSSSTSSGDSSSS-	-DSSSTSSGDSSSS-	
ETLVYSEKQISD1K1K1S1EDKID-NETLEQVKTAITLDRTKSEG-	GELDTIRSVRKAQLOELSIVKVSQDAYSQSNNTSADG- -DSSSTSSGDSSSS-	-DSSSTSSGDSSSS-	
ETLCFEPEKELSLVKD1ISTOKOES1K1L1STQRQNQ-	DQESLSKSLFEEPKVAKMVAQSKLDSSENSDPMS- -NLNDL-	-NLNDL-	
ETLCFEPEKELSLVKD1ISTOKOES1K1L1STQRQNQ-	DQESLSKSLFEEPKVAKMVAQSKLDSSENSDPMS- -NLNDL-	-NLNDL-	

Supplementary Data S3A

Supplementary Data S3A

Consensus	348	nGkelnksINPDEAVAYGAaVQAAIILC	dkSe~vQDLLLLDVaPLSLGIETAGGVMT	-LIKRNNTiPTKqqtFtYsDNQpgVLiQVYEGERamTkDNN1LGKfLeLsGIPPAcPRGVpQ	4648
Human Hsp70-1	355	NGRDLNKSINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4738
R. norvegicus Hsp70	357	NGRDLNKSINPDEAVAYGAQAAIILC	DKSEKVQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4755
X. laevis Hsp70	356	NGRDLNKSINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4748
L. calcarifer Hsp70	357	NGRDLNKSINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4755
A. echinatior Hsc70-4	355	NGKELnksINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4755
F. chinensis Hsc70	355	NGKELnksINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4738
H. diversicolor Hsc70	355	NGKELnksINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4738
C. japonica Hsp70	358	NGKELnksINPDEAVAYGAQAAIILC	DKSEVNQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4766
C. elegans Hsp-1	356	SGKELnksINPDEAVAYGAQAAIILC	DKSEAVQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4748
C. owczarzaki Hsp70	355	NGKELnksINPDEAVAYGAQAAIILC	DKSEAVQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4738
A. thaliana Hsp70B	360	NGKELnksINPDEAVAYGAQAAIILC	EGSEKVQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKQTOFTTYSNDNPQGVLIQVYEGERAMTKDNN1LLGRfELSGIPPAcPRGVpQ	4788
S. cerevisiae Ss1p	352	NGKEPNksINPDEAVAYGAQAAIILC	DESSKTQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKKSIEFSTYADNPQGVLIQVYEGERAKTNDNN1LLGRfELSGIPPAcPRGVpQ	4708
P. infestans T30-4 Hsp70	358	NGKEPNksINPDEAVAYGAQAAIILC	DESSKTQDLLLLDVAPLSLGIETAGGVMT	-LIKRNNTiPTKKSIEFSTYADNPQGVLIQVYEGERTMTNDNN1LLGRfELSGIPPAcPRGVpQ	4778
Consensus	465	IeVTFDIDANGILNVsAvDKstgk-NkITITNDKGRLskeeIeRMVqeAekykaeDesqr~risaKnALsEyafnmkstvedeklkdKiseedDkkvldkcevisWldanqlaekEEfe	5815		
Human Hsp70-1	474	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5938		
R. norvegicus Hsp70	476	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5955		
X. laevis Hsp70	475	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5948		
L. calcarifer Hsp70	476	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5948		
A. echinatior Hsc70-4	474	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5955		
F. chinensis Hsc70	474	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5938		
H. diversicolor Hsc70	474	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5938		
C. japonica Hsp70	477	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5968		
C. elegans Hsp-1	475	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5948		
C. owczarzaki Hsp70	474	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5938		
A. thaliana Hsp70B	479	IeVCFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5988		
S. cerevisiae Ss1p	471	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5888		
P. infestans T30-4 Hsp70	478	IEVTFDIDANGILNVsAvDKstgkankitITNDKGRLskeeIeRMVqeAekykaeDe	5978		
Consensus	582	hQKEle~~cnPiitklyQgg~ggmp~g~ag~ag~sgGptiEEVD	621		
Human Hsp70-1	594	HKKEKELEQCNPIIISGLYQGAGP~-GGPF	641		
R. norvegicus Hsp70	596	HKKEKELEMCNPIIITKLYQSGCTG~-PTCAP	641		
X. laevis Hsp70	595	FCQCDLKLEKCVCPPIITKLYQGSVPG~-GVGGMP	647		
L. calcarifer Hsp70	596	HQKEKELEKCVCPPIITKLYQSKLYQ~GGMP	639		
A. echinatior Hsc70-4	594	DQKEKELEALCPPIITKLYQSGCAP~-GGEP	643		
F. chinensis Hsc70	594	HKQKEIEQCNPIIITKLYQAGGA~-PPGGMGGFP	652		
H. diversicolor Hsc70	594	HKQKELEQCNPIIITKLYQAGGA~-GGMFNFNPQGAAGAGGAGQAQT~GGS	651		
C. japonica Hsp70	597	HQKEKELEKLCNPPIITKLYQGAGGA~-GGAG	634		
C. elegans Hsp-1	595	HQCDKLECLANPIIISKLQYQAGGA~-PPGAAP	640		
C. owczarzaki Hsp70	594	HRKEKELEKACSPPIIAKLYQGGAAP~-GGMP	648		
A. thaliana Hsp70B	599	YKKEKELEGICNPPIISKLQYQGAAA~-GGMPID	646		
S. cerevisiae Ss1p	589	DKUKELODIANPIMSKLYQAXCAP~-GGAAGGAGGGFP	642		
P. infestans T30-4 Hsp70	598	SKOKELESVANPVLOKLYASAGGAGDGMPGSMENDMP~-GTDsRSSCA	653		

Supplementary Data S3B

Consensus	10 20 30 40 50 60 70 80 90 100 110 120	
T. gondii Hsp70	1 M--~egpAiGIDLGTTYSCVgVwknd~VeIipNDQGNRTTPSYVAFTdTERLiGDAAKNQvARNPENTvFDAKRLIGRKFDpAVQsDMkHWPfkV-aGpggKP-IeVtyqGekKtFHpE	114
N. caninum Hsp70	1 M--ADSPAVGIDLGTTYSCVGVWKND~AVEII~NDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDpSVQSDMKHWPFkV~AGPCDKP~IEVTYQGEKKTFHPE	118
E. acervulina Hsp70	1 M--ADSPAVGIDLGTTYSCVGVWKND~AVEII~NDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDpSVQSDMKHWPFkV~AGPCDKP~IEVTYQGEKKTFHPE	118
C. cayetanensis Hsp70	1 M--ADSPAVGIDLGTTYSCVGVWKNE~VEII~NDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDpPAVQSDMKHWPFkV~AGPGGKP~IEVN~YQGSKKTFHPE	118
C. parvum Hsp70	1 MTSSEGPAVGIDLGTTYSCVGVW~NDIVD~IVPNDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDpAVQSDMKHWPFkV~AGSGGKP~IEVN~YQGAT~KTFHPE	120
C. hominis Hsp70	1 MTSSEGPAVGIDLGTTYSCVGVW~NDIVD~IVPNDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDpAVQSDMKHWPFkV~AGSGGKP~IEVN~YQGAT~KTFHPE	120
T. parva Hsp70	1 M---TGAIGIDLGTTYSCVA~V~KDNNE~VEII~IPNDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDp~VOD~DMKHWPfkV~TNGP~NGKP~IEVT~QGEKKTFHPE	117
T. annulata Hsp70	1 M---TGAIGIDLGTTYSCVA~V~KDNNE~VEII~IPNDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRKFDp~VOD~DMKHWPfkV~TNGP~NGKP~IEVT~QGEKKTFHPE	117
B. divergens Hsp70	1 M---DGT~AIGIDLGTTYSCVGV~KDNNE~VEII~IPNDQGNRTTPSYVAFTDTERL~VGDAAKNQVARNPENT~FDAKRLIGRFDDp~VOD~DMKHWPfkV~TNGV~GGKP~IEVT~QGOKKTfHPE	117
Consensus	115	
T. gondii Hsp70	119 EiSaMVL~KMKEIaEaylGk~vKeaViTVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNRL	231
N. caninum Hsp70	119 EVSAMVL~KMKEIaEAYLGKE~vKeaViTVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNRL	238
E. acervulina Hsp70	119 EiSAMVL~KMKEIaEAEFLGKE~vKeaViTVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNRL	238
C. cayetanensis Hsp70	119 EiSAMVL~KMKEIaEAEFLGKE~vKeaViTVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNRL	238
C. parvum Hsp70	121 EiSAMVL~KMKEIaEAEFLGKE~vKeaViTVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNRL	240
C. hominis Hsp70	121 EiSAMVL~KMKEIaEAEFLGKE~vKeaViTVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNRL	240
T. parva Hsp70	118 EiSSMVL~KMKEIaEAEFLGKS~V~KDNNE~V~TVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNLL	237
T. annulata Hsp70	118 EiSSMVL~KMKEIaEAEFLGKS~V~KDNNE~V~TVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNLL	237
B. divergens Hsp70	118 EiSSMVL~KMKEIaEAEFLGKT~V~KDNNE~V~TVPAYFNDSQRQATKDAGtIAGLnVmRiIINEPTAAAIAYGLDKKG~gEmNVlIFDlGGGFDFDVsLLTIEDGIFEVKATAGDTHLGGEDFDNLL	237
Consensus	232	
T. gondii Hsp70	239 VefCvgDFkRkNrqkd~istNsRALRRRLTqCERaKR~LSSSTQATIELDSL~FEGIDYs~s~iS~R~A~F~E~E~L~C~m~d~y~F~R~c~t~L~P~V~E~K~v~L~k~d~s~g~i~D~K~R~s~v~h~e~v~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	349
N. caninum Hsp70	239 VDFCVQDFKRKNRGKD~ISTNSRALRRRLTQ~C~E~R~K~T~R~L~S~S~S~T~Q~A~T~I~F~I~D~S~L~F~E~G~I~D~Y~S~V~S~I~S~R~A~F~E~E~L~C~M~D~Y~F~R~N~S~L~P~V~E~K~V~L~K~D~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	358
E. acervulina Hsp70	239 VDFCVQDFKRKNRGKD~ISTNSRALRRRLTQ~C~E~R~K~T~R~L~S~S~S~T~Q~A~T~I~F~I~D~S~L~F~E~G~I~D~Y~S~V~S~I~S~R~A~F~E~E~L~C~M~D~Y~F~R~N~S~L~P~V~E~K~V~L~K~D~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	358
C. cayetanensis Hsp70	239 VDFCMQDFKRKNRGKD~I~S~C~N~S~R~A~L~R~R~L~T~Q~C~E~R~A~K~T~L~S~S~S~T~Q~A~T~I~F~I~D~S~L~F~E~G~I~D~Y~S~V~S~I~S~R~A~F~E~E~L~C~M~D~Y~F~R~N~S~L~P~V~E~K~V~L~K~D~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	358
C. parvum Hsp70	241 VEFCVQDFKRKNRGKD~I~S~C~N~S~R~A~L~R~R~L~T~Q~C~E~R~A~K~T~L~S~S~S~T~Q~A~T~I~F~I~D~S~L~F~E~G~I~D~Y~S~V~S~I~S~R~A~F~E~E~L~C~M~D~Y~F~R~N~S~L~P~V~E~K~V~L~K~D~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	360
C. hominis Hsp70	241 VEFCVQDFKRKNRGKD~I~S~C~N~S~R~A~L~R~R~L~T~Q~C~E~R~A~K~T~L~S~S~S~T~Q~A~T~I~F~I~D~S~L~F~E~G~I~D~Y~S~V~S~I~S~R~A~F~E~E~L~C~M~D~Y~F~R~N~S~L~P~V~E~K~V~L~K~D~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	360
T. parva Hsp70	238 VEHCVRDFMRINNGKNI~S~N~K~R~A~L~R~R~L~T~C~E~R~A~K~T~L~S~S~S~T~Q~A~T~I~E~L~D~S~I~F~E~G~I~D~Y~N~T~T~I~S~R~A~F~E~E~L~C~D~Y~F~R~A~T~I~P~V~E~K~V~L~K~D~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	357
T. annulata Hsp70	238 VEHCVRDFMRINNGKNI~S~N~K~R~A~L~R~R~L~T~C~E~R~A~K~T~L~S~S~S~T~Q~A~T~I~E~L~D~S~I~F~E~G~I~D~Y~N~T~T~I~S~R~A~F~E~E~L~C~D~Y~F~R~A~T~I~P~V~E~K~A~L~E~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	357
B. divergens Hsp70	238 VEHCVRDFMRINNGKNI~S~N~K~R~A~L~R~R~L~T~C~E~R~A~K~T~L~S~S~S~T~Q~A~T~I~E~L~D~S~I~F~E~G~I~D~Y~N~T~T~I~S~R~A~F~E~E~L~C~D~Y~F~R~A~T~I~P~V~E~K~A~L~E~S~G~I~D~K~R~S~V~S~E~V~V~L~V~G~G~S~T~R~I~P~K~i~Q~q~l~I~q~e~F~F~N~g	357

Supplementary Data S3B

Supplementary Data S3C

Supplementary Data S3D

Supplementary Data S3D

Consensus	307	EE1NmDLFrTsTmkPVqkvleDsd1kkdideIIVLGGSTRIPKvQQLvkefFnGKepsrGiNPDEAVAYGAAVQaGvlsGe	-dtgd1vLLDV-pLT1GIETVGGVMTKLIPRNTviPT	423
Human Grp78	328	EELNMDLFRSTMKPVQKVLEDSDLKKSDIDEIIVLGGSTRIPKQQLVKEFFNGKEPSRGINPDEAVAYGAAVQAGVLSGD	-DTGDLVLLDVCPPLTLGIETVGGVMTKLIPRNTVPT	445
R. norvegicus Grp78	328	EELNMDLFRSTMKPVQKVLEDSDLKKSDIDEIIVLGGSTRIPKQQLVKEFFNGKEPSRGINPDEAVAYGAAVQAGVLSGD	-DTGDLVLLDVCPPLTLGIETVGGVMTKLIPRNTVPT	445
X. laevis Hspa5	329	EELNMDLFRSTMKPVQKVLEDSDLKKSDIDEIIVLGGSTRIPKQQLVKEFFNGKEPSRGINPDEAVAYGAAVQAGVLSGD	-DTGDLVLLDVCPPLTLGIETVGGVMTKLIPRNTVPT	446
O. latipes Bip	326	EELNMDLFRSTMKPVQKVLEDSDLKKSEIDEIIVLGGSTRIPKQQLVKEFFNGKEPSRGINPDEAVAYGAAVQAGVLSGE	-DTGDLVLLDVCPPLTLGIETVGGVMTKLIPRNTVPT	443
A. echinatior Hsc70-3	328	EELNMDLFRSTLKPQKVLEDSDMSKKDVEIIVLGGSTRIPKvQQLVKEFFGKEPSRGINPDEAVAYGAAVQAGVLSGE	-DTDAVLLDVPLTMGIETVGGVMTKLIPRNTVPT	445
F. chinensis Grp78	327	EELNMDLFRSTMKPVQKVLEDSDLKKIDEIIVLGGSTRIPKQQLVKEFFGKEPSRGINPDEAVAYGAAVQAGVLSGE	-DTNDLVLLDVPLTLGIETVGGVMTKLIPRNTVPT	444
A. californica Grp78	337	EELNMDLFRSTMKPVQKVLEDSDLKKDDIDEIIVLGGSTRIPKvQQLKEEFFNGKEPSRGINPDEAVAYGAAVQAGVLSGE	-DTGDLVLLDVPLTMGIETVGGVMTKLIPRNTVPT	454
C. elegans Hsp-3	333	EELNMDLFRSTLKPQKVLEDSDLKKDDIDEIIVLGGSTRIPKvQQLKEEFFNGKEPSRGINPDEAVAYGAAVQAGVLSGE	-DTGEVLLDVPLTMGIETVGGVMTKLIPRNTVPT	450
C. owczarzaki Hsp70-Like	329	EELNMDLFRSTLAPVTKVLEDSLKKIDEIIVLGGSTRIPKvQQLKEEFFNGKEPSRGINPDEAVAYGAAVQAGVLGCE	-ESTGDLVLLDVPLTLGIETVGGVMTKLIPRNSVPT	446
A. thaliana BiP-2	334	EELNMDLFRKTMCVKAMDDACLOKSQIDEIIVLGGSTRIPKvQQLKEEFFNGKEPKNGVNPDPEAVAYGAAVQGGILSGE	-GDETDLILLDVPLTLGIETVGGVMTKLIPRNTVPT	453
C. cohnii BiP	326	EELNMDLFRKTLCVKQVLEDSLKKIDEIIVLGGSTRIPKvQQLKEEFFNGKEPKRGINPDEAVAYGAAVQAGVLGCE	-GGQ-DILLLDVTPPLTLGIETVGGVMTKLIPRNTVPT	442
S. cerevisiae Kar2p	348	EELNMDLFRKTLPVKVLEDSLKKIDEIIVLGGSTRIPKvQQLLESYFDGKKAASKINPDEAVAYGAAVQAGVLSGE	-EGVEDVLLDVNLATLGIETVGGVMTPLIKRNTVPT	465
Consensus	424	KKSQifFsTasDnQptTlqVYEGERptKDnh1LgkFdLtGipPApRgvPQIEVTFeiDvNGII-VtAedKgtGnk-kItItNdqnRLtppeeIerMvndAEkfAdeDkk1KervdarNel	-	540
Human Grp78	446	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGTFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNKitITNDQNRLTPEEIERMvndAEkfAdeDkk1Ker	-	565
R. norvegicus Grp78	446	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGTFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNKitITNDQNRLTPEEIERMvndAEkfAdeDkk1Ker	-	565
X. laevis Hspa5	447	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGTFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNKitITNDQNRLTPEEIERMvndAEkfAdeDkk1Ker	-	566
O. latipes Bip	444	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGTFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNKitITNDQNRLTpedierMvndAEkfAdeDkk1Ker	-	563
A. echinatior Hsc70-3	446	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNKitITNDQNRLTpedierMvndAEkfAdeDkk1Ker	-	565
F. chinensis Grp78	445	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	564
A. californica Grp78	455	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	574
C. elegans Hsp-3	451	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	570
C. owczarzaki Hsp70-Like	447	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	566
A. thaliana BiP-2	454	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFDLTGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	573
C. cohnii BiP	443	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFELCGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	562
S. cerevisiae Kar2p	466	KKSQifFSTASDNQPTVTIKVYEGERpLTKDnHLLGKFELCGIPPApRgvPQIEVTFeIDvNGII-FvtaedKgtGnkNrekwititndqnrltpddierMvndAEkfAdeDkk1Ker	-	585
Consensus	541	esYayslknqi--dkekLggKlseedKetieaveekieWle-snqe-a~aEdfkekkele-ivqPI-sklygg-a-99gpf-p~~e-e-ekDEL	-	621
Human Grp78	566	ESYAYS LKNQI--CDKEKLGGKLSSEDKETMEKAVEEKIEWLE-SHQD-ADIEDFKAKKELE-EIVQPIISKL YGSA-G-PDP-BTGEDDTA-EKDEL	-	654
R. norvegicus Grp78	566	ESYAYS LKNQI--CDKEKLGGKLSSEDKETMEKAVEEKIEWLE-SHQD-ADIEDFKAKKELE-EIVQPIISKL YGSG-G-PDP-BTGEDDTA-EKDEL	-	654
X. laevis Hspa5	567	ESYAYS LKNQI--CDKEKLGGKLSSEDKETIEKAVEEKIEWLE-SHQD-ADIEDFKAKKELE-EIVQPIVGKLYGGA-G-APP-PEGAE-ET-EKDEL	-	655
O. latipes Bip	564	ESYAYS LKNQI--CDKEKLGGKLSDDDKETIEKAVEEKIEWLE-SHQD-AETEDFOQAKKELEBVVQPIITKL YGSA-G-GPD-PEGAE-SEA-EKDEL	-	653
A. echinatior Hsc70-3	566	ESYAYS LKNQI--ADKEKLGSKWSADKATMPEAIDKEKIKWL-DNQD-TEPEEYKKKKELDIVQPIIAKLYOGA-GGGVP-PTGGEDDD-MRDEL	-	656
F. chinensis Grp78	565	ESYAYS LKNQI--NDKEKLGSKLSDEDEKEKMDEVIEEKIKWL-DNPE-ADABDYKIKKELEBVVQPIITKL YQGS-GEAPE-ETEDEENY-EKDEL	-	655
A. californica Grp78	575	ESYAYS LKNQI--GDKELGAKLSEDDEKEKITEAVDE-TKWL-SNAE-ASPEPNEKKTELE-EIVQPIITKL YEQS-GGAP-PSCPEESE-EAKDEL	-	667
C. elegans Hsp-3	571	ESYAYNLKNQI--DKEKLGGKLDDEDKETIEKAVEEATSWLG-SNAE-ASAEELKEKKDLSKVQPIVSKLYKDA-GAGGE-EAPEEGSD-DKDEL	-	661
C. owczarzaki Hsp70-Like	567	ESYAYNLKNQI--KDEDKLGGKLDDEDKETITTAVDE-TAHLDSGAE-ATTEELKEKAAAFKIVQPIVSKLYQGG-AGGAP-SGDEE-GHDEF	-	655
A. thaliana BiP-2	574	ETYYNMKNQV--SDKDKIADKLEGDEKEKIEAETKEALEWL-ENON-SEKEEYDEKIKEVEAVCNPIITAVYQRS-GGAGGAGGESSTEDEDE-SHDEL	-	668
C. cohnii BiP	563	DGYIHSRSATEGSC-NKC-SEKMDDEDEKEKILEALKDQGSWLD-SNPE-GDAEDIKEKHEVEGTCAPIVSKLYGVG-GCCAG-AAADEDEDE-AHDEL	-	656
S. cerevisiae Kar2p	586	ENYAHSLKNQV---NGDLGEKLEEDKETLLDAANDVLEWL-DNFETAIADEDFEDKFESEL SKVAYPITSKLYGGADGSGAA-DYDDDEDDDGDYFEDDEL	-	682

Supplementary Data S3E

		10	20	30	40	50	60	70	80	90	100	110	120																																																		
Consensus	1	m-----1~1~					lsv~~~p~av~a~	~vk~VIGIDLGTTSCVG~YrnGRV~II	IpNdqGNRITPSYVsFtdderRki				57																																																		
T. gondii BiP	1	MIAAKKLSLFSI	A				FCILSVATL	RPVARS	DAE--EGKVKD	VVIGIDLGTTSCVG~YR	HGRVD	IIPNDQGNRITPSYV	FTDDDRKI	86																																																	
N. caninum ER-Hsp70	1	MAVAHK--LLS	LLA				FCILVGVP	TLRPV	VADEAE--ECQVKD	VVIGIDLGTTSCVG~YR	HGRVD	IIPNDQGNRITPSYV	FTDDDRKI	84																																																	
E. tenella BiP	1	LDLNRLWYLFGI	SASKHTQPGDP	SARPHVLYTMGVFHGA	ALPFCCFI	LSLFSHY	PHAVRGDDTEGDKV	KDVGIDLGTTSCVG~YR	QGRV	IIPNDQGNRITPSYV	SEEDERKI			120																																																	
C. parvum ER-Hsp70	1	MKYLR	AIIFS	V	F		LSLFLA	FP--VRSSD	--EKKYDG	VVIGIDLGTTSCVG~YKNGRVE	IIPNE	QGNRITPSYV	SETTDDERKI	78																																																	
B. rodhaini Grp78	1									VEGPVIGIDLGTTSCVG~YR	NGRVE	II	INDG	NRITPSYV	VSFIGGERKV	50																																															
B. microti Grp78	1									VFLFLGF	VEGKT--TPS	VEG	PIVIGIDLGTTSCVG~YR	NGRVE	II	INDV	GNRITPSYV	VSFIGGERKV	66																																												
Consensus	58	GeaAKneAtinptn	1FDvKR	LGrFn~e	VO	DK~L	LYYEIi	nKdg	eYIrvmvkG~ke	1A	PEEVs	sAmVL	KMK	e~AE~FLGke	VknAvV	TP	PAY	FNDAQR	QATKDAGa	TAGLN	VIR	168																																									
T. gondii BiP	87	GEAAKNEAT	INPTNTL	FDVKR	LGr	FRNF	KEV	QD	DL	LPYEI	INKD	GKPY	IRVMVK	GQ	PKV	LAPEEV	VSAMVL	U	KMKE	AE	OFLGKE	VKN	AVTV	PAY	FNDAQR	QATKDAGa	IAGLN	VIR	206																																		
N. caninum ER-Hsp70	85	GEAAKNEAT	INPTNTL	FDVKR	LGr	FRNF	KEV	QD	DL	LPYEI	INKD	GKPY	IRVMVK	GQ	PKV	LAPEEV	VSAMVL	U	KMKE	AE	OFLGKE	VKN	AVTV	PAY	FNDAQR	QATKDAGa	IAGLN	VIR	204																																		
E. tenella BiP	121	GEAAKNEA	A	INPTNTL	FDVKR	LGr	FRNF	KEV	QD	DL	LPYEI	INKD	GKPY	IRVMVK	GQ	PKV	LAPEEV	VSAMVL	U	KMKE	AE	OFLGKE	VKN	AVTV	PAY	FNDAQR	QATKDAGa	IAGLN	VIR	240																																	
C. parvum ER-Hsp70	79	GESAKNOAT	INPQ	TFD	VKR	LGr	FRNF	KEV	QD	DL	LPYEI	INKD	GKPY	IRVMVK	GQ	PKV	LAPEEV	VSAMVL	U	KMKE	AE	OFLGKE	VKN	AVTV	PAY	FNDAQR	QATKDAGa	IAGLN	VIR	198																																	
B. rodhaini Grp78	51	GDVAKS	LAT	THSKNT	1FD	VKR	LGr	FRNF	KEV	QD	DL	LPYEI	INKD	GKPY	IRVMVK	GQ	PKV	LAPEEV	VSAMVL	U	KMKE	AE	OFLGQP	V	AVTV	PAY	FNDAQR	QATKDAGa	IAGLN	VIR	170																																
B. microti Grp78	67	GDVAKS	LAT	NSKNT	1FD	VKR	LGr	FRNF	KEV	QD	DL	LPYEI	INKD	GKPY	IRVMVK	GQ	PKV	LAPEEV	VSAMVL	U	KMKE	AE	OFLGQP	V	AVTV	PAY	FNDAQR	QATKDAGa	IAGLN	VIR	186																																
Consensus	169	IiNEPTAAIA	YGLD	KK	-EKT	ILVYD	DGGGT	FDVS	~L	IDNG	FEV	~F	Ats	GDTHL	G	GDFD	Qx	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	274																									
T. gondii BiP	207	IiNEPTAAIA	YGLD	KK	-NEKT	ILVYD	DGGGT	FDVS	V	IDNG	FEV	V	lat	SGD	T	H	GG	EF	DQR	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	325																							
N. caninum ER-Hsp70	205	IiNEPTAAIA	YGLD	KK	-NEKT	ILVYD	DGGGT	FDVS	V	IDNG	FEV	V	lat	SGD	T	H	GG	EF	DQR	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	323																							
E. tenella BiP	241	IiNEPTAAIA	YGLD	KK	-DEKT	ILVYD	DGGGT	FDVS	V	IDNG	FEV	V	lat	SGD	T	H	GG	EF	DQR	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	359																							
C. parvum ER-Hsp70	199	IiNEPTAAIA	YGLD	KK	-AEKS	ILVYD	DGGGT	FDVS	V	IDNG	FEV	V	VAT	SGD	T	H	GG	EF	DQR	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	317																							
B. rodhaini Grp78	171	IiNEPTAAIA	YGLD	KK	-DEEKN	ILVYD	DGGGT	FDVS	V	IDNG	FEV	V	VAT	SGD	T	H	GG	EF	DQR	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	290																							
B. microti Grp78	187	IiNEPTAAIA	YGLD	KK	-DEEKN	ILVYD	DGGGT	FDVS	V	IDNG	FEV	V	VAT	SGD	T	H	GG	EF	DQR	VMD	Hfik	i	k	kyg	ndl	-s	dk	a	1	Qkl	rre	v	a	krals	ss-hg	kv	Eien	lm	~vd	305																							
Consensus	275	fse	TLTRAK	Fee	1LN	a	DLF	qk	T	lk	PV	kv	L	ed	ad	l	ks	de	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	388	
T. gondii BiP	326	FSET	TLTRAK	Fee	ELN	SP	LF	Q	K	T	L	K	P	V	Q	V	L	E	D	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	445
N. caninum ER-Hsp70	324	FSET	TLTRAK	Fee	ELN	ADL	FQ	T	L	K	P	V	Q	V	L	E	D	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	443		
E. tenella BiP	360	FSET	TLTRAK	Fee	ELN	ADL	FQ	T	L	K	P	V	Q	V	L	E	D	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	479		
C. parvum ER-Hsp70	318	ISET	TLTRAK	Fee	ELN	ADL	FQ	T	L	K	P	V	Q	V	L	E	D	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	437		
B. rodhaini Grp78	291	FSOT	TLTRAK	Fee	ELN	BDL	FQ	T	L	K	P	V	Q	V	L	E	D	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	410		
B. microti Grp78	306	ENOT	TLTRAK	Fee	ELN	BDL	FQ	T	L	K	P	V	Q	V	L	E	D	IV	LVGG	ST	RP	KI	Q	L	IK	d	ff	N	G	PE	PN	GP	NI	PA	AV	YA	Q	g	II	l	G	E	g	q	dm	v	LL	D	V	T	L	G	I	E	~	GG	V	~	Ki	ln	425		
Consensus	388	Nt	Vi	PT	KK	Q	T	F	S	T	Y	S	D	N	Q	s	V	1	IQ	V	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	500																
T. gondii BiP	446	KNT	Vi	PT	KK	Q	T	F	S	T	Y	S	D	N	Q	s	V	1	IQ	V	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	565																
N. caninum ER-Hsp70	444	KNT	Vi	PT	KK	Q	T	F	S	T	Y	S	D	N	Q	s	V	1	IQ	V	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	563																
E. tenella BiP	480	KNT	Vi	PT	KK	Q	T	F	S	T	Y	S	D	N	Q	s	V	1	IQ	V	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	599																
C. parvum ER-Hsp70	438	RNT	Vi	PT	KK	Q	S	Y	F	S	T	Y	S	D	N	Q	s	V	1	LI	QV	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	557															
B. rodhaini Grp78	411	FNS	Vi	PT	KK	Q	S	Y	F	S	T	Y	S	D	N	Q	s	V	1	LI	QV	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	530															
B. microti Grp78	426	RNT	Vi	PT	KK	Q	S	Y	F	S	T	Y	S	D	N	Q	s	V	1	TI	IQV	y	ER	p	M	T	k	-	h	l	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	-	ker	545															
Consensus	501	Vd	A	Na	L	g	Y	h	sm	~	t	ED	K	D	K	l	ad	ed	dk	kk	1	ld	kl	-	Aee	w	N	p	ada	ee	c	d	K	l	dv	E	v	Cn	Pi	I	s	k	v	Y	gq	~	~	agg	Aag	a	Dd	Y	gg	DEL	584								
T. gondii BiP	566	VD	ARNALEG	Y	LH	SM	~	T	ED	K	D	K	l	ad	ed	dk	kk	1	ld	kl	te	A	e	W	N	I	N	P	D	A	aa	ee	tt	D	K	l	dv	E	v	Cn	Pi	I	s	k	v	Y	gq	~	~	agg	Aag	a	Dd	Y	gg	DEL	668						
N. caninum ER-Hsp70	564	VD	ARNALEG	Y	LH	SM	~	T	ED	K	D	K	l	ad	ed	dk	kk	1	ld	kl	te	A	e	W	N	I	N	P	D	A	aa	ee	tt	D	K	l	dv	E	v	Cn	Pi	I	s	k	v	Y	gq	~	~	agg	Aag	a	Dd	Y	gg	DEL	666						
E. tenella BiP	600	VD	ARNALEG	Y	LH	SM	~	R	T	ED	K	D	K	l	ad	ed	dk	kk	1	ld	kl	te	A	e	W	N	I	N	P	D	A	aa	ee	tt	D	K	l	dv	E	v	Cn	Pi	I	s	k	v	Y	gq	~	~	agg	Aag	a	Dd	Y	gg	DEL	701					
C. parvum ER-Hsp70	558	VDA	KNALD	S	V	HSM	~	T	ED	K	D	K	l	ad	ed	dk	kk	1	ld	kl	ce	E	dd	K	l	dv	E	v	Cn	Pi	I	s	k	v	Y	gq	~	~	agg	Aag	a	Dd	Y	gg	DEL	655																	
B. rodhaini Grp78	531	VEAK	N	L	DNN	I	TAS	M	R	T	ED	K	D	K	l	ad	ed	dk	kk	1	ld	kl	as	E	dd	K	l	dv	E	v	Cn	Pi	I	s	k	v	Y	gq	~	~	agg	Aag	a	Dd	Y	gg	DEL																

Supplementary Data S3F

Supplementary Data S3G

Supplementary Data S3G

Consensus	198	YGLdk-sedkiiaVvDLGGGTFDiSiLeiqkGvFEVksTnGdTfLGGeDFDcall?hlvi:eFk?etgiDltkDmAlQR1rEAaEkAKiELsss2qTdinLPy2TmDasGpKH1nmkltr	316
Human Mt-Hsp70	230	YGLDK-SEDKVIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDALLRHIVKREFKRETGVDLTKDNMALQRVREAAEKAKCELSSSQTDINLPY2TMDASGPKH1NMKLTR	348
R. norvegicus Mt-Hsp70	230	YGLDK-SEDKVIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDALLRHIVKREFKRETGVDLTKDNMALQRVREAAEKAKCELSSSQTDINLPY2TMDASGPKH1NMKLTR	348
G. gallus Mt-Hsp70	232	YGLDK-SEDKIIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDALLQYIVKREFKRETSVDLTKDNMALQRVREASEKAKCELSSSQTDINLPY2TMDASGPKH1NMKLTR	350
S. aurata Grp75	184	YGLDK-TODKIIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDQHLLRHIVKREFKRESGVDLTKDSMALQRVREAAEKAKCELSSSQTDINLPY2TMDASGPKH1NMKLTR	302
X. laevis Hsp70-9	224	YGLDK-SDDKVIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDALLQHIVKREFKRESGVDLTKDNMALQRVREAAEKAKCELSSSQTDINLPY2TMDASGPKH1NMKLTR	342
A. echinatior Hsc70-5	151	YGMDK-QEDKIIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDNALVNLYSSEFKEQGIDVTKDAMAMQRKEASEKAKIELSSSQTDINLPY2TMDASGPKH1NMKLTR	269
M. mongolica Hsp70	231	YGMDK-SEDKIIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDNALVNLFVAEERRDQGLDVTKDPMAMQRKEAAEKAKIELSSSQTDINLPY2TMDASGPKH1NMKLTR	349
M. arenaria mortalini-2	233	YGMDK-TGDKIIAVYDLGGGTFDISILEI1QKGVFEVKSTNGDTFLGGEDFDNVLVSYLAEEQKDQGIDVTKDPMAMQRLEAAEKAKIELSSSQTDINLPY2TMDAGGPKH1NMKLTR	351
C. elegans Hsp-6	208	YGLDK-DAGDKIIAVYDLGGGTFDVSILEI1QKGVFEVKSTNGDTFLGGEDFDHALVHHLVCEFFKNEQGVDLTKDPQAMQRLEAAEKAKCELSSSQTDINLPY2TMDASGPKH1NMKLTR	327
C. owczarzaki Hsp70-2	216	YGMDK-SDDKIIAVYDLGGGTFDVSILEI1QKGVFEVKATNGDTFLGGEDFDNHVLQFILLEEFFKQHGMDSLKDVALQRLEAAEKAKIELSSSQTDINLPY2TADAKGPKH1FVKLTR	334
P. infestans Mt-Hsp70	186	YGMDK-ADGKVIAVFDLGGGTFDVSILEI1SGGVFEVKATNGDTFLGGEDFDDEELLRYLVNEFKKETSIDLSCLDNAMQRLEAAEKAKRELGLAQTDISLPFITADATGPKH1NMKLTR	304
A. thaliana HsO70-2	234	YGMTN-KEG-LIAVFDLGGGTFDVSILEI1SGGVFEVKATNGDTFLGGEDFDNALLDLNVNEFKTTEGIDLAKDRALQRLEAAEKAKIELSSSQTEINLPFITADASGAKHFNITLTR	351
S. cerevisiae Ssc1p	207	YGLEK-SDSKVVAVFDLGGGTFDISILIDNGVFEVKSTNGDTFLGGEDFDIYLLREIVSRFRKTETGIDLENDRMAMQRLEAAEKAKIELSSSQTEINLPFITADASGPKH1NMFSR	325
E. tenella Mt-Hsp70	234	YGMEK-EDGRITIAVYDLGGGTFDVSILEI1LGGVFEVKATNGNTSLGGEDFDQKVLQFLVNEFKKKGIDLSKDRALQRLEAAETAKIELSSSQTEINLPFITADASGPKH1QVSISR	352
D. baltica Hsp70-type	179	YGLDK-KQNETIILVFDLGGGTFDVSILEVGDGIFEVLATAGDTNLLGGDFDKVLTWLMNDFKQKEGIDLSTDIQALQRLEAAEKAKMELSTVDKTNISLPFITADOTGPKH1IDEKELTR	297
Consensus	317	aqfEg1vgdLikrtvaPcckal?DaevsksdigeV1LVGGmtRmPkvgqtVqelfgaPskaVNPDEaVaAiQggvLaGdvtdvLLLDvtPLSLGiET1GGvftkli?RNNTTIPtKK	436
Human Mt-Hsp70	349	AQFEGIVTDLIRRTIAPCQKAMQDAEVSKSDIGEVILVGGMTRMPKVQQTVQDLFGRAPSCKAVNPDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	468
R. norvegicus Mt-Hsp70	349	AQFEGIVTDLIRRTIAPCQKAMQDREVSCKSDIGEVILVGGMTRMPKVQQTVQDLFGRAPSCKAVNPDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	468
G. gallus Mt-Hsp70	351	SQFEGIVADLIRRTIAPCQKAMQDAEVSKSDIGEVILVGGMTRMPKVQQTVQDLFGRAPSCKAVNPDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	470
S. aurata Grp75	303	AQFEGIVADLIRRTIAPCQKAMQDAEVSKSDIGEVLLVGGMSRMPKVQQTVQDLFGRAPSCKAVNPDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	422
X. laevis Hsp70-9	343	SQFEGIVCDLIRRTIAPCQKAMQDAEVSKSDIGEVLLVGGMTRMPKVQQTVQDLFGRAPSCKAVNPDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	462
A. echinatior Hsc70-5	270	SKFESLVDLIRRTIAPCQKALSDAEVSKSDIGEVLLVGGMTRPVPKVQQTVQDLFGRAPSCKAVNPDEAVAIGAAVQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	389
M. mongolica Hsp70	350	AKFENLVCDLIRRTIAPCQKALKDAEVCRNEIGDVLVVGGMTRMPKVQDTVKEIFIGRVPSPSKAVNPDEAVAIGAAIQGGVLAGEVTDILLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	469
M. arenaria mortalini-2	352	AKFESLVDLIRRTIAPCQKALKDAEIKSDIGDVLLVGGMTRMPKVQQVQEVFGRAPGKSVPNDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	471
C. elegans Hsp-6	328	AKFEQIVCDLIRRTIEPCFKALHDAEVKSQIADVLVGGMSRMPKVQATVQEIFGKVPSPSKAVNPDEAVAIGAAIQGAVLAGDVTDVLLLDVTPLSLGiETLGGVFTKLNIRRNNTTIPtKK	447
C. owczarzaki Hsp70-2	335	AKFESIVGSIVQKTIIDPCKLKDALGKSOIGEVLLVGGMTRMPKVQDTVRELFGREPSKCVNPDEAVAIGAAIQGGVLAGDVTDVLLLDVTPLSLGiETEGGVFSRLINRNNTTIPtKK	454
P. infestans Mt-Hsp70	305	ATFEKLVGKLIERTMGPCKKCVKDAGLKSEINEVILVGGMSRMPKVQTTWEEFFGKPKPSKCVNPDEEVAMGAIAQGGVLRGDVRDILLLDVTPLSLGiETLGGVFTKLNIPRNNTTIPtKK	424
A. thaliana HsO70-2	352	SRFETLVNHLIERTRDPCKNCLKDAGISAKEDEVLLVGGMTRPVPKVQSTVAEIFGKSPSKCVNPDEAVAIGAAIQGGILRGDVKEILLLDVTPLSLGiETLGGVFTRLIRRNNTTIPtKK	471
S. cerevisiae Ssc1p	326	AOFETIATPLVKRTVDPRVKALKDAGLSTSIDISeVLLVGGMSRMPKVETVKSLEFGKDPSKAVNPDEAVAIGAAVQGAVLSPGFTDVLLLDVTPLSLGiETLGGVFTRLIPRNNTTIPtKK	445
E. tenella Mt-Hsp70	353	AHLEELVGAIIQQSIEPCEKCIRDAVGOKADLSDVILVGGMTRMPKVAEVVKNIHKEPSKCVNPDEAVAIGAAIQAGVLIKDIKDLLLDVCPLSLGiETLGGVFTRLINRNNTTIPtKK	472
D. baltica Hsp70-type	298	ETFEKUCEKLIDRCRIPVEKALNDARLKDSDINEVVVVGSTRIPAIQOIVESLTGKKPNQSVNPDEVVAIGAAIQAGILAGEIKDILLLDVTPLSLGVETLGGVMTKLIARNTTIEVKK	417

Supplementary Data S3G

Consensus	437	SqvfSTAadgQTqVeIkV	QGERemaDnKllGqFtLvGiPpaprGVPQIEVtFDiDanGIvhvsA?dkgtgkeqqiviqssggLskdeienMvknAEkyaaeDrkrke?veavN	Aegi	556
Human Mt-Hsp70	469	SQVFSTAADGQTQVEIKV	QGEREMAEDNKLLGQFILIGIPPAPRGPQIEVTFDIDANGIVHVSAKDKGTGEQQIVIQSSGGLSKDDIENMVKNAEKYAAEDRRRKERVEAVN	AEGI	588
R. norvegicus Mt-Hsp70	469	SQVFSTAADGQTQVEIKV	QGEREMAEDNKLLGQFILIGIPPAPRGPQIEVTFDIDANGIVHVSADKDKGTGEQQIVIQSSGGLSKDDIENMVKNAEKYAAEDRRRKERVEAVN	AEGI	588
G. gallus Mt-Hsp70	471	SQVFSTAADGQTQVEIKV	QGEREMASDNKLLGQFILVGIPPPAPRGPQIEVTFDIDANGIVHVSADKDKGTGEQQIVIQSSGGLSKDEIENMVKNAEKYAAEDRRRKERVEAVN	AEGI	590
S. aurata Grp75	423	SQVFSTAADGQTQVEIKV	QGEREMASDNKVLGQFILVGIPPPAPRGPQIEVTFDIDANGIVHVSADKDKGTGEQQIVIQSSGGLSKDDIENMVKNAEKYAAEDRRRKDRVEAVN	AEGI	542
X. laevis Hsp70-9	463	SQVFSTAADGQTQVEIKV	QGEREMASDNKLLGQFILVGIPPPAPRGPQIEVTFDIDANGIVHVSADKDKGTGEQQIVIQSSGGLSKDDIENMVKNAEKYAAEDRRRKDRVEAVN	AEGI	582
A. echinatior Hsc70-5	390	SQVFSTAADGQTQVEIKV	QGEREMAEDNKLLGQFSLVGIPPPAPRGPQIEVTFDIDANGIVHVSARDKGTKGEQQIVIQSSGGLSKDEIENMVKNAEQQYAKADKKERVEAVN	AEGI	509
M. mongolica Hsp70	470	SQVFSTAADGQTQVEIKV	QGEREMAADNKLLGQFSLGIPPPAPRGPQIEVTFDIDANGIVHVSARDKGTKGEQQIVIQSSGGLSKDEIENMVRNAEQFAKEADAVKRERVEAVN	AEGI	589
M. arenaria mortalini-2	472	SQVYSTAADGQTSVEIKV	QGEREMAADNKLLGQFLSVPPEMPRGPQIEVVFIDANGIVNSARDGKGKEQQIVIQSSGGLSKDEIENMVRNAEKYAAEDAQKDMIEAVN	AETM	591
C. elegans Hsp-6	448	SQVFSTAADGQTQVQIKV	QGEREMATSNKLLGQFSLVGIPPPAPRGPQIEVTFDIDANGIVNSARDRGKGKEQQIVIQSSGGLSKDQIENMKAEKNAEADAKRKELV	VINOAEGI	567
C. owczarzaki Hsp70-2	455	SSTFSTAADMQTSVEIKV	QGERDMAADNQALGSFRLVGIPPPAPRGPQIEVTFDIDANGIVNSARDOKSGKEQQIVIQSSGGLTKDQIEKMRDAEVNAADERRREDIEARN	OAEFT	574
P. infestans Mt-Hsp70	425	SQVFSTAADSQTQVEIKV	QGEREMAADNKLLGNFDLVGIPPPAPRGPQIEVSFIDANGIVNVGARDKATCKEONIVIQSSGGLSEAEIEKVMADAEEAAA	DQRFKLIEAKNDADST	544
A. thaliana HS070-2	472	SQVFSTAADNQTOQVEIRV	QGEREMATDNKLLGEFLVGIPPSPRGVQIEVTFDIDANGIVVSAKDKITGKVQOITIRSSGGLSEDDIQKMRVREAEHLAQDKERKELIDTKN	ADTT	591
S. cerevisiae Ssc1p	446	SQIFSTAAAGQTSVEIRV	QGERELVRDNLIGNFTLAGIPPPAPKGPQIEVTFDIDADGIIVNSARDKATKDSSITVACSSGLSENEIEOMVNDAEKFKSODEARKQAIETANKADQL	565	
E. tenella Mt-Hsp70	473	SQIFSTAAQNQTOQVEIKV	QGEREMASANKLLGQFDLVGIPPPAPRGPQIEVTFDVDANGIMNTSAVDKSTAKFQOITIQSSGGLSEAQIKOMVVEDAERFKDEDOROKDLVAAKNEAETL	592	
D. baltica Hsp70-type	418	SEMFSTAVDNTQTVNEIHILQGERELVACNKSLSGNFRLDGIPPAANRGVPQIEVTFDIDVDGILSVRAKEKETGVEQSVDCASTLINEKEVESMLADAERYAAADKEKRENIDLNKAETL		537	

	610	620	630	640	650	660	670	680	690	700	
Consensus	557	?hdte?km?efkdqlpa:ec?klk??i?k1re?la?--kdsetgeeik?dan?lqqas1k1femaykkmaer??s	--gss	--dss?	--??e?ke?kq	647					
Human Mt-Hsp70	589	IHDTEIKMEEFKDQLPADCNKLEEISKMRELLAR	KDSETGENIROAASSLQQASLKLDEMAYKKMA	SEREGS	-GSS	--GTGEQ	--KEDOKEPKQ				679
R. norvegicus Mt-Hsp70	589	VHDTEIKMEEFKDQLPADCNKLEEISKMRELLAR	KDSETGENIROAASSLQQASLKLDEMAYKKMA	SEREGS	-GSS	--STGEQ	--KEDOKEPKQ				679
G. gallus Mt-Hsp70	591	IHDTESKMEEFKDQLPADCNKLEEISKMRELLAR	KDTETGENIROAATSLQQASLKLDEMAYKKMA	SEREGS	-GS	--SGDQKEPKQ					675
S. aurata Grp75	543	VHDTESKMEEFKDQLPADCNKLEEISKVRDILLAN	KDSETGENIKQATTLLQQASLKLDEMAYKKMA	SEREGSSGGSGGSS	--SSGSS	--EGEKKEGQO					638
X. laevis Hsp70-9	583	IHDTESKMEEFKDQLPADCNKLEEISKVKELLAR	KDEETGESIRNASSTLQQASLKLDEMAYKKMA	SERSGS	--ESGPQ	--KDDOKEPKQ					670
A. echinatior Hsc70-5	510	IHDTESKLEEFKAQLPQECDKLKELVAKDIREILAK	KDDVDPEEIKKQTNELQQASLKLDEMAYKKMA	SERESQ	--SQSQQEP	--EGEKKEPKN					599
M. mongolica Hsp70	590	VHDTESKMEEFKDQLPADCNSKLREQITSVVDVLAN	KDSKTPPEEIKKATNDLQQASLKLDEMAYKKMA	SERESS	--NSSSS	--SGESGEKKE					677
M. arenaria mortalini-2	592	IHDTEAKMDFEQLDQDQSDQMRKDIAAMREVIAN	KDSETPESTRTKLNELQQSTLKLDEMAYKKMAQDQQNQQQGGSSDSSSDTTDE	--QKEKEEKKN							692
C. elegans Hsp-6	568	IHDTEAKMTEFADQLPKDECEALRTKIDATKKILDN	KDNETPEAIKECNTLQQOSLKLDEMAYKKMA		--DAQEAKT-AEEPKKEQ						657
C. owczarzaki Hsp70-2	575	LHDTEKSIAEYGEQIGKEDMEKAKVDLNKIRDGIEK	KAPADEIKLLGAAQQTSLKIEAVYQKPNASSSS		--DSKDKTV-DAEFK-KDN						661
P. infestans Mt-Hsp70	545	LYSTEKTILKEHEDKIDETLEQVKTALEI	SEGDNTEEIKAALEEVQKLSMKICAVYKSQCGPSAASD		--DNKDENVHDAEFKKDD						633
A. thaliana HS070-2	592	IYSIEKSLGEYREKIPSEIAKEIEDAVADLRSASSG	DDLNEIKAKIEAANKAVSKIGEHMSGGGGGSAPGGGSE		--GGSDQAP-EAEYEVKK						682
S. cerevisiae Ssc1p	566	ANDTENSILKEFEGKVDKAFAQKVRDQITSLKELVARVQGGEVVAEEIKTKTEELQTSMSKIEQOLYKNDNNNNNN		--NGN	--NAESGETKQ						654
E. tenella Mt-Hsp70	593	VYSVEKQISDLKDJKISAEDKTDIRESRIQELRSAIVE	GELETITRSRVKAQELSWKVSQOAYSQSNTSADG		--DSSST	--SSGDSSSKP					677
D. baltica Hsp70-type	538	CFEAFKELSLVKDTISTQQESISKLTSTQ	--N--SONDOIESIKS--SLEELKVAMEMVASKLDSBNSD		--PMSNL	--NDL					613

Supplementary Data S3H

	10	20	30	40	50	60	70	80	90	100	110	120																																														
Consensus	1	M~s~		s~f~	s~ss~s~	s~s~	sg~	f~r~st~	s	18																																																
T. gondii Mt-Hsp70	1	MASMAAGASLAYRASYC	GAKARSISSFTSLGRAC	VETQMTPAAA	--ASLRPSRFLFSSLAQNAK	--SSPF	SAGKLRSGMNT	TYERTAVI	SS	FSRYLST	S	97																																														
N. caninum Mt-Hsp70	1	MASLASGASLAYRASYC	GAKTRSI-S	S-L	LLRATFANKQMTSVAAPTA	SLRPSGFFSDLLTQGGKAVSS	S	FERNLNGLG	YRNAC	ALNSERAGV	SS	105																																														
E. tenella Mt-Hsp70	1	M	RGA			VALSAARALWAAVPPQPR	GPPKEQRVFS	AVRTAAVG	TSSL		A	47																																														
T. parva Mt-Hsp70	1	M	KSL			RRL	YSIFN	SSRC	SLELSNK	LS	S	48																																														
T. annulata Mt-Hsp70	1	M	SL			NRL	YSIFH	SSRC	SLELSNK	LS	T	48																																														
B. bovis Mt-Hsp70	1	M	TL			SRF	FSL	-GSPACR-	CL	-VQRSLT	S	27																																														
C. muris Mt-Hsp70	1	M	FCT			RYK	NNNSNE	FGNALK	SISTFLIK	TSGI	LHRHIC	38																																														
C. parvum Mt-Hsp70	1	M	SMI			INSSF	NGVVN	SSGIAA	--RILKRSLPLV		FSRYMS	SKCEG	41																																													
Consensus	19	a~r~~~k~gDvv	GIDL	GTTNSC	vA~mEGs	qPKVi	En	SEGm	RTPPS	vAF	tDGQRL	vGvAKRQ	A	127																																												
T. gondii Mt-Hsp70	98	APRMN	KARGD	VVGIDLG	TTNSC	V	MEGS	QPKV	IENSEGMR	TPPS	tVAFT	tDGQRL	VAKRQ	AVTN	PE	NT	FATK	R	127																																							
N. caninum Mt-Hsp70	106	APRMN	KARGD	VVGIDLG	TTNSC	V	MEGS	QPKV	IENSEGMR	TPPS	tVAFT	tDGQRL	VAKRQ	AVTN	PE	NT	FATK	R	217																																							
E. tenella Mt-Hsp70	48	GR	GFSVG	RVGIDLG	TTNSC	V	MEGS	QPKV	IENSEGMR	TPPS	vAF	tDGQRL	VGVVAKRQ	A	TNP	ENT	FATK	R	167																																							
T. parva Mt-Hsp70	49	TGF	-AKVQGD	VVGIDLG	TTNSC	V	MEGS	TPKVI	E	EGARTTPS	tVAFT	tDGQRL	VGVVAKRQ	AVTN	PE	NT	FATK	R	167																																							
T. annulata Mt-Hsp70	49	SCF	-AKVQGD	VVGIDLG	TTNSC	V	MEGS	TPKVI	E	EGARTTPS	tVAFT	tDGQRL	VGVVAKRQ	AVTN	PE	NT	FATK	R	167																																							
B. bovis Mt-Hsp70	28	RNL	SKVQGD	VVGIDLG	TTNSC	V	MEGS	TPKVI	E	EGARTTPS	tVAFT	tDGQRL	VGVVAKRQ	AVTN	PE	NT	FATK	R	146																																							
C. muris Mt-Hsp70	39	ASCYSD	KIGRDV	GIDLG	TTNSC	V	MEGS	TPKVI	E	EGARTTPS	vAF	tDGQRL	VGVVAKRQ	AVTN	PE	NT	FATK	R	158																																							
C. parvum Mt-Hsp70	42	KKSSNRR	RITGD	IIGIDLG	TTNSC	T	MEGS	TPKVI	E	EGARTTPS	VAF	tDGQRL	VGVVAKRQ	AVTN	PE	NT	FATK	R	161																																							
Consensus	128	SQIgAf	il	KMke	TAEay	lGR	Vkq	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	246																																						
T. gondii Mt-Hsp70	218	SQI	SAFI	l	KMK	TAEAY	lGR	Vkq	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	337																																					
N. caninum Mt-Hsp70	225	SQI	SAFI	l	KMK	TAEAY	lGR	Vkq	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	344																																					
E. tenella Mt-Hsp70	168	SQIgAf	Vl	lMMK	KA	TEA	SYL	GRD	V	NOA	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	287																																			
T. parva Mt-Hsp70	168	SQIgAy	II	lAKM	KA	TEA	SYL	GRD	V	SKA	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	287																																			
T. annulata Mt-Hsp70	168	SQIgAy	II	lAKM	KA	TEA	SYL	GRD	V	SKA	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	287																																			
B. bovis Mt-Hsp70	147	SQIgAc	II	lSKM	KA	TEA	SYL	GRD	V	SKA	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	266																																			
C. muris Mt-Hsp70	159	SQIgAf	V	lEKM	KA	TEA	SYL	GRD	V	QKA	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	278																																			
C. parvum Mt-Hsp70	162	SQIgAf	lEKM	KA	TEA	SYL	GRD	V	QKA	AVITV	PAYFN	DQS	RQATKD	Agk	Ag	le	Vl	R	I	NEPTAA	AlAf	281																																				
Consensus	246	~~	ll	-def	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	356	
T. gondii Mt-Hsp70	338	QH	l	IDEF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	457	
N. caninum Mt-Hsp70	345	QH	l	IDEF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	464	
E. tenella Mt-Hsp70	288	QH	l	VNF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	407	
T. parva Mt-Hsp70	288	QH	l	VNF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	407	
T. annulata Mt-Hsp70	288	QH	l	VNF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	407	
B. bovis Mt-Hsp70	267	KH	l	l	EF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkn	If	386
C. muris Mt-Hsp70	279	TH	l	l	EF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vrs	If	398
C. parvum Mt-Hsp70	282	NY	l	l	EF	KK	~q	GIDL	-kd	kl	la	lqr	re	aa	Et	Ak	i	El	s	Kt	q	Ei	nlp	It	Adq	gs	Gpkh	l	qy	k	~	Rak	l	Eel	v	~	d	ll	q	~	tve	Pce	k	Cik	Da	Gvs	ksd	1	~	Dy	l	Vgg	mtr	mpk	Vte	Vkk	If	401

Supplementary Data S3H

Consensus	357	gkEpsKgvNPDEAVamGAAIQAqVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGERemAadNk1LGQFd1vGIPPApRqVPQIEVTFD	475									
T. gondii Mt-Hsp70	458	GKEPSKGvNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReIAANKwLGQFDLVGIPPApRqVPQIEVTFD	577									
N. caninum Mt-Hsp70	465	GKEPSKGvNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReIAANKwLGQFDLVGIPPApRqVPQIEVTFD	584									
E. tenella Mt-Hsp70	408	HKEPSKGvNPDEAVAgAAIQAqVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReMAANKwLGQFDLVGIPPApRqVPQIEVTFD	527									
T. parva Mt-Hsp70	408	GKEPSKGvNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReMAADNQLLGQFDLVGIPPApRqVPQIEVTFD	527									
T. annulata Mt-Hsp70	408	GKEPIKA~VNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLriETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReMAADNQLLGQFDLVGIPPApRqVPQIEVTFD	527									
B. bovis Mt-Hsp70	387	GKEASKSVNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReMAADNQLLGQFDLVGIPPApRqVPQIEVTFD	506									
C. muris Mt-Hsp70	399	GKEPSKGvNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGInVFGEREIAADNkLLGQFDLIGIPPApRqVPQIEVTFD	518									
C. parvum Mt-Hsp70	402	GKEPSKGvNPDEAVAMGAAlQAGVLKGEIKDLLLLDvcPLSLgiETLGGVFTtLinRNTTIPKKSQ~FSTAADNQTOVGIKVYQGEReIAADNkLLGQFEMMGIppAPRqVPQIEVTFD	521									
	610	620	630	640	650	660	670	680	690	700	710	720
Consensus	476	vDANGIMNisAvDKSTgkrqeITIQSSGGLS~qiEkMvk~Ae~y~k~qDe~kKelvda~NeaEtliYsVeKQ~tdlkDkis~adk~d~i~lrs~lsed~p~x~	565									
T. gondii Mt-Hsp70	578	VDANGIMNisAVDKSTgkrqeITIQSSGGLSDQIEOMVKDAEMYkPDEKKDAVAKNEAETLIVSVEKQMTDLKDkMDADRTDlQEKITHLRSTLQED~PEPfREALK	689									
N. caninum Mt-Hsp70	585	VDANGIMNisAVDKSTgkrqeITIQSSGGLSDAQIEOMVKDAEMYkPDEKKDAVAKNEAETLIVSVEKQMTDLKDkMDADRTDlQEKITHLRSTLQED~PDPfREALK	696									
E. tenella Mt-Hsp70	528	VDANGIMNisAVDKSTgkrqeITIQSSGGLSEAIQIKMVDEAERFkEDQRQKDLVAkNEAETLIVSVEKQlSDLKDKlSAEDkTDLESRIQELRSALVEGE~LETfRSRVK	639									
T. parva Mt-Hsp70	528	VDANGIMNisAVDKSTgkrqeITIQSSGGLSEEVEMVKkPASNYkPDDRKELVDRVNESESlySVEKQlTDPKDVQAEELDQLKTLSTSKEVLTDD~VSAIKDKHK	639									
T. annulata Mt-Hsp70	528	VDANGIMNisAVDKSTgkrqeITIQSSGGLSEEVEMVKkPASNYkPDDRKELVDRVNESESlySVEKQlTDLKDkVSSELDDQLRTLSTSKEVLSSDD~VSAIKDKHK	639									
B. bovis Mt-Hsp70	507	VDANGIMNisAVDKSTgkrqeITIQSSGGLSDEQVERMVkDAEAfkOSDEORkLLVDRNEAETLySVEKQlSDLKDKlSEEDkRGLEQFLANLQEOMSSED~IDSfKECHk	618									
C. muris Mt-Hsp70	519	IDANGIMNVSAVDKSTgkRQEITIQSSGGLSPDIEKMRAlEEYRSSDkTKEIIDARNDkAETLIVSVEKQlTDLSDkLSPSDKEELQCKIEKVkSTFSSLE~PEPfRSETk	630									
C. parvum Mt-Hsp70	522	IDANGIMNVGAIDKSTgkRQEITIQSSGGLSAGIEKMRAlEEYRANoDkKELIDLkNDAEAFlySVQNQISSIADQINTQkDSLESkTSkLQESTQSSDYESATQsIKSQLE	641									
	730	740	750	760								
Consensus	566	qLqelsWk~sQqaYsq~nst~~~sasens~~se~~d~~s~	593									
T. gondii Mt-Hsp70	690	TLOEASWKISQQAYNQAGSTDs~SAGs-EGTGSESCDKKSS	728									
N. caninum Mt-Hsp70	697	TLOEASWKISQQAYNQAGSTDs~SSTSGSESGSESCDKKSS	736									
E. tenella Mt-Hsp70	640	ALQELSWkVsqQAYsQSNNT---SAGDSSSTSSGdSSSKP	677									
T. parva Mt-Hsp70	640	OLQELSWkVsqQAYsksNTGstsan~SENANTSNEENDTHNK	681									
T. annulata Mt-Hsp70	640	OLQELSWkVsqQAYsksNTGatsantsentnifneENDTPNK	681									
B. bovis Mt-Hsp70	619	RLOELSWkVsqQomyQgnQ---QASEKSGSDSDPESEEKK	654									
C. muris Mt-Hsp70	631	OLQEVSWkISQkAYgsaySNNT---TDSpsGSSEGSi	664									
C. parvum Mt-Hsp70	642	FLOKAsTAIToPQAYkpcnsdnQsENyAnHednScEsQDsDs	683									

Supplementary Data S3I

Supplementary Data S3J

	10	20	30	40	50	60	70	80	90	100	110	120
Consensus
R. bacterium DnaK	1 MaseKviGIDLGTTnScvavmegg~pkvipNaEGaRtTPSvVaftd~gErLvGc~AKRQai~tNPeTifsiKRlIgr~fddp~v~kdkk~lPykvadngda~vei~gk~ysPgeiSAm	110										
B. henselae DnaK	1 MA~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	117										
O. anthropi DnaK	1 MA~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
Chelatavorans DnaK	1 MA~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
M. alhagi DnaK	1 MA~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
D. indicum DnaK	1 MG~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
Leptospirillum DnaK	1 MG~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
T. yellowstonii DnaK	1 MG~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
N. defluvii DnaK	1 MG~KVIGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	118										
M. tarda DnaK	1 MAKEKILGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	96										
M. marisnigri DnaK	1 MVSKEKVLGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	96										
M. petrolearius DnaK	1 MASNVKLGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	96										
M. mahii DnaK	1 MG~KILGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	95										
M. zhilinae DnaK	1 MG~KILGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	95										
M. mazei DnaK	1 MA~KILGIDLGTTNSCVAlMDGSPKIVNEAGARTTPSIVAFKN~DERLVLGQoAKRQATNPENTIFAVKRLLIGRSINDELKKEMKHIEFENVVDGGNGIAWQVEGEKYSPSOISAF	95										
Consensus
R. bacterium DnaK	111 ILQKmKetaAEsY1GEKvt~aViTVPAYFnDaQrgaTKdAGkIAGleV1R1IINEPTAaaLAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	224										
B. henselae DnaK	118 ILQRMKmKetaEYLGEtvSEAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	236										
O. anthropi DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
Chelatavorans DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
M. alhagi DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
D. indicum DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
Leptospirillum DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
T. yellowstonii DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
N. defluvii DnaK	119 ILQRMKmKetaEYLGEKVEQAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTAAALAYGLDK~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	237										
M. tarda DnaK	97 ILQRKmKtadaEAYLGEK1KAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTASALAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	215										
M. marisnigri DnaK	97 ILQRKmKtadaEAYLGEK1KAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTASALAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	215										
M. petrolearius DnaK	97 ILQRKmKtadaEAYLGEK1KAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTASALAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	215										
M. mahii DnaK	96 ILQRKmKtadaEAYLGEK1KAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTASALAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	215										
M. zhilinae DnaK	96 ILQRKmKtadaEAYLGEK1KAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTASALAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	215										
M. mazei DnaK	96 ILQRKmKtadaEAYLGEK1KAVITVPAYFnDADQRQATKDAGK1AGL~V1R1IINEPTASALAYG1dk~gd~tiaVydLGGGTfDvS1leigdgfvEVksTnGdthLGGdDFD~rivdy1~d	215										
Consensus
R. bacterium DnaK	225 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
B. henselae DnaK	237 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	356										
O. anthropi DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
Chelatavorans DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
M. alhagi DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
D. indicum DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
Leptospirillum DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
T. yellowstonii DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
N. defluvii DnaK	238 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	355										
M. tarda DnaK	216 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	333										
M. marisnigri DnaK	216 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	333										
M. petrolearius DnaK	216 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	333										
M. mahii DnaK	216 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	333										
M. zhilinae DnaK	216 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	333										
M. mazei DnaK	216 EFKKeeGid1~Dk~alQrlkeAAEAKAKielss~qtei1Nlpfitad~scggpkh1~ik1trakfeqlv~dl1g1rtlepck~a1k1dag1~ag1didevylvggmtrmpkvqe~vk~ffgk	333										

Supplementary Data S3J

Consensus	336	PhkgvNPDEvVA GAAiQagvl Gevkdv1LLDvtPLsLg1ET1GgvFtk1IeRNTT1PtksQvFsTAaDnQtsVtihVfQGERemAadNk LGqf-L gIPPAPRG PQ1IEVTFDIDA	449
R. bacterium DnaK	357	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	476
B. henselae DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	475
O. anthropi DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	475
Chelatavorans DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	475
M. alhagi DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	475
D. indicum DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	475
Leptospirillum DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTRLIERNTTIPTKKSQVFSTADDQNQAVTIRVFQGEREMADNKVLGQBNLEDPIPPAPRGLPQIEVTFDIDA	475
T. yellowstonii DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGEREMADNKSLGRBDLVEIPPAPRGMQPQIEVTFDIDS	475
N. defluvii DnaK	356	PHKGVPNDDEVVA GAAIQCAGVL GDKVDPVLLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGEREMADNKSLGRBDLVEIPPAPRGMQPQIEVTFDIDS	475
M. tarda DnaK	334	PDKG1NPDCEVAL GAAIQCAGVL GETKDV1LLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGEREMADNKSLGRBDLVEIPPAPRGMQPQIEVTFDIDA	453
M. marisnigri DnaK	334	PDKG1NPDCEVAL GAAIQCAGVL GETKDV1LLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGEREMADNKSLGRBDLVEIPPAPRGMQPQIEVTFDIDA	453
M. petrolearius DnaK	334	PDKG1NPDCEVAL GAAIQCAGVL GETKDV1LLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGEREMADNKSLGRBDLVEIPPAPRGMQPQIEVTFDIDA	453
M. mahii DnaK	335	PYKN1NPDPEAV GAAIQCAGVL GEVKDV1LLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGERG1ASANKTLGRBVLDGIPPAAPRGMQPQIEVTFDIDA	454
M. zhiliinae DnaK	335	PYKN1NPDPEAV GAAIQCAGVL GEVKDV1LLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGERG1ASANKTLGRBVLDGIPPAAPRGMQPQIEVTFDIDA	454
M. mazei DnaK	335	PYKN1NPDPEAV GAAIQCAGVL GEVKDV1LLDVTPLSLGIETLGGVFTKLIERNTTIPAKKSQVFSTAAADNQSVSVHVIQGERG1ASANKTLGRBVLDGIPPAAPRGMQPQIEVTFDIDA	454
Consensus	450	NGIVhvVsAKD~gtGkeqs1~IqPasgg1SdeeeiekmvkdAeahaaeDkkre~vParNcae~linstEkslk~gdks~cdk~iesaiaklkaleDtgdaesikak~e~Laeasmk	557
R. bacterium DnaK	477	NGIVSVSAKDKGTNKEQK1H1Q ASGGLSDDDIE CMVKDAEENABSDKERKELVEAKNSABSLHLSTEKSVEEHGDKVDPTTIEVIEAMANLTESLE SDDASK1NSRAQDLTEASMK	593
B. henselae DnaK	476	NGIVNVSAKDKGTGKHEO1H1Q ASGGLSDADIEKMKVDAEEHAEADKKRREGEVAAKNSABSLHLSTEKSVEEHGDKVDPTTIEVIEAMANLTESLE SDTDEEVAKAKMQLAEVSMK	592
O. anthropi DnaK	476	NGIVNVSAKDKGTGKHEO1H1Q ASGGLSDADIEKMKVDAEEHAEADKKRREGEVAAKNSABSLHLSTEKSVEEHGDKVDPTTIEVIEAMANLTESLE SDTDEEVAKAKMQLAEVSMK	592
Chelatavorans DnaK	476	NGIVNVSAKDKGTGKHEO1H1Q ASGGLSDADIEKMKVDAEEHAEADKKRREGEVAAKNSABSLHLSTEKSVEEHGDKVDPTTIEVIEAMANLTESLE SDTDEEVAKAKMQLAEVSMK	592
M. alhagi DnaK	476	NGIVNVSAKDKGTGKHEO1H1Q ASGGLSDDDIEKMKVDAEAAAESEDKKRALVEARNOAAVLVHSEKSLSKEYGDKVSSEADRTAISDAIAALKTATE GDDVDDINAKSQSLAEVSMK	592
D. indicum DnaK	476	NGIVSVSAKDKGTGKQOSITIVR ASSGLSDEEEKMKVDAELHADEDKRKRERIETLNDLADTVVSTEKAMGEHGDKLQPEDKGRIEKKLAJKNLQDTGASKEOLEAAATELSEASMK	594
Leptospirillum DnaK	476	NGIVSVSAKDKGTGKQOSITIVR ASSGLSDEEEKMKVDAELHADEDKRKRERIETLNDLADTVVSTEKAMGEHGDKLQPEDKGRIEKKLAJKNLQDTGASKEOLEAAATELSEASMK	594
T. yellowstonii DnaK	476	NGIVhvVsAKDLATQKEQS1P1T ASSGLSKEEIDR1R1FRAHSAAEDKKRERERIETLNDLADTVVSTEKAMGEHGDKLQPEDKGRIEKKLAJKNLQDTGASKEOLEAAATELSEASMK	593
N. defluvii DnaK	476	NGIVhvVsAKDLATQKEQS1P1T ASSGLSKEEIDR1R1FRAHSAAEDKKRERERIETLNDLADTVVSTEKAMGEHGDKLQPEDKGRIEKKLAJKNLQDTGASKEOLEAAATELSEASMK	593
M. tarda DnaK	454	NGIVhvVsAKDLGTGNEQAAH1K GDKKLSADEIKRMVEDARKFEEEDRKREEIEB1RNSADNAIFTAEKULLDNAATIEPADREKVESGIAIDLRAIG CDOVDDIKAKMELTTSVYN	570
M. marisnigri DnaK	454	NGIVhvVsAKDLGTGNEQAAH1K GDKKLSADEIKRMVEDARKFEEEDRKREEIEB1RNSADNAIFTAEKULLDNAATIEPADREKVESGIAIDLRAIG CDOVDDIKAKMELTTSVYN	571
M. petrolearius DnaK	454	NGIVhvVsAKDLGTGNEQAAH1TIS GDKR1SKDDEIDBMVNKAJDFEADK1KREIEB1LNSADNSVFAAEKULLDNAADT1FTAERAMKAGDSIEAADKEKIEJSIAIDLKKALE GDD1FAIKOKMDALTEAVYA	570
M. mahii DnaK	455	NGIVhvVsAKDLGTGKQOS1TIE KPGGLSDEED1DMVKDAEAAHAEEDKAKKEVEEARNNAE1LVSSAAK1KDAJDIASEECKTKVESAISDINTALE GSDIFPAIKSKTETLQEAMY	571
M. zhiliinae DnaK	455	NGIVhvVsAKDLGTGKQOS1SID KPGGLSDEEIECMVRDAEAAHAEEDRORKEAVETRNTAEBSLINS1AERTIKEAEADIATDDQSKSRVESEISELRLKALE GDDIEELKKKTESLQNAYVY	571
M. mazei DnaK	455	NGIVhvVsAKDLGTGKQOS1SIQ KPGGLSDEEIPRMVKDAEMHAEDDRKRKEEVE1RNNABALINAAEKT1KEAGDLATEDQSKVNAAI1ELKKALE GKDAEDIKAKTEALOEVSYP	571
Consensus	558	1~~amYqkaqaaa~a~~~a~gg~r~ag~teaa~dedvvvdafdee~vddDDDKkkkk	601
R. bacterium DnaK	594	LGEA1QKAQSEAPAPEG---MCDDDAGEPRGVDED1VADFDLGLK---DDQ	640
B. henselae DnaK	593	LGOAMYEASQA--TPNTETDTKSDVVADFEIND---	630
O. anthropi DnaK	593	LGOAMYEASQAATGTS---AGGSEEAASNDVVADFYEEIDD--KKN	636
Chelatavorans DnaK	593	LGOAMYEASQAENAA---GGTETGGAIDVVADFEIDEDED--KKSA	636
M. alhagi DnaK	593	LGOAMYEASQAEEAA---DAAAADAKGADVVADFE1INEDDKKRS	639
D. indicum DnaK	595	LGEIVYQQAQEQQAGENQADASCDAGSSEGKNAADDVVDAEFEOMDD--KEKK	646
Leptospirillum DnaK	593	LAEELVYKASQGSTPGGP---GAC1TAGGSSAQGEDPTVVDAEYEDVNO---	640
T. yellowstonii DnaK	594	VAEELMYKKACASQOG---AGSTTQSKEEDV1EAEVED--KDNK	632
N. defluvii DnaK	593	LAEEPMYKKACASQOG---AGSTTQSKEEDV1EAEVED--KDNK	643
M. tarda DnaK	571	ITTK1YQKAQAEPROAQAGASGNP CGPGTAKAEPRD1TVVDAFKVDR-----E	618
M. marisnigri DnaK	572	LTTKMYQQQAAAQQQQTEG---AAKKDDTVVADAYEV-----KE	609
M. petrolearius DnaK	571	ATTK1YQKAQAEPRAKAGEA---GSAGEDETVVDADYEVKKD	614
M. mahii DnaK	572	ISALLYQKAQEEAPSGQAAAGECASASDSEGGSDEDVVADFEVDD---NDKK	623
M. zhiliinae DnaK	572	VSSAMYQKAQEEAAQQQQQEG---CAETAGSESQPDDEVVADYEVVDE---DKK	620
M. mazei DnaK	572	ISTAMYQKAQAOOA---AGGEGGAAGTDARGPDETUVVADYEVVDD---EKKR	619

Supplementary Data S4

MODEL	DOPE Z-SCORE	GDT_TS	PROSA	VERIFY3D
PfHsp70-1_1YUW.pdb	-0.90	79.64	-10.15	236.31
PfHsp70-1_2KHO.pdb	-0.73	63.12	-10.67	240.87
PfHsp70-1_3D2F.pdb	-1.06	76.68	-11.59	255.80
PfHsp70-x_PfA(Hybrid)	-1.40	80.4	-11.6	230.2
PfHsp70-x_PfB(Hybrid)	-1.17	75.7	-10.7	219.6
PfHsp70-x_PfE(Hybrid)	-1.17	66.1	-10.5	216.2
PfHsp70-x_JA1(Hybrid)	-1.36	77.7	-11.0	228.6
PfHsp70-x_JA2(Hybrid)	-1.43	80.7	-12.0	217.9
PfHsp70-x_JB1(Hybrid)	-1.32	79.26	-11.56	-
PfHsp70-x_JB4(Hybrid)	-1.24	78.62	-11.51	-
PfHsp70-x_JC5(Hybrid)	-1.20	74.57	-11.36	-
PfHsp70-x_JC13(Hybrid)	-1.08	74.20	-11.18	-
PfHsp70-x_PfA(Hybrid-EM)	-1.47	80.9	-11.8	221.5
PfHsp70-x_PfB(Hybrid-EM)	-1.29	74.0	-11.1	215.3
PfHsp70-x_PfE(Hybrid-EM)	-1.31	66.3	-10.8	215.7
PfHsp70-x_JA1(Hybrid-EM)	-1.44	75.3	-11.1	223.3
PfHsp70-x_JA2(Hybrid-EM)	-1.51	82.0	-12.0	224.5
PfHsp70-x_JB1(Hybrid-EM)	-1.31	79.32	-11.72	-
PfHsp70-x_JB4(Hybrid-EM)	-1.27	81.10	-11.67	-
PfHsp70-x_JC5(Hybrid-EM)	-1.28	76.40	-11.55	-
PfHsp70-x_JC13(Hybrid-EM)	-1.25	75.85	-11.59	-

Supplementary Data S4

PfHsp70-x_PfA(Haddock)	-1.35	78.0	-11.1	218.4
PfHsp70-x_PfB(Haddock)	-1.33	79.4	-10.8	218.6
PfHsp70-x_PfE(Haddock)	-1.31	77.7	-10.8	215.6
PfHsp70-x_JA1(Haddock)	-1.48	76.7	-10.8	225.2
PfHsp70-x_JA2(Haddock)	-1.49	85.8	-11.6	212.1
PfHsp70-x_JB1(Haddock)	-1.32	71.98	-10.83	-
PfHsp70-x_JB4(Haddock)	-1.31	77.48	-10.75	-
PfHsp70-x_JC5(Haddock)	-1.29	68.62	-10.92	-
PfHsp70-x_JC13(Haddock)	-1.20	65.78	-10.93	-

Supplementary Data S5:

CrHsp70-4	1	MVGLG-----LIATLVAASALASIPOAKAAASPTTDKLGTVI GIDL	40
CrHsp70-5	1	MAQWK-----AAVLLL----ALACASYGFGVWAEEEKLGTVI GIDL	37
OIHsp70-3	1	MPIKRASYRNAVVCACASLFLF---AVCALPIN--AENPTEITGTVI GIDL	46
HsGrp78	1	MKLSL-----VAAMLL--LLSAARAE--EEDKKEDVGTVVGIDL	35
PfHsp70-2	1	MKQIR-----PYILLL--IVSLLKFI--SAVDSNIEGPVIGIDL	35
PfHsp70-x	1	MKT KICS YIH-----YIVLFL--IATTTVHT--ASNNAEESEVAIGIDL	40

Supplementary Data S6:

Supplementary Data S7A

PfHsp70-x		PfA	PfB	PfE	HmDNAJA1	HmDNAJA2	DnaJB4	DnaJB1	DnaJC5	DnaJC13
Hydrophobic Interactions										
I246 F247 I410 L411		V121 P111, F127 P111	A123 P117	P109	P35	P37 P37	P33 P33	P51 P48 P44, F57	P1337 P1333	
Hydrogen Bonds										
L200 R201 L411 A418 V419 K420		D112 D112 H110 K128 E124, K128 E124	D118 P117	D110 P109	D36	D38 H36 K46 K46	D34 D34 H32 K46 K46 E42	D34 D34 H32 K46 K46	H43 E1344	H1332
Ionic Interactions										
K189 R201 K420		D112	D118 D118 D130	D110 D110, D115, E122 D115, E116, E122	D36 D36 E43	D38 D45	D34 D34 E42	D34 D34 E42	D45 D45	D1334 E1344

Supplementary Data S7B

PfHsp70-x		J-Conserved		PfA	PfB	PfE	HmDNAJA1	HmDNAJA2	DnaJB4	DnaJB1	DnaJC5	DnaJC13
Hydrophobic Interactions												
I246		-		V22	A18						P22	
F247		-								P16		P16
I410		-		P12, F28				P12		P12		
L411		P12		P12	P12	P12	P12	P12	P12	P12	P12, F28	P12
Hydrogen Bonds												
L200		D13		D13	D13	D13	D13	D13	D13	D13	H11	H11
R201		D13		D13	P12	P12	D13	D13	D13	D13		
L411		H11		H11				H11	H11	H11		
A418		K29		K29			K29	K29	K29	K29		
V419		K29		E25, K29			K29	K29	K29	K29		E29
K420		E25		E25	D25				E25			
Ionic Interactions												
K189		D13		D13	D13	D13	D13	D13	D13	D13	D13	D13
R201		D13		D13	D13	D13, D18, E25	D13	D13	D13	D13	D13	D13
K420		E25		D25	D25	D18, E19, E25	E26	D26	E25	E25		E29


Supplementary Data S7C

PfHsp70-x	PfA	PfB	PfE	DnaJA1	DnaJA2	DnaJB4	DnaJB1	DnaJC5	DnaJC13
Hydrophobic Interactions									
I246 L411 V419	P111, F127 M107 Y134	A112, M113, F133	M105 L113	Y26, A30, F45	P41	A28, L29, F45 L29	P39	A39, L40 P48 L40	A1328 P1337
Hydrogen Bonds									
R201 N204 T207 D216 E243 D244 F247 K420 D421	D112, K113 D112 D112	P117, D118, H120 D118 D118	H108, P109, H112, D115 D110 D110	P35, D36, N40 D36 D36	P37, D38 D38 D38	P33, D34, E42, D34 D34	H32, D34 D34	P44, D45, N47 D45 D45	P1333, D1334 D1334 D1334 K1335
Ionic Interactions									
R185 R201 D216 E243 D244 E248 D421	D112 D112	D118 D118 K119 K109 E138	D115, E122 D115 R101, K111 R101, D110, K111	D36 D36 R27	D38 K39 K33, K39	D34 D34, E42 K35 R25 K35	D34 K37 K35 K37	D45 K46 36 36 K46 K46	D1334 K1335 K1335


Supplementary Data S7D

PfHsp70-x	J-Conserved	PfA	PfB	PfE	DnaJA1	DnaJA2	DnaJB4	DnaJB1	DnaJC5	DnaJC13
Hydrophobic Interactions										
I246 L411 V419	A7, M8, F28 - -	P12, F28 M8 Y35	A7, M8, F28	M8 L16	Y26, A30, F28	P22	A7, L8, F28 L8	P22	A7, L8 P16 L8	A7 P16
Hydrogen Bonds										
R201 N204 T207 D216 E243 D244 F247 K420 D421	P12, D13 D13 D13 K14 R4, K14 H11 K14	D13, K14 D13 D13 H11	P12, D13, H15 D13 D13 K4 H11	H11, P12, H15, D18 D13 D13 K14 R4	P12, D13, N23 D13 D13 K14 H11 H11	P12, D13 D13 D13 K14 R4 D13, K14	P12, D13, E25 D13 D13 K14 H11 K14	H11, D13 D13 D13 K14 D13, K14	P12, D13, N15 D13 D13 K14 R4 H11	P12, D13 D13 D13 K14 Q8 H11 K9, K14 K14
Ionic Interactions										
R185 R201 D216 E243 D244 E248 D421	D13 D13 K14 R4, K14 K14 K14	D13 D13 K14 K4 E33	D13 D13 K14 R4, K14 R4, D13, K14	D18, E25 D18 R4, K14 R4, D13, K14	D13 D13 K14 R4 K8, K14	D13 D13 K14 R4 K14	D13 D13, E25 K16 K14 K14	D13 D13 K14 R4 K14	D13 D13 K14 R4 K14	D13 D13 K14 K14 K14


Supplementary Data S8:



Supplementary Data S9:



Supplementary Data S10A



Supplementary Data S10B

