Combinatorics of the Interrupted Period.

A. Thierry

November 15, 2018

Abstract

This article is about discrete periodicities and their combinatorial structures. It presents and describes the unique structure caused by the alteration of a pattern in a repetition. Those alterations of a pattern arise in the context of double squares and were discovered while working on bounding the number of distinct squares in a string. Nevertheless, they can arise in other phenomena and are worth being presented on their own.

Keywords: string, period, primitive string, factorization

If x_0 is a primitive word, and x_1 a prefix of x_0 , the sequence $x_0^n x_1 x_0^m$ has a singularity: it has a periodic part of period x_0 , an interruption, and a resumption of the pattern x_0 . That interruption creates a different pattern, one that does not appear in x_0^n . The goal of this article is to unveil that pattern.

1 Preliminaries

In this section, we introduce the notations and present a simple property and two of its corollaries. These observations are straightforward but their proofs introduce the technique used to prove Theorem 2.5 and provide insights.

We first fix some notations. An alphabet A is a finite set. We call letters the elements of A. If |A| = 2, the words are referred to as binary and are used in computers. Another well known example for |A| = 4 is DNA. A vector of A^n is a word w of length |w| = n, which can also be presented under the form of an array w[1, ..., n]. Two words are homographic if they

are equal to each other. If $x = x_1x_2x_3$ for non-empty words x_1, x_2 and x_3 , then x_1 is a prefix of x, x_2 is a factor of x, and x_3 is a suffix of x (if both the prefix and the suffix are non empty, we refer to them as proper). We define multiplication as concatenation. In english, breakfast = break.fast. In a traditional fashion, we define the n^{th} power of a word w as n time the multiplication of w with itself. A word x is primitive if x cannot be expressed as a non-trivial power of another word x'.

A word \tilde{x} is a *conjugate* of x if $x = x_1x_2$ and $\tilde{x} = x_2x_1$ for non-empty words x_1 and x_2 . The set of conjugates of x together with x form the conjugacy class of x which is denoted Cl(x).

A factor x, |x| = n of w has period p if $x[i] = x[i + |p|], \forall i \in [1, ...n - |p|]$. The number of occurrences of a letter c in a word w is denoted $n_c(w)$, the longest common prefix of x and y as lcp(x, y), while lcs(x, y) denotes the longest common suffix of x and y (note that lcs(x, y) and lcp(x, y) are words).

The properties presented next rely on a simple counting argument. If the proofs are not interesting in themselves, they still allow for meaningful results.

Property 1.1. A word w and all of its conjugates have the same number of occurrences for all of their letters, i.e. $\forall \tilde{w} \in Cl(w), \forall a \in A, n_a(w) = n_a(\tilde{w}).$

Proof. Note that
$$\forall \tilde{w} \in Cl(w), \exists w_1, w_2$$
, such that $w = w_1w_2, \tilde{w} = w_2w_1$.
Then, $\forall a \in A, n_a(w) = n_a(w_1) + n_a(w_2) = n_a(\tilde{w})$.

The negation of Property 1.1 gives the following corollary:

Corollary 1.2. If two words do not have the same number of occurrence for the same letter, they are not conjugates.

Another important corollary of Property 1.1 is the following:

Corollary 1.3. Let x be a word, $|x| \ge n + 1$. If u = x[1...n] and v = x[2...n + 1] are conjugates of each other, then x[1] = x[n + 1], i.e. v is a cyclic shift of u.

Proof. Note that u and v have the factor x[2...n] in common. Since u and v are conjugates, they have the same number of occurrences for all of their letters (Proposition 1.1). It follows that $n_{x[1]}(u) = n_{x[1]}(x[1...n]) = n_{x[1]}(x[2...n]) + 1 = n_{x[1]}(v) = n_{x[1]}(x[2...n]) + n_{x[1]}(x[n+1])$, hence $n_{x[1]}(x[n+1]) = 1$, i.e. x[1] = x[n+1].

2 Theorem

Discrete periods were described by N.J. Fine and H.S. Wilf in 1965 in the article "Uniqueness theorem for periodic functions" [1]. A corollary of that theorem, the synchronization principle, was proved by W. Smyth in [2] and L. Ilie in [3]:

Theorem 2.1. If w is primitive, then, for all conjugates \tilde{w} of $w, w \neq \tilde{w}$.

Which is about the synchronization of patterns. The next theorem is about the impossible synchronization when a pattern is interrupted.

First, we need to formalize what we call an interruption of the pattern. Let x_0 be a primitive word and x_1 be a proper prefix of x_0 , i.e. $x_1 \neq x_0$. Write $x_0 = x_1 x_2$ for some suffix x_2 of x_0 .

Let
$$W = x_0^{e_1} x_1 x_0^{e_2}$$
 with $e_1 \ge 1, e_2 \ge 1, e_1 + e_2 \ge 3$.

We see that W has a repetition of a pattern x_0 as a prefix: $x_0^{e_1}x_1$, and then the repetition is interrupted at position $|x_0^{e_1}x_1|$, before starting again in the suffix $x_0^{e_2}$. We need one more definition (albeit that definition is not necessary, it is presented here for better understanding) before introducing the two factors that we claim have restricted occurrences in W.

Definition 2.2. Let $W = x_0^{e_1} x_1 x_0^{e_2}$ with $e_1 \ge 1, e_2 \ge 1, e_1 + e_2 \ge 3$ for a primitive word $x_0 = x_1 x_2$. Let \tilde{p} be the prefix of length $|\operatorname{lcp}(x_1 x_2, x_2 x_1)| + 1$ of $x_1 x_2$ and \tilde{s} the suffix of length $|\operatorname{lcs}(x_1 x_2, x_2 x_1)| + 1$ of $x_2 x_1$. The factor $\tilde{s}\tilde{p}$ starting at position $|x_0^{e_1}| + |x_1| - |\operatorname{lcs}(x_1 x_2, x_2 x_1)| - 1$ is the core of the interrupt of W.

If W and its interrupt are clear from the context, we will just speak of the core (of the interrupt).

 $xx_1x = aaabaaaaaabaaaaaabaaaaaa baaaaaabaaaaa baaaaabaaaaa baaaaabaaaaa.$

The factors that were previously known to have restricted occurrences in W, to the best of the author's knowledge, were the inversion factors defined by A. Deza, F. Franek and A. Thierry in [4]:

Definition 2.4. Let $W = x_0^{e_1} x_1 x_0^{e_2}$ with $x_0 = x_1 x_2$ a primitive word and $e_1 \ge 1, e_2 \ge 1, e_1 + e_2 \ge 3$. An inversion factor of W is a factor that starts at position i and for which:

- $W[i+j] = W[i+j+|x_0|+|x_1|]$ for $0 \le j < |x_1|$, and
- $W[i+j] = W[i+j+|x_1|]$ for $|x_1| \le j \le |x|+|x_1|$.

Those inversion factors, which have the structure of $x_2x_1x_1x_2 = \tilde{x_0}x_0$, and which length are twice the length of x_0 , were used as two notches that forces a certain synchronization of certain squares in the problem of the maximal number of squares in a word, and allowed to offer a new bound to that problem. The main anticipated application of the next result is an improvement of that bound, though the technique has already proved useful in the improvement of M. Crochemore and W. Rytter's three squares lemma, [5], by H. Bay, A. Deza and F. Franek, [6], and in the proof of the New Periodicity Lemma by H. Bay, F. Franek and W. Smyth [7].

Now, let w_1 be the factor of length $|x_0|$ of W that has the core of the interrupt of W as a suffix, and let w_2 be the factor of length |x| that has the core of the interrupt of W as a prefix. We will show that both w_1 and w_2 have restricted occurrences in W.

Theorem 2.5. Let x_0 be a primitive word, x_1 a proper prefix of x_0 and $W = x_0^{e_1} x_1 x_0^{e_2}$ with $e_1 \geq 1$, $e_2 \geq 1$, $e_1 + e_2 \geq 3$. Let w_1 be the factor of length $|x_0|$ of W ending with the core of the interrupt of W, and let w_2 be the factor of length $|x_0|$ starting with the core of the interrupt of W. The words w_1 and w_2 are not in the conjugacy class of x_0 .

Proof. Define $p = \text{lcp}(x_1x_2, x_2x_1)$ and $s = \text{lcs}(x_1x_2, x_2x_1)$ (note that p and s can be empty).

Deza, Franck, and Thierry showed that $|\operatorname{lcs}(x_1x_2, x_2x_1)| + |\operatorname{lcp}(x_1x_2, x_2x_1)| \le |x_1x_2|-2$ when x_1x_2 is primitive (see [4]). Note that in the case $|\operatorname{lcs}(x_1x_2, x_2x_1)| + |\operatorname{lcp}(x_1x_2, x_2x_1)| = |x| - 2$, w_1 w_2 are the same factor.

Write $x_0 = pr_p r r_s s$ and $\tilde{x_0} = pr_p' r' r'_s s$ for the letters $r_p, r'_p, r_s, r'_s, r_p \neq r'_p, r_s \neq r'_s$ (by maximality of the longest common prefix and suffix) and the possibly empty and possibly homographic words r and r'.

We have, by construction, $w_1 = r'r'_s spr_p$ and $w_2 = r'_s spr_p r$.

Note that $n_{r_p}(w_1) = n_{r_p}(\tilde{x_0}) + 1$ and that $n_{r'_p}(\tilde{x_0}) = n_{r'_p}(w_1) + 1$ and, by Corollary 1.2, w_1 is not a conjugate of $\tilde{x_0}$, nor of x_0 . And because $|w_1| = |xx_0|, w_1$ is neither a factor of $x_0^{e_1}x_1$ nor of $x_0^{e_2}$.

Similarly for w_2 , $n_{r'_s}(w_2) = n_{r'_s}(x_0) + 1$ and $n_{r_s}(x_0) = n_{r_s}(w_2) + 1$ and, by corollary 1.2, w_2 is not a conjugate of x_0 , and because $|w_2| = |x|$, w_2 is neither a factor of $x_0^{e_1}x_1$ nor of $x_0^{e_2}$.

Example 2.6. Consider again $x_0 = aaabaaaaaabaaaa$, $x_1 = aaabaaaaaabaaa$ and $x_2 = a$. We have $|x_0| = 15$, and:

The core of the interrupt is presented in bold.

The two factors w_1 and $w_2 = w_1 = baaaaaabaaaaaab$ (note that w_2 needs not be equal to w_1), starting at different positions, are not factors of x_0^2 . Yet, the factor aaaaaabaaaaabaaaaaa of length $|x_0| + |\operatorname{lcs}(x_0, \tilde{x_0})| + |\operatorname{lcp}(x_0, \tilde{x_0})|$ and which contains the core of the interrupt is a factor of x_0^2 . The same goes for the factors of length $|x_0| - 1$ that starts and ends with the core of the interrupt, aaaaaabaaaaaabaaaaaabaaaaaaa: they both are factors of x_0^2 . For those reasons, the theorem can be regarded as tight

3 Conclusion

The key features of the core of the interrupt was understood while studying double squares. Ilie [3] provided an alternate and shorter proof of Crochemore and Rytter's three squares lemma [5]. We offer another concise proof within the framework of the core of the interrupt.

Lemma 3.1. In a word, no more that two squares can have their last occurrence starting at the same position.

Proof. Suppose that three squares $u_1^2, u_2^2, u_3^2, |u_1| < |u_2| < |u_3|$ start at the same position. Because u_2^2 and u_3^2 start at the same position, we can write

 $u_2 = x_0^{e_1} x_1, u_3 = x_0^{e_1} x_1 x_0^{e_2}$ for $x_0 = x_1 x_2$ a primitive word, x_1 a proper prefix of x_0 and $e_1 \ge e_2 \ge 1$, hence u_3 contains a core of the interrupt. Now, by synchronization principle, Theorem 2.1, $u_1, |u_1| < |u_2|$, cannot end in the suffix $lcs(x_1x_2, x_2x_1)$ of u_2 (since u_1 has x_0 as a prefix) and ends before the core of the interrupt of u_3 , but if $|u_1^2| \ge |u_3|$, the second occurrence of u_1 contains the core of the interrupt and a word of length $|x_0|$ that starts with it, while the first occurrence doesn't: which, by Theorem 2.5, is a contradiction.

3.0.1 Thanks

to my supervisors Antoine Deza and Franya Franck for helpful discussions and advices and to Alice Heliou for proof reading of a preliminary version of this article.

References

- [1] N. J. FINE AND H. S. WILF, Uniqueness theorems for periodic functions, *Proceedings of the American Mathematical Society*, vol. 16, no. 1, pp. 109–114, 1965.
- [2] B. SMYTH, Computing Patterns in Strings. ACM Press Bks, Pearson/Addison-Wesley, 2003.
- [3] L. ILIE, A simple proof that a word of length n has at most 2n distinct squares, Journal of Combinatorial Theory, Series A, vol. 112, no. 1, pp. 163–164, 2005.
- [4] A. Deza, F. Franek, and A. Thierry, **How many double squares can a string contain?**, *Discrete Applied Mathematics*, vol. 180, pp. 52–69, 2015.
- [5] M. CROCHEMORE AND W. RYTTER, **Squares**, **cubes**, **and time-space efficient string searching**, *Algorithmica*, vol. 13, no. 5, pp. 405-425, 1995.
- [6] H. BAY, A. DEZA AND F. FRANEK, On a Lemma of Crochemore and Rytter, to appear in Journal of Discrete Algorithms.

[7] H. BAY, F. FRANEK, W. SMYTH, the New Periodicity Lemma Revisited, to appear in Journal of Discrete Applied Mathematics.