

The Euclid space-time diagram of the theory of relativity

W. LiMing*

Dept. of Physics, and Laboratory of Quantum Information Technology,
School of Physics and Telecommunication Engineering,
South China Normal University, Guangzhou 510006, China

(Dated: July 23, 2018)

A conventional space-time diagram is $r - ct$ one, which satisfies the Minkowski geometry. This geometry conflict the intuition from the Euclid geometry. In this work an Euclid space-time diagram is proposed to describe relativistic world lines with an exact Euclid geometry. The relativistic effects such as the dilation of moving clocks, the contraction of moving length, and the twin paradox can be geometrically expressed in the Euclid space-time diagram. It is applied to the case of a satellite clock to correct the gravitational effect. It is found that this Euclid space-time diagram is much more intuitive than the conventional space-time diagram.

PACS numbers:

I. INTRODUCTION

A conventional space-time diagram (STD) is a $\mathbf{r} - ct$ diagram[1]. In general a STD takes a two dimensional space and a one dimensional time to create a three dimensional diagram. A world line in a STD records the positions of a particle at different time, i.e. the track of a particle. An example of a world line is shown in Fig.1, where a particle starts from position \mathbf{r}_0 . A point on a world line corresponds to an event of a process.

A world line in a STD satisfies the Minkowski geometry, which is very different from the Euclid geometry, thus to be easily misleading new learners.

The time recorded by a clock moving together with a particle is called the proper time. It is an invariant quantity under transformations of inertial references. The proper time of an infinitesimal process is defined by $d\tau$ in the following equation

$$c^2 d\tau^2 = c^2 dt^2 - |\mathbf{dr}|^2 \quad (1)$$

where $|\mathbf{dr}|^2 = dx^2 + dy^2 + dz^2$. Quantities $d\tau, dt, |\mathbf{dr}|$ are shown by a triangle in Fig.1. These quantities, however, do not satisfy the Euclid geometry since they satisfy (1). Alternatively this geometry is called the *Minkowski geometry*. Thus the right triangle in Fig.1 is very misleading to new learners, i.e. $cd\tau$ is not the real length of the world line.

Due to the disadvantage of the conventional STD it is worthy to find a new diagram which is fully geometric to shown the world lines of particles.

II. EUCLID SPACE-TIME DIAGRAM

Since in a flat space-time one has

$$c^2 dt^2 = c^2 d\tau^2 + |\mathbf{dr}|^2 \quad (2)$$




FIG. 1: A world line in the conventional space-time diagram. A particle starts from \mathbf{r}_0 at $t = 0$.

the proper time $cd\tau$ and the displacement $|\mathbf{dr}|$ sustain the two right angle edges of a right triangle, and the coordinate time cdt spans the triangle as the hypotenuse. This is just the case in a $\mathbf{r} - c\tau$ diagram as shown in Fig.2. It is fully geometric, hence is called an *Euclid space-time diagram*(eSTD). The angle θ of the right triangle gives the speed of the particle

$$\cos \theta = |\mathbf{dr}|/cdt = v/c \quad (3)$$

The geometric length of a world line is exactly equal to $c\Delta t$. The time interval Δt between two events P and Q is given by

$$\Delta t = \int_P^Q dt = \int_P^Q d\tau \sqrt{1 + \cot^2 \theta} \quad (4)$$

Therefore, the present eSTD is much more intuitive than the conventional STD.

Since a light ray has a zero proper time, $d\tau = 0$, it lies on the xy plain, as shown by the dashed line in Fig.2. Then the light cone in the conventional STD becomes a light plain (i.e. the xy plain) in the present eSTD.

For convenience, the time zero $t = 0$ of any world line can be defined on the xy plain. Of course this definition is reference dependent.

*Electronic address: wliming@sncnu.edu.cn




FIG. 2: A world curve in a geometric space-time diagram.

III. A MOVING CLOCK AND A MOVING LENGTH

Consider a moving clock in a spacecraft starting from the origin with velocity u . The world lines of the moving clock (blue) and a rest clock at the origin (red) in the eSTD are shown in Fig.3(a). At time t the rest clock and the moving clock arrive at a circle of radius ct . The time elapsed on the reference of the spacecraft, i.e. the proper time τ_2 , is given by the geometry of the blue world line:

$$\tau_2 = t \sin \theta = t \sqrt{1 - u^2/c^2} < t \quad (5)$$

Therefore, the time elapses slower in a moving reference by a factor of $\sqrt{1 - u^2/c^2}$. This is just the time dilation of a moving reference. Again we see that the eSTD becomes much more straightforward.

The twin paradox is a famous argument in the history of the theory of relativity. Two twin brothers A and B were born at Sanya village some years ago, but brother B was taken away by a high-speed spacecraft of a group of aliens just after he was born. Today the spacecraft comes back. The two twin brothers meet at the place where they were born. According to the special theory of relativity brother B should be younger than A on view of the people of the village. On view of the aliens, however, brother A should be younger than B since they feel that the earth relatively moves away and comes back to them. Who is younger in fact? This is the twin paradox. Of course, physics has given a certain conclusion on this paradox that the view of the village people is correct since the reference of the aliens is not inertial. As shown in Fig.3(b) two twin brothers were born at O and $t = 0$, and OO_1 (red) is the world line of brother A and OPO_2 (blue) the world line of brother B. B traveled to a distance x_0 away from the earth with a constant speed v and comes back to meet A at time t . The world lines of the two brothers have the same lengths ct (red and blue). The angle θ gives the speed of the spacecraft, $\cos \theta = 2x_0/ct = u/c$. The proper time τ_2 is the real time that B experienced. According to the geometry of





FIG. 3: (a) World lines of a moving clock (blue) and a rest clock (red); (b) World lines of two twin brothers (red and blue).

FIG. 4: World lines of a moving length L_0 .

the eSTD the proper time is given by

$$\tau_2 = 2 \times \frac{t}{2} \sin \theta = t \sqrt{1 - u^2/c^2} < t \quad (6)$$

Thus brother B is younger than A. If B traveled with a higher speed, e.g., along OQO_2 in Fig.3(b) with a longer path (i.e. a longer time t'), but comes back with the same proper time τ_2 , A would be an age of t' , further older than the former case. Obviously, this analysis is much easier than the conventional STD.

Now we consider a moving length L_0 in a reference frame S' with velocity u relative to a rest frame S as shown in Fig.4. We measure the positions of the two ends of the moving length at time $t = 0$ in frame S to give the length $L = x_2 - x_1$ (blue bar, $x_1 = 0$). This happens at different time t' in frame S' as shown. Since the length is at rest in S' the two ends at any time give $x'_2 - x'_1 = L_0$ (green bar).

The geometry of the right triangle in the figure gives

$$\begin{aligned} L &= L_0 \sin \theta \\ &= L_0 \sqrt{1 - u^2/c^2} \end{aligned} \quad (7)$$

It is seen that a moving length looks shorter. Again the eSTD gives intuitively a geometric picture of relativistic effects.




FIG. 5: (a) World lines of a satellite (red curve) and the earth surface (cylinder) at rest; (b) World lines taking account of the earth's spin.

IV. ESTD FOR GPS SYSTEM

This eSTD can be applied to a satellite clock (gravity is not considered at the moment). A satellite is rotating around the earth. The world line of the satellite is shown in Fig.5(a). The cylindrical surface in the diagram contains the world lines of the earth surface. The length of the world line of the satellite is equal to the height of the world line of the earth (ct), hence the satellite experienced shorter proper time ($c\tau$). According to the right triangle relation (2) of the eSTD one obtains the proper time for each cycle of rotations of the satellite

$$c^2 \Delta\tau^2 = c^2 T^2 - (2\pi r)^2 = (c^2 - v^2) T^2 \quad (8)$$

where T is the period of one cycle of the satellite's rotation. Another relation comes from Newton's second law on the centripetal force $GM/r^2 = v^2/r$, here M and r are the mass of the earth and the orbital radius of the satellite, respectively. Then one has

$$\Delta\tau = \sqrt{1 - \frac{GM}{rc^2}} T \quad (9)$$

That is to say, the clock rest on a satellite goes slower by a factor of $\sqrt{1 - \frac{GM}{rc^2}}$ than a clock rest on the earth.

Taking account of the spin of the earth, compare the proper time $\Delta\tau_1$ elapsed on the surface of the earth and

$\Delta\tau_2$ on the satellite in the same time interval Δt as shown in Fig.5(b). The geometry gives

$$\Delta\tau_i = \Delta t \sqrt{1 - v_i^2/c^2} \quad (10)$$

where $v_i, i = 1, 2$ are velocities of the earth's surface and the satellite. The two proper times have a relative deviation $(\Delta\tau_1 - \Delta\tau_2)/\Delta\tau_1$. This is the correction originating from the special theory of relativity. When v_1 is negligible to v_2 this result approaches to (8).

Now we consider the effect of gravity. A static and vacuum gravitational field outer of a mass M is determined by the Schwarzschild metric[2]

$$c^2 d\tau^2 = c^2 f(r) dt^2 - f(r)^{-1} dr^2 - r^2 d^2\Omega \quad (11)$$

where $f(r) = 1 - \frac{2GM}{c^2 r}$ and $d^2\Omega = d^2\theta + \sin^2\theta d^2\phi$. For a circular motion of a satellite $dr = d\theta = 0, \theta = \pi/2$ and $d\phi = \omega dt$. Thus finally one has

$$d\tau = \sqrt{f(r) - v^2/c^2} dt \quad (12)$$

This equation is similar to (10) but a new correction from the gravity enters into the function $f(r)$ in the above equation. This is the total relativistic effect of the satellite.

This effect affects significantly the locating accuracy of a GPS system and has to be corrected on site to the clocks on satellites.

V. SUMMARY

A conventional space-time diagram is $r - ct$ one, which satisfies the Minkowski geometry. This geometry conflict the intuition from the Euclid geometry. In this work an Euclid space-time diagram is proposed to describe relativistic world lines with an exact Euclid geometry. The relativistic effects such as the dilation of moving clocks, the contraction of moving length, and the twin paradox can be geometrically expressed in the Euclid space-time diagram. It is applied to the case of a satellite clock to correct the gravitational effect. It is found that this Euclid space-time diagram is much more intuitive than the conventional space-time diagram.

[1] Hans C. Ohanian, *Modern Physics*, Prentice-Hall international inc., 1987, P79-89.

[2] J. Foster and J. D. Nightingale, *A short course in general*

relativity, Longman Group Limited 1979, P94