

# Large-scale empirical study on pairs trading for all possible pairs of stocks listed on the first section of the Tokyo Stock Exchange

Mitsuaki Murota · Jun-ichi Inoue

Received: date / Accepted: date

**Abstract** We carry out a large-scale empirical data analysis to examine the efficiency of the so-called pairs trading. On the basis of relevant three thresholds ( $\theta, \varepsilon, \Omega$ ), namely, starting ( $\theta$ ), profit-taking ( $\varepsilon$ ) and stop-loss ( $\Omega$ ), for the ‘first-passage process’ of the spread (gap) between two highly-correlated stocks, we construct an effective strategy to make a trade via ‘active’ stock-pairs automatically. The algorithm is applied to about 1,784 stocks listed on the first section of the Tokyo Stock Exchange leading up to totally  ${}_{1,784}C_2 = 1,590,436$  pairs. We are numerically confirmed that the asset management by means of the pairs trading works effectively at least for the past three years (2010-2012) data sets in the sense that the profit rate becomes positive (totally positive arbitrage) in most cases of the possible combinations of thresholds ( $\theta, \varepsilon, \Omega$ ) (‘absorbing boundaries’ in the literature of first-passage processes).

**Keywords** Pairs trading · Empirical data analysis · Financial time-series · First-passage processes · Tokyo Stock Exchange · Econophysics

## 1 Introduction

Cross-correlations often provide us very useful information about financial markets to figure out various non-trivial and complicated structures behind the stocks as multivariate time series [1]. Actually, the use of the cross-correlation can visualize collective behavior of stocks during the crisis. As such examples, we visualized the collective movement of the stocks by means of the so-called multi-dimensional scaling (MDS) during the earthquake in Japan on March

---

Mitsuaki Murota and Jun-ichi Inoue  
Graduate School of Information Science and Technology, Hokkaido University, N14-W9,  
Kita-ku, Sapporo 060-0814, Japan  
Tel.: +81-11-7067225  
Fax: +81-11-7067391  
E-mail: {murota, j\_inoue}@complex.ist.hokudai.ac.jp, jinoue@cb4.so-net.ne.jp

2011 [2,3,4]. We also constructed a prediction procedure for several stocks simultaneously by means of multi-layer Ising model having mutual correlations through the mean-fields in each layer [2,3,4,5].

Usually, we need information about the trend of each stock to predict the price for, you might say, ‘single trading’ [5,6,7]. However, it sometimes requires us a lot of unlearnable ‘craftsperson’s techniques’ to make a profit. Hence, it is reasonable for us to use the procedure without any trend-forecasting-type way in order to manage the asset with a small risk.

From the view point of time-series prediction, Elliot *et. al.* [8] made a model for the spread and tried to estimate the state variables (spread) as hidden variables from observations by means of Kalman filter. They also estimate the hyper-parameters appearing in the model by using EM algorithm. As an example of constructing optimal pairs, Mudchanatongsuk [9] regarded pair prices as Ornstein-Uhlenbeck process, and they proposed a portfolio optimization for the pair by means of stochastic control.

For this purpose, the so-called *pairs trading* [10,11,12] has attracted trader’s attention. The pairs trading is based on the assumption that the spread between highly-correlated two stocks might shrink eventually even if the two prices of the stocks temporally exhibit ‘mis-pricing’ leading up to a large spread. It has been believed that the pairs trading is almost ‘risk-free’ procedure, however, there are only a few extensive studies [13,14] so far to examine the conjecture by means of big-data scientific approach.

Of course, several purely theoretical approaches based on probabilistic theory have been reported. For instance, the so-called *arbitrage pricing theory (APT)* [12] in the research field of econometrics has suggested that the pairs trading works effectively if the linear combination of two stocks, each of which is non-stationary time series, becomes stationary. Namely, the pair of two stocks showing the properties of the so-called *co-integration* [15,16] might be a suitable pair. However, it might cost us a large computational time to check the stationarity of the co-integration for all possible pairs in a market, whereas it might be quite relevant issue to clarify whether the pairs trading is actually safer than the conventional ‘single trading’ (see for instance [5]) to manage the asset, or to what extent the return from the pairs trading would be expected *etc.*

With these central issues in mind, we construct a platform to carry out and to investigate the pairs trading which has been recognized an effective procedure for some kind of ‘risk-hedge’ in asset management. We propose an effective algorithm (procedure) to check the amount of profit from the pair trading easily and automatically. We apply our algorithm to daily data of stocks in the first section of the Tokyo Stock Exchange, which is now available at the Yahoo! finance web site [17]. In the algorithm, three distinct conditions, namely, starting ( $\theta$ ), profit-taking ( $\varepsilon$ ) and stop-loss ( $\Omega$ ) conditions of transaction are automatically built-into the system by evaluating the spread (gap) between the indexes of two stocks for a given pair. Namely, we shall introduce three essential conditions to inform us when we should start the trading, when the spread between the stock indexes satisfies the profit-taking conditions,

*etc.* by very simple way. Numerical evaluations of the algorithm for the empirical data set are carried out for all possible pairs by changing the starting, profit-taking and stop-loss conditions in order to look for the best possible combination of the conditions.

This paper is organized as follows. In the next section 2, we introduce several descriptions for the mathematical modeling of pairs trading and set-up for the empirical data analysis by defining various variables and quantities. Here we also mention that the pairs trading is described by a first-passage process and explain the difference between our study and arbitrage pricing theory (APT) [12] which have highly developed in the research field of econometrics. In section 3, we explain several rules of the game. We introduce two relevant measurements to quantify the usefulness of pairs trading. The algorithm to carry out pairs trading automatically is also given in this section explicitly. The results of empirical data analysis are reported and argued in section 4. The last section is devoted to summary.

## 2 Mathematical descriptions and set-up

In pairs tradings, we first pick-up two stocks having a large correlation in the past. A well-known historical example is the pair of *coca cola* and *pepsi cola* [18]. Then, we start the action when the spread (gap) between the two stocks' prices increases up to some amount of the level (say,  $\theta$ ), namely, we sell one increasing stock (say, the stock  $i$ ) and buy another decreasing one (say, the stock  $j$ ) at the time  $t_{<}^{(ij)}$ . We might obtain the arbitrage as a profit (gain)  $g_{ij}$ :

$$g_{ij} = |\gamma_i(t_{<}^{(ij)}) - \gamma_j(t_{<}^{(ij)})| - |\gamma_i(t_{>}^{(ij)}) - \gamma_j(t_{>}^{(ij)})| \quad (1)$$

when the spread decreases to some amount of the level (say,  $\varepsilon (< \theta)$ ) again due to the strong correlation between the stocks, and we buy the stock  $i$  and sell the stock  $j$  at time  $t_{>}^{(ij)}$ . We should keep in mind that we used here the stock price normalized by the value itself at  $\tau$ -times before as

$$\gamma_i(t) \equiv \frac{p_i(t) - p_i(t - \tau + 1)}{p_i(t - \tau + 1)} = \frac{p_i(t)}{p_i(t - \tau + 1)} - 1, \quad i = 1, 2 \quad (2)$$

where we defined  $p_i(t)$  as a price of the stock  $i$  at time  $t$ . It is convenient for us to use the  $\gamma_i(t)$  (or  $\gamma_i(t) + 1$ ) instead of the price  $p_i(t)$  because we should treat the pairs changing in quite different ranges of price.

### 2.1 Pairs trading as a first-passage process

Obviously, more relevant quantities are now not the prices themselves but the spreads for the prices of pairs. It might be helpful for us to notice that the process of the spread defined by

$$d_{ij}(t) \equiv |\gamma_i(t) - \gamma_j(t)| \quad (3)$$

also produces a time series  $d_{ij}(0) \rightarrow d_{ij}(1) \rightarrow \dots \rightarrow d_{ij}(t) \rightarrow \dots$ , which is described as a stochastic process. The spread (in particular, the Bid-Ask spread) is one of the key quantities for double-auction systems (for instance, see [19]) and it also plays an important role in pairs trading. Especially, it should be regarded as a *first-passage process* (or sometimes referred to as *first-exit process*) (see for instance [20,21,22,23,24] for recent several applications to finance) with absorbing boundaries  $(\theta, \varepsilon, \Omega)$ , and the times  $t_{<}^{(ij)}$  and  $t_{>}^{(ij)}$  are regarded as first-passage times. Actually,  $t_{<}^{(ij)}$  and  $t_{>}^{(ij)}$  are the times  $t$  satisfying the following for the first time

$$d_{ij}(t) \geq \theta, \quad \text{and} \quad \theta < d_{ij}(t) < \varepsilon \quad (t > t_{>}^{(ij)}), \quad (4)$$

respectively. More explicitly, these times are given by

$$t_{<}^{(ij)} = \min\{t > 0 \mid d_{ij}(t) \geq \theta\} \quad (5)$$

$$t_{>}^{(ij)} = \min\{t > t_{<}^{(ij)} \mid \theta < d_{ij}(t) \leq \varepsilon\}. \quad (6)$$

The above argument was given for somewhat an ideal case, and of course we might lose the money just as much as

$$l_{ij} = |\gamma_i(t_*^{(ij)}) - \gamma_j(t_*^{(ij)})| - |\gamma_i(t_{<}^{(ij)}) - \gamma_j(t_{>}^{(ij)})| = |d_{ij}(t_*^{(ij)}) - d_{ij}(t_{<}^{(ij)})| \quad (7)$$

where  $t_*( > t_{<} )$  is a ‘termination time’ satisfying

$$t_*^{(ij)} = \min\{t_{>}^{(ij)} > t > t_{<}^{(ij)} \mid d_{ij}(t) > \Omega\}. \quad (8)$$

This means that we should decide a ‘loss-cutting’ when the spread  $d_{ij}(t)$  does not shrink to the level  $\varepsilon$  and increases beyond the threshold  $\Omega$  at time  $t_*$ . It should bear in mind that once we start the trading, we get a gain or lose, hence the above  $t_{>}^{(ij)}$  and  $t_*^{(ij)}$  are unified as ‘time for decision’  $\hat{t}^{(ij)}$  by

$$\hat{t}^{(ij)} = t_*^{(ij)} + (t_{>}^{(ij)} - t_*^{(ij)})\Theta(t_*^{(ij)} - t_{>}^{(ij)}) \quad (9)$$

where we defined a unit step function as

$$\Theta(x) = \begin{cases} 1 & (x \geq 0) \\ 0 & (x < 0) \end{cases} \quad (10)$$

Namely, if a stochastic process  $d_{ij}(t)$  firstly reaches the threshold  $\varepsilon$ , the time for decision is  $\hat{t}^{(ij)} = t_{>}^{(ij)}$ , whereas if the  $d_{ij}(t)$  goes beyond the threshold  $\Omega$  before shrinking to the level  $\varepsilon$ , we have  $\hat{t}^{(ij)} = t_*^{(ij)}$ .

## 2.2 Correlation coefficient and volatility

We already mentioned that the pairs trading is based on the assumption that the spread between highly-correlated two stocks might shrink shortly even if the two prices of the stocks exhibit a temporal spread. Taking into account the assumption, here we select the suitable pairs of stocks using the information about correlation coefficient (the Pearson estimator) for pairs in order to quantify the correlation:

$$\rho_{ij}(t) = \frac{\sum_{\Delta t=t-\tau+1}^t (\Delta\gamma_i(t) - \overline{\Delta\gamma_i(t)}) (\Delta\gamma_j(t) - \overline{\Delta\gamma_j(t)})}{\sqrt{\sum_{\Delta t=t-\tau+1}^t (\Delta\gamma_i(t) - \overline{\Delta\gamma_i(t)})^2 \sum_{\Delta t=t-\tau+1}^t (\Delta\gamma_j(t) - \overline{\Delta\gamma_j(t)})^2}} \quad (11)$$

and standard deviation (volatility):

$$\sigma_i(t) = \sqrt{\sum_{l=t-\tau+1}^t (\gamma_i(l) - \overline{\gamma_i(t)})^2} \quad (12)$$

It should be noted that we also use the definition of the logarithmic return of the rescaled price  $\gamma_i(t) + 1 = p_i(t)/p_i(t - \tau + 1)$  (see equation (2)) for the duration  $\Delta t$  in (11) by

$$\Delta\gamma_i(t) \equiv \log(\gamma_i(t + \Delta t) + 1) - \log(\gamma_i(t) + 1) \quad (13)$$

and moving average of the observable  $A(t)$  over the duration  $\tau$  as

$$\overline{A} = \frac{1}{\tau} \sum_{l=1-\tau+1}^t A(l). \quad (14)$$

From the view point of these quantities, the possible pairs should be highly correlated and the standard deviation of each stock should take the value lying in some finite range. Namely, we impose the following condition for the candidates of the pairs at time  $t_{<}^{(ij)}$ , that is,  $\rho_{ij}(t_{<}^{(ij)}) > \rho_0$  and  $\sigma_{\min} < \sigma_i(t_{<}^{(ij)}) < \sigma_{\max}$ . Thus, the total number of pairs for us to proceed the pair trading (from now on, we call such pairs as ‘active pairs’) is given explicitly as

$$N = \sum_i \sum_{j < i} \Theta(\rho_{ij}(t_{<}^{(ij)}) - \rho_0) \{ \Theta(\sigma_i(t_{<}^{(ij)}) - \sigma_{\min}) - \Theta(\sigma_i(t_{<}^{(ij)}) - \sigma_{\max}) \} \quad (15)$$

From Figure 1, we are confirmed that the number of active pairs is extremely smaller than the number of combinations for all possible  $n$  stocks, namely,  $N \ll n(n-1)/2$ .

It might be helpful for us to notice that the pairs trading could be regarded as a ‘minimal portfolio’ and it can obtain the profit even for the case that the stock average decreases. Actually, it is possible for us to construct such ‘market

neutral portfolio' [25] as follows. Let us consider the return of the two stocks  $i$  and  $j$  which are described as

$$\Delta\gamma_i(t) = \beta_i\Delta\gamma_m(t) + q_i(t) \quad (16)$$

$$\Delta\gamma_j(t) = \beta_j\Delta\gamma_m(t) + q_j(t) \quad (17)$$

where parameters  $\beta_i, \beta_j$  denote the so-called 'market betas' for the stocks  $i, j$ , and  $\Delta\gamma_m(t)$  stands for the return of the stock average, namely,

$$\beta_i = \frac{\overline{\Delta\gamma_m(t)\Delta\gamma_i(t)}}{\sqrt{(\overline{\Delta\gamma_m(t)})^2}}, \quad \beta_j = \frac{\overline{\Delta\gamma_m(t)\Delta\gamma_j(t)}}{\sqrt{(\overline{\Delta\gamma_m(t)})^2}} \quad (18)$$

and here we select them  $(\beta_i, \beta_j)$  as positive values for simplicity. On the other hand,  $q_i(t), q_j(t)$  appearing in (16)(17) are residual parts (without any correlation with the stock average) of the returns of stocks  $i, j$ . Then, let us assume that we take a short position ('selling' in future) of the stock  $j$  by volume  $r$  and a long position ('buying' in future) of the stock  $i$ . For this action, we have the return of the portfolio as

$$\Delta\gamma_{ij}(t) = \Delta\gamma_i(t) - r\Delta\gamma_j(t) = (\beta_i - r\beta_j)\Delta\gamma_m(t) + q_i(t) - rq_j(t). \quad (19)$$

Hence, obviously, the choice of the volume  $r$  as

$$r = \frac{\beta_i}{\beta_j} \quad (20)$$

leads to

$$\Delta\gamma_{ij}(t) = q_i(t) - \left(\frac{\beta_i}{\beta_j}\right)q_j(t) \quad (21)$$

which is independent of the market (the average stock  $\Delta\gamma_m(t)$ ). We should notice that  $\Delta\gamma_{ij}(t) = \Delta\gamma_i(t) - r\Delta\gamma_j(t)$  is rewritten in terms of the profit as follows.

$$\begin{aligned} \Delta\gamma_{ij}(t) &= \Delta\gamma_i(t) - r\Delta\gamma_j(t) = \{\gamma_i(t+1) - r\gamma_j(t+1)\} - \{\gamma_i(t) - r\gamma_j(t)\} \\ &\simeq d_{ij}(t+1) - d_{ij}(t) \end{aligned} \quad (22)$$

Therefore, in this sense, the profit  $\Delta\gamma_{ij}(t)$  is also independent of the market  $\Delta\gamma_m(t)$ . This empirical fact might tell us the usefulness of paris trading.

In the arbitrage pricing theory (APT) [10,12], the condition for searching suitable pairs is the linear combination of 'non-stationary' time series  $\gamma_i(t)$  and  $\gamma_j(t)$ ,  $\gamma_i(t) - r\gamma_j(t)$  becomes co-integration, namely, it becomes 'stationary'. Then, the quantity possesses the long-time equilibrium value  $\mu$  and we write

$$\gamma_i(t) - r\gamma_j(t) = \mu + \omega \quad (23)$$

$$\gamma_i(t+l) - r\gamma_j(t+l) = \mu - \omega \quad (24)$$

with a small deviation  $\omega(>0)$  from the mean  $\mu$ . Therefore, we easily find

$$\gamma_i(t) - r\gamma_j(t) - \{\gamma_i(t+l) - r\gamma_j(t+l)\} \simeq d_{ij}(t) - d_{ij}(t+l) = 2\omega \quad (25)$$

namely, we obtain the profit with a very small risk. Hence, the numerical checking for the stationarity of the linear combination  $\gamma_i(t) - r\gamma_j(t)$  by means of, for instance, exponentially fast decay of the auto-correlation function or various types of statistical test might be useful for us to select the possible pairs. However, it computationally cost us heavily for large-scale empirical data analysis. This is a reason why here we use the correlation coefficients and volatilities to investigate the active pairs instead of the co-integration based analysis as given in the references [10, 11, 12, 15, 16].

### 3 Procedures of empirical analysis and ‘rules of the game’

In this section, we explain rules of our game (trading) using the data set for the past three years 2010-2012 including 2009 to evaluate the quantities like correlation coefficient in 2010 by choosing  $\tau = 250$  days. In following, we explain how one evaluates the performance of pairs trading according to the rules.

#### 3.1 A constraint for the thresholds

Obviously, the ability of the asset management by pairs trading is dependent on the choice of the thresholds  $(\theta, \varepsilon, \Omega)$ . Hence, we should investigate how many percentage of pairs can obtain a profit for a given set of  $(\theta, \varepsilon, \Omega)$ . To carry out the empirical analysis, we define the ratio between the profit  $d_{ij}(t_{<}^{(ij)}) - d_{ij}(t_{>}^{(ij)}) (> 0)$  and the loss  $d_{ij}(t_{*}^{(ij)}) - d_{ij}(t_{<}^{(ij)}) (> 0)$  for the marginal spread, namely,  $d_{ij}(t_{<}^{(ij)}) = \theta$ ,  $d_{ij}(t_{>}^{(ij)}) = \varepsilon$ ,  $d_{ij}(t_{*}^{(ij)}) = \Omega$  as

$$\frac{\Omega - \theta}{\theta - \varepsilon} \equiv \alpha \quad (26)$$

where  $\alpha (> 0)$  is a control parameter. It should be noted that for positive constants  $\delta, \delta'$  the gap of the spreads (profit)  $d_{ij}(t_{<}^{(ij)}) - d_{ij}(t_{>}^{(ij)})$  is written as

$$d_{ij}(t_{<}^{(ij)}) - d_{ij}(t_{>}^{(ij)}) = \theta + \delta - (\varepsilon - \delta') = \theta - \varepsilon + (\delta + \delta') \geq \theta - \varepsilon. \quad (27)$$

Therefore, the  $\theta - \varepsilon$  appearing in the denominator of equation (26) gives a lower bound of the profit. Although the numerator  $\Omega - \theta$  in (26) has no such an explicit meaning, however, implicitly it might be regarded as a ‘typical loss’ because the realized loss  $d_{ij}(t_{*}^{(ij)}) - d_{ij}(t_{<}^{(ij)})$  fluctuates around the typical value and it is more likely to take a value which is close to  $\Omega - \theta$ .

Hence, for  $\alpha > 1$ , the loss for the marginal spread  $\Omega - \theta$  is larger than the lowest possible profit once a transaction is taken place and vice versa for  $\alpha < 1$ . If we set  $\alpha < 1$ , it is more more likely to lose the money less than the lowest bound of the profit  $\theta - \varepsilon$ , however, at the same time, it means that we easily lose due to the small gap between  $\Omega$  and  $\theta$ . In other words, we might frequently lose with a small amount of losses. On the other hand, if

we set  $\alpha > 1$ , we might hardly lose, however, once we lose, the total amount of the losses is quite large. Basically, it lies with traders to decide which to choose  $\alpha > 1$  or  $\alpha < 1$ , however, here we set the marginal  $\alpha = 1$  as a ‘neutral strategy’, that is

$$\Omega = 2\theta + \varepsilon. \quad (28)$$

Thus, we have now only two thresholds  $(\theta, \varepsilon)$  for our pairs trading, and the  $\Omega$  should be determined as a ‘slave variable’ from equation (28). Actually this constraint (28) can reduce our computational time to a numerically tractable level. Under the condition (28), we sweep the thresholds  $\theta, \varepsilon$  as  $0.01 \leq \theta \leq 0.09$ ,  $0.0 \leq \varepsilon \leq \theta$  ( $d\theta = 0.01$ ) and  $0.1 \leq \theta \leq 1.0$ ,  $0.0 \leq \varepsilon \leq \theta$  ( $d\theta = 0.1$ ) in our numerical calculations.

### 3.2 Observables

In order to investigate the performance of pairs trading quantitatively, we should observe several relevant performance measurements. As such observables, here we define the following winning probability as a function of the thresholds:

$$p_w(\theta, \varepsilon) = \frac{\sum_{i,j < i} \Theta(d_{ij}(t_{<}^{(ij)}) - d_{ij}(\hat{t}^{(ij)})) \psi(d_{ij}(t_{<}^{(ij)}), \rho_0, \sigma_{\min}, \sigma_{\max})}{\sum_{i,j < i} \psi(d_{ij}(t_{<}^{(ij)}), \rho_0, \sigma_{\min}, \sigma_{\max})} \quad (29)$$

where we defined

$$\begin{aligned} & \psi(d_{ij}(t_{<}^{(ij)}), \rho_0, \sigma_{\min}, \sigma_{\max}) \\ & \equiv \Theta(\rho_{ij}(t_{<}^{(ij)}) - \rho_0) \{ \Theta(\sigma_i(t_{<}^{(ij)}) - \sigma_{\min}) - \Theta(\sigma_i(t_{<}^{(ij)}) - \sigma_{\max}) \} \\ & = \ll \Theta(d_{ij}(t_{<}^{(ij)}) - d_{ij}(\hat{t}^{(ij)})) \gg \\ & = \frac{N_w}{N} = 1 - \frac{N_l}{N} \end{aligned} \quad (30)$$

where  $N_w, N_l$  are numbers of wins and loses, respectively, and the conservation of the number of total active pairs

$$N = N_w + N_l \quad (31)$$

should hold (see the definition of  $N$  in (15)). The bracket  $\ll \dots \gg$  appearing in (30) is defined by

$$\ll \dots \gg \equiv \frac{\sum_{i,j < i} (\dots) \psi(d_{ij}(t_{<}^{(ij)}), \rho_0, \sigma_{\min}, \sigma_{\max})}{\sum_{i,j < i} \psi(d_{ij}(t_{<}^{(ij)}), \rho_0, \sigma_{\min}, \sigma_{\max})}. \quad (32)$$

We also define the profit rate:

$$\eta(\theta, \varepsilon) = \ll d_{ij}(t_{<}^{(ij)}) - d_{ij}(\hat{t}^{(ij)}) \gg \quad (33)$$



which is a slightly different measurement from the winning probability  $p_w$ . We should notice that we now consider the case with the constraint (28) and in this sense, the explicit dependences of  $p_w$  and  $\eta$  on  $\Omega$  are omitted in the above descriptions. We also keep in mind that  $d_{ij}(t_{<}^{(ij)}) - d_{ij}(\hat{t}^{(ij)})$  takes a positive value if we make up account for taking the arbitrage at  $\hat{t}^{(ij)} = t_{>}^{(ij)}$ . On the other hand, the  $d_{ij}(t_{<}^{(ij)}) - d_{ij}(\hat{t}^{(ij)})$  becomes negative if we terminate the trading for loss-cutting. Therefore, the above  $\eta$  denotes a total profit for a given set of the thresholds  $(\theta, \varepsilon)$ .

### 3.3 Algorithm

We list the concrete algorithm for our empirical study on the pairs trading as follows.

1. We collect a pair of stocks  $(i, j)$  from daily data for the past one year.
2. Do the following procedures from  $t = 0$  to  $t = \tau (= 250: \text{the number of daily data for one year})$ .
  - (a) Calculate  $\rho_{ij}(t)$  and  $\sigma_i(t), \sigma_j(t)$  to determine whether the pair  $(i, j)$  satisfy the start condition.

**Start condition:**

    - If  $\sigma_{\min} < \sigma_i(t), \sigma_j(t) < \sigma_{\max}$  and  $\rho_{ij}(t) > \rho_0$  and  $d(t_{<}^{(ij)}) > \theta$ , go to (c).
    - If not, go to (b).
  - (b)  $t \leftarrow t + 1$  and back to (a).
  - (c)  $t \leftarrow t + 1$  and go to the termination condition.

**Termination condition:**

    - If  $d_{ij}(t_{>}^{(ij)}) < \varepsilon$  (we ‘win’), go to the next pairs  $(k, l) \neq (i, j)$ .
    - If not, go back to (c). If  $d_{ij}(t_{*}^{(ij)}) > \Omega$ , we ‘lose’.

Then, we repeat the above procedure for all possible pairs of 1,784 stocks listed on the first section of the Tokyo Stock Exchange leading up to totally  $1,784C_2 = 1,590,436$  pairs. We play our game according to the above algorithm for each pair, and if a pair  $(i, j)$  passes their decision time  $\hat{t}^{(ij)}$  resulting in the profit:

$$d_{ij}(t_{<}^{(ij)}) - d_{ij}(\hat{t}^{(ij)}) \quad \text{with } \hat{t}^{(ij)} = t_{>}^{(ij)} \quad (34)$$

or the loss:

$$d_{ij}(\hat{t}^{(ij)}) - d_{ij}(t_{<}^{(ij)}) \quad \text{with } \hat{t}^{(ij)} = t_{*}^{(ij)}, \quad (35)$$

we discard the pair  $(i, j)$  and never ‘recycle’ the pair again for pairs trading. Of course, such treatment might be hardly accepted in realistic pairs trading because traders tend to use the same pairs as the one which gave them a profit in the past in markets. Nevertheless, here we shall utilize this somewhat ‘artificial’ treatment in order to quantify the performance of paris trading through the measurements  $p_w$  and  $\eta$  systematically. We also simplify the game by restricting ourselves to the case in which each trader always makes a trade by a unit volume.

In the next section, we show several result of empirical data analysis.

## 4 Empirical data analysis


Here we show several empirical data analysis done for all possible pairs of 1,784 stocks listed on the first section of the Tokyo Stock Exchange leading up to  ${}_{1,784}C_2 = 1,590,436$  pairs. The daily data sets are collected for the past four years 2009-2010 from the web cite [17]. In our empirical analysis, we set  $\tau = 250$  [days],  $\rho_0 = 0.6$ ,  $\sigma_{\min} = 0.05$ ,  $\sigma_{\max} = 0.2$ .

### 4.1 Preliminary experiments

Before we show our main result, we show the two empirical distributions for the correlation coefficients and volatilities, which might posses very useful information about selecting the active pairs. We also discuss the distribution of the first-passage time to quantify the processing time roughly.

#### 4.1.1 Correlation coefficients and volatilities

In Figure 1, we plot the distributions of  $\{\rho_{ij}(t)\}$  (left) and  $\{\sigma_i(t)\}$  (right) for the past four years (2009-2012). The distribution of correlation coefficients is apparently skewed for all years and the degree of skewness in 2011 is the highest among the four due to the great east Japan earthquake. From the left panel,



**Fig. 1** Distributions of the Pearson estimator  $\{\rho_{ij}(t)\}$  (left) and volatility  $\{\sigma_i(t)\}$  (right) for the past four years data set 2009, 2010, 2011 and 2012. On the other hand, the distribution of the volatility is almost independent of the year and possess a peak around 0.02.

we find that the distribution of correlation coefficients is apparently skewed for all years and the degree of skewness in 2011 is the highest among the four due to the great east Japan earthquake as reported in [2,3,4]. Actually, we might observe that most of stocks in the multidimensional scaling plane shrink to a finite restricted region due to the strong correlations. On the other hand, the distribution of the volatility is almost independent of the year and possess a peak around 0.02. We are confirmed from these empirical distributions that the choice of the system parameters  $\rho_0 = 0.6$ ,  $\sigma_{\min} = 0.05$ ,  $\sigma_{\max} = 0.2$  is

justified properly in the sense that the number of active pairs  $(i, j)$  satisfying the criteria  $\rho_{ij}(t) < \rho_0$  and  $\sigma_{\min} < \sigma_i(t) < \sigma_{\max}$  is not a vanishingly small fraction but reasonable number of active pairs can remain in the system.


#### 4.1.2 First-passage times

We next show the distributions of the first-passage times for the data set in 2010. It should be noted that we observe the duration  $t$  as a first passage time from the point  $t_<$  in time axis, hence, the distributions of the duration  $t$  are given for

$$P(t) = P(t_> - t_<) \quad (\text{for win}), \quad (36)$$

$$P(t) = P(t_* - t_<) \quad (\text{for lose}), \quad (37)$$

respectively. We plot the results in Figure 2. From the left panel, we find that




**Fig. 2** The empirical distributions  $P(t)$  of first-passage times  $t \equiv \hat{t} - t_<$ . The left panel is  $P(t_* - t_<)$ , whereas the right is  $P(t_> - t_<)$ . We find that one confirms the lose by loss-cutting by 50 days after the start point  $t_<$  in most cases and the decision is disclosed at latest by 250 days after the  $t_<$ . On the other hand, we win within several days after the start and a single peak is actually located in the short time frame.

one confirms the lose by loss-cutting by 50 days after the start point  $t_<$  in most cases and the decision is disclosed at latest by 250 days after the  $t_<$ . On the other hand, we win within several days after the start and a single peak is actually located in the short time frame. These empirical findings tell us that in most cases, the spread between highly-correlated two stocks actually shrink shortly even if the two prices of the stocks exhibit ‘mis-pricing’ leading up to a large spread temporally. Taking into account this fact, our findings also imply that the selection by correlation coefficients and volatilities works effectively to make the pairs trading useful.

## 4.2 Winning probability

As our main results, we first show the winning probability  $p_w$  as a function of thresholds  $(\theta, \varepsilon)$  defined by (30) in Figure 3. To show it effectively, we display

the results in three dimensional plots with contours. From these panels, we find that unfortunately, the winning probability is less than the ‘draw case’  $p_w = 0.5$  in most cases of the thresholds  $(\theta, \varepsilon)$ . We also find that for a given  $\theta (> \varepsilon)$ , the probability  $p_w$  is almost a monotonically increasing function of  $\theta$  in all the three years. This result is naturally accepted because the trader might take more careful actions on the starting of the pairs trading for a relatively large  $\theta$ .



**Fig. 3** Winning probability as a function of  $(\theta, \varepsilon)$ . From the top most to the bottom, the results in 2012, 2011 and 2010 are plotted. The right panels are the plots for relatively small range of thresholds  $(\theta, \varepsilon)$ . From these panels, we find that the winning probability is less than the ‘draw case’  $p_w = 0.5$  in most cases of the thresholds  $(\theta, \varepsilon)$ . See also Table 1 (2012) and Table 2 (2011) for the details.

To see the result more carefully, we write the raw data produced by our analysis in Table 1 (2012) and Table 2 (2011). From these tables, we find that relatively higher winning probabilities  $p_w \sim 0.7$  are observed, however, the number of wins  $N_w$  (or loses  $N_l$ ) is small, and it should be more carefully to conclude the winning possibility of pairs trading from these limited data sets.

### 4.3 Profit rate

In order to consider the result obtained by our algorithm for pairs trading from a slightly different aspect, we plot the profit rate  $\eta$  given by (33) as a function of thresholds  $(\theta, \varepsilon)$  in Figure 4. We clearly find that for almost all of the combinations  $(\theta, \varepsilon)$ , one can obtain the positive profit rate  $\eta > 0$ , which

means that our algorithm actually achieves almost risk-free asset management and it might be a justification of the usefulness of pairs trading.


At a glance, it seems that the result of the winning probability  $p_w$  is inconsistent with that of the profit rate  $\eta$ . However, the result can be possible to be obtained. To see it explicitly, let us assume that the pairs  $(i, j)$  and  $(k, l)$  lose and the pair  $(m, n)$  wins for a specific choice of thresholds  $(\theta_+, \varepsilon_+)$ . Then, the winning probability is  $p_w = 1/3$ . However, the profits for these three pairs could satisfy the following inequality:

$$d_{mn}(t_{>}^{(mn)}) - d_{mn}(t_{>}^{(mn)}) > \{d_{ij}(t_{>}^{(ij)}) - d_{ij}(t_*^{(ij)})\} + \{d_{kl}(t_{>}^{(kl)}) - d_{kl}(t_*^{(kl)})\} \quad (38)$$

From the definition of the profit rate (33), we are immediately conformed as

$$\begin{aligned} \eta(\theta_+, \varepsilon_+) &= d_{mn}(t_{>}^{(mn)}) - d_{mn}(t_{>}^{(mn)}) - \{d_{ij}(t_{>}^{(ij)}) - d_{ij}(t_*^{(ij)})\} \\ &\quad - \{d_{kl}(t_{>}^{(kl)}) - d_{kl}(t_*^{(kl)})\} > 0. \end{aligned} \quad (39)$$

Hence, an active pair producing a relatively large arbitrage can compensate the loss of wrong active pairs by choosing the threshold  $(\theta, \varepsilon)$  appropriately. It might be an ideal scenario for the pairs trading.




**Fig. 4** Profit rate  $\eta$  as a function of  $(\theta, \varepsilon)$ . From the upper left to the bottom, the results in 2012, 2011 and 2010 are plotted. We clearly find that for almost all of the combinations  $(\theta, \varepsilon)$ , one can obtain the positive profit rate  $\eta > 0$ , which means that our algorithm actually achieves almost risk-free asset management and it might be a justification of the usefulness of pairs trading.

Finally, we should stress that the fact  $\eta > 0$  in most cases of thresholds  $(\theta, \varepsilon)$  implies that automatic pairs trading system could be constructed by applying our algorithm for all possible  $(\theta, \varepsilon)$  in parallel.

#### 4.4 Profit rate versus volatilities

We next plot the profit rate  $\eta$  against the volatilities  $\sigma$  as a scattergram in Figure 5 only for the winner pairs. In this plot, we set the profit-taking threshold



**Fig. 5** The profit rate  $\eta$  against the volatilities  $\sigma$  as a scattergram. We set the profit-taking threshold  $\varepsilon$  as  $\varepsilon = 0.1\theta$  and vary the starting threshold  $\theta$  in the range of  $0.1 \leq \theta \leq 0.3$ . We find that there exist two distinct clusters (components) in the winner pairs, namely, the winner pairs giving us the profit rate typically as much as  $\eta \simeq \theta - \varepsilon = \theta - 0.1\theta = 0.9\theta \simeq 0.2$  for the range of  $0.1 \leq \theta \leq 0.3$ , which are almost independent of  $\sigma$ , and the winner pairs having the profit linearly dependent on the volatility  $\sigma$ . Note that the vertical axis is shown as ‘percentage’.

$\varepsilon$  as

$$\varepsilon = 0.1\theta \quad (40)$$

and vary the starting threshold  $\theta$  in the range of  $0.1 < \theta < 0.3$ . For each active winner pair, we observe the profit rate  $\eta$  and the average volatility  $\sigma$  of the two stocks in each pair, and plot the set  $(\sigma, \eta)$  in the two-dimensional scattergram. From this figure, we find that there exist two distinct clusters (components) in the winner pairs, namely, the winner pairs giving us the profit rate typically as much as

$$\eta \simeq \theta - \varepsilon = \theta - 0.1\theta = 0.9\theta \simeq 0.2 \quad (41)$$

for the range of  $0.1 \leq \theta \leq 0.3$ , which are almost independent of  $\sigma$ , and the winner pairs having the profit rate linearly dependent on the volatility  $\sigma$ . The former is a low-risk group, whereas the latter is a high-risk group. The density of the points for the low-risk group in Figure 5 is much higher than that of the high-risk group. Hence, we are confirmed that our selection procure of the active pairs works effectively to manage the asset as safely as possible by reducing the risk which usually increases as the volatility grows.

Finally, it should be noted that as we discussed in subsection 3.1, the value  $\theta - \varepsilon$  is a lower bound of the profit rate (see equations (27) and (41)). Therefore, in the above case, the lower bound for the profit rate  $\eta$  should be estimated for  $0.1 \leq \theta \leq 0.3$  as

$$\eta \geq \eta_{\min} = 0.9\theta = 0.9 \times 0.1 = 0.09. \quad (42)$$

The lowest value for the profit rate is consistent with the scattergram shown in Figure 5.

#### 4.5 Examples of winner pairs

Finally, we shall list several examples of active pairs to win the game. Of course, we cannot list all of the winner pairs in this paper, hence, we here list only three pairs as examples, each of which includes *SANYO SPECIAL STEEL Co. Ltd.* (ID: 5481) and the corresponding partners are *HITACHI METALS Ltd.* (ID: 5486), *MITSUI MINING & SMELTING Co. Ltd.* (ID: 5706) and *PACIFIC METALS Co. Ltd.* (ID: 5541). Namely, the following three pairs

$$(5481, 5486), (5481, 5706), (5481, 5541)$$

actually won in our empirical analysis of the game. Note that each ID in the above expression corresponds to each identifier used in Yahoo!Finance [17]. As we expected as an example of *coca cola* and *pepsi cola* [18], these are all the same type of industry (the steel industry). We would like to stress that we should act with caution to trade using the above pairs because the pairs just won the game in which the pairs once got a profit in the past are never recycled in future. Therefore, we need much more extensive analysis for the above pairs to use them in practice.

### 5 Summary

In this paper, we proposed a very simple and effective algorithm to make the pairs trading easily and automatically. We applied our algorithm to daily data of stocks in the first section of the Tokyo Stock Exchange. Numerical evaluations of the algorithm for the empirical data set were carried out for all possible pairs by changing the starting ( $\theta$ ), profit-taking ( $\varepsilon$ ) and stop-loss ( $\Omega$ ) conditions in order to look for the best possible combination of the conditions ( $\theta, \varepsilon, \Omega$ ). We found that for almost all of the combinations ( $\theta, \varepsilon$ ) under the constraint  $\Omega = 2\theta + \varepsilon$ , one can obtain the positive profit rate  $\eta > 0$ , which means that our algorithm actually achieves almost risk-free asset management at least for the past three years (2010-2012) and it might be a justification of the usefulness of pairs trading. Finally, we showed several examples of active pairs to win the game. As we expected before, the pairs are all the same type of industry (for these examples, it is the steel industry). We should conclude that the fact  $\eta > 0$  in most cases of thresholds ( $\theta, \varepsilon$ ) implies that automatic pairs trading system could be constructed by applying our algorithm for all possible ( $\theta, \varepsilon$ ) in parallel way.

#### *Acknowledgements*

This work was financially supported by Grant-in-Aid for Scientific Research (C) of Japan Society for the Promotion of Science No. 2533027803 and Grant-in-Aid for Scientific Research (B) of Japan Society for the Promotion of Science No. 26282089. We were also supported by Grant-in-Aid for Scientific Research on Innovative Area No. 2512001313. One of the authors (JI) thanks Anirban Chakraborti for his useful comments on this study at the early stage.

$\varepsilon$ [%]	$\theta$ [%]	$\Omega$ [%]	$N_w$	$N_l$	$p_w$ [%]	$\varepsilon$ [%]	$\theta$ [%]	$\Omega$ [%]	$N_w$	$N_l$	$p_w$ [%]
0	10	20	11	32	25.6	0	80	160	5	13	27.7
0	20	40	25	52	32.4	10	80	150	6	9	40.0
10	20	30	23	33	41.0	20	80	149	8	9	47.0
0	30	60	24	42	36.3	30	80	130	8	12	40.0
10	30	50	23	41	35.9	40	80	120	9	14	39.1
20	30	40	17	41	29.3	50	80	110	10	12	45.4
0	40	80	22	36	37.9	60	80	100	9	12	42.8
10	40	70	22	35	38.5	70	80	90	8	11	42.1
20	40	60	22	32	40.7	0	90	180	4	9	30.7
30	40	50	17	27	38.6	10	90	170	4	12	25.0
0	50	100	15	23	39.4	20	90	160	4	11	26.6
10	50	90	16	31	34.0	30	90	150	4	9	30.7
20	50	80	18	30	37.5	40	90	140	5	9	35.7
30	50	70	16	27	37.2	50	90	130	4	10	28.5
40	50	60	9	25	26.4	60	90	120	3	10	23.0
0	60	120	11	16	40.7	70	90	110	4	6	40.0
10	60	110	14	20	41.1	80	90	100	5	2	71.4
20	60	100	13	22	37.0	0	100	200	4	5	44.4
30	60	90	13	28	31.7	10	100	190	4	8	33.3
40	60	80	14	26	35.0	20	100	180	4	6	40.0
50	60	70	10	17	37.0	30	100	170	4	9	30.7
0	70	140	11	10	52.3	40	100	160	5	8	38.4
10	70	130	11	14	44.0	50	100	150	5	6	45.4
20	70	120	10	16	38.4	60	100	140	7	5	58.3
30	70	110	13	16	44.8	70	100	130	5	6	45.4
40	70	100	13	19	40.6	80	100	120	5	4	55.5
50	70	90	11	21	34.3	90	100	110	3	1	75.0
60	70	80	13	18	41.9						

**Table 1** Details of the result in 2012. See also Figure 3 (the top most). We find that relatively higher winning probabilities  $p_w \sim 0.7$  are observed, however, the number of wins  $N_w$  (and lose  $N_l$ ) is small.

## References

1. J.-P. Bouchaud and M. Potters, *Theory of Financial Risk and Derivative Pricing: From Statistical Physics to Risk Management (2nd Edition)*, Cambridge University Press (2009).
2. T. Ibuki, S. Suzuki and J. Inoue, *Cluster Analysis and Gaussian Mixture Estimation of Correlated Time-Series by Means of Multi-dimensional Scaling, Econophysics of systemic risk and network dynamics, New Economic Windows* Vol. 2013, pp. 239-259, Springer-Verlag (Italy-Milan) (2012).
3. T. Ibuki, S. Higano, S. Suzuki and J. Inoue, *Hierarchical information cascade: visualization and prediction of human collective behaviour at financial crisis by using stock-correlation, ASE Human Journal* **1**, Issue 2, pp.74-87 (2012).
4. T. Ibuki, S. Higano, S. Suzuki, J. Inoue and A. Chakraborti, *Statistical inference of co-movements of stocks during a financialcrisis, Journal of Physics: Conference Series* **473**, 012008 (16pages) (2013).
5. M. Murota and J. Inoue, *Characterizing financial crisis by means of the three states random field Ising model, Econophysics of Agent-based Models, New Economic Windows* Vol. 2014, pp. 83-98, Springer-Verlag (Italy-Milan) (2013).
6. T. Kaizoji, *Speculative Bubbles and Crashes in Stock Markets: An Interacting-Agent Model of Speculative Activity, Physica A* **287**, 493 (2000).
7. J.-P. Bouchaud, *Crisis and Collective Socio-Economic Phenomena: Simple Models and Challenges, Journal of Statistical Physics* **149**, No. 6, pp. 969-1172 (2012).



$\varepsilon$ [%]	$\theta$ [%]	$\Omega$ [%]	$N_w$	$N_l$	$p_w$ [%]	$\varepsilon$ [%]	$\theta$ [%]	$\Omega$ [%]	$N_w$	$N_l$	$p_w$ [%]
0	10	20	93	200	31.7	0	80	160	9	30	23.0
0	20	40	93	245	27.5	10	80	150	11	34	24.4
10	20	30	91	221	29.1	20	80	149	17	39	30.3
0	30	60	72	178	28.8	30	80	130	16	42	27.5
10	30	50	90	198	31.2	40	80	120	25	42	37.3
20	30	40	87	195	30.8	50	80	110	25	54	31.6
0	40	80	44	111	28.3	60	80	100	34	53	39.0
10	40	70	61	135	31.1	70	80	90	41	49	45.5
20	40	60	69	162	29.8	0	90	180	6	18	25.0
30	40	50	87	147	37.1	10	90	170	7	22	24.1
0	50	100	31	82	27.4	20	90	160	11	25	30.5
10	50	90	41	88	31.7	30	90	150	13	26	33.3
20	50	80	50	103	32.6	40	90	140	18	31	36.7
30	50	70	50	123	28.9	50	90	130	15	38	28.3
40	50	60	57	114	33.3	60	90	120	23	39	37.0
0	60	120	21	57	26.9	70	90	110	28	44	38.8
10	60	110	21	69	23.3	80	90	100	31	33	48.4
20	60	100	32	74	30.1	0	100	200	6	10	37.5
30	60	90	34	80	29.8	10	100	190	6	13	31.5
40	60	80	45	89	33.5	20	100	180	8	17	32.0
50	60	70	53	86	38.1	30	100	170	11	19	36.6
0	70	140	14	47	22.9	40	100	160	14	21	40.0
10	70	130	14	48	22.5	50	100	150	17	21	44.7
20	70	120	21	53	28.3	60	100	140	18	26	40.9
30	70	110	22	64	25.5	70	100	130	19	33	36.5
40	70	100	29	67	30.2	80	100	120	23	31	42.5
50	70	90	32	75	29.9	90	100	110	20	34	37.0
60	70	80	38	70	35.1						

**Table 2** Details of the result in 2011. See also Figure 3 (the middle).

8. R.J. Elliot, J. van der Hoek and W.P. Malcolm, *Pair Trading*, *Quantitative Finance* **5**, No. 3, pp. 271-276 (2005).
9. S. Mudchanatongsuk, *Optimal pairs trading: A stochastic control approach*, *Proceedings of American Control Conference 2008*, pp. 1035 - 1039 (2008).
10. G. Vidyamurthy, *Pairs Trading: Quantitative Methods and Analysis*, Wiley Finance (2004).
11. M. Whistler, *Trading Pairs: Capturing Profits and Hedging Risk with Statistical Arbitrage Strategies*, Wiley Trading (2004).
12. E.G. Gatev, W.N. Goetzmann and K.G. Rouwenhorst, *Pairs Trading: Performance of a Relative Value Arbitrage Rule*, *The review of financial studies* **19**, Issue 3, pp. 797-827 (2006). (see also *NBER Working Papers 7032*, National Bureau of Economic Research Inc. (1999).)
13. M. S. Perlin, *Evaluation of pairs-trading strategy at the Brazilian financial market*, *Journal of Derivatives & Hedge Funds* **15**, pp. 122-136 (2009).
14. B. Do and R. Faff, *Does Simple Pairs Trading Still Work?*, *Financial Analysts Journal* **66**, No. 4, pp. 83-95 (2010).
15. R.F. Engle and C.W. Granger, *Co-integration and Error-Correction: Representation, Estimation and Testing*, *Econometrica* **55**, No.2, pp. 251-276 (1987).
16. J.H. Stock and M.W. Watson, *Testing for Common Trends*, *Journal of the American Statistical Association* **83**, No. 404, pp. 1097-1107 (1988).
17. <http://finance.yahoo.co.jp>
18. [http://en.wikipedia.org/wiki/Pairs\\_trade](http://en.wikipedia.org/wiki/Pairs_trade)
19. T. Ibuki and J. Inoue, *Response of double-auction markets to instantaneous Selling-Buying signals with stochastic Bid-Ask spread*, *Journal of Economic Interaction and Coordination* **6**, No.2, pp.93-120 (2011).

- 
20. S. Redner, *A Guide to First-Passage Processes*, Cambridge University Press (2001).
  21. J. Inoue and N. Sazuka, *Queueing theoretical analysis of foreign currency exchange rates*, *Quantitative Finance* **10**, No. 10, Issue 2, pp. 121-130 (2010).
  22. N. Sazuka, J. Inoue and E. Scalas, *The distribution of first-passage times and durations in FOREX and future markets*, *Physica A* **388** No. 14, pp. 2839-2853 (2009).
  23. J. Inoue and N. Sazuka, *Crossover between Levy and Gaussian regimes in first-passage processes*, *Physical Review E* **76**, 021111 (9 pages) (2007).
  24. N. Sazuka and J. Inoue *Fluctuations in time intervals of financial data from the view point of the Gini index*, *Physica A* **383**, pp. 49-53 (2007).
  25. G. Livan, J. Inoue and E. Scalas, *On the non-stationarity of financial time series: impact on optimal portfolio selection*, *Journal of Statistical Mechanics: Theory and Experiment*, P07025 (2012).