

# Comparative genomic analysis of the human gut microbiome reveals a broad distribution of metabolic pathways for the degradation of host-synthesized mucin glycans

Dmitry A. Ravcheev<sup>1</sup>, Ines Thiele<sup>1,\*</sup>

<sup>1</sup>Luxembourg Centre for Systems Biomedicine, University of Luxembourg, Esch-sur-Alzette, Luxembourg

## \* Correspondence:

Corresponding Author: University of Luxembourg, Campus Belval, 7, Avenue des Hauts-Fourneaux, L-4362, Esch-sur-Alzette

[ines.thiele@uni.lu](mailto:ines.thiele@uni.lu)

**Keywords: Human gut microbiome, Comparative genomics, Mucin glycans, Carbohydrate utilization, Metabolism reconstruction**

## Abstract

The colonic mucus layer is a dynamic and complex structure formed by secreted and transmembrane mucins, which are high-molecular-weight and heavily glycosylated proteins. Colonic mucus consists of a loose outer layer and a dense epithelium-attached layer. The outer layer is inhabited by various representatives of the human gut microbiota (HGM). Glycans of the colonic mucus can be used by the HGM as a source of carbon and energy when dietary fibers are not sufficiently available. Both commensals and pathogens can utilize mucin glycans. Commensals are mostly involved in the cleavage of glycans, while pathogens mostly utilize monosaccharides released by commensals. This HGM-derived degradation of the mucus layer increases pathogen susceptibility and causes many other health disorders. Here, we analyzed 397 individual HGM genomes to identify pathways for the cleavage of host-synthesized mucin glycans to monosaccharides as well as for the catabolism of the derived monosaccharides. Our key results are as follows: (i) Genes for the cleavage of mucin glycans were found in 86% of the analyzed genomes, whereas genes for the catabolism of derived monosaccharides were found in 89% of the analyzed genomes. (ii) Comparative genomic analysis identified four alternative forms of the monosaccharide-catabolizing enzymes and four alternative forms of monosaccharide transporters. (iii) Eighty-five percent of the analyzed genomes may be involved in exchange pathways for the monosaccharides derived from cleaved mucin glycans. (iv) The analyzed genomes demonstrated different abilities to degrade known mucin glycans. Generally, the ability to degrade at least one type of mucin glycan was predicted for 81% of the analyzed genomes. (v) Eighty-two percent of the analyzed genomes can form mutualistic pairs that are able to degrade mucin glycans and are not degradable by any of the paired organisms alone. Taken together, these findings provide further insight into the inter-microbial communications of the HGM as well as into host-HGM interactions.

## 1. Introduction

The colonic mucus layer is a dynamic and complex structure that is mainly composed of the glycoprotein mucin-2 (MUC2) (Johansson et al., 2008). MUC2 is characterized by abundant

glycosylation. Highly variable glycan structures are O-linked to serine or threonine residues that are concentrated in so-called PTS (proline, threonine, and serine) domains. The mass of the glycosylated MUC2 protein is approximately 2.5 MDa, and more than 80% of this mass comes from carbohydrates (Lang et al., 2007). Glycosylated MUC2 can form a gel-like structure due to its N- and C-terminal domains that form numerous cross-links between cysteine residues (Johansson et al., 2013). Due to these cross-links, MUC2 forms a mucus structure. The colonic mucus consists of two layers, a loose outer layer and a dense epithelium-attached layer (Johansson et al., 2011). The inner layer acts as a physical barrier preventing bacteria from accessing the epithelium, whereas the outer layer is densely populated by various commensal microbes (Johansson et al., 2011; Johansson et al., 2015; Li et al., 2015).

Interactions between the human gut microbiota (HMG) and colonic mucus are not limited to the HGM members inhabiting the outer layer of mucus. Thus, once in the outer mucus layer, gut microbes not only avoid washout by the contents flowing through the colon but also are able to access mucin glycans that can be used as sources of carbon and energy. Both commensal and pathogenic microbes are able to degrade mucin glycans. The commensal microbes are usually able to cleave glycans with secreted glycosyl hydrolases (GHs) and lyases and further catabolize the derived monosaccharides, whereas most intestinal pathogens use monosaccharides released by commensal-secreted enzymes (Martens et al., 2008; Koropatkin et al., 2012; Marcobal et al., 2013; Cameron and Sperandio, 2015; Pacheco and Sperandio, 2015). Being both an environmental niche and a food source, the mucus layer plays a key role in shaping the HGM composition (Koropatkin et al., 2012; Johansson et al., 2015). In turn, the HGM is able to modulate mucus chemical composition via the degradation of glycans and peptides and the local release of bioactive factors that can change the expression patterns of the mucin-producing host cells (Deplancke and Gaskins, 2001). The degradation of mucin glycans is highly dependent on the host diet. Thus, decreased levels of fibers in the diet force the HGM to degrade more mucin glycans, resulting in the thinning and depletion of the mucus layer, which subsequently enhances host susceptibility to pathogens (Marcobal et al., 2013; Tailford et al., 2015; Desai et al., 2016). Additionally, depletion of the colonic mucus is associated with such disorders as Crohn's disease, celiac disease, colonic ischemia, compound exocytosis, and ulcerative colitis (Png et al., 2010; Joossens et al., 2011; Parmar et al., 2012; Johansson et al., 2013; Arike and Hansson, 2016; Cockburn and Koropatkin, 2016).

Because of the significant mucus-microbiota interaction, multiple HGM organisms have been analyzed for their abilities to degrade mucin glycans. To date, more than 50 mucus-degrading bacterial strains, generally belonging to *Akkermansia muciniphila*, *Bacteroides* spp., *Barnesiella intestinihominis*, *Bifidobacterium* spp., *Eubacterium* spp., and *Ruminococcus* spp. (Derrien et al., 2004; Martens et al., 2008; Png et al., 2010; Kiyohara et al., 2012; Pudlo et al., 2015; Tailford et al., 2015; Desai et al., 2016), have been identified. In this study, we analyzed the degradation of mucin glycans by the HGM using comparative genomic analysis. The comparative genomic analysis of sugar utilization by microbes is a recent but actively developing research area. There are several approaches to the genome-based computational analysis of sugar metabolism. The first approach is a pathway-centric one. In this approach, a certain pathway, for example, utilization of N-acetylgalactosamine, is analyzed in a large number of related genomes (Rodionov et al., 2000; Yang et al., 2006; Suvorova et al., 2011; Leyn et al., 2012; Zhang et al., 2015). The second approach is a regulator-centric one in which the family of proteins that are transcriptional regulators of sugar metabolism is analyzed in multiple genomes, and regulated metabolic pathways are reconstructed (Ravcheev et al., 2012; Rodionova et al., 2012; Kazanov et al., 2013; Ravcheev et al., 2014; Suvorova et al., 2015). The third approach is a taxonomy-centric one. In this approach, a set of genomes belonging to a certain taxon is selected, and all possible pathways for

carbohydrate metabolism are reconstructed (Rodionov et al., 2010; Rodionov et al., 2011; Ravcheev et al., 2013; Rodionov et al., 2013; Khoroshkin et al., 2016).

Another approach for the computational analysis of metabolic pathways is a community-centric one. In this approach, metabolic pathways are reconstructed for microorganisms cohabiting a certain environment such as the human intestine. Unlike functional analysis of metagenomes, community-centric analysis is based on a reconstruction of metabolic pathways in individual genomes of microbes found in the studied environmental community and further prediction of interactions between different microorganisms. However, this approach has not previously been used for the detailed analysis of sugar utilization. It has been repeatedly used to reconstruct other metabolic pathways, including respiration (Ravcheev and Thiele, 2014), biosynthesis of B-vitamins (Magnusdottir et al., 2015) and quinones (Ravcheev and Thiele, 2016), as well central carbon metabolism and biosynthesis of amino acids and nucleotides (Magnusdottir et al., 2017), in multiple HGM genomes.

Here, we used a microbiome-centric approach to analyze the degradation of mucin glycans in HGM genomes. This analysis includes metabolic pathways for cleavage of mucin glycans to monosaccharides as well for utilization of these monosaccharides as carbon and energy sources. Additionally, we predicted exchange pathways for mucin glycan-derived monosaccharides, the specificity of various HGM strains for different types of mucin glycans, and mutualistic relationships for the cleavage of mucin glycans by different HGM organisms.

## 2. Materials and methods

### 2.1. Analyzed genomes

The analyzed genomes were selected using the following steps. (1) All genomes listed in the Human Microbiome Project (HMP, <http://www.hmpdacc.org/HMRGD/>) as of 17.09.2015 and 459 genomes with the body site “Gastrointestinal tract” (i.e., isolated from the intestine) were selected. (2) All the genomes absent from the PubSEED (Overbeek et al., 2005; Disz et al., 2010) and Integrated Microbial Genomes (IMG) databases (Markowitz et al., 2014) were excluded. The remaining 397 genomes (Supplementary Table S1) represent 288 microbial species, 89 genera, 45 families, 19 orders, 14 classes, and 8 phyla. All the selected genomes, except 2 Archaea, are bacterial. The phyletic distribution of the analyzed genomes is in good agreement with that observed in various HGM (Eckburg et al., 2005; Goodman et al., 2011; Walker et al., 2011; Graf et al., 2015). Thus, the most represented phyla are Actinobacteria (37 genomes, 9.3% of the analyzed genomes), Bacteroidetes (69 genomes, 17.3%), Firmicutes (197 genomes, 49.6%), and Proteobacteria (71 genomes, 17.9%).

### 2.2. Tools and databases

The PubSEED platform was used to annotate the genes responsible for the degradation of mucin glycans. To avoid misannotation, all of the proteins with the same function were checked for orthology. Orthologs were defined as the best bidirectional hits that have a similar genomic context. To search for the best bidirectional hits, a BLAST algorithm (Altschul et al., 1997) was implemented in PubSEED and the IMG platform (cutoff =  $e^{-20}$ ). Additionally, in the search for orthologs, the GenomeExplorer program package (Mironov et al., 2000) was used, and orthologs were determined as the best bidirectional hits with protein identity no less than 20%. To analyze genomic context and gene occurrence, we used PubSEED and STRING v9.1 (Franceschini et al., 2013) along with phylogenetic trees for protein domains in MicrobesOnline (Dehal et al., 2010). To analyze protein domain structure, we searched the Pfam (Finn et al., 2014) and CDD (Marchler-Bauer et al., 2013) databases and the “Domains & Families” option of the MicrobesOnline platform. Additionally, functional annotations of

the analyzed genes were performed using the UniProt (Magrane and Consortium, 2011), KEGG (Kanehisa et al., 2012), and MetaCyc (Caspi et al., 2014) databases.

Multiple protein alignments were performed using the MUSCLE v. 3.8.31 tool (Edgar, 2004a;b). Phylogenetic trees were constructed using the maximum-likelihood method with the default parameters implemented in PhyML-3.0 (Guindon et al., 2010). The obtained trees were visualized and midpoint-rooted using the interactive viewer Dendroscope, version 3.2.10, build 19 (Huson et al., 2007). To clarify the taxonomic affiliations of the analyzed genomes, the NCBI Taxonomy database (<http://www.ncbi.nlm.nih.gov/taxonomy>) was used. Analysis of gene occurrence was performed using the “Phylogenetic Profiler for Single Genes” option of the IMG platform.

All of the annotated genes are represented as a subsystem in PubSEED (<http://pubseed.theseed.org/SubsysEditor.cgi>; subsystem names are “Galactose utilization HGM”, “L-fucose utilization HGM”, “N-Acetylgalactosamine utilization HGM”, “N-Acetylglucosamine utilization HGM”, and “N-Acetylneuraminic acid utilization HGM”) and in Supplementary Tables S2-S7. The protein sequences for the annotated genes in FASTA format are represented in the file Sequences S1 in the Supplementary Materials.

### 3. Results

#### 3.1. Repertoire of enzymes for the degradation of mucin glycans

Mucin glycans are complex polysaccharides that contain five different monosaccharides, L-fucose (Fuc), D-galactose (Gal), N-acetyl-D-galactosamine (GalNAc), N-acetyl-D-glucosamine (GlcNAc), and N-acetylneuraminic acid (Neu5Ac), and can form various glycosidic bonds (Podolsky, 1985;Tailford et al., 2015). Evidently, degradation of such complex structures requires a large number of bacterial proteins interacting with the mucin glycans. Because of this complexity and the variability of mucin glycans, systematization of bacterial proteins for the degradation of mucin glycans became the first goal of this study.

All bacterial proteins involved in the degradation of mucin glycans were divided into two groups: (1) GHs, which split glycans to oligo- and monosaccharides as well separating glycans from mucin proteins, and (2) enzymes required for the catabolism of the derived monosaccharides. This division was made based on the following aspects of mucin glycan degradation by the HGM. First, splitting of glycans and catabolism of the derived monosaccharides are spatially separated; the first process occurs outside of the microbial cell, while the second process occurs in the cell cytoplasm. Such spatial separation is important for the metabolic modeling of HGM-host metabolism. Second, some HGM organisms have only glycan-cleaving hydrolases or only monosaccharide-catabolizing enzymes. For example, *Bacteroides thetaiotaomicron* encodes only sialidases that can release Neu5Ac from mucin glycans but not genes for the catabolism of this compound (Marcobal et al., 2011). On the other hand, *Clostridium difficile* encodes only genes for the catabolism of N-acetylneuraminic acid but not sialidases (Sebahia et al., 2006). Such differentiation of the enzymes provides for the cross-talk of the HGM organisms, as was shown for *B. thetaiotaomicron* releasing Neu5Ac and *Salmonella typhimurium* consuming it (Ng et al., 2013). Thus, the distribution of the monosaccharide-releasing enzymes and monosaccharide catabolic pathways (CPs) should be analyzed separately.

To identify all the GHs for mucin glycan degradation, we first identified all the glycosyl bonds previously detected in mucin glycans of the human intestine (Podolsky, 1985;Larsson et al., 2009;Tailford et al., 2015), which resulted in a collection of 21 different glycosyl bonds (Figure 1A and Supplementary Table S8). Then, we searched for all the enzymes able to hydrolase such bonds

using the KEGG (Kanehisa et al., 2012) and MetaCyc (Caspi et al., 2014) databases. Briefly, we searched the databases for both of the monosaccharides that form the bond after the reactions connected to this monosaccharide were filtered by EC number to identify all the glycoside hydrolases (i.e., enzymes with EC 3.2.-.-) for which this monosaccharide can be a substrate or product. After that, all the identified glycoside hydrolases were manually checked for the corresponding analyzed bond. Finally, we collected 9 types of GHs (Supplementary Table S8). For further information on these enzymes, such as protein families and experimentally analyzed representatives, we carried out a search by EC number in the CAZy database (Cantarel et al., 2012).

Pathways for catabolism of the derived monosaccharides were identified here as sets of reactions necessary to convert the monosaccharides into any intermediates of central metabolism. The pathway data were extracted from the KEGG (Kanehisa et al., 2012) and MetaCyc (Caspi et al., 2014) databases as well as previous publications. For the two monosaccharides GalNAc and GlcNAc, only one pathway per monosaccharide has been described (Figure 1B). GalNAc is catabolized through tagatose 6-phosphate to glyceraldehyde 3-phosphate and dihydroxyacetone phosphate (Leyn et al., 2012; Bidart et al., 2014), whereas GlcNAc is converted into fructose 6-phosphate (Afzal et al., 2015a; Plumbridge, 2015; Uhde et al., 2016). For Fuc, Gal, and Neu5Ac, two alternative pathways for the catabolism of each monosaccharide have been described. Thus, Fuc may be catabolized through fuculose 1-phosphate to lactaldehyde and dihydroxyacetone phosphate or through fucolactone to lactate and pyruvate (Yew et al., 2006; Hobbs et al., 2013). For the genes encoding enzymes of the latter pathway, no four-letter abbreviations have been designated. Thus, for these genes, we introduced the designation *fclABCDE* (from *fucolactone*; the last letter corresponds to the order of catalyzed reactions in the pathway). Gal catabolism can also occur through two alternative pathways: galactose 1-phosphate and UDP galactose (the Leloir pathway) (Bettenbrock and Alpert, 1998; Afzal et al., 2015b) and galactose 6-phosphate and tagatose 6-phosphate (Zeng et al., 2010). The last two steps of the second pathway, phosphorylation and aldol splitting, are shared with the pathway for GalNAc catabolism. Neu5Ac is converted to fructose 6-phosphate by two pathways, through GlcNAc or GlcNAc 6-phosphate (Vimr et al., 2004; Brigham et al., 2009). Therefore, these pathways overlap with GlcNAc by two or three reactions, respectively (Figure 1B).

### 3.2. Utilization of L-fucose

Intestinal mucin glycans contain Fuc moieties connected to Gal by  $\alpha$ 1,2-linkage as well to GlcNAc by  $\alpha$ 1,2-,  $\alpha$ 1,3-, or  $\alpha$ 1,4- linkages (Podolsky, 1985; Tailford et al., 2015). During the degradation of mucin glycans, these moieties can be removed by  $\alpha$ -L-fucosidases (Katayama et al., 2004; Nagee et al., 2007; Ashida et al., 2009).  $\alpha$ -L-fucosidases found in the analyzed genomes belong to three families: GH29, GH42, and GH95. At least one  $\alpha$ -L-fucosidase was found in 131 genomes (Supplementary Table S3). Surprisingly, all of these genomes belong to only four phyla: Actinobacteria, Bacteroidetes, Firmicutes, and Verrucomicrobia. The largest number of genes encoding  $\alpha$ -L-fucosidases were found in representatives of Firmicutes (*Lachnospiraceae bacterium 3\_1\_57FAA\_CT1*, 16 genes) and Bacteroidetes (*Bacteroides coprophilus* DSM 18228, 14 genes).

Genes for both the alternative pathways for Fuc catabolism were found in the analyzed genomes. Thus, genes for the pathway through fuculose 1-phosphate (*fucIKA* genes) were found in the 125 genomes belonging to all studied bacterial phyla except Synergistetes and Tenericutes. The main cause of misannotation for the fuc genes is their similarity to the genes for rhamnose utilization. Both the FucK and RhaB proteins belong to the FGGY family of carbohydrate kinases (Pfam: PF02782), whereas the FucA and RhaD proteins belong to the Aldolase\_II family (Pfam: PF00596). We used the following steps to distinguish *fuc* and *rha* genes. (1) The *fucI* gene was used as a signature gene for the Fuc



utilization pathway because this gene has no homologs among rhamnose-catabolizing enzymes. (2) Phylogenetic maximum-likelihood trees were built for the FucK/RhaB- (Supplementary Figure S1) and FucA/RhaD-like proteins (Supplementary Figure S2) found in the analyzed genomes. (3) Genes that chromosomally clustered with *fucI* were annotated as *fucK* and *fucA*. (4) Single-copy genes found in genomes having *fucI* but lacking any *rha* genes were annotated as *fucK* and *fucA*. (5) The remaining non-annotated genes were annotated by their positions on the phylogenetic trees relative to the previously annotated genes. Thus, using both phylogeny and genomic context, Fuc catabolism through fuculose 1-phosphate was reconstructed in the analysis. The genes for the pathway through fucolactone (*fclABCDE*) were found in only 8 genomes, all belonging to Actinobacteria. Nevertheless, orthologs for all 6 previously described genes (Yew et al., 2006) were found in only 2 *Streptomyces* spp. genomes, whereas another 6 genomes had only *fclBC* genes, which were clustered together with each other and with genes for Fuc transporters (see below). A detailed analysis of this gene cluster revealed non-orthologous replacements for the *fclADE* genes. First, the *fcl* gene clusters contain the protein homologous to 4-hydroxy-tetrahydrodipicolinate synthase and belonging to the DHDPS protein family (Pfam: PF00701). This family includes enzymes such as N-acetylneuraminate lyase and *trans*-o-hydroxybenzylidenepyruvate hydratase-aldolase, which produces pyruvate as one of its products. Because pyruvate is also a product of the FclE-catalyzed reaction (Figure 1B), we concluded that this DHDPS family protein is an alternative form of FclE and named it FclE2.

The Fcl pathway contains two dehydrogenases, L-fucose dehydrogenase FclA and 2-keto-3-deoxy-L-fuconate dehydrogenase FclD. These dehydrogenases were previously described in *Xanthomonas campestris* (Yew et al., 2006) and *Burkholderia multivorans* (Hobbs et al., 2013). In *X. campestris*, FucA belongs to the aldo/keto reductase family (Pfam: PF00248), whereas FucD belongs to the short-chain dehydrogenase family (Pfam: PF00106). On the other hand, in *B. multivorans*, both FucA and FucD belong to the short-chain dehydrogenase family. The proteins belonging to the short-chain dehydrogenase family were also encoded in the *fcl* gene cluster in genomes lacking the *fclAD* genes. To predict their functions, we constructed phylogenetic trees for these proteins and experimentally analyzed the FclA and FclD proteins belonging to the short-chain dehydrogenase family (Supplementary Figure S3). As expected, in the resulting phylogenetic tree, the FclD proteins from *X. campestris*, *B. multivorans* and *Streptomyces* spp. were clustered together, forming a monophyletic branch. The proteins from *C. ammoniagenes* and *Bifidobacterium* spp. formed a monophyletic branch separated from both FclD proteins and the branch for *B. multivorans* FclA protein. Thus, we proposed that the proteins from *C. ammoniagenes* and *Bifidobacterium* spp. are bifunctional enzymes having both FclA and FclD activities. This assumption indirectly corroborated that only one copy of these proteins was found in the *fcl* gene clusters. Thus, proteins from *C. ammoniagenes* and *Bifidobacterium* spp. were designated FclA2/FclD2.

In total, three different Fuc-specific transport systems were found in the analyzed genomes, including two different permeases and one ABC transporter. The first permease, herein referred to as FucP1, was previously analyzed in *Escherichia coli* (Gunn et al., 1994) and predicted in the genomes of *Bacteroides* spp. (Hooper et al., 1999; Ravcheev et al., 2013). This transporter is highly distributed in the analyzed genomes, co-clustering with the *fuc* genes in 88 genomes and with the *fcl* genes in 4 genomes. An alternative Fuc permease named FucP2 belongs to the Sugar\_tr family (Pfam: PF00083). The gene encoding this transporter is located inside the *fuc* gene cluster in the genomes of *Pediococcus acidilactici* and *Lactobacillus rhamnosus*. A third transport system, the ABC-type system, was predicted in this study. The closest experimentally analyzed homolog of the substrate-binding subunit of this system is the substrate-binding protein AraF of the arabinose-specific ABC system from *E. coli* (Johnson and Schleif, 2000). Predicted Fuc-specific transport systems have been predicted by chromosomal clustering with the *fuc* genes in 25 analyzed genomes, including *Actinomyces* spp.,

*Clostridium* spp., *Coprococcus* spp., *Lachnospiraceae* bacterium, *Ruminococcus* spp., and *Enterobacter* spp. Additionally, genes of this system co-cluster together with the *fcl* genes in the genomes of *Streptomyces* sp. HGB0020, *Bifidobacterium longum* ATCC 15697, and *Bifidobacterium pseudocatenulatum* DSM 20438.

Generally,  $\alpha$ -L-fucosidases were found in 131 analyzed genomes, whereas Fuc CPs were found in 133 genomes. Both  $\alpha$ -fucosidases and CPs were found together in 72 analyzed genomes (Figure 2A, Supplementary Table S3).

### 3.3. Utilization of N-acetyl-D-galactosamine

GalNAc plays a crucial role in mucin glycans, forming links with side-chain oxygen atoms of Ser/Thr residues in mucin peptide chains. This linkage between the glycan and peptide parts of mucin is mediated by various endo- $\alpha$ -N-acetylgalactosaminidases (Ashida et al., 2008; Koutsoulis et al., 2008; Kiyohara et al., 2012). Additionally, in intestinal mucin glycans, GalNAc moieties can be connected to Gal by  $\alpha$ 1,3- or  $\beta$ 1,4-linkage and to GalNAc by  $\alpha$ 1,6- or  $\beta$ 1,3-linkage (Podolsky, 1985; Tailford et al., 2015). Release of GalNAc from mucin glycans can be mediated by  $\beta$ -N-hexosaminidases (Cabezas, 1989; Zwierz et al., 1999) and exo- $\alpha$ -N-acetylgalactosaminidases (Hoskins et al., 1997).

At least one GalNAc-releasing GH (GalNAc-GH) was found in 218 genomes (Supplementary Table S4). No GalNAc-GHs were found in the genomes of Archaea or in the bacterial phyla Fusobacteria and Synergistetes. The maximal number of genes for the GalNAc-GHs was found in *Bacteroides* sp. 1\_1\_6 and *Bacteroides* sp. D22. Both of these organisms have 17 GalNAc-GH genes per genome. All exo- $\alpha$ -N-acetylgalactosaminidases in the analyzed genomes belong to the GH27 family. This type of GalNAc-GHs were found in only 13 genomes belonging to only four phyla: Actinobacteria, Bacteroidetes, Firmicutes, and Proteobacteria. Endo- $\alpha$ -N-acetylgalactosaminidases are also rarely represented in the analyzed genomes. These enzymes, belonging to the GH101 or GH129 families, were found in only 15 genomes from only two phyla: Actinobacteria and Firmicutes. In contrast,  $\beta$ -N-hexosaminidases were found in 217 genomes and in all bacterial phyla except Fusobacteria and Synergistetes. All the  $\beta$ -N-hexosaminidases found in the analyzed genomes belong to the GH3 or GH20 families.

It was previously found that at least some Firmicutes and Proteobacteria can utilize only galactosamine (GalN) but not GalNAc (Leyn et al., 2012; Zhang et al., 2015). The crucial feature of the GalNAc-utilizing microorganisms is the presence of the *agaA* gene for N-acetylgalactosamine-6-phosphate deacetylase. For proper pathway reconstruction, AgaA should be distinguished from the N-acetylglucosamine-6-phosphate deacetylase NagA, which is involved in GlcNAc utilization. For this purpose, we used the following pipeline. (1) The *agaS/agaI* genes were used as signature genes for the GalNAc utilization pathway, and *nagB* was used as a signature gene for the GlcNAc utilization pathway. These genes were selected because AgaS and AgaI have no homologs in the GlcNAc utilization pathway and NagB has no homologs among the GalNAc catabolic enzymes. (2) A phylogenetic maximum-likelihood tree was built for AgaA/NagA-like proteins (Supplementary Figure S4) found in the analyzed genomes. (3) Genes chromosomally clustered with *agaS* or *agaI* were annotated as *agaA*, while genes chromosomally clustered with *nagB* were annotated as *nagA*. (4) Genes that co-occurred in the genomes with only *agaS* or *agaI* were annotated as *agaA*, and genes that co-occurred in the genomes with only *nagB* were annotated as *nagA*. (5) The remaining non-annotated genes were annotated by their positions on the phylogenetic trees relative to the previously annotated genes.

GalNAc can be phosphorylated by the kinase AgaK and by the phosphotransferase transport system (PTS). No AgaK genes were found in the analyzed genomes with the GalNAc CPs. Three PTSs associated with *aga* genes were previously identified, including a GalNAc-specific (AgaPTS), a GalN-specific (GamPTS), and a GnbPTS with multiple specificities (Leyn et al., 2012; Bidart et al., 2014; Zhang et al., 2015). The GnbPTS can transport and phosphorylate three different compounds: GalNAc, lacto-N-biose (Gal $\beta$ -1,3-GlcNAc), and galacto-N-biose (Gal $\beta$ -1,3-GalNAc). Both lacto-N-biose and galacto-N-biose contain the glycosyl bonds found in intestinal mucin glycans (Supplementary Table S1). Thus, GnbPTS was included in the three analyzed pathways as GalNAc, GlcNAc, and Gal catabolism. Lacto- and galacto-N-biose then are hydrolyzed by intracellular GH GnbG. Formally, GnbG is a GH, but because of its intracellular localization here, it is considered to be a part of the GalNAc, GlcNAc and Gal CPs.

Thus, AgaPTS and GnbPTS but not GamPTS are involved in GalNAc catabolism. We used the following steps to distinguish the various types of PTSs associated with *aga* genes. (1) A phylogenetic tree for the PTS component EIIC was constructed (Supplementary Figure S5). (2) The systems that co-clustered with the *gnbG* gene were annotated as GnbPTSs. (3) The systems that co-clustered with the *agaS/agal* and *agaA* genes were annotated as AgaPTS. (4) The systems that co-clustered with the *agaS/agal* genes but not the *agaA* genes were annotated as GamPTS.

In addition to GamPTS, lacto- and galacto-N-biose can be imported into the cell by the ABC transport system (LnbABC in Supplementary Tables S2, S4-5, and S7) and then hydrolyzed by intracellular phosphorylase LnbP (Nishimoto and Kitaoka, 2007). As with GamPTS-GamB, the LnbABC-LnbP system was considered to be a part of the GalNAc, GlcNAc and Gal CPs.

Generally, the GalNAc CP was found in the 76 analyzed genomes belonging to the phyla Actinobacteria, Firmicutes, and Proteobacteria (Figure 2A, Supplementary Table S4). Distribution of the GalNAc-releasing GHs is much broader; these enzymes were found in 218 genomes. Both GHs and CPs were found in only 27 of analyzed genomes.

### 3.4. Utilization of N-acetyl-D-glucosamine

Intestinal mucin glycans contain GlcNAc moieties that form various glycosyl bonds, such as  $\alpha$ 1,4- and  $\beta$ 1,3-linkages with Gal and  $\beta$ 1,3- and  $\beta$ 1,6-linkages with GalNAc (Podolsky, 1985; Tailford et al., 2015). The  $\alpha$ -linkages are hydrolyzed by  $\alpha$ -N-acetylglucosaminidases (Shimada et al., 2015), whereas the  $\beta$ -linkages with Gal or GalNAc are hydrolyzed by  $\beta$ -N-hexosaminidases (see subsection 3.3).

At least one GlcNAc-releasing GH (GlcNAc-GH) was found in 257 genomes (Supplementary Table S5). The maximal numbers of the genes encoding GlcNAc-GHs were found in *Bacteroides* sp. 1\_1\_14 (23 genes) and *B. thetaiotaomicron* (22 genes). In addition to  $\beta$ -N-hexosaminidases (see subsection 3.3),  $\alpha$ -N-acetylglucosaminidases (GH89 family) were found in 60 genomes (Supplementary Table S5). All genomes in which  $\alpha$ -N-acetylglucosaminidase genes were found belong to the phyla Actinobacteria, Bacteroidetes, Firmicutes, Proteobacteria, and Verrucomicrobia.

The GlcNAc CP (Yang et al., 2006; Plumbridge, 2015) was found in 218 of the analyzed genomes (Supplementary Table S5). This pathway is broadly distributed among analyzed taxa and is absent only in Archaea and the bacterial phyla Synergistetes and Verrucomicrobia. Various GlcNAc-specific transport systems were identified in the analyzed genomes. These are the PTSs NagE (Plumbridge et al., 1993; Plumbridge, 2015) and GnbPTS (see subsection 3.3), the ABC transport systems NgcEFG (Xiao et al., 2002) and LnbABC (Nishimoto and Kitaoka, 2007), and the permease NagP (Ravcheev et



al., 2013). Here, in addition to these previously known transporters, we predicted an alternative ABC transporter for GlcNAc, which was named NgcABCD. Genes for this system co-cluster together with the *nagKAB* genes in the genomes of *Bifidobacterium* spp. The following differences exist between NgcEFG and NgcABCD. First, the *ngcEFG* operon encodes only the substrate-binding protein and two intermembrane proteins, whereas the *ngcABCD* operon encodes an additional protein, an ATP-binding protein. Second, the substrate-binding subunits of these systems belong to different protein families; NgcE is a member of the SBP\_bac\_8 family (Pfam: PF13416), whereas NgcA is a member of the SBP\_bac\_5 family (Pfam: PF00496).

Generally, GlcNAc CP was found in 218 analyzed genomes, whereas GlcNAc-GHs were found in 266 genomes. Both the pathway and the GHs were found in 155 analyzed genomes (Figure 2, Supplementary Table S5).

### 3.5. Utilization of N-acetyl-D-neuraminic acid

Neu5Ac is commonly found in the terminal location of intestinal mucin glycans (Johansson et al., 2011;McGuckin et al., 2011), forming  $\alpha$ 2,3-linkages with Gal and  $\alpha$ 2,6-linkages with Gal or GalNAc (Tailford et al., 2015). These bonds can be hydrolyzed by sialidases (Juge et al., 2016). Sialidases, all belonging to the GH33 family, were found in 112 analyzed genomes. Sialidases were found in the genomes of all bacterial phyla except Fusobacteria and Synergistetes. The maximal number of sialidase-encoding genes was found in *Bacteroides fragilis* 638R and *Bacteroides* sp. D22 genomes (7 genes per genome).

Two CPs for Neu5Ac have been described previously (Vimr et al., 2004;Brigham et al., 2009). These pathways can be distinguished by the sugar epimerases; the first pathway is characterized by the presence of N-acetylmannosamine-6-phosphate 2-epimerase (NanE), whereas the second pathway is characterized by the presence of N-acetylglucosamine 2-epimerase (NanE-II) (Figure 1B). These epimerases are homologous to each other, and to distinguish them, we constructed a maximum-likelihood phylogenetic tree (Supplementary Figure S6). Nonetheless, NanE and NanE-II are homologs; they form clearly distinguishable monophyletic branches on the tree. Thus, the first Neu5Ac CP, with the NanE enzyme, was found in 131 analyzed genomes, belonging to the phyla Actinobacteria, Firmicutes, Fusobacteria, and Proteobacteria. The second pathway, with the NanE-II enzyme, was found in 56 genomes. Most of these genomes are Bacteroidetes, only 3 of them belong to Firmicutes, and *Akkermansia muciniphila* is a representative of Verrucomicrobia.

The CPs were found in 187 analyzed genomes, belonging to all bacterial phyla with the exception of Synergistetes and Tenericutes. For Neu5Ac, various types of transporters have been previously described (Thomas, 2016). In the analyzed genomes, we identified the following Neu5Ac transporters: an MFS-type transporter (NanT), a sodium solute symporter (NanX), two ABC transport systems (NanABC and NanABC2), and a TRAP transport system (NeuT) (Supplementary Table S7). No novel genes for Neu5Ac transport or catabolism were predicted.

Generally, the Neu5Ac CPs were found in 189 analyzed genomes, while both the pathways and the sialidases were found in only 80 analyzed genomes.

### 3.6. Utilization of D-galactose

In human intestinal mucin glycans, Gal can form  $\alpha$ 1,3-linkages with other Gal,  $\beta$ 1,3-linkages with GalNAc and GlcNAc, and  $\beta$ 1,4-linkages with GlcNAc (Podolsky, 1985;Tailford et al., 2015). These

linkages can be hydrolyzed by various  $\alpha$ - (Wakinaka et al., 2013; Han et al., 2014; Reddy et al., 2016) and  $\beta$ -galactosidases (Husain, 2010; Park and Oh, 2010; Michlmayr and Kneifel, 2014; Solomon et al., 2015). At least one galactosidase gene was found in 310 analyzed genomes, belonging to all bacterial phyla except Synergistetes. The maximal numbers of galactosidase genes were found in *Bacteroides cellulosilyticus* DSM 14838 (56 genes) and *Bacteroides* sp. D2 (50 genes). The  $\alpha$ -galactosidases found in the analyzed genomes belong to families GH4, GH27, GH36, and GH43, whereas the  $\beta$ -galactosidases belong to families GH2, GH35, and GH42.

For Gal utilization, two alternative pathways are possible. The Leloir pathway, in which Gal is utilized through UDP galactose (Bettenbrock and Alpert, 1998; Afzal et al., 2015b), was found in 335 analyzed genomes belonging to all bacterial phyla except Synergistetes. The alternative pathway, the utilization of Gal through tagatose 6-phosphate (Zeng et al., 2010), was found in only 29 analyzed genomes, belonging to Actinobacteria and Firmicutes. Surprisingly, genes for the Leloir pathway were also found in all 29 of these genomes.

Analysis of the Leloir pathway revealed that 79 of the analyzed genomes have *galK* genes for galactokinase but lack *galU* and *galT* genes for uridylyltransferases. To predict non-orthologous displacement of these genes, we used an analysis of gene occurrence also known as “Phyletic patterns” (Osterman and Overbeek, 2003; Tatusov et al., 2003). For prediction of the non-orthologous displacement of *galT*, two sets of genomes were selected. The first set included finished genomes having *galK* but not *galT*. The second set included finished genomes having both *galK* and *galT* (Supplementary Table S9). Finished genomes were selected because draft genomes do not allow us to distinguish the actual absence of the gene in the genome or the location of the gene in an unsequenced part of the genome. Candidate functional analogs of GalT were identified as genes present in all genomes having only *galK* but absent in genomes having *galKT* genes. This gene search resulted in 62 candidates (Supplementary Table S9). All of these candidates, with the exception of membrane, regulatory, and secreted proteins, were then checked for additional confirmation of their role in *galT* non-orthologous displacement (Supplementary Figure S7). This check included an analysis of sequence similarity of these proteins to known proteins and protein families as well as an analysis of their chromosomal co-clustering with previously annotated genes. The best candidate was the gene *Amuc\_0031* in the *A. muciniphila* genome. First, the encoded protein belongs to the nucleotidyl transferase (NTP\_transferase, Pfam: PF00483) family. Members of the NTP\_transferase family are able to transform phosphosugars onto nucleotide sugars (Jensen and Reeves, 1998). Second, in *A. muciniphila*, this gene was co-clustered with *galE*. Homologs of this gene were found in all analyzed genomes, and a phylogenetic maximum-likelihood tree was constructed (Supplementary Figure S7). Analysis of the tree together with the gene occurrence patterns showed that all homologs found in genomes lacking *galT* form a monophyletic branch. Additionally, proteins belonging to this branch are often co-clustered with genes for Gal metabolism, such as the *galE* gene, the *galMP* gene, or the a- and b-galactosidase genes. Thus, the identified genes were predicted to be functional analogs of *galT* and were designated *galY*. The *galY* genes were found in 70 genomes (Supplementary Table S7), including 68 genomes of Bacteroidetes as well as single representatives of Verrucomicrobia (*A. muciniphila*) and Firmicutes (*Holdemania filiformis* DSM 12042). Unfortunately, analysis of gene occurrence did not provide any results for non-orthologous displacement of *galU*.

A number of previously known Gal transporters were found in the analyzed genomes. These are galactose (Essenberg et al., 1997) and galactose/lactose (Luesink et al., 1998) permeases, here referred to as GalP1 and GalP2, respectively; the galactose/methyl galactoside ABC transport system Mgl (Weickert and Adhya, 1993); and the galactose-specific PTS (Zeng et al., 2012). Additionally, Gal can be imported into the cell as part of lacto-N-biose and galacto-N-biose by the GnbPTS and/or LnbABC

systems (see subsections 3.3 and 3.4). Additionally, we predicted a new Gal-specific transporter, here referred to as GalP3. This transporter is a member of the SSS family (sodium solute symporter, Pfam: PF00474). It was initially predicted due to co-clustering of its gene together with *galK* in the genomes of *Propionibacterium* spp. and with *galKT* in the genomes of *Streptomyces* spp. Further analysis revealed the presence of this transporter in 43 analyzed genomes. In most of these genomes, the gene for the novel transporter is co-clustered with the genes for the Leloir pathway or galactosidases (Supplementary Table S7). Generally, Gal CPs were found in 355 analyzed genomes, whereas both Gal-GHs and the pathways were found in 296 genomes.

## 4. Discussion

### 4.1. Distribution of GHs and CPs in the analyzed HGM genomes

In this study, we analyzed the distribution of genes required for utilization of mucin glycans in 397 genomes of microbes found in the human gastrointestinal tract. The analyzed genes encode extracellular enzymes for cleavage of mucin glycans to monosaccharides as well as transport proteins and enzymes for subsequent utilization of the derived monosaccharides. These genes were conditionally divided into five groups, representing the five monosaccharides found in mucin glycans. Each of these monosaccharide-specific groups of genes can, in turn, be subdivided into extracellular GHs (Figure 1A) and genes for monosaccharide-utilizing CPs (Figure 1B). Analyzing the distribution of glycan-utilizing genes, we observed two general trends: (1) numerous genomes contain only CPs or only GHs and (2) pathways for different monosaccharides are distributed very differently from each other (Figure 2).

The presence of only CPs or only GHs has been previously described for the metabolism of Fuc (Pacheco et al., 2012; Conway and Cohen, 2015) or Neu5Ac (Ng et al., 2013) in the HGM. Nonetheless, such partial pathways have been previously described for only some HGM genomes. Here, our results demonstrated that such partial pathways are characteristic for the degradation of mucin glycans by the HGM. Thus, 339 (85%) of the analyzed genomes have a partial pathway for at least one of the mucin-derived monosaccharides. Generally, 726 partial pathways were found, including 312 cases with the presence of only CPs and 414 cases with the presence of only GHs (Supplementary Table S10). Such a wide distribution of partial pathways indicates the existence of multiple exchange pathways for mucin glycan-derived monosaccharides in the HGM (see subsection 4.2).

A distinct distribution of pathways for utilization of the analyzed monosaccharides has not been described previously at the level of large microbial communities, such as the HGM. At the level of monosaccharide-specific CPs, sorting by the number of genomes where they were found produces the following sequence: Gal > GlcNAc > Neu5Ac > Fuc > GalNAc. A similar sequence was found for the GHs: Gal > GlcNAc > GalNAc > Fuc > Neu5Ac. The differences between these two sequences can be explained as follows. (1) GHs specific for Fuc and Neu5Ac were found in 72 and 80 genomes, respectively. Therefore, their switching places may be the result of a minor bias caused by the selection of the analyzed genomes. Because only genomes available in the HMP, KEGG and PubSEED databases were analyzed (see subsection 2.2), the set of selected genomes is slightly biased. Thus, the set of analyzed genomes is enriched by genomes of Proteobacteria, especially by Enterobacteriales. (2) This difference also indicates that gastric mucin glycans are mainly neutral and that sialylation of them is quite rare (Rossez et al., 2012). (3) The higher number of genomes with GalNAc-GHs in comparison with Fuc- and Neu5Ac-GHs can be explained by the fact that the majority of GalNAc-GHs are  $\beta$ -hexosaminidases, which are enzymes specific to GalNAc and GlcNAc. This explanation is in good agreement with the large number of genomes having GlcNAc-specific CPs and/or GHs.

The different distributions of pathways for different monosaccharides may be due to their dissemination in nature, particularly in the human intestine. Therefore, in animals, Fuc and Neu5Ac are found mostly on terminal units of carbohydrate chains linked to proteins or lipids (Staudacher et al., 1999; Vimr, 2013; Pickard and Chervonsky, 2015). GalNAc is a slightly more disseminated since it is not only a terminal monosaccharide but also acts as a connecting link between the glycan and protein portions of N- and O-linked proteoglycans (Ashida et al., 2008; Koutsioulis et al., 2008; Kilcoyne et al., 2012; Kiyohara et al., 2012). Thus, in the human intestine, these three monosaccharides are parts of host-synthesized glycans or are derived from dietary components of animal origin. GlcNAc is much more broadly disseminated and, in addition to being found in glycoproteins, it can be found in heparin, chondroitin sulfate, hyaluronan, and various human milk oligosaccharides (HMOs) (Lamberg and Stoolmiller, 1974; Garrido et al., 2011). Gal is even more broadly disseminated than GlcNAc and can be found in both animal- or plant-synthesized polysaccharides. Thus, Gal is a building block of arabinogalactan, pectic galactan, and HMOs. As a component of side chains, Gal may be found in type II rhamnogalacturonan and as a terminal unit in  $\alpha$ -mannans, galactomannan, xyloglucan, and xylan (Kunz et al., 2000; Mohnen, 2008; Garrido et al., 2011; Marcobal et al., 2011).

To confirm that the distribution of monosaccharide-utilizing pathways and monosaccharide-specific GHs reflects dissemination of these monosaccharides in nature, we analyzed data for these monosaccharides from the KEGG database. For each of the monosaccharides, two parameters were analyzed: (1) the number of reactions that the monosaccharide is involved in as a product or a substrate and (2) the number of glycans containing this monosaccharide (Supplementary Figure S8). The numbers of reactions and glycans for the monosaccharides are in line with the distribution of CPs and GHs in the analyzed genomes. Thus, analysis of the numbers of reactions for each monosaccharide resulted in the following sequence: Gal > GlcNAc > Neu5Ac > Fuc > GalNAc, which is identical to the sequence for genomes with monosaccharide-specific CPs. For the number of glycans, the sequence is as follows: Gal > GlcNAc > Fuc > GalNAc > Neu5Ac, which is similar to the sequence for genomes with monosaccharide-specific GHs.

Examining the variation of the monosaccharide-specific pathways, we wondered how the combinations of the utilized monosaccharides varied across the HGM genomes. Because only CPs or only GHs were found in 85% of the genomes, combinations of CPs and GHs were analyzed separately. We used binary information regarding the distribution of pathways in 397 HGM genomes, i.e., the presence or absence of a CP or GH in a genome (Supplementary Table S10). We investigated the  $2^5=32$  possible patterns of the eight studied pathways. Only 22 (69%) and 19 (60%) of the 32 possible patterns were found for CPs and GHs, respectively. The most frequent pattern for CPs represents catabolism of only Gal and GlcNAc. This pattern was found in 59 analyzed genomes, including Bifidobacteriaceae, various Firmicutes, and Fusobacteria. Other frequently observed CP patterns are as follows: (1) absence of CPs for any analyzed monosaccharides, (2) utilization of all monosaccharides except GalNAc, (3) utilization of Gal only, and (4) utilization of Gal and Neu5Ac only. The most frequent pattern for GHs is the presence of GHs specific to all five monosaccharides. This pattern was found in 81 genomes, including some Actinobacteria, multiple Bacteroidetes, Firmicutes (mostly belonging to the Lachnospiraceae family), and *A. muciniphila*. Other frequently observed GH patterns are as follows: (1) presence of GHs specific to GalNAc, GlcNAc, and Gal; (2) absence of GHs for any analyzed monosaccharides; (3) presence of only Gal-specific GHs; and (4) presence of only GlcNAc- and Gal-specific GHs.

Theoretically, the combination of the observed CP and GH patterns should result in  $22 \times 19 = 418$  combined patterns; however, only 102 (24%) of them were actually observed, which indicates interdependence of GHs and CPs. This interdependence appears to be rather trivial because only non-

digestible carbohydrates are available for HGM organisms, especially in the large intestine (Walker et al., 2011), so CPs are highly dependent on GHs. On the other hand, no significant correlations were observed between CP and GH patterns. Together with CP dependence on GH repertoire, this absence of correlations again indicates intensive exchange by mucin-derived monosaccharides in the HGM.

Surprisingly, the combined pattern corresponding to the most frequent GH and CP patterns was found in only three genomes: *Clostridium nexile* DSM 1787, *Lachnospiraceae bacterium 2\_1\_46FAA*, and *Ruminococcus lactaris* ATCC 29176. The combined pattern we observed most frequently was the absence of all analyzed GHs and CPs. This pattern was found in 28 genomes, belonging to Archaea, some Firmicutes, and Beta- and Epsilonproteobacteria. Other frequently observed combined patterns were as follows: (1) presence of GHs specific for GalNAc, GlcNAc, and Gal together with CPs for GlcNAc and Gal; (2) presence of GHs for all five monosaccharides together with utilization of all these monosaccharides except GalNAc; and (3) presence of GHs for all five monosaccharides together with utilization of Neu5Ac and Gal.

Taken together, an optimal strategy for glycan-utilizing HGM microorganisms includes (1) the presence of CPs specific to GlcNAc and Gal as the components of multiple host- and dietary-derived carbohydrates and (2) the presence of GHs specific to as large as possible a number of glycan-building monosaccharides.

#### 4.2. Exchange pathways for the analyzed HGM genomes

The presence of only CPs for a certain monosaccharide in one HGM organism and only GHs for this monosaccharide in another organism allows us to predict possible exchange pathways. Previously, exchange pathways in the HGM have been found for Fuc (Pacheco et al., 2012; Conway and Cohen, 2015) and Neu5Ac (Ng et al., 2013). Here, we predicted multiple exchange pathways for all five monosaccharides forming mucin glycans. The 339 (85%) analyzed genomes demonstrated the presence of only CPs or only GHs for at least one monosaccharide; therefore, the majority of HGM organisms are involved in these exchange pathways.

Based on the presence or absence of CPs and GHs, each organism can be classified as a “donor” (having GHs but not CPs) or “acceptor” (having CPs but not GHs) in relation to a certain monosaccharide. Among the analyzed genomes, 181 (46%) organisms can only be “donors” while 103 (33%) organisms can only be “acceptors” for the studied monosaccharides (Supplementary Table S10). Additionally, 55 (14%) organisms were classified as “mixed”, being “donors” for some monosaccharides and “acceptors” for others.

In summary (Figure 3 and Supplementary Table S11), data on possible exchange pathways demonstrate the following features of exchange of mucin-derived monosaccharides in the HGM: (1) larger number of “donors” relative to “acceptors” and (2) taxonomy-specific distribution of donors and acceptors.

Generally, 414 “donor” roles were found to be distributed among 236 genomes, whereas 312 “acceptor” roles were found to be distributed among 158 genomes. The significant predominance of “donors” reflects an adaptation of the analyzed organisms to the environment of the human intestine. No free monosaccharides are available in the large intestine (Walker et al., 2011), so the only way for HGM organisms to obtain monosaccharides is from the cleavage of polysaccharides that are non-digestible for the host. Thus, HGM organisms should have GHs not only for monosaccharides that they can catabolize but also for all monosaccharides present in the available polysaccharides. Additionally, the appearance of a new “donor” role during evolution is much more probable than the appearance of a new “acceptor” role. With the appearance of a “donor”, only one new function should be acquired



through horizontal gene transfer or duplication and neofunctionalization. Indeed, horizontal transfer has been previously demonstrated for genes encoding sialidase (Roggentin et al., 1993). In contrast, the appearance of a new “acceptor” requires horizontal transfer of multiple genes for enzymes and transporters. Because genes for CPs are not always encoded as a single locus (Leyn et al., 2012; Ravcheev et al., 2013; Rodionov et al., 2013; Khoroshkin et al., 2016), horizontal transfer of all genes required for the catabolism of a certain monosaccharide would be nearly impossible. Similarly, the appearance of a new CP through duplication and neofunctionalization requires the simultaneous change of specificities for multiple genes, which is also very unlikely.

The distribution of “donor” and “acceptor” roles among the analyzed genomes is taxon-specific (Figure 3). Thus, no “donors” were found among Fusobacteria, and no “acceptors” were found among Tenericutes and Verrucomicrobia. Among Bacteroidetes, only 2 strains of *Bacteroides eggerthii* were identified as “acceptors”, whereas 62 strains from this group were identified as “donors”. The opposite is observed for Proteobacteria, for which only 9 genomes can be “donors” and 51 genomes can be “acceptors”. At the phylum level, the most intensive exchange of monosaccharides should be between “donor” Bacteroidetes and “acceptor” Proteobacteria. In some cases, up to 4 different monosaccharides are able to be exchanged. Thereby, exchange pathways in the HGM are formed by the interaction of two factors, (1) evolutionary history of microbial taxa and (2) adaptation of HGM organisms to the intestinal environment.

### 4.3. Specificity of the HGM organism to mucin glycans

Mucin glycans are complex polysaccharides characterized by a variety of monosaccharide building blocks and bonds between these monosaccharides (Martens et al., 2009; Koropatkin et al., 2012; Rossez et al., 2012; Johansson et al., 2015; Tailford et al., 2015). Tens of mucin glycan motifs and structures have been described to date. These structures vary in terms of both monosaccharides and glycosidic bonds (Podolsky, 1985; Rossez et al., 2012; Tailford et al., 2015). Furthermore, the analyzed genomes vary in the patterns of GHs able to cleave mucin glycans (Supplementary Table S10). Thus, we proposed that the analyzed organisms should demonstrate some preferences for cleaved mucin glycans.

Data on the known structures of mucin glycans found in the human intestine were collected from the literature (Podolsky, 1985; Rossez et al., 2012), resulting in 56 different glycan structures (Supplementary Figure S9 and Supplementary Table S12). For each analyzed genome, the ability to cleave each glycan structure was predicted. Glycan was considered able to be cleaved by a certain organism if the GHs for all glycoside bonds in the glycan were found in the genome of the organism. Bonds between GalNAc and Ser/Thr residues of the mucin peptide were excluded from the analysis because this bond is cleaved by endo- $\alpha$ -N-acetylgalactosaminidases found in only 15 of the analyzed genomes (Supplementary Table S4). On the basis of this prediction for each genome, the pattern of likely cleaved glycans was determined (Supplementary Table S13). Among 397 analyzed genomes, 321 (81%) were able to cleave at least one of the glycans; generally, 20 different glycan-cleavage patterns were defined. It has previously been estimated that approximately 40% of bacteria have glycan-degrading enzymes (Arike and Hansson, 2016). Here, we demonstrated that, at least for the HGM microbes, this figure is actually at least two-fold higher.

Based on the glycan-cleavage patterns, only 8 analyzed organisms are able to cleave all 56 glycan structures belonging to the phyla Bacteroidetes (*Bacteroides ovatus* SD CMC 3f, *Bacteroides* sp. 2\_2\_4, and *Bacteroides* sp. 3\_1\_23) and Firmicutes (*Clostridium perfringens* WAL-14572, 3 strains of *Lachnospiraceae* bacterium, and *Ruminococcus torques* ATCC 27756). The three most frequently observed patterns were the following. (1) Only Core 1 (Tailford et al., 2015) structures can be cleaved,

i.e., no GHs except  $\beta$ -galactosidases are present. This pattern was found in 77 genomes belonging mostly to Lactobacillaceae, Ruminococcaceae and Enterobacteriales. (2) Glycans having only poly-lacto-N-biose but lacking any specific groups (Supplementary Table S12) can be cleaved. These genomes have only GHs for the hydrolysis of  $\beta$ -Gal and  $\beta$ -GlcNAc bonds. This pattern was found in 56 genomes belonging mostly to Actinobacteria, Firmicutes and Enterobacteriales. (3) All glycans lacking  $\alpha$ -GalNAc groups can be cleaved. These genomes have all GHs but not  $\alpha$ -N-acetylgalactosaminidases. This pattern was found in 41 genomes belonging mostly to Bacteroidaceae.

The predicted glycan-cleavage patterns demonstrate some taxon-specific features. For example, for 66 genomes of glycan-cleaving Bacteroidetes, only 8 patterns were identified, whereas for 46 genomes of glycan-cleaving Proteobacteria, only 4 patterns were identified. Thus, the glycan-cleavage abilities of HGM organisms also depend on the evolutionary history of the taxon, whereas the correlation between these abilities and taxonomy is not so strong. On the other hand, mucin glycans can also be cleaved by multistrain communities in which each strain hydrolyzes a part of the glycosyl bonds (Figure 5).

A minimal multistrain community should include two different strains. Here, we proposed the existence of mutualistic pairs of HGM organisms. We defined a mutualistic pair as a pair of organisms that can cleave more mucin glycans than a union of the glycan-cleavage patterns of these two organisms. To identify such mutualistic pairs, we used the following procedure. (1) All possible pairs of analyzed genomes were analyzed with the exception of pairs in which at least one of the organisms can cleave all 56 glycan structures (Supplementary Figure S9). (2) For each of the analyzed pairs, two glycan-cleavage patterns were predicted. (3) The so-called “summary pattern” was defined as a union of the patterns for each organism in the pair. (4) The so-called “mutualistic pattern” was defined as a pattern predicted on the basis of the GHs present in both genomes. (5) For a pair of genomes, the common set of GHs was considered to be the sum of GHs found in each genome. (6) For the common set of GHs, the ability to cleave each glycan structure was predicted. (7) All the glycans able to be cleaved by the common set of GHs formed the “mutualistic pattern” for this pair of organisms. (8) If the “mutualistic pattern” contained glycans absent in the “summary pattern”, this pair of organisms was considered mutualistic. In total, 325 (82%) analyzed genomes were able to form mutualistic pairs (Figure 5 and Supplementary Table S14).

The identified mutualistic pairs able to cleave all 56 glycan structures were considered to be highly beneficial. Thus, in agreement with predicted glycan-cleavage patterns, *Collinsella stercoris* DSM 13279 and *Clostridium spiroforme* DSM 1552 can cleave 27 different glycans each, *Eubacterium dolichum* DSM 3991 can cleave 9 glycans, and *Cedecea davisae* DSM 4568 cannot cleave any mucin glycans. Each of these genomes can form highly beneficial pairs with various *Bacteroides* spp. that alone can cleave 40 to 41 glycans. *Clostridium celatum* DSM 1785 has a glycan-cleavage pattern that includes 50 glycans. This genome can form highly beneficial pairs with *Bifidobacterium* spp. that can cleave 2 to 22 glycans, with *Lactobacillus* spp. that can cleave 0 to 22 glycans, and with Enterobacteriaceae that can cleave 0 to 9 glycans. All highly beneficial pairs described are organized in a similar manner. The five strains listed above are distantly related to each other, and three of them, *C. celatum*, *C. davisae*, and *C. spiroforme*, are pathogens (Akinosoglou et al., 2012; Papatheodorou et al., 2012; Agergaard et al., 2016), whereas no data about the pathogenicity of *C. stercoris* and *E. dolichum* were found. Each of these five strains forms highly beneficial pairs with a large number of organisms closely related to each other and highly represented in healthy HGM (Eckburg et al., 2005; Goodman et al., 2011; Walker et al., 2011; Graf et al., 2015). Based on these features of highly beneficial pairs, we proposed that these five organisms can be harmful to human health not only due to pathogenicity itself but also because they can greatly increase the ability of the HGM to forage the host mucus layer.

#### 4.4. Unresolved problems and possible solutions

This study resulted in the prediction of a number of novel genes involved in utilization of human mucin glycans. Nonetheless, some problems related to monosaccharide utilization remain unresolved (Supplementary Tables S3-S8). These problems are the absence of one or two steps of certain CPs as well as the absence of known transporters in the presence of a corresponding CP. At least one such problem was detected for 90 (23%) of the analyzed genomes. The most frequently observed problems are as follows: (1) the absence of known Gal transporters in 30 genomes, mostly Firmicutes; (2) the absence of L-fuculose phosphate aldolase in 23 genomes belonging to Bacteroidetes, Clostridia, and some Actinobacteria; (3) the absence of L-fuculokinase in 19 genomes belonging to Bacteroidetes, Clostridia, and some Actinobacteria; and (4) the absence of galactose kinase, which was observed in 7 genomes of Firmicutes. Other problems have been observed in 1 to 6 analyzed genomes.

These unresolved problems can be explained by three non-exclusive hypotheses: (1) the incompleteness of genome sequences, (2) non-orthologous replacements for enzymes and transporters, and (3) the existence of alternative reactions and pathways. A total of 326 (82%) of the analyzed genomes have draft status, and some genes for the transport and utilization of monosaccharides may thus be absent from the current version of the genome. Indeed, 77 genomes with absent genes have draft status. Therefore, obtaining the finished genomes for the studied organisms will help us to fill the gaps in the incomplete pathways.

The problem of pathway incompleteness is only partially resolved by the finished versions of the analyzed genomes because incomplete pathways were also found in 13 finished genomes. For example, the finished genome of *Clostridium difficile* NAP07 lacks genes for Gal- and GalNAc-specific transporters, as well as for galactose kinase. These gaps may be filled by prediction or experimental identification of non-orthologous replacements, namely, genes that are not orthologs of the previously known genes but have the same functions. Such replacements have been previously described for the analyzed monosaccharide-utilization pathways. Thus, pairs of non-orthologous proteins were known for galactosamine-6-phosphate isomerase (AgaS and AgaI), glucosamine-6-phosphate deaminase (NagB1 and NagB2), and N-acetylglucosamine kinase (NagK1 and NagK2). Moreover, in this study, we predicted 4 non-orthologous replacements for enzymes (FclA2, FclD2, FclE2, and GalY) and 4 non-orthologous replacements for transporters (FucABC, FucP2, GalP3, and NgcABCD). The idea of non-orthologous replacement is very promising because these replacements can be found with computational methods alone.

Another possible way to resolve problems with incomplete pathways is the prediction of alternative reactions or pathways. Unlike the case of non-orthologous displacements, here, we should predict genes with previously unknown functions, but involved into metabolism of analyzed compounds. For example, catabolism of Fuc, Neu5Ac, and Gal is possible via two different pathways for each of these compounds (Figure 1B). The prediction of novel reactions in pathways is usually more difficult than the detection of non-orthologous displacements but is also possible using only computational methods. For example, an alternative pathway for the biosynthesis of menaquinone was discovered using comparative genomics techniques (Hiratsuka et al., 2008), and gaps in this pathway have subsequently been filled by computational analysis (Ravcheev and Thiele, 2016).

Taken together, all the remaining problems may be resolved using comparative genomics-based analysis. The availability of an increasing number of microbial genomes as well as completion of existing genome sequences will provide significant opportunities for the computational analyses of these microbes and the resolution of the described problems.

#### 4.5. Concluding remarks and future plans

This study included a comprehensive computational analysis of the degradation of mucin glycans by HGM microorganisms. In addition to novel functional annotations, which are standard for comparative genomics studies, this analysis also predicted commensal exchange pathways between different microbes, specificity of the HGM strains to various types of glycans, and mutualistic inter-strain interactions at the level of mucin glycan degradation. These results demonstrate the efficiency of the selected approach: the analysis of individual genomes for members of the microbial community.

Although this study significantly improved our understanding of the HGM and its interactions with the host, there is still much to be discovered in this field. The areas lacking evidence indicate the future directions for the analysis of the HGM as it relates to mucin glycan degradation. The first two future directions, which are defined by unresolved problems (see subsection 4.4), are to update the metabolic reconstructions with full versions of all analyzed genomes and to fill in the remaining gaps in the studied metabolic pathways. The third future direction is to expand the reconstructed metabolic, transport, and exchange pathways to novel genomes; this is aimed at the growing number of microbial genomes, including members of the HGM community. Mucin glycans are not the only glycans that can be degraded by HGM organisms. Thus, the fourth future direction is pathway reconstruction for the degradation of dietary-derived glycans.

The HGM has been intensively studied in relation to its impact on human health, and more than 50 human diseases have been shown to be associated with HGM alterations (Potgieter et al., 2015). Nonetheless, the use of HGM taxonomical composition as a diagnostic tool is currently hampered by the high variability of the HGM depending on various factors (Kurokawa et al., 2007;Clemente et al., 2012;Yatsunencko et al., 2012;Suzuki and Worobey, 2014;Allais et al., 2015) and by functional redundancy of the HGM. As it relates to the HGM, functional redundancy is defined as the ability of multiple bacteria, both closely and distantly related to each other, to implement the same metabolic functions (Moya and Ferrer, 2016). On the other hand, more than a dozen HGM-produced metabolites are associated with various human diseases (Potgieter et al., 2015), indicating possible associations between human health and the presence or absence of certain metabolic pathways in the HGM. Therefore, functional redundancy may provide a possible approach for the use of the HGM to distinguish health states of an individual. Indeed, a comparison of metagenomics data from healthy or diseased subjects may highlight HGM genes that are associated with disease. Because accurate functional annotation of all the genes in each metagenome is extremely time-consuming and costly, it makes sense to compare different microbiomes for the presence or absence of particular metabolic pathways that are already annotated and possibly associated with a health state. Because the state of the intestinal mucus layer is closely associated with human health (Png et al., 2010;Johansson et al., 2013;Cockburn and Koropatkin, 2016;Desai et al., 2016), HGM genes involved in the degradation of mucin glycans are perfect candidates to be tested for associations with health and disease. Thus, the fifth future direction is an analysis of the presence or absence of the analyzed genes in health and disease HGM metagenomes.

Computational modeling of metabolism (Palsson, 2006;Orth et al., 2010) may be used for elucidation of mucin glycan degradation by HGM organisms. Previously, genome-based models have been published for single representatives of the HGM (Thiele et al., 2005;Orth et al., 2011;Thiele et al., 2011;Thiele et al., 2012;Heinken et al., 2014) as well as for whole HGM communities (Levy and Borenstein, 2013;Bauer et al., 2015;Heinken and Thiele, 2015;Noecker et al., 2016;Shashkova et al., 2016;Magnusdottir et al., 2017). Additionally, computational models for human metabolism are also available (Thiele et al., 2013b;Mardinoglu et al., 2014), and host-microbial metabolic interactions have

been modeled (Heinken et al., 2013;Thiele et al., 2013a;Shoaie and Nielsen, 2014;Levy et al., 2015;Heinken et al., 2016). Thus, the final future direction is to update the existing HGM and host-HGM metabolic models of reactions for all the pathways reconstructed in this study. Such an update would improve the existing models and would improve our understanding of the interaction between humans and their microbiome.

### 5. Conflict of Interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as potential conflicts of interest.

### 6. Author Contributions

DAR and IT conceived of and designed the research project and wrote the manuscript. DAR performed the genomic analysis of the pathways for utilization of mucin glycans. All authors read and approved the final manuscript.

### 7. Funding

The presented project is supported by the National Research Fund (#6847110), Luxembourg, and co-funded under the Marie Curie Actions of the European Commission (FP7-COFUND).

### 8. References

- Afzal, M., Shafeeq, S., Ahmed, H., and Kuipers, O.P. (2015a). Sialic acid-mediated gene expression in *Streptococcus pneumoniae* and the role of NanR as a transcriptional activator of the nan gene cluster. *Appl Environ Microbiol*.
- Afzal, M., Shafeeq, S., Manzoor, I., and Kuipers, O.P. (2015b). GalR Acts as a Transcriptional Activator of *galKT* in the Presence of Galactose in *Streptococcus pneumoniae*. *J Mol Microbiol Biotechnol* 25, 363-371.
- Agergaard, C.N., Hoegh, S.V., Holt, H.M., and Justesen, U.S. (2016). Two Serious Cases of Infection with *Clostridium celatum* after 40 Years in Hiding? *J Clin Microbiol* 54, 236-238.
- Akinosoglou, K., Perperis, A., Siagris, D., Goutou, P., Spiliopoulou, I., Gogos, C.A., and Marangos, M. (2012). Bacteraemia due to *Cedecea davisae* in a patient with sigmoid colon cancer: a case report and brief review of the literature. *Diagn Microbiol Infect Dis* 74, 303-306.
- Allais, L., Kerckhof, F.M., Verschuere, S., Bracke, K.R., De Smet, R., Laukens, D., Van Den Abbeele, P., De Vos, M., Boon, N., Brusselle, G.G., Cuvelier, C.A., and Van De Wiele, T. (2015). Chronic cigarette smoke exposure induces microbial and inflammatory shifts and mucin changes in the murine gut. *Environ Microbiol*.
- Altschul, S.F., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Research* 25, 3389-3402.
- Arike, L., and Hansson, G.C. (2016). The Densely O-Glycosylated MUC2 Mucin Protects the Intestine and Provides Food for the Commensal Bacteria. *J Mol Biol* 428, 3221-3229.
- Ashida, H., Maki, R., Ozawa, H., Tani, Y., Kiyohara, M., Fujita, M., Imamura, A., Ishida, H., Kiso, M., and Yamamoto, K. (2008). Characterization of two different endo-alpha-N-acetylgalactosaminidases from probiotic and pathogenic enterobacteria, *Bifidobacterium longum* and *Clostridium perfringens*. *Glycobiology* 18, 727-734.



- Ashida, H., Miyake, A., Kiyohara, M., Wada, J., Yoshida, E., Kumagai, H., Katayama, T., and Yamamoto, K. (2009). Two distinct alpha-L-fucosidases from *Bifidobacterium bifidum* are essential for the utilization of fucosylated milk oligosaccharides and glycoconjugates. *Glycobiology* 19, 1010-1017.
- Bauer, E., Laczny, C.C., Magnusdottir, S., Wilmes, P., and Thiele, I. (2015). Phenotypic differentiation of gastrointestinal microbes is reflected in their encoded metabolic repertoires. *Microbiome* 3, 55.
- Bettenbrock, K., and Alpert, C.A. (1998). The gal genes for the Leloir pathway of *Lactobacillus casei* 64H. *Applied and Environmental Microbiology* 64, 2013-2019.
- Bidart, G.N., Rodriguez-Diaz, J., Monedero, V., and Yebra, M.J. (2014). A unique gene cluster for the utilization of the mucosal and human milk-associated glycans galacto-N-biose and lacto-N-biose in *Lactobacillus casei*. *Mol Microbiol* 93, 521-538.
- Brigham, C., Caughlan, R., Gallegos, R., Dallas, M.B., Godoy, V.G., and Malamy, M.H. (2009). Sialic acid (N-acetyl neuraminic acid) utilization by *Bacteroides fragilis* requires a novel N-acetyl mannosamine epimerase. *J Bacteriol* 191, 3629-3638.
- Cabezas, J.A. (1989). Some comments on the type references of the official nomenclature (IUB) for beta-N-acetylglucosaminidase, beta-N-acetylhexosaminidase and beta-N-acetylgalactosaminidase. *Biochem J* 261, 1059-1060.
- Cameron, E.A., and Sperandio, V. (2015). Frenemies: Signaling and Nutritional Integration in Pathogen-Microbiota-Host Interactions. *Cell Host Microbe* 18, 275-284.
- Cantarel, B.L., Lombard, V., and Henrissat, B. (2012). Complex carbohydrate utilization by the healthy human microbiome. *PLoS One* 7, e28742.
- Caspi, R., Altman, T., Billington, R., Dreher, K., Foerster, H., Fulcher, C.A., Holland, T.A., Keseler, I.M., Kothari, A., Kubo, A., Krummenacker, M., Latendresse, M., Mueller, L.A., Ong, Q., Paley, S., Subhraveti, P., Weaver, D.S., Weerasinghe, D., Zhang, P., and Karp, P.D. (2014). The MetaCyc database of metabolic pathways and enzymes and the BioCyc collection of Pathway/Genome Databases. *Nucleic Acids Res* 42, D459-471.
- Clemente, J.C., Ursell, L.K., Parfrey, L.W., and Knight, R. (2012). The impact of the gut microbiota on human health: an integrative view. *Cell* 148, 1258-1270.
- Cockburn, D.W., and Koropatkin, N.M. (2016). Polysaccharide Degradation by the Intestinal Microbiota and Its Influence on Human Health and Disease. *J Mol Biol* 428, 3230-3252.
- Conway, T., and Cohen, P.S. (2015). Commensal and Pathogenic *Escherichia coli* Metabolism in the Gut. *Microbiol Spectr* 3.
- Dehal, P.S., Joachimiak, M.P., Price, M.N., Bates, J.T., Baumohl, J.K., Chivian, D., Friedland, G.D., Huang, K.H., Keller, K., Novichkov, P.S., Dubchak, I.L., Alm, E.J., and Arkin, A.P. (2010). MicrobesOnline: an integrated portal for comparative and functional genomics. *Nucleic Acids Res* 38, D396-D400.
- Deplancke, B., and Gaskins, H.R. (2001). Microbial modulation of innate defense: goblet cells and the intestinal mucus layer. *Am J Clin Nutr* 73, 1131S-1141S.
- Derrien, M., Vaughan, E.E., Plugge, C.M., and De Vos, W.M. (2004). *Akkermansia muciniphila* gen. nov., sp. nov., a human intestinal mucin-degrading bacterium. *International Journal of Systematic and Evolutionary Microbiology* 54, 1469-1476.
- Desai, Mahesh s., Seekatz, Anna m., Koropatkin, Nicole m., Kamada, N., Hickey, Christina a., Wolter, M., Pudlo, Nicholas a., Kitamoto, S., Terrapon, N., Muller, A., Young, Vincent b., Henrissat, B., Wilmes, P., Stappenbeck, Thaddeus s., Núñez, G., and Martens, Eric c. (2016). A Dietary Fiber-Deprived Gut

Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. *Cell* 167, 1339-1353.e1321.

- Disz, T., Akhter, S., Cuevas, D., Olson, R., Overbeek, R., Vonstein, V., Stevens, R., and Edwards, R.A. (2010). Accessing the SEED genome databases via Web services API: tools for programmers. *BMC Bioinformatics* 11, 319.
- Eckburg, P.B., Bik, E.M., Bernstein, C.N., Purdom, E., Dethlefsen, L., Sargent, M., Gill, S.R., Nelson, K.E., and Relman, D.A. (2005). Diversity of the human intestinal microbial flora. *Science* 308, 1635-1638.
- Edgar, R.C. (2004a). MUSCLE: a multiple sequence alignment method with reduced time and space complexity. *BMC Bioinformatics* 5, 113.
- Edgar, R.C. (2004b). MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research* 32, 1792-1797.
- Essenberg, R.C., Candler, C., and Nida, S.K. (1997). *Brucella abortus* strain 2308 putative glucose and galactose transporter gene: cloning and characterization. *Microbiology* 143 ( Pt 5), 1549-1555.
- Finn, R.D., Bateman, A., Clements, J., Coggill, P., Eberhardt, R.Y., Eddy, S.R., Heger, A., Hetherington, K., Holm, L., Mistry, J., Sonnhammer, E.L., Tate, J., and Punta, M. (2014). Pfam: the protein families database. *Nucleic Acids Res* 42, D222-230.
- Franceschini, A., Szklarczyk, D., Frankild, S., Kuhn, M., Simonovic, M., Roth, A., Lin, J., Minguez, P., Bork, P., Von Mering, C., and Jensen, L.J. (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. *Nucleic Acids Res* 41, D808-815.
- Garrido, D., Kim, J.H., German, J.B., Raybould, H.E., and Mills, D.A. (2011). Oligosaccharide binding proteins from *Bifidobacterium longum* subsp. infantis reveal a preference for host glycans. *PLoS One* 6, e17315.
- Goodman, A.L., Kallstrom, G., Faith, J.J., Reyes, A., Moore, A., Dantas, G., and Gordon, J.I. (2011). Extensive personal human gut microbiota culture collections characterized and manipulated in gnotobiotic mice. *Proc Natl Acad Sci U S A* 108, 6252-6257.
- Graf, D., Di Cagno, R., Fak, F., Flint, H.J., Nyman, M., Saarela, M., and Watzl, B. (2015). Contribution of diet to the composition of the human gut microbiota. *Microb Ecol Health Dis* 26, 26164.
- Guindon, S., Dufayard, J.F., Lefort, V., Anisimova, M., Hordijk, W., and Gascuel, O. (2010). New algorithms and methods to estimate maximum-likelihood phylogenies: assessing the performance of PhyML 3.0. *Syst Biol* 59, 307-321.
- Gunn, F.J., Tate, C.G., and Henderson, P.J. (1994). Identification of a novel sugar-H<sup>+</sup> symport protein, FucP, for transport of L-fucose into *Escherichia coli*. *Mol Microbiol* 12, 799-809.
- Han, Y.R., Youn, S.Y., Ji, G.E., and Park, M.S. (2014). Production of alpha- and beta-galactosidases from *Bifidobacterium longum* subsp. *longum* RD47. *J Microbiol Biotechnol* 24, 675-682.
- Heinken, A., Khan, M.T., Paglia, G., Rodionov, D.A., Harmsen, H.J., and Thiele, I. (2014). Functional metabolic map of *Faecalibacterium prausnitzii*, a beneficial human gut microbe. *J Bacteriol* 196, 3289-3302.
- Heinken, A., Ravcheev, D.A., and Thiele, I. (2016). "Systems biology of bacteria-host interactions," in *The Human Microbiota and Chronic Disease*. John Wiley & Sons, Inc.), 113-137.
- Heinken, A., Sahoo, S., Fleming, R.M., and Thiele, I. (2013). Systems-level characterization of a host-microbe metabolic symbiosis in the mammalian gut. *Gut Microbes* 4, 28-40.
- Heinken, A., and Thiele, I. (2015). Anoxic conditions promote species-specific mutualism between gut microbes *in silico*. *Appl Environ Microbiol*.

- Hiratsuka, T., Furihata, K., Ishikawa, J., Yamashita, H., Itoh, N., Seto, H., and Dairi, T. (2008). An alternative menaquinone biosynthetic pathway operating in microorganisms. *Science* 321, 1670-1673.
- Hobbs, M.E., Vetting, M., Williams, H.J., Narindoshvili, T., Kebodeaux, D.M., Hillerich, B., Seidel, R.D., Almo, S.C., and Raushel, F.M. (2013). Discovery of an L-fucoono-1,5-lactonase from cog3618 of the amidohydrolase superfamily. *Biochemistry* 52, 239-253.
- Hooper, L.V., Xu, J., Falk, P.G., Midtvedt, T., and Gordon, J.I. (1999). A molecular sensor that allows a gut commensal to control its nutrient foundation in a competitive ecosystem. *Proceedings of the National Academy of Sciences of the United States of America* 96, 9833-9838.
- Hoskins, L.C., Boulding, E.T., and Larson, G. (1997). Purification and characterization of blood group A-degrading isoforms of alpha-N-acetylgalactosaminidase from *Ruminococcus torques* strain IX-70. *J Biol Chem* 272, 7932-7939.
- Husain, Q. (2010). Beta galactosidases and their potential applications: a review. *Crit Rev Biotechnol* 30, 41-62.
- Huson, D.H., Richter, D.C., Rausch, C., DeZulian, T., Franz, M., and Rupp, R. (2007). Dendroscope: An interactive viewer for large phylogenetic trees. *BMC Bioinformatics* 8, 460.
- Jensen, S.O., and Reeves, P.R. (1998). Domain organisation in phosphomannose isomerases (types I and II). *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology* 1382, 5-7.
- Johansson, M.E., Jakobsson, H.E., Holmen-Larsson, J., Schutte, A., Ermund, A., Rodriguez-Pineiro, A.M., Arike, L., Wising, C., Svensson, F., Backhed, F., and Hansson, G.C. (2015). Normalization of Host Intestinal Mucus Layers Requires Long-Term Microbial Colonization. *Cell Host Microbe* 18, 582-592.
- Johansson, M.E., Larsson, J.M., and Hansson, G.C. (2011). The two mucus layers of colon are organized by the MUC2 mucin, whereas the outer layer is a legislator of host-microbial interactions. *Proc Natl Acad Sci U S A* 108 Suppl 1, 4659-4665.
- Johansson, M.E., Phillipson, M., Petersson, J., Velcich, A., Holm, L., and Hansson, G.C. (2008). The inner of the two Muc2 mucin-dependent mucus layers in colon is devoid of bacteria. *Proc Natl Acad Sci U S A* 105, 15064-15069.
- Johansson, M.E., Sjovall, H., and Hansson, G.C. (2013). The gastrointestinal mucus system in health and disease. *Nat Rev Gastroenterol Hepatol* 10, 352-361.
- Johnson, C.M., and Schleif, R.F. (2000). Cooperative action of the catabolite activator protein and AraC in vitro at the *araFGH* promoter. *J Bacteriol* 182, 1995-2000.
- Joossens, M., Huys, G., Cnockaert, M., De Preter, V., Verbeke, K., Rutgeerts, P., Vandamme, P., and Vermeire, S. (2011). Dysbiosis of the faecal microbiota in patients with Crohn's disease and their unaffected relatives. *Gut* 60, 631-637.
- Juge, N., Tailford, L., and Owen, C.D. (2016). Sialidases from gut bacteria: a mini-review. *Biochem Soc Trans* 44, 166-175.
- Kanehisa, M., Goto, S., Sato, Y., Furumichi, M., and Tanabe, M. (2012). KEGG for integration and interpretation of large-scale molecular data sets. *Nucleic Acids Res* 40, D109-114.
- Katayama, T., Sakuma, A., Kimura, T., Makimura, Y., Hiratake, J., Sakata, K., Yamanoi, T., Kumagai, H., and Yamamoto, K. (2004). Molecular cloning and characterization of *Bifidobacterium bifidum* 1,2-alpha-L-fucosidase (AfcA), a novel inverting glycosidase (glycoside hydrolase family 95). *J Bacteriol* 186, 4885-4893.

- Kazanov, M.D., Li, X., Gelfand, M.S., Osterman, A.L., and Rodionov, D.A. (2013). Functional diversification of ROK-family transcriptional regulators of sugar catabolism in the Thermotogae phylum. *Nucleic Acids Res* 41, 790-803.
- Khoroshkin, M.S., Leyn, S.A., Van Sinderen, D., and Rodionov, D.A. (2016). Transcriptional Regulation of Carbohydrate Utilization Pathways in the *Bifidobacterium* Genus. *Front Microbiol* 7, 120.
- Kilcoyne, M., Gerlach, J.Q., Gough, R., Gallagher, M.E., Kane, M., Carrington, S.D., and Joshi, L. (2012). Construction of a natural mucin microarray and interrogation for biologically relevant glyco-epitopes. *Anal Chem* 84, 3330-3338.
- Kiyohara, M., Nakatomi, T., Kurihara, S., Fushinobu, S., Suzuki, H., Tanaka, T., Shoda, S., Kitaoka, M., Katayama, T., Yamamoto, K., and Ashida, H. (2012). alpha-N-acetylgalactosaminidase from infant-associated bifidobacteria belonging to novel glycoside hydrolase family 129 is implicated in alternative mucin degradation pathway. *J Biol Chem* 287, 693-700.
- Koropatkin, N.M., Cameron, E.A., and Martens, E.C. (2012). How glycan metabolism shapes the human gut microbiota. *Nature Reviews Microbiology* 10, 323-335.
- Koutsoulis, D., Landry, D., and Guthrie, E.P. (2008). Novel endo-alpha-N-acetylgalactosaminidases with broader substrate specificity. *Glycobiology* 18, 799-805.
- Kunz, C., Rudloff, S., Baier, W., Klein, N., and Strobel, S. (2000). Oligosaccharides in human milk: structural, functional, and metabolic aspects. *Annu Rev Nutr* 20, 699-722.
- Kurokawa, K., Itoh, T., Kuwahara, T., Oshima, K., Toh, H., Toyoda, A., Takami, H., Morita, H., Sharma, V.K., Srivastava, T.P., Taylor, T.D., Noguchi, H., Mori, H., Ogura, Y., Ehrlich, D.S., Itoh, K., Takagi, T., Sakaki, Y., Hayashi, T., and Hattori, M. (2007). Comparative metagenomics revealed commonly enriched gene sets in human gut microbiomes. *DNA Research* 14, 169-181.
- Lamberg, S.I., and Stoolmiller, A.C. (1974). Glycosaminoglycans. A biochemical and clinical review. *J Invest Dermatol* 63, 433-449.
- Lang, T., Hansson, G.C., and Samuelsson, T. (2007). Gel-forming mucins appeared early in metazoan evolution. *Proc Natl Acad Sci U S A* 104, 16209-16214.
- Larsson, J.M., Karlsson, H., Sjövall, H., and Hansson, G.C. (2009). A complex, but uniform O-glycosylation of the human MUC2 mucin from colonic biopsies analyzed by nanoLC/MSn. *Glycobiology* 19, 756-766.
- Levy, R., and Borenstein, E. (2013). Metabolic modeling of species interaction in the human microbiome elucidates community-level assembly rules. *Proc Natl Acad Sci U S A* 110, 12804-12809.
- Levy, R., Carr, R., Kreimer, A., Freilich, S., and Borenstein, E. (2015). NetCooperate: a network-based tool for inferring host-microbe and microbe-microbe cooperation. *BMC Bioinformatics* 16, 164.
- Leyn, S.A., Gao, F., Yang, C., and Rodionov, D.A. (2012). N-Acetylgalactosamine utilization pathway and regulon in proteobacteria: Genomic reconstruction and experimental characterization in *Shewanella*. *Journal of Biological Chemistry* 287, 28047-28056.
- Li, H., Limenitakis, J.P., Fuhrer, T., Geuking, M.B., Lawson, M.A., Wyss, M., Brugiroux, S., Keller, I., Macpherson, J.A., Rupp, S., Stolp, B., Stein, J.V., Stecher, B., Sauer, U., McCoy, K.D., and Macpherson, A.J. (2015). The outer mucus layer hosts a distinct intestinal microbial niche. *Nat Commun* 6, 8292.
- Luesink, E.J., Van Herpen, R.E., Grossiord, B.P., Kuipers, O.P., and De Vos, W.M. (1998). Transcriptional activation of the glycolytic *las* operon and catabolite repression of the *gal* operon in *Lactococcus lactis* are mediated by the catabolite control protein CcpA. *Mol Microbiol* 30, 789-798.

- Magnusdottir, S., Heinken, A., Kutt, L., Ravcheev, D.A., Bauer, E., Noronha, A., Greenhalgh, K., Jager, C., Baginska, J., Wilmes, P., Fleming, R.M., and Thiele, I. (2017). Generation of genome-scale metabolic reconstructions for 773 members of the human gut microbiota. *Nat Biotechnol* 35, 81-89.
- Magnusdottir, S., Ravcheev, D.A., De Crecy-Lagard, V., and Thiele, I. (2015). Systematic genome assessment of B-vitamin biosynthesis suggests co-operation among gut microbes. *Frontiers in Genetics* 6, 148.
- Magrane, M., and Consortium, U. (2011). UniProt Knowledgebase: a hub of integrated protein data. *Database (Oxford)* 2011, bar009.
- Marchler-Bauer, A., Zheng, C., Chitsaz, F., Derbyshire, M.K., Geer, L.Y., Geer, R.C., Gonzales, N.R., Gwadz, M., Hurwitz, D.I., Lanczycki, C.J., Lu, F., Lu, S., Marchler, G.H., Song, J.S., Thanki, N., Yamashita, R.A., Zhang, D., and Bryant, S.H. (2013). CDD: conserved domains and protein three-dimensional structure. *Nucleic Acids Research* 41, D348-D352.
- Marcobal, A., Barboza, M., Sonnenburg, E.D., Pudlo, N., Martens, E.C., Desai, P., Lebrilla, C.B., Weimer, B.C., Mills, D.A., German, J.B., and Sonnenburg, J.L. (2011). *Bacteroides* in the infant gut consume milk oligosaccharides via mucus-utilization pathways. *Cell Host Microbe* 10, 507-514.
- Marcobal, A., Southwick, A.M., Earle, K.A., and Sonnenburg, J.L. (2013). A refined palate: bacterial consumption of host glycans in the gut. *Glycobiology* 23, 1038-1046.
- Mardinoglu, A., Agren, R., Kampf, C., Asplund, A., Uhlen, M., and Nielsen, J. (2014). Genome-scale metabolic modelling of hepatocytes reveals serine deficiency in patients with non-alcoholic fatty liver disease. *Nat Commun* 5, 3083.
- Markowitz, V.M., Chen, I.M., Palaniappan, K., Chu, K., Szeto, E., Pillay, M., Ratner, A., Huang, J., Woyke, T., Huntemann, M., Anderson, I., Billis, K., Varghese, N., Mavromatis, K., Pati, A., Ivanova, N.N., and Kyrpides, N.C. (2014). IMG 4 version of the integrated microbial genomes comparative analysis system. *Nucleic Acids Res* 42, D560-567.
- Martens, E.C., Chiang, H.C., and Gordon, J.I. (2008). Mucosal glycan foraging enhances fitness and transmission of a saccharolytic human gut bacterial symbiont. *Cell Host Microbe* 4, 447-457.
- Martens, E.C., Koropatkin, N.M., Smith, T.J., and Gordon, J.I. (2009). Complex glycan catabolism by the human gut microbiota: the *Bacteroidetes* Sus-like paradigm. *Journal of Biological Chemistry* 284, 24673-24677.
- McGuckin, M.A., Linden, S.K., Sutton, P., and Florin, T.H. (2011). Mucin dynamics and enteric pathogens. *Nat Rev Microbiol* 9, 265-278.
- Michlmayr, H., and Kneifel, W. (2014). beta-Glucosidase activities of lactic acid bacteria: mechanisms, impact on fermented food and human health. *FEMS Microbiol Lett* 352, 1-10.
- Mironov, A.A., Vinokurova, N.P., and Gel'fand, M.S. (2000). Software for analyzing bacterial genomes. *Mol Biol (Mosk)* 34, 253-262.
- Mohnen, D. (2008). Pectin structure and biosynthesis. *Curr Opin Plant Biol* 11, 266-277.
- Moya, A., and Ferrer, M. (2016). Functional Redundancy-Induced Stability of Gut Microbiota Subjected to Disturbance. *Trends in Microbiology* 24, 402-413.
- Nagae, M., Tsuchiya, A., Katayama, T., Yamamoto, K., Wakatsuki, S., and Kato, R. (2007). Structural basis of the catalytic reaction mechanism of novel 1,2-alpha-L-fucosidase from *Bifidobacterium bifidum*. *J Biol Chem* 282, 18497-18509.
- Ng, K.M., Ferreyra, J.A., Higginbottom, S.K., Lynch, J.B., Kashyap, P.C., Gopinath, S., Naidu, N., Choudhury, B., Weimer, B.C., Monack, D.M., and Sonnenburg, J.L. (2013). Microbiota-liberated host sugars facilitate post-antibiotic expansion of enteric pathogens. *Nature* 502, 96-99.



- Nishimoto, M., and Kitaoka, M. (2007). Identification of N-acetylhexosamine 1-kinase in the complete lacto-N-biose I/galacto-N-biose metabolic pathway in *Bifidobacterium longum*. *Appl Environ Microbiol* 73, 6444-6449.
- Noecker, C., Eng, A., Srinivasan, S., Theriot, C.M., Young, V.B., Jansson, J.K., Fredricks, D.N., and Borenstein, E. (2016). Metabolic Model-Based Integration of Microbiome Taxonomic and Metabolomic Profiles Elucidates Mechanistic Links between Ecological and Metabolic Variation. *mSystems* 1.
- Orth, J.D., Conrad, T.M., Na, J., Lerman, J.A., Nam, H., Feist, A.M., and Palsson, B.O. (2011). A comprehensive genome-scale reconstruction of *Escherichia coli* metabolism--2011. *Mol Syst Biol* 7, 535.
- Orth, J.D., Thiele, I., and Palsson, B.O. (2010). What is flux balance analysis? *Nat Biotechnol* 28, 245-248.
- Osterman, A., and Overbeek, R. (2003). Missing genes in metabolic pathways: a comparative genomics approach. *Curr Opin Chem Biol* 7, 238-251.
- Overbeek, R., Begley, T., Butler, R.M., Choudhuri, J.V., Chuang, H.Y., Cohoon, M., De Crecy-Lagard, V., Diaz, N., Disz, T., Edwards, R., Fonstein, M., Frank, E.D., Gerdes, S., Glass, E.M., Goesmann, A., Hanson, A., Iwata-Reuyl, D., Jensen, R., Jamshidi, N., Krause, L., Kubal, M., Larsen, N., Linke, B., Mchardy, A.C., Meyer, F., Neuweger, H., Olsen, G., Olson, R., Osterman, A., Portnoy, V., Pusch, G.D., Rodionov, D.A., Ruckert, C., Steiner, J., Stevens, R., Thiele, I., Vassieva, O., Ye, Y., Zagnitko, O., and Vonstein, V. (2005). The subsystems approach to genome annotation and its use in the project to annotate 1000 genomes. *Nucleic Acids Res* 33, 5691-5702.
- Pacheco, A.R., Curtis, M.M., Ritchie, J.M., Munera, D., Waldor, M.K., Moreira, C.G., and Sperandio, V. (2012). Fucose sensing regulates bacterial intestinal colonization. *Nature* 492, 113-117.
- Pacheco, A.R., and Sperandio, V. (2015). Enteric Pathogens Exploit the Microbiota-generated Nutritional Environment of the Gut. *Microbiol Spectr* 3.
- Palsson, B. (2006). *Systems biology : properties of reconstructed networks*. Cambridge: Cambridge University Press.
- Papatheodorou, P., Wilczek, C., Nolke, T., Guttenberg, G., Hornuss, D., Schwan, C., and Aktories, K. (2012). Identification of the cellular receptor of *Clostridium spiroforme* toxin. *Infect Immun* 80, 1418-1423.
- Park, A.R., and Oh, D.K. (2010). Galacto-oligosaccharide production using microbial beta-galactosidase: current state and perspectives. *Appl Microbiol Biotechnol* 85, 1279-1286.
- Parmar, A.S., Alakulppi, N., Paavola-Sakki, P., Kurppa, K., Halme, L., Farkkila, M., Turunen, U., Lappalainen, M., Kontula, K., Kaukinen, K., Maki, M., Lindfors, K., Partanen, J., Sistonen, P., Matto, J., Wacklin, P., Saavalainen, P., and Einarsdottir, E. (2012). Association study of FUT2 (rs601338) with celiac disease and inflammatory bowel disease in the Finnish population. *Tissue Antigens* 80, 488-493.
- Pickard, J.M., and Chervonsky, A.V. (2015). Intestinal fucose as a mediator of host-microbe symbiosis. *J Immunol* 194, 5588-5593.
- Plumbridge, J. (2015). Regulation of the Utilization of Amino Sugars by *Escherichia coli* and *Bacillus subtilis* : Same Genes, Different Control. *J Mol Microbiol Biotechnol* 25, 154-167.
- Plumbridge, J.A., Cochet, O., Souza, J.M., Altamirano, M.M., Calcagno, M.L., and Badet, B. (1993). Coordinated regulation of amino sugar-synthesizing and -degrading enzymes in *Escherichia coli* K-12. *Journal of Bacteriology* 175, 4951-4956.
- Png, C.W., Linden, S.K., Gilshenan, K.S., Zoetendal, E.G., Mcsweeney, C.S., Sly, L.I., McGuckin, M.A., and Florin, T.H. (2010). Mucolytic bacteria with increased prevalence in IBD mucosa augment in vitro utilization of mucin by other bacteria. *Am J Gastroenterol* 105, 2420-2428.
- Podolsky, D.K. (1985). Oligosaccharide structures of human colonic mucin. *J Biol Chem* 260, 8262-8271.

- Potgieter, M., Bester, J., Kell, D.B., and Pretorius, E. (2015). The dormant blood microbiome in chronic, inflammatory diseases. *FEMS Microbiol Rev* 39, 567-591.
- Pudlo, N.A., Urs, K., Kumar, S.S., German, J.B., Mills, D.A., and Martens, E.C. (2015). Symbiotic Human Gut Bacteria with Variable Metabolic Priorities for Host Mucosal Glycans. *MBio* 6, e01282-01215.
- Ravcheev, D.A., Godzik, A., Osterman, A.L., and Rodionov, D.A. (2013). Polysaccharides utilization in human gut bacterium *Bacteroides thetaiotaomicron*: comparative genomics reconstruction of metabolic and regulatory networks. *BMC Genomics* 14, 873.
- Ravcheev, D.A., Khoroshkin, M.S., Laikova, O.N., Tsoy, O.V., Sernova, N.V., Petrova, S.A., Rakhmaninova, A.B., Novichkov, P.S., Gelfand, M.S., and Rodionov, D.A. (2014). Comparative genomics and evolution of regulons of the LacI-family transcription factors. *Frontiers in Microbiology* 5.
- Ravcheev, D.A., Li, X., Latif, H., Zengler, K., Leyn, S.A., Korostelev, Y.D., Kazakov, A.E., Novichkov, P.S., Osterman, A.L., and Rodionov, D.A. (2012). Transcriptional regulation of central carbon and energy metabolism in bacteria by redox-responsive repressor Rex. *J Bacteriol* 194, 1145-1157.
- Ravcheev, D.A., and Thiele, I. (2014). Systematic genomic analysis reveals the complementary aerobic and anaerobic respiration capacities of the human gut microbiota. *Frontiers in Microbiology* 5.
- Ravcheev, D.A., and Thiele, I. (2016). Genomic analysis of the human gut microbiome suggests novel enzymes involved in quinone biosynthesis. *Frontiers in Microbiology* 7, 128.
- Reddy, S.K., Bagenholm, V., Pudlo, N.A., Bouraoui, H., Koropatkin, N.M., Martens, E.C., and Stalbrand, H. (2016). A beta-mannan utilization locus in *Bacteroides ovatus* involves a GH36 alpha-galactosidase active on galactomannans. *FEBS Lett* 590, 2106-2118.
- Rodionov, D.A., Mironov, A.A., Rakhmaninova, A.B., and Gelfand, M.S. (2000). Transcriptional regulation of transport and utilization systems for hexuronides, hexuronates and hexonates in gamma purple bacteria. *Molecular Microbiology* 38, 673-683.
- Rodionov, D.A., Novichkov, P.S., Stavrovskaya, E.D., Rodionova, I.A., Li, X., Kazanov, M.D., Ravcheev, D.A., Gerasimova, A.V., Kazakov, A.E., Kovaleva, G.Y., Permina, E.A., Laikova, O.N., Overbeek, R., Romine, M.F., Fredrickson, J.K., Arkin, A.P., Dubchak, I., Osterman, A.L., and Gelfand, M.S. (2011). Comparative genomic reconstruction of transcriptional networks controlling central metabolism in the *Shewanella* genus. *BMC Genomics* 12 Suppl 1, S3.
- Rodionov, D.A., Rodionova, I.A., Li, X., Ravcheev, D.A., Tarasova, Y., Portnoy, V.A., Zengler, K., and Osterman, A.L. (2013). Transcriptional regulation of the carbohydrate utilization network in *Thermotoga maritima*. *Front Microbiol* 4, 244.
- Rodionov, D.A., Yang, C., Li, X., Rodionova, I.A., Wang, Y., Obratsova, A.Y., Zagnitko, O.P., Overbeek, R., Romine, M.F., Reed, S., Fredrickson, J.K., Nealon, K.H., and Osterman, A.L. (2010). Genomic encyclopedia of sugar utilization pathways in the *Shewanella* genus. *BMC Genomics* 11, 494.
- Rodionova, I.A., Yang, C., Li, X., Kurnasov, O.V., Best, A.A., Osterman, A.L., and Rodionov, D.A. (2012). Diversity and versatility of the *Thermotoga maritima* sugar kinome. *J Bacteriol* 194, 5552-5563.
- Roggentin, P., Schauer, R., Hoyer, L.L., and Vimr, E.R. (1993). The sialidase superfamily and its spread by horizontal gene transfer. *Mol Microbiol* 9, 915-921.
- Rossez, Y., Maes, E., Lefebvre Darroman, T., Gosset, P., Ecobichon, C., Joncquel Chevalier Curt, M., Boneca, I.G., Michalski, J.C., and Robbe-Masselot, C. (2012). Almost all human gastric mucin O-glycans harbor blood group A, B or H antigens and are potential binding sites for *Helicobacter pylori*. *Glycobiology* 22, 1193-1206.

- Sebaihia, M., Wren, B.W., Mullany, P., Fairweather, N.F., Minton, N., Stabler, R., Thomson, N.R., Roberts, A.P., Cerdeno-Tarraga, A.M., Wang, H., Holden, M.T., Wright, A., Churcher, C., Quail, M.A., Baker, S., Bason, N., Brooks, K., Chillingworth, T., Cronin, A., Davis, P., Dowd, L., Fraser, A., Feltwell, T., Hance, Z., Holroyd, S., Jagels, K., Moule, S., Mungall, K., Price, C., Rabbinowitsch, E., Sharp, S., Simmonds, M., Stevens, K., Unwin, L., Whithead, S., Dupuy, B., Dougan, G., Barrell, B., and Parkhill, J. (2006). The multidrug-resistant human pathogen *Clostridium difficile* has a highly mobile, mosaic genome. *Nat Genet* 38, 779-786.
- Shashkova, T., Popenko, A., Tyakht, A., Peskov, K., Kosinsky, Y., Bogolubsky, L., Raigorodskii, A., Ischenko, D., Alexeev, D., and Govorun, V. (2016). Agent Based Modeling of Human Gut Microbiome Interactions and Perturbations. *PLoS One* 11, e0148386.
- Shimada, Y., Watanabe, Y., Wakinaka, T., Funeno, Y., Kubota, M., Chaiwangsri, T., Kurihara, S., Yamamoto, K., Katayama, T., and Ashida, H. (2015). alpha-N-Acetylglucosaminidase from *Bifidobacterium bifidum* specifically hydrolyzes alpha-linked N-acetylglucosamine at nonreducing terminus of O-glycan on gastric mucin. *Appl Microbiol Biotechnol* 99, 3941-3948.
- Shoaie, S., and Nielsen, J. (2014). Elucidating the interactions between the human gut microbiota and its host through metabolic modeling. *Front Genet* 5, 86.
- Solomon, H.V., Tabachnikov, O., Lansky, S., Salama, R., Feinberg, H., Shoham, Y., and Shoham, G. (2015). Structure-function relationships in Gan42B, an intracellular GH42 beta-galactosidase from *Geobacillus stearothermophilus*. *Acta Crystallogr D Biol Crystallogr* 71, 2433-2448.
- Staudacher, E., Altmann, F., Wilson, I.B., and Marz, L. (1999). Fucose in N-glycans: from plant to man. *Biochim Biophys Acta* 1473, 216-236.
- Suvorova, I.A., Korostelev, Y.D., and Gelfand, M.S. (2015). GntR Family of Bacterial Transcription Factors and Their DNA Binding Motifs: Structure, Positioning and Co-Evolution. *PLoS One* 10, e0132618.
- Suvorova, I.A., Tutukina, M.N., Ravcheev, D.A., Rodionov, D.A., Ozoline, O.N., and Gelfand, M.S. (2011). Comparative genomic analysis of the hexuronate metabolism genes and their regulation in gammaproteobacteria. *J Bacteriol* 193, 3956-3963.
- Suzuki, T.A., and Worobey, M. (2014). Geographical variation of human gut microbial composition. *Biol Lett* 10, 20131037.
- Tailford, L., Crost, E., Kavanaugh, D., and Juge, N. (2015). Mucin glycan foraging in the human gut microbiome. *Frontiers in Genetics* 6, 81.
- Tatusov, R.L., Fedorova, N.D., Jackson, J.D., Jacobs, A.R., Kiryutin, B., Koonin, E.V., Krylov, D.M., Mazumder, R., Mekhedov, S.L., Nikolskaya, A.N., Rao, B.S., Smirnov, S., Sverdlov, A.V., Vasudevan, S., Wolf, Y.I., Yin, J.J., and Natale, D.A. (2003). The COG database: an updated version includes eukaryotes. *BMC Bioinformatics* 4, 41.
- Thiele, I., Fleming, R.M., Que, R., Bordbar, A., Diep, D., and Palsson, B.O. (2012). Multiscale modeling of metabolism and macromolecular synthesis in *E. coli* and its application to the evolution of codon usage. *PLoS One* 7, e45635.
- Thiele, I., Heinken, A., and Fleming, R.M. (2013a). A systems biology approach to studying the role of microbes in human health. *Current Opinion in Biotechnology* 24, 4-12.
- Thiele, I., Hyduke, D.R., Steeb, B., Fankam, G., Allen, D.K., Bazzani, S., Charusanti, P., Chen, F.C., Fleming, R.M., Hsiung, C.A., De Keersmaecker, S.C., Liao, Y.C., Marchal, K., Mo, M.L., Ozdemir, E., Raghunathan, A., Reed, J.L., Shin, S.I., Sigurbjornsdottir, S., Steinmann, J., Sudarsan, S., Swainston, N., Thijs, I.M., Zengler, K., Palsson, B.O., Adkins, J.N., and Bumann, D. (2011). A community effort

towards a knowledge-base and mathematical model of the human pathogen *Salmonella Typhimurium* LT2. *BMC Systems Biology* 5, 8.

- Thiele, I., Swainston, N., Fleming, R.M., Hoppe, A., Sahoo, S., Aurich, M.K., Haraldsdottir, H., Mo, M.L., Rolfsson, O., Stobbe, M.D., Thorleifsson, S.G., Agren, R., Bolling, C., Bordel, S., Chavali, A.K., Dobson, P., Dunn, W.B., Endler, L., Hala, D., Hucka, M., Hull, D., Jameson, D., Jamshidi, N., Jonsson, J.J., Juty, N., Keating, S., Nookaew, I., Le Novere, N., Malys, N., Mazein, A., Papin, J.A., Price, N.D., Selkov, E., Sr., Sigurdsson, M.I., Simeonidis, E., Sonnenschein, N., Smallbone, K., Sorokin, A., Van Beek, J.H., Weichart, D., Goryanin, I., Nielsen, J., Westerhoff, H.V., Kell, D.B., Mendes, P., and Palsson, B.O. (2013b). A community-driven global reconstruction of human metabolism. *Nat Biotechnol* 31, 419-425.
- Thiele, I., Vo, T.D., Price, N.D., and Palsson, B.O. (2005). Expanded metabolic reconstruction of *Helicobacter pylori* (iIT341 GSM/GPR): an in silico genome-scale characterization of single- and double-deletion mutants. *J Bacteriol* 187, 5818-5830.
- Thomas, G.H. (2016). Sialic acid acquisition in bacteria-one substrate, many transporters. *Biochem Soc Trans* 44, 760-765.
- Uhde, A., Bruhl, N., Goldbeck, O., Matano, C., Gurow, O., Ruckert, C., Marin, K., Wendisch, V.F., Kramer, R., and Seibold, G.M. (2016). Transcription of Sialic Acid Catabolism Genes in *Corynebacterium glutamicum* Is Subject to Catabolite Repression and Control by the Transcriptional Repressor NanR. *J Bacteriol* 198, 2204-2218.
- Vimr, E.R. (2013). Unified theory of bacterial sialometabolism: how and why bacteria metabolize host sialic acids. *ISRN Microbiol* 2013, 816713.
- Vimr, E.R., Kalivoda, K.A., Deszo, E.L., and Steenbergen, S.M. (2004). Diversity of microbial sialic acid metabolism. *Microbiol Mol Biol Rev* 68, 132-153.
- Wakinaka, T., Kiyohara, M., Kurihara, S., Hirata, A., Chaiwangsrri, T., Ohnuma, T., Fukamizo, T., Katayama, T., Ashida, H., and Yamamoto, K. (2013). Bifidobacterial alpha-galactosidase with unique carbohydrate-binding module specifically acts on blood group B antigen. *Glycobiology* 23, 232-240.
- Walker, A.W., Ince, J., Duncan, S.H., Webster, L.M., Holtrop, G., Ze, X., Brown, D., Stares, M.D., Scott, P., Bergerat, A., Louis, P., Mcintosh, F., Johnstone, A.M., Lopley, G.E., Parkhill, J., and Flint, H.J. (2011). Dominant and diet-responsive groups of bacteria within the human colonic microbiota. *ISME J* 5, 220-230.
- Weickert, M.J., and Adhya, S. (1993). The galactose regulon of *Escherichia coli*. *Mol Microbiol* 10, 245-251.
- Xiao, X., Wang, F., Saito, A., Majka, J., Schlosser, A., and Schrempf, H. (2002). The novel *Streptomyces olivaceoviridis* ABC transporter Ngc mediates uptake of N-acetylglucosamine and N,N'-diacetylchitobiose. *Mol Genet Genomics* 267, 429-439.
- Yang, C., Rodionov, D.A., Li, X., Laikova, O.N., Gelfand, M.S., Zagnitko, O.P., Romine, M.F., Obratsova, A.Y., Neelson, K.H., and Osterman, A.L. (2006). Comparative genomics and experimental characterization of N-acetylglucosamine utilization pathway of *Shewanella oneidensis*. *Journal of Biological Chemistry* 281, 29872-29885.
- Yatsunenkov, T., Rey, F.E., Manary, M.J., Trehan, I., Dominguez-Bello, M.G., Contreras, M., Magris, M., Hidalgo, G., Baldassano, R.N., Anokhin, A.P., Heath, A.C., Warner, B., Reeder, J., Kuczynski, J., Caporaso, J.G., Lozupone, C.A., Lauber, C., Clemente, J.C., Knights, D., Knight, R., and Gordon, J.I. (2012). Human gut microbiome viewed across age and geography. *Nature* 486, 222-227.

- Yew, W.S., Fedorov, A.A., Fedorov, E.V., Rakus, J.F., Pierce, R.W., Almo, S.C., and Gerlt, J.A. (2006). Evolution of enzymatic activities in the enolase superfamily: L-fuconate dehydratase from *Xanthomonas campestris*. *Biochemistry* 45, 14582-14597.
- Zeng, L., Das, S., and Burne, R.A. (2010). Utilization of lactose and galactose by *Streptococcus mutans*: transport, toxicity, and carbon catabolite repression. *J Bacteriol* 192, 2434-2444.
- Zeng, L., Martino, N.C., and Burne, R.A. (2012). Two gene clusters coordinate galactose and lactose metabolism in *Streptococcus gordonii*. *Appl Environ Microbiol* 78, 5597-5605.
- Zhang, H., Ravcheev, D.A., Hu, D., Zhang, F., Gong, X., Hao, L., Cao, M., Rodionov, D.A., Wang, C., and Feng, Y. (2015). Two novel regulators of N-acetyl-galactosamine utilization pathway and distinct roles in bacterial infections. *Microbiologyopen* 4, 983-1000.
- Zwierz, K., Zalewska, A., and Zoch-Zwierz, A. (1999). Isoenzymes of N-acetyl-beta-hexosaminidase. *Acta Biochim Pol* 46, 739-751.

### 9. Figure Legends

**Figure 1. Enzymes involved in the degradation of mucin glycans.** (A) Splitting of a hypothetical mucin glycan by GHs. The following enzymes are shown: EC 3.2.1.14, Chitinase; EC 3.2.1.18, Neuraminidase; EC 3.2.1.22,  $\alpha$ -galactosidase; EC 3.2.1.23, Beta-galactosidase; EC 3.2.1.49,  $\alpha$ -N-acetylgalactosaminidase; EC 3.2.1.50,  $\alpha$ -N-acetylglucosaminidase; EC 3.2.1.51,  $\alpha$ -L-fucosidase; EC 3.2.1.52,  $\beta$ -N-hexosaminidase; EC 3.2.1.97, and Endo- $\alpha$ -N-acetylgalactosaminidase. (B) Known pathways for utilization of the derived monosaccharides. Protein abbreviations are shown; for the corresponding functions see Table S2 in the Supplementary Materials.


**Figure 2. Distribution of the CPs and GHs for mucin glycan-derived monosaccharides in the analyzed genomes.** (A) Pathways and GHs are grouped according to the utilized monosaccharide. The bar “Catabolic pathways (CPs)” includes all the identified pathways, independent of the presence of GHs. The same is true for the bar “Glycosyl hydrolases (GHs)”. The bar “Both CPs and GHs” corresponds to the presence of GHs and pathways for this monosaccharide in the same genomes. (B) The numbers of monosaccharides, cleaved and/or catabolized in the analyzed genomes. The “Both CPs and GHs” bars correspond to the presence in the same genome of both the pathway and the GH for a certain monosaccharide.

**Figure 3. Distribution of monosaccharide donors and acceptors by taxa.** Only genomes classified as “donors” (the horizontal axis) and “acceptors” (the vertical axis) are shown. The numbers of exchanged monosaccharides are shown in agreement with the color scale. For details on each pair of organisms and exchanged monosaccharides, see Supplementary Table S11.



**Figure 4. Cleavage of a hypothetical mucin glycan by a community of HGM inhabitants.** For each reaction, the taxa with the corresponding specific GHs are shown.

**Figure 5. Mutualistic pairs for cleavage of mucin glycans.** The numbers of cleaved glycans are shown in agreement with the color scale. The numbers of glycans cleaved by single organisms are shown for all genomes. For the pairs of organisms, the numbers of cleaved glycans are shown only for mutualistic pairs. For details on each mutualistic pair of organisms and cleaved glycans, see Supplementary Table S14.





**Figure 1**



**Figure 2**

# Donor organisms






Figure 3




**Figure 4**




**Figure 5**

**Figure S1.** Maximum-likelihood tree for the FucK and RhaB proteins. Functions are shown by colors. The SEED identifiers for proteins are shown; for their sequences, see the file Sequences S1 in the Supplementary materials. Genome names are shown in brackets.






**Figure S1.** Maximum-likelihood tree for the FucA and RhaD proteins. Functions are shown by colors. The SEED identifiers for proteins are shown; for their sequences, see the file Sequences S1 in the Supplementary materials. Genome names are shown in brackets.




**Figure S3.** Maximum-likelihood tree for the FcIA and FcId proteins. Functions are shown by colors. The SEED identifiers for proteins are shown; for their sequences, see the file Sequences S1 in the Supplementary materials. For the experimentally analyzed proteins (shown in bold) locus\_tag identifiers are shown. Genome names are shown in brackets.






**Figure S4.** Maximum-likelihood tree for the AgaA and NagA proteins. Functions are shown by colors. The SEED identifiers for proteins are shown; for their sequences, see the file Sequences S1 in the Supplementary materials. Genome names are shown in brackets.




**Figure S5.** Maximum-likelihood tree for EIIC subunits of the AgaPTS, GamPTS, and GnbPTS. Functions are shown by colors. The SEED identifiers for proteins are shown; for their sequences, see the file Sequences S1 in the Supplementary materials. Genome names are shown in brackets.





**Figure S6.** Maximum-likelihood tree for NanE and NanE-II proteins. Functions are shown by colors. The SEED identifiers for proteins are shown; for their sequences, see the file Sequences\_S1 in the Supplementary materials. Genome names are shown in brackets.



NagE-II

NagE





**Figure S8.** Abundance of mucin glycan-forming monosaccharides in the KEGG database. Number of reactions associated with each monosaccharides is shown in agreement with the KEGG COMPOUND. Number of glycans containing each monosaccharide is shown in agreement with KEGG GLYCAN.







Figure S9. Known structures of mucin glycans detected in human intestine.

### 1. Structures listed by Podolsky, 1985



### 2. Structures listed by Rossez *et al.*, 2012





**Table S1.** Analyzed HGM genomes.

Organism name	IDs			Taxonomy					Genome status
	PubSEED ID	IMG ID	NCBI TaxID	Domain	Phylum	Class	Order	Family	
<i>Abiotrophia defectiva</i> ATCC 49176	592010.4	2562617177	592010	Bacteria	Firmicutes	Bacilli	Lactobacillales	Aerococcaceae	Draft
<i>Acidaminococcus</i> sp. D21	563191.3	643886056	563191	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Veillonellaceae	Draft
<i>Acidaminococcus</i> sp. HPA0509	1203555.3	2541047012	1203555	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Acidaminococcaceae	Draft
<i>Acinetobacter junii</i> SH205	575587.3	646206269	575587	Bacteria	Proteobacteria	Gammaproteobacteria	Pseudomonadales	Moraxellaceae	Draft
<i>Actinomyces odontolyticus</i> ATCC 17982	411466.7	2623620210	411466	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Actinomycetaceae	Draft
<i>Actinomyces</i> sp. HPA0247	1203556.3	2541047011	1203556	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Actinomycetaceae	Draft
<i>Akkermansia muciniphila</i> ATCC BAA-835	349741.6	642555104	349741	Bacteria	Verrucomicrobia	Verrucomicrobiae	Verrucomicrobiales	Verrucomicrobiaceae	Finished
<i>Alistipes indistinctus</i> YIT 12060	742725.3	2513237277	742725	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Rikenellaceae	Draft
<i>Alistipes shahii</i> WAL 8301	717959.3	650377904	717959	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Rikenellaceae	Draft
<i>Anaerobaculum hydrogeniformans</i> ATCC BAA-1850	592015.5	647000209	592015	Bacteria	Synergistetes	Synergistia	Synergistales	Synergistaceae	Draft
<i>Anaerococcus hydrogenalis</i> DSM 7454	561177.4	642979323	561177	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiales Family XI. Incertae Sedis	Draft
<i>Anaerofustis stercorihominis</i> DSM 17244	445971.6	641736193	445971	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Draft
<i>Anaerostipes caccae</i> DSM 14662	411490.6	641736227	411490	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
<i>Anaerostipes hadrus</i> DSM 3319	649757.3	2534681714	649757	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
<i>Anaerostipes</i> sp. 3_2_56FAA	665937.3	649989907	665937	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
<i>Anaerotruncus colihominis</i> DSM 17241	445972.6	641736271	445972	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
<i>Bacillus smithii</i> 7_3_47FAA	665952.3	2513237385	665952	Bacteria	Firmicutes	Bacilli	Bacillales	Bacillaceae	Draft
<i>Bacillus</i> sp. 7_6_55CFAA CT2	665957.3	2513237325	665957	Bacteria	Firmicutes	Bacilli	Bacillales	Bacillaceae	Draft
<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168	224308.113	646311909	224308	Bacteria	Firmicutes	Bacilli	Bacillales	Bacillaceae	Finished
<i>Bacteroides caccae</i> ATCC 43185	411901.7	2623620314	411901	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides capillosus</i> ATCC 29799	411467.6	2623620352	411467	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides cellulolyticus</i> DSM 14838	537012.5	643886111	537012	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides clarus</i> YIT 12056	762984.3	651324010	762984	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides coprocola</i> DSM 17136	470145.6	642791613	470145	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides coprophilus</i> DSM 18228	547042.5	643886197	547042	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides dorei</i> DSM 17855	483217.6	642979370	483217	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides eggertii</i> 1_2_48FAA	665953.3	649989912	665953	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides eggertii</i> DSM 20697	483216.6	642979334	483216	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides finegoldii</i> DSM 17565	483218.5	2562617142	483218	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides fluxus</i> YIT 12057	763034.3	651324011	763034	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides fragilis</i> 3_1_12	457424.5	645058788	457424	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides fragilis</i> 638R	862962.3	650377910	862962	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Finished
<i>Bacteroides fragilis</i> NCTC 9343	272559.17	2623620861	272559	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Finished
<i>Bacteroides fragilis</i> YCH46	295405.11	2623620898	295405	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Finished
<i>Bacteroides intestinalis</i> DSM 17393	471870.8	642791621	471870	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides ovatus</i> 3_8_47FAA	665954.3	651324012	665954	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides ovatus</i> ATCC 8483	411476.11	641380449	411476	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides ovatus</i> SD CC 2a	702444.3	647000212	702444	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides ovatus</i> SD CMC 3f	702443.3	647000213	702443	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides pectinophilus</i> ATCC 43243	483218.5	642979337	483218	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides plebeius</i> DSM 17135	484018.6	642979351	484018	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 1_1_14	469585.3	648861000	469585	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 1_1_30	457387.3	651324013	457387	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 1_1_6	469586.3	646206272	469586	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 2_1_16	469587.3	647533110	469587	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 2_1_22	469588.3	647533111	469588	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 2_1_33B	469589.3	647533112	469589	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 2_1_56FAA	665938.3	651324014	665938	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 2_1_7	457388.5	645058782	457388	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 2_2_4	469590.5	646206266	469590	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 20_3	469591.4	648861001	469591	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 3_1_19	469592.4	648861002	469592	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 3_1_23	457390.3	648861003	457390	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
<i>Bacteroides</i> sp. 3_1_33FAA	457391.3	647533113	457391	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft

Bacteroides sp. 3_1_40A	469593.3	649989913	469593	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. 3_2_5	457392.3	2558309115	457392	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. 4_1_36	457393.3	649989914	457393	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. 4_3_47FAA	457394.3	646206274	457394	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. 9_1_42FAA	457395.6	646206263	457395	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. D1	556258.5	646206264	556258	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. D2	556259.3	2562617173	556259	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. D20	585543.3	647533114	585543	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. D22	585544.3	648861004	585544	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides sp. HPS0048	1078089.3	2529293266	1078089	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides stercoris ATCC 43183	449673.7	641736196	449673	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides thetaiotaomicron VPI-5482	226186.12	2623620899	226186	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Finished
Bacteroides uniformis ATCC 8492	411479.1	641380447	411479	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides vulgatus ATCC 8482	435590.9	2623620366	435590	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Finished
Bacteroides vulgatus PC510	702446.3	647000214	702446	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides xylanisolvens SD CC 1b	702447.3	2617271081	702447	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Draft
Bacteroides xylanisolvens XB1A	657309.4	650377911	657309	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Bacteroidaceae	Finished
Barnesiella intestinihominis YIT 11860	742726.3	2529292932	742726	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Bifidobacterium adolescentis L2-32	411481.5	640963015	411481	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium angulatum DSM 20098 = JCM 7096	518635.7	2562617143	518635	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium animalis subsp. lactis AD011	442563.4	643348515	442563	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium bifidum NCIM6 41171	398513.5	643886040	398513	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium breve DSM 20213 = JCM 1192	518634.7	643886102	518634	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium breve HPH0326	1203540.3	2541047014	1203540	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium catenulatum DSM 16992 = JCM 1194	566552.6	642979312	566552	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium dentium ATCC 27678	473819.7	641736189	473819	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium gallicum DSM 20093	561180.4	2562617144	561180	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium longum DJO10A (Prj:321)	205913.11	642555107	205913	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium longum NCC2705	206672.9	637000031	206672	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium longum subsp. infantis 157F	565040.3	649633017	565040	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium longum subsp. infantis ATCC 15697 = JCM	391904.8	651053007	391904	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium longum subsp. infantis ATCC 55813	548480.3	643886140	548480	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium longum subsp. infantis CCUG 52486	537937.5	643886216	537937	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium longum subsp. longum 2-2B	1161745.3	2531839495	1161745	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium longum subsp. longum 44B	1161743.3	2529293221	1161743	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium longum subsp. longum F8	722911.3	650377912	722911	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium longum subsp. longum JCM 1217	565042.3	649633019	565042	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Finished
Bifidobacterium pseudocatenulatum DSM 20438 = JCM 120	547043.8	2597490216	547043	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bifidobacterium sp. 12_1_47BFAA	469594.3	649989916	469594	Bacteria	Actinobacteria	Actinobacteria	Bifidobacteriales	Bifidobacteriaceae	Draft
Bilophila wadsworthia 3_1_6	563192.3	2562617176	563192	Bacteria	Proteobacteria	Deltaproteobacteria	Desulfovibrionales	Desulfovibrionaceae	Draft
Blautia hansenii DSM 20583	537007.6	2562617096	537007	Bacteria	Firmicutes	Clostridia	Clostridiales	unclassified Clostridiales	Draft
Blautia hydrogenotrophica DSM 10507	476272.5	643886199	476272	Bacteria	Firmicutes	Clostridia	Clostridiales	unclassified Clostridiales	Draft
Bryantella formatexigens DSM 14469	478749.5	2562617090	478749	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Burkholderiales bacterium 1_1_47	469610.4	648861006	469610	Bacteria	Proteobacteria	Betaproteobacteria	Burkholderiales	unclassified Burkholderiales	Draft
butyrate-producing bacterium SM4/1	245012.3	2622736406	245012	Bacteria	Firmicutes	Clostridia	Clostridiales	unclassified Clostridiales	Finished
butyrate-producing bacterium SS3/4	245014.3	650377989	245014	Bacteria	Firmicutes	Clostridia	Clostridiales	unclassified Clostridiales	Finished
butyrate-producing bacterium SSC/2	245018.3	650377990	245018	Bacteria	Firmicutes	Clostridia	Clostridiales	unclassified Clostridiales	Finished
Butyrivibrio crossotus DSM 2876	1203606.4	2537561731	1203606	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Butyrivibrio fibrisolvens 16/4	511680.4	645951834	511680	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Butyrivibrio fibrisolvens 16/4	657324.3	650377919	657324	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Finished
Campylobacter coli JV20	864566.3	648276627	864566	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Campylobacteraceae	Draft
Campylobacter upsaliensis JV21	888826.3	649989919	888826	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Campylobacteraceae	Draft
Catenibacterium mitsuokai DSM 15897	451640.5	643886110	451640	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Cedecea davisae DSM 4568	566551.4	2541046972	566551	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Citrobacter freundii 4_7_47CFAA	742730.3	2513237266	742730	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Citrobacter sp. 30_2	469595.3	646206256	469595	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Citrobacter youngae ATCC 29220	500640.5	2562617093	500640	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft

Clostridiales bacterium 1_7_47FAA	457421.5	643886007	457421	Bacteria	Firmicutes	Clostridia	Clostridiales	unclassified Clostridiales	Draft
Clostridium asparagiforme DSM 15981	518636.5	643886112	518636	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium bartlettii DSM 16795	445973.7	641736113	445973	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium bolteae 90A5	997893.5	2537561659	997893	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium bolteae ATCC BAA-613	411902.9	641380428	411902	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium celatum DSM 1785	545697.3	2524023202	545697	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium cf. saccharolyticum K10	717608.3	650377923	717608	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium citroniae WAL-17108	742733.3	2513237360	742733	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium clostridioforme 2_1_49FAA	742735.4	2513237315	742735	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium difficile CD196	645462.3	646311914	645462	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium difficile NAP07	525258.3	647000227	525258	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Finished
Clostridium difficile NAP08	525259.3	647000228	525259	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium hathewayi WAL-18680	742737.3	2513237275	742737	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium hiranonis DSM 13275	500633.7	642979371	500633	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium hylemonae DSM 15053	553973.6	642979359	553973	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium leptum DSM 753	428125.8	641380427	428125	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium methylpentosum DSM 5476	537013.3	643886206	537013	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium nexile DSM 1787	500632.7	642979369	500632	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium perfringens WAL-14572	742739.3	2537561919	742739	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium ramosum DSM 1402	445974.6	641736198	445974	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Clostridium scindens ATCC 35704	411468.9	641736197	411468	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. 7_2_43FAA	457396.3	646206260	457396	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. 7_3_54FAA	665940.3	2513237367	665940	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. D5	556261.3	651285002	556261	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. HGF2	908340.3	649989921	908340	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. L2-50	411489.7	641380448	411489	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. M62/1	411486.3	2562617079	411486	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium sp. SS2/1	411484.7	641736270	411484	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium spiroforme DSM 1552	428126.7	641736169	428126	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Clostridium sporogenes ATCC 15579	471871.7	642791615	471871	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium symbiosum WAL-14163	742740.3	649989922	742740	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Clostridium symbiosum WAL-14673	742741.3	649989923	742741	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiaceae	Draft
Collinsella aerofaciens ATCC 25986	411903.6	640612206	411903	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Draft
Collinsella intestinalis DSM 13280	521003.7	2562617146	521003	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Draft
Collinsella stercoris DSM 13279	445975.6	642979321	445975	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Draft
Collinsella tanakaei YIT 12063	742742.3	2513237344	742742	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Draft
Coprobacillus sp. 29_1	469596.3	649989924	469596	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Coprobacillus sp. 3_3_56FAA	665941.3	2513237376	665941	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Coprobacillus sp. 8_2_54BFAA	469597.4	2513237364	469597	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Coprobacillus sp. D6	556262.3	2547132035	556262	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Coprococcus catus GD/7	717962.3	650377925	717962	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Finished
Coprococcus comes ATCC 27758	470146.3	643886116	470146	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Coprococcus eutactus ATCC 27759	411474.6	641380422	411474	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Coprococcus sp. ART55/1	751585.3	2565956545	751585	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Finished
Coprococcus sp. HPP0048	1078091.3	2541046996	1078091	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Coprococcus sp. HPP0074	1078090.3	2541046997	1078090	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Corynebacterium ammoniagenes DSM 20306	649754.3	2623620528	649754	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Corynebacteriaceae	Draft
Corynebacterium sp. HFH0082	1078764.3	2541046993	1078764	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Corynebacteriaceae	Draft
Dermabacter sp. HFH0086	1203568.3	2541047015	1203568	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Dermabacteriaceae	Draft
Desulfitobacterium hafniense DP7	537010.4	2522572064	537010	Bacteria	Firmicutes	Clostridia	Clostridiales	Peptococcaceae	Draft
Desulfovibrio piger ATCC 29098	411464.8	642979316	411464	Bacteria	Proteobacteria	Deltaproteobacteria	Desulfovibrionales	Desulfovibrionaceae	Draft
Desulfovibrio sp. 3_1_syn3	457398.5	2562617147	457398	Bacteria	Proteobacteria	Deltaproteobacteria	Desulfovibrionales	Desulfovibrionaceae	Draft
Dorea formicigenerans 4_6_53AFAA	742765.5	2513237343	742765	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Dorea formicigenerans ATCC 27755	411461.4	641736133	411461	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Dorea longicatena DSM 13814	411462.6	2623620323	411462	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Dysgonomonas gadei ATCC BAA-286	742766.3	651324026	742766	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Dysgonomonas mossii DSM 22836	742767.3	651324027	742767	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft



Edwardsiella tarda ATCC 23685	500638.3	647000237	500638	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Eggerthella sp. 1_3_56FAA	665943.3	649989930	665943	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Draft
Eggerthella sp. HGA1	910311.3	651324028	910311	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Draft
Enterobacter cancerogenus ATCC 35316	500639.8	2562617148	500639	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Enterobacter cloacae subsp. cloacae NCTC 9394	718254.4	650377928	718254	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Enterobacteriaceae bacterium 9_2_54FAA	469613.3	2562617162	469613	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Enterococcus faecalis PC1.1	702448.3	2513237319	791166	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX0104	491074.3	643886065	491074	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX1302	749513.3	2531839256	749513	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX1322	525278.3	643886064	525278	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX1341	749514.3	2531839255	749514	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX1342	749515.3	2534681822	749515	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX1346	749516.3	2534681821	749516	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX2134	749518.3	648276641	749518	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX2137	749491.3	2529292855	749491	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecalis TX4244	749494.3	2529292856	749494	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecium PC4.1	791161.5	647000238	791161	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus faecium TX1330	525279.3	643886120	525279	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus saccharolyticus 30_1	742813.4	2513237314	742813	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Draft
Enterococcus sp. 7L76	657310.3	650377930	657310	Bacteria	Firmicutes	Bacilli	Lactobacillales	Enterococcaceae	Finished
Erysipelotrichaceae bacterium 2_2_44A	457422.3	2513237345	457422	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Erysipelotrichaceae bacterium 21_3	658657.3	2513237332	658657	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Erysipelotrichaceae bacterium 3_1_53	658659.3	649989945	658659	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Erysipelotrichaceae bacterium 5_2_54FAA	552396.3	2562617161	552396	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Erysipelotrichaceae bacterium 6_1_45	469614.3	2531839268	469614	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Escherichia coli 4_1_47FAA	1127356.4	2531839265	562	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 107-1	679207.4	648276649	679207	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 115-1	749537.3	648276650	749537	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 116-1	749538.3	648276651	749538	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 119-7	679206.4	648276652	679206	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 124-1	679205.4	648276653	679205	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 145-7	679204.3	649989948	679204	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 146-1	749540.3	648276654	749540	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 175-1	749544.3	648276655	749544	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 182-1	749545.3	648276656	749545	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 185-1	749546.3	648276657	749546	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 187-1	749547.3	648276658	749547	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 196-1	749548.3	648276659	749548	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 198-1	749549.3	648276660	749549	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 200-1	749550.3	648276661	749550	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 21-1	749527.3	648276662	749527	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 45-1	749528.3	648276663	749528	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 69-1	749531.3	648276664	749531	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 78-1	749532.3	648276665	749532	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 79-10	796392.4	2531839147	796392	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 84-1	749533.3	648276666	749533	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli MS 85-1	679202.3	2531839146	679202	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia coli O157:H7 str. Sakai	386585.9	2623620697	386585	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Finished
Escherichia coli SE11	409438.11	643348551	409438	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Finished
Escherichia coli SE15	431946.3	646862327	562	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Finished
Escherichia coli str. K-12 substr. MG1655	511145.12	646311926	511145	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Finished
Escherichia coli UTI89	364106.8	2623620781	364106	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Finished
Escherichia sp. 1_1_43	457400.3	646206261	457400	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia sp. 3_2_53FAA	469598.5	646206259	469598	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Escherichia sp. 4_1_40B	457401.3	2562617151	457401	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Eubacterium bifforme DSM 3989	518637.5	642979360	518637	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Eubacterium cylindroides T2-87	717960.3	650377935	717960	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Finished

Eubacterium dolichum DSM 3991	428127.7	641380446	428127	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Eubacterium hallii DSM 3353	411469.3	643886203	411469	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Draft
Eubacterium rectale DSM 17629	657318.4	650377936	657318	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Finished
Eubacterium rectale M104/1	657317.3	650377937	657317	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Finished
Eubacterium siraeum 70/3	657319.3	650377938	657319	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Finished
Eubacterium siraeum DSM 15702	428128.7	2519899684	428128	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Draft
Eubacterium siraeum V10Sc8a	717961.3	2565956546	717961	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Finished
Eubacterium sp. 3_1_31	457402.3	2513237348	457402	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Draft
Eubacterium ventriosum ATCC 27560	411463.4	2623620332	411463	Bacteria	Firmicutes	Clostridia	Clostridiales	Eubacteriaceae	Draft
Faecalibacterium cf. prausnitzii KLE1255	748224.3	649989951	748224	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Faecalibacterium prausnitzii A2-165	411483.3	645951831	411483	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Faecalibacterium prausnitzii L2-6	718252.3	650377941	718252	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Faecalibacterium prausnitzii M21/2	411485.1	641380420	411485	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Faecalibacterium prausnitzii SL3/3	657322.3	650377940	657322	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Fusobacterium gonidiaformans ATCC 25563	469615.3	645951804	469615	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium mortiferum ATCC 9817	469616.3	646206254	469616	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium necrophorum subsp. funduliforme 1_1_36S	742814.3	2513237330	742814	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 1_1_41FAA	469621.3	647533168	469621	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 11_3_2	457403.3	651324032	457403	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 12_1B	457404.3	2562617095	457404	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 2_1_31	469599.3	646206262	469599	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 21_1A	469601.3	2562617152	469601	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 3_1_27	469602.3	2563366552	469602	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Finished
Fusobacterium sp. 3_1_33	469603.3	2562617153	469603	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 3_1_36A2	469604.3	2554235746	469604	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Finished
Fusobacterium sp. 3_1_5R	469605.3	645951866	469605	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 4_1_13	469606.3	646206253	469606	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. 7_1	457405.3	646206252	457405	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Finished
Fusobacterium sp. D11	556264.3	645058833	556264	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium sp. D12	556263.3	2562617180	556263	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium ulcerans ATCC 49185	469617.3	2562617154	469617	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Fusobacterium varium ATCC 27725	469618.3	646206275	469618	Bacteria	Fusobacteria	Fusobacteriia	Fusobacteriales	Fusobacteriaceae	Draft
Gordonibacter pamelaee 7-10-1-b	657308.3	650377943	657308	Bacteria	Actinobacteria	Actinobacteria	Coriobacteriales	Coriobacteriaceae	Finished
Hafnia alvei ATCC 51873	1002364.3	2513237377	1002364	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Helicobacter bilis ATCC 43879	613026.4	2562617155	613026	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Helicobacteriaceae	Draft
Helicobacter canadensis MIT 98-5491 (Prj:30719)	537970.9	647533173	537970	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Helicobacteriaceae	Draft
Helicobacter cinaedi ATCC BAA-847	1206745.3	2554235363	1206745	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Helicobacteriaceae	Finished
Helicobacter cinaedi CCUG 18818	537971.5	643886141	537971	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Helicobacteriaceae	Draft
Helicobacter pullorum MIT 98-5489	537972.5	643886218	537972	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Helicobacteriaceae	Draft
Helicobacter winghamensis ATCC BAA-430	556267.4	646206255	556267	Bacteria	Proteobacteria	Epsilonproteobacteria	Campylobacterales	Helicobacteriaceae	Draft
Holdemania filiformis DSM 12042	545696.5	643886103	545696	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Klebsiella pneumoniae 1162281	1037908.3	2563366764	1037908	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Klebsiella pneumoniae subsp. pneumoniae WGLW5	1203547.3	2537561874	1203547	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Klebsiella sp. 1_1_55	469608.3	647533174	469608	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Klebsiella sp. 4_1_44FAA	665944.3	2513237265	665944	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Lachnospiraceae bacterium 1_1_57FAA	658081.3	651324046	658081	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 1_4_56FAA	658655.3	651324047	658655	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 2_1_46FAA	742723.3	2562617190	742723	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 2_1_58FAA	658082.3	651324049	658082	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 3_1_46FAA	665950.3	651324050	665950	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 3_1_57FAA_CT1	658086.3	2562617188	658086	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 4_1_37FAA	552395.3	651324052	552395	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 5_1_57FAA	658085.3	651324053	658085	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 5_1_63FAA	658089.3	649989957	658089	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 6_1_63FAA	658083.3	651324054	658083	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 7_1_58FAA	658087.3	2513237329	658087	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lachnospiraceae bacterium 8_1_57FAA	665951.3	649989958	665951	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft

Lachnospiraceae bacterium 9_1_43BFAA	658088.3	651324055	658088	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Lactobacillus acidophilus ATCC 4796	525306.3	643886014	525306	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus acidophilus NCFM	272621.13	637000138	272621	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus amyolyticus DSM 11664	585524.3	647000263	585524	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus antri DSM 16041	525309.3	645951838	525309	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus brevis ATCC 367	387344.15	639633027	387344	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus brevis subsp. gravesensis ATCC 27305	525310.3	643886059	525310	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus buchneri ATCC 11577	525318.3	643886062	525318	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus casei ATCC 334	321967.11	639633028	321967	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus casei BL23	543734.4	642555134	543734	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus casei 125-2-CHN	575595.3	647533176	575595	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus delbrueckii subsp. bulgaricus ATCC 11842	390333.7	2623620931	390333	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus delbrueckii subsp. bulgaricus ATCC BAA-365	321956.7	639633029	321956	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus fermentum ATCC 14931	525325.3	643886061	525325	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus fermentum IFO 3956	334390.5	641522633	334390	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus gasserii ATCC 33323	324831.13	639633030	324831	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus helveticus DPC 4571	405566.6	641228495	405566	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus helveticus DSM 20075	585520.4	645951865	585520	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus hilgardii ATCC 8290	525327.3	643886044	525327	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus johnsonii NCC 533	257314.6	2623620932	257314	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus paracasei subsp. paracasei 8700:2	537973.8	643886139	537973	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus paracasei subsp. paracasei ATCC 25302	525337.3	643886051	525337	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus plantarum 16	1327988.3	2563366583	1327988	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus plantarum subsp. plantarum ATCC 14917	525338.3	2562617181	525338	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus plantarum WCFS1	220668.9	2623620707	220668	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus reuteri CF48-3A	525341.3	2502171173	525341	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus reuteri DSM 20016	557436.4	not in IMG	557436	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus reuteri F275	299033.6	640427118	299033	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus reuteri MM2-3	585517.3	2502171171	585517	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus reuteri MM4-1A	548485.3	2502171170	548485	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus reuteri SD2112	491077.3	650716048	491077	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus rhamnosus ATCC 21052	1002365.5	2534681855	1002365	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus rhamnosus GG (Prj:40637)	568703.3	644736382	568703	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus rhamnosus LMS2-1	525361.3	643886127	525361	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus ruminis ATCC 25644	525362.3	2562617182	525362	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus sakei subsp. sakei 23K	314315.12	637000142	314315	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus salivarius ATCC 11741	525364.3	643886048	525364	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus salivarius UCC118	362948.14	2623620709	362948	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Finished
Lactobacillus sp. 7_1_47FAA	665945.3	2513237395	665945	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Lactobacillus ultunensis DSM 16047	525365.3	643886047	525365	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Leuconostoc mesenteroides subsp. cremoris ATCC 19254	586220.3	643886109	586220	Bacteria	Firmicutes	Bacilli	Lactobacillales	Leuconostocaceae	Draft
Listeria grayi DSM 20601	525367.9	2562617157	525367	Bacteria	Firmicutes	Bacilli	Bacillales	Listeriaceae	Draft
Listeria innocua ATCC 33091	1002366.3	2537561540	1002366	Bacteria	Firmicutes	Bacilli	Bacillales	Listeriaceae	Draft
Megamonas funiformis YIT 11815	742816.3	2513237399	742816	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Veillonellaceae	Draft
Megamonas hypermegale ART12/1	657316.3	650377958	158847	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Veillonellaceae	Finished
Methanobrevibacter smithii ATCC 35061	420247.6	640427121	420247	Archaea	Euryarchaeota	Methanobacteria	Methanobacteriales	Methanobacteriaceae	Finished
Methanosphaera stadtmanae DSM 3091	339860.6	2623620943	339860	Archaea	Euryarchaeota	Methanobacteria	Methanobacteriales	Methanobacteriaceae	Finished
Mitsuokella multacidia DSM 20544	500635.8	2562617158	500635	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Veillonellaceae	Draft
Mollicutes bacterium D7	556270.3	646206251	556270	Bacteria	Tenericutes	Mollicutes	Unclassified Mollicutes	Unclassified Mollicutes	Draft
Odoribacter laneus YIT 12061	742817.3	2513237280	742817	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Oxalobacter formigenes HOXBLS	556268.6	646206250	556268	Bacteria	Proteobacteria	Betaproteobacteria	Burkholderiales	Oxalobacteraceae	Draft
Oxalobacter formigenes OXCC13	556269.4	646206265	556269	Bacteria	Proteobacteria	Betaproteobacteria	Burkholderiales	Oxalobacteraceae	Draft
Paenibacillus sp. HGF5	908341.3	651324080	908341	Bacteria	Firmicutes	Bacilli	Bacillales	Paenibacillaceae	Draft
Paenibacillus sp. HGF7	944559.3	651324081	944559	Bacteria	Firmicutes	Bacilli	Bacillales	Paenibacillaceae	Draft
Paenibacillus sp. HGH0039	1078505.3	2541046994	1078505	Bacteria	Firmicutes	Bacilli	Bacillales	Paenibacillaceae	Draft
Parabacteroides distasonis ATCC 8503	435591.13	2623620331	435591	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Finished
Parabacteroides johnsonii DSM 18315	537006.5	642979358	537006	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft

Parabacteroides merdae ATCC 43184	411477.4	640963016	411477	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Parabacteroides sp. D13	563193.3	646206279	563193	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Parabacteroides sp. D25	658661.3	not in IMG	658661	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Paraprevotella clara YIT 11840	762968.3	2513237390	762968	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Prevotellaceae	Draft
Paraprevotella xylaniphila YIT 11841	762982.3	651324083	762982	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Prevotellaceae	Draft
Parvimonas micra ATCC 33270	411465.1	641380421	411465	Bacteria	Firmicutes	Clostridia	Clostridiales	Clostridiales Family XI. Incertae Sedis	Draft
Pediococcus acidilactici 7 4	563194.3	647533194	563194	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Pediococcus acidilactici DSM 20284	862514.3	649989981	862514	Bacteria	Firmicutes	Bacilli	Lactobacillales	Lactobacillaceae	Draft
Phascolarctobacterium sp. YIT 12067	626939.3	649989983	626939	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Acidaminococcaceae	Draft
Prevotella copri DSM 18205	537011.5	2562617166	537011	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Prevotellaceae	Draft
Prevotella oralis HGA0225	1203550.3	2541047008	1203550	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Prevotellaceae	Draft
Prevotella salivae DSM 15606	888832.3	649989989	888832	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Prevotellaceae	Draft
Propionibacterium sp. 5 U 42AFAA	450748.3	2513237388	450748	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Propionibacteriaceae	Draft
Propionibacterium sp. HG0353	1203571.3	2541047016	1203571	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Propionibacteriaceae	Draft
Proteus mirabilis WGLW6	1125694.3	2537561878	1125694	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Proteus penneri ATCC 35198	471881.3	643886117	471881	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Providencia alcalifaciens DSM 30120	520999.6	642979317	520999	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Providencia rettgeri DSM 1131	521000.6	2562617097	521000	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Providencia rustigianii DSM 4541	500637.6	642979318	500637	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Providencia stuartii ATCC 25827	471874.6	641736172	471874	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
Pseudomonas sp. 2 1 26	665948.3	2513237259	665948	Bacteria	Proteobacteria	Gammaproteobacteria	Pseudomonadales	Pseudomonadaceae	Draft
Ralstonia sp. 5 7 47FAA	658664.3	649989994	658664	Bacteria	Proteobacteria	Betaproteobacteria	Burkholderiales	Burkholderiaceae	Draft
Roseburia intestinalis L1-82	536231.5	2562617159	536231	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Roseburia intestinalis M50/1	657315.3	650377964	664486	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Finished
Roseburia intestinalis XB6B4	718255.3	650377965	718255	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Finished
Roseburia inulinivorans DSM 16841	622312.4	643886006	360807	Bacteria	Firmicutes	Clostridia	Clostridiales	Lachnospiraceae	Draft
Ruminococcaceae bacterium D16	552398.3	2562617183	552398	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Ruminococcus bromii L2-63	657321.5	650377966	657321	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Ruminococcus gnavus ATCC 29149	411470.6	640963057	411470	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Ruminococcus lactaris ATCC 29176	471875.6	642791604	471875	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Ruminococcus obeum A2-162	657314.3	650377967	657314	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Ruminococcus obeum ATCC 29174	411459.7	640963024	411459	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Ruminococcus sp. 18P13	213810.4	650377969	213810	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Ruminococcus sp. 5 1 39BFAA	457412.4	2562617160	457412	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Ruminococcus sp. SR1/5	657323.3	650377968	657323	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Ruminococcus torques ATCC 27756	411460.6	640963025	411460	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Ruminococcus torques L2-14	657313.3	650377970	657313	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Finished
Salmonella enterica subsp. enterica serovar Typhimurium st	99287.12	2623620649	99287	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Finished
Staphylococcus sp. HGB0015	1078083.3	2541046995	1078083	Bacteria	Firmicutes	Bacilli	Bacillales	Staphylococcaceae	Draft
Streptococcus anginosus 1 2 62CV	742820.3	649990001	742820	Bacteria	Firmicutes	Bacilli	Lactobacillales	Streptococcaceae	Draft
Streptococcus equinus ATCC 9812	525379.3	649990006	525379	Bacteria	Firmicutes	Bacilli	Lactobacillales	Streptococcaceae	Draft
Streptococcus infantarius subsp. infantarius ATCC BAA-102	471872.6	641736171	471872	Bacteria	Firmicutes	Bacilli	Lactobacillales	Streptococcaceae	Draft
Streptococcus sp. 2 1 36FAA	469609.3	647533231	469609	Bacteria	Firmicutes	Bacilli	Lactobacillales	Streptococcaceae	Draft
Streptococcus sp. HPH0090	1203590.3	2541047013	1203590	Bacteria	Firmicutes	Bacilli	Lactobacillales	Streptococcaceae	Draft
Streptomyces sp. HGB0020	1078086.3	2541046998	1078086	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Streptomycetaceae	Draft
Streptomyces sp. HPH0547	1203592.3	2541047017	1203592	Bacteria	Actinobacteria	Actinobacteria	Actinomycetales	Streptomycetaceae	Draft
Subdoligranulum sp. 4 3 54A2FAA	665956.3	2513237311	665956	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Subdoligranulum variabile DSM 15176	411471.5	2562617078	411471	Bacteria	Firmicutes	Clostridia	Clostridiales	Ruminococcaceae	Draft
Succinatimonas hippei YIT 12066	762983.3	649990019	762983	Bacteria	Proteobacteria	Gammaproteobacteria	Aeromonadales	Succinivibrionaceae	Draft
Sutterella wadsworthensis 3 1 45B	742821.3	649990021	742821	Bacteria	Proteobacteria	Betaproteobacteria	Burkholderiales	Sutterellaceae	Draft
Sutterella wadsworthensis HGA0223	1203554.3	2541047009	1203554	Bacteria	Proteobacteria	Betaproteobacteria	Burkholderiales	Sutterellaceae	Draft
Tannerella sp. 6 1 58FAA CT1	665949.3	2513237267	665949	Bacteria	Bacteroidetes	Bacteroidia	Bacteroidales	Porphyromonadaceae	Draft
Turicibacter sp. HGF1	910310.3	651324107	910310	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Turicibacter sp. PC909	702450.3	647000330	702450	Bacteria	Firmicutes	Erysipelotrichi	Erysipelotrichales	Erysipelotrichaceae	Draft
Veillonella sp. 3 1 44	457416.3	647533241	457416	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Veillonellaceae	Draft
Veillonella sp. 6 1 27	450749.3	647533242	450749	Bacteria	Firmicutes	Negativicutes	Selenomonadales	Veillonellaceae	Draft
Weissella paramesenteroides ATCC 33313	585506.3	645058793	585506	Bacteria	Firmicutes	Bacilli	Lactobacillales	Leuconostocaceae	Draft

Yokenella regensburgei ATCC 43003	1002368.3	2534682241	1002368	Bacteria	Proteobacteria	Gammaproteobacteria	Enterobacteriales	Enterobacteriaceae	Draft
-----------------------------------	-----------	------------	---------	----------	----------------	---------------------	-------------------	--------------------	-------

**Table S2.** Functions of all the genes for utilization of mucin glycans, analyzed in this work. Functions predicted in this work are marked by bold blue font. For the protein sequences see the file Sequences S1 in the Supplementary materials.

Utilized monosaccharide (No of Supplementary table)	Abbreviation	Function
N-Acetylgalactosamine (S4)	AaeL	Exported alpha-N-acetylgalactosaminidase (EC 3.2.1.49)
Galactose (S7)	Aga27	Alpha-galactosidase (EC 3.2.1.22), GH27 family
Galactose (S7)	Aga36	Alpha-galactosidase (EC 3.2.1.22), GH36 family
Galactose (S7)	Aga4	Alpha-galactosidase (EC 3.2.1.22), GH4 family
Galactose (S7)	Aga43	Alpha-galactosidase (EC 3.2.1.22), GH43 family
N-Acetylgalactosamine (S4)	AgaA	N-acetylgalactosamine-6-phosphate deacetylase (EC 3.5.1.80)
N-Acetylgalactosamine (S4)	Agal	Galactosamine-6-phosphate isomerase (galactosamine-6-phosphate deaminase) (EC 5.3.1.-)
N-Acetylgalactosamine (S4)	AgaK	N-acetylgalactosamine kinase, ROK-type (EC 2.7.1.157)
N-Acetylgalactosamine (S4)	AgaPTS	PTS system, N-acetylgalactosamine-specific
N-Acetylgalactosamine (S4)	AgaS	Galactosamine-6-phosphate isomerase (EC 5.3.1.-)
N-Acetylgalactosamine (S4), Galactose (S7)	AgaY / LacD	Tagatose 1,6-bisphosphate aldolase (EC 4.1.2.40)
N-Acetylgalactosamine (S4), Galactose (S7)	AgaZ / LacC	Tagatose-6-phosphate kinase (EC 2.7.1.144)
Fucose (S3)	AlfA29	Alpha-L-fucosidase (EC 3.2.1.51), GH29 family
Fucose (S3)	AlfA42	Alpha-L-fucosidase (EC 3.2.1.51), GH42 family
Fucose (S3)	AlfA95	Alpha-L-fucosidase (EC 3.2.1.51), GH95 family
N-Acetylglucosamine (S5)	Ang	Alpha-N-acetylglucosaminidase (EC 3.2.1.50)
N-Acetylgalactosamine (S4)	Apr101	Endo-alpha-N-acetylgalactosaminidase (EC 3.2.1.97), GH101 family
N-Acetylgalactosamine (S4)	Apr129	Endo-alpha-N-acetylgalactosaminidase (EC 3.2.1.97), GH129 family
Galactose (S7)	Bga2	Beta-galactosidase (EC 3.2.1.23), GH2 family
Galactose (S7)	Bga35	Beta-galactosidase (EC 3.2.1.23), GH35 family
Galactose (S7)	Bga42	Beta-galactosidase (EC 3.2.1.23), GH42 family
N-Acetylgalactosamine (S4), N-Acetylglucosamine (S5)	Bha20	Beta-hexosaminidase (EC 3.2.1.52), GH20 family
N-Acetylgalactosamine (S4), N-Acetylglucosamine (S5)	Bha3	Beta-hexosaminidase (EC 3.2.1.52), GH3 family
Fucose (S3)	FclA1	L-fuco-beta-pyranose dehydrogenase (EC 1.1.1.122)
<b>Fucose (S3)</b>	<b>FclA2</b>	<b>L-fuco-beta-pyranose dehydrogenase, type 2 (EC 1.1.1.122)</b>
Fucose (S3)	FclB	L-fuconolactone hydrolase
Fucose (S3)	FclC	L-fuconate dehydratase (EC 4.2.1.68)
Fucose (S3)	FclD1	2-keto-3-deoxy-L-fuconate dehydrogenase
<b>Fucose (S3)</b>	<b>FclD2</b>	<b>2-keto-3-deoxy-L-fuconate dehydrogenase, type 2, putative</b>
Fucose (S3)	FclE1	2,4-diketo-3-deoxy-L-fuconate hydrolase
<b>Fucose (S3)</b>	<b>FclE2</b>	<b>Predicted 2,4-diketo-3-deoxy-L-fuconate hydrolase, DHDPS family</b>
Fucose (S3)	FucA1	L-fuculose phosphate aldolase (EC 4.1.2.17)
<b>Fucose (S3)</b>	<b>FucABC</b>	<b>Fucose ABC transport system</b>
Fucose (S3)	FucI	L-fucose isomerase (EC 5.3.1.25)
Fucose (S3)	FucK	L-fuculokinase (EC 2.7.1.51)
Fucose (S3)	FucP1	Fucose permease
<b>Fucose (S3)</b>	<b>FucP2</b>	<b>Fucose transporter, Sugar tr family, predicted</b>
Fucose (S3)	FucU1	L-fucose mutarotase (EC 5.1.3.29)
Fucose (S3)	FucU2	L-fucose mutarotase, type 2 (EC 5.1.3.n2)
Galactose (S7)	GalE	UDP-glucose 4-epimerase (EC 5.1.3.2)
Galactose (S7)	GalK	Galactokinase (EC 2.7.1.6)
Galactose (S7)	GalM	Aldose 1-epimerase (EC 5.1.3.3)
Galactose (S7)	GalP1	Predicted galactose transporter, LysE superfamily
Galactose (S7)	GalP2	Lactose and galactose permease, GPH translocator family
<b>Galactose (S7)</b>	<b>GalP3</b>	<b>Predicted sodium-dependent galactose transporter</b>
Galactose (S7)	GalPTS	PTS system, galactose-specific
Galactose (S7)	GalT	Galactose-1-phosphate uridylyltransferase (EC 2.7.7.10)
Galactose (S7)	GalU	UTP--glucose-1-phosphate uridylyltransferase (EC 2.7.7.9)
<b>Galactose (S7)</b>	<b>GalY</b>	<b>Predicted galactose-1-phosphate uridylyltransferase (EC 2.7.7.10)</b>
N-Acetylgalactosamine (S4)	GamPTS	PTS system, galactosamine-specific
N-Acetylgalactosamine (S4), N-Acetylglucosamine (S5), Galactose (S7)	GnbG	Phospho-beta-Galactosidase, specific for lacto-N-biose and galacto-N-biose, GH35 family



N-Acetylgalactosamine (S4), N-Acetylglucosamine (S5), Galactose (S7)	GnbPTS	PTS system, galacto-N-biose, lacto-N-biose, and N-acetylgalactosamine-specific
Galactose (S7)	LacAB	Galactose-6-phosphate isomerase, (EC 5.3.1.26)
N-Acetylgalactosamine (S4), N-Acetylglucosamine (S5), Galactose (S7)	LnbABC	Lacto-N-biose / Galacto-N-biose ABC transporter
N-Acetylgalactosamine (S4), N-Acetylglucosamine (S5), Galactose (S7)	LnbP	Lacto-N-biose / Galacto-N-biose phosphorylase (EC 2.4.1.211)
Galactose (S7)	MglABC	Galactose/methyl galactoside ABC transport system
N-Acetylglucosamine (S5), N-Acetylneuraminic acid (S6)	NagA	N-acetylglucosamine-6-phosphate deacetylase (EC 3.5.1.25)
N-Acetylglucosamine (S5), N-Acetylneuraminic acid (S6)	NagB1	Glucosamine-6-phosphate deaminase [isomerizing], alternative (EC 3.5.99.6)
N-Acetylglucosamine (S5), N-Acetylneuraminic acid (S6)	NagB2	Glucosamine-6-phosphate deaminase (EC 3.5.99.6)
N-Acetylglucosamine (S5)	NagE	PTS system, N-acetylglucosamine-specific
N-Acetylglucosamine (S5), N-Acetylneuraminic acid (S6)	NagK1	N-acetylglucosamine kinase of eukaryotic type (EC 2.7.1.59)
N-Acetylglucosamine (S5), N-Acetylneuraminic acid (S6)	NagK2	Predicted N-acetyl-glucosamine kinase 2, ROK family (EC 2.7.1.59)
N-Acetylglucosamine (S5)	NagP	N-acetylglucosamine permease, MFS family
N-Acetylneuraminic acid (S6)	NanA	N-acetylneuraminate lyase (EC 4.1.3.3)
N-Acetylneuraminic acid (S6)	NanABC	Predicted N-acetylneuraminate ABC transporter
N-Acetylneuraminic acid (S6)	NanABC2	Predicted N-acetylneuraminate ABC transporter
N-Acetylneuraminic acid (S6)	NanE	N-acetylmannosamine-6-phosphate 2-epimerase (EC 5.1.3.9)
N-Acetylneuraminic acid (S6)	NanE-II	N-acetylglucosamine 2-epimerase (EC 5.1.3.8)
N-Acetylneuraminic acid (S6)	NanK	N-acetylmannosamine kinase (EC 2.7.1.60)
N-Acetylneuraminic acid (S6)	NanP	Sialidase precursor (EC 3.2.1.18)
N-Acetylneuraminic acid (S6)	NanT	Sialic acid transporter (permease)
N-Acetylneuraminic acid (S6)	NanX	Predicted sialic acid transporter
N-Acetylneuraminic acid (S6)	NeuT	Predicted N-acetylneuraminate TRAP-type transport system
<b>N-Acetylglucosamine (S5)</b>	<b>NgcABCD</b>	<b>Predicted N-acetylglucosamine ABC transporter</b>
N-Acetylglucosamine (S5)	NgcEFG	N-acetyl-D-glucosamine ABC transporter

**Table S3.** Genes involved in depletion and utilization of fucose. The PubSEED identifiers are shown. For details on analyzed organisms see Table S1, for details on gene functions see Table S2.

Organism (PubSEED ID)	Catabolic Pathway I			Catabolic Pathway II								Mutarotase		Transport			Hydrolases			Problems (if any)
	Isomerase	Kinase	Aldolase	Dehydrogenase I		Hydrolase I	Dehydratase		Dehydrogenase II		Hydrolase II		Permease	ABC	Alfa-L-fucosidase					
	FucI	FucK	FucA	FcIA1	FcIA2	FcIB	FcIC	FcID1	FcID2	FcIE1	FcIE2	FucU1	FucU2	FucP1	FucP2	transporter	AlfA29	AlfA42	AlfA95	
<i>Abiotrophia defectiva</i> ATCC 49176 (592010.4)	2230	2229	2231									2235				2232, 2233, 2234	1484, 1611			
<i>Acidaminococcus</i> sp. D21 (563191.3)																				
<i>Acidaminococcus</i> sp. HPA0509 (1203555.3)																				
<i>Acinetobacter junii</i> SH205 (575587.3)																				
<i>Actinomyces odontolyticus</i> ATCC 17982 (411466.7)	1082	1083										1085				1079, 1080, 1081	396, 1383, 1505, 1897			L-fucose phosphate aldolase is not found
<i>Actinomyces</i> sp. HPA0247 (1203556.3)	1579	1578										1576				1580, 1581, 1582	424, 1050, 1900			L-fucose phosphate aldolase is not found
<i>Akkermansia muciniphila</i> ATCC BAA-835 (349741.6)	2082	2080	2079									2403		2083			13, 172, 446, 962			
<i>Alistipes indistinctus</i> YIT 12060 (742725.3)																	339, 458, 861, 1048, 1997			
<i>Alistipes shahii</i> WAL 8301 (717959.3)																	2434			
<i>Anaerobaculum hydrogeniformans</i> ATCC BAA-1850 (592015.5)																				
<i>Anaerococcus hydrogenalis</i> DSM 7454 (561177.4)																				
<i>Anaerofustis stercorihominis</i> DSM 17244 (445971.6)																				
<i>Anaerostipes caccae</i> DSM 14662 (411490.6)																				
<i>Anaerostipes hadrus</i> DSM 3319 (649757.3)																				
<i>Anaerostipes</i> sp. 3_2_56FAA (665937.3)																				
<i>Anaerotruncus colihominis</i> DSM 17241 (445972.6)	2663	2662, 2666										2664								L-fucose phosphate aldolase is not found
<i>Bacillus smithii</i> 7_3_47FAA (665952.3)																				
<i>Bacillus</i> sp. 7_6_55CFAA CT2 (665957.3)																				
<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168 (224308.113)																				
<i>Bacteroides caccae</i> ATCC 43185 (411901.7)	2065	2063	2064										2062	2061			82, 547, 1156, 1241, 1249, 2489, 2536, 2669, 3008, 3119, 3380, 3585			
<i>Bacteroides capillosus</i> ATCC 29799 (411467.6)																				
<i>Bacteroides cellulosilyticus</i> DSM 14838 (537012.5)	3622, 3623	3620	3621										3619	3618			1104, 1113, 1116, 1186, 1942, 1945, 2120, 2214, 4949			
<i>Bacteroides clarus</i> YIT 12056 (762984.3)																	2867			
<i>Bacteroides coprocola</i> DSM 17136 (470145.6)													3113	2411			985, 1296, 1610			
<i>Bacteroides coprophilus</i> DSM 18228 (547042.5)	3061	3058	3059										960	486, 3057			603, 1104, 1751, 1769, 1843, 1846, 1909, 2018, 2225, 2427, 2618, 3016, 3050, 3179			

Bacteroides dorei DSM 17855 (483217.6)	1641											1640			295, 460, 737, 1090, 1389, 1396, 1399, 1496, 1914, 2938			
Bacteroides eggerthii 1_2_48FAA (665953.3)	1089														543, 1869, 1871, 1872, 1908			
Bacteroides eggerthii DSM 20697 (483216.6)	2986											135			129, 134, 202, 239, 241, 1925			
Bacteroides finegoldii DSM 17565 (483215.6)	1656	1654	1655										1653		808, 3068			
Bacteroides fluxus YIT 12057 (763034.3)	758	755	756										754		100, 1084, 2884, 3259			
Bacteroides fragilis 3_1_12 (457424.5)	2683	2680	2681									1557	2679		946, 1785, 1791, 3290, 3430, 3477, 3577, 4522			
Bacteroides fragilis 638R (862962.3)	269	272	271									2669	273		29, 733, 882, 888, 3196, 3332, 3386, 3749		4535	
Bacteroides fragilis NCTC 9343 (272559.17)	207	210	209									2619	211		29, 651, 792, 798, 1768, 3117, 3246, 3294, 3662		4376	
Bacteroides fragilis YCH46 (295405.11)	283	286	285									2497	287		70, 747, 885, 891, 1671, 3113, 3240, 3287, 3648		4297	
Bacteroides intestinalis DSM 17393 (471870.8)	1809	1811	1810									872, 1812	1813		223, 225, 787, 869, 2604, 3055			
Bacteroides ovatus 3_8_47FAA (665954.3)	1475	1477	1476									1478	1479		2122, 4662, 4701			
Bacteroides ovatus ATCC 8483 (411476.11)	3281	3283	3282									3284	3285		473, 1693, 3089, 3716, 3823, 3868, 3913			
Bacteroides ovatus SD CC 2a (702444.3)	675	677	676									678	679		1611, 1861, 3887, 4703			
Bacteroides ovatus SD CMC 3f (702443.3)	448	450	449									451	452		4198, 4578, 4613			
Bacteroides pectinophilus ATCC 43243 (483218.5)																		
Bacteroides plebeius DSM 17135 (484018.6)	2585	2583	2584									642, 1522, 1648	2582		35, 554, 1508, 1523, 1559, 1666, 1803, 2180, 3304			

Bacteroides sp. 1_1_14 (469585.3)	4082	4079, 4080	4081									3598, 4078	4077			645, 1387, 1732, 1902, 2593, 3202, 3597, 3730, 4289			
Bacteroides sp. 1_1_30 (457387.3)	747	749	748									750	751			2347, 2348, 4204, 4204, 4241, 5185			
Bacteroides sp. 1_1_6 (469586.3)	1092	1094	1093									1095	1096			1323, 2469, 3466, 3597, 3883, 4088, 4248, 4803			
Bacteroides sp. 2_1_16 (469587.3)	2451	2454	2453									1110	2455			1994, 2136, 2142, 2280, 2841, 2888, 3014, 3716		3941	
Bacteroides sp. 2_1_22 (469588.3)	1567	1565	1566									1564	1563			754, 4210, 4244, 4549			
Bacteroides sp. 2_1_33B (469589.3)												3830	3829			3790			
Bacteroides sp. 2_1_56FAA (665938.3)	263	266	265									2813	267			86, 803, 954, 960, 1919, 3228, 3779, 3992, 4041		4349	
Bacteroides sp. 2_1_7 (457388.5)												4130	4129			3810			
Bacteroides sp. 2_2_4 (469590.5)	3688	3686	3687									3685	3684			145, 146, 147, 281, 317, 1316, 1318, 4737			
Bacteroides sp. 20_3 (469591.4)												1471	1472			4663			
Bacteroides sp. 3_1_19 (469592.4)												3940				4084			
Bacteroides sp. 3_1_23 (457390.3)	4801	4803	4802									4804	4805			1587, 2978, 4916, 4951			
Bacteroides sp. 3_1_33FAA (457391.3)	3286											1294, 1314	3285			1204, 1317, 1629, 1813, 2059, 3530, 3670, 3739, 3741			
Bacteroides sp. 3_1_40A (469593.3)	635											3600, 3671	636			13, 403, 779, 1926, 1942, 3475, 3597, 3772, 4743			L-fuculokinase and L-fuculose phosphate aldolase are not found
Bacteroides sp. 3_2_5 (457392.3)	916	913	914									4025	912			303, 309, 460, 1088, 1965, 2096, 2142, 3080		3345	
Bacteroides sp. 4_1_36 (457393.3)	253	250, 256											251			770, 1511			L-fuculose phosphate aldolase is not found

















**Table S4.** Genes involved in depletion and utilization of N-acetylgalactosamine. The PubSEED identifiers are shown. For details on analyzed organisms see Table S1, for details on gene functions see Table S2.

Organism (PubSEED ID)	Catabolic pathway							Transport			Hydrolases				Problems (if any)	
	Kinase I	Deacetylase	Isomerase		Kinase II	Aldolase	Phospho-beta-galactosidase	Phosphorylase	PTS systems		ABC system	Beta-hexosaminidases		Endo-alpha-N-acetylgalactosaminidases		Exo-alpha-N-acetylgalactosaminidase
	AgaK	AgaA	AgaS	AgaL	AgaZ	AgaY	GnbG	LnbP	AgaPTS	GnbPTS	LnbABC	Bha3	Bha20	Apr101		Apr129
<i>Abiotrophia defectiva</i> ATCC 49176 (592010.4)								3045			758, 759, 760, 3041, 3042, 3043		2689	3047		
<i>Acidaminococcus</i> sp. D21 (563191.3)																
<i>Acidaminococcus</i> sp. HPA0509 (1203555.3)																
<i>Acinetobacter junii</i> SH205 (575587.3)																
<i>Actinomyces odontolyticus</i> ATCC 17982 (411466.7)					1018	1019										
<i>Actinomyces</i> sp. HPA0247 (1203556.3)													130			
<i>Akkermansia muciniphila</i> ATCC BAA-835 (349741.6)												2416	421, 451, 986, 1169, 1892, 2063, 2191, 2301, 2302, 2446, 2460			
<i>Alistipes indistinctus</i> YIT 12060 (742725.3)													913, 2149, 2200			
<i>Alistipes shahii</i> WAL 8301 (717959.3)												3053, 3056, 3057	383, 2285, 3055, 3058, 3073			
<i>Anaerobaculum hydrogeniformans</i> ATCC BAA-1850 (592015.5)					898											
<i>Anaerococcus hydrogenalis</i> DSM 7454 (561177.4)							413									
<i>Anaerofustis stercorihominis</i> DSM 17244 (445971.6)																
<i>Anaerostipes caccae</i> DSM 14662 (411490.6)					1040, 3509	746, 1039, 1941, 3511						1081				
<i>Anaerostipes hadrus</i> DSM 3319 (649757.3)					1244	1242							1225			
<i>Anaerostipes</i> sp. 3_2_56FAA (665937.3)					146, 2545, 2546	144, 429, 2543							188			
<i>Anaerotruncus colihominis</i> DSM 17241 (445972.6)																
<i>Bacillus smithii</i> 7_3_47FAA (665952.3)					318	317							2068			
<i>Bacillus</i> sp. 7_6_55CFAA_CT2 (665957.3)					1168											
<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168 (224308.113)											3350, 3351	167				
<i>Bacteroides caccae</i> ATCC 43185 (411901.7)												325, 2648	1016, 1017, 1021, 2633, 2643, 2667, 3165, 3362, 3410, 3423, 3502, 3508			
<i>Bacteroides capillosus</i> ATCC 29799 (411467.6)								848			850, 851, 852	1352				
<i>Bacteroides cellulosilyticus</i> DSM 14838 (537012.5)												1267, 2062, 2066, 2067, 2104	37, 950, 1188, 2126, 2422, 3129			
<i>Bacteroides clarus</i> YIT 12056 (762984.3)												2102	1623, 2048, 3000			
<i>Bacteroides coprocola</i> DSM 17136 (470145.6)												46, 1649, 1996	463, 908, 914, 915, 2401, 3707			
<i>Bacteroides coprophilus</i> DSM 18228 (547042.5)												547, 1770, 2949	578, 782, 783, 896, 1099, 1246, 1558, 2137, 2288, 2913, 2914, 3123			
<i>Bacteroides dorei</i> DSM 17855 (483217.6)												415, 575	474, 630, 634, 636, 1087, 1401, 1441, 2459, 3166, 3335			
<i>Bacteroides eggerthii</i> 1_2_48FAA (665953.3)												3587, 3588	670, 1693			
<i>Bacteroides eggerthii</i> DSM 20697 (483216.6)												2645	352			
<i>Bacteroides finegoldii</i> DSM 17565 (483215.6)												3350, 3645	532, 1700, 2282, 2283, 3069			
<i>Bacteroides fluxus</i> YIT 12057 (763034.3)												3105, 3106	1188, 2029, 2231, 2698, 2717, 3256, 3264			
<i>Bacteroides fragilis</i> 3_1_12 (457424.5)												2412, 2413	387, 391, 393, 888, 952, 1609, 1929, 2578, 3292, 3295, 3302, 3599			







Bacteroides thetaiotaomicron VPI-5482 (226186.12)										2501	191, 456, 459, 460, 507, 1068, 1659, 1665, 2517, 3240, 3657, 3930, 4413, 4472, 4761					
Bacteroides uniformis ATCC 8492 (411479.10)										689, 690, 3474, 3475, 3478	43, 999, 1376, 1724, 3172					
Bacteroides vulgatus ATCC 8482 (435590.9)										150	89, 404, 552, 1244, 2282, 3342, 4247, 4249, 4253					
Bacteroides vulgatus PC510 (702446.3)										1436	216, 649, 709, 763, 765, 769, 1958, 2250, 2425, 2896					
Bacteroides xylanisolvens SD CC 1b (702447.3)										2034, 4399	129, 130, 350, 1720, 1721, 2100, 3928, 3927, 4163, 4692					
Bacteroides xylanisolvens XB1A (657309.4)										520, 984	73, 74, 573, 1113, 2296, 3256, 3618, 3931, 4504, 4505					
Barnesiella intestinihominis YIT 11860 (742726.3)			942	941						2312	101, 308, 379, 380, 513, 2614, 2835, 2904, 2964, 2975					
Bifidobacterium adolescentis L2-32 (411481.5)										1012						
Bifidobacterium angulatum DSM 20098 = JCM 7096 (518635.7)										1101						
Bifidobacterium animalis subsp. lactis AD011 (442563.4)								490, 492		1067						
Bifidobacterium bifidum NCIMB 41171 (398513.5)					481, 905			482, 483, 484	133		441, 1540, 1769		1379			
Bifidobacterium breve DSM 20213 = JCM 1192 (518634.7)					1473			524, 527, 1469, 1471, 1472	744, 745		1506		977			
Bifidobacterium breve HPH0326 (1203540.3)					1077			507, 509, 510, 612, 613, 615, 616, 1078, 1079, 1081	1986, 1987							
Bifidobacterium catenulatum DSM 16992 = JCM 1194 (566552.6)										948						
Bifidobacterium dentium ATCC 27678 (473819.7)										75						
Bifidobacterium gallicum DSM 20093 (561180.4)										359	1253		125			
Bifidobacterium longum DJO10A (P1)-321 (205913.11)					1835			918, 923, 1022, 1023, 1837, 1838, 1839								
Bifidobacterium longum NCC2705 (206672.9)					1696			875, 880, 995, 997, 1692, 1693, 1694	735		59		520			
Bifidobacterium longum subsp. infantis 157F (565040.3)					1729			359, 360, 361, 1731, 1732, 1733	625, 1342		1471		938			
Bifidobacterium longum subsp. infantis ATCC 15697 = JCM 1222 (391904.8)					2251			909, 910, 911, 2252, 2253, 2254	1915		471, 748, 2431		1541			
Bifidobacterium longum subsp. infantis ATCC 55813 (548480.3)					648			645, 646, 647	104		892		12			
Bifidobacterium longum subsp. infantis CCUG 52486 (537937.5)					1177			1173, 1174, 1175	12		2008		1133			
Bifidobacterium longum subsp. longum 2-2B (1161745.3)					514			515, 516, 517, 838, 839	2072		1617					
Bifidobacterium longum subsp. longum 44B (1161743.3)					1601			103, 104, 105, 1598, 1599, 1600	1807		1528		189			







Escherichia coli 4_1_47FAA (1127356.4)		2226	2227	2233	2221, 3583	2228, 2229, 3582			2222, 2223, 2224, 2225								
Escherichia coli MS 107-1 (679207.4)		2599	2598	2593	2604, 3851	2597, 3850			2600, 2601, 2602, 2603								
Escherichia coli MS 115-1 (749537.3)		493	492	2524	498, 874, 875	491, 873, 1412			494, 495, 496, 497								
Escherichia coli MS 116-1 (749538.3)		990	992	2176	985, 1312, 1313	993, 1041, 1314			986, 987, 988, 989								
Escherichia coli MS 119-7 (679206.4)		1516	1517	1522	1510, 1576	1518, 1575			1511, 1512, 1513, 1514, 1515								
Escherichia coli MS 124-1 (679205.4)		353	352	347	358, 2955	351, 2954			354, 355, 356, 357								
Escherichia coli MS 145-7 (679204.3)		870	871	876	123, 865	124, 872			866, 867, 868, 869								
Escherichia coli MS 146-1 (749540.3)		1422	1424	1429	17, 1417	16, 1425			1418, 1419, 1420, 1421								
Escherichia coli MS 175-1 (749544.3)		761	763	924	756	764			757, 758, 759, 760								
Escherichia coli MS 182-1 (749545.3)		3371	3372	3377	1678, 3366	1679, 3373			3367, 3368, 3369, 3370								
Escherichia coli MS 185-1 (749546.3)		2090	2089	2084	2095, 2853	1418, 1419, 1830, 2088, 2854, 3978			2091, 2092, 2093, 2094								
Escherichia coli MS 187-1 (749547.3)		1094	1093		1099, 3102	1092, 1100, 3101			1095, 1096, 1097, 1098								
Escherichia coli MS 196-1 (749548.3)		2788	2786	2781	2793, 2946, 2947, 2948	2785, 2949			2789, 2790, 2791, 2792								
Escherichia coli MS 198-1 (749549.3)		1971	1972	2024	1966, 5003	1973, 5002			1967, 1968, 1969, 1970								
Escherichia coli MS 200-1 (749550.3)		1058	1060	1065	1053, 1569	301, 1061, 1312, 1568, 2297, 2299			1054, 1055, 1056, 1057								
Escherichia coli MS 21-1 (749527.3)		2784, 2785	2786	2791	1495, 2779	1494, 2178, 2787, 3902, 3903			2780, 2781, 2782, 2783								
Escherichia coli MS 45-1 (749528.3)		4101	4102, 4315	4107	1587, 4096	1586, 2935, 2936, 3037, 4103, 4217, 4313, 4314			4097, 4098, 4099, 4100								
Escherichia coli MS 69-1 (749531.3)		2559	2560	2565	2055, 2554	2054, 2561			2555, 2556, 2557, 2558								
Escherichia coli MS 78-1 (749532.3)		1630	1631	1636	1625, 4086	1632, 4085			1626, 1627, 1628, 1629								
Escherichia coli MS 79-10 (796392.4)		1902	1903	1908	1421, 1897	1422, 1904			1898, 1899, 1900, 1901								
Escherichia coli MS 84-1 (749533.3)		3485	3484	2282	419, 3490	418, 3483			3486, 3487, 3488, 3489								

Escherichia coli MS 85-1 (679202.3)		1017	1018	1023	1012, 2581	1019, 2580			1013, 1014, 1015, 1016								
Escherichia coli O157:H7 str. Sakai (386585.9)		4190	4192	4197, 4198	3030, 4185	3031, 4193, 4548			4186, 4187, 4188, 4189								
Escherichia coli SE11 (409438.11)		3590	3591	3596	2516, 3585	2517, 3592			3586, 3587, 3588, 3589								
Escherichia coli SE15 (431946.3)		3107	3108	3113	2063, 3102	2064, 3109, 3221, 3641, 3642			3103, 3104, 3105, 3106								
Escherichia coli str. K-12 substr. MG1655 (511145.12)		3229	3231	3236	2172, 3226	2173, 3232			3227, 3228								
Escherichia coli UTI89 (364106.8)		3533	3534	3539	1176, 2397, 3528	1174, 1175, 2398, 3535, 3647, 3921, 4110, 4111			3529, 3530, 3531, 3532								
Escherichia sp. 1_1_43 (457400.3)																	
Escherichia sp. 3_2_53FAA (469598.5)		1077	1076	1071	1082, 2678	962, 1075, 2679, 4279, 4486, 4487			1078, 1079, 1080, 1081								
Escherichia sp. 4_1_40B (457401.3)		3052	3050	3045	2059, 3057	2058, 2554, 3049			3053, 3054, 3055, 3056								
Eubacterium bifforme DSM 3989 (518637.5)			21		29		1074		1075, 1077, 1078, 1079								
Eubacterium cylindroides T2-87 (717960.3)							1442, 1443		1438, 1439, 1441								
Eubacterium dolichum DSM 3991 (428127.7)			825, 1984		1786							44, 1823, 1958	721, 1589				42
Eubacterium hallii DSM 3353 (411469.3)																	
Eubacterium rectale DSM 17629 (657318.4)							2888		2884, 2885, 2886								
Eubacterium rectale M104/1 (657317.3)							959		955, 956, 957, 2443, 2444, 2445			1569					
Eubacterium siraeum 70/3 (657319.3)																	
Eubacterium siraeum DSM 15702 (428128.7)																	2364
Eubacterium siraeum V10Sc8a (717961.3)																	2382
Eubacterium sp. 3_1_31 (457402.3)			2428		1386		231, 238		235, 236, 237, 240								1992
Eubacterium ventriosum ATCC 27560 (411483.4)																	
Faecalibacterium cf. prausnitzii KLE1255 (748224.3)		1442					2586		2582, 2583, 2584								
Faecalibacterium prausnitzii A2-165 (411483.3)							1155		1151, 1152, 1153								152
Faecalibacterium prausnitzii L2-6 (718252.3)		1293	1294		1292	1297	113	1295, 1300, 1301, 1302	115, 116, 117, 3087, 3088, 3089								
Faecalibacterium prausnitzii M21/2 (411485.10)							2375		2377, 2378, 2379								
Faecalibacterium prausnitzii SL3/3 (657322.3)							2621		2617, 2618, 2619								
Fusobacterium gonidialiformans ATCC 25563 (469615.3)																	
Fusobacterium mortiferum ATCC 9817 (469616.3)	506		507		509	508, 741											
Fusobacterium necrophorum subsp. funduliforme 1_1_36S (742814.3)																	
Fusobacterium sp. 1_1_41FAA (469621.3)																	
Fusobacterium sp. 11_3_2 (457403.3)																	
Fusobacterium sp. 12_1B (457404.3)	3263		3262		3260	3261											
Fusobacterium sp. 2_1_31 (469599.3)																	
Fusobacterium sp. 21_1A (469601.3)																	
Fusobacterium sp. 3_1_27 (469602.3)																	
Fusobacterium sp. 3_1_33 (469603.3)																	







Pediococcus acidilactici DSM 20284 (862514.3)		1196	1197		1410	1203			1199, 1200, 1201, 1202, 1204								
Phascolarctobacterium sp. YIT 12067 (626939.3)																	
Prevotella copri DSM 18205 (537011.5)											298, 4027						
Prevotella oralis HGA0225 (1203550.3)																	
Prevotella salivae DSM 15606 (888832.3)																	1139, 2050, 2182
Propionibacterium sp. 5_U_42AFAA (450748.3)							572		575, 576, 577		252, 2246						518, 1151, 1565, 1571
Propionibacterium sp. HGH0353 (1203571.3)							2212										553, 2413
Proteus mirabilis WGLW6 (1125694.3)		2020	2025		2026	2031			2021, 2022, 2023, 2024								
Proteus penneri ATCC 35198 (471881.3)		843, 844	851, 852, 853		854, 855	863			845, 846, 847, 848, 849, 850								
Providencia alcalifaciens DSM 30120 (520999.6)																	
Providencia rettgeri DSM 1131 (521000.6)		1206	1201		1200	1195			1202, 1203, 1204, 1205			1693					
Providencia rustigianii DSM 4541 (500637.6)		404, 6686	398, 6692		397, 6693	391, 6699			399, 400, 401, 6688, 6689, 6690, 6691								
Providencia stuartii ATCC 25827 (471874.6)		3067	3061		3060	3066			3062, 3063, 3064, 3065			3256					966, 2757
Pseudomonas sp. 2_1_26 (665948.3)																	
Ralstonia sp. 5_7_47FAA (658664.3)					4146												
Roseburia intestinalis L1-82 (536231.5)							3250			3251, 3252, 3253, 3255		423					1506
Roseburia intestinalis M50/1 (657315.3)							3559			3553, 3554, 3556, 3557, 3558		796					
Roseburia intestinalis XB6B4 (718255.3)							2521			2522, 2523, 2524, 2526		2929					1473
Roseburia inulinivorans DSM 16841 (622312.4)							1688			1694, 1695, 1696		2587					
Ruminococcaceae bacterium D16 (552398.3)							347			343, 344, 345		2512					
Ruminococcus bromii L2-63 (657321.5)												848					
Ruminococcus gnavus ATCC 29149 (411470.6)					915	911	1054			1048, 1393, 1394, 1395							
Ruminococcus lactaris ATCC 29176 (471875.6)							1843			1845, 1846, 1847		1628, 1662, 2484					1632, 1871
Ruminococcus obeum A2-162 (657314.3)					1719	1715	2912			3540, 3541, 3542							
Ruminococcus obeum ATCC 29174 (411459.7)					3062	3053, 3066	339			342, 343, 344, 347							
Ruminococcus sp. 18P13 (213810.4)																	
Ruminococcus sp. 5_1_39BFAA (457412.4)							611			1422, 1423, 1424							
Ruminococcus sp. SR1/5 (657323.3)					3503	3507	1418			1413, 1414, 1415							
Ruminococcus torques ATCC 27756 (411460.6)		613	609		616	615	1844		604, 605, 606, 608	1837, 1840, 1841, 1842, 1850			22, 1627, 2034				442, 984, 994
Ruminococcus torques L2-14 (657313.3)					554	558, 2221											
Salmonella enterica subsp. enterica serovar Typhimurium str. LT2 (99287.12)					3456	3452, 4000											
Staphylococcus sp. HGB0015 (1078083.3)		1680	1672		1673	784, 1674	1675			1676, 1677, 1678, 1679							

Streptococcus anginosus 1_2_62CV (742820.3)			1750			118, 1751	1745			1746, 1747, 1748, 1749							
Streptococcus equinus ATCC 9812 (525379.3)					297												
Streptococcus infantarius subsp. infantarius ATCC BAA-102 (471872.6)					266, 654	653											
Streptococcus sp. 2_1_36FAA (469609.3)			62		703, 1476, 1483	1475, 1482	57			58, 59, 60, 61		419					
Streptococcus sp. HPH0090 (1203590.3)			1441		193, 397	398	1446			1442, 1443, 1444, 1445		1002, 1048, 1448					
Streptomyces sp. HGB0020 (1078086.3)						3644						2898, 3737, 5165, 8190	1167, 2955, 4922, 5130, 8394				
Streptomyces sp. HPH0547 (1203592.3)						4042						43, 2838, 5766	389, 2269, 2386, 2503				
Subdoligranulum sp. 4_3_54A2FAA (665956.3)							447			443, 444, 445		204, 1927, 2746, 3106, 4057					
Subdoligranulum variabile DSM 15176 (411471.5)							2375, 3110			2377, 2378, 2379, 3112, 3113, 3114		1056, 4229					
Succinatimonas hippel YIT 12066 (762983.3)																	
Sutterella wadsworthensis 3_1_45B (742821.3)																	
Sutterella wadsworthensis HGA0223 (1203554.3)																	
Tannerella sp. 6_1_58FAA CT1 (665949.3)												1827	2544, 2545				
Turicibacter sp. HGF1 (910310.3)			1114		35	1113		1099		1100, 1101, 1110, 1116			302				
Turicibacter sp. PC909 (702450.3)			369		1430	370		384		367, 373, 382, 383			806				
Veillonella sp. 3_1_44 (457416.3)												839, 889					
Veillonella sp. 6_1_27 (450749.3)												879, 940					
Weissella paramesenteroides ATCC 33313 (585506.3)																	
Yokenella regensburgi ATCC 43003 (1002368.3)		1539	1538		1544	1537			1541, 1542, 1543				316				

**Table S5.** Genes involved in depletion and utilization of N-acetylglucosamine. The PubSEED identifiers are shown. For details on analyzed organisms see Table S1, for details on gene functions see Table S2.

Organism (PubSEED ID)	Catabolic pathway							Transport					Hydrolases			Problems (if any)	
	Kinase		Deacetylase	Deaminase		Phospho-beta-galactosidase	Phosphorylase	PTS systems		ABC systems			Permease	Beta-hexosaminidase			Alpha-N-acetylglucosaminidase
	NagK1	NagK2	NagA	NagB1	NagB2	GnbG	LnbP	NagE	GnbPTS	NgcEFG	NgcABCD	LnbABC	NagP	Bha3	Bha20		Ang
<i>Abiotrophia defectiva</i> ATCC 49176 (592010.4)			1693, 2925		1694, 2924		3045			1673, 1990, 1991, 2311, 2312, 2313, 2506, 2514, 2515, 2823, 2824		758, 759, 760, 3041, 3042, 3043		2689			
<i>Acidaminococcus</i> sp. D21 (563191.3)			918														
<i>Acidaminococcus</i> sp. HPA0509 (1203555.3)			1878														
<i>Acinetobacter junii</i> SH205 (575587.3)																	
<i>Actinomyces odontolyticus</i> ATCC 17982 (411466.7)		61, 1017	1628	1016	59					1022, 1023, 1024							
<i>Actinomyces</i> sp. HPA0247 (1203556.3)		52	1177		50									130			Transporter is not found
<i>Akkermansia muciniphila</i> ATCC BAA-835 (349741.6)			1075		2070									421, 451, 986, 1169, 1892, 2063, 2191, 2301, 2302, 2446, 2460	2416	72, 1384	
<i>Alistipes indistinctus</i> YIT 12060 (742725.3)			1108		1109, 1793, 1795									913, 2149, 2200			
<i>Alistipes shahii</i> WAL 8301 (717959.3)		2772			2404, 2405									383, 2285, 3055, 3058, 3073	3053, 3056, 3057	1230	
<i>Anaerobaculum hydrogeniformans</i> ATCC BAA-1850 (592015.5)																	
<i>Anaerococcus hydrogenalis</i> DSM 7454 (561177.4)																	
<i>Anaerofustis stercorihominis</i> DSM 17244 (445971.6)																	
<i>Anaerostipes caccae</i> DSM 14662 (411490.6)			46		47, 2358, 3068			48, 48							1081		
<i>Anaerostipes hadrus</i> DSM 3319 (649757.3)			1969		163			1970, 1970, 1971							1225		
<i>Anaerostipes</i> sp. 3_2_56FAA (665937.3)			3347		269, 3346			3345, 3345							188		
<i>Anaerotruncus coilhominis</i> DSM 17241 (445972.6)			2267		2258, 2268, 2817			2270, 2270									
<i>Bacillus smithii</i> 7_3_47FAA (665952.3)			1254		78			1752, 1752							2068		
<i>Bacillus</i> sp. 7_6_55CFAA_CT2 (665957.3)			821		822			5203, 5203									
<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168 (224308.113)			3601		235, 3602			801, 801				3350, 3351			167		
<i>Bacteroides caccae</i> ATCC 43185 (411901.7)		321	771, 772		1643, 2122									1016, 1017, 1021, 2633, 2643, 2667, 3165, 3362, 3410, 3423, 3502, 3508	325, 2648	245, 1846, 2376	
<i>Bacteroides capillosus</i> ATCC 29799 (411467.6)			2734		1155, 2735		848					850, 851, 852			1352		
<i>Bacteroides cellulosilyticus</i> DSM 14838 (537012.5)		976, 2271	2425	3600	2424, 2830, 4912, 4996								975	37, 950, 1188, 2126, 2422, 3129	1267, 2062, 2066, 2067, 2104	1796, 2025	
<i>Bacteroides clarus</i> YIT 12056 (762984.3)		2106, 2501	203, 337		336, 2802								2502	1623, 2048, 3000	2102		
<i>Bacteroides coprocola</i> DSM 17136 (470145.6)		1566	538, 539		41, 42									463, 908, 914, 915, 2401, 3707	46, 1649, 1996		
<i>Bacteroides coprophilus</i> DSM 18228 (547042.5)		2945	2344, 2345		788, 789									578, 782, 783, 896, 1099, 1246, 1558, 2137, 2288, 2913, 2914, 3123	547, 1770, 2949	2066, 3031, 3260	
<i>Bacteroides dorei</i> DSM 17855 (483217.6)		364	505, 639		654, 655									474, 630, 634, 636, 1087, 1401, 1441, 2459, 3166, 3335	415, 575	2803, 4255	

Bacteroides eggerthii 1_2_48FAA (665953.3)	2039, 3592	298, 626	297, 1611, 2158								2040	670, 1693	3587, 3588		
Bacteroides eggerthii DSM 20697 (483216.6)	54, 2641	1738, 2008	1074, 1579, 1737								53	352	2645		
Bacteroides finegoldii DSM 17565 (483215.6)	3013, 3346	2724, 2725	1318, 2171								3014	532, 1700, 2282, 2283, 3069	3350, 3645	2279	
Bacteroides fluxus YIT 12057 (763034.3)	2480, 3111	692, 2829	693, 1162, 1850									1188, 2029, 2231, 2698, 2717, 3256, 3264	3105, 3106	1695, 2256	
Bacteroides fragilis 3_1_12 (457424.5)	2418	2892, 3090	1880, 3091									387, 391, 393, 888, 952, 1609, 1929, 2578, 3292, 3295, 3302, 3599	2412, 2413	9	
Bacteroides fragilis 638R (862962.3)	572	2840, 3043	987, 3044									391, 738, 1038, 1739, 1743, 1745, 2289, 3199, 3202, 3210, 3823, 4278	576, 577	670	
Bacteroides fragilis NCTC 9343 (272559.17)	498	2771, 2978	894, 2979									321, 656, 943, 1778, 1782, 1784, 2181, 3119, 3122, 3130, 3685, 4157	502, 503	593	
Bacteroides fragilis YCH46 (295405.11)	577	2648, 2983	982, 2984									405, 752, 1030, 1679, 1683, 1685, 2074, 3116, 3119, 3127, 3668, 4100	581, 582	689	
Bacteroides intestinalis DSM 17393 (471870.8)	168, 528		2678, 4191, 4686									561, 789, 796, 797, 1715, 3500, 3952	507, 512, 513, 1330	1420	
Bacteroides ovatus 3_8_47FAA (665954.3)	3368, 4519	1101, 1102, 2899	2900, 3004, 3613								3367	1381, 2124, 2395, 2808, 3273, 4373, 4374, 4576, 4727, 4728	4523	69, 73, 4744	
Bacteroides ovatus ATCC 8483 (411476.11)	541, 4656	126, 127, 2864	1505, 2863, 4190								4655	993, 994, 1351, 1728, 1872, 1873, 2004, 2490, 2619, 2959, 3245, 3718, 4371	537, 2236, 2315	751, 755, 1396, 4409	
Bacteroides ovatus SD CC 2a (702444.3)	434, 2613	1675, 4485, 4486	80, 301, 1676								435	17, 351, 2781, 3077, 3387, 3388, 3417, 3889, 4736, 4737	2617, 4819	4024, 4836, 4841, 4842	
Bacteroides ovatus SD CMC 3f (702443.3)	4854, 5435	2084, 2579, 2580	1903, 2083, 4919								5436	992, 1159, 1160, 2371, 2619, 2620, 3221, 3235, 4196, 4730, 4966	85, 4858	731, 732, 2332, 3299, 3300, 3304	
Bacteroides pectinophilus ATCC 43243 (483218.5)															
Bacteroides plebeius DSM 17135 (484018.6)	2792	1144, 1145	1772, 1773									130, 896, 897, 975, 1279, 2458, 2642	38	3368	
Bacteroides sp. 1_1_14 (469585.3)	1329, 4768	2384, 2385, 3522	884, 1890, 3521								1328	199, 257, 792, 1057, 1142, 1145, 1146, 1358, 1402, 1640, 3200, 3206, 3532, 4136, 4666	4779	222, 223, 1120, 1121, 2642, 3524	

Bacteroides sp. 1_1_30 (457387.3)	2726, 4422	2, 3, 2647	2082, 2646, 2976								2725	708, 1297, 1298, 1543, 3697, 3699, 4488, 4508, 5025, 5183	4426	2392, 2396	
Bacteroides sp. 1_1_6 (469586.3)	3762, 4640	851, 852, 3379	387, 2281, 3378								3761	134, 137, 138, 411, 1045, 2012, 2068, 2556, 2810, 2823, 3389, 3851, 4611, 4797, 4798, 4805	4596	106, 2045, 3381	
Bacteroides sp. 2_1_16 (469587.3)	658, 4134	3151, 3353	1274, 3150									591, 1325, 1888, 1892, 1894, 1999, 2563, 3001, 3009, 3012, 3739	2732, 2733	1943	
Bacteroides sp. 2_1_22 (469588.3)	2728	22, 1957, 1958	23, 2634								2253	466, 1602, 1680, 1681, 2803, 2804, 3590, 4190, 4551	577, 4138	799, 803, 2786	
Bacteroides sp. 2_1_33B (469589.3)	2254, 4134	2237, 3381, 3382	1848, 3380									225, 808, 1625, 3100, 3882	930, 931, 2907		
Bacteroides sp. 2_1_56FAA (665938.3)	1691, 1827	4456, 4702	1060, 4455									381, 808, 1112, 1929, 1933, 1935, 2408, 3206, 3781, 3784, 3793	551, 552	733	
Bacteroides sp. 2_1_7 (457388.5)	547	378, 3711, 3712	899, 3710									572, 1099, 1720, 3165, 3379, 4182	2424		
Bacteroides sp. 2_2_4 (469590.5)	634, 878	3593, 5110, 5111	944, 1649, 3594								640	14, 149, 1391, 1392, 1963, 3277, 3278, 3733, 3966, 5483, 5484	378, 1260	2002, 4017, 4181, 4185, 5507	
Bacteroides sp. 20_3 (469591.4)	383, 639	140, 1154, 1155	635, 1156									1415, 2485, 3124, 3326, 4195	1686, 4443		
Bacteroides sp. 3_1_19 (469592.4)	11, 468	1012, 3516, 3517	448, 3518									818, 1473, 2927, 3315, 3888, 4241	2013		
Bacteroides sp. 3_1_23 (457390.3)	3071, 3882	613, 614, 2739	953, 2738, 4269								3881	1589, 2061, 2417, 2840, 3135, 3642, 4446, 4721, 4722, 4762	1840, 1913, 3075	1372, 1376, 4498, 4705	
Bacteroides sp. 3_1_33FAA (457391.3)	1295	1153, 1710	1694, 1695									912, 1190, 1713, 1715, 1719, 1868, 2842, 3673, 3737	1242	2250, 3916	
Bacteroides sp. 3_1_40A (469593.3)	3670	3394, 3823	3409, 3410									234, 401, 832, 1025, 1946, 2532, 2838, 3385, 3389, 3391, 3790, 3791	3727, 3735	147, 3929	
Bacteroides sp. 3_2_5 (457392.3)	609	1606, 1826	1565, 1827									455, 797, 1514, 1967, 1970, 1978, 2336, 3149, 4354, 4356, 4360	604, 605	518	
Bacteroides sp. 4_1_36 (457393.3)	889		1614, 2968, 3374									268, 1837, 2096, 3003, 3266	33, 34, 38, 894, 895		
Bacteroides sp. 4_3_47FAA (457394.3)	1599	774, 1459	787, 788									550, 765, 769, 771, 1365, 1489, 1710, 2458, 2952, 4574	1545	296, 2181	

Bacteroides sp. 9_1_42FAA (457395.6)		54	417, 524		400, 401							420, 422, 426, 572, 2484, 2735, 3470, 3724, 3995	636	1032, 3912	
Bacteroides sp. D1 (556258.5)		3521, 3924	2034, 2802, 2803		1395, 2035, 3157						3923	304, 1565, 1566, 1810, 3291, 3292, 3465, 3765, 4450	429, 3517	650, 654, 1548	
Bacteroides sp. D2 (556259.3)		923, 4858	2681, 4490, 4491		617, 1394, 2682						924	392, 393, 1206, 1647, 2103, 2592, 3265, 3716, 3717, 3971, 4792, 5047	2130, 4854	1169, 1597, 2384, 2388	
Bacteroides sp. D20 (585543.3)		1646			411, 936, 2501							62, 292, 1194, 2336, 2558	1651, 1652, 1802, 1803, 1807		
Bacteroides sp. D22 (585544.3)		2774, 3855	1563, 1564, 2093		2092, 2582, 4263						3854	145, 146, 1092, 1094, 1095, 1315, 1319, 1320, 1907, 2835, 3302, 3483, 3778, 4367	1093, 2778, 3070	542, 546	
Bacteroides sp. HPS0048 (1078089.3)					1377, 3765							5, 729, 730, 1199, 1200, 1558, 2876, 2942, 2943, 2953, 3179, 3943, 3948, 3967	1104, 1105	409, 413, 1204, 2093, 2951	
Bacteroides stercoris ATCC 43183 (449673.7)		383, 3289	97, 1575		1574, 2872							548, 1455, 1461, 2245, 2379, 2694, 3236	379		
Bacteroides thetaiotaomicron VPI-5482 (226186.12)		2545, 4734	689, 690, 3647		259, 3646, 4194						4733	191, 456, 459, 460, 507, 1068, 1659, 1665, 2517, 3240, 3657, 3930, 4413, 4472, 4761	2501	437, 3649, 4436	
Bacteroides uniformis ATCC 8492 (411479.10)		696			181, 1567, 1758							43, 999, 1376, 1724, 3172	689, 690, 3474, 3475, 3478		
Bacteroides vulgatus ATCC 8482 (435590.9)		198	60, 4244		4231, 4232							89, 404, 552, 1244, 2282, 3342, 4247, 4249, 4253	150	1927	
Bacteroides vulgatus PC510 (702446.3)		2291	760, 1928		466, 467							216, 649, 709, 763, 765, 769, 1958, 2250, 2425, 2896	1436	517, 2736	
Bacteroides xylanisolvens SD CC 1b (702447.3)		3634, 4395	2747, 2748, 4648		2400, 2508, 4647						3635	129, 130, 350, 1720, 1721, 2100, 3926, 3927, 4163, 4692	2034, 4399	1110, 1114, 2046	
Bacteroides xylanisolvens XB1A (657309.4)		515, 2695	1696, 2448, 2449		1695, 2032, 3239						2694	73, 74, 573, 1113, 2296, 3256, 3618, 3931, 4504, 4505	520, 984	731, 735, 1850, 3263	
Barnesiella intestinihominis YIT 11860 (742726.3)					2704, 2705							101, 308, 379, 380, 513, 2614, 2835, 2904, 2964, 2975	2312	2781, 2785, 2966	
Bifidobacterium adolescentis L2-32 (411481.5)		1801	59									1797, 1798, 1799, 1800	1012		Deaminase is not found
Bifidobacterium angulatum DSM 20098 = JCM 7096 (518635.7)		565										566, 567, 568, 569	1101		
Bifidobacterium animalis subsp. lactis AD011 (442563.4)											490, 492		1067		



Butyrivibrio fibrisolvens 1.2 (1203606.4)				641, 2843			640, 640, 640, 1200, 1200, 1200						2205		Deacetylase is not found
Butyrivibrio crossotus DSM 2876 (511680.4)															
Butyrivibrio fibrisolvens 16/4 (657324.3)										2729, 2730, 2731			1716		
Campylobacter coli JV20 (864566.3)															
Campylobacter upsaliensis JV21 (888826.3)															
Catenibacterium mitsuokai DSM 15897 (451640.5)			1825	429, 989			281, 281, 281					704, 705, 706, 1150, 1856	1730		
Cedecea davisae DSM 4568 (566551.4)		1464	959	960			961, 961, 961								
Citrobacter freundii 4_7_47CFAA (742730.3)			2811	2812			2813, 2813, 2813							2064	
Citrobacter sp. 30_2 (469595.3)		1778	1321	1322			1323, 1323, 1323						4080		
Citrobacter youngae ATCC 29220 (500640.5)		1202	3177	3178			3179, 3179, 3179							659	
Clostridiales bacterium 1_7_47FAA (457421.5)			3312, 4354	4352, 4353, 5717	4154		1669, 1669, 1671		4156, 4157, 4158				1584, 2883, 3168		
Clostridium asparagiforme DSM 15981 (518636.5)			1833, 2622, 3333	94, 465, 906, 1839, 1840, 3334			694, 696, 696, 2125, 2125, 2125						1805, 2939, 3111		
Clostridium bartlettii DSM 16795 (445973.7)													139, 323		
Clostridium bolteae 90A5 (997893.5)		5207	6127	4812, 4894	4411		1740, 1742, 1742		4408, 4409, 4410				3453, 3548		
Clostridium bolteae ATCC BAA-613 (411902.9)			4493	936, 1657	1483		3975, 3975, 3977		1480, 1481, 1482				5814, 5902		
Clostridium celatum DSM 1785 (545697.3)			3277	2387	2573, 2574		297, 298, 298		2577, 2578, 2579		2632		163, 1196	2671	
Clostridium cf. saccharolyticum K10 (717608.3)			1503	1504			436, 438, 438, 438						3073		
Clostridium citroniae WAL-17108 (742733.3)			2681, 5553, 6173	2682, 5759, 6182	2512		205, 205, 205						132, 5679		
Clostridium clostridioforme 2_1_49FAA (742735.4)			5004	1363, 4630	2652		1259, 1259, 1259		2653, 2655, 2656				2087		
Clostridium difficile CD196 (645462.3)			925	926			3021, 3021, 3021	2509							
Clostridium difficile NAP07 (525258.3)			1900	1899			1034, 1034, 1034, 1046, 1046, 1046								
Clostridium difficile NAP08 (525259.3)			1964	1965			1160, 1160, 1160, 1706, 1706, 1706								
Clostridium hathewayi WAL-18680 (742737.3)			627, 3547, 4459, 4554	352, 621, 3525, 4460, 5054	4106, 4107		2326, 2326, 2326, 5033, 5033, 5033		4108, 4109, 4110				960, 1448, 1593, 3978, 4273		
Clostridium hiranonis DSM 13275 (500633.7)			1746	1747									1544, 1546, 1549		
Clostridium hylemonae DSM 15053 (553973.6)			2858	1168, 2865, 3353	3210				3213, 3214, 3215						
Clostridium leptum DSM 753 (428125.8)			602	755									744		
Clostridium methylpentosum DSM 5476 (537013.3)															
Clostridium nexile DSM 1787 (500632.7)			656	655	1721		3724, 3724, 3725		1712, 1713, 1714, 3026, 3027, 3028		613, 614, 1955		2441		
Clostridium perfringens WAL-14572 (742739.3)			1842	2487	1927		515, 515, 515, 3169, 3170, 3170		1921, 1922, 1923		679, 1027		2776	305, 307	
Clostridium ramosum DSM 1402 (445974.6)		861	2050, 2352	575, 1785, 1946, 2908	1039		501, 501, 501, 2453, 2453, 2454		1030, 1034, 1035, 1036, 1038		1501, 1517, 1518		741, 1205, 1472, 1631, 2275		
Clostridium scindens ATCC 35704 (411468.9)			432	2964	2966				117, 118, 119, 2960, 2961, 2962						



Clostridium sp. 7_2_43FAA (457396.3)			2860		21		3457	1466, 1466, 1466, 3463, 3464, 3464			3455, 3456, 3459		69, 139, 2261	87, 117, 2545		
Clostridium sp. 7_3_54FAA (665940.3)			2695		1895, 4893		3618							4282		
Clostridium sp. D5 (556261.3)		748	967, 4582		1045, 4581		3342, 819	4585, 4586, 4586			820, 821, 822, 2033, 2034, 2037, 2038, 2039					
Clostridium sp. HGF2 (908340.3)			1346, 1992, 2904		1341, 2679, 2681, 2682		1474, 2964				2962, 2965, 2966, 2967					
Clostridium sp. L2-50 (411489.7)														1103, 2279		
Clostridium sp. M62/1 (411486.3)			2355		2354			2007, 2007, 2009						883		
Clostridium sp. SS2/1 (411484.7)			986		2340			979, 980, 980						1928		
Clostridium spiroforme DSM 1552 (428126.7)					1540			366, 367, 367					436, 1806, 1927, 2020, 2021	110, 632, 1502, 1503	2029	Deacetylase is not found
Clostridium sporogenes ATCC 15579 (471871.7)			804		805, 1535			799, 799, 800, 895, 895, 895		2051, 2052						
Clostridium symbiosum WAL-14163 (742740.3)			2736		2149, 4897		366							2861		
Clostridium symbiosum WAL-14673 (742741.3)			3393		2975, 3644		150							3939		
Collinsella aerofaciens ATCC 25986 (411903.6)					658	2047				2048, 2049, 2050, 2059						
Collinsella intestinalis DSM 13280 (521003.7)					314								769			
Collinsella stercoris DSM 13279 (445975.6)			635		294, 636	127				128, 129, 130, 132			284, 945, 1661	363, 1473	581	Kinase is not found
Collinsella tanakaei YIT 12063 (742742.3)					1224											
Coprobacillus sp. 29_1 (469596.3)			1355, 1361, 2040, 2663		2041, 3024, 3096, 3832		1527	249, 250, 250			1528, 1530, 1531, 1532		242			
Coprobacillus sp. 3_3_56FAA (665941.3)	2598	1314	2932, 3323		1994, 2330, 2561, 3427		1492	669, 670, 670, 1891, 1891, 1891, 2636, 2636, 2636			1483, 1487, 1488, 1489, 1491		940, 941, 946, 3081, 3097, 3098	2379, 2856, 3052		
Coprobacillus sp. 8_2_54BFAA (469597.4)	2541	414	1380, 3382		1035, 2587, 2822, 3276		596	933, 933, 933, 1837, 1837, 1838, 2502, 2502, 2502			586, 591, 592, 593, 595		3167, 3174, 3175, 3518, 3519, 3535, 3563	1455, 2774		
Coprobacillus sp. D6 (556262.3)			285, 2085, 3380, 3386		2086, 2441, 2512, 3558		3551	1429, 1429, 1430			3552, 3554, 3555, 3556		1437			
Coprococcus catus GD/7 (717962.3)			1169		1168									894		Kinase is not found
Coprococcus comes ATCC 27758 (470146.3)			921		920			922, 923, 924, 925			1105, 1106, 1107, 1108					
Coprococcus eutactus ATCC 27759 (411474.6)														1610		
Coprococcus sp. ART55/1 (751585.3)														1312		
Coprococcus sp. HPP0048 (1078091.3)			1628		2398		2284	2658, 2658, 2659, 2662			2290, 2291, 2292			2618		
Coprococcus sp. HPP0074 (1078090.3)			2570		2160		2064	2799, 2799, 2801			2070, 2071, 2072			2765, 2846		
Corynebacterium ammoniagenes DSM 20306 (649754.3)			1162		1163, 1365			1366, 1366, 1366						1483		
Corynebacterium sp. HFH0082 (1078764.3)					1058											
Dermabacter sp. HFH0086 (1203568.3)			1885		1448			1303, 1303, 1303								
Desulfotobacterium hafniense DP7 (537010.4)					2421					3307				2987		
Desulfovibrio piger ATCC 29098 (411464.8)																
Desulfovibrio sp. 3_1_syn3 (457398.5)														2651		
Dorea formicigenerans 4_6_53AFAA (742765.5)			2580		446, 2581					703						Kinase is not found
Dorea formicigenerans ATCC 27755 (411461.4)			298		291, 2352					2626, 2627				351		Kinase is not found



Escherichia coli MS 115-1 (749537.3)			3985		3984			3982, 3982, 3982										
Escherichia coli MS 116-1 (749538.3)		2112	4287		4288			4290, 4290, 4290										
Escherichia coli MS 119-7 (679206.4)		871	4582, 5234		4583			4585, 4585, 4585										
Escherichia coli MS 124-1 (679205.4)		4108	682		683			685, 685, 685										
Escherichia coli MS 145-7 (679204.3)		3623	2594		2593			2591, 2591, 2591										
Escherichia coli MS 146-1 (749540.3)		1147	2459		2458			2456, 2456, 2456										
Escherichia coli MS 175-1 (749544.3)		1972																
Escherichia coli MS 182-1 (749545.3)		839	4959		4958			4956, 4956, 4956										
Escherichia coli MS 185-1 (749546.3)		4731	129		130			132, 132, 132										
Escherichia coli MS 187-1 (749547.3)		666	3717		3718			3720, 3720, 3720										
Escherichia coli MS 196-1 (749548.3)		5030	4456		4455			4453, 4453, 4453										
Escherichia coli MS 198-1 (749549.3)		1124	4821		4822			4824, 4824, 4824										
Escherichia coli MS 200-1 (749550.3)		2046	4782		4781			4779, 4779, 4779										
Escherichia coli MS 21-1 (749527.3)		3367	2619		2618			2616, 2616, 2616										
Escherichia coli MS 45-1 (749528.3)		764	3971		3970			3968, 3968, 3968										
Escherichia coli MS 69-1 (749531.3)		3045	4037		4036			4034, 4034, 4034										
Escherichia coli MS 78-1 (749532.3)			3612		3613			3615, 3615, 3615										
Escherichia coli MS 79-10 (796392.4)		4513	2328		2329			2331, 2331, 2331										
Escherichia coli MS 84-1 (749533.3)		650	5347		5348			5350, 5350, 5350										
Escherichia coli MS 85-1 (679202.3)		4732	2801		2800			2798, 2798, 2798										
Escherichia coli O157:H7 str. Sakai (386585.9)		1599	819		820			822, 822, 822										
Escherichia coli SE11 (409438.11)		1320	861		862			864, 864, 864										
Escherichia coli SE15 (431946.3)		1068	631		632			634, 634, 634										
Escherichia coli str. K-12 substr. MG1655 (511145.12)		1165	702		703			705, 705, 705										
Escherichia coli UT189 (364106.8)		1322	766		767			769, 769, 769										
Escherichia sp. 1_1_43 (457400.3)																		
Escherichia sp. 3_2_53FAA (469598.5)		819	341		340			338, 338, 338										
Escherichia sp. 4_1_40B (457401.3)		1071	1840		1839			1837, 1837, 1837										
Eubacterium bifforme DSM 3989 (518637.5)			272		30	1074		2113, 2113, 2113	1075, 1077, 1078, 1079,									
Eubacterium cylindroides T2-87 (717960.3)					1444	1442, 1443			1438, 1439, 1441									
Eubacterium dolichum DSM 3991 (428127.7)			276, 845		282						721, 1589		44, 1823, 1958				31	
Eubacterium hallii DSM 3353 (411469.3)			1642		1639								1337					
Eubacterium rectale DSM 17629 (657318.4)			602		601	2888		603, 604, 604	2884, 2885, 2886				2338					
Eubacterium rectale M104/1 (657317.3)			1724		1725	959		1722, 1722, 1723	955, 956, 957, 2443, 2444, 2445				1569					
Eubacterium siraeum 70/3 (657319.3)																		
Eubacterium siraeum DSM 15702 (428128.7)																		2364
Eubacterium siraeum V105c8a (717961.3)																		2382
Eubacterium sp. 3_1_31 (457402.3)			303, 1628, 2852		307	231, 238		2834, 2834, 2834	235, 236, 237, 240				1992					
Eubacterium ventriosum ATCC 27560 (411463.4)			865		864, 1748, 2197			861, 862, 862										
Faecalibacterium cf. prausnitzii KLE1255 (748224.3)					7	2586		1728, 1728, 1728	2582, 2583, 2584									
Faecalibacterium prausnitzii A2-165 (411483.3)			104		105	1155		106, 106	1151, 1152, 1153		137		152					



Klebsiella pneumoniae subsp. pneumoniae WGLW5 (1203547.3)			849		850			851, 851, 851										
Klebsiella sp. 1_1_55 (469608.3)		2261	1792		1793			1794, 1794, 1794										
Klebsiella sp. 4_1_44FAA (665944.3)			1579		1580			1581, 1581, 1581										
Lachnospiraceae bacterium 1_1_57FAA (658081.3)					1668		613			605, 606, 615, 616, 617, 620		471, 480, 1560					1077	
Lachnospiraceae bacterium 1_4_56FAA (658655.3)			2720		941		359	938, 938, 939		53, 54, 55, 56							1305, 1436, 2820	
Lachnospiraceae bacterium 2_1_46FAA (742723.3)			1212		1213		1802	481, 482, 482				1316, 1389					1388, 1390	1922
Lachnospiraceae bacterium 2_1_58FAA (658082.3)			2454		618		1677	615, 615, 615		1671, 1683, 2212, 2213, 2214							507	
Lachnospiraceae bacterium 3_1_46FAA (665950.3)					1250		2413			2406, 2407, 2415, 2416, 2417, 2420		1149, 2283						2534
Lachnospiraceae bacterium 3_1_57FAA_CT1 (658086.3)			7342		7343		2098, 6940	7344, 7344, 7347		2099, 2100, 2101		4301					998, 3499	
Lachnospiraceae bacterium 4_1_37FAA (552395.3)			1969		2419		2536	2948, 2948, 2949, 2952		2527, 2528, 2529							1742, 2355, 2915	
Lachnospiraceae bacterium 5_1_57FAA (658085.3)			1669		241		243			237, 238, 239, 1688, 1689, 1690								
Lachnospiraceae bacterium 5_1_63FAA (658089.3)			982		1692			983, 983, 984										2486
Lachnospiraceae bacterium 6_1_63FAA (658083.3)			1271, 2492		1272, 1614		642	1066, 1066, 1067		646, 647, 1608, 1609, 1610								
Lachnospiraceae bacterium 7_1_58FAA (658087.3)			3534, 3860		3535, 3861													
Lachnospiraceae bacterium 8_1_57FAA (665951.3)					1984		851			844, 847, 848, 849, 857, 858		980, 2091						1478
Lachnospiraceae bacterium 9_1_43BFAA (658088.3)			1719		2131		2228	2582, 2582, 2583, 2586		2220, 2221, 2222							31, 186, 2068, 2545, 2634, 2639	
Lactobacillus acidophilus ATCC 4796 (525306.3)		39			1612													
Lactobacillus acidophilus NCFM (272621.13)		1433			1852						1564							
Lactobacillus amylophilus DSM 11664 (585524.3)		417			1310		909										1618	Transporter is not found
Lactobacillus antri DSM 16041 (525309.3)					1891		1892											
Lactobacillus brevis ATCC 367 (387344.15)					520		666											
Lactobacillus brevis subsp. gravesensis ATCC 27305 (525310.3)					2620													
Lactobacillus buchneri ATCC 11577 (525318.3)					1815													
Lactobacillus casei ATCC 334 (321967.11)					1787		2831											
Lactobacillus casei BL23 (543734.4)					1929		2971	276		277, 278, 279, 280							315	
Lactobacillus crispatus 125-2-CHN (575595.3)		764			1861		1510											
Lactobacillus delbrueckii subsp. bulgaricus ATCC 11842 (390333.7)					177		1918											
Lactobacillus delbrueckii subsp. bulgaricus ATCC BAA-365 (321956.7)					171		1913											
Lactobacillus fermentum ATCC 14931 (525325.3)																		
Lactobacillus fermentum IFO 3956 (334390.5)																		
Lactobacillus gasseri ATCC 33323 (324831.13)			1559				1776	17		116, 117, 118, 119, 124								
Lactobacillus helveticus DPC 4571 (405566.6)			1656, 1657				2205											
Lactobacillus helveticus DSM 20075 (585520.4)			1317				60											
Lactobacillus hilgardii ATCC 8290 (525327.3)					2003												653	
Lactobacillus johnsonii NCC 533 (257314.6)			1610				1824	16		128, 129, 130, 131, 135								
Lactobacillus paracasei subsp. paracasei 8700:2 (537973.8)					835		1126	2333		2334, 2335, 2336, 2337								2328, 2784
Lactobacillus paracasei subsp. paracasei ATCC 25302 (525337.3)					687		1689			1132, 1133, 1134								1050
Lactobacillus plantarum 16 (1327988.3)					501		207			2068, 2068, 2068, 2408, 2408, 2408								

Lactobacillus plantarum subsp. plantarum ATCC 14917 (525338.3)			1151		160				990, 990, 991, 991, 991, 2851, 2851, 2851, 2851									
Lactobacillus plantarum WCFS1 (220668.9)			466		188				2129, 2129, 2129, 2478, 2478, 2478									
Lactobacillus reuteri CF48-3A (525341.3)					1764													
Lactobacillus reuteri DSM 20016 (557436.4)					1035													
Lactobacillus reuteri F275 (299033.6)					1010													
Lactobacillus reuteri MM2-3 (585517.3)					1454													
Lactobacillus reuteri MM4-1A (548485.3)					967													
Lactobacillus reuteri SD2112 (491077.3)					1846													
Lactobacillus rhamnosus ATCC 21052 (1002365.5)			1920		1648	427, 428			429, 430, 431, 432									
Lactobacillus rhamnosus GG (Prj:40637) (568703.30)			1869		2936	336, 337			338, 340, 341, 342							435		
Lactobacillus rhamnosus LMS2-1 (525361.3)			799		1698	1786			1787, 1788, 1789, 1791									
Lactobacillus ruminis ATCC 25644 (525362.3)			2024		234													602
Lactobacillus sakei subsp. sakei 23K (314315.12)			1555		409			58, 58, 58										
Lactobacillus salivarius ATCC 11741 (525364.3)			1583		1584													1471, 1472
Lactobacillus salivarius UCC118 (362948.14)			1549		1548													1663
Lactobacillus sp. 7_1_47FAA (665945.3)	1083		617		718	849			850, 851, 852, 853	1052								
Lactobacillus ultunensis DSM 16047 (525385.3)	1503		1964		1115													Transporter is not found
Leuconostoc mesenteroides subsp. cremoris ATCC 19254 (586220.3)			791		850													
Listeria grayi DSM 20601 (525367.9)			963		754, 964, 2263													
Listeria innocua ATCC 33091 (1002366.3)			1546		800, 1468, 1547, 2794				49, 50, 51, 2452, 2453									Kinase is not found
Megamonas funiformis YIT 11815 (742816.3)			1644		2074				1536, 1536									1387, 1388
Megamonas hypermegale ART12/1 (657316.3)			440		1094				2021, 2021									1826
Methanobrevibacter smithii ATCC 35061 (420247.6)																		
Methanosphaera stadtmanae DSM 3091 (339860.6)																		
Mitsukella multicauda DSM 20544 (500635.8)			348		449													637
Mollicutes bacterium D7 (556270.3)		2290	1547, 2043		882, 2580, 3191, 3284	1624			46, 46, 46, 404, 405, 405		1615, 1619, 1620, 1621, 1623		1910, 1927, 1928, 2482, 2483					835, 1175, 1469, 1743, 1881
Odoribacter splanchnicus DSM 20712 (709991.3)					2356								247, 348, 2552, 2553					3376
Oxalobacter formigenes HOxBLS (556268.6)																		
Oxalobacter formigenes OXCC13 (556269.4)																		
Paenibacillus sp. HGF5 (908341.3)	3284, 6169		2275, 2485, 5378		2274, 2486, 5379				390, 390, 390, 1379, 1379, 1379									3687, 5435
Paenibacillus sp. HGF7 (944559.3)			3153		3152				1305, 1305, 1305, 3133, 3133, 3133									2816, 412, 1976, 3722
Paenibacillus sp. HGH0039 (1078505.3)	2034		4055	4400	4056				896, 896, 896, 4076, 4076, 4076									330, 1240, 2100, 3354
Parabacteroides distasonis ATCC 8503 (435591.13)			2842, 3552	225, 226, 3115	227, 3530								46, 652, 1252, 2504, 2909					2321
Parabacteroides johnsonii DSM 18315 (537006.5)			3317	2442, 2443, 2444	2441, 3494								398, 608, 651, 792, 1061, 1113, 1922, 3536					2863, 353
Parabacteroides merdae ATCC 43184 (411477.4)			1578	3334, 3335	1695, 3333								248, 288, 370, 401, 433, 862, 1720, 1922, 2721					728, 200, 1856
Parabacteroides sp. D13 (563193.3)		11, 432	1058, 3904, 3905		411, 3903								743, 1422, 1983, 3485, 4031					2866



Salmonella enterica subsp. enterica serovar Typhimurium str. LT2 (99287.12)		1289	713		714			715, 715, 715													
Staphylococcus sp. HGB0015 (1078083.3)					56	1675						1676, 1677, 1678, 1679									
Streptococcus anginosus 1_2_62CV (742820.3)			1108		858	1745						1746, 1747, 1748, 1749									
Streptococcus equinus ATCC 9812 (525379.3)			1465		1070																
Streptococcus infantarius subsp. infantarius ATCC BAA-102 (471872.6)			176		497, 1165																
Streptococcus sp. 2_1_36FAA (469609.3)			556		1537	57						58, 59, 60, 61					419				
Streptococcus sp. HPH0090 (1203590.3)			1120		696	1446						1442, 1443, 1444, 1445					1002, 1048, 1448				
Streptomyces sp. HGB0020 (1078086.3)	3801, 5253	3295, 6873	6874	3645	8192							5255, 5256, 5257					1167, 2955, 4922, 5130, 8394	2898, 3737, 5165, 8190			
Streptomyces sp. HPH0547 (1203592.3)	4620, 4638	5571	5570	2839, 4043													389, 2269, 2386, 2503	43, 2838, 5766	1769	Transporter is not found	
Subdoligranulum sp. 4_3_54A2FAA (665956.3)			303, 518, 4373		297, 476, 4374		447					443, 444, 445						204, 1927, 2746, 3106, 4057			
Subdoligranulum variable DSM 15176 (411471.5)			1467, 1900, 4520, 4957		1466, 1899, 4519, 4956		2375, 3110					1465, 1465, 1465, 4518, 4518, 4518						2377, 2378, 2379, 3112, 3113, 3114	1056, 4229		
Succinatimonas hippei YIT 12066 (762983.3)			1293																		
Sutterella wadsworthensis 3_1_45B (742821.3)																					
Sutterella wadsworthensis HGA0223 (1203554.3)																					
Tannerella sp. 6_1_58FAA_CT1 (665949.3)					2008, 2009												2544, 2545	1827			
Turicibacter sp. HGF1 (910310.3)			2230, 2553		1326, 2552		1099					1100, 1101, 1110, 1116					302				
Turicibacter sp. PC909 (702450.3)			2042, 2454		2286, 2455		384					2456, 2456						367, 373, 382, 383	806		
Veillonella sp. 3_1_44 (457416.3)																			839, 889		
Veillonella sp. 6_1_27 (450749.3)																			879, 940		
Weissella paramesenteroides ATCC 33313 (585506.3)			1380		578														1538	Kinase is not found	
Yokenella regensburgei ATCC 43003 (1002368.3)			2353		2354														2355, 2355, 2355	316	



**Table S6.** Genes involved in depletion and utilization of N-acetylglucuramic acid. The PubSEED identifiers are shown. For details on analyzed organisms see Table S1, for details on gene functions see Table S2.

Organism (PubSEED ID)	Catabolic pathway I		Catabolic pathway II			Common part of the pathways				Transporters				Hydrolases	Problems (if any)	
	Kinase I	Epimerase I	Epimerase II	Kinase II		Lyase	Deacetylase	Deaminase		Permease	Na <sup>+</sup> symporter	ABC Transporters		TRAP transproter		Sialydase
	NanK	NanE	NanE-II	NagK1	NagK2	NanA	NagA	NagB1	NagB2	NanT	NanX	NanABC	NanABC2	NeuT		NanP
<i>Abiotrophia defectiva</i> ATCC 49176 (592010.4)		606					1693, 2925		1694, 2924						193	
<i>Acidaminococcus</i> sp. D21 (563191.3)	1146						918									
<i>Acidaminococcus</i> sp. HPA0509 (1203555.3)	1254						1878									
<i>Acinetobacter junii</i> SH205 (575587.3)																
<i>Actinomyces odontolyticus</i> ATCC 17982 (411466.7)	1055	1056			61, 1017	1054	1628	1016	59	276			1052		277, 1482	
<i>Actinomyces</i> sp. HPA0247 (1203556.3)	1600	1599			52	1601	1177		50	273			1604, 1605		276, 1996	
<i>Akkermansia muciniphila</i> ATCC BAA-835 (349741.6)			2221			2220	1075		2070						707, 913, 2085	
<i>Alistipes indistinctus</i> YIT 12060 (742725.3)						203	1108		1109, 1793, 1795							
<i>Alistipes shahii</i> WAL 8301 (717959.3)					2772				2404, 2405						1555, 1556, 3051	
<i>Anaerobaculum hydrogeniformans</i> ATCC BAA-1850 (592015.5)																
<i>Anaerococcus hydrogenalis</i> DSM 7454 (561177.4)																
<i>Anaerofustis stercorihominis</i> DSM 17244 (445971.6)												795				
<i>Anaerostipes caccae</i> DSM 14662 (411490.6)		1603					46		47, 2358, 3068					1736		
<i>Anaerostipes hadrus</i> DSM 3319 (649757.3)		165					1969		163					589		
<i>Anaerostipes</i> sp. 3_2_56FAA (665937.3)		1377					3347		269, 3346					1546		
<i>Anaerotruncus colihominis</i> DSM 17241 (445972.6)		2088				2004, 2082	2267		2258, 2268, 2817			2083, 2084, 2085				
<i>Bacillus smithii</i> 7_3_47FAA (665952.3)							1254		78							
<i>Bacillus</i> sp. 7_6_55CFAA CT2 (665957.3)	5162						821		822							
<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168 (224308.113)							3601		235, 3602							
<i>Bacteroides caccae</i> ATCC 43185 (411901.7)			1025		321	1026, 2256	771, 772		1643, 2122	1027, 2258					166, 1022, 1985, 2257, 2262	
<i>Bacteroides capillosus</i> ATCC 29799 (411467.6)							2734		1155, 2735							
<i>Bacteroides cellulosilyticus</i> DSM 14838 (537012.5)			3590		976, 2271		2425	3600	2424, 2830, 4912, 4996							
<i>Bacteroides clarus</i> YIT 12056 (762984.3)			425		2106, 2501	424	203, 337		336, 2802	423					426, 427, 431, 529	
<i>Bacteroides coprocola</i> DSM 17136 (470145.6)		3706			1566		538, 539		41, 42						1294	
<i>Bacteroides coprophilus</i> DSM 18228 (547042.5)			2023		2945	2022	2344, 2345		788, 789	2024					736, 787, 2026	
<i>Bacteroides dorei</i> DSM 17855 (483217.6)			657		364	658	505, 639		654, 655	656					629, 3327	
<i>Bacteroides eggerthii</i> 1_2_48FAA (665953.3)			534		2039, 3592	533	298, 626		297, 1611, 2158	532	1104					
<i>Bacteroides eggerthii</i> DSM 20697 (483216.6)			1918		54, 2641	1917	1738, 2008		1074, 1579, 1737	1916	2972, 2982					
<i>Bacteroides finegoldii</i> DSM 17565 (483215.6)			2263, 2279		3013, 3346		2724, 2725		1318, 2171						718, 2281, 4174	

Bacteroides fluxus YIT 12057 (763034.3)			3253		2480, 3111	3252	692, 2829		693, 1162, 1850	3254					1561, 2077, 3269
Bacteroides fragilis 3_1_12 (457424.5)			368		2418	367	2892, 3090		1880, 3091	369					386, 2166, 4179
Bacteroides fragilis 638R (862962.3)			1725, 4272		572	1724, 3935	2840, 3043		987, 3044	1726, 3930, 4273					732, 1347, 1738, 3931, 4240, 4269, 4270
Bacteroides fragilis NCTC 9343 (272559.17)			1673, 4150		498	1672, 3796	2771, 2978		894, 2979	1674, 3791, 4151					1290, 1777, 3792, 4126, 4148
Bacteroides fragilis YCH46 (295405.11)			1659, 4094		577	1658, 3784	2648, 2983		982, 2984	1660, 3779, 4095					1311, 1678, 3780, 4064, 4092
Bacteroides intestinalis DSM 17393 (471870.8)			2564		168, 528				2678, 4191, 4686						3956, 4189
Bacteroides ovatus 3_8_47FAA (665954.3)			4733, 4759		3368, 4519	1898	1101, 1102, 2899		2900, 3004, 3613	1896					1893, 1897, 2892, 4731, 5126
Bacteroides ovatus ATCC 8483 (411476.11)			429, 1654, 1674		541, 4656	430, 3571	126, 127, 2864		1505, 2863, 4190	427, 3569					696, 1875, 2871, 3566, 3570
Bacteroides ovatus SD CC 2a (702444.3)					434, 2613	2455	1675, 4485, 4486		80, 301, 1676	2453					949, 1667, 2450, 2454, 3390
Bacteroides ovatus SD CMC 3f (702443.3)			719, 744		4854, 5435		2084, 2579, 2580		1903, 2083, 4919						1162, 2091, 3529
Bacteroides pectinophilus ATCC 43243 (483218.5)															
Bacteroides plebeius DSM 17135 (484018.6)			1286		2792	841, 1287	1144, 1145		1772, 1773	1285	842				837, 1283, 1870
Bacteroides sp. 1_1_14 (469585.3)			797, 798, 1052, 1122, 3539		1329, 4768	796	2384, 2385, 3522		884, 1890, 3521	799					791, 1141, 1401, 2809, 3542
Bacteroides sp. 1_1_30 (457387.3)			354, 3674, 3693		2726, 4422	355, 4148	2, 3, 2647		2082, 2646, 2976	352, 4150					2655, 3695, 4149, 4153, 5080
Bacteroides sp. 1_1_6 (469586.3)			2818, 3396		3762, 4640	2819	851, 852, 3379		387, 2281, 3378	2817	1482				133, 1655, 2824, 3399
Bacteroides sp. 20_3 (469591.4)	1805		4190		658, 4134	4189	3151, 3353		1274, 3150	4191			3740		1608, 4194, 4547
Bacteroides sp. 2_1_16 (469587.3)			1878		2728	1877, 3843	22, 1957, 1958		23, 2634	1879, 3838					1887, 3839, 4137
Bacteroides sp. 2_1_22 (469588.3)			2780, 2799		2254, 4134	3926	2237, 3381, 3382		1848, 3380	3924					15, 886, 2801, 3921, 3925
Bacteroides sp. 2_1_33B (469589.3)	2409		1631		1691, 1827	1632	4456, 4702		1060, 4455	1629, 1630			946		1626, 3009, 3596
Bacteroides sp. 2_1_56FAA (665938.3)			1909		547	1908, 3059	378, 3711, 3712		899, 3710	1910, 3064					1928, 3063, 4158
Bacteroides sp. 2_1_7 (457388.5)	1938		577		634, 878	578	3593, 5110, 5111		944, 1649, 3594	576					573, 2518, 3113
Bacteroides sp. 2_2_4 (469590.5)			2219, 5686		383, 639	2220	140, 1154, 1155		635, 1156	2217					3586, 4408, 5486
Bacteroides sp. 3_1_19 (469592.4)	2439		813		11, 468	812	1012, 3516, 3517		448, 3518	814			3649		817, 1265, 1918
Bacteroides sp. 3_1_23 (457390.3)			4692, 4717		3071, 3882	1444	613, 614, 2739		953, 2738, 4269	1442					40, 690, 1439, 1443, 2747, 4719

Bacteroides sp. 3_1_33FAA (457391.3)			1692		1295	1691	1153, 1710		1694, 1695	1693					920, 1720
Bacteroides sp. 3_1_40A (469593.3)			3412		3670	3413	3394, 3823		3409, 3410	3411	4072				2263, 3384, 4178
Bacteroides sp. 3_2_5 (457392.3)			3		609	4, 3258	1606, 1826		1565, 1827	2, 3253					1232, 3254, 3540, 4361
Bacteroides sp. 4_1_36 (457393.3)			1019		889				1614, 2968, 3374						
Bacteroides sp. 4_3_47FAA (457394.3)			790		1599	791	774, 1459		787, 788	789	3113				764, 2404, 2447
Bacteroides sp. 9_1_42FAA (457395.6)			398		54	397	417, 524		400, 401	399					427, 2498
Bacteroides sp. D1 (556258.5)			1542, 1561		3521, 3924	2332	2034, 2802, 2803		1395, 2035, 3157	2334					738, 1219, 1563, 2027, 2333, 2337
Bacteroides sp. D2 (556259.3)			397, 415		923, 4858	3430, 3431	2681, 4490, 4491		617, 1394, 2682	3433					395, 2673, 3432, 3436, 5119
Bacteroides sp. D20 (585543.3)			329		1646	3523			411, 936, 2501		3524				3520
Bacteroides sp. D22 (585544.3)			1298, 1741		2774, 3855	1297, 1742, 2327	1563, 1564, 2093		2092, 2582, 4263	1296, 1739, 2325					1299, 1300, 1314, 1802, 2100, 2322, 2326, 3551
Bacteroides sp. HPS0048 (1078089.3)		511				2880			1377, 3765						91, 2877, 3949
Bacteroides stercoris ATCC 43183 (449673.7)			1658		383, 3289	1657	97, 1575		1574, 2872	1656					1659, 1660, 1729
Bacteroides thetaiotaomicron VPI-5482 (226186.12)			436, 453, 3664		2545, 4734		689, 690, 3647		259, 3646, 4194						455, 2798, 3667
Bacteroides uniformis ATCC 8492 (411479.10)			2164		696	2787			181, 1567, 1758		2789				2784
Bacteroides vulgatus ATCC 8482 (435590.9)			4229		198	4228	60, 4244		4231, 4232	4230					635, 2271, 4254
Bacteroides vulgatus PC510 (702446.3)			469		2291	470	760, 1928		466, 467	468					205, 770
Bacteroides xylanisolvens SD CC 1b (702447.3)			2059, 2740		3634, 4395	4031	2747, 2748, 4648		2400, 2508, 4647	4033					1718, 2312, 4032, 4036, 4278, 4657
Bacteroides xylanisolvens XB1A (657309.4)			3244, 3265, 3893		515, 2695	3461, 3892	1696, 2448, 2449		1695, 2032, 3239	3459, 3895					668, 1704, 3456, 3460, 4507
Barnesiella intestinihominis YIT 11860 (742726.3)									2704, 2705						342, 732
Bifidobacterium adolescentis L2-32 (411481.5)					1801		59								
Bifidobacterium angulatum DSM 20098 = JCM 7096 (518635.7)					565										
Bifidobacterium animalis subsp. lactis AD011 (442563.4)															
Bifidobacterium bifidum NCIMB 41171 (398513.5)					479, 1224, 1226, 1507		1228, 1610		1227						1282, 1283
Bifidobacterium breve DSM 20213 = JCM 1192 (518634.7)	1536	206			882, 883, 1821	212	880, 1824		881, 1823				208, 210, 211		214
Bifidobacterium breve HPH0326 (1203540.3)	237	238			1043, 1412	245	1415		1414				244		248, 1934
Bifidobacterium catenulatum DSM 16992 = JCM 1194 (566552.6)							190								

Bifidobacterium dentium ATCC 27678 (473819.7)				909, 1413		907									
Bifidobacterium gallicum DSM 20093 (561180.4)		1521			1560	1408		1559				1561, 1562, 1563, 1564			
Bifidobacterium longum DJO10A (Prj:321) (205913.11)				493, 494, 495		491		492							
Bifidobacterium longum NCC2705 (206672.9)				198, 199, 200, 1746		202		201							
Bifidobacterium longum subsp. infantis 157F (565040.3)				1332, 1333, 1334		1330		1331							
Bifidobacterium longum subsp. infantis ATCC 15697 = JCM 1222 (391904.8)	652	653, 2477		905	660	908		907					654, 2424		
Bifidobacterium longum subsp. infantis ATCC 55813 (548480.3)				1366, 1367		1369		1368							
Bifidobacterium longum subsp. infantis CCUG 52486 (537937.5)				1377, 1379, 1380		641, 1382		1381							
Bifidobacterium longum subsp. longum 2-2B (1161745.3)	33			341, 342, 343		339		340							
Bifidobacterium longum subsp. longum 44B (1161743.3)	1649			584, 585, 586		582		583							
Bifidobacterium longum subsp. longum F8 (722911.3)				1929, 1930, 1931		1933		1932							
Bifidobacterium longum subsp. longum JCM 1217 (565042.3)				1308, 1309, 1310		1306		1307							
Bifidobacterium pseudocatenulatum DSM 20438 = JCM 1200 (547043.8)				630, 1743		1740		1741							
Bifidobacterium sp. 12_1_47BFAA (469594.3)				1513, 1514, 1515		1518		1517							
Bilophila wadsworthia 3_1_6 (563192.3)												2980, 3193			
Blautia hansenii DSM 20583 (537007.6)	2021	2023			2022	2031, 2798		817, 2799					2025		
Blautia hydrogenotrophica DSM 10507 (476272.5)	3219	1099, 3189			2917, 3190	3234		1236, 3311		3191					
Bryantella formatexigens DSM 14469 (478749.5)	184	185		4208	3, 183	1279, 2475		1280, 2474			4, 5, 187, 188, 189		769		
Burkholderiales bacterium 1_1_47 (469610.4)															
butyrate-producing bacterium SM4/1 (245012.3)	1049, 1050	1053						1055				84, 85			
butyrate-producing bacterium SS3/4 (245014.3)						646		647							
butyrate-producing bacterium SSC/2 (245018.3)		471, 1995				1999		473							
Butyrivibrio pullicaecorum 1.2 (1203606.4)								641, 2843							
Butyrivibrio crossotus DSM 2876 (511680.4)															
Butyrivibrio fibrisolvens 16/4 (657324.3)															
Campylobacter coli JV20 (864566.3)															
Campylobacter upsaliensis JV21 (888826.3)															
Catenibacterium mitsuokai DSM 15897 (451640.5)	500					1825		429, 989							
Cedecea davisae DSM 4568 (566551.4)	346			1464		959		960							
Citrobacter freundii 4_7_47CFAA (742730.3)	1520	294			1522	2811		2812	1521				2100		
Citrobacter sp. 30_2 (469595.3)	3019	2620		1778	3021	1321		1322	3020				3187		
Citrobacter youngae ATCC 29220 (500640.5)	3896	3897, 4183		1202	3899	3177		3178	3898				613		

Clostridiales bacterium 1_7_47FAA (457421.5)	1141	1147				1145	3312, 4354		4352, 4353, 5717		1143			890, 3112, 4350		
Clostridium asparagiforme DSM 15981 (518636.5)	3603	3430, 3604, 5452				3594, 3909	1833, 2622, 3333		94, 465, 906, 1839, 1840, 3334			2141, 2143		5177		
Clostridium bartlettii DSM 16795 (445973.7)																
Clostridium bolteae 90A5 (997893.5)	3770	3775, 3960			5207	273, 2663, 3774, 3962	6127		4812, 4894		3772	4050		4302, 5479		
Clostridium bolteae ATCC BAA-613 (411902.9)	2131	2136, 4204				595, 2135, 4202, 6013	4493		936, 1657		2133	4119		83		
Clostridium celatum DSM 1785 (545697.3)	976	3006					3277		2387							143
Clostridium cf. saccharolyticum K10 (717608.3)	1509	1505				1506	1503		1504		1507			2059, 2060, 3207		
Clostridium citroniae WAL-17108 (742733.3)	4302, 5276	1963, 4307				1964, 4306, 4353	2681, 5553, 6173		2682, 5759, 6182		4304, 4305	11, 1199, 1200, 1959, 1960, 1961, 4639, 4640, 4641		2322, 4847		
Clostridium clostridioforme 2_1_49FAA (742735.4)	1884	1693, 1879				1691, 1880, 4223	5004		1363, 4630		1882	476, 1604, 4225, 4226, 4227		1613, 1613, 2769, 3193		
Clostridium difficile CD196 (645462.3)	2195	2200				2199	925		926		2198					2507
Clostridium difficile NAP07 (525258.3)	1835	1830				1831	1900		1899		1832					1490
Clostridium difficile NAP08 (525259.3)	1095	1090				1091	1964		1965		1092					778
Clostridium hathewayi WAL-18680 (742737.3)	1003, 4245	4246				4896, 5127	627, 3547, 4459, 4554	352	621, 3525, 4460, 5054			143, 4240, 4241, 4242		5013		854
Clostridium hiranonis DSM 13275 (500633.7)	384	380				381	1746		1747		382					
Clostridium hylemonae DSM 15053 (553973.6)	2860	2864				2863	2858		1168, 2865, 3353		2862					3500
Clostridium leptum DSM 753 (428125.8)							602		755							
Clostridium methylpentosum DSM 5476 (537013.3)																
Clostridium nexile DSM 1787 (500632.7)							656		655					261		489, 2775
Clostridium perfringens WAL-14572 (742739.3)	1742, 2740	2744				2743	1842		2487		2742					152, 1947, 2737
Clostridium ramosum DSM 1402 (445974.6)	2081	590, 803			861		2050, 2352		575, 1785, 1946, 2908							143, 1584
Clostridium scindens ATCC 35704 (411468.9)	430	425				426	432		2964		427					2284
Clostridium sp. 7_2_43FAA (457396.3)	55	171, 1989, 3419				180, 1993	2860		21			175, 176, 177				179
Clostridium sp. 7_3_54FAA (665940.3)	238	237				246	2695		1895, 4893					1241, 2299, 2300		
Clostridium sp. D5 (556261.3)	4580	4579			748	38, 1421	967, 4582		1045, 4581							

Clostridium sp. HGF2 (908340.3)	1586, 2540	1557, 1704, 1765				1346, 1992, 2904		1341, 2679, 2681, 2682					4037		
Clostridium sp. L2-50 (411489.7)															
Clostridium sp. M62/1 (411486.3)	2348	2353			2352	2355		2354		2350, 2351			1916, 1917		
Clostridium sp. SS2/1 (411484.7)		982, 2338				986		2340					506		
Clostridium spiroforme DSM 1552 (428126.7)		2087						1540							
Clostridium sporogenes ATCC 15579 (471871.7)						804		805, 1535						214, 2570	
Clostridium symbiosum WAL-14163 (742740.3)	3352	3353			3344	2736		2149, 4897					1824, 3839, 3840, 4346		
Clostridium symbiosum WAL-14673 (742741.3)	2560	2559			2568	3393		2975, 3644					4358, 4482, 4483		
Collinsella aerofaciens ATCC 25986 (411903.6)	1949	1948			1950			658				1953, 1954, 1955, 1956			
Collinsella intestinalis DSM 13280 (521003.7)	935	936			934			314				931, 932		733	
Collinsella stercoris DSM 13279 (445975.6)		536, 1466, 1688					635	294, 636							
Collinsella tanakaei YIT 12063 (742742.3)	28	29			27			1224							
Coprobacillus sp. 29_1 (469596.3)	212, 1614, 1737	476					1355, 1361, 2040, 2663	2041, 3024, 3096, 3832						248, 518, 519, 1064	
Coprobacillus sp. 3_3_56FAA (665941.3)	3290	1245, 2545		2598	1314		2932, 3323	1994, 2330, 2561, 3427						672, 801, 3166	
Coprobacillus sp. 8_2_54BFAA (469597.4)	3413	142, 363, 1145, 2602		2541	414		1380, 3382	1035, 2587, 2822, 3276						45, 149, 152, 1639, 1835	
Coprobacillus sp. D6 (556262.3)	1467, 1674, 2903	1381					285, 2085, 3380, 3386	2086, 2441, 2512, 3558						1341, 1342, 1343, 1431, 3093	
Coprococcus catus GD/7 (717962.3)							1169	1168							
Coprococcus comes ATCC 27758 (470146.3)							921	920					2991		
Coprococcus eutactus ATCC 27759 (411474.6)	2177														
Coprococcus sp. ART55/1 (751585.3)	707														
Coprococcus sp. HPP0048 (1078091.3)	1629	1631			1630	1628		2398			1634, 1635, 1636			412, 2182	
Coprococcus sp. HPP0074 (1078090.3)						2570		2160						1447, 1942	
Corynebacterium ammoniagenes DSM 20306 (649754.3)	1161	1160			1164	1162		1163, 1365				1166, 1167, 1168, 1169			
Corynebacterium sp. HFH0082 (1078764.3)								1058							
Dermabacter sp. HFH0086 (1203568.3)	448	449			447	1885		1448						446, 451	
Desulfitobacterium hafniense DP7 (537010.4)								2421					733, 1247, 1248, 2966, 2966		
Desulfovibrio piger ATCC 29098 (411464.8)															
Desulfovibrio sp. 3_1_syn3 (457398.5)													1676		
Dorea formicigenerans 4_6_53AFAA (742765.5)	2582	2583				2580		446, 2581						701	
Dorea formicigenerans ATCC 27755 (411461.4)	296	292			293	298		291, 2352		294				2628	
Dorea longicatena DSM 13814 (411462.6)	1624	1620			1621	1626		1532, 1619		1622					

Dysgonomonas gadei ATCC BAA-286 (742766.3)				692		2316		2317, 2594, 2595						
Dysgonomonas mossii DSM 22836 (742767.3)			2522	2584				660, 661						
Edwardsiella tarda ATCC 23685 (500638.3)	428, 999	429		1136	1001, 1002, 1030	1782		1781	1000	1032				
Eggerthella sp. 1_3_56FAA (665943.3)	2463	2464			2462	2466		2467				2457, 2459, 2460, 2461		
Eggerthella sp. HGA1 (910311.3)	212	211			213	209		208				214, 215, 216, 218		
Enterobacter cancerogenus ATCC 35316 (500639.8)	3823	3824		942	3826	2210		2211	3825				3087	
Enterobacter cloacae subsp. cloacae NCTC 9394 (718254.4)	2724	2253			2726	1109		1518	2725				1878	
Enterobacteriaceae bacterium 9_2_54FAA (469613.3)	3352	3351			1738	358		359	1737					
Enterococcus faecalis PC1.1 (702448.3)	1197, 2176	117				45		1967						
Enterococcus faecalis TX0104 (491074.3)	1617	1371, 2138				15		2461, 2476						
Enterococcus faecalis TX1302 (749513.3)	2523	355, 548				2003		133						
Enterococcus faecalis TX1322 (525278.3)	219	1965, 2618				703		2324						
Enterococcus faecalis TX1341 (749514.3)	1855	1074, 1611				2552		1562						
Enterococcus faecalis TX1342 (749515.3)	2596	842				2106		1412, 1427						
Enterococcus faecalis TX1346 (749516.3)	654	757				537		1072, 1088						
Enterococcus faecalis TX2134 (749518.3)	1167	1609, 1789				2963		1085						
Enterococcus faecalis TX2137 (749491.3)	1986	453, 1394				877		1795						
Enterococcus faecalis TX4244 (749494.3)	1726	31, 2666				1240		2109						
Enterococcus faecium PC4.1 (791161.5)	1238, 2249	119				46		2035						
Enterococcus faecium TX1330 (525279.3)	727	256				1138		1885						
Enterococcus saccharolyticus 30_1 (742813.4)	179, 1708, 2243, 2529	2353				2285		1520						
Enterococcus sp. 7L76 (657310.3)	276	2684				2584		1762, 1776						
Erysipelotrichaceae bacterium 21_3 (658657.3)	1389, 2061	1358, 1508, 2832				785, 2394, 3564		791, 1901, 1903, 1904, 2307					111	
Erysipelotrichaceae bacterium 2_2_44A (457422.3)	403, 4061	285, 441, 2576				1077, 2652, 3964		1072, 2200, 2202, 2203, 2568					1677	
Erysipelotrichaceae bacterium 3_1_53 (658659.3)	451, 4493	399, 3300				53, 902, 1588		47, 3873					1310	
Erysipelotrichaceae bacterium 5_2_54FAA (552396.3)		1806, 2695				56, 1943, 2205		2201					874	
Erysipelotrichaceae bacterium 6_1_45 (469614.3)	539, 4836	3111, 4727, 4865				1143, 2928, 4186		399, 400, 402, 2847, 4181					1706	
Escherichia coli 4_1_47FAA (1127356.4)	2310	2311			2313	479		480	2312				1551	
Escherichia coli MS 107-1 (679207.4)	2517	2516		1836	2514	2785		2784	2515					

Escherichia coli MS 115-1 (749537.3)	2602	2603				2605	3985		3984	2604									
Escherichia coli MS 116-1 (749538.3)	3534	3535			2112	3537	4287		4288	3536									
Escherichia coli MS 119-7 (679206.4)	4133	4134			871	4136	4582, 5234		4583	4135									
Escherichia coli MS 124-1 (679205.4)	2806	2805			4108	2803	682		683	2804									
Escherichia coli MS 145-7 (679204.3)	954	955			3623	957	2594		2593	65, 956									
Escherichia coli MS 146-1 (749540.3)	1508	1509			1147	1511	2459		2458	1510									
Escherichia coli MS 175-1 (749544.3)					1972														
Escherichia coli MS 182-1 (749545.3)	3862	3860, 3861			839	3858	4959		4958	3859									
Escherichia coli MS 185-1 (749546.3)	2013	2012			4731	2010	129		130	2011			1920						
Escherichia coli MS 187-1 (749547.3)	2153	2154			666	2156	3717		3718	2155									
Escherichia coli MS 196-1 (749548.3)	4352	4351			5030	4349	4456		4455	4350			732						
Escherichia coli MS 198-1 (749549.3)	7, 2097	2098			1124	6, 1976	4821		4822	8, 2099			4035						
Escherichia coli MS 200-1 (749550.3)	1350	1349			2046	1347	4782		4781	136, 1348			3916, 4065						
Escherichia coli MS 21-1 (749527.3)	2863	2864			3367	2866	2619		2618	2865			2224						
Escherichia coli MS 45-1 (749528.3)	343, 4178	4179			764	344, 4181	3971		3970	342, 4180			510						
Escherichia coli MS 69-1 (749531.3)	1041, 2639	2640			3045	1042, 2642	4037		4036	1040, 2641			1944						
Escherichia coli MS 78-1 (749532.3)	1272	1271				1269	3612		3613	1270									
Escherichia coli MS 79-10 (796392.4)	2687	2688			4513	2690	2328		2329	2689									
Escherichia coli MS 84-1 (749533.3)	2360	2361			650	2363	5347		5348	2362									
Escherichia coli MS 85-1 (679202.3)	1097	1098			4732	1100	2801		2800	1099									
Escherichia coli O157:H7 str. Sakai (386585.9)	4275	4276			1599	4278	819		820	4277									
Escherichia coli SE11 (409438.11)	3671	3672			1320	3674	861		862	3673									
Escherichia coli SE15 (431946.3)	3181	3182, 4345			1068	3184	631		632	3183			2979						
Escherichia coli str. K-12 substr. MG1655 (511145.12)	3318	3319			1165	3321	702		703	3320									
Escherichia coli UTI89 (364106.8)	3608	3609			1322	3611	766		767	3610			3410						
Escherichia sp. 1_1_43 (457400.3)	874, 1160	1161				875, 1163				873, 1162									
Escherichia sp. 3_2_53FAA (469598.5)	1001	1000, 3565			819	998	341		340	999			1200						
Escherichia sp. 4_1_40B (457401.3)	2964	2963			1071	2961	1840		1839	2962									
Eubacterium bifforme DSM 3989 (518637.5)		1891, 2228					272		30				941						
Eubacterium cylindroides T2-87 (717960.3)		695, 1246, 1551							1444										Kinase I is not found
Eubacterium dolichum DSM 3991 (428127.7)		1792					276, 845		282										
Eubacterium hallii DSM 3353 (411469.3)		1640					1642		1639				587						
Eubacterium rectale DSM 17629 (657318.4)							602		601				2275						
Eubacterium rectale M104/1 (657317.3)							1724		1725				1649						Transporter is not found
Eubacterium siraeum 70/3 (657319.3)												2128							
Eubacterium siraeum DSM 15702 (428128.7)												2046							
Eubacterium siraeum V10Sc8a (717961.3)												2523							
Eubacterium sp. 3_1_31 (457402.3)		1250, 1950					303, 1628, 2852		307										
Eubacterium ventriosum ATCC 27560 (411463.4)							865		864, 1748, 2197										
Faecalibacterium cf. prausnitzii KLE1255 (748224.3)	1956	1955				1953			7			1950, 1951, 1952	77						
Faecalibacterium prausnitzii A2-165 (411483.3)	1817	1816				1814	104		105			1811, 1812, 1813							
Faecalibacterium prausnitzii L2-6 (718252.3)	2400	2401				2403			1289			2405, 2406, 2407	656						
Faecalibacterium prausnitzii M21/2 (411485.10)	231	232				234	1937		498, 1059			235, 236, 237	1412						
Faecalibacterium prausnitzii SL3/3 (657322.3)		1517				1515	1777		847, 901			1512, 1513, 1514	2058						Transporter is not found
Fusobacterium gonidiaformans ATCC 25563 (469615.3)	322	324				323	53		1472				320, 321, 321						
Fusobacterium mortiferum ATCC 9817 (469616.3)	2503	799, 2505				2361	1073, 1669		1668		2499		2501, 2502, 2502						



Fusobacterium necrophorum subsp. funduliforme 1_1_36S (742814.3)	2378, 2379, 2380	2376			2377	1309, 1310		1481, 1482				2381, 2381, 2382		
Fusobacterium sp. 11_3_2 (457403.3)	1345	1347			1346	980		1079				930, 1343, 1344, 1344		
Fusobacterium sp. 12_1B (457404.3)	2966	1042, 2962, 2963			2964	178		442				2968, 2968, 2969		
Fusobacterium sp. 1_1_41FAA (469621.3)	671	669			670	625		1423				672, 672, 673, 800		
Fusobacterium sp. 21_1A (469601.3)						525		398				1343		
Fusobacterium sp. 2_1_31 (469599.3)						733		933				50		
Fusobacterium sp. 3_1_27 (469602.3)	1736	1734			1735	828		818				687, 1737, 1737, 1738		
Fusobacterium sp. 3_1_33 (469603.3)						768		550				250		
Fusobacterium sp. 3_1_36A2 (469604.3)	442	444			443	1169		1179				440, 441, 441, 1302		
Fusobacterium sp. 3_1_5R (469605.3)	403	401			402	150		72				404, 404, 405		
Fusobacterium sp. 4_1_13 (469606.3)	653	655			654	1527		1537				318, 651, 652, 652		
Fusobacterium sp. 7_1 (457405.3)						780		470				1329		
Fusobacterium sp. D11 (556264.3)	1088	1090, 1697			1089	1986		239				1086, 1087, 1087, 1341		
Fusobacterium sp. D12 (556263.3)	731	733			732	1492		1065				729, 730, 730		
Fusobacterium ulcerans ATCC 49185 (469617.3)	2319	732, 2322			2321	195		2144				1276, 2316, 2317, 2317		
Fusobacterium varium ATCC 27725 (469618.3)	324	327, 2930			326	2033		2614				321, 322, 322, 645		
Gordonibacter pamelaeeae 7-10-1-b (657308.3)			1691		1690			1694			1686, 1687, 1688, 1689			
Hafnia alvei ATCC 51873 (1002364.3)	1352	1353			134	4024		2230, 4025	133					
Helicobacter bilis ATCC 43879 (613026.4)														
Helicobacter canadensis MIT 98-5491 (Prj:30719) (537970.9)												941		
Helicobacter cinaedi ATCC BAA-847 (1206745.3)												1116		
Helicobacter cinaedi CCUG 18818 (537971.5)												1243		
Helicobacter pullorum MIT 98-5489 (537972.5)												362		
Helicobacter winghamensis ATCC BAA-430 (556267.4)												941		
Holdemania filiformis DSM 12042 (545696.5)		132, 217, 501, 925				1184, 1185, 2175		1188, 1784, 2076						
Klebsiella pneumoniae 1162281 (1037908.3)	4821	1170				2760		2761						
Klebsiella pneumoniae subsp. pneumoniae WGLW5 (1203547.3)	3084	3896				849		850						
Klebsiella sp. 1_1_55 (469608.3)	86	2889		2261		1792		1793						
Klebsiella sp. 4_1_44FAA (665944.3)	4348	4533				1579		1580						
Lachnospiraceae bacterium 1_1_57FAA (658081.3)								1668					1719, 1809, 2267, 2539, 2540	
Lachnospiraceae bacterium 1_4_56FAA (658655.3)	286	287				2720		941						
Lachnospiraceae bacterium 2_1_46FAA (742723.3)						1212		1213					1454	
Lachnospiraceae bacterium 2_1_58FAA (658082.3)						2454		618						
Lachnospiraceae bacterium 3_1_46FAA (665950.3)								1250					571, 1075, 2928	

Lachnospiraceae bacterium 3_1_57FAA_CT1 (658086.3)	5697, 7047	5699, 7049			5701	7342		7343			5702, 5703, 5704			2757	
Lachnospiraceae bacterium 4_1_37FAA (552395.3)	1970	1972			1971	1969		2419			1975, 1976, 1977			268, 2689	
Lachnospiraceae bacterium 5_1_57FAA (658085.3)	1671	1676			1675	1669		241		1674				2127	
Lachnospiraceae bacterium 5_1_63FAA (658089.3)		1694			1124	982		1692					731		
Lachnospiraceae bacterium 6_1_63FAA (658083.3)						1271, 2492		1272, 1614							
Lachnospiraceae bacterium 7_1_58FAA (658087.3)			3868		3862	3534, 3860		3535, 3861			3863, 3864, 3865			1408	
Lachnospiraceae bacterium 8_1_57FAA (665951.3)								1984						1695, 1800, 1801, 1937, 2355	
Lachnospiraceae bacterium 9_1_43BFAA (658088.3)						1719		2131						842, 1278, 2348	
Lactobacillus acidophilus ATCC 4796 (525306.3)				39				1612							
Lactobacillus acidophilus NCFM (272621.13)				1433		140		1852							
Lactobacillus amylolyticus DSM 11664 (585524.3)				417		1310		909							
Lactobacillus antri DSM 16041 (525309.3)	1895	1894			1896	1891		1892	1898						
Lactobacillus brevis ATCC 367 (387344.15)						520		666							
Lactobacillus brevis subsp. gravesensis ATCC 27305 (525310.3)						2620									
Lactobacillus buchneri ATCC 11577 (525318.3)						1815									
Lactobacillus casei ATCC 334 (321967.11)						1787		2831							
Lactobacillus casei BL23 (543734.4)	2706					1929		2971							
Lactobacillus crispatus 125-2-CHN (575595.3)			764			1861		1510							
Lactobacillus delbrueckii subsp. bulgaricus ATCC 11842 (390333.7)						177		1918							
Lactobacillus delbrueckii subsp. bulgaricus ATCC BAA-365 (321956.7)						171		1913							
Lactobacillus fermentum ATCC 14931 (525325.3)															
Lactobacillus fermentum IFO 3956 (334390.5)															
Lactobacillus gasserii ATCC 33323 (324831.13)	195	1615		1559				1776							
Lactobacillus helveticus DPC 4571 (405566.6)				1656, 1657				2205							
Lactobacillus helveticus DSM 20075 (585520.4)				1317				60							
Lactobacillus hilgardii ATCC 8290 (525327.3)						2003									
Lactobacillus johnsonii NCC 533 (257314.6)	207	1666		1610				1824							
Lactobacillus paracasei subsp. paracasei 8700:2 (537973.8)	1220, 1475					835		1126							
Lactobacillus paracasei subsp. paracasei ATCC 25302 (525337.3)	1832					687		1689							
Lactobacillus plantarum 16 (1327988.3)	2400, 2859	2861			2860	501		207		2855					
Lactobacillus plantarum subsp. plantarum ATCC 14917 (525338.3)	324, 646, 2855	595				1151		160							
Lactobacillus plantarum WCFS1 (220668.9)	361, 2474, 2976, 3030	2979			2977	466		188		2973					
Lactobacillus reuteri CF48-3A (525341.3)								1764							
Lactobacillus reuteri DSM 20016 (557436.4)								1035							
Lactobacillus reuteri F275 (299033.6)								1010							
Lactobacillus reuteri MM2-3 (585517.3)								1454							
Lactobacillus reuteri MM4-1A (548485.3)								967							
Lactobacillus reuteri SD2112 (491077.3)								1846							
Lactobacillus rhamnosus ATCC 21052 (1002365.5)						1920		1648							





Tannerella sp. 6_1_58FAA_CT1 (665949.3)					341			2008, 2009							
Turicibacter sp. HGF1 (910310.3)	1327, 2390	326				1330	2230, 2553	1326, 2552			603, 604, 605				
Turicibacter sp. PC909 (702450.3)	664, 808, 2285	2575				2282	2042, 2454	2286, 2455			2402, 2403, 2404				
Veillonella sp. 3_1_44 (457416.3)															
Veillonella sp. 6_1_27 (450749.3)															
Weissella paramesenteroides ATCC 33313 (585506.3)		1042					1380	578							
Yokenella regensburgei ATCC 43003 (1002368.3)	1461	1858				1459	2353	2354	1460						



Bacteroides cellulosilyticus DSM 14838 (537012.5)		983, 1946, 4504, 4885	4506		102, 103	377, 656, 3700, 3868, 3924											178, 179, 205, 214, 406, 407, 408, 621, 1187, 1206, 1248, 1368, 1375, 1498, 1551, 1618, 1757, 1764, 1896, 1974, 2122, 2294, 2316, 2328, 2543, 2548, 2550, 2676, 2992, 3116, 3280, 4047,	180, 537, 2542, 3102	108, 785, 1893, 2999		1770, 1771, 1772, 4642, 4642, 4781, 5064	1772, 4025, 4781, 5064				
Bacteroides clarus YIT 12056 (762984.3)		373	371		2589	798													225, 587, 1659, 1664, 1769, 1777, 2168,				2116, 2124, 2674	2116, 2674		
Bacteroides coprocota DSM 17136 (470145.6)	2943	2685, 3092, 3121	3094		3155	573, 2177													1650, 1685, 1744, 2155, 2166, 2554, 3214, 3495, 3660, 3661				377, 2763, 3565	377, 3565		
Bacteroides coprophilus DSM 18228 (547042.5)		3047	3045		2303	660													80, 121, 299, 950, 1117, 2609, 2610, 2723, 2728, 2781, 2782, 2832, 3146, 3173, 3262	1773, 3141, 3144			531, 2028	2028		
Bacteroides dorei DSM 17855 (483217.6)		1375, 3350, 3465, 3469, 4170	3467		59, 890	891, 2494, 2504													44, 134, 328, 373, 395, 636, 1023, 1088, 1633, 1861, 2100, 2848, 2849, 2878, 2882, 2908, 3007, 3154, 3309, 3348, 3964, 3972, 3973, 4281, 4293	1136, 374, 375			962, 4166	4166		
Bacteroides eggerthii 1_2_48FAA (665953.3)		1890, 3240, 3253	3242		1197	2383, 2669, 3214													504, 505, 674, 675, 1018, 1026, 1155, 1165, 1166, 1167, 1170, 2146, 2342, 2897, 3387, 3546, 3776	668, 673, 2274			2323	2323		

Bacteroides eggerthii DSM 20697 (483216.6)	216, 1162, 1174	1172	612	82, 1197, 1202, 2162, 2396						1173						570, 579, 580, 581, 584, 659, 1085, 1898, 1899, 2344, 2680, 3059, 3067	951						
Bacteroides finegoldii DSM 17565 (483215.6)	2218, 2226	2224	2955	1794, 1811, 2793, 3155						2225						127, 342, 1297, 1310, 1951, 1956, 1957, 1959, 2992, 3068, 3116, 3818	2207, 2832	1309		125, 3512, 4046	3512		
Bacteroides fluxus YIT 12057 (763034.3)	517, 654	656	1246	164, 1058, 2206, 2392, 3194						655						1193, 198, 226, 509, 554, 556, 1086, 1673, 2321, 3096, 3267	207, 225, 1563			119, 1662, 3492	119, 3492		
Bacteroides fragilis 3_1_12 (457424.5)	320, 2600, 4068	318	4636	219, 480, 1527, 1562, 1994, 3668						319						328, 395, 398, 545, 864, 947, 1828, 1834, 2129, 2292, 2579, 2514, 2818, 2782, 3291, 3435, 3653, 4521	2291, 3652, 4334			152, 2660, 2665, 4062	2660		
Bacteroides fragilis 638R (862962.3)	361, 1672, 4454	1670	4122	809, 1463, 1464, 1574, 1903, 2653, 2662, 2674, 3896						1671						30, 146, 342, 346, 390, 639, 734, 932, 937, 1681, 1747, 1941, 3197, 3336	640, 3880, 4015, 4282, 4283, 4319			287, 293, 561, 1512, 4461	293, 561		
Bacteroides fragilis NCTC 9343 (272559.17)	293, 1622, 4301	1620	4012	1011, 1527, 1889, 2603, 2612, 2624, 3727, 3728, 3765						1621						30, 153, 3748, 273, 277, 320, 563, 652, 841, 846, 1631, 1786, 1923, 3118, 3250	564, 3748, 3876, 4162			223, 228, 486, 1386, 4307	228, 486		
Bacteroides fragilis YCH46 (295405.11)	377, 1605, 4225	1603	3958	1512, 1797, 2476, 2502, 3500						1604						71, 224, 355, 359, 404, 640, 748, 932, 937, 1614, 1687, 1690, 1834, 3115, 3244	642, 3741, 3867, 4104			301, 311, 565, 1451, 4231	311, 565		



Bacteroides intestinalis DSM 17393 (471870.8)	175, 867, 1175, 2613, 2629	2615	4579	2172, 2372, 2503, 2515, 2897, 2900							2614						323, 350, 539, 788, 799, 829, 865, 901, 1009, 1016, 1108, 1163, 1246, 1353, 1467, 1470, 1472, 1618, 2242, 2596, 2692, 2839, 2864, 2875, 4059, 4115, 4116, 4499, 4502, 4505, 4510, 4542	303, 3973	4049, 4574	1002, 2550, 2881, 3023, 4544	2881, 3023	
Bacteroides ovatus 3_8_47FAA (665954.3)	2943, 4833, 4840	4835	2667	1000, 1209, 1226, 1547, 1742, 3406							4834						127, 258, 308, 310, 315, 317, 376, 592, 976, 1291, 2123, 2340, 2704, 2800, 2958, 2981, 3385, 3709, 3738, 3739, 3743, 4093, 4563, 5006, 5020	2492, 2979, 2980, 4592	2979, 2980, 4592	129, 415, 3516, 4460, 4748, 4919	415, 3516, 4919	
Bacteroides ovatus ATCC 8483 (411476.11)	1581, 1585, 2824	1583	3102	24, 210, 3172, 4710							1584						232, 400, 419, 420, 422, 811, 1182, 1541, 1731, 1732, 1748, 1820, 1821, 1827, 2172, 2189, 2225, 2265, 2279, 2285, 2331, 2348, 2599, 2810, 2967, 3066, 3717, 4205, 4241, 4317, 4673	2940, 4408	4206, 4207	606, 800, 813, 1684, 2101, 2324	800, 2101	

Bacteroides ovatus SD CC 2a (702444.3)	306, 1735, 1741	1739		2031	254, 775, 1727													54, 55, 152, 234, 285, 286, 321, 502, 1056, 1934, 2304, 2712, 2715, 3670, 3888, 3976, 4176, 4287, 4334, 4680, 4794	1450, 1651, 2032	3216, 3801, 4288, 4348, 4350		2713, 3049, 3797, 4149, 4678	2713, 3049, 3797		
Bacteroides ovatus SD CMC 3f (702443.3)	1595, 1599, 2021	1597		3011	1270, 1623, 1663, 1684, 1739, 1740, 4326									1596	1611			60, 256, 355, 615, 900, 1295, 1296, 1558, 2006, 2249, 2956, 3041, 3122, 3351, 3352, 3356, 3859, 3861, 3875, 4197, 5415	280, 2153, 2333, 2904	1559, 1560, 3227, 3229		1941, 2942, 2943, 2945, 3858, 3873, 4795	1941		
Bacteroides pectinophilus ATCC 43243 (483218.5)				983	166, 251, 994, 2781																				
Bacteroides plebeus DSM 17135 (484018.6)	2011, 2124	2009		86	814, 1690										2010				45, 460, 471, 488, 895, 912, 979, 980, 1214, 1330, 1350, 1363, 1367, 1640, 1641, 1670, 2133, 2330, 3219, 3286, 3290, 3306, 3329	3341, 3415	964		463, 493, 1240, 2195, 3374, 3475	3374, 3475	
Bacteroides sp. 1_1_14 (469585.3)	974, 990, 2690, 3477, 3480	988		3742	2271										989				21, 65, 646, 758, 761, 766, 767, 1147, 1345, 1361, 1799, 2189, 2206, 2207, 2208, 2212, 2213, 2476, 2594, 2687, 2884, 3201, 3330, 3459, 3909, 3910, 3956	770, 913, 1059, 3589	753		763, 2831, 3772, 4679, 4817	3772, 4817	

Bacteroides sp. 1_1_30 (457387.3)	2585, 3597, 3602	3600	4626	82, 2774, 3024, 3347, 3367						3601					323, 344, 345, 348, 916, 1149, 1392, 1743, 1757, 2093, 2119, 2248, 2354, 2357, 2571, 2741, 4598, 4846, 5184	2717	2094, 2095, 2450, 4501	1729, 1730, 1732, 2246, 2355, 2455, 2509, 4387	2355, 2455, 2509
Bacteroides sp. 1_1_6 (469586.3)	1017, 1143, 1446, 3319, 3322	1141	3609	913, 1407						1142					139, 471, 475, 476, 485, 710, 1324, 1374, 1755, 1801, 2162, 2226, 2252, 2253, 2254, 2260, 2365, 3777, 3854, 4019, 4247, 4804, 5119, 5140	532, 2248, 2808, 3456	2259	1240, 1444, 1937, 2251, 3383, 4712	1444, 1937
Bacteroides sp. 20_3 (469591.4)	845, 1633	1631	2110	3604						1632					98, 120, 121, 1147, 1920, 2275, 2837, 3273, 3639, 4829, 4830	2164		1456, 2113, 3670	1456, 3670
Bacteroides sp. 2_1_16 (469587.3)	1827, 2534, 4010	1825	4486	119, 1091, 1115, 1392, 1622, 1727, 3672, 4464						1826					155, 1836, 1896, 1899, 1995, 2185, 2190, 2281, 2397, 2517, 2521, 2562, 2792, 2884, 3013	2793, 3797, 4272		1669, 2471, 2466, 2471, 2717, 4004	2471, 2717
Bacteroides sp. 2_1_22 (469588.3)	127, 2705, 2711	2709	982	1915, 2416, 2875, 3786						2710					142, 292, 582, 733, 760, 763, 1010, 1347, 1486, 2298, 2302, 2303, 2323, 2395, 2530, 3317, 3342, 3343, 3528, 4550	326, 864, 1128, 3318, 3641, 4069, 4071		205, 731, 761, 860, 4058	205, 761, 860
Bacteroides sp. 2_1_33B (469589.3)	1431, 3623, 3683	3621	1139	1074, 3797						3622					551, 1040, 1279, 1470, 2131, 2270, 2271, 2525, 3388	1181		1013, 3682, 3845	1013, 3682, 3845

Bacteroides sp. 2_1_56FAA (665938.3)	350, 1855, 4275	1853	4863	889, 1184, 1758, 2040, 2053, 2797, 2818, 3096, 3159							1854					87, 205, 329, 334, 380, 704, 1004, 1009, 1866, 1937, 2106, 3780, 3996	705, 3112, 4755			278, 283, 536, 1675, 4282	283, 536
Bacteroides sp. 2_1_7 (457388.5)	722, 3092	3094	2800	2870							3093					403, 404, 421, 1509, 2049, 2904, 3718	2751			2928, 4144	2928, 4144
Bacteroides sp. 2_2_4 (469590.5)	860, 872, 2667	862	3381	3806, 3881, 4617, 4820							861	884				148, 620, 1290, 1320, 1482, 1496, 1498, 1664, 1824, 1825, 1909, 2186, 2207, 2208, 2213, 2682, 2812, 2830, 3408, 4320, 4594, 4727, 4728, 4735, 4949	2001, 2879, 3527, 4973	4, 6, 1665, 1666, 1667, 2635		1056, 1484, 1499, 2740, 2841, 2843, 2844, 4318, 4742, 5656, 5657	1056, 2740, 4318
Bacteroides sp. 3_1_19 (469592.4)	645, 1286	1284	2555	733, 3787, 3864							1285					163, 967, 989, 1754, 2328, 2772, 3510, 3752	2606			2558, 3718, 3926	3718, 3926
Bacteroides sp. 3_1_23 (457390.3)	874, 880, 2675	876	2992	501, 782, 856, 1226, 3926							875	892				93, 97, 98, 118, 476, 920, 1588, 1693, 1707, 1709, 1831, 1875, 1877, 1882, 1884, 1947, 1948, 1967, 2472, 2490, 2649, 2763, 2849, 2956, 3281, 3896, 4283, 4309, 4310, 4392, 4881	2427, 2703, 3141, 3143, 4483, 4285			1695, 1710, 2458, 2459, 2461, 2570, 3008	2570

Bacteroides sp. 3_1_33FAA (457391.3)	793, 796, 889, 2337, 3764	795		1444, 3025	119, 1443													164, 373, 374, 382, 890, 938, 1085, 1263, 1285, 1711, 1919, 2125, 2202, 2225, 2382, 3006, 3109, 3278, 3428, 3429, 3462, 3467, 3475, 3497, 34972	3568	1283, 1284		2341, 2348, 3472	2341		
Bacteroides sp. 3_1A (469593.3)	1910, 2382, 2385	2383		2857, 4273	1396, 4225, 4274, 4385													653, 276, 402, 643, 678, 1351, 2837, 2839, 2946, 3273, 3281, 3282, 3283, 3393, 3681, 3704, 3860, 3886, 4311, 4768	448	3682, 3683, 3684		227, 241, 902, 3380	227		
Bacteroides sp. 3_2_5 (457392.3)	56, 826, 3419	58		4308	149, 1445, 2725, 2948, 3192, 3193, 3238, 3698, 3708, 4020													47, 256, 251, 459, 546, 798, 841, 845, 974, 1087, 1966, 2100, 3747, 4352	545, 3213, 4085		208, 620, 893, 893, 898, 3413	620, 893			
Bacteroides sp. 4_1_36 (457393.3)	184, 1569, 1573, 2207	1571		3694	1065, 1197, 1212, 1368													194, 643, 696, 699, 771, 773, 780, 902, 1002, 1070, 1813, 2053, 2141, 2142, 2213, 3026, 3511	2042	772		1312, 2138	1312		
Bacteroides sp. 4_3_47FAA (457394.3)	1935, 1938, 2815	1937		1016, 2935	966, 1017													78, 205, 596, 773, 1053, 1566, 1589, 1709, 1786, 2676, 2698, 2718, 2951, 2953, 3618, 3810, 4381, 4382, 4390	1663	1587, 1588		616, 759, 760, 4348			

Bacteroides sp. 9_1_42FAA (457395.6)	1121, 2369, 2372, 2467, 3694	2371		151, 2970	150, 2080						2370				20, 418, 616, 655, 678, 902, 996, 1008, 1349, 1570, 1571, 1579, 2121, 2468, 2469, 2516, 2950, 3053, 3139, 3285, 3286, 3317, 3321, 3347, 3523, 3994	3326, 3950	676, 677		1125, 1133	1125		
Bacteroides sp. D1 (556258.5)	357, 1466, 1473	1471		2071	1051, 2471, 2760, 4268						1472				128, 372, 405, 584, 611, 614, 962, 1257, 1261, 1262, 1295, 1748, 2099, 2544, 2685, 3121, 3122, 3146, 3938, 4451	162, 1860, 1966	717, 3145, 3409, 3411		582, 612, 713, 875, 3449	612, 713, 875		
Bacteroides sp. D2 (556259.3)	495, 505, 2754	497		1794	283, 878, 4349, 4377						496				66, 536, 590, 896, 1260, 1341, 1379, 1683, 1684, 1685, 1690, 1933, 1934, 1999, 2141, 2249, 2267, 2268, 2493, 2584, 2644, 2770, 2776, 2939, 2953, 3146, 3266, 3670, 3991, 4605, 4891, 5010	565, 1377, 1124, 1379, 1170, 4769, 4771 3003		1939, 2247, 2856, 2964, 2966, 2967, 4955	2856			
Bacteroides sp. D20 (585543.3)	977, 981, 1943, 3518	979		641	200, 1135, 2907, 3088, 3207, 3471, 3485						980				84, 528, 1443, 1446, 1521, 1523, 1530, 1658, 1758, 1898, 1904, 1906, 1953, 1990, 1991, 2278, 2279, 2370, 2606, 3578	2379	1522		315, 317, 1080, 2281	1080		

Bacteroides sp. D22 (585544.3)	1042, 4651, 4655	4653		2988	936, 1400, 1490, 1506, 1645, 2193, 3884														286, 414, 682, 901, 1028, 1667, 1711, 1730, 1731, 1735, 2593, 2518, 2699, 2973, 3045, 3484, 3668, 4183	832, 2162	2594, 2595, 2645, 2847	412, 425, 867, 868, 871, 981, 2714	425, 981	
Bacteroides sp. HPS0048 (1078089.3)	265, 813, 2515, 3721	3723		4790	1628, 2235, 2812, 2813, 3474, 3477, 3634, 4680														23, 88, 235, 354, 636, 1055, 1419, 1963, 2090, 2518, 3180, 3183, 3947, 4402, 4404, 4412	466		120, 151, 1949, 4049	151, 1949, 4049	
Bacteroides stercoris ATCC 43183 (449673.7)	1612, 2824	1610		334	1097														537, 809, 1435, 1454, 2246, 3212			2341	2341	
Bacteroides thetaiotaomicron VPI-5482 (226186.12)	355, 370, 2896, 3593, 3596	368		3872	631														461, 773, 1000, 1009, 1010, 1013, 1664, 1815, 2254, 2255, 2721, 2969, 3319, 3153, 3177, 3241, 3359, 3360, 3407, 3577, 4112, 4218, 4223, 4248, 4312, 4748, 4755	289, 3714, 4227	4219	2706, 2898, 3123, 3194, 3651, 4224	2898, 3194	
Bacteroides uniformis ATCC 8492 (411479.10)	1277, 1526, 1529, 2781, 2994	1528		2484	2346, 2727, 2745, 2892														328, 424, 578, 682, 1223, 1289, 1395, 2886, 2888, 3061, 3062, 3218, 3280, 3287, 3290, 3382, 3385, 3435, 3904, 3912	3232	3289	2269, 3065	2269	

Bacteroides vulgatus ATCC 8482 (435590.3)		770, 2297, 2399, 2402, 3717, 3718	2400		386, 3988	3047, 3987, 4127												169, 189, 307, 403, 405, 551, 625, 1029, 1198, 1422, 1836, 1853, 1876, 1877, 2234, 2244, 2296, 2769, 2775, 2776, 3001, 3949, 4245	507	187, 188		660, 763	763		
Bacteroides vulgatus PC510 (702446.3)		231, 323, 3430, 3433	3431		1253, 1628	172, 1254												130, 230, 646, 650, 708, 761, 1063, 1761, 1844, 1878, 2301, 2338, 2345, 2346, 2643, 2775, 3179, 3196, 3205	919	2302, 2303		1033, 2486, 2889	2889		
Bacteroides xylanisolvens SD CC 1b (702447.3)		2585, 2591, 4565	2589		2852	760, 1854, 4805												31, 171, 400, 401, 1150, 1153, 1180, 1817, 2101, 2824, 3069, 3102, 3103, 3312, 3393, 3456, 3639, 3643, 3644, 3723, 4007, 4550	2590	1252, 158, 920, 2027, 2065, 2417		1152, 1152, 2031, 3241	1152, 2031, 3241		
Bacteroides xylanisolvens XB1A (657309.4)		353, 364, 1616	362		3848	1837, 2756												764, 777, 805, 1008, 1420, 1444, 1603, 2043, 2069, 2158, 2708, 3817, 3818, 3900, 3903, 3904, 3957, 4643	363	1076, 1766	584, 586, 589, 2044, 2046	453, 694, 776, 807, 1405, 1406, 1408, 1536	694, 776, 1536		
Barnesiella intestinalis YIT 11860 (742726.3)		1724, 2373	1723		367	2491												511, 725, 738, 2376, 2871				108	2381		
Bifidobacterium adolescentis L2-32 (411481.5)	1142	1788	137	138		706												25, 64, 1984	1376	60, 749, 1375, 1938	18, 318, 830, 1978	18, 318, 830, 1978	1977		
Bifidobacterium angulatum DSM 20098 = JCM 7096 (518635.7)	849		280	281		282												119, 283, 284	291, 1485	246, 728	246, 728				
Bifidobacterium animalis subsp. lactis AD011 (442563.4)	1392		585	586		466												149, 271, 483	48, 491	921, 1598	921, 1598				
Bifidobacterium bifidum NCIMB 41171 (398513.5)	403		1067	1066		474, 1614	481, 905											833, 1143, 1478, 1479, 1611	848, 1704	1721	1721				
Bifidobacterium breve DSM 20213 = JCM 1192 (518634.7)	1055		487	486		93, 1476	1473											624, 527, 1469, 1471, 1472	1513, 80	81, 1512	430, 525	8	8		





<i>Clostridiaceae bacterium 1_7_47FAA (457421.5)</i>		609	2132	3194		1583, 5582, 5585	4154			2378									325, 2539, 4565, 4895, 5089				2185, 2659	2185, 2659								
<i>Clostridium asparagiforme</i> DSM 15961 (518636.5)		2178, 3861	1958	1874		862, 4490, 5292													1702, 2459, 2562	3719		2268	170	170								
<i>Clostridium bartlettii</i> DSM 16795 (445973.7)	2397																															
<i>Clostridium botteae</i> 90A5 (997893.5)			2024	1518	6057		1821, 5447, 5449	4411															1099, 1810, 4946	1130, 4831	1130, 4831							
<i>Clostridium botteae</i> ATCC BAA-613 (411902.9)		2646	5037	4426		3898, 4068, 4070	1483			140, 147												538, 2103	885, 3192, 8909	1640, 3163	1640, 3163							
<i>Clostridium celatum</i> DSM 1785 (545697.3)	1528, 2692	603	617	618		199	2573, 2574			585	574																					
<i>Clostridium cf. saccharolyticum</i> K10 (717608.3)		817	3091	3552		55																										
<i>Clostridium citroniae</i> WAL-17108 (742733.3)		45	506	5650		131, 5404, 5406	2512																979, 3594, 5806	573	142, 4585, 6067	815, 2890, 4589	2890, 4589					
<i>Clostridium clostridioforme</i> 2_1_49FAA (742735.4)		3822	3497	4956		503, 3171, 3173, 3893	2652				4527												4688, 4766	137, 4513	3904	273, 4653, 4653, 5156	273, 4653, 5156					
<i>Clostridium difficile</i> CD196 (645462.3)	2677, 3445			1252		2676				3387	2994, 3384																	Galactose kinase and transporter are not found				
<i>Clostridium difficile</i> NAP07 (525258.3)	550, 3473			3479		3472				511	508, 1052																	Galactose kinase and transporter are not found				
<i>Clostridium difficile</i> NAP08 (525259.3)	3523, 3684			2724		3585				3484	1166, 3481																	Galactose kinase and transporter are not found				
<i>Clostridium hathewayi</i> WAL-18680 (742737.3)		2395, 4478, 4917	1176	3179		699, 701, 714, 715, 812, 2327, 2713, 4774	4106, 4107																589, 1206, 4423	1002, 2910, 3196	4564	146, 4509	146, 4509					
<i>Clostridium hiranonis</i> DSM 13275 (500633.7)	2125			996		787				1060, 1113	1058																	Galactose kinase and transporter are not found				
<i>Clostridium hylemonae</i> DSM 15053 (553973.6)		382, 1946, 3355	941	940		2618, 3218	3210			1189	1192																					
<i>Clostridium leptum</i> DSM 753 (428125.8)	419	539, 972	1931	1925		1520				5	9												466, 497, 767, 2309	778	18	2455	489, 2128, 2635	489, 2128, 2635	Transporter is not found			
<i>Clostridium methylpentosum</i> DSM 5476 (537013.3)	186					414																										
<i>Clostridium nexile</i> DSM 1787 (500632.7)		3596	3598	3587		1886, 1707, 2694	1721																									
<i>Clostridium perfringens</i> WAL-14572 (742739.3)	1992, 1996	1009	1010	1011		825, 1993, 2000, 2296	1927			1913	2683																					
<i>Clostridium ramosum</i> DSM 1402 (445974.6)	2151	62	61	63		64, 223, 1696	1039																						Transporter is not found			
<i>Clostridium scindens</i> ATCC 35704 (411468.9)		35	3455	3454		124, 2957	2966			2580	2577																					
<i>Clostridium</i> sp. 7_2_43FAA (457396.3)	269	425	1486	1484		488, 1485	3457			2043	1396, 2042																					
<i>Clostridium</i> sp. 7_3_54FAA (665940.3)		3877	4266	560		2255, 3788, 3907	3618																									
<i>Clostridium</i> sp. D5 (556261.3)		4375	2938	2936		2337, 3669, 4678, 4767, 4915	3342, 819			2836, 4279	2308, 2832, 4277																					
<i>Clostridium</i> sp. HGF2 (908340.3)				3232		9566, 4136	1474, 2964			2391																						
<i>Clostridium</i> sp. L2-50 (411489.7)				1067	1066	1994, 2086																										
<i>Clostridium</i> sp. M62/1 (411486.3)		212	866	2512		320, 3363																										
<i>Clostridium</i> sp. SS2/1 (411484.7)		852, 863, 1183	862	864		865, 2767				1976	1178, 1974																					
<i>Clostridium</i> spiroforme DSM 1552 (428126.7)	235					838				728	729																					
<i>Clostridium sporogenes</i> ATCC 15579 (471871.7)	463					868, 1901					1607																					
<i>Clostridium symbiosum</i> WAL-14163 (742740.3)		1568	2873	993		72, 1626, 3029	366																									
<i>Clostridium symbiosum</i> WAL-14673 (742741.3)		4226	3951	670, 2301		519, 800, 4158	150																									
<i>Collinsella aerofaciens</i> ATCC 25986 (411903.6)	948	768	794	444, 793		1712				788, 789	791, 2056	799	2047																			
<i>Collinsella intestinalis</i> DSM 13280 (521003.7)	263					497																										
<i>Collinsella stercoris</i> DSM 13279 (445975.6)	399	138, 829	137, 828	136, 827		625																										
<i>Collinsella tanakae</i> YIT 12063 (742742.3)	622, 1893	1362	1363	1364		981				730, 731	741	704																				
																																Transporter is not found



Enterococcus faecalis TX1302 (749513.3)	2361	904, 1114	903	651, 1015		100, 1520		2455, 2456	1698, 1722, 2417	2418	2416					2457, 2458, 2459	2412, 2413, 2414, 2415	1609									
Enterococcus faecalis TX1322 (525278.3)	361	986, 1799	985	712, 982		43, 711, 983, 984, 1484		1929, 1930	297, 1533, 1567, 1931	295, 296, 1536, 1932	298					299, 300, 301, 302	1027	277									
Enterococcus faecalis TX1341 (749514.3)	1973	224, 1315	223	658, 898		1679, 2403		1877, 1878	1917, 2357	1916, 2354	1918					1874, 1875, 1876	1919, 1920, 1921, 1922	2241									
Enterococcus faecalis TX1342 (749515.3)	2459	145, 470	471	2, 1587		1, 480, 1386, 1586		2560, 2561	1315, 1339, 2520	2521	2519					2562, 2563, 2564	2515, 2516, 2517, 2518	771	1227								
Enterococcus faecalis TX1346 (749516.3)	150	398, 1515	399	1438, 1750		864, 996		950, 1835	947, 1834	1836							1837, 1838, 1839, 1840									Galactose-6-phosphate isomerase and transporter is not found	
Enterococcus faecalis TX2134 (749518.3)	1306	734, 902	735	237, 2457		238, 1593, 2458, 2502		290, 315, 1252	312, 1251	1253							1254, 1255, 1256, 1257	1230								Galactose-6-phosphate isomerase and transporter is not found	
Enterococcus faecalis TX2137 (749491.3)	251	1058, 1188	1187	61, 2415		2156, 2354		346, 347	307, 2290, 2304	308, 2301	306					348, 349, 350	302, 303, 304, 305	2481									
Enterococcus faecalis TX4244 (749494.3)	1596	1010, 2502	2501	557, 558		2082, 2700		1692, 1693	1653, 2031	1654	1652					1694, 1695, 1696	1648, 1649, 1650, 1651	710									
Enterococcus faecium PC4.1 (791161.5)	1063, 1267	954, 1596, 1630	955	777		324, 778, 1319		2585, 2586	671, 1416, 2587	2588		953						650, 2030					653, 2098, 2247	653, 2098, 2247			
Enterococcus faecium TX1330 (525279.3)	697, 1975	1067, 1399, 1433, 1778	1068	491		492, 649, 2412		1611, 1612	391, 1613, 1732	1614, 1733			1066					371, 372	1880				373, 1658	373, 1658			
Enterococcus saccharolyticus 30_1 (742813.4)	1192	1771	2005	2007		2006, 2064		969, 1366	872, 1808, 1850	1809							1810, 1811, 1812, 1813	692, 2441	1244	929, 1243, 1322, 1923	85	928, 992	928, 992		Galactose-6-phosphate isomerase and transporter is not found		
Enterococcus sp. 7L76 (657310.3)	171	1342, 1799	1798	1090, 1641		477, 1710		241, 242, 1664	243, 1661	240							236, 237, 238, 239	1492								Galactose-6-phosphate isomerase and transporter is not found	
Erysipelotrichaceae bacterium 21_3 (658657.3)			3141			1926, 3561	1268, 4021	4471																			3495, 3496, 3497, 3500
Erysipelotrichaceae bacterium 2_2_44A (457422.3)			4919			2681, 2734	3496, 531	4296																			4019, 4022, 4023, 4024
Erysipelotrichaceae bacterium 3_1_53 (658659.3)						4037, 4117	1540, 305	4692																			1537, 1538, 1539, 1542
Erysipelotrichaceae bacterium 5_2_54FAA (552396.3)						625	2260, 2266	1672																			2257, 2258, 2261, 2262, 2263
Erysipelotrichaceae bacterium 6_1_45 (469614.3)			3589			674, 719	1202, 4306	2178																			1200, 1203, 1204, 1205
Escherichia coli 4_1_47FAA (1127356.4)	3683, 4221	563	564	565		566, 566		2221, 3583	2228, 2229, 3582		4032, 4033, 4034							118								993	
Escherichia coli MS 107-1 (679207.4)	1675, 4610	1409	1410	1411		1412, 1412		2604, 3851	2597, 3850		4098, 4099, 4100							2129, 3792				3007	4011	4011			
Escherichia coli MS 115-1 (749537.3)	2773, 3752	3445	3446	3447		3448, 3448		498, 874, 875	491, 873, 1412		2429, 2430, 2431, 2432							28				4288					
Escherichia coli MS 116-1 (749538.3)	1280, 2705, 4974	779	778	777		776, 776, 2706		985, 1312, 1313	993, 1041, 1314		3289, 3290, 3291							1483, 3823, 3830			2015	1247					
Escherichia coli MS 119-7 (679206.4)	766, 1629	2735	2734	2733		2732, 2732		1510, 1576	1518, 1575		2368, 2369, 2370							209				979	4956	4956			
Escherichia coli MS 124-1 (679205.4)	2991, 3286	2516	2517	2518		2519, 2519		358, 3255	351, 2954		4942, 4943, 4944							45				4495					
Escherichia coli MS 145-7 (679204.3)	1472, 5238	4169	4168	4167		4166, 4166, 5237		123, 965	124, 872		177, 178, 179							802, 2063				3960					
Escherichia coli MS 146-1 (749540.3)	3360, 4297	2665	2666	2667		2668, 2668		17, 1417	16, 1425		796, 797, 798							2234, 2235, 4298				1307					
Escherichia coli MS 175-1 (749544.3)	75, 941, 1679	3303	3304	3305		76, 3306, 3306		756	764		1610, 1611, 1612							57				102	1125	1125			
Escherichia coli MS 182-1 (749545.3)	4271, 4383	3966	3967	3968		3969, 3969, 4277		1678, 3366	1679, 3373		4052, 4053, 4054							521, 2116, 5029				2423					
Escherichia coli MS 185-1 (749546.3)	915, 3765	4758	4757	4756		3764, 3773, 4755, 4755		2095, 2853	1418, 1419, 1830, 2098, 2854, 3978		2927, 2928, 2929							3014, 3015				1611					
Escherichia coli MS 187-1 (749547.3)	111, 2562	1698	1697	1696		1695, 1695, 3891		1099, 3102	1092, 1100, 3101		2578, 2579, 2580, 2581							4285				2663					
Escherichia coli MS 196-1 (749548.3)	2892, 3840	4665	4666	4667		2893, 4668, 4668		2793, 2946, 2947, 2949	2785, 2949		2223, 2224, 2225							1009, 1010, 2481				13					
Escherichia coli MS 198-1 (749549.3)	772, 3619	2268	2269	2270		773, 1597, 2271, 2271		1966, 5003	1973, 5002		1884, 1885, 1886							4209, 4210				1649					
Escherichia coli MS 200-1 (749550.3)	1620, 4502	3819	3818	3817		1627, 3816, 3816, 3990		1053, 1569	301, 1061, 1312, 1568, 2297, 2298		1791, 1792, 1793							994, 1823				4439					
Escherichia coli MS 21-1 (749527.3)	1549, 4094	4321	4322	4323		4324, 4324		1495, 2779	1494, 2176, 2787, 3902, 3903		137, 138, 139							590				5038					

<i>Escherichia coli</i> MS 45-1 (749528.3)	204, 3367	4488	4489	4490		4491, 4491		1587, 4096	1586, 2935, 2936, 3037, 4103, 4217, 4313, 4314		2544, 2545, 2546						1518			3738			
<i>Escherichia coli</i> MS 69-1 (749531.3)	2105, 4145	1802	1801	1800		1799, 1799		2055, 2554	2054, 2561		1998, 1999, 2000						1309			2382			
<i>Escherichia coli</i> MS 78-1 (749532.3)	1867, 3843	2626	2627	2628		337, 2629, 2629, 3842, 3844		1625, 4086	1632, 4085		3427, 3428, 3429						591, 3803, 4837			4576			
<i>Escherichia coli</i> MS 79-10 (796392.4)	1370, 2205	2070	2071	2072		2073, 2073		1421, 1897	1422, 1904		2133, 2134, 2135						573, 1488			4055	4678	4678	
<i>Escherichia coli</i> MS 84-1 (749533.3)	454, 2150	4702	4703	4704		4705, 4705		419, 3490	418, 3483		362, 363, 364						1457			4385			
<i>Escherichia coli</i> MS 85-1 (679202.3)	2615, 3053	48	49	50		51, 51		1012, 2581	1019, 2580		2525, 2526, 2527						1669			4077			
<i>Escherichia coli</i> O157:H7 str. Sakai (386585.9)	1838, 2979	904	905	906		907, 907, 2980		3030, 4185	3031, 4193, 4548		3166, 3167, 3168						4130			5331			
<i>Escherichia coli</i> SE11 (409438.11)	1422, 2467	936	937	938		939, 939		2516, 3585	2517, 3592		2568, 2569, 2570						492, 1885, 3525			4599			
<i>Escherichia coli</i> SE15 (431946.3)	1261, 2016	714	715	716		717, 717		2063, 3102	2064, 3109, 3221, 3641, 3642		2120, 2121, 2122						323			4161			
<i>Escherichia coli</i> str. K-12 substr. MG1655 (511145.12)	1284, 2119	782	783	784		785, 785		2172, 3226	2173, 3232		2231, 2232, 2233						352, 1688, 3170			4250			
<i>Escherichia coli</i> UTI89 (364106.8)	1483, 2342	841	842	843		844, 844		1176, 2397, 3528	1174, 1176, 2398, 3535, 3647, 3921, 4110, 4111		2453, 2454, 2455						482, 3480			4594			
<i>Escherichia</i> sp. 1_1_43 (457400.3)																	1032			401			
<i>Escherichia</i> sp. 3_2_53FAA (469598.5)	2359, 2622	266	265	264		263, 263		1082, 2678	962, 1075, 2679, 4279, 4486, 4487		2735, 2736, 2737						627, 1130			3703			
<i>Escherichia</i> sp. 4_1B (457401.3)	813, 2442	1765	1764	1763		1762, 1762, 2441, 2443		2058, 3057	2058, 2554, 3049		2004, 2005, 2006						2322, 3114			3718			
<i>Eubacterium bifforme</i> DSM 3989 (518637.5)		1823	1822	1824		137, 965, 1821	1074	29			2258, 2259, 2260	1075, 1077, 1078, 1079					128, 129						
<i>Eubacterium cylindroides</i> T2-87 (717960.3)						979	1442, 1443					1438, 1439, 1441											
<i>Eubacterium dolichum</i> DSM 3991 (428127.7)	740					739, 1442		1786									32, 33						
<i>Eubacterium hallii</i> DSM 3353 (411469.3)		1606	941	942		2223, 2636, 2646					1597, 1598, 1599, 1605		1491				1490						
<i>Eubacterium rectale</i> DSM 17629 (657318.4)		228	2177	2178		1361	2888				1510, 1511, 1512, 1516	2884, 2885, 2886	784	1447			1435, 1450, 1451, 2175			2082, 2522	1521	1521	
<i>Eubacterium rectale</i> M104/1 (657317.3)		3310	2440	2439		240	959				3190, 3194, 3195, 3196	955, 956, 957, 2443, 2444, 2445	2392	451			448, 449, 461, 1617, 2442			1381, 2494	3185	3185	
<i>Eubacterium siraeum</i> 70/3 (657319.3)	98	1586	2194, 2598	1153, 2198		1828, 2008											1652			269, 302, 1825		269, 1825	Transporter is not found
<i>Eubacterium siraeum</i> DSM 15702 (428128.7)	1888	509	218	1173		391, 2344											806, 2023, 2199	486			394, 1311, 1339	394, 1311	Transporter is not found
<i>Eubacterium siraeum</i> V10Sc8a (717961.3)	853	1963	977	2245		1758, 2403											99, 1355, 1780	1853			632, 663, 1761	663, 1761	Transporter is not found
<i>Eubacterium</i> sp. 3_1_31 (457402.3)						2375	231, 238	1386				235, 236, 237, 240											
<i>Eubacterium ventriosum</i> ATCC 27560 (411463.4)		589	591	590		1775					1203, 1207, 1208		714				713, 2143						
<i>Faecalibacterium</i> cf. <i>prausnitzii</i> KLE1255 (748224.3)	523	457	535, 2487	2486		131	2586				1979, 1980, 1981	2582, 2583, 2584	992				228, 1108, 1490, 1569, 1832						
<i>Faecalibacterium prausnitzii</i> A2-165 (411483.3)	904	196	926, 1631	927		194, 593	1155				729, 730, 731	1151, 1152, 1153					145, 511, 955, 1062, 1999			1664, 2550	2550		
<i>Faecalibacterium prausnitzii</i> L2-6 (718252.3)	1720	159	3212, 3231	3230		158	113	1292	1297		1271, 1272, 1273	115, 116, 117, 3087, 3088, 3089	2750				697, 1177, 1625, 2395, 2475, 3086						
<i>Faecalibacterium prausnitzii</i> M21/2 (411485.10)	1540	1032	1527, 2200	2201		1034	2375				2456, 2457, 2458	2377, 2378, 2379					28, 38, 356, 387, 1474, 1697, 2374			1476			

<i>Faecalibacterium prausnitzii</i> SL3/3 (657322.3)	2284	821	2271, 2801	2800	823, 1643	2621														747, 748, 749	2617, 2618, 2619							538, 1365, 1398, 2249, 2407, 2417, 2622				1613, 2251, 2252	1613			
<i>Fusobacterium gonidiaformans</i> ATCC 25563 (469615.3)	711		450	451	452																468, 469, 470															
<i>Fusobacterium mortiferum</i> ATCC 9817 (469616.3)	652, 2274	2212	744	743	742, 1069			509	508, 741												636, 637, 638						359		971				969, 969, 1756			
<i>Fusobacterium necrophorum</i> subsp. <i>funduliforme</i> 1_1_3SS (742814.3)	215	1959	1236, 1237	1238	364, 386, 1239																	679, 680, 681, 682														
<i>Fusobacterium</i> sp. 11_3_2 (457403.3)	942	2285	2439	2440	1099, 2441																	307, 308, 309														
<i>Fusobacterium</i> sp. 12_1B (457404.3)	457	770	2313	2314	633, 846, 2063, 2315			3260	3261												2370, 2371, 2372															
<i>Fusobacterium</i> sp. 1_1_41FAA (469621.3)	952	1907	110	111	112																	378, 379, 380														
<i>Fusobacterium</i> sp. 21_1A (469601.3)	1353	1617	1879	1878	1450, 1877																	827, 828, 829														
<i>Fusobacterium</i> sp. 2_1_31 (469599.3)	553	1100	2025	2024	2023																771, 772, 773															
<i>Fusobacterium</i> sp. 3_1_27 (469602.3)	678	1589	290	291	292, 1922																794, 795, 796															
<i>Fusobacterium</i> sp. 3_1_33 (469603.3)	259	1075	1471	1473	355, 1474																857, 658, 659, 660															
<i>Fusobacterium</i> sp. 3_1_36A2 (469604.3)	1311	711	1880	1881	138, 1882																1201, 1202, 1203															
<i>Fusobacterium</i> sp. 3_1_5R (469605.3)	1122		278	277	278																960, 961, 962															
<i>Fusobacterium</i> sp. 4_1_13 (469606.3)	327	870	2019	2018	417, 2017																1559, 1560, 1561															
<i>Fusobacterium</i> sp. 7_1 (457405.3)	1319	1995	2301	2300	2299																650, 651, 652															
<i>Fusobacterium</i> sp. D11 (556264.3)	1352	2236	1203	1201	1200, 1693																151, 152, 153															
<i>Fusobacterium</i> sp. D12 (556263.3)	925		1442	1443	1444																4, 5, 6															
<i>Fusobacterium ulocirans</i> ATCC 49185 (469617.3)	346	78	1383	1382	189, 1381, 1846			722, 3039	721, 3038												1324, 1325, 1326															
<i>Fusobacterium varium</i> ATCC 27725 (469618.3)	122	1978	744	743	179, 742, 1903, 2026, 2147			1213	1212												686, 687, 688															
<i>Gordonia</i> sp. <i>pamelaeae</i> 7-10-1-b (657308.3)	413				940																															
<i>Hahnia alvei</i> ATCC 51873 (1002364.3)	340, 2406	2565, 3934	3933	3932	3931			908	902, 2566												3809, 3810, 3811						3875						912	912		
<i>Helicobacter bilis</i> ATCC 43879 (613026.4)	1128				997, 1010, 2121																															
<i>Helicobacter canadensis</i> MIT 98-5491 (Prj30719) (537970.9)	1443				151																															
<i>Helicobacter cinaedi</i> ATCC BAA-847 (1206745.3)	450				326, 877, 1852																															
<i>Helicobacter cinaedi</i> CCUG 18818 (537971.5)	1824				603, 1625, 1942, 1943																															
<i>Helicobacter pullorum</i> MIT 98-5489 (537972.5)	827				570																															
<i>Helicobacter winhamensis</i> ATCC BAA-430 (556267.4)	788				484																															
<i>Holdemanii</i> <i>filiformis</i> DSM 12042 (545696.5)		2721	2722		3459																	3170, 3171, 3172					385									
<i>Klebsiella pneumoniae</i> 1162261 (1037908.3)	2183, 4204	4718	4719	4720					4163													2257, 2258, 2259, 2619				3709	296, 2536	385	4155	4155						UDP-glucose 4-epimerase is not found
<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> WGLW5 (1203547.3)	2390, 2767	910	911	912	913, 913																	651, 2831, 2832, 2833, 5167			1727, 5270	572, 4767	4664	5346	5346							
<i>Klebsiella</i> sp. 1_1_55 (469608.3)	480, 1674	1852	1853	1854	1855, 1855			2810	2806, 4917													1596, 1599, 1600			1285	2482, 4038	4136	4909	4909							
<i>Klebsiella</i> sp. 4_1_44FAA (665944.3)	225, 527	1638	1639	1640	1641, 1641				4752													146, 147, 148, 1379				1217	4135	4760	4760							
Lachnospiraceae bacterium 1_1_57FAA (658081.3)		132	122	160	183	613		262	263												123, 128, 129, 131, 136				547, 1620, 2560	460	653, 1616									
Lachnospiraceae bacterium 1_4_56FAA (658655.3)		2460	492	493	2325	359																53, 54, 55, 56				397, 676, 1285, 2025, 2109, 2110, 2238, 2239, 2765, 2824, 2847	2269		1370						Transporter is not found	
Lachnospiraceae bacterium 2_1_46FAA (742723.3)		506	2071	2070	1789	1802																1605, 1606, 1607				458, 776, 1372, 1391, 1476, 1630, 2069										
Lachnospiraceae bacterium 2_1_58FAA (658082.3)		3009	235	236	846	1677		1925	1929													1671, 1683, 2212, 2213, 2214			1257, 1825, 2006, 2181, 2182, 3016, 3344	2058		2396, 2397, 3230	2396, 2397, 3230						Transporter is not found	
Lachnospiraceae bacterium 3_1_46FAA (665950.3)		180	170	207	222	2413		306	307													171, 176, 177, 179, 184			1102, 1202, 2352	2260	1198, 2438									



Lactobacillus plantarum WCFS1 (220668.9)	638	701, 1460	2898	1522, 2896		596, 1018, 2897		1773							2885, 2902			2899, 2900	2886	2901	2901			
Lactobacillus reuteri CF49-3A (525341.3)	525	695	203	204		557, 1243									1218, 438			437, 438	1219	1620	1620			
Lactobacillus reuteri DSM 20016 (557436.4)	382		1794	1793		348									1097, 1786			296, 297	1096	919	919			
Lactobacillus reuteri F275 (299033.6)	365		1740	1739		333									1087, 1731			282, 283	1066	896	896			
Lactobacillus reuteri MM2-3 (585517.3)	1201		232	231		1008									1059, 224			1059, 1060	1508	824	824			
Lactobacillus reuteri MM4-1A (548485.3)	1647		64	65		1676									72, 913			1727, 1728	914	1253	1253			
Lactobacillus reuteri SD2112 (491077.3)	1038	1552	29	30		1007, 1631									1655, 957			956, 957	1654	1817	1817			
Lactobacillus rhamnosus ATCC 21052 (1002365.5)	1177	1935, 2035	2031	2033		2032, 2298	2047, 2048	433, 523, 2045, 2742	500, 2046, 2671	427, 428							429, 430, 431, 432			1524, 1624, 2369	2369			
Lactobacillus rhamnosus GG (Prl-40637) (568703.30)	1054	660, 1851	656	658		657, 2012	669, 670	343, 667, 2662	415, 668, 2584	336, 337							662	338, 340, 341, 342		992, 2086	992, 2086			
Lactobacillus rhamnosus LMS2-1 (525361.3)	64	784, 2173	2169	2171		2170, 2444	2184, 2185	1200, 1980, 2182	1284, 1953, 2183	1786							2175, 2176, 2177	1787, 1788, 1789, 1791		961, 1155, 2372	961, 1155, 2372			
Lactobacillus ruminis ATCC 25644 (525362.3)	1770	213	1281	1280		215		520							258, 301, 736			259	735	300	300			
Lactobacillus sakei subsp. sakei 29K (314315.12)	1467	744	741	743		742, 1244									177			1675, 1678		1756	1756			
Lactobacillus salivarius ATCC 11741 (525364.3)	1843	1544, 1830	348	346, 989		347, 922, 1540									350			352		345, 964	345, 964			
Lactobacillus salivarius UCC118 (362948.14)	1342	1355, 1586	458	460, 1111		459, 1039, 1590		241							454, 456			452		461, 462, 1084	461, 462, 1084			
Lactobacillus sp. 7_1_47FAA (665945.3)	217					1054	840, 841	1111	843	849								845, 847, 848	850, 851, 852, 853					
Lactobacillus ultunensis DSM 16047 (525365.3)	680, 1633, 1639	1466	1468	632, 838, 1467		1474												1472, 1473	1469	391, 1460, 1482, 1483, 1723	391, 1460, 1482, 1483, 1723			
Leuconostoc mesenteroides subsp. cremoris ATCC 19254 (586220.3)	603	65	67, 747	746		1451									68, 750, 752			70, 71						
Listeria grayi DSM 20601 (525367.9)	86	1151, 2253	2264	2266		160, 2265			645											2246, 2247	2246, 2247		Transporter is not found	
Listeria innocua ATCC 33091 (1002366.3)	1661	2357				2356		527, 778	1141															
Megamonas funiformis YIT 11815 (742816.3)	1973	2279	981	2170, 2281		2282									852, 854			2030	2027	458, 1210, 2278	458, 1210, 2278			
Megamonas hypermegale ART12/1 (657316.3)	25	2690	1204	621, 2692, 2693		2694									1114, 1115, 1117, 1118			1560	1567, 1568, 1569	1598, 2601, 2602, 2688	1598, 2601, 2602, 2688			
Methanobrevibacter smithii ATCC 35061 (420247.6)	1568					318, 1656																		
Methanospiraera stadimnae DSM 3091 (339860.6)	1054					57, 66, 520, 952, 1041																		
Mitsuokella multacida DSM 20544 (500635.8)	141, 1791	2223	1330	1332, 1889		680, 1331									138			139	66	140, 1342	140, 1342			
Mollicutes bacterium D7 (556270.3)	3238	2209	2210	2208		1804, 2207, 3187, 3188	1624											1749, 2190, 2191, 2217	1632	2225	2225		Transporter is not found	
Odoribacter laneus YIT 12061 (742817.3)		1462, 1802	1800		2822	988, 2213, 3269									1801					365, 1351	365, 1351			
Oxalobacter formigenes HOxBL5 (556268.6)	139, 1547					1854, 2340																		
Oxalobacter formigenes OXC13 (556269.4)	317, 1373					139, 601																		
Paenibacillus sp. HGF5 (908341.3)	1164, 5468		3314	3312		225, 1999, 3313	6203	5909		1433, 1434, 6385								942, 1217, 2508, 2510, 3110, 3532, 3757, 5397	3672, 3993	3381, 4611, 5327	814, 2370, 2363	657, 3488, 4610	657, 4610	
Paenibacillus sp. HGF7 (944559.3)	889, 1272, 1637, 5231		4321	4319		782, 4320, 5481	3326	3325										926, 3290	742, 4207	4960, 5265			Transporter is not found	
Paenibacillus sp. HGH0039 (1078505.3)	863, 1363, 3417, 4131		2440	2438		1478, 1491, 2439, 3524, 3630	4398	4399										3380, 4434	3207, 3566	94, 4281			Transporter is not found	
Parabacteroides distasonis ATCC 8503 (435591.13)		1654, 3706	1656	1552		24, 495, 9797									1655			219, 461, 966, 1407, 1962, 3063, 3080, 3081, 3257	1502	84, 436	84, 436			



Parabacteroides johnsonii DSM 18315 (537006.5)		993, 3337	991		1142	3149									1392					345, 369, 403, 478, 995, 1556, 1576, 1995, 2448, 2455, 2526, 2527, 2583, 2663, 2690, 2795, 3413, 3534, 3535, 3544	1137			1953, 2387	1963							
Parabacteroides merdae ATCC 43184 (411477.4)		1590, 2341	2339		2825	3366									2340	253				192, 215, 252, 258, 1217, 1238, 1662, 1719, 2196, 2412, 2916, 3108, 3339, 3345, 3404, 3405	264			1894	1894							
Parabacteroides sp. D13 (563193.3)		607, 1226	1224		2682	2610, 4119									1225					78, 885, 886, 1090, 1091, 1633, 2200, 2575, 3198, 3911	2737			2479, 2685, 4072	2479, 4072							
Parabacteroides sp. D25 (658661.3)		221, 2761	219		3176	3103									220					632, 781, 782, 1185, 1917, 3069, 3677, 4104	3227			3044, 4195	3044, 4195							
Paraprevotella clara YIT 11840 (762968.3)		1448, 2564, 2567	2566		949	3124									2565					124, 179, 565, 1392, 1642, 1647, 1895, 1901, 1902, 2275, 2410, 2737, 2875, 3221, 3431	1644, 3249			774, 775	774, 775							
Paraprevotella xyliniphila YIT 11841 (762982.3)		85, 88, 514	87		173	1788									86					241, 536, 774, 861, 997, 1159, 1168, 1169, 1417, 2112, 2547, 2576, 2724, 2792, 3109	2521			1283, 1284	1283, 1284							
Parvimonas micro ATCC 33270 (411465.10)	610					282																										
Pediococcus acidilactici 7_4 (563194.3)	933	197	701, 1879	699		700, 1434		1859, 1860	1853	1858	188				704			1862, 1863, 1864	187, 189, 190, 191							1120	1120					
Pediococcus acidilactici DSM 20284 (862514.3)	1665	1193	101, 1389	103		102, 905		1408, 1409		1410	1203				98			1404, 1405, 1406	1199, 1200, 1201, 1202, 1204	99, 100												
Phascolarctobacterium sp. YIT 12067 (626939.3)	474					475, 1389																										
Prevotella copri DSM 18205 (537011.5)		2542, 2545, 3164, 3167	2544, 3166		4110, 568	2038, 5045									2543, 3165					470, 946, 1605, 2251, 3853, 3951, 4209, 5267	1902, 2311, 3913, 5411			2211, 3813	2211, 3813							
Prevotella oralis HGA0225 (1203550.3)		251, 254	253		2334	629, 657, 720									252					221, 1708, 1799, 1984					1366, 1757							

<i>Prevotella salivae</i> DSM 15606 (888832.3)		1009, 2303	2301		2668	2115					2302	863			671, 926, 1054, 1136, 2829	1287			2160			
<i>Propionibacterium</i> sp. 5_U_42AFAA (450748.3)	389, 1027		282, 386			556	572	2270				575, 576, 577	283		460, 2034						Galactose-1-phosphate uridylyltransferase is not found	
<i>Propionibacterium</i> sp. HGHD353 (1203571.3)	1043, 1675		934, 1042			1220	2212	225					935						463	463	Galactose-1-phosphate uridylyltransferase is not found	
<i>Proteus mirabilis</i> WLW6 (1125694.3)	1436, 3617	1876	1877	1878		1879				2026	2031			1874								
<i>Proteus penneri</i> ATCC 35198 (471881.3)	3381	650, 651	652	653		654				854, 863				646, 647								
<i>Providencia alcalifaciens</i> DSM 30120 (520999.6)	1625	1007				3332																
<i>Providencia rettgeri</i> DSM 1131 (521000.6)	1866	504, 534	533	532		531, 1652				1200	1195			536								
<i>Providencia rustigianii</i> DSM 4541 (500637.6)	3284, 3663	1426, 2201, 4929, 6165	1425, 4930	1424, 4931		25, 26, 1423, 4932, 7056, 7057				397, 6693	391, 6699			1428, 4927								
<i>Providencia stuartii</i> ATCC 25827 (471874.6)	1916, 4263	2441, 2442	2443	2444		2445, 3228				3060	3066			2439								
<i>Pseudomonas</i> sp. 2_T_26 (665948.3)	4577					144, 1095																
<i>Ralstonia</i> sp. 3_7_47FAA (66864.3)	245, 3153					312, 393, 4022, 4245				4146												
<i>Roseburia intestinalis</i> L1-82 (536231.5)		115, 2657	2807	2806		883, 1334, 1348, 1381, 1986, 3390	3250				390, 395, 396, 397	3251, 3252, 3253, 3255		659		652, 660, 761, 1247, 1252, 2809, 3145, 3275, 3888	642	2316, 2827		370, 637, 758, 1240, 1255	370, 758, 1240	
<i>Roseburia intestinalis</i> M50/1 (657315.3)		583, 1137	1034	1035			1499, 3291, 3719	3559				822, 823, 824, 829	3553, 3554, 3556, 3557, 3558		1059	2078		1031, 1333, 2077, 2096, 3165, 3166, 3821, 3822	2092	1011, 3602	571, 851, 2096, 3818	571, 851, 3818
<i>Roseburia intestinalis</i> XB6B4 (718255.3)		467, 3902	3797	3798		855, 2207, 2363	2521				2953, 2954, 2955, 2960	2522, 2523, 2524, 2526		3357		1306, 2080, 2263, 3365, 3794	975, 3371	2478		455, 2266, 2980, 2981, 3388	455, 2266, 2980, 2981	
<i>Roseburia inulinivorans</i> DSM 16841 (622312.4)		2760, 3881	2082	2083		2297, 2317, 2335, 3268	1688				1759, 1760, 1761, 1766	1694, 1695, 1696				527, 813, 1106, 1711, 3213, 3214, 3757	2974			1102, 1973	1102, 1973	
<i>Ruminococcaceae</i> bacterium D16 (552398.3)		1778	676	674		359, 675	347				485, 486, 487	343, 344, 345		227		2626				1759	1759	
<i>Ruminococcus bromii</i> L2-63 (657321.5)	657	574	577	575		578, 1672, 1997								578								
<i>Ruminococcus gnavus</i> ATCC 29149 (411470.6)		1567	326	327		1608, 1743	1054			915	911		1048, 1393, 1394, 1395			1, 837, 1425, 1426, 1427, 1574, 2276, 3276		707		3134, 3135	3134, 3135	
<i>Ruminococcus lactaris</i> ATCC 29176 (471875.6)		804	565	564		443	1843					353, 358, 359, 360	1845, 1846, 1847	1736	2411		495, 512, 2410		1236			
<i>Ruminococcus obeum</i> A2-162 (657314.3)		2786	1102	365		3361	2912			1719	1715		3540, 3541, 3542	370		890, 3543		3544		1335	1335	
<i>Ruminococcus obeum</i> ATCC 29174 (411459.7)		1761	2325	2202		208, 2138, 3503	339	2202		3062	3053, 3066		342, 343, 344, 347	1674		159, 1109		160, 3298		2296	2296	
<i>Ruminococcus</i> sp. 18P13 (213810.4)			2109	592		218, 2110, 2205										600		230		229	229	
<i>Ruminococcus</i> sp. 5_1_39BFAA (457412.4)		53	1568	320, 2608		1828	611					1422, 1423, 1424		2232	311		312, 1784, 2371		1570, 3149		2374, 2380	2374, 2380
<i>Ruminococcus</i> sp. SR1/5 (657323.3)		2774	3679	467, 1270		3536	1418			3503	3507		1413, 1414, 1415	1819		1872, 1873, 2121, 3141		1416	1798	1513, 1801, 3584	1513, 1801, 3584	
<i>Ruminococcus torques</i> ATCC 27756 (411460.6)		804	814	777		761	1844			616	615		800, 805, 807, 808, 813			1837, 1840, 1841, 1842, 1850		2024	1920, 2203			
<i>Ruminococcus torques</i> L2-14 (657313.3)		2576	1607	1606		2568				554	558, 2221			2844	1900		1899, 2382, 2400				1187, 2019, 2405	1187, 2019, 2405
<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Typhimurium</i> str. LT2 (99287.12)	1848, 2220	806	807	808		809, 809			3456	3452, 4000		2315, 2316, 2317							4520			
<i>Staphylococcus</i> sp. HGB0015 (1078083.3)	1787	2023	2081	2083		2082			782, 783	1673	784, 1674	1675					1676, 1677, 1678, 1679					
<i>Streptococcus anginosus</i> 1_2_62CV (742820.3)	1358	1752	357	358		763, 1452, 1574			120, 121		118, 1751	1745				122, 1746, 123, 124	1747, 1748, 1749					Tagatose-6-phosphate kinase and transporter are not found
<i>Streptococcus equinus</i> ATCC 9812 (525379.3)	877	1641	1601	1600		1599				297				661, 662								
<i>Streptococcus infantarius</i> subsp. <i>infantarius</i> ATCC BAA-102 (471672.6)	741	693	633	632		631, 1260				655, 656	266, 654	653		1694						642	642	
<i>Streptococcus</i> sp. 2_1_36FAA (469609.3)	175	63	882	881		801, 802, 880				1477, 1478, 1484, 1485	703, 1476, 1483	1475, 1482	57			1479, 1480, 1481	58, 59, 60, 61	1448				
<i>Streptococcus</i> sp. HPH0090 (1203590.3)	1331	1440	10	11		169				395, 396	193, 397	398	1446			391, 392, 393	1442, 1443, 1444, 1445					



**Table S8** Glycosylic bonds found in the mucin glycans and corresponding glycosyl hydrolases.

2 <sup>nd</sup> monosaccharide/ amino acid	1 <sup>st</sup> monosaccharide				
	Fuc	Gal	GalNAc	GlcNAc	Neu5Ac
Gal	$\alpha(1-2)$ , Alpha-L-fucosidase [EC 3.2.1.51]	$\alpha(1-3)$ , Alpha-galactosidase [EC 3.2.1.22]	$\alpha(1-3)$ , Alpha-N-acetylgalactosaminidase [EC 3.2.1.49]; $\beta(1-4)$ , Beta-N-hexosaminidase [EC 3.2.1.52]	$\alpha(1-4)$ , Alpha-N-acetylglucosaminidase [EC 3.2.1.50]; $\beta(1-3)$ , Beta-N-hexosaminidase [EC 3.2.1.52]	$\alpha(2-3)$ , Neuraminidase [EC 3.2.1.18]; $\alpha(2-6)$ , Neuraminidase [EC 3.2.1.18];
GalNAc	-	$\beta(1-3)$ , Beta-galactosidase [EC 3.2.1.23]	$\alpha(1-6)$ , Alpha-N-acetylgalactosaminidase [EC 3.2.1.49]; $\beta(1-3)$ , Beta-N-hexosaminidase [EC 3.2.1.52]	$\beta(1-3)$ , Beta-N-hexosaminidase [EC 3.2.1.52] $\beta(1-6)$ , Beta-N-hexosaminidase [EC 3.2.1.52]	$\alpha(2-6)$ , Neuraminidase [EC 3.2.1.18]
GlcNAc	$\alpha(1-2)$ , Alpha-L-fucosidase [EC 3.2.1.51]; $\alpha(1-3)$ , Alpha-L-fucosidase [EC 3.2.1.51]; $\alpha(1-4)$ , Alpha-L-fucosidase [EC 3.2.1.51]	$\beta(1-3)$ , Beta-galactosidase [EC 3.2.1.23]; $\beta(1-4)$ , Beta-galactosidase [EC 3.2.1.23]	-	$\beta(1-4)$ , Beta-N-hexosaminidase [EC 3.2.1.52]	-
O-Ser/Thr	-	-	$\alpha(1)$ , Endo-alpha-N-acetylgalactosaminidase [EC 3.2.1.97]	-	-

**Legend**

Fuc - L-fucose  
Gal - galactose  
GalNAc - N-acetyl-D-galactosamine  
GlcNAc - N-acetyl-D-glucosamine  
Neu5Ac - N-acetylneuraminic acid  
O-Ser/Thr - Oxygen atom of the side chains in serine or threonine in mucin protein chain

**Table S9.** Search of non-orthologous replacement the GalT by gene occurrence analysis. Genome of interest and the final result are shown by bold and blue.

1. Analyzed genomes			2. Results of the gene occurrence analysis from IMG/JGI				
Organism name	PubSEED ID	IMG ID	Gene ID	Locus Tag	Gene Name	Length	Percent Identity
<b>GalK+ / GalT- genomes</b>			<b>642612071</b>	<b>Amuc_0031</b>	<b>hypothetical protein</b>	<b>291</b>	<b>51.2</b>
<b>Akkermansia muciniphila ATCC BAA-835</b>	349741.6	642555104	642612074	Amuc_0034	prolyl-tRNA synthetase (EC 6.1.1.15)	506	49.1
Bacteroides fragilis 638R	862962.3	650377910	642612078	Amuc_0037	amino acid/polyamine/organocation transporter, APC superfamily	494	59.2
Bacteroides fragilis NCTC 9343	272559.17	2623620861	642612103	Amuc_0060	Alpha-N-acetylglucosaminidase	848	46.4
Bacteroides fragilis YCH46	295405.11	2623620898	642612150	Amuc_0105	RND efflux system, outer membrane lipoprotein, NodT family	457	32.9
Bacteroides thetaiotaomicron VPI-5482	226186.12	2623620899	642612162	Amuc_0117	agmatine deiminase (EC 3.5.3.12)	351	38.3
Bacteroides vulgatus ATCC 8482	435590.9	2623620366	642612193	Amuc_0148	carboxynorspermidine dehydrogenase	409	61
Bacteroides xylanisolvens XB1A	657309.4	650377911	642612252	Amuc_0206	succinate CoA transferase	498	89.1
Parabacteroides distasonis ATCC 8503	435591.13	2623620331	642612344	Amuc_0290	glycoside hydrolase family 2 sugar binding	986	44
<b>GalK+ / GalT+ genomes</b>			642612420	Amuc_0369	Beta-N-acetylhexosaminidase	665	38.3
Bacillus subtilis subsp. subtilis str. 168	224308.113	646311909	642612443	Amuc_0392	coagulation factor 5/8 type domain protein	709	44.1
Bifidobacterium animalis subsp. lactis AD011	442563.4	643348515	642612504	Amuc_0454	protein of unknown function DUF303 acetyltransferase putative	512	39.4
Bifidobacterium longum DJO10A	205913.11	642555107	642612541	Amuc_0491	sulfatase	500	38.8
Bifidobacterium longum NCC2705	206672.9	637000031	642612658	Amuc_0607	Endonuclease/exonuclease/phosphatase	253	51.7
Bifidobacterium longum subsp. infantis 157F	565040.3	649633017	642612671	Amuc_0620	NAD+ synthetase	644	51.6
Bifidobacterium longum subsp. infantis ATCC 15697 = JCM 1222	391904.8	651053007	642612753	Amuc_0701	transcriptional regulator, LysR family	307	42.8
Bifidobacterium longum subsp. longum F8	722911.3	650377912	642612756	Amuc_0704	hypothetical protein	417	50.2
Bifidobacterium longum subsp. longum JCM 1217	565042.3	649633019	642612824	Amuc_0773	acyltransferase 3	382	49.5
Butyrivibrio fibrisolvens 16/4	657324.3	650377919	642612901	Amuc_0846	coagulation factor 5/8 type domain protein	704	43.2
Coprococcus catus GD/7	717962.3	650377925	642612923	Amuc_0868	Beta-N-acetylhexosaminidase	549	39.2
Coprococcus sp. ART55/1	751585.3	2565956545	642613016	Amuc_0962	4Fe-4S ferredoxin iron-sulfur binding domain protein	588	37.9
Enterococcus sp. 7L76	657310.3	650377930	642613081	Amuc_1032	Beta-N-acetylhexosaminidase	518	34.4
Escherichia coli O157:H7 str. Sakai	386585.9	2623620697	642613110	Amuc_1059	acriflavin resistance protein	1052	36.9
Escherichia coli SE11	409438.11	643348551	642613171	Amuc_1120	alpha-L-fucosidase 2	796	44.4
Escherichia coli SE15	431946.3	646862327	642613182	Amuc_1131	MATE efflux family protein	445	53.2
Escherichia coli str. K-12 substr. MG1655	511145.12	646311926	642613236	Amuc_1185	LL-diaminopimelate aminotransferase apoenzyme (EC 2.6.1.8)	531	56.5
Escherichia coli UTI89	364106.8	2623620781	642613466	Amuc_1410	putative phosphate/sulphate permease	743	43.8
Eubacterium rectale DSM 17629	657318.4	650377936	642613521	Amuc_1461	protein of unknown function DUF558	245	34.5
Eubacterium rectale M104/1	657317.3	650377937	642613623	Amuc_1563	protein of unknown function DUF6 transmembrane	305	47.5
Eubacterium siraeum 70/3	657319.3	650377938	642613665	Amuc_1605	NADH dehydrogenase subunit M (EC 1.6.5.3)	474	33.6
Eubacterium siraeum V10Sc8a	717961.3	2565956546	642613681	Amuc_1621	4-alpha-glucanotransferase	623	35.2
Faecalibacterium prausnitzii L2-6	718252.3	650377941	642613694	Amuc_1634	conserved hypothetical protein, membrane	746	39.9
Faecalibacterium prausnitzii SL3/3	657322.3	650377940	642613697	Amuc_1637	alpha amylase catalytic region	574	38
Fusobacterium sp. 3_1_27	469602.3	2563366552	642613704	Amuc_1644	transglutaminase domain protein	379	38.1
Fusobacterium sp. 3_1_36A2	469604.3	2554235746	642613714	Amuc_1655	sulfatase	554	44.1
Fusobacterium sp. 7_1	457405.3	646206252	642613716	Amuc_1657	carboxynorspermidine decarboxylase (EC 4.1.1.-)	400	42.4
Lactobacillus brevis ATCC 367	387344.15	639633027	642613727	Amuc_1669	Beta-N-acetylhexosaminidase	547	37.2
Lactobacillus casei ATCC 334	321967.11	639633028	642613762	Amuc_1703	Ferroxidase	164	45.1
Lactobacillus fermentum IFO 3956	334390.5	641522633	642613818	Amuc_1755	sulfatase	562	47.5
Lactobacillus gasseri ATCC 33323	324831.13	639633030	642613843	Amuc_1780	protein of unknown function DUF58	296	39.1
Lactobacillus helveticus DPC 4571	405566.6	641228495	642613857	Amuc_1793	acyltransferase 3	393	59.2
Lactobacillus johnsonii NCC 533	257314.6	2623620932	642613865	Amuc_1801	peptidase S15	359	81.6
Lactobacillus paracasei subsp. paracasei 8700:2	537973.8	643886139	642613877	Amuc_1813	MATE efflux family protein	461	57.6
Lactobacillus plantarum 16	1327988.3	2563366583	642613897	Amuc_1833	L-fucose transporter	644	44.2
Lactobacillus plantarum WCFS1	220668.9	2623620707	642613899	Amuc_1835	Exo-alpha-sialidase	674	43.2
Lactobacillus reuteri F275	299033.6	640427118	642613930	Amuc_1869	(1->4)-alpha-D-glucan synthase (ADP-glucose)	432	43
Lactobacillus reuteri SD2112	491077.3	650716048	642613940	Amuc_1879	hypothetical protein	373	35.9
Lactobacillus rhamnosus GG	568703.3	644736382	642613946	Amuc_1885	exsB protein	223	49.3
Lactobacillus sakei subsp. sakei 23K	314315.12	637000142	642613950	Amuc_1889	Sec-independent protein translocase, TatC subunit	348	38
Lactobacillus salivarius UCC118	362948.14	2623620709	642613963	Amuc_1902	hypothetical protein	230	80.7
Megamonas hypermegale ART12/1	657316.3	650377958	642613964	Amuc_1903	hypothetical protein	335	77.7
Roseburia intestinalis M50/1	657315.3	650377964	642613984	Amuc_1924	Beta-N-acetylhexosaminidase	664	40.7
Roseburia intestinalis XB6B4	718255.3	650377965	642614044	Amuc_1984	heterodimeric methylmalonyl-CoA mutase small subunit	684	39
Ruminococcus bromii L2-63	657321.5	650377966	642614078	Amuc_2018	Beta-N-acetylhexosaminidase	493	34.2
Ruminococcus obeum A2-162	657314.3	650377967	642614079	Amuc_2019	Beta-N-acetylhexosaminidase	504	42.6
Ruminococcus sp. 18P13	213810.4	650377969	642614080	Amuc_2020	methylmalonyl-CoA mutase metallochaperone MeaB	339	49.4
Ruminococcus sp. SR1/5	657323.3	650377968	642614127	Amuc_2065	acyltransferase 3	384	55.3
Ruminococcus torques L2-14	657313.3	650377970	642614139	Amuc_2077	polysaccharide export protein	260	42.1
Salmonella enterica subsp. enterica serovar Typhimurium str. LT2	99287.12	2623620649	642614180	Amuc_2118	Nitrilase/cyanide hydratase and apolipoprotein N-acyltransferase	285	54.5
			642614209	Amuc_2148	Beta-N-acetylhexosaminidase	549	40.3
			642923615	Amuc_0123	-	427	40.4
			642923645	Amuc_1980	-	47	53.3

**Table S9.** Distribution of the catabolic pathways (CPs) and glycosyl hydrolases (GHs) for the splitting of mucing glycans and utilization of derived monosaccharides. <sup>1</sup>Pattern demonstrates a presence of CPs and GHs in each genome, every letter corresponds to one monosaccharide, order is the same as in previous columns; x, both CPs and GHs are absent; P, only CP is present; H, only GH is present; B, both CPs and GHs are present. <sup>2</sup>Donor, organism can be involved in monosaccharide exchange only as a donor; Acceptor, organism can be involved in monosaccharide exchange only as an acceptor; Mixed, organism is a donor for some monosaccharides but is an acceptor for the others.

Organism	Catabolic pathways (CPs) and glycosyl hydrolases (GHs) for individual monosaccharides										Pattern <sup>1</sup>	Numbers of catabolyzed and/or cleavable monosaccharides			Mode <sup>2</sup>
	Fuc		GalNAc		GlcNAc		Neu5Ac		Gal			CPs	GHs	CPs+GHs	
	CP	GH	CP	GH	CP	GH	CP	GH	CP	GH					
Abiotrophia defectiva ATCC 49176 (592010.4)	1	1	0	1	0	1	0	1	1	1	BHHHB	2	5	2	Donor
Acidaminococcus sp. D21 (563191.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Acidaminococcus sp. HPA0509 (1203555.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Acinetobacter junii SH205 (575587.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Actinomyces odontolyticus ATCC 17982 (411466.7)	1	1	0	0	1	0	1	1	1	1	BxPBB	4	3	3	Acceptor
Actinomyces sp. HPA0247 (1203556.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Akkermansia muciniphila ATCC BAA-835 (349741.6)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Alistipes indistinctus YIT 12060 (742725.3)	0	1	0	1	0	1	0	0	1	1	HHHxB	1	4	1	Donor
Alistipes shahii WAL 8301 (717959.3)	0	1	0	1	0	1	0	1	1	1	HHHHB	1	5	1	Donor
Anaerobaculum hydrogeniformans ATCC BAA-1850 (592015.5)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Anaerococcus hydrogenalis DSM 7454 (561177.4)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Anaerofustis stercorihominis DSM 17244 (445971.6)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Anaerostipes caccae DSM 14662 (411490.6)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Anaerostipes hadrus DSM 3319 (649757.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Anaerostipes sp. 3_2_56FAA (665937.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Anaerotruncus colihominis DSM 17241 (445972.6)	1	0	0	0	1	0	1	0	1	0	PxPPP	4	0	0	Acceptor
Bacillus smithii 7_3_47FAA (665952.3)	0	0	0	1	1	1	0	0	0	1	xHBxH	1	3	1	Donor
Bacillus sp. 7_6_55CFAA_CT2 (665957.3)	0	0	0	0	1	1	0	0	1	0	xxxxP	1	0	0	Acceptor
Bacillus subtilis subsp. subtilis str. 168 (224308.113)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Bacteroides caccae ATCC 43185 (411901.7)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides capillosus ATCC 29799 (411467.6)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
Bacteroides cellulosilyticus DSM 14838 (537012.5)	1	1	0	1	1	1	0	0	1	1	BHBxB	3	4	3	Donor
Bacteroides clarus YIT 12056 (762984.3)	0	1	0	1	1	1	1	1	1	1	HHBBB	3	5	3	Donor
Bacteroides coprocola DSM 17136 (470145.6)	0	1	0	1	0	1	0	1	1	1	HHHHB	1	5	1	Donor
Bacteroides coprophilus DSM 18228 (547042.5)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides dorei DSM 17855 (483217.6)	0	1	0	1	0	1	1	1	1	1	HHHHB	2	5	2	Donor
Bacteroides eggerthii 1_2_48FAA (665953.3)	0	1	0	1	1	1	1	0	1	1	HHBPB	3	4	2	Mixed
Bacteroides eggerthii DSM 20697 (483216.6)	0	1	0	1	1	1	1	0	1	1	HHBPB	3	4	2	Mixed
Bacteroides finegoldii DSM 17565 (483215.6)	1	1	0	1	1	1	0	1	1	1	BHBHB	3	5	3	Donor
Bacteroides fluxus YIT 12057 (763034.3)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides fragilis 3_1_12 (457424.5)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides fragilis 638R (862962.3)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides fragilis NCTC 9343 (272559.17)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides fragilis YCH46 (295405.11)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides intestinalis DSM 17393 (471870.8)	1	1	0	1	0	1	0	1	1	1	BHHBB	2	5	2	Donor
Bacteroides ovatus 3_8_47FAA (665954.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides ovatus ATCC 8483 (411476.11)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides ovatus SD CC 2a (702444.3)	1	1	0	1	1	1	0	1	1	1	BHBxB	3	5	3	Donor
Bacteroides ovatus SD CMC 3f (702443.3)	1	1	0	1	1	1	0	1	1	1	BHBxB	3	5	3	Donor
Bacteroides pectinophilus ATCC 43243 (483218.5)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Bacteroides plebeius DSM 17135 (484018.6)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides sp. 1_1_14 (469585.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. 1_1_30 (457387.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. 1_1_6 (469586.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. 2_1_16 (469587.3)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides sp. 2_1_22 (469588.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. 2_1_33B (469589.3)	0	1	0	1	0	1	1	1	1	1	HHHHB	2	5	2	Donor
Bacteroides sp. 2_1_56FAA (665938.3)	1	1	0	1	0	1	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides sp. 2_1_7 (457388.5)	0	1	0	1	0	1	1	1	1	1	HHHHB	2	5	2	Donor

Bacteroides sp. 2_2_4 (469590.5)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. 20_3 (469591.4)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides sp. 3_1_19 (469592.4)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides sp. 3_1_23 (457390.3)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. 3_1_33FAA (457391.3)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides sp. 3_1_40A (469593.3)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides sp. 3_2_5 (457392.3)	1	1	0	1	0	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides sp. 4_1_36 (457393.3)	1	1	0	1	0	1	0	0	1	BHHxB	2	4	2	Donor
Bacteroides sp. 4_3_47FAA (457394.3)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides sp. 9_1_42FAA (457395.6)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides sp. D1 (556258.5)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. D2 (556259.3)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. D20 (585543.3)	1	1	0	1	0	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides sp. D22 (585544.3)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides sp. HPS0048 (1078089.3)	1	1	0	1	0	1	0	1	1	BHHHB	2	5	2	Donor
Bacteroides stercoris ATCC 43183 (449673.7)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides thetaiotaomicron VPI-5482 (226186.12)	1	1	0	1	1	1	0	1	1	BHHBB	3	5	3	Donor
Bacteroides uniformis ATCC 8492 (411479.10)	1	1	0	1	0	1	1	1	1	BHHBB	3	5	3	Donor
Bacteroides vulgatus ATCC 8482 (435590.9)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides vulgatus PC510 (702446.3)	0	1	0	1	0	1	1	1	1	HHHBB	2	5	2	Donor
Bacteroides xylanisolvens SD CC 1b (702447.3)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bacteroides xylanisolvens XB1A (657309.4)	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Barnesiella intestinihominis YIT 11860 (742726.3)	0	1	0	1	0	1	0	1	1	BHHHH	0	5	0	Donor
Bifidobacterium adolescentis L2-32 (411481.5)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium angulatum DSM 20098 = JCM 7096 (518635.7)	0	0	0	1	0	1	0	0	1	xHHxB	1	3	1	Donor
Bifidobacterium animalis subsp. lactis AD011 (442563.4)	0	0	0	1	0	1	0	0	1	xHHxB	1	3	1	Donor
Bifidobacterium bifidum NCIMB 41171 (398513.5)	0	0	0	1	1	1	0	1	1	xHBHB	2	4	2	Donor
Bifidobacterium breve DSM 20213 = JCM 1192 (518634.7)	1	0	0	1	1	1	1	1	1	PHBBB	4	4	3	Mixed
Bifidobacterium breve HPH0326 (1203540.3)	1	0	0	1	1	1	1	1	1	PHBBB	4	4	3	Mixed
Bifidobacterium catenulatum DSM 16992 = JCM 1194 (566552.6)	0	0	0	1	0	1	0	0	1	xHHxB	1	3	1	Donor
Bifidobacterium dentium ATCC 27678 (473819.7)	0	1	0	0	1	0	0	0	1	HxPxB	2	2	1	Mixed
Bifidobacterium gallicum DSM 20093 (561180.4)	0	0	0	1	0	1	1	0	1	xHHPB	2	3	1	Mixed
Bifidobacterium longum DJO10A (Prj:321) (205913.11)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum NCC2705 (206672.9)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. infantis 157F (565040.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. infantis ATCC 15697 = JCM 1222 (3	1	1	0	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Bifidobacterium longum subsp. infantis ATCC 55813 (548480.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. infantis CCUG 52486 (537937.5)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. longum 2-2B (1161745.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. longum 44B (1161743.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. longum F8 (722911.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium longum subsp. longum JCM 1217 (565042.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bifidobacterium pseudocatenulatum DSM 20438 = JCM 1200 (5470	1	0	0	1	1	1	0	0	1	PHBxB	3	3	2	Mixed
Bifidobacterium sp. 12_1_47BFAA (469594.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	3	2	Donor
Bilophila wadsworthia 3_1_6 (563192.3)	0	0	0	1	0	1	0	0	0	xHHxx	0	2	0	Donor
Blautia hansenii DSM 20583 (537007.6)	0	1	0	0	1	0	1	1	1	HxPBB	3	3	2	Mixed
Blautia hydrogenotrophica DSM 10507 (476272.5)	1	0	0	1	0	1	1	0	1	PHHPB	3	3	1	Mixed
Bryantella formatexigens DSM 14469 (478749.5)	0	0	0	1	1	1	1	1	1	xHBBB	3	4	3	Donor
Burkholderiales bacterium 1_1_47 (469610.4)	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
butyrate-producing bacterium SM4/1 (245012.3)	0	0	0	1	0	1	0	0	0	xHHxH	0	3	0	Donor
butyrate-producing bacterium SS3/4 (245014.3)	0	0	0	0	0	0	0	0	1	xxxxP	1	0	0	Acceptor
butyrate-producing bacterium SSC/2 (245018.3)	0	0	0	1	1	1	0	0	1	xHBxB	2	2	1	Mixed
Butyricococcus pullicaecorum 1.2 (1203606.4)	0	0	1	1	1	1	0	0	1	xBBxB	3	3	3	-
Butyrivibrio crossotus DSM 2876 (511680.4)	0	0	0	0	0	0	0	0	0	xxxxH	0	1	0	Donor
Butyrivibrio fibrisolvens 16/4 (657324.3)	0	0	0	1	0	1	0	0	1	xHHxB	1	3	1	Donor

Campylobacter coli JV20 (864566.3)	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-	
Campylobacter upsaliensis JV21 (888826.3)	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-	
Catenibacterium mitsuokai DSM 15897 (451640.5)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Cedecea davisae DSM 4568 (566551.4)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Citrobacter freundii 4_7_47CFAA (742730.3)	1	0	0	0	1	1	1	0	1	1	PxxPB	3	1	1	Acceptor
Citrobacter sp. 30_2 (469595.3)	1	0	1	1	1	1	1	0	1	1	PBBPB	5	3	3	Acceptor
Citrobacter youngae ATCC 29220 (500640.5)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Clostridiales bacterium 1_7_47FAA (457421.5)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
Clostridium asparagiforme DSM 15981 (518636.5)	0	0	0	1	1	1	1	0	1	1	xHBPB	3	3	2	Mixed
Clostridium bartlettii DSM 16795 (445973.7)	0	0	0	1	0	1	0	0	0	0	xHHxx	0	2	0	Donor
Clostridium bolteae 90A5 (997893.5)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
Clostridium bolteae ATCC BAA-613 (411902.9)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
Clostridium celatum DSM 1785 (545697.3)	1	1	1	1	1	1	0	1	1	1	BBBHB	4	5	4	Donor
Clostridium cf. saccharolyticum K10 (717608.3)	0	0	0	1	1	1	1	0	1	1	xHBPB	3	3	2	Mixed
Clostridium citroniae WAL-17108 (742733.3)	0	0	0	1	1	1	1	0	1	1	xHBPB	3	3	2	Mixed
Clostridium clostridioforme 2_1_49FAA (742735.4)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
Clostridium difficile CD196 (645462.3)	0	0	1	0	1	1	1	1	1	0	xPxPB	3	1	1	Acceptor
Clostridium difficile NAP07 (525258.3)	0	0	1	0	1	0	1	1	1	0	xPPBP	4	1	1	Acceptor
Clostridium difficile NAP08 (525259.3)	0	0	1	0	1	0	1	1	1	0	xPPBP	4	1	1	Acceptor
Clostridium hathewayi WAL-18680 (742737.3)	0	0	0	1	1	1	1	1	1	1	xHBBB	3	4	3	Donor
Clostridium hiranonis DSM 13275 (500633.7)	0	0	0	1	0	1	1	0	1	0	xHHPB	2	2	0	Mixed
Clostridium hylemonae DSM 15053 (553973.6)	1	0	0	0	0	0	1	1	1	1	PxxBB	3	2	2	Acceptor
Clostridium leptum DSM 753 (428125.8)	1	1	0	1	0	1	0	0	1	1	BHHxB	2	4	2	Donor
Clostridium methylopentosum DSM 5476 (537013.3)	0	1	0	0	0	0	0	0	0	0	Hxxx	0	1	0	Donor
Clostridium nexile DSM 1787 (500632.7)	0	1	0	1	1	1	0	1	1	1	HHBHB	2	5	2	Donor
Clostridium perfringens WAL-14572 (742739.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Clostridium ramosum DSM 1402 (445974.6)	0	0	0	1	1	1	0	1	1	1	xHBHB	2	4	2	Donor
Clostridium scindens ATCC 35704 (411468.9)	0	1	0	0	0	0	1	1	1	1	HxxBB	2	3	2	Donor
Clostridium sp. 7_2_43FAA (457396.3)	0	0	1	1	1	1	1	1	1	1	xBBB	4	4	4	-
Clostridium sp. 7_3_54FAA (665940.3)	0	0	0	1	0	1	1	0	1	1	xHHPB	2	3	1	Mixed
Clostridium sp. D5 (556261.3)	1	1	0	0	1	0	1	0	1	1	BxPPB	4	2	2	Acceptor
Clostridium sp. HGF2 (908340.3)	0	0	0	0	0	0	0	0	0	1	xxxxH	0	1	0	Donor
Clostridium sp. L2-50 (411489.7)	0	0	0	1	0	1	0	0	0	1	xHHxH	0	3	0	Donor
Clostridium sp. M62/1 (411486.3)	0	0	0	1	1	1	1	0	1	1	xHBPB	3	3	2	Mixed
Clostridium sp. SS2/1 (411484.7)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Clostridium spiroforme DSM 1552 (428126.7)	0	1	1	1	1	1	0	0	0	1	HBxBH	2	4	2	Donor
Clostridium sporogenes ATCC 15579 (471871.7)	0	0	0	0	1	1	0	1	0	0	xxxHx	0	1	0	Donor
Clostridium symbiosum WAL-14163 (742740.3)	0	0	0	1	0	1	1	0	1	1	xHHPB	2	3	1	Mixed
Clostridium symbiosum WAL-14673 (742741.3)	0	0	0	1	0	1	1	0	1	1	xHHPB	2	3	1	Mixed
Collinsella aerofaciens ATCC 25986 (411903.6)	0	0	1	0	0	1	1	0	1	1	xPHPB	3	2	1	Mixed
Collinsella intestinalis DSM 13280 (521003.7)	0	0	1	1	0	1	1	1	0	0	xHBxB	2	3	2	Donor
Collinsella stercoris DSM 13279 (445975.6)	0	1	1	1	1	1	0	0	1	1	HBxB	3	4	3	Donor
Collinsella tanakaei YIT 12063 (742742.3)	1	0	1	0	0	0	1	0	1	0	PPxPP	4	0	0	Acceptor
Coprobacillus sp. 29_1 (469596.3)	0	0	0	1	1	1	0	1	1	1	xHBHB	2	4	2	Donor
Coprobacillus sp. 3_3_56FAA (665941.3)	0	0	0	1	1	1	0	1	1	1	xHBHB	2	4	2	Donor
Coprobacillus sp. 8_2_54BFAA (469597.4)	0	0	0	1	1	1	0	1	1	1	xHBHB	2	4	2	Donor
Coprobacillus sp. D6 (556262.3)	0	0	0	1	1	1	0	1	1	1	xHBHB	2	4	2	Donor
Coprococcus catus GD/7 (717962.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Coprococcus comes ATCC 27758 (470146.3)	0	0	0	0	1	0	0	0	1	1	xxPxB	2	1	1	Acceptor
Coprococcus eutactus ATCC 27759 (411474.6)	0	0	0	1	0	1	0	0	0	1	xHHxH	0	3	0	Donor
Coprococcus sp. ART55/1 (751585.3)	0	0	0	1	0	1	0	0	0	1	xHHxH	0	3	0	Donor
Coprococcus sp. HPP0048 (1078091.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Coprococcus sp. HPP0074 (1078090.3)	1	1	0	1	1	1	0	1	1	1	BHBBB	3	5	3	Donor
Corynebacterium ammoniagenes DSM 20306 (649754.3)	1	0	0	1	1	1	1	0	1	0	PHBPP	4	2	1	Mixed
Corynebacterium sp. HFH0082 (1078764.3)	0	0	0	0	0	0	0	0	1	0	xxxxP	1	0	0	Acceptor



Dermabacter sp. HFH0086 (1203568.3)	0	0	0	0	1	0	1	1	1	1	xxPBB	3	2	2	Acceptor
Desulfotobacterium hafniense DP7 (537010.4)	0	0	0	1	0	1	0	0	0	0	xHHxx	0	2	0	Donor
Desulfovibrio piger ATCC 29098 (411464.8)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Desulfovibrio sp. 3_1_syn3 (457398.5)	0	0	0	1	0	1	0	0	0	0	xHHxx	0	2	0	Donor
Dorea formicigenerans 4_6_53FAAA (742765.5)	0	1	0	0	1	0	0	1	1	1	HxPHB	2	3	1	Mixed
Dorea formicigenerans ATCC 27755 (411461.4)	0	0	0	1	1	1	1	1	1	1	xHBBB	3	4	3	Donor
Dorea longicatena DSM 13814 (411462.6)	0	0	0	0	0	0	1	0	1	1	xxxPB	2	1	1	Acceptor
Dysgonomonas gadei ATCC BAA-286 (742766.3)	1	1	0	1	0	1	0	0	1	1	BHHxB	2	4	2	Donor
Dysgonomonas mossii DSM 22836 (742767.3)	1	1	0	1	0	1	0	0	1	1	BHHxB	2	4	2	Donor
Edwardsiella tarda ATCC 23685 (500638.3)	1	0	1	1	1	1	1	0	1	1	PBBPB	5	3	3	Acceptor
Eggerthella sp. 1_3_56FAA (665943.3)	0	0	0	0	0	0	1	0	0	0	xxxPx	1	0	0	Acceptor
Eggerthella sp. HGA1 (910311.3)	0	0	0	0	0	0	1	0	0	0	xxxPx	1	0	0	Acceptor
Enterobacter cancerogenus ATCC 35316 (500639.8)	1	0	1	1	1	1	1	0	1	1	PBBPB	5	3	3	Acceptor
Enterobacter cloacae subsp. cloacae NCTC 9394 (718254.4)	1	0	1	1	1	1	1	0	1	1	PBBPB	5	3	3	Acceptor
Enterobacteriaceae bacterium 9_2_54FAA (469613.3)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
Enterococcus faecalis PC1.1 (702448.3)	0	0	0	0	1	1	0	0	1	1	xxxxB	1	1	1	-
Enterococcus faecalis TX0104 (491074.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Enterococcus faecalis TX1302 (749513.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Enterococcus faecalis TX1322 (525278.3)	0	0	1	1	1	1	0	0	1	1	xBBxB	3	3	3	-
Enterococcus faecalis TX1341 (749514.3)	0	0	1	1	1	1	0	0	1	1	xBBxB	3	3	3	-
Enterococcus faecalis TX1342 (749515.3)	0	0	1	1	1	1	0	0	1	1	xPxxB	2	1	1	Acceptor
Enterococcus faecalis TX1346 (749516.3)	0	0	1	1	1	1	0	0	1	1	xBBxB	3	3	3	-
Enterococcus faecalis TX2134 (749518.3)	0	0	1	1	1	1	0	0	1	1	xBBxB	3	3	3	-
Enterococcus faecalis TX2137 (749491.3)	0	0	1	1	1	1	0	0	1	1	xBBxB	3	3	3	-
Enterococcus faecalis TX4244 (749494.3)	0	0	1	1	1	1	0	0	1	1	xBBxB	3	3	3	-
Enterococcus faecium PC4.1 (791161.5)	0	0	0	0	1	1	0	0	1	1	xxxxB	1	1	1	-
Enterococcus faecium TX1330 (525279.3)	0	0	0	0	1	1	0	0	1	1	xxxxB	1	1	1	-
Enterococcus saccharolyticus 30_1 (742813.4)	0	1	0	1	0	1	0	0	1	1	HHHxB	1	4	1	Donor
Enterococcus sp. 7L76 (657310.3)	0	0	1	0	1	1	0	0	1	1	xPxxB	2	1	1	Acceptor
Erysipelotrichaceae bacterium 2_2_44A (457422.3)	0	0	0	0	0	0	0	0	0	1	xxxxH	0	1	0	Donor
Erysipelotrichaceae bacterium 21_3 (658657.3)	0	0	0	0	0	0	0	0	0	1	xxxxH	0	1	0	Donor
Erysipelotrichaceae bacterium 3_1_53 (658659.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Erysipelotrichaceae bacterium 5_2_54FAA (552396.3)	0	0	0	1	1	1	0	0	0	0	xHBxx	1	2	1	Donor
Erysipelotrichaceae bacterium 6_1_45 (469614.3)	0	0	0	0	0	0	0	0	0	1	xxxxH	0	1	0	Donor
Escherichia coli 4_1_47FAA (1127356.4)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 107-1 (679207.4)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 115-1 (749537.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 116-1 (749538.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 119-7 (679206.4)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 124-1 (679205.4)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 145-7 (679204.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 146-1 (749540.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 175-1 (749544.3)	0	0	1	0	0	1	0	0	1	1	xPHxB	2	2	1	Mixed
Escherichia coli MS 182-1 (749545.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 185-1 (749546.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 187-1 (749547.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 196-1 (749548.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 198-1 (749549.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 200-1 (749550.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 21-1 (749527.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 45-1 (749528.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli MS 69-1 (749531.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 78-1 (749532.3)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 79-10 (796392.4)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli MS 84-1 (749533.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor

Escherichia coli MS 85-1 (679202.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli O157:H7 str. Sakai (386585.9)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli SE11 (409438.11)	1	0	1	0	1	0	1	0	1	1	PPPPB	5	1	1	Acceptor
Escherichia coli SE15 (431946.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli str. K-12 substr. MG1655 (511145.12)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia coli UTI89 (364106.8)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia sp. 1_1_43 (457400.3)	1	0	0	0	0	1	1	0	0	1	PxHPH	2	2	0	Mixed
Escherichia sp. 3_2_53FAA (469598.5)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Escherichia sp. 4_1_40B (457401.3)	1	0	1	0	1	1	1	0	1	1	PPxPB	4	1	1	Acceptor
Eubacterium bifforme DSM 3989 (518637.5)	0	1	0	0	1	0	0	0	1	1	HxPxB	2	2	1	Mixed
Eubacterium cylindroides T2-87 (717960.3)	0	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-
Eubacterium dolichum DSM 3991 (428127.7)	0	0	0	1	0	1	0	0	0	1	xHHxH	0	3	0	Donor
Eubacterium hallii DSM 3353 (411469.3)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
Eubacterium rectale DSM 17629 (657318.4)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Eubacterium rectale M104/1 (657317.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Eubacterium siraeum 70/3 (657319.3)	1	1	0	0	0	0	0	0	1	1	BxxxB	2	2	2	-
Eubacterium siraeum DSM 15702 (428128.7)	1	1	0	1	0	1	0	0	1	1	BHHxB	2	4	2	Donor
Eubacterium siraeum V10Sc8a (717961.3)	1	1	0	1	0	1	0	0	1	1	BHHxB	2	4	2	Donor
Eubacterium sp. 3_1_31 (457402.3)	0	0	0	1	1	1	0	0	0	0	xHBxx	1	2	1	Donor
Eubacterium ventriosum ATCC 27560 (411463.4)	0	0	0	0	1	1	0	0	1	1	xxxxB	1	1	1	-
Faecalibacterium cf. prausnitzii KLE1255 (748224.3)	0	0	0	0	0	0	1	0	1	1	xxPB	2	1	1	Acceptor
Faecalibacterium prausnitzii A2-165 (411483.3)	0	0	0	1	1	1	1	0	1	1	xHBPB	3	3	2	Mixed
Faecalibacterium prausnitzii L2-6 (718252.3)	0	0	1	0	0	0	1	0	1	1	xPxPB	3	1	1	Acceptor
Faecalibacterium prausnitzii M21/2 (411485.10)	0	0	0	0	1	0	1	0	1	1	xxPPB	3	1	1	Acceptor
Faecalibacterium prausnitzii SL3/3 (657322.3)	0	0	0	0	1	0	1	0	1	1	xxPPB	3	1	1	Acceptor
Fusobacterium gonidiaformans ATCC 25563 (469615.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium mortiferum ATCC 9817 (469616.3)	0	0	0	0	1	0	1	0	1	1	xxPPB	3	1	1	Acceptor
Fusobacterium necrophorum subsp. funduliforme 1_1_36S (742814)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 1_1_41FAA (469621.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 11_3_2 (457403.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 12_1B (457404.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 2_1_31 (469599.3)	0	0	0	0	1	0	0	0	1	0	xxPxP	2	0	0	Acceptor
Fusobacterium sp. 21_1A (469601.3)	0	0	0	0	1	0	0	0	1	0	xxPxP	2	0	0	Acceptor
Fusobacterium sp. 3_1_27 (469602.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 3_1_33 (469603.3)	0	0	0	0	1	0	0	0	1	0	xxPxP	2	0	0	Acceptor
Fusobacterium sp. 3_1_36A2 (469604.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 3_1_5R (469605.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 4_1_13 (469606.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. 7_1 (457405.3)	0	0	0	0	1	0	0	0	1	0	xxPxP	2	0	0	Acceptor
Fusobacterium sp. D11 (556264.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium sp. D12 (556263.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium ulcerans ATCC 49185 (469617.3)	0	0	0	0	1	0	1	0	1	0	xxPPP	3	0	0	Acceptor
Fusobacterium varium ATCC 27725 (469618.3)	1	0	0	0	1	0	1	0	1	0	PxPPP	4	0	0	Acceptor
Gordonibacter pamelaeeae 7-10-1-b (657308.3)	0	0	0	0	0	0	1	0	0	0	xxxPx	1	0	0	Acceptor
Hafnia alvei ATCC 51873 (1002364.3)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
Helicobacter bilis ATCC 43879 (613026.4)	0	0	0	0	0	1	0	0	0	0	xxHxx	0	1	0	Donor
Helicobacter canadensis MIT 98-5491 (Prj:30719) (537970.9)	0	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-
Helicobacter cinaedi ATCC BAA-847 (1206745.3)	0	0	0	0	0	1	0	0	0	0	xxHxx	0	1	0	Donor
Helicobacter cinaedi CCUG 18818 (537971.5)	0	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-
Helicobacter pullorum MIT 98-5489 (537972.5)	0	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-
Helicobacter winghamensis ATCC BAA-430 (556267.4)	0	0	0	0	0	0	0	0	0	0	xxxx	0	0	0	-
Holdemania filiformis DSM 12042 (545696.5)	1	1	0	1	1	1	0	0	1	1	BHBxB	3	4	3	Donor
Klebsiella pneumoniae 1162281 (1037908.3)	1	0	0	0	1	1	1	0	0	1	PxxxB	2	1	1	Acceptor
Klebsiella pneumoniae subsp. pneumoniae WGLW5 (1203547.3)	1	0	0	0	1	1	0	0	1	1	PxxxB	2	1	1	Acceptor
Klebsiella sp. 1_1_55 (469608.3)	1	0	0	0	1	1	0	0	1	1	PxxxB	2	1	1	Acceptor

Klebsiella sp. 4_1_44FAA (665944.3)	1	0	0	0	1	1	0	0	1	1	PxxxB	2	1	1	Acceptor
Lachnospiraceae bacterium 1_1_57FAA (658081.3)	0	1	1	1	0	1	0	1	1	1	HBHxB	2	5	2	Donor
Lachnospiraceae bacterium 1_4_56FAA (658655.3)	1	1	0	1	1	1	0	0	1	1	BHBxB	3	4	3	Donor
Lachnospiraceae bacterium 2_1_46FAA (742723.3)	0	1	0	1	1	1	0	1	1	1	HHBxB	2	5	2	Donor
Lachnospiraceae bacterium 2_1_58FAA (658082.3)	1	1	0	1	1	1	0	0	1	1	BHBxB	3	4	3	Donor
Lachnospiraceae bacterium 3_1_46FAA (665950.3)	0	1	1	1	0	1	0	1	1	1	HBHxB	2	5	2	Donor
Lachnospiraceae bacterium 3_1_57FAA_CT1 (658086.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Lachnospiraceae bacterium 4_1_37FAA (552395.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Lachnospiraceae bacterium 5_1_57FAA (658085.3)	0	1	0	0	0	0	1	1	1	1	HxxBB	2	3	2	Donor
Lachnospiraceae bacterium 5_1_63FAA (658089.3)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Lachnospiraceae bacterium 6_1_63FAA (658083.3)	0	1	0	0	1	0	0	0	1	1	HxPxB	2	2	1	Mixed
Lachnospiraceae bacterium 7_1_58FAA (658087.3)	0	0	0	0	0	0	1	1	0	1	xxxBH	1	2	1	Donor
Lachnospiraceae bacterium 8_1_57FAA (665951.3)	0	1	1	1	0	1	0	1	1	1	HBHxB	2	5	2	Donor
Lachnospiraceae bacterium 9_1_43BFAA (658088.3)	1	1	0	1	1	1	0	1	1	1	BHBxB	3	5	3	Donor
Lactobacillus acidophilus ATCC 4796 (525306.3)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus acidophilus NCFM (272621.13)	0	0	0	0	1	0	0	0	1	1	xxPxB	2	1	1	Acceptor
Lactobacillus amylolyticus DSM 11664 (585524.3)	0	0	0	1	1	1	0	0	1	0	xHBxB	2	2	1	Mixed
Lactobacillus antri DSM 16041 (525309.3)	0	0	0	0	0	0	1	0	1	1	xxxPB	2	1	1	Acceptor
Lactobacillus brevis ATCC 367 (387344.15)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus brevis subsp. gravesensis ATCC 27305 (525310.3)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
Lactobacillus buchneri ATCC 11577 (525318.3)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
Lactobacillus casei ATCC 334 (321967.11)	0	1	0	1	0	1	0	0	1	1	HHHxB	1	4	1	Donor
Lactobacillus casei BL23 (543734.4)	0	1	1	1	0	1	0	0	1	1	HBHxB	2	4	2	Donor
Lactobacillus crispatus 125-2-CHN (575595.3)	0	0	0	0	1	0	0	0	1	1	xxPxB	2	1	1	Acceptor
Lactobacillus delbrueckii subsp. bulgaricus ATCC 11842 (390333.7)	0	0	0	0	0	0	0	0	0	1	xxxxH	0	1	0	Donor
Lactobacillus delbrueckii subsp. bulgaricus ATCC BAA-365 (321956)	0	0	0	0	1	0	0	0	0	1	xxPxH	1	1	0	Mixed
Lactobacillus fermentum ATCC 14931 (525325.3)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus fermentum IFO 3956 (334390.5)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus gasserii ATCC 33323 (324831.13)	0	0	1	0	0	1	0	0	1	1	xPHxB	2	2	1	Mixed
Lactobacillus helveticus DPC 4571 (405566.6)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus helveticus DSM 20075 (585520.4)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus hilgardii ATCC 8290 (525327.3)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
Lactobacillus johnsonii NCC 533 (257314.6)	0	0	1	0	0	1	0	0	1	1	xPHxB	2	2	1	Mixed
Lactobacillus paracasei subsp. paracasei 8700:2 (537973.8)	0	1	1	1	0	1	0	0	1	1	HBHxB	2	4	2	Donor
Lactobacillus paracasei subsp. paracasei ATCC 25302 (525337.3)	0	1	1	1	0	1	0	0	1	1	HBHxB	2	4	2	Donor
Lactobacillus plantarum 16 (1327988.3)	0	0	0	0	1	0	1	0	1	1	xxPPB	3	1	1	Acceptor
Lactobacillus plantarum subsp. plantarum ATCC 14917 (525338.3)	0	0	0	0	1	0	0	0	1	1	xxPxB	2	1	1	Acceptor
Lactobacillus plantarum WCFS1 (220668.9)	0	0	0	0	1	0	1	0	1	1	xxPPB	3	1	1	Acceptor
Lactobacillus reuteri CF48-3A (525341.3)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus reuteri DSM 20016 (557436.4)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus reuteri F275 (299033.6)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus reuteri MM2-3 (585517.3)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus reuteri MM4-1A (548485.3)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus reuteri SD2112 (491077.3)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Lactobacillus rhamnosus ATCC 21052 (1002365.5)	0	1	1	0	0	1	0	0	1	1	xHHxB	2	3	1	Mixed
Lactobacillus rhamnosus GG (Prj:40637) (568703.30)	1	1	1	1	0	1	0	0	1	1	BBHxB	3	4	3	Donor
Lactobacillus rhamnosus LMS2-1 (525361.3)	0	1	1	0	0	1	0	0	1	1	HPHxB	2	3	1	Mixed
Lactobacillus ruminis ATCC 25644 (525362.3)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
Lactobacillus sakei subsp. sakei 23K (314315.12)	0	0	0	0	0	1	0	1	0	1	xxPPB	3	1	1	Acceptor
Lactobacillus salivarius ATCC 11741 (525364.3)	0	0	0	1	0	1	1	0	1	1	xHHPB	2	3	1	Mixed
Lactobacillus salivarius UCC118 (362948.14)	0	0	0	1	0	1	1	1	1	1	xHHBB	2	4	2	Donor
Lactobacillus sp. 7_1_47FAA (665945.3)	0	0	1	0	1	1	0	0	0	1	xPxxH	1	1	0	Mixed
Lactobacillus ultunensis DSM 16047 (525365.3)	0	0	0	0	1	0	0	0	1	1	xxPxB	2	1	1	Acceptor
Leuconostoc mesenteroides subsp. cremoris ATCC 19254 (586220)	0	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-
Listeria grayi DSM 20601 (525367.9)	0	0	0	0	0	1	0	0	1	1	xxHxB	1	2	1	Donor

<i>Listeria innocua</i> ATCC 33091 (1002366.3)	0	0	0	0	1	1	0	0	0	0	xxxxx	0	0	0	-
<i>Megamonas funiformis</i> YIT 11815 (742816.3)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
<i>Megamonas hypermegale</i> ART12/1 (657316.3)	1	0	0	1	1	1	1	0	1	1	PHBPB	4	3	2	Mixed
<i>Methanobrevibacter smithii</i> ATCC 35061 (420247.6)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Methanosphaera stadtmanae</i> DSM 3091 (339860.6)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Mitsuokella multacida</i> DSM 20544 (500635.8)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
<i>Mollicutes bacterium</i> D7 (556270.3)	0	0	0	1	1	1	0	1	1	1	xHBHB	2	4	2	Donor
<i>Odoribacter laneus</i> YIT 12061 (742817.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Oxalobacter formigenes</i> HOxBS (556268.6)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Oxalobacter formigenes</i> OXCC13 (556269.4)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Paenibacillus</i> sp. HGF5 (908341.3)	1	1	0	1	1	1	0	1	1	1	BHBHB	3	5	3	Donor
<i>Paenibacillus</i> sp. HGF7 (944559.3)	1	1	0	1	1	1	0	0	1	1	BHBxB	3	4	3	Donor
<i>Paenibacillus</i> sp. HGH0503 (1078505.3)	1	1	0	1	1	1	0	1	1	1	BHBHB	3	5	3	Donor
<i>Parabacteroides distasonis</i> ATCC 8503 (435591.13)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Parabacteroides johnsonii</i> DSM 18315 (537006.5)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Parabacteroides merdae</i> ATCC 43184 (411477.4)	0	1	0	1	0	1	0	1	1	1	HHHBB	1	5	1	Donor
<i>Parabacteroides</i> sp. D13 (563193.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Parabacteroides</i> sp. D25 (658661.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Paraprevotella clara</i> YIT 11840 (762968.3)	1	1	0	0	0	0	0	0	1	1	BxxxB	2	2	2	-
<i>Paraprevotella xylaniphila</i> YIT 11841 (762982.3)	1	1	0	0	0	0	0	0	1	1	BxxxB	2	2	2	-
<i>Parvimonas micra</i> ATCC 33270 (411465.10)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Pediococcus acidilactici</i> 7_4 (563194.3)	1	1	1	0	0	1	1	0	1	1	BPHPB	4	3	2	Mixed
<i>Pediococcus acidilactici</i> DSM 20284 (862514.3)	0	1	1	0	0	1	1	1	1	1	HPHBB	3	4	2	Mixed
<i>Phascolarctobacterium</i> sp. YIT 12067 (626939.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Prevotella copri</i> DSM 18205 (537011.5)	0	0	0	1	0	1	0	0	1	1	xHHxB	1	3	1	Donor
<i>Prevotella oralis</i> HGA0225 (1203550.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Prevotella salivae</i> DSM 15606 (888832.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
<i>Propionibacterium</i> sp. 5_U_42AFAA (450748.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
<i>Propionibacterium</i> sp. HGH0353 (1203571.3)	0	0	0	1	0	1	1	0	1	1	xHPB	2	3	1	Mixed
<i>Proteus mirabilis</i> WGLW6 (1125694.3)	0	0	1	0	1	0	1	0	1	0	xPPPP	4	0	0	Acceptor
<i>Proteus penneri</i> ATCC 35198 (471881.3)	0	0	1	0	1	0	1	0	1	0	xPPPP	4	0	0	Acceptor
<i>Providencia alcalifaciens</i> DSM 30120 (520999.6)	0	0	0	0	1	0	0	0	0	0	xxPxx	1	0	0	Acceptor
<i>Providencia rettgeri</i> DSM 1131 (521000.6)	0	0	1	1	1	1	1	0	1	0	xBBP	4	2	2	Acceptor
<i>Providencia rustigianii</i> DSM 4541 (500637.6)	0	0	1	0	1	0	0	0	1	0	xPPxP	3	0	0	Acceptor
<i>Providencia stuartii</i> ATCC 25827 (471874.6)	0	0	1	1	1	1	0	0	1	0	xBBxP	3	2	2	Acceptor
<i>Pseudomonas</i> sp. 2_1_26 (665948.3)	0	0	0	0	1	1	0	0	0	0	xxxxx	0	0	0	-
<i>Ralstonia</i> sp. 5_7_47FAA (658664.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
<i>Roseburia intestinalis</i> L1-82 (536231.5)	0	1	0	1	1	1	0	0	1	1	HHBxB	2	4	2	Donor
<i>Roseburia intestinalis</i> M50/1 (657315.3)	0	1	0	1	1	1	0	0	1	1	HHBxB	2	4	2	Donor
<i>Roseburia intestinalis</i> XB6B4 (718255.3)	0	1	0	1	1	1	0	0	1	1	HHBxB	2	4	2	Donor
<i>Roseburia inulinivorans</i> DSM 16841 (622312.4)	1	1	0	1	1	1	1	0	1	1	BHBPB	4	4	3	Mixed
<i>Ruminococcaceae bacterium</i> D16 (552398.3)	0	0	0	1	0	1	1	0	1	1	xHHPB	2	3	1	Mixed
<i>Ruminococcus bromii</i> L2-63 (657321.5)	0	0	0	1	0	1	0	0	1	0	xHHxP	1	2	0	Mixed
<i>Ruminococcus gnavus</i> ATCC 29149 (411470.6)	1	1	0	0	1	0	1	1	1	1	BxPBB	4	3	3	Acceptor
<i>Ruminococcus lactaris</i> ATCC 29176 (471875.6)	0	1	0	1	1	1	0	1	1	1	HHHBB	2	5	2	Donor
<i>Ruminococcus obeum</i> A2-162 (657314.3)	1	0	0	0	1	0	0	0	1	1	PxPxP	3	1	1	Acceptor
<i>Ruminococcus obeum</i> ATCC 29174 (411459.7)	1	1	0	0	0	0	0	0	1	1	BxxxB	2	2	2	-
<i>Ruminococcus</i> sp. 18P13 (213810.4)	0	0	0	0	0	1	0	0	0	1	xxHxB	0	2	0	Donor
<i>Ruminococcus</i> sp. 5_1_39BFAA (457412.4)	1	1	0	0	0	0	1	0	1	1	BxxPB	3	2	2	Acceptor
<i>Ruminococcus</i> sp. SR1/5 (657323.3)	1	1	0	0	1	0	0	0	1	1	BxPxP	3	2	2	Acceptor
<i>Ruminococcus torques</i> ATCC 27756 (411460.6)	0	1	1	1	0	1	0	1	1	1	HBHBB	2	5	2	Donor
<i>Ruminococcus torques</i> L2-14 (657313.3)	1	1	0	0	1	0	1	0	1	1	BxPPP	4	2	2	Acceptor
<i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhimurium str. LT2 (1078083.3)	1	0	0	0	1	1	1	1	1	1	PxxBB	3	2	2	Acceptor
<i>Staphylococcus</i> sp. HGB0015 (1078083.3)	0	0	1	0	0	1	1	1	1	1	xPHBB	3	3	2	Mixed
<i>Streptococcus anginosus</i> 1_2_62CV (742820.3)	0	0	0	0	0	1	1	0	1	1	xxHPB	2	2	1	Mixed

Streptococcus equinus ATCC 9812 (525379.3)	0	0	0	0	0	0	0	1	0	xxxxP	1	0	0	Acceptor	
Streptococcus infantarius subsp. infantarius ATCC BAA-102 (47187)	0	0	0	0	0	0	0	1	1	xxxxB	1	1	1	-	
Streptococcus sp. 2_1_36FAA (469609.3)	0	1	0	1	0	1	1	0	1	1	HHHPB	2	4	1	Mixed
Streptococcus sp. HPH0090 (1203590.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
Streptomyces sp. HGB0020 (1078086.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Streptomyces sp. HPH0547 (1203592.3)	1	1	0	1	1	1	1	1	1	1	BHBBB	4	5	4	Donor
Subdoligranulum sp. 4_3_54A2FAA (665956.3)	0	1	0	1	0	1	1	1	1	1	HHHBB	2	5	2	Donor
Subdoligranulum variabile DSM 15176 (411471.5)	0	0	0	1	1	1	0	0	1	1	xHBxB	2	3	2	Donor
Succinatimonas hippei YIT 12066 (762983.3)	0	0	0	0	0	0	0	0	1	0	xxxxP	1	0	0	Acceptor
Sutterella wadsworthensis 3_1_45B (742821.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Sutterella wadsworthensis HGA0223 (1203554.3)	0	0	0	0	0	0	0	0	0	0	xxxxx	0	0	0	-
Tannerella sp. 6_1_58FAA_CT1 (665949.3)	0	1	0	1	0	1	0	0	1	1	HHHxB	1	4	1	Donor
Turicibacter sp. HGF1 (910310.3)	0	1	0	1	1	1	1	0	1	1	HHBPB	3	4	2	Mixed
Turicibacter sp. PC909 (702450.3)	0	1	0	1	1	1	1	0	1	1	HHBPB	3	4	2	Mixed
Veillonella sp. 3_1_44 (457416.3)	0	0	0	1	0	1	0	0	1	0	xHHxB	1	2	0	Mixed
Veillonella sp. 6_1_27 (450749.3)	0	0	0	1	0	1	0	0	1	0	xHHxB	1	2	0	Mixed
Weissella paramesenteroides ATCC 33313 (585506.3)	0	0	0	0	1	0	0	0	1	1	xxPxB	2	1	1	Acceptor
Yokenella regensburgi ATCC 43003 (1002368.3)	1	0	1	1	1	1	1	0	1	1	PBBPB	5	3	3	Acceptor







**Table S12.** Properties of known mucin glycans found in human intestine. <sup>1</sup>Numbers of glycan structures in agreement with the Supplementary Figure S9. <sup>2</sup>Bonds found in glycan structures: "+", presence of this type of bond; "-", absence of this type of bond. <sup>3</sup>Specific features of the glycan structures: aGal, contain alpha-bound galactose; aGalNAc, contain alpha-bound N-acetylgalactosamine; aGlcNAc, contain alpha-bound N-acetylglucosamine;

Mucin No <sup>1</sup>	Bonds <sup>2</sup>													Specific groups <sup>3</sup>	No of genomes <sup>4</sup>			
	Fuc-alpha1,2-Gal	Fuc-alpha1,4-GlcNAc	Gal-alpha1,3-Gal	Gal-beta1,3-GalNAc	Gal-beta1,3-GlcNAc	Gal-beta1,4-GlcNAc	GalNAc-alpha1,3-Gal	GalNAc-alpha1,6-Gal	GlcNAc-alpha1,4-Gal	GlcNAc-beta1,3-Gal	GlcNAc-beta1,3-GalNAc	GlcNAc-beta1,6-Gal	GlcNAc-beta1,6-GalNAc			Neu5Ac-alpha2,3-Gal	Neu5Ac-alpha2,6-Gal	Neu5Ac-alpha2,6-GalNAc
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	Sial	112
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	Sial	96
3	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+	Sial	95
4	-	-	-	-	-	+	-	-	-	-	+	+	-	-	-	+	Sial	95
5	-	-	-	-	-	+	-	-	-	-	+	+	+	-	-	+	Sial	95
6	+	-	-	-	-	+	+	-	-	-	+	+	+	-	-	+	aGalNAc, Fuc, Sial	9
7	+	-	-	-	-	+	+	+	-	-	+	+	-	-	-	+	aGalNAc, Fuc, Sial	9
8	-	-	-	-	+	+	+	-	-	-	+	+	-	-	-	+	aGalNAc, Sial	9
9	+	-	-	-	+	+	+	-	-	-	+	+	+	-	-	+	aGalNAc, Fuc, Sial	9
10	-	-	-	-	-	+	+	-	-	-	+	+	-	-	-	+	Sial	95
11	-	-	-	-	-	-	-	-	-	-	+	+	-	-	-	-	-	217
12	-	-	-	-	-	+	-	-	-	-	+	+	-	-	-	-	-	189
13	-	-	-	-	-	+	-	-	-	-	+	+	-	-	-	-	-	189
14	-	-	-	-	-	+	-	-	-	-	+	+	-	-	-	-	-	189
15	+	-	-	-	-	+	+	-	-	-	+	+	-	-	-	-	aGalNAc, Fuc	11
16	-	-	-	-	-	+	+	-	-	-	+	+	+	-	-	-	aGalNAc	12
17	+	-	-	-	-	+	+	-	-	-	+	+	+	-	-	-	aGalNAc, Fuc	11
18	-	-	-	-	-	+	-	-	-	-	+	+	+	-	-	-	-	189
19	-	-	-	-	-	+	+	-	-	-	+	-	+	-	-	-	aGalNAc	12
20	+	-	-	-	-	+	+	-	-	-	+	+	-	-	-	-	aGalNAc, Fuc	11
21	-	-	-	-	+	+	-	+	-	-	+	+	-	-	-	-	aGalNAc	12
22	+	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	Fuc	124
23	+	-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	Fuc	107
24	+	-	-	+	-	-	+	-	-	-	-	-	-	-	-	-	aGalNAc, Fuc	11
25	+	-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	Fuc	107
26	+	-	-	+	-	+	-	-	-	-	-	-	+	-	-	-	Fuc	107
27	+	-	-	+	+	-	-	-	-	-	-	-	+	-	-	-	Fuc	107
28	+	-	-	+	-	+	-	-	-	-	-	-	+	-	-	-	Fuc	107
29	+	-	-	+	-	-	+	-	-	-	-	-	-	-	-	-	aGalNAc, Fuc	11
30	+	-	-	+	-	+	-	-	-	-	-	-	+	-	-	-	Fuc	107
31	+	-	+	+	-	+	-	-	-	-	-	-	+	-	-	-	aGal, Fuc	96
32	+	-	-	+	-	+	-	-	-	-	+	-	+	-	-	-	Fuc	107
33	+	+	-	+	+	-	-	-	-	-	-	-	+	-	-	-	Fuc	107
34	+	-	+	+	-	+	-	-	-	-	-	-	+	-	-	-	aGal, Fuc	96
35	+	-	+	+	-	+	-	-	-	-	-	-	+	-	-	-	aGal, Fuc	96
36	+	+	+	+	+	-	-	-	-	-	-	-	+	-	-	-	aGal, Fuc	96
37	+	-	-	+	-	+	+	-	-	-	-	-	+	-	-	-	aGalNAc, Fuc	11
38	+	-	-	+	-	+	+	-	-	-	-	-	+	-	-	-	aGalNAc, Fuc	11
39	-	-	-	+	-	-	-	-	-	-	+	-	-	-	-	-	-	189
40	+	-	-	+	-	+	-	-	-	-	+	-	+	-	-	-	Fuc	107
41	+	-	-	+	-	+	+	-	-	-	+	-	+	-	-	-	aGalNAc, Fuc	11
42	+	-	+	+	-	+	-	-	-	-	-	-	+	-	-	-	aGal, Fuc	96
43	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	285
44	-	-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-	189
45	-	-	-	+	-	+	-	-	-	-	+	-	-	-	-	-	-	189
46	-	-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-	189
47	+	-	-	+	-	+	-	-	-	-	+	-	+	-	-	-	aGlcNAc, Fuc	55
48	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	+	Sial	103
49	-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	-	Sial	103
50	+	-	-	+	-	-	-	-	-	-	-	-	-	-	+	-	Fuc, Sial	87
51	-	-	-	+	-	-	-	-	-	-	-	-	+	+	-	-	Sial	95
52	-	-	-	+	-	-	-	-	-	-	-	-	+	+	-	+	Sial	103
53	-	-	-	+	-	+	-	-	-	-	-	-	+	+	-	-	Sial	95
54	-	-	-	+	-	+	-	-	-	-	-	-	+	+	-	-	Sial	95
55	+	-	-	+	-	+	-	-	-	-	+	-	+	-	-	-	Fuc	107
56	+	-	+	+	-	+	-	-	-	-	+	-	+	-	-	-	aGal, Fuc	96



**Table S13.** Repertoire of GHs and hydrolysed mucin glycans in the analysed HGM genomes. <sup>1</sup>Numbers of glycan structures correspond to that in Supplementary Figure S9.

Organism (PubSEED ID)	Glycosyl Hydrolases							Hydrolyzed glycans		Comments
	Alpha-N-acetylgalactosaminidases	Alpha-galactosidases	Alpha-L-fucosidases	Alpha-N-acetylglucosaminidase	Beta-galactosidases	Beta-hexosaminidases	Sialidases	Number	Glycans <sup>1</sup>	
<i>Abiotrophia defectiva</i> ATCC 49176 (592010.4)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Acidaminococcus</i> sp. D21 (563191.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Acidaminococcus</i> sp. HPA0509 (1203555.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Acinetobacter junii</i> SH205 (575587.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Actinomyces odontolyticus</i> ATCC 17982 (411466.7)	0	1	1	0	0	0	1	1	1	Only Syalyl-Tn-antigen can be hydrolyzed.
<i>Actinomyces</i> sp. HPA0247 (1203556.3)	0	0	1	0	1	1	1	34	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal, alpha-GalNAc, or alpha-GlcNAc cannot be hydrolyzed.
<i>Akkermansia muciniphila</i> ATCC BAA-835 (349741.6)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Alistipes indistinctus</i> YIT 12060 (742725.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well sialated glycans cannot be hydrolyzed.
<i>Alistipes shahii</i> WAL 8301 (717959.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Anaerobaculum hydrogeniformans</i> ATCC BAA-1850	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Anaerococcus hydrogenalis</i> DSM 7454 (561177.4)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Anaerofustis stercorihominis</i> DSM 17244 (445971.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Anaerostipes caccae</i> DSM 14662 (411490.6)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Anaerostipes hadrus</i> DSM 3319 (649757.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Anaerostipes</i> sp. 3_2_56FAA (665937.3)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Anaerotruncus colihominis</i> DSM 17241 (445972.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Bacillus smithii</i> 7_3_47FAA (665952.3)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Bacillus</i> sp. 7_6_55CFAA_CT2 (665957.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Bacillus subtilis</i> subsp. <i>subtilis</i> str. 168 (224308.113)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bacteroides caccae</i> ATCC 43185 (411901.7)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Bacteroides capillosus</i> ATCC 29799 (411467.6)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bacteroides cellulosilyticus</i> DSM 14838 (537012.5)	0	1	1	1	1	1	0	28	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 55, 56	Glycans with alpha-GalNAc as well sialated glycans cannot be hydrolyzed.
<i>Bacteroides clarus</i> YIT 12056 (762984.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Bacteroides coprocola</i> DSM 17136 (470145.6)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Bacteroides coprophilus</i> DSM 18228 (547042.5)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Bacteroides dorei</i> DSM 17855 (483217.6)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Bacteroides eggerthii</i> 1_2_48FAA (665953.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well sialated glycans cannot be hydrolyzed.
<i>Bacteroides eggerthii</i> DSM 20697 (483216.6)	0	0	1	0	1	1	0	21	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 55	Only (fucosylated) ploylactosamine structures can be hydrolyzed.
<i>Bacteroides finegoldii</i> DSM 17565 (483215.6)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Bacteroides fluxus</i> YIT 12057 (763034.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.

Bacteroides fragilis 3_1_12 (457424.5)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides fragilis 638R (862962.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides fragilis NCTC 9343 (272559.17)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides fragilis YCH46 (295405.11)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides intestinalis DSM 17393 (471870.8)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides ovatus 3_8_47FAA (665954.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides ovatus ATCC 8483 (411476.11)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides ovatus SD CC 2a (702444.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides ovatus SD CMC 3f (702443.3)	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.
Bacteroides pectinophilus ATCC 43243 (483218.5)	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Bacteroides plebeius DSM 17135 (484018.6)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 1_1_14 (469585.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 1_1_30 (457387.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 1_1_6 (469586.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 2_1_16 (469587.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 2_1_22 (469588.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 2_1_33B (469589.3)	0	1	1	0	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Bacteroides sp. 2_1_56FAA (665938.3)	0	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 2_1_7 (457388.5)	0	1	1	0	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.

Bacteroides sp. 2_2_4 (469590.5)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.
Bacteroides sp. 20_3 (469591.4)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Bacteroides sp. 3_1_19 (469592.4)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Bacteroides sp. 3_1_23 (457390.3)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.
Bacteroides sp. 3_1_33FAA (457391.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 3_1_40A (469593.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 3_2_5 (457392.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 4_1_36 (457393.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Bacteroides sp. 4_3_47FAA (457394.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. 9_1_42FAA (457395.6)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. D1 (556258.5)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. D2 (556259.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. D20 (585543.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Bacteroides sp. D22 (585544.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides sp. HPS0048 (1078089.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides stercoris ATCC 43183 (449673.7)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Bacteroides thetaiotaomicron VPI-5482 (226186.12)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides uniformis ATCC 8492 (411479.10)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Bacteroides vulgatus ATCC 8482 (435590.9)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Bacteroides vulgatus PC510 (702446.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.

<i>Bacteroides xylanisolvens</i> SD CC 1b (702447.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Bacteroides xylanisolvens</i> XB1A (657309.4)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Barnesiella intestinihominis</i> YIT 11860 (742726.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
<i>Bifidobacterium adolescentis</i> L2-32 (411481.5)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium angulatum</i> DSM 20098 = JCM 7096	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium animalis</i> subsp. <i>lactis</i> AD011 (44256)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium bifidum</i> NCIMB 41171 (398513.5)	0	1	0	1	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Bifidobacterium breve</i> DSM 20213 = JCM 1192 (5186)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Bifidobacterium breve</i> HPH0326 (1203540.3)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Bifidobacterium catenulatum</i> DSM 16992 = JCM 1194	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium dentium</i> ATCC 27678 (473819.7)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be hydrolyzed.
<i>Bifidobacterium gallicum</i> DSM 20093 (561180.4)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> DJO10A (Prj:321) (205913.1)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> NGC2705 (206672.9)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>infantis</i> 157F (565040)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>infantis</i> ATCC 15697	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>infantis</i> ATCC 55813	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>infantis</i> CCUG 52486	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>longum</i> 2-2B (116174)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>longum</i> 44B (116174)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>longum</i> F8 (722911.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium longum</i> subsp. <i>longum</i> JCM 1217 (54)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium pseudocatenulatum</i> DSM 20438 = JCM 1193	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bifidobacterium</i> sp. 12_1_47BFAA (469594.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bilophila wadsworthia</i> 3_1_6 (563192.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Blautia hansenii</i> DSM 20583 (537007.6)	0	1	1	0	1	0	1	6	1, 22, 43, 48, 49, 50, 52	Only Syalyl-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.
<i>Blautia hydrogenotrophica</i> DSM 10507 (476272.5)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Bryantella formatexigens</i> DSM 14469 (478749.5)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Burkholderiales bacterium</i> 1_1_47 (469610.4)	0	0	0	0	0	0	0	0	0	No glycans are hydrolyzed.
<i>butyrate-producing bacterium</i> SM4/1 (245012.3)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>butyrate-producing bacterium</i> SS3/4 (245014.3)	0	0	0	0	0	0	0	0	0	No glycans are hydrolyzed.
<i>butyrate-producing bacterium</i> SSC/2 (245018.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Butyrivibrio pulliaeacorum</i> 1.2 (1203606.4)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Butyrivibrio crossotus</i> DSM 2876 (511680.4)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
<i>Butyrivibrio fibrosolvens</i> 16/4 (657324.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Campylobacter coli</i> JV20 (864566.3)	0	0	0	0	0	0	0	0	0	No glycans are hydrolyzed.
<i>Campylobacter upsaliensis</i> JV21 (888826.3)	0	0	0	0	0	0	0	0	0	No glycans are hydrolyzed.
<i>Catenibacterium mitsuokai</i> DSM 15897 (451640.5)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Cedecea davisae</i> DSM 4568 (566551.4)	1	1	0	0	0	0	0	0	0	No glycans are hydrolyzed.
<i>Citrobacter freundii</i> 4_7_47CFAA (742730.3)	0	1	0	0	1	1	0	1	43	Only Core 1 structure can be hydrolyzed.
<i>Citrobacter</i> sp. 30_2 (469595.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Citrobacter youngae</i> ATCC 29220 (500640.5)	0	1	0	0	1	1	0	1	43	Only Core 1 structure can be hydrolyzed.
<i>Clostridiales bacterium</i> 1_7_47FAA (457421.5)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium asparagiforme</i> DSM 15981 (518636.5)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium bartlettii</i> DSM 16795 (445973.7)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Clostridium boltea</i> 90A5 (997893.5)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium boltea</i> ATCC BAA-613 (411902.9)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium celatum</i> DSM 1785 (545697.3)	1	0	1	1	1	1	1	50	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 37, 38, 39, 40, 41, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal cannot be hydrolyzed.
<i>Clostridium cf. saccharolyticum</i> K10 (717608.3)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Clostridium citroniae</i> WAL-17108 (742733.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium clostridioforme</i> 2_1_49FAA (742735.4)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium difficile</i> CD196 (645462.3)	0	0	0	0	0	0	1	1	1	Only Syalyl-Tn-antigen can be hydrolyzed.
<i>Clostridium difficile</i> NAP07 (525258.3)	0	0	0	0	0	0	1	1	1	Only Syalyl-Tn-antigen can be hydrolyzed.
<i>Clostridium difficile</i> NAP08 (525259.3)	0	0	0	0	0	0	1	1	1	Only Syalyl-Tn-antigen can be hydrolyzed.
<i>Clostridium hathewayi</i> WAL-18680 (742737.3)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Clostridium hiranonis</i> DSM 13275 (500633.7)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.

<i>Clostridium hylemonae</i> DSM 15053 (553973.6)	0	1	0	0	1	0	1	5	1, 43, 48, 49, 52	Only (syalated) Core 3 structure can be hydrolyzed.
<i>Clostridium leptum</i> DSM 753 (428125.8)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Clostridium methylpentosum</i> DSM 5476 (537013.3)	0	0	1	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Clostridium nexile</i> DSM 1787 (500632.7)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Clostridium perfringens</i> WAL-14572 (742739.3)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.
<i>Clostridium ramosum</i> DSM 1402 (445974.6)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Clostridium scindens</i> ATCC 35704 (411468.9)	0	0	1	0	1	0	1	6	1, 22, 43, 48, 49, 50, 52	Only Syaly-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.
<i>Clostridium</i> sp. 7_2_43FAA (457396.3)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Clostridium</i> sp. 7_3_54FAA (665940.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium</i> sp. D5 (556261.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be hydrolyzed.
<i>Clostridium</i> sp. HGF2 (908340.3)	0	1	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Clostridium</i> sp. L2-50 (411489.7)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium</i> sp. M62/1 (411486.3)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Clostridium</i> sp. SS2/1 (411484.7)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium spiroforme</i> DSM 1552 (428126.7)	1	0	1	1	1	1	0	33	11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 37, 38, 39, 40, 41, 43, 44, 45, 46, 47, 55	Glycans with alpha-Gal as well syalated glycans cannot be hydrolyzed.
<i>Clostridium sporogenes</i> ATCC 15579 (471871.7)	0	0	0	0	0	0	1	1	1	Only Syaly-Tn-antigen can be hydrolyzed.
<i>Clostridium symbiosum</i> WAL-14163 (742740.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Clostridium symbiosum</i> WAL-14673 (742741.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Collinsella aerofaciens</i> ATCC 25986 (411903.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Collinsella intestinalis</i> DSM 13280 (521003.7)	0	0	0	0	0	1	1	3	1, 2, 11	Only Syaly-Tn-antigen and (syalated) Core 3 structure can be hydrolyzed.
<i>Collinsella stercoris</i> DSM 13279 (445975.6)	1	0	1	1	1	1	0	33	11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 37, 38, 39, 40, 41, 43, 44, 45, 46, 47, 55	Glycans with alpha-Gal as well syalated glycans cannot be hydrolyzed.
<i>Collinsella tanakaiei</i> YIT 12063 (742742.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Coprobacillus</i> sp. 29_1 (469596.3)	0	0	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Coprobacillus</i> sp. 3_3_56FAA (665941.3)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Coprobacillus</i> sp. 8_2_54BFAA (469597.4)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Coprobacillus</i> sp. D6 (556262.3)	0	0	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Coprococcus catus</i> GD/7 (717962.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Coprococcus comes</i> ATCC 27758 (470146.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
<i>Coprococcus eutactus</i> ATCC 27759 (411474.6)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Coprococcus</i> sp. ART55/1 (751585.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
<i>Coprococcus</i> sp. HPP0048 (1078091.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Coprococcus</i> sp. HPP0074 (1078090.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
<i>Corynebacterium ammoniagenes</i> DSM 20306 (64975.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Corynebacterium</i> sp. HFH0082 (1078764.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Dermabacter</i> sp. HFH0086 (1203568.3)	0	1	0	0	0	0	1	1	1	Only Syaly-Tn-antigen can be hydrolyzed.
<i>Desulfitobacterium hafniense</i> DP7 (537010.4)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Desulfivibrio piger</i> ATCC 29098 (411464.8)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Desulfivibrio</i> sp. 3_1_syn3 (457398.5)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Dorea formicigenerans</i> 4_6_53AFAA (742765.5)	0	0	1	0	1	0	1	6	1, 22, 43, 48, 49, 50, 52	Only Syaly-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.
<i>Dorea formicigenerans</i> ATCC 27755 (411461.4)	0	0	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Dorea longicatena</i> DSM 13814 (411462.6)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
<i>Dysgonomonas gadei</i> ATCC BAA-286 (742766.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Dysgonomonas mossii</i> DSM 22836 (742767.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
<i>Edwardsiella tarda</i> ATCC 23685 (500638.3)	0	1	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
<i>Eggerthella</i> sp. 1_3_56FAA (665943.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Eggerthella</i> sp. HGA1 (910311.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.

Enterobacter cancerogenus ATCC 35316 (500639.8)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterobacter cloacae subsp. cloacae NCTC 9394 (7111)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterobacteriaceae bacterium 9_2_54FAA (469613.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis PC1.1 (702448.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Enterococcus faecalis TX0104 (491074.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis TX1302 (749513.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis TX1322 (525278.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis TX1341 (749514.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis TX1342 (749515.3)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Enterococcus faecalis TX1346 (749516.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Enterococcus faecalis TX2134 (749518.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis TX2137 (749491.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecalis TX4244 (749494.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Enterococcus faecium PC4.1 (791161.5)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Enterococcus faecium TX1330 (525279.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Enterococcus saccharolyticus 30_1 (742813.4)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Enterococcus sp. 7L76 (657310.3)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Erysipelotrichaceae bacterium 2_2_44A (457422.3)	0	1	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Erysipelotrichaceae bacterium 21_3 (658657.3)	0	1	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Erysipelotrichaceae bacterium 3_1_53 (658659.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Erysipelotrichaceae bacterium 5_2_54FAA (552396.3)	0	0	1	0	1	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Erysipelotrichaceae bacterium 6_1_45 (469614.3)	0	1	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Escherichia coli 4_1_47FAA (1127356.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 107-1 (679207.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 115-1 (749537.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 116-1 (749538.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 119-7 (679206.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 124-1 (679205.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 145-7 (679204.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 146-1 (749540.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 175-1 (749544.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 182-1 (749545.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 185-1 (749546.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 187-1 (749547.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 196-1 (749548.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 198-1 (749549.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 200-1 (749550.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 21-1 (749527.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 45-1 (749528.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 69-1 (749531.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 78-1 (749532.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 79-10 (796392.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 84-1 (749533.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli MS 85-1 (679202.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli O157:H7 str. Sakai (386585.9)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli SE11 (409438.11)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli SE15 (431946.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli str. K-12 substr. MG1655 (511145.12)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia coli UTI89 (364106.8)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia sp. 1_1_43 (457400.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia sp. 3_2_53FAA (469598.5)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Escherichia sp. 4_1_40B (457401.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Eubacterium bifforme DSM 3989 (518637.5)	0	0	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be hydrolyzed.
Eubacterium cylindroides T2-87 (717960.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Eubacterium dolichum DSM 3991 (428127.7)	1	0	1	0	1	1	0	13	11, 12, 13, 14, 16, 18, 19, 21, 39, 43, 44, 45, 46	Only (syalated) ploylactosamine structures can be hydrolyzed.
Eubacterium hallii DSM 3353 (411469.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Eubacterium rectale DSM 17629 (657318.4)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Eubacterium rectale M104/1 (657317.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Eubacterium siraeum 70/3 (657319.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be hydrolyzed.
Eubacterium siraeum DSM 15702 (428128.7)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Eubacterium siraeum V10Sc8a (717961.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Eubacterium sp. 3_1_31 (457402.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Eubacterium ventriosum ATCC 27560 (411463.4)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Faecalibacterium cf. prausnitzii KLE1255 (748224.3)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Faecalibacterium prausnitzii A2-165 (411483.3)	0	0	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Faecalibacterium prausnitzii L2-6 (718252.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Faecalibacterium prausnitzii M21/2 (411485.10)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Faecalibacterium prausnitzii SL3/3 (657322.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Fusobacterium gonidiaformans ATCC 25563 (469615.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Fusobacterium moriferum ATCC 9817 (469616.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.



<i>Fusobacterium necrophorum</i> subsp. <i>funduliforme</i> 1	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 1_1_41FAA (469621.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 11_3_2 (457403.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 12_1B (457404.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 2_1_31 (469599.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 21_1A (469601.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 3_1_27 (469602.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 3_1_33 (469603.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 3_1_36A2 (469604.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 3_1_5R (469605.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 4_1_13 (469606.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. 7_1 (457405.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. D11 (556264.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium</i> sp. D12 (556263.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium ulcerans</i> ATCC 49185 (469617.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Fusobacterium varium</i> ATCC 27725 (469618.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Gordonibacter pamelaeeae</i> 7-10-1-b (657308.3)	0	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
<i>Hafnia alvei</i> ATCC 51873 (1002364.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.	
<i>Helicobacter bilis</i> ATCC 43879 (613026.4)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.	
<i>Helicobacter canadensis</i> MIT 98-5491 (Prj:30719) (537972.5)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.	
<i>Helicobacter cinaedi</i> ATCC BAA-847 (1206745.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.	
<i>Helicobacter cinaedi</i> CCG 18818 (537971.5)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.	
<i>Helicobacter pullorum</i> MIT 98-5489 (537972.5)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.	
<i>Helicobacter winghamensis</i> ATCC BAA-430 (556267.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.	
<i>Holdemania filiformis</i> DSM 12042 (545696.5)	0	0	1	0	1	1	0	21	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 55	Only (fucosylated) ploylactosamine structures can be hydrolyzed.	
<i>Klebsiella pneumoniae</i> 1162281 (1037908.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.	
<i>Klebsiella pneumoniae</i> subsp. <i>pneumoniae</i> WGLW5	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.	
<i>Klebsiella</i> sp. 1_1_55 (469608.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.	
<i>Klebsiella</i> sp. 4_1_44FAA (665944.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.	
Lachnospiraceae bacterium 1_1_57FAA (658081.3)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.	
Lachnospiraceae bacterium 1_4_56FAA (658655.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.	
Lachnospiraceae bacterium 2_1_46FAA (742723.3)	0	0	1	1	1	1	1	35	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal or alpha-GalNAc cannot be hydrolyzed.	
Lachnospiraceae bacterium 2_1_58FAA (658082.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.	
Lachnospiraceae bacterium 3_1_46FAA (665950.3)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.	
Lachnospiraceae bacterium 3_1_57FAA_CT1 (658083.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.	
Lachnospiraceae bacterium 4_1_37FAA (552395.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.	
Lachnospiraceae bacterium 5_1_57FAA (658085.3)	0	0	1	0	1	0	1	6	1, 22, 43, 48, 49, 50, 52	Only SyaIy-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.	
Lachnospiraceae bacterium 5_1_63FAA (658089.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.	
Lachnospiraceae bacterium 6_1_63FAA (658083.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be hydrolyzed.	
Lachnospiraceae bacterium 7_1_58FAA (658087.3)	0	1	0	0	1	0	1	5	1, 43, 48, 49, 52	Only (syalated) Core 3 structure can be hydrolyzed.	
Lachnospiraceae bacterium 8_1_57FAA (665951.3)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.	
Lachnospiraceae bacterium 9_1_43BFAA (658088.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.	
<i>Lactobacillus acidophilus</i> ATCC 4796 (525306.3)	0	1	0	0	0	1	0	1	43	Only Core 1 structure can be hydrolyzed.	
<i>Lactobacillus acidophilus</i> NCFM (272621.13)	0	1	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
<i>Lactobacillus amyolyticus</i> DSM 11664 (585524.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.	
<i>Lactobacillus antri</i> DSM 16041 (525309.3)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.	
<i>Lactobacillus brevis</i> ATCC 367 (387344.15)	0	1	0	0	0	1	0	1	43	Only Core 1 structure can be hydrolyzed.	
<i>Lactobacillus brevis</i> subsp. <i>gravesensis</i> ATCC 27305	0	1	0	0	0	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.	
<i>Lactobacillus buchneri</i> ATCC 11577 (525318.3)	0	1	0	0	0	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.	

Lactobacillus casei ATCC 334 (321967.11)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Lactobacillus casei BL23 (543734.4)	0	1	1	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Lactobacillus crispatus 125-2-CHN (575595.3)	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus delbrueckii subsp. bulgaricus ATCC 11830	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus delbrueckii subsp. bulgaricus ATCC BA1	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus fermentum ATCC 14931 (525325.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus fermentum IFO 3956 (334390.5)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus gasserii ATCC 33323 (324831.13)	0	0	0	0	0	0	0	0	0	No glycans are hydrolyzed.
Lactobacillus helveticus DPC 4571 (405566.6)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus helveticus DSM 20075 (585520.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus hilgardii ATCC 8290 (525327.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Lactobacillus johnsonii NCC 533 (257314.6)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus paracasei subsp. paracasei 8700:2 (533778.3)	0	1	1	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Lactobacillus paracasei subsp. paracasei ATCC 25305	0	1	1	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Lactobacillus plantarum 16 (1327988.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus plantarum subsp. plantarum ATCC 14917	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus plantarum WCFS1 (220668.9)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus reuteri CF48-3A (525341.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus reuteri DSM 20016 (557436.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus reuteri F275 (299033.6)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus reuteri MM2-3 (585517.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus reuteri MM4-1A (548485.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus reuteri SD2112 (491077.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus rhamnosus ATCC 21052 (1002365.5)	0	1	1	0	0	0	0	0	-	No glycans are hydrolyzed.
Lactobacillus rhamnosus GG (Prj:40637) (568703.30)	0	1	1	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Lactobacillus rhamnosus LMS2-1 (525361.3)	0	1	1	0	0	0	0	0	-	No glycans are hydrolyzed.
Lactobacillus ruminis ATCC 25644 (525362.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Lactobacillus sakei subsp. sakei 23K (314315.12)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Lactobacillus salivarius ATCC 11741 (525364.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Lactobacillus salivarius UCC118 (362948.14)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Lactobacillus sp. 7_1_47FAA (665945.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Lactobacillus ultunensis DSM 16047 (525365.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Leuconostoc mesenteroides subsp. cremoris ATCC 35261	0	0	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Listeria grayi DSM 20601 (525367.9)	0	1	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Listeria innocua ATCC 33091 (1002366.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Megamonas funiformis YIT 11815 (742816.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Megamonas hypermegale ART12/1 (657316.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Methanobrevibacter smithii ATCC 35061 (420247.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Methanosphaera stadtmanae DSM 3091 (339860.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Mitsuokella multacida DSM 20544 (500635.8)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Mollicutes bacterium D7 (556270.3)	0	1	0	0	1	1	1	22	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Odoribacter laneus YIT 12061 (742817.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Oxalobacter formigenes HOxBLS (556268.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Oxalobacter formigenes OXCC13 (556269.4)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Paenibacillus sp. HGF5 (908341.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Paenibacillus sp. HGF7 (944559.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Paenibacillus sp. HGH0039 (1078505.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Parabacteroides distasonis ATCC 8503 (435591.13)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Parabacteroides johnsonii DSM 18315 (537006.5)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Parabacteroides merdae ATCC 43184 (411477.4)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Parabacteroides sp. D13 (563193.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Parabacteroides sp. D25 (658661.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.



Paraprevotella clara YIT 11840 (762968.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be
Paraprevotella xylaniphila YIT 11841 (762982.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be
Parvimonas micra ATCC 33270 (411465.10)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Pediococcus acidilactici 7_4 (563194.3)	0	1	1	0	0	0	0	0	-	No glycans are hydrolyzed.
Pediococcus acidilactici DSM 20284 (862514.3)	0	0	1	0	1	0	1	6	1, 22, 43, 48, 49, 50, 52	Only Syalyl-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.
Phascolarctobacterium sp. YIT 12067 (626939.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Prevotella copri DSM 18205 (537011.5)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Prevotella oralis HGA0225 (1203550.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
Prevotella salivae DSM 15606 (888832.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Propionibacterium sp. 5_U_42FAAA (450748.3)	0	0	1	0	1	1	1	34	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal, alpha-GalNAc, or alpha-GlcNAc cannot be hydrolyzed.
Propionibacterium sp. HGH0353 (1203571.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Proteus mirabilis WGLW6 (1125694.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Proteus penneri ATCC 35198 (471881.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Providencia alcalifaciens DSM 30120 (520999.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Providencia rettgeri DSM 1131 (521000.6)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Providencia rustigianii DSM 4541 (500637.6)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Providencia stuartii ATCC 25827 (471874.6)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Pseudomonas sp. 2_1_26 (665948.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Ralstonia sp. 5_7_47FAA (658664.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Roseburia intestinalis L1-82 (536231.5)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Roseburia intestinalis M50/1 (657315.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Roseburia intestinalis XB6B4 (718255.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Roseburia inulinivorans DSM 16841 (622312.4)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Ruminococcaceae bacterium D16 (552398.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Ruminococcus bromii L2-63 (657321.5)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Ruminococcus gnavus ATCC 29149 (411470.6)	0	1	1	0	1	0	1	6	1, 22, 43, 48, 49, 50, 52	Only Syalyl-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.
Ruminococcus lactaris ATCC 29176 (471875.6)	0	0	1	1	1	1	1	35	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal or alpha-GalNAc cannot be hydrolyzed.
Ruminococcus obeum A2-162 (657314.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Ruminococcus obeum ATCC 29174 (411459.7)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be
Ruminococcus sp. 18P13 (213810.4)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Ruminococcus sp. 5_1_39BFAA (457412.4)	0	1	0	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be
Ruminococcus sp. SR1/5 (657323.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be
Ruminococcus torques ATCC 27756 (411460.6)	1	1	1	1	1	1	1	56	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.
Ruminococcus torques L2-14 (657313.3)	0	1	1	0	1	0	0	2	22, 43	Only (fucosylated) Core 1 structure can be
Salmonella enterica subsp. enterica serovar Typhimurium	0	1	0	0	0	0	1	1	1	Only Syalyl-Tn-antigen can be hydrolyzed.
Staphylococcus sp. HGB0015 (1078083.3)	0	0	0	0	0	0	1	1	1	Only Syalyl-Tn-antigen can be hydrolyzed.
Streptococcus anginosus 1_2_62CV (742820.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Streptococcus equinus ATCC 9812 (525379.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Streptococcus infantarius subsp. infantarius ATCC B	0	1	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Streptococcus sp. 2_1_36FAA (469609.3)	0	0	1	0	1	1	0	21	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 55	Only (fucosylated) ploylactosamine structures can be hydrolyzed.
Streptococcus sp. HPH0090 (1203590.3)	0	0	1	0	1	1	1	34	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal, alpha-GalNAc, or alpha-GlcNAc cannot be hydrolyzed.
Streptomyces sp. HGB0020 (1078086.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Streptomyces sp. HPH0547 (1203592.3)	0	1	1	1	1	1	1	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.

Subdoligranulum sp. 4_3_54A2FAA (665956.3)	0	1	1	0	1	1	1	40	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
Subdoligranulum variabile DSM 15176 (411471.5)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
Succinatimonas hippei YIT 12066 (762983.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Sutterella wadsworthensis 3_1_45B (742821.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Sutterella wadsworthensis HGA0223 (1203554.3)	0	0	0	0	0	0	0	0	-	No glycans are hydrolyzed.
Tannerella sp. 6_1_58FAA_CT1 (665949.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Turicibacter sp. HGF1 (910310.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Turicibacter sp. PC909 (702450.3)	0	1	1	0	1	1	0	27	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
Veillonella sp. 3_1_44 (457416.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Veillonella sp. 6_1_27 (450749.3)	0	0	0	0	0	1	0	1	11	Only Core 3 structure can be hydrolyzed.
Weissella paramesenteroides ATCC 33313 (585506.3)	0	1	0	0	1	0	0	1	43	Only Core 1 structure can be hydrolyzed.
Yokenella regensburgei ATCC 43003 (1002368.3)	0	1	0	0	1	1	0	9	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.

### Summary

Number of	Number	Hydrolyzed glycans	Comments
0	76	-	No glycans are hydrolyzed.
1	8	1	Only Syaly-Tn-antigen can be hydrolyzed.
1	27	11	Only Core 3 structure can be hydrolyzed.
1	77	43	Only Core 1 structure can be hydrolyzed.
2	11	22, 43	Only (fucosylated) Core 1 structure can be hydrolyzed.
3	1	1, 2, 11	Only Syaly-Tn-antigen and (syalated) Core 3 structure can be hydrolyzed.
5	2	1, 43, 48, 49, 52	Only (syalated) Core 3 structure can be hydrolyzed.
7	6	1, 22, 43, 48, 49, 50, 52	Only Syaly-Tn-antigen and (fucosylated or syalated) Core 3 structure can be hydrolyzed.
9	56	11, 12, 13, 14, 39, 43, 44, 45, 46	Only ploylactosamine structures can be hydrolyzed.
13	1	11, 12, 13, 14, 16, 18, 19, 21, 39, 43, 44, 45, 46	Only (syalated) ploylactosamine structures can be hydrolyzed.
21	3	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 55	Only (fucosylated) ploylactosamine structures can be hydrolyzed.
22	14	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 39, 43, 44, 45, 46, 48, 49, 51, 52, 53, 54	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
27	20	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 55, 56	Glycans with alpha-Gal or alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
28	1	11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 55, 56	Glycans with alpha-GalNAc as well syalated glycans cannot be hydrolyzed.
33	2	11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 44, 45, 46, 47, 55	Glycans with alpha-Gal as well syalated glycans cannot be hydrolyzed.
34	3	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 51, 52, 53, 54, 55	Glycans with alpha-Gal, alpha-GalNAc, or alpha-GlcNAc cannot be hydrolyzed.
35	2	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 32, 33, 39, 40, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal or alpha-GalNAc cannot be hydrolyzed.
40	26	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc or alpha-GlcNAc cannot be hydrolyzed.
41	41	1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 18, 22, 23, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 39, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	Glycans with alpha-GalNAc cannot be hydrolyzed.
50	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 37, 38, 39, 40, 41, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55	Glycans with alpha-Gal cannot be hydrolyzed.
56	8	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56	All glycans can be hydrolyzed.







