

## SHRUB-DEPTH: CAPTURING HEIGHT OF DENSE GRAPHS

ROBERT GANIAN, PETR HLINĚNÝ, JAROSLAV NEŠETŘIL, JAN OBDRŽÁLEK,  
AND PATRICE OSSONA DE MENDEZ

Algorithms and Complexity Group, TU Wien, Vienna, Austria  
*e-mail address:* rganian@gmail.com

Faculty of Informatics, Masaryk University, Brno, Czech Republic  
*e-mail address:* hlineny@fi.muni.cz

Computer Science Inst. of Charles University (IUUK), Praha, Czech Republic  
*e-mail address:* nesetril@iuuk.mff.cuni.cz

Faculty of Informatics, Masaryk University, Brno, Czech Republic  
*e-mail address:* obdrzalek@fi.muni.cz

CNRS UMR 8557, École des Hautes Études en Sciences Sociales, Paris, France  
*e-mail address:* pom@ehess.fr

---

**ABSTRACT.** The recent increase of interest in the graph invariant called *tree-depth* and in its applications in algorithms and logic on graphs led to a natural question: is there an analogously useful “depth” notion also for dense graphs (say; one which is stable under graph complementation)? To this end, in a 2012 conference paper, a new notion of *shrub-depth* has been introduced, such that it is related to the established notion of clique-width in a similar way as *tree-depth* is related to *tree-width*. Since then *shrub-depth* has been successfully used in several research papers. Here we provide an in-depth review of the definition and basic properties of *shrub-depth*, and we focus on its logical aspects which turned out to be most useful. In particular, we use *shrub-depth* to give a characterization of the lower  $\omega$  levels of the  $\text{MSO}_1$  transduction hierarchy of simple graphs.

---

*Key words and phrases:* tree-depth; clique-width; shrub-depth; MSO logic; transduction.

R. Ganian, P. Hliněný, J. Nešetřil and J. Obdržálek have been supported by the Institute for Theoretical Computer Science (CE-ITI), Czech Science Foundation project No. P202/12/G061. J. Nešetřil and P. Ossona de Mendez have been supported by the project LL1201 CORES of the Ministry of Education of the Czech republic. Robert Ganian also acknowledges support from the Austrian Science Fund (FWF, project P31336).



## 1. INTRODUCTION

In this paper, we are interested in a structural graph parameter that is intermediate between clique-width and tree-depth, sharing the nice properties of both. Clique-width, originated by Courcelle et al in [6, 8], is the older of the two notions. In several aspects, the theory of graphs of bounded clique-width is similar to the one of bounded tree-width. Indeed, bounded tree-width implies bounded clique-width. However, unlike tree-width, graphs of bounded clique-width include arbitrarily large cliques and other dense graphs, and the value of clique-width does not change much when complementing the edge set of a graph. Clique-width is not closed under taking subgraphs or minors, only under taking induced subgraphs. As we will see later, clique-width is also closely related to trees and monadic second-order logic of graphs.

The notion of tree-depth of a graph, coined by Nešetřil and Ossona de Mendez [31], is equivalent or similar to some older notions such as the *vertex ranking number* and the minimum height of an *elimination tree* [3, 9, 34], etc. Graphs of small tree-depth are related to trees of small height, and they enjoy strong “finiteness” properties (finiteness of cores, existence of non-trivial automorphisms if the graph is large, well-quasi-ordering by subgraph inclusion). The tree-depth notion received almost immediate attention, as it plays a central role in the theory of graph classes of bounded expansion [29, 30]. However, graphs of small tree-depth are necessarily very sparse and the notion behaves badly with respect to, say, graph complementation.

Our search for a structural concept “between clique-width and tree-depth” [20] has originally been inspired by algorithmic considerations: graphs of bounded parameters such as clique-width allow efficient solvability of various problems which are difficult (e.g. NP-hard) in general, e.g. [7, 13, 22, 21]. Highly regarded results in this area are those which, instead of solving one problem, give a solution to a whole class of problems (called *algorithmic metatheorems*). The perhaps most famous result of this kind is Courcelle’s theorem [4], which states that every graph property expressible in the  $\text{MSO}_2$  logic of graphs can be solved in time  $\mathcal{O}(|G| \cdot f(\phi, k))$  where  $f$  is a computable function, meaning that the problem is *fixed-parameter tractable* (FPT for short). For clique-width, a result similar to Courcelle’s theorem holds;  $\text{MSO}_1$  model checking is FPT on graphs parameterized by clique-width [7].

However, an issue with these results is that, as showed by Frick and Grohe [14] for  $\text{MSO}$  model checking of the class of all trees, the function  $f$  of Courcelle’s algorithm is, unavoidably, non-elementary in the parameter  $\phi$  (unless  $\text{P}=\text{NP}$ ). This brings the following question: are there interesting graph classes in which the runtime dependency on the formula  $\phi$  is better? For instance, in 2010, Lampis [27] gave an FPT algorithm for  $\text{MSO}_2$  model checking on graphs of bounded vertex cover with elementary (doubly-exponential) dependence on the formula. Subsequently, in 2012, Gajarský and Hliněný showed [16] that there exists a linear-time FPT algorithm for  $\text{MSO}_2$  model checking of graphs of bounded tree-depth, again with elementary dependence on the formula. Their result is essentially best possible, as shown soon after by Lampis [28]. In order to extend that result towards  $\text{MSO}_1$  model checking of (some classes of) dense graphs, one would first need to adjust the clique-width concept towards “bounded depth” (as with tree-depth), which is not a simple task.

The aforementioned paper [16] was not the first one explicitly raising the issue of restricting clique-width towards bounded depth in the literature. In 2012, for example, independently Elberfeld, Grohe and Tantau made the following remark regarding the expressive power of graph FO logic [12]: *One idea is to develop an adjusted notion of*

*clique-width that has the same relation to clique-width as tree-depth has to tree-width.* Our concept of shrub-depth [20] has provided a quick positive answer also to the question of [12]. Clique-width-like graph decompositions of limited depth have also been used as a tool by Blumensath and Courcelle in [2] (under the name “ $\otimes$ -decompositions”). However, some of their technical results which may be interesting in our context have not been published anywhere.

In [20], two new structural depth parameters of graphs have been introduced: *shrub-depth* (Definition 3.3) and SC-depth (Definition 3.5), which are asymptotically equivalent to each other. Since their emergence these have been successfully used in several research papers, and shrub-depth in particular is a subject of ongoing interest in the finite model theory of graphs.

For instance, the aforementioned [16] (its full journal version, to be precise) has also extended MSO<sub>2</sub> model checking tractability on graphs of bounded tree-depth to MSO<sub>1</sub> on graph classes of bounded shrub-depth, again with an elementary runtime dependence on the checked formula. Furthermore, [16] has generalized the result of [12] to prove that the expressive power of FO and MSO<sub>1</sub> is the same on classes of bounded shrub-depth.

In a recent paper by Gajarský, Kreutzer, Nešetřil, Ossona de Mendez, Pilipczuk, Siebertz and Toruńczyk [17], the concept of shrub-depth has been successfully used to obtain an analog of low tree-depth decompositions for transductions of bounded expansion classes.

On another topic, Hliněný, Kwon, Obdržálek and Ordyniak [24] have shown that the tree-depth and shrub-depth concepts of graphs are tightly related to each other via the so called vertex-minors. Regarding alternative and generalized views of shrub-depth, DeVos, Kwon and Oum [unpublished] in an ongoing work elaborate on the concept of branch-depth of matroids, and prove that a derived new concept of rank-depth of graphs is asymptotically equivalent to shrub-depth.

Paper organization. Since the core initial paper on shrub-depth [20] has appeared only as a short conference version, we take an opportunity here to give a detailed review of this concept and to provide full proofs of the results of [20] enhanced in light of the current state-of-the-art. After preliminary definitions in Section 2, this overview of shrub-depth and its structural properties (such as Theorems 3.6, 3.7 and 3.10) constitute Section 3 of this paper. The subsequent Section 4 focuses on logical aspects of shrub-depth, which have so far been of greatest interest, and presents our main results with their proofs. We start with proving that the concept of shrub-depth of a graph class is stable – meaning that the shrub-depth value does not grow, under MSO<sub>1</sub> interpretations (Theorem 4.1) and also under non-copying MSO<sub>1</sub> transductions (Theorem 4.5). From that we derive (Theorem 4.9) that the integer values of shrub-depth define the lower  $\omega$  levels of the MSO<sub>1</sub> transduction hierarchy of simple graphs, which partially answers an open question raised by Blumensath and Courcelle in [1]. We conclude with some remarks and open questions in Section 5.

## 2. COMMON DEFINITIONS

We assume the reader is familiar with the standard notation of graph theory. In particular, our graphs are finite, undirected and simple (i.e. without loops or multiple edges). For a graph  $G = (V, E)$  we use  $V(G)$  to denote its vertex set and  $E(G)$  to denote the set of its edges. We write  $G \simeq H$  to say that graphs  $G$  and  $H$  are isomorphic, and similarly we use  $G \subseteq H$  to say that  $G$  is a subgraph of  $H$  (not necessarily induced). An isomorphism of

a graph to itself is also called an *automorphism*. We will also use *labelled graphs*, where each vertex is assigned one or more of a fixed finite set of labels (in this case, isomorphism implicitly preserves the labels).

A forest  $F$  is a graph without cycles, and a tree  $T$  is a forest with a single connected component. We will consider mainly *rooted forests (trees)*, in which every connected component has a designated vertex called the *root*. The *height* of a vertex  $x$  in a rooted forest  $F$  is the length of a path from the root (of the component of  $F$  to which  $x$  belongs) to  $x$ . The *height*<sup>1</sup> of the rooted forest  $F$  is the maximum height of the vertices of  $F$ . Let  $x, y$  be vertices of  $F$ . The vertex  $x$  is an *ancestor* of  $y$ , and  $y$  is a *descendant* of  $x$ , in  $F$  if  $x$  belongs to the path of  $F$  linking  $y$  to the corresponding root; we denote this as  $y \leq x$  in  $F$ . If  $x$  is an ancestor of  $y$  and  $xy \in E(T)$ , then  $x$  is called a *parent* of  $y$ , and  $y$  is a *child* of  $x$ . The least common ancestor of  $x$  and  $z$  in  $F$  is denoted by  $x \wedge z$ .

**2.1. Width and depth measures.** The so called width measures play an important role in structural graph theory and in its algorithmic applications. A prototypical width parameter is the *tree-width* of a graph [33] introduced by Robertson and Seymour together with the related *path-width*. We refer to [10] for missing definitions and basic properties.

The primary interest of our paper is in two other, seemingly unrelated, structural width measures which we define now.

**Definition 2.1** (Clique-width [6, 8]). A  $k$ -*expression* is an algebraic expression having the following four operations on vertex-labelled graphs using  $k$  labels:

- create a new vertex with a single label  $i$ ;
- take the disjoint union of two labelled graphs;
- add all edges between vertices of label  $i$  and label  $j$  ( $i \neq j$ ); and
- relabel all vertices with label  $i$  to label  $j$ .

The *clique-width*  $cw(G)$  of a graph  $G$  equals the minimum  $k$  such that (some labelling of)  $G$  is the value of a  $k$ -expression.

Clique-width may be low even on graph classes for which the tree-width is unbounded, such as complete graphs or complete bipartite graphs (the clique-width of which is 2). Note that Definition 2.1 demands each vertex to carry only one label, while one can allow multiple labels as well. Another possible modification is to allow  $i = j$  in the third step. Both these relaxations, while changing values of clique-width for some particular graphs, are nevertheless asymptotically equivalent to the standard clique-width notion of Definition 2.1.

One can, furthermore, define *linear clique-width* (see, e.g., [23]) which has the additional restriction that the union operator is allowed to take only a single vertex as the right-hand operand (i.e., the expression tree is a caterpillar—this is conceptually related to path-width).

A close alternative of clique-width is represented by the NLC classes introduced by Wanke [35].  $NLC_m$  consists of all graphs that can be obtained from single vertices with single labels in  $\{1, \dots, m\}$  using the two following operations:

- disjoint union of two graphs  $G_1$  and  $G_2$ , with addition of all edges between vertices of  $G_1$  with label  $i$  and vertices of  $G_2$  with label  $j$  whenever  $(i, j)$  belongs to a given fixed subset  $S$  of  $\{1, \dots, m\} \times \{1, \dots, m\}$ ;

<sup>1</sup> There is a conflict in the literature about whether the height of a rooted tree should be measured by the “root-to-leaves distance” or by the “number of levels” (a difference of 1 on finite trees). We adopt the convention that the height of a single-node tree is 0 (i.e., the former view).




Figure 1: The path of length  $n$  has tree-depth  $\log_2(n + 2)$ , as in the depicted decomposition.

- relabelling of the vertices according to some map  $\{1, \dots, m\} \rightarrow \{1, \dots, m\}$ .

The *NLC-width* of a graph is the minimum  $m$  such that the graph belongs to  $\text{NLC}_m$ . It has been proved in [26] that the NLC-width and the clique-width ( $\text{cw}$ ) of a graph  $G$  are related by  $\text{NLC-width}(G) \leq \text{cw}(G) \leq 2 \cdot \text{NLC-width}(G)$ .

At last, we briefly mention that another graph measure asymptotically equivalent to clique-width is *rank-width* [32]. Similarly, linear clique-width is asymptotically equivalent to linear rank-width [18].

The second structural measure of our interest is tree-depth.

**Definition 2.2** (Tree-depth [31]). The *closure*  $\text{Clos}(F)$  of a forest  $F$  is the graph obtained from  $F$  by making every vertex adjacent to all of its ancestors. The *tree-depth*  $\text{td}(G)$  of a graph  $G$  is one more than the minimum height of a rooted forest  $F$  such that  $G \subseteq \text{Clos}(F)$ .

Definition 2.2 is illustrated in Figure 1. For a proof of the following proposition, as well as for a more extensive study of tree-depth, we refer the reader to [30].

**Proposition 2.3.** *Let  $G$  and  $H$  be graphs. Then the following are true:*

- If  $H$  is a minor of  $G$ , then  $\text{td}(H) \leq \text{td}(G)$ .*
- If  $L$  is the length of a longest path in  $G$ , then  $\lceil \log_2(L + 2) \rceil \leq \text{td}(G) \leq L + 1$ .*
- If  $\text{tw}(G)$  and  $\text{pw}(G)$  denote the tree-width and path-width of a graph  $G$ , then  $\text{tw}(G) \leq \text{pw}(G) \leq \text{td}(G) - 1$ .*

**2.2. MSO logic on graphs.** We now briefly introduce *monadic second order logic* (MSO) over graphs and the concepts of MSO interpretation and transduction. We refer interested readers to, e.g., Courcelle and Engelfriet [5] for further reading. In general, MSO is the extension of first-order logic by quantification over sets. In our paper we deal with the following particular flavour:

**Definition 2.4** (MSO<sub>1</sub> and CMSO<sub>1</sub> logic of graphs). The language of MSO<sub>1</sub> consists of expressions built from the following elements:

- variables  $x, y, \dots$  for vertices, and  $X, Y$  for sets of vertices,
- equality for variables, quantifiers  $\forall, \exists$  ranging over vertices and vertex sets, and the standard Boolean connectives,
- the predicates  $x \in X$  and  $\text{edge}(x, y)$  with their standard meaning.

One may also use an arbitrary number of unary predicates on the vertex set (as vertex labels). The language of CMSO<sub>1</sub> (*counting* MSO<sub>1</sub>), moreover, adds the predicates  $\text{mod}_{a,b}$ , such that  $\text{mod}_{a,b}(X)$  holds true if and only if  $|X| \bmod b = a$ .

MSO<sub>1</sub> logic can be used to express many interesting graph properties, such as 3-colourability and dominating set. We also briefly mention MSO<sub>2</sub> logic of graphs, which additionally includes quantification over edge sets and can express properties which are not definable in MSO<sub>1</sub> (e.g., Hamiltonicity).

From an algorithmic perspective, MSO logic is particularly useful as the language for describing tractable problems in algorithmic metatheorems (e.g., for the aforementioned graphs of bounded clique-width [7] or tree-width [4]). In this respect, we consider the *L-model checking* problem in which the input is a graph  $G$ , the parameter is a formula  $\phi$  of the considered logic  $\mathcal{L}$  (such as MSO<sub>1</sub>), and the question is whether  $G \models \phi$ .

A powerful tool, both in theory and in algorithmic metatheorems, is the ability to “efficiently translate” an instance of the model checking problem over a given class, into an instance of the problem over another class (for which we, perhaps, already have an efficient model checking algorithm). We start with simple interpretations of undirected graphs.

**Definition 2.5.** A *simple MSO<sub>1</sub> graph interpretation* is a pair  $I = (\nu, \mu)$  of MSO<sub>1</sub> formulae (with 1 and 2 free first order variables, respectively), such that  $\mu$  is symmetric (i.e.,  $G \models \mu(x, y) \leftrightarrow \mu(y, x)$  in every graph  $G$ ).<sup>2</sup> To each graph  $G$ , the interpretation  $I$  associates a graph  $I(G)$  which is defined as follows:

- The vertex set of  $I(G)$  (the *domain* of  $I$  in  $G$ ) is the set of all vertices  $v$  of  $G$  such that  $G \models \nu(v)$ ;
- the edge set of  $I(G)$  is the set of all the pairs  $\{u, v\}$  of vertices of  $G$  such that  $G \models \nu(u) \wedge \nu(v) \wedge \mu(u, v)$ .

A simple CMSO<sub>1</sub> graph interpretation is defined analogously.

For example, a complete graph can be interpreted in any graph (with the same number of vertices) by letting  $\nu \equiv \mu \equiv \text{true}$ , and the complement of a graph has an interpretation using  $\nu \equiv \text{true}$  and  $\mu(x, y) \equiv \neg \text{edge}(x, y)$ .

Note that, to each CMSO<sub>1</sub> formula  $\phi$ , an interpretation  $I = (\nu, \mu)$  naturally and efficiently assigns a formula  $I(\phi)$  such that  $G \models I(\phi) \iff I(G) \models \phi$  holds. Having classes  $\mathcal{G}, \mathcal{H}$  of finite graphs, we say that  $I$  is a *simple interpretation of  $\mathcal{G}$  in  $\mathcal{H}$*  if the following holds: for every  $G \in \mathcal{G}$  there is  $H \in \mathcal{H}$  such that  $I(H) \simeq G$ , and for every  $H \in \mathcal{H}$  it holds that  $I(H) \in \mathcal{G}$ .

A more general concept of a “logical translation” is that of transductions. Briefly saying, in an addition to a simple interpretation, this allows to add to a graph arbitrary “parameters” (as unary predicates) and to make several disjoint copies of the graph. A thorough discussion of this concept can be found in [5], but we prefer to keep the paper simple and accessible to a wide audience of graph theorists, and so we give a simplified version of the definition from [1].

Still, before proceeding to Definition 2.6, we have to briefly extend the notion of interpretation towards finite relational structures with finite signatures. A *relational structure*  $\mathcal{S} = (U, R_1^{\mathcal{S}}, \dots, R_a^{\mathcal{S}})$  of the signature  $\sigma = \{R_1, \dots, R_a\}$  consists of a universe (a finite set)  $U$  and a (finite) list of relations  $R_1^{\mathcal{S}}, \dots, R_a^{\mathcal{S}}$  over  $U$ . For instance, for graphs,  $U = V(G)$  is the vertex set and  $R_1^G = E(G)$  is the binary symmetric relation of edges of  $G$ . The language of CMSO<sub>1</sub> logic of relational structures of the signature  $\{R_1, \dots, R_a\}$  is as in Definition 2.4 with the predicates  $R_1, \dots, R_a$  (instead of *edge*). The scope of Definition 2.5 of a simple

<sup>2</sup>We remark that while the question whether  $\mu$  is symmetric is generally undecidable, we may simply force it to be symmetric, e.g., by using  $\mu(x, y) \vee \mu(y, x)$ .

graph interpretation  $I = (\nu, \mu)$  is then naturally generalized by allowing  $\nu$  and  $\mu$  to be CMSO<sub>1</sub> formulae over relational structures of the signature  $\sigma = \{R_1, \dots, R_a\}$ . For each structure  $\mathcal{S}$  of the signature  $\sigma$ , the interpretation  $I(\mathcal{S})$  is, in our case, a simple graph (again possibly with arbitrarily assigned vertex labels).

**Definition 2.6** (MSO<sub>1</sub> and CMSO<sub>1</sub> transduction). A *basic MSO<sub>1</sub> graph transduction*  $\tau_1$  is a triple  $(\chi, \nu, \mu)$  such that  $(\nu, \mu) = I$  is a simple MSO<sub>1</sub> graph interpretation, and  $\chi$  is an MSO<sub>1</sub> sentence. The transduction  $\tau_1$  maps a relational structure  $\mathcal{S}$  to a graph  $I(\mathcal{S})$ , denoted here by  $\tau_1(\mathcal{S})$ , if  $\mathcal{S} \models \chi$ , and  $\tau_1(\mathcal{S})$  is undefined if  $\mathcal{S} \not\models \chi$ .

The  $k$ -copy operation maps a graph  $G$  to the relational structure  $G^{\times k}$  such that  $V(G^{\times k}) = V(G) \times \{1, \dots, k\}$ , the subset  $V(G) \times \{i\}$  for  $i = 1, 2, \dots, k$  induces a copy of the graph  $G$  (there are no edges between distinct copies), and  $V(G^{\times k})$  is additionally equipped with a binary relation  $\sim$  and unary  $P_1, \dots, P_k$  such that;  $(u, i) \sim (v, j)$  for  $u, v \in V(G)$  iff  $u = v$ , and  $P_i = \{(v, i) : v \in V(G)\}$ .

The expansion of a graph  $G$  by  $p$  unary predicates maps  $G$  to the set of all structures obtained by an expansion of  $V(G)$  by  $p$  new unary predicates (as vertex labels).

Altogether, a many-valued map  $\tau$  is an MSO<sub>1</sub> *graph transduction* if it can be written as  $\tau = \tau_1 \circ \gamma \circ \varepsilon$ , where  $\tau_1$  is a basic graph transduction,  $\gamma$  is a  $k$ -copy operation for some  $k$ , and  $\varepsilon$  is the expansion by  $p$  unary predicates for some  $p$ . Specially, if  $k = 1$ , then we call  $\tau$  a *non-copying transduction*.

A CMSO<sub>1</sub> transduction is defined analogously.

Note, once again, that the result of a transduction  $\tau$  of one graph is generally a set of graphs, due to the involved expansion map. For a graph class  $\mathcal{H}$ , the *transduction*  $\tau$  of the class  $\mathcal{H}$  is the union of the particular transduction results, precisely,  $\tau(\mathcal{H}) := \bigcup_{G \in \mathcal{H}} \tau(G)$ .

### 3. CAPTURING HEIGHT OF DENSE GRAPHS

The concept of tree-depth is commonly used to capture the “height” of other graphs than just trees. Actually, tree-depth can be seen as a bounded-height analogue of tree-width. However, as discussed already in the introduction, the main drawback of tree-depth (as well as of tree-width) is its incapability to handle dense graphs and some simple graph operations like the complement. Since, on the other hand, clique-width handles dense “uniform” graphs and the complement operation smoothly, it makes good sense to try to modify its definition towards capturing “height” in addition to “width”.

Unfortunately, such a direct modification of clique-width seems not possible,<sup>3</sup> and one has to look at other related width measures, namely to the so called neighbourhood diversity and the aforementioned NLC-width for an inspiration.

Before we continue, notice that the requirement to smoothly handle dense graphs and the graph complement operation, naturally means that a new measure cannot be stable under taking non-induced subgraphs.

---

<sup>3</sup>For example, simply trying to restrict the underlying expressing tree in Definition 2.1 brings the necessity of disjoint unions of an arbitrary arity which, in turn, “weakens” the definition too much. This is precisely the point at which the NLC approach (Subsection 2.1) with explicitly adding edges only between the graphs participating in a disjoint union operation turns out better.




Figure 2: The graph obtained from  $K_{3,3}$  by subdividing a matching belongs to  $\mathcal{TM}_3(2)$ .

**3.1. Shrub-depth.** To motivate the coming definition of shrub-depth, we recall the neighbourhood diversity parameter introduced by Lampis [27] in an algorithmic context: Two vertices  $u, v$  are *twins* in a graph  $G$  if  $N_G(u) \setminus \{v\} = N_G(v) \setminus \{u\}$ . The *neighbourhood diversity* of  $G$  is the smallest  $m$  such that  $V(G)$  can be partitioned into  $m$  sets such that in each part the vertices are pairwise twins. This basically means that  $V(G)$  can be coloured by  $m$  exclusive labels such that the existence of an edge  $uv$  depends solely on the colours of  $u$  and  $v$ .

To stress that the considered labels are exclusive, we shall instead call them *colours*. Inspired by attempts to generalize neighbourhood diversity, e.g. in [19, 15], we come to the idea of enriching the diversity colouring with a bounded number of “layers”. This results in the following formalization:

**Definition 3.1** (Tree-model). Let  $m$  and  $d$  be non-negative integers. A *tree-model of  $m$  colours and depth  $d$*  for a graph  $G$  is a pair  $(T, S)$  of a rooted tree  $T$  (of height  $d$ ) and a set  $S \subseteq \{1, 2, \dots, m\}^2 \times \{1, 2, \dots, d\}$  (called a *signature* of the tree-model) such that

- (1) the length of each root-to-leaf path in  $T$  is exactly  $d$ ,
- (2) the set of leaves of  $T$  is exactly the set  $V(G)$  of vertices of  $G$ ,
- (3) each leaf of  $T$  is assigned one of the colours  $\{1, 2, \dots, m\}$ , and
- (4) for any  $i, j, \ell$  it holds  $(i, j, \ell) \in S$  iff  $(j, i, \ell) \in S$  (symmetry in the colours), and for any two vertices  $u, v \in V(G)$  such that  $u$  is coloured  $i$  and  $v$  is coloured  $j$  and the distance between  $u, v$  in  $T$  is  $2\ell$ , the edge  $uv$  exists in  $G$  if and only if  $(i, j, \ell) \in S$ .

Note that point (4) effectively says that the existence of a  $G$ -edge between  $u, v \in G$  depends solely on the colours of  $u, v$  and the depth of the least common ancestor  $u \wedge v$  in  $T$ . We hence, for convenience, call  $T$  itself a *tree-model of  $G$* , assuming that the signature set  $S$  is implicitly associated with  $T$ .

The class of all graphs having such a tree-model of  $m$  colours and depth  $d$  is denoted by  $\mathcal{TM}_m(d)$ .

For instance,  $K_n \in \mathcal{TM}_1(1)$  and  $K_{n,n} \in \mathcal{TM}_2(1)$ . More generally,  $\mathcal{TM}_m(1)$  is exactly the class of graphs of neighbourhood diversity at most  $m$ . For a more involved example, imagine an arbitrarily large collection of graphs  $G_1, G_2, \dots, G_s \in \mathcal{TM}_m(1)$ , such that  $\{G_1, \dots, G_s\}$  is partitioned into  $m'$  groups. Let  $H$  be a graph obtained from a disjoint union  $G_1 \cup \dots \cup G_s$  by adding, say, all edges between distinct graphs from the groups 1 and 3, all edges from graphs in the group 2 to graphs in the groups 5 and 7, etc. Then  $H \in \mathcal{TM}_{m \cdot m'}(2)$ . This “hierarchical” example can be easily generalized to higher values of  $d$ . Yet another illustrations can be found in Figures 2 and 4.

It is easy to see that each class  $\mathcal{TM}_m(d)$  is closed under complements and induced subgraphs (which is our desire), but neither under disjoint unions, nor under subgraphs. If



$G$  has a tree-model  $T$  and  $H$  is any induced subgraph of  $G$ , then the corresponding induced subtree of  $T$  immediately gives a tree-model for  $H$ . Note also that one coloured tree  $T$  can be a tree-model of several graphs (on the same vertex set), depending on the associated signatures.

Another interesting observation is the relation of a tree-model to a certain generalization of the NLC classes from Subsection 2.1: imagine that the definition of  $\text{NLC}_m$  is allowed to make disjoint union of an arbitrary number of graphs (but still with a uniform rule for adding edges between them), and the depth of the construction tree is bounded by  $\leq d$ . If we, furthermore, forbid the relabelling operation, then the result coincides with the class  $\mathcal{TM}_m(d)$ . Even if relabellings are allowed in  $\text{NLC}_m$ , we can encode all label changes in the leaf colours thanks to the bounded depth of the construction (at the price of increasing  $m$ ).

The depth of a tree-model generalizes tree-depth of a graph as follows (while the other direction is obviously unbounded, e.g., for cliques):

**Proposition 3.2.** *If  $G$  is of tree-depth  $d$ , then  $G \in \mathcal{TM}_{2^d}(d)$ . If, moreover,  $G$  is connected, then also  $G \in \mathcal{TM}_{2^d}(d-1)$ .*

*Proof.* Let  $U$  be an inclusion-minimal rooted forest of height  $d-1$  such that  $G \subseteq \text{Clos}(U)$ , and let  $T$  be a rooted tree obtained by adding a new root  $r$  connected to the former roots of  $U$ , and  $d' = d$ . If  $G$  is connected, then  $U$  already is a tree, and then we set  $T = U$  and  $d' = d-1$ .

For  $u \in V(T)$  we set a colour  $c(u) = (j, I)$  such that  $\text{dist}_T(r, u) = d' - j$  and  $I = \{i : \{u, \text{anc}_i(u)\} \in E(G)\}$ , where  $\text{anc}_i(u)$  denotes the ancestor of  $u$  in  $T$  at distance  $i$  from  $u$ . Notice that  $I \subseteq \{1, \dots, d-1-j\}$  (because of the height of  $U$ ), and so the total number of distinct  $c(u)$  over all  $u \in V(U)$  is  $2^{d-1} + 2^{d-2} + \dots + 1 < 2^d$ . Let  $T'$  be obtained from  $T$  as follows: For every node  $u \in V(U)$  such that  $\text{dist}_T(r, u) < d'$ , we add to  $u$  a new path with the other end denoted by  $u'$  such that  $\text{dist}_{T'}(r, u') = d'$ , and set  $c(u') = c(u)$ .

We claim that this  $T'$  with the colours  $c(v)$  in the leaves of  $T'$  is the desired tree-model of  $G$ . Let  $G'$  be the graph defined on the leaves of  $T'$  as follows;  $\{u, v\} \subseteq V(G')$  is an edge of  $G'$  iff, for  $c(u) = (j_1, I_1)$ ,  $c(v) = (j_2, I_2)$  and  $j_1 < j_2$ , it holds  $\text{dist}_{T'}(u, v) = 2j_2$  and  $j_2 - j_1 \in I_1$ . Then clearly  $G' \simeq G$ .  $\square$

When dealing with tree-models of graph classes (e.g., in model checking or in transductions), the depth parameter  $d$  is asymptotically much more important than the number of colours  $m$ . With this in mind, it is useful to work with a more streamlined notion which only requires a single parameter  $d$ , and to this end, we introduce the following:

**Definition 3.3** (Shrub-depth). A class  $\mathcal{G}$  of graphs has *shrub-depth*  $d$  if there exists  $m$  such that  $\mathcal{G} \subseteq \mathcal{TM}_m(d)$ , while for all natural  $m'$  it is the case that  $\mathcal{G} \not\subseteq \mathcal{TM}_{m'}(d-1)$ . In a wider sense,  $\mathcal{G}$  is of *bounded shrub-depth* if there exist integers  $d, m$  such that  $\mathcal{G} \subseteq \mathcal{TM}_m(d)$ .

Note that Definition 3.3 is asymptotic as it makes sense only for infinite graph classes; the shrub-depth of a single finite graph is always at most one (0 for empty or one-vertex graphs). Furthermore, it makes no sense to say “the class of all graphs of shrub-depth  $d$ ”.

For instance, the class of all cliques has shrub-depth 1. On the other hand, it will follow from Theorem 3.7 that the class of all paths has unbounded (infinite) shrub-depth. Now we argue that this new notion is indeed “intermediate” between tree-depth and clique-width (and even linear clique-width).

**Proposition 3.4.** *Let  $\mathcal{G}$  be a graph class and  $d$  an integer. Then:*

- a) *If  $\mathcal{G}$  is of tree-depth  $\leq d$ , then  $\mathcal{G}$  is of shrub-depth  $\leq d$ .*
- b) *If  $\mathcal{G}$  is of bounded shrub-depth, then  $\mathcal{G}$  is of bounded linear clique-width.*

*The converse statements are not true in general.*

*Proof.* a) This follows from Proposition 3.2, and the converse cannot be true in general because of, e.g., the class of all cliques.

b) We remark that it is trivial to see that  $\mathcal{G}$  is of bounded clique-width. Here we even show how to straightforwardly translate a tree-model with  $m$  colours and depth  $d$  into a linear (caterpillar-shaped)  $m(d+1)$ -expression: Let  $v_1, \dots, v_n$  be any (usual) left-to-right ordering of the leaves of a tree-model  $T$  of some  $G \in \mathcal{G}$ . The expression is constructed inductively for  $i = 1, \dots, n$  as follows:

- a vertex  $v_i$  is created and added with a (currently unique) colour  $(c, 0)$  where  $c = c(u_i)$  is its colour in  $T$ ,
- whenever colour  $c$  is to be adjacent to colour  $c'$  at distance  $2d$  in the model  $T$ , the expression adds all edges between the colours  $(c, 0)$  and  $(c', d)$ , and
- for  $2d'$  being the distance from  $v_i$  to  $v_{i+1}$  in  $T$ , the expression changes all colours  $(c, d)$  with  $d < d'$  to  $(c, d')$ .

A counterexample to the converse claim is, e.g., the class of all paths by Theorem 3.7.  $\square$

The relation between classes of bounded shrub-depth and of bounded tree-depth is even deeper than shown above. The operation of a *local complementation* in a graph takes any vertex  $v$  and replaces the subgraph induced on the neighbours of  $v$  with its edge-complement. A graph  $G$  is a *vertex-minor* of a graph  $H$  if  $G$  is an induced subgraph of a graph  $H'$  such that  $H'$  is obtained from  $H$  by a sequence of local complementations. As shown in [24], the class of vertex-minors of all graphs of tree-depth at most  $d$  has shrub-depth at most  $d$ , and every class of shrub-depth  $d$  can be constructed as vertex-minors of graphs of tree-depth  $d'$  where  $d'$  depends (only) on  $d$ .

**3.2. SC-depth.** A significant drawback of the notion of shrub-depth is the aforementioned fact that it does not make sense to ask about the shrub-depth of a single finite graph. Here we propose a remedy for this problem in the form of another, very simple and single-parameter based, definition of a depth-like parameter which turns out to be asymptotically equivalent to shrub-depth. (Although, several years of research experience since [20] have also shown many clear advantages of the shrub-depth notion.)

Let  $G$  be a graph and let  $X \subseteq V(G)$ . We denote by  $\overline{G}^X$  the graph  $G'$  with vertex set  $V(G)$  where  $x \neq y$  are adjacent in  $G'$  if (i) either  $\{x, y\} \in E(G)$  and  $\{x, y\} \not\subseteq X$ , or (ii)  $\{x, y\} \notin E(G)$  and  $\{x, y\} \subseteq X$ . In other words,  $\overline{G}^X$  is the graph obtained from  $G$  by complementing the edges on  $X$ .

**Definition 3.5** (SC-depth<sup>4</sup>). We define inductively the class  $\mathcal{SC}(n)$  as follows:

- We let  $\mathcal{SC}(0) = \{K_1\}$ ;
- if  $G_1, \dots, G_p \in \mathcal{SC}(n)$  and  $H = G_1 \dot{\cup} \dots \dot{\cup} G_p$  denotes the disjoint union of the  $G_i$ 's, then for every subset  $X$  of vertices of  $H$ , we have  $\overline{H}^X \in \mathcal{SC}(n+1)$ .

The *SC-depth* of  $G$  is the minimum integer  $n$  such that  $G \in \mathcal{SC}(n)$ .




Figure 3: A graph  $G$  and two possible SC-depth representations by depicted trees.

The SC-depth of a graph  $G$  is thus the minimum height of a rooted tree  $Y$ , such that the leaves of  $Y$  form the vertex set of  $G$ , and each internal node  $v$  is assigned a subset  $X$  of the descendant leaves of  $v$ . Then the graph corresponding to  $v$  in  $Y$  is the complement on  $X$ , of the disjoint union of the graphs corresponding to the children of  $v$  (see Figure 3).

The reason we introduce both the asymptotically equivalent SC-depth and shrub-depth measures here is that each brings a unique perspective on the classes of graphs we are interested in (see e.g. [24]).

**Theorem 3.6.** *Let  $\mathcal{G}$  be a class of graphs. Then the following are equivalent:*

- *There exist integers  $d, m$  such that  $\mathcal{G} \subseteq \mathcal{TM}_m(d)$  ( $\mathcal{G}$  has bounded shrub-depth).*
- *There exists an integer  $k$  such that  $\mathcal{G} \subseteq \mathcal{SC}(k)$  ( $\mathcal{G}$  has bounded SC-depth).*

*More precisely,  $\mathcal{TM}_m(d) \subseteq \mathcal{SC}(dm(m+1))$  and  $\mathcal{SC}(k) \subseteq \mathcal{TM}_{2k}(k)$ .*

*Proof.* We prove the forward implication by induction on  $d$ . In the degenerate base case  $d = 0$ , it is trivially the case that  $\mathcal{TM}_m(0) = \{K_1\} = \mathcal{SC}(0)$ . Assume now  $G \in \mathcal{TM}_m(d+1)$  for some  $d \geq 0$ . By Definition 3.1, there exist an integer  $c \geq 1$  and graphs  $G_1, \dots, G_c \in \mathcal{TM}_m(d)$  (actually subgraphs of  $G$  induced by the leaf sets of the root-subtrees in the respective tree-model of  $G$ ) such that the following holds:  $G$  results from the disjoint union  $G_1 \cup \dots \cup G_c$  by adding those edges  $uv$  for which  $u$  and  $v$  belong to distinct graphs among  $G_1, \dots, G_c$ , and for the pair  $i, j$  of colours of  $u, v$ ,  $(i, j, d+1)$  belongs to the signature  $S$ .

By the induction assumption, we have got  $G_1, \dots, G_c \in \mathcal{SC}(k_0)$  for some integer  $k_0$ . For each of these graphs  $G_\ell$ ,  $\ell \in \{1, \dots, c\}$ , we successively complement the edges on the following subsets of vertices:

- for each  $i$  such that  $(i, i, d+1) \in S$ , on the set  $X_\ell^i \subseteq V(G_\ell)$  of the vertices of  $G_\ell$  of colour  $i$ ,
- for each  $i < j$  such that  $(i, j, d+1) \in S$ , on the set  $X_\ell^i \cup X_\ell^j$  (defined as above), then on the set  $X_\ell^i$  itself and then on  $X_\ell^j$  itself.

Observe that at most  $m + 3\binom{m}{2}$  complement operations are applied to each  $G_\ell$ , and this number can be reduced down to  $m + \binom{m}{2} = \binom{m+1}{2}$  by skipping possible repeated complements. Denoting by  $G'_\ell$  the graph obtained in this way from  $G_\ell$  we get, by Definition 3.5, that  $G'_1, \dots, G'_c \in \mathcal{SC}(k_1)$  where  $k_1 = k_0 + \binom{m+1}{2}$ .

Effectively, in each  $G_\ell$  we have complemented the edges whose colour pairs (together with third  $d+1$ ) belong to  $S$ . In the next step we make the disjoint union  $G' := G'_1 \cup \dots \cup G'_c$  and repeat the same complementation procedure on this global level. Namely:

<sup>4</sup>As the “Subset-Complementation” depth.

- for each  $i$  such that  $(i, i, d + 1) \in S$ , on the set  $X^i \subseteq V(G')$  of the vertices of  $G'$  of colour  $i$ ,
  - for each  $i < j$  such that  $(i, j, d + 1) \in S$ , on the set  $X^i \cup X^j$ , then on  $X^i$  and then on  $X^j$ .
- Denoting the resulting graph by  $G''$ , we similarly get  $G'' \in \mathcal{SC}(k_2)$  where  $k_2 = k_1 + \binom{m+1}{2} = k_0 + m(m + 1)$ . It remains to routinely verify that  $G'' \simeq G$ .

As for the backward implication, we directly construct a tree-model for each graph  $G \in \mathcal{SC}(k)$ . By Definition 3.5,  $G \in \mathcal{SC}(k)$  can be constructed along a rooted tree  $T$  such that the leaf set of  $T$  is  $V(G)$  and each internal node  $t$  of  $T$  is associated with a complement set  $X_t$  (which is a subset of the descendant leaves). We assign the leaf colours as follows. Let  $v \in V(G)$  be a leaf of  $T$ , and  $t_0 = v, t_1, \dots, t_k = r$  be the path from  $v$  to the root  $r$  of  $T$ . We colour  $v$  with the binary vector  $(a_i)_{i=1}^k$  such that  $a_i = 1$  iff  $v \in X_{t_i}$ .

By Definition 3.5,  $uv$  forms an edge of  $G$ , if and only if the pair  $\{u, v\}$  belongs to an odd number of the complement sets  $X_t$  over the whole  $T$ . This can easily be determined from the colours of  $u$  and  $v$ , and from the depth of their least common ancestor in  $T$ . Consequently,  $G \in \mathcal{TM}_{2^k}(k)$ . □

**3.3. Long paths.** For graphs of small tree-depth a characteristic property is the absence of long paths as subgraphs, cf. Proposition 2.3 b). This is obviously false for classes of small shrub-depth since those, in particular, include all cliques and bicliques. However, one can restrict induced paths in every class  $\mathcal{TM}_m(d)$ , as follows.

**Theorem 3.7.** *Let  $\ell = 3 \cdot 2^m - 4$  and  $P_\ell$  denote the path of length  $\ell$ , i.e., on  $\ell + 1$  vertices. Then  $P_\ell \in \mathcal{TM}_m(2m + 1)$ , but for any  $d$  we have  $P_{\ell+1} \notin \mathcal{TM}_m(d)$ .*

In particular, there exist no  $d, m$  such that  $\mathcal{TM}_m(d)$  would contain all paths.




Figure 4: Tree-models (top) for small paths (below), as used in the proof of Proposition 3.7. Left: with 1 colour and depth 3 for  $P_2$ . Right: 2 colours and depth 5 for  $P_8$ .

*Proof.* We start with the construction of  $P_\ell \in \mathcal{TM}_m(2m + 1)$  that is, of an appropriate tree-model  $T_m$  of  $P_\ell$ , by induction on  $m$ . We shall maintain a special property that each end of  $P_\ell$  is represented in  $T_m$  by a leaf which has no siblings, i.e., its parent is of degree 2. As the base case, we use the tree-model  $T_1$  of  $m = 1$  colours and depth  $2m + 1 = 3$  from the left-hand side of Figure 4. (Note that although  $P_2 \in \mathcal{TM}_1(2)$ , we use an extra level in  $T_1$  to achieve our property.)

We now construct  $T_{m+1}$  for  $m \geq 1$ . Let  $u$  and  $v$  be the ends of  $P_\ell$ , and recall that each of  $u, v$  has no siblings in  $T_m$ . We create a sibling  $u_1$  of  $u$  in  $T_m$  and assign  $u_1$  a new colour  $m + 1$ . This intermediate tree-model  $U_m$  can represent  $P_{\ell+1}$  with the ends  $u_1, v$  and, see Figure 4 right, the desired model  $T_{m+1}$  follows:

- for  $U_m$  and its disjoint copy  $U'_m$ , add a common ancestor  $q$  of their roots,
- create a rooted path of length  $2m + 3$ , with the root  $r$  and the only leaf  $w$  of colour  $m + 1$ , and make  $q$  another son of  $r$ .

Clearly,  $T_{m+1}$  is a tree-model of  $m + 1$  colours and depth  $2m + 3 = 2(m + 1) + 1$ , and it can represent the edges  $u_1w$  and  $u'_1w$  but not  $u_1u'_1$ . Thus  $T_{m+1}$  makes a tree-model of  $P_{\ell'}$  for  $\ell' = 2(\ell + 1) + 2 = 3 \cdot 2^{m+1} - 4$ .

In the converse direction we start with an easy observation for  $m = 1$ ;  $P_3 \notin \mathcal{TM}_1(d)$  for any  $d$  (this follows from the folklore fact that the path on 4 vertices is not a cograph, too). The proof can then be finished by induction over  $m \geq 1$ , provided that we establish the following contrapositive claim: if  $P_{2\ell+5} \in \mathcal{TM}_{m+1}(d)$  for any  $\ell, m, d \geq 1$ , then  $P_{\ell+1} \in \mathcal{TM}_m(d)$ .

So fix  $\ell$  and  $m$ , and assume  $G := P_{2\ell+5} \in \mathcal{TM}_{m+1}(d)$  and  $T$  is a corresponding tree-model of  $m + 1$  colours and minimum possible height  $d$ . In this proof we denote by  $T_x$  the subtree of  $T$  rooted at a node  $x$ . As  $d$  is minimum and  $P_{2\ell+5}$  is connected, there exist distinct sons  $u, v$  of the root of  $T$  and colours  $i, j$  (possibly equal), such that  $T_u$  includes at least one leaf with colour  $i$  and  $T_v$  at least one leaf with colour  $j$ , and the colour pair  $(i, j)$  at distance  $2d$  determines an edge.

We let  $J \subseteq G$  denote the subgraph formed only by those edges which are determined by the colour pair  $(i, j)$  at distance  $2d$  in  $T$ , i.e.,  $xy \in E(J)$  iff the colours of  $x, y$  are  $i, j$  in  $T$  and the only common ancestor of  $x, y$  is the root of  $T$ .

If  $i = j$ , then we claim that there cannot be two non-incident edges in  $J$ . Indeed, this would necessarily mean that  $J$  contains  $K_{2,2}$ , but  $K_{2,2} \not\subseteq G$ . Hence  $J$  is  $K_2$  or  $K_{1,2}$  and there exist at most three vertices of colour  $i$  altogether, and in either case one subpath in  $G - V(J)$  is of length at least  $\lceil (2\ell + 5 - 4)/2 \rceil = \ell + 1$ . Hence  $T - V(J)$  gives a tree-model of  $P_{\ell+1}$  of  $m$  labels.

We now examine the other possibility  $i \neq j$ . First, we observe that if  $x_1y_1, x_2y_2$  are non-incident edges of  $J$  such that  $x_1, x_2$  are of the same colour, then the only common ancestor of  $x_1, x_2$  is the root of  $T$ . Otherwise, we would get a contradiction that  $K_{2,2} \subseteq J$ . Second, we argue that there cannot be three pairwise non-incident edges  $x_1y_1, x_2y_2, x_3y_3$  in  $J$  (where  $x_1, x_2, x_3$  are of the same colour). If this happened, then (say) for the vertex  $y_1$  at least two of the vertices  $x_1, x_2, x_3$  would have only one common ancestor with  $y_1$ , the root of  $T$ . Consequently,  $y_1$  would have at least two neighbours in the set  $\{x_1, x_2, x_3, y_1, y_2, y_3\}$ , and the same would symmetrically hold for all the members of this set, contradicting the fact that  $J$  is acyclic.

Therefore,  $J$  is a path of length at most 4, or  $J$  consists of two components isomorphic to  $K_2$  or  $K_{1,2}$ . Moreover, if there exists a leaf  $z$  of colour  $i$  or  $j$  in  $T$  which is not incident to an edge of  $J$ , then  $J$  has no two non-incident edges and all such leaves (of colour  $i$  or  $j$ ) not incident to  $E(J)$  are of the same colour, as can be easily checked.

We first consider the case that  $J$  has one component. If it is  $K_2$  or  $K_{1,2}$  then, by the previous arguments, all the leaves of  $T$  coloured  $i$  (say) are incident to the one or two edges of  $J$ . As above (in the case of  $i = j$ ) we can now argue that  $T - V(J)$  gives a tree-model of  $P_{\ell+1}$  of  $m$  labels. If, on the other hand,  $J$  is  $P_3$  or  $P_4$ , then all the leaves of  $T$  coloured  $i$  or  $j$  are incident to the edges of  $J$ . We form a new tree-model  $T'$  by removing from  $T$  all the




Figure 5: An example of a graph class not containing any induced subpaths of length 3, which has unbounded shrub-depth. In fact, these graphs are even the so called threshold graphs (a special case of small linear clique-width) – view the vertices in the backward order  $a_n, b_n, a_{n-1}, b_{n-1}, \dots, a_1, b_1$ .

leaves of colours  $i, j$  (i.e., incident to the edges of  $J$ ) and adding arbitrarily one new leaf of colour  $i$ . Then  $T'$  of  $m$  labels models a path  $P_{2\ell+1}$  (or  $P_{2\ell+2}$ ).

We are left with the case of  $J$  consisting of two components, such that all the leaves of  $T$  coloured  $i$  or  $j$  are incident to the edges of  $J$ . If any of the subpaths of  $G - V(J)$  is of length at least  $\ell + 1$ , then we are again done. Otherwise, we can choose one component  $J_1$  of  $J$  such that  $G - V(J_1)$  contains a subpath  $G'$  of length at least  $\ell + 3$ . We denote by  $J_2$  the other component of  $J$  (presumably  $J_2 \subseteq G'$ ), and form a new tree-model  $T'$  by restricting  $T$  to the leaves from  $G'$ , removing the leaves of  $J_2$  and adding arbitrarily one leaf of colour  $i$  (recall that no vertex of  $G' - V(J_2)$  has colour  $i$  or  $j$ ). Hence  $T'$  of  $m$  labels models a path  $P_{\ell+1}$  (or  $P_{\ell+2}$ ).  $\square$

The combinatorial result in Theorem 3.7 has interesting relations also to logical questions (see Section 4). For instance, in respect of the research of MSO-orderable graphs by Blumensath and Courcelle [2], note that in the class of all finite paths one can easily define a linear ordering by an  $\text{MSO}_1$  formula. Hence it immediately follows from a characterization given in [2, Theorem 5.31] that the class of all finite paths cannot have bounded shrub-depth. The advantage of our Theorem 3.7 (occurring already in [20]) is that it gives exact combinatorial bounds. Furthermore, Theorem 3.7 together with Theorem 4.1 implies the result [2, Theorem 5.31] that infinite graph classes of bounded shrub-depth are not  $\text{MSO}_1$ -orderable.

Note, however, that graph classes of bounded shrub-depth are not asymptotically related to those excluding long induced subpaths; in the opposite direction the situation here is very different than in Proposition 2.3 b). As an example, we mention the graph class from Figure 5 which contains no induced subpaths of length 3. One can give a direct combinatorial proof that this class is of unbounded shrub-depth (similarly as for Theorem 3.7), but we skip it here since this fact follows from the aforementioned result of [2] (the graph of Figure 5 is FO-orderable) or, alternatively, from a combination of results of [24].

**3.4. Induced subgraphs characterization.** Lastly in this section, we provide yet another characterization of the classes defined previously. In a nutshell, we are going to show that each of these classes can be characterized by a finite list of *forbidden induced subgraphs*. A

nice consequence of this finding is that membership in each of the classes can be tested in polynomial time. The tool we use here is well-quasi-ordering.

A class or property is said to be *hereditary* if it is closed under taking induced subgraphs. A *well-quasi-ordering* (or *wqo*) of a set  $X$  is a quasi-ordering on  $X$  such that for any infinite sequence of elements  $x_1, x_2, \dots$  of  $X$  there exist  $i < j$  with  $x_i \leq x_j$ . In other words, a wqo is a quasi-ordering that does not contain an infinite strictly decreasing sequence or an infinite set of incomparable elements. We are going to use the following well-known result:

**Theorem 3.8** (Ding [11]). *Let  $m \in \mathbb{N}$  be an integer and  $C$  be a finite set of colours. The class of the graphs not containing a path on  $m$  vertices as a subgraph and with vertices coloured by  $C$  is well-quasi-ordered under the colour-preserving induced subgraph order.*

**Corollary 3.9.** *Let  $\mathcal{S}$  be a graph class of bounded shrub-depth, such that the vertices of the graphs in  $\mathcal{S}$  are coloured from a finite set  $C$  of colours. Then  $\mathcal{S}$  is well-quasi-ordered under the colour-preserving induced subgraph order.*

*Proof.* Consider an infinite sequence  $(G_1, G_2, \dots) \subseteq \mathcal{S}$ , and the corresponding tree-models  $(T_1, T_2, \dots)$ . Let  $T_i^+$ ,  $i = 1, 2, \dots$ , denote the rooted tree with leaf labels composed of the colours of  $T_i$  and the colours of  $G_i$ . By Theorem 3.8,  $T_1^+, T_2^+, \dots$  of bounded diameter is wqo under the rooted coloured subtree relation, and, consequently, so are the coloured graphs  $G_1, G_2, \dots$ , as desired.  $\square$

The advertised result now follows by a simple twist as follows.

**Theorem 3.10.** *For every integers  $d, m$ , there exists a finite set of graphs  $\mathcal{F}_{d,m}$  (the forbidden subgraphs) such that a graph  $G$  belongs to  $\mathcal{TM}_m(d)$  if and only if  $G$  has no induced subgraph isomorphic to a member of  $\mathcal{F}_{d,m}$ .*

*Similarly, for every  $n$  there exists a finite set of graphs  $\mathcal{F}'_n$  such that  $G \in \mathcal{SC}(n)$  if and only if  $G$  has no induced subgraph isomorphic to one of  $\mathcal{F}'_n$ .*

*Proof.* We let  $\mathcal{F}_{d,m}$  be the (isomorphism-free) set of graphs  $H$  such that  $H \notin \mathcal{TM}_m(d)$  but  $H - v \in \mathcal{TM}_m(d)$  for every  $v \in V(H)$ . By this definition, no member of  $\mathcal{F}_{d,m}$  is a proper induced subgraph of another member. Hence it is enough to argue that  $\mathcal{F}_{d,m}$  is wqo to conclude that  $\mathcal{F}_{d,m}$  is finite.

The latter follows from an easy observation: if  $H - v \in \mathcal{TM}_m(d)$  for some  $v \in V(H)$ , then  $H \in \mathcal{TM}_{2m+1}(d)$ . Indeed, we take a tree-model of  $H - v$ , add arbitrarily a new leaf of a unique new colour for  $v$  and annotate with an extra bit the colours of all leaves which are neighbours of  $v$  in  $H$ . The result is a tree-model for  $H$  with  $2m + 1$  colours. Consequently,  $\mathcal{F}_{d,m} \subseteq \mathcal{TM}_{2m+1}(d)$  and the wqo property follows from Corollary 3.9.

The second claim is proved analogously. We let  $\mathcal{F}'_n$  be the (isomorphism-free) set of graphs  $H$  such that  $H \notin \mathcal{SC}(n)$  but  $H - v \in \mathcal{SC}(n)$  for every  $v \in V(H)$ . By Theorem 3.6,  $\{H - v : H \in \mathcal{F}'_n\} \subseteq \mathcal{TM}_{2n}(n)$ , and so  $\mathcal{F}'_n \subseteq \mathcal{TM}_{2n+1+1}(n)$  by the previous paragraph. The wqo property again follows from Corollary 3.9.  $\square$

The ‘‘obstacle’’ sets  $\mathcal{F}_{d,m}$  and  $\mathcal{F}'_n$  of Theorem 3.10 are not only of mathematical interest, but also have algorithmic consequences. Namely, in connection with established algorithms they allow for efficient membership testing of these classes. Note, however, that we do not provide an algorithmic construction of the sets  $\mathcal{F}_{d,m}$  and  $\mathcal{F}'_n$ , and so we only prove an existence of the respective algorithms for each specific values of  $d, m$  and  $n$  (in parameterized complexity theory this is formally called *nonuniform FPT*).

**Corollary 3.11.** *The problems to decide, for a given graph  $G$ , whether  $G \in \mathcal{TM}_m(d)$  and whether  $G \in \mathcal{SC}(n)$ , are fixed-parameter tractable with respect to the parameters  $d, m$  and  $n$ , respectively.*

*Proof.* We provide a proof for the problem of  $G \in \mathcal{TM}_m(d)$ , while that of  $G \in \mathcal{SC}(n)$  is very similar. As mentioned before, the class  $\mathcal{TM}_m(d)$  is of bounded clique-width (namely,  $2m$  is a trivial upper bound). Therefore, one can use [25] to compute in FPT an approximate expression of  $G$  of clique-width depending only on  $m$  or to correctly conclude that  $G \notin \mathcal{TM}_m(d)$ . In the former case, one can then call the algorithm of [7] to test whether any member of  $\mathcal{F}_{d,m}$  is an induced subgraph of  $G$ . Based on the outcome, the correct decision about  $G \in \mathcal{TM}_m(d)$  is easily made.  $\square$

#### 4. SHRUB-DEPTH AND MSO TRANSDUCTIONS

While in the previous section we have focused on establishing basic combinatorial properties of shrub-depth and SC-depth, now we shift our attention towards their logical aspects. The final outcome will be the finding that (a slight technical adjustment of) tree-models of depth  $d$  precisely capture the  $d$ -th finite level of the  $\text{MSO}_1$  transduction hierarchy of simple undirected graphs, for all  $d \in \mathbb{N}$ . For that, we start by showing that shrub-depth indeed goes well with simple  $\text{MSO}_1$  interpretations.

**4.1. Stability under interpretations.** We again turn to classical clique-width for an inspiration: graph classes of bounded clique-width have  $\text{MSO}_1$  interpretations into the class of all coloured rooted trees and, in turn, graph classes having an  $\text{MSO}_1$  interpretation into those of bounded clique-width still have bounded clique-width (although the bound on their clique-width is generally much higher).

In one direction, shrub-depth has been defined using (Definition 3.1) a very special form of a simple  $\text{MSO}_1$  interpretation. In the other direction, we can go even further than with clique-width itself (cf. also Section 4.3): the bound on shrub-depth is preserved exactly (and not only asymptotically) under any  $\text{CMSO}_1$  interpretations. In other words, the precise height of a tree is absolutely essential for  $\text{CMSO}_1$  interpretability. The full formal statement follows.

**Theorem 4.1.** *A class  $\mathcal{G}$  of graphs has a simple  $\text{CMSO}_1$  interpretation in a class of finite coloured rooted trees of height at most  $d$ , if, and only if,  $\mathcal{G}$  has shrub-depth at most  $d$ .*

The ‘if’ direction of Theorem 4.1 follows immediately from Definition 3.1: for any  $m$ , the class  $\mathcal{TM}_m(d)$  has a simple  $\text{MSO}_1$  interpretation (or even FO interpretation) in the class of  $m$ -coloured tree-models of depth  $d$ . Hence we now give a proof of the ‘only if’ direction of Theorem 4.1 consisting of the following sequence of three technical claims.

**Lemma 4.2** (Gajarský and Hliněný [16]). *There exists a function<sup>5</sup>  $R(q, m, d) \leq \exp^{(d)}((q + m)^{\mathcal{O}(1)})$  over the positive integers such that the following holds.*

*Let  $T$  be a rooted tree with each vertex assigned one of at most  $m$  colours, and let  $\phi$  be any  $\text{CMSO}_1$  sentence with  $q$  quantifiers, such that the least common multiple of the  $b$  values of all  $\text{mod}_{a,b}$  predicates in  $\phi$  equals  $M$ . Take any node  $u \in V(T)$  such that the subtree*

<sup>5</sup>Here  $\exp^{(d)}$  stands for the iterated (“tower of height  $d$ ”) exponential, i.e.,  $\exp^{(1)}(x) = 2^x$  and  $\exp^{(i+1)}(x) = 2^{\exp^{(i)}(x)}$ .



$T_u \subseteq T$  rooted at  $u$  is of height  $d$ , and denote by  $U_1, U_2, \dots, U_k$  the connected components of  $T_u - u$  (their roots are thus all the  $k$  sons of  $u$ ).

Assume that there exists a (sufficiently large) subset of indices  $I \subseteq \{2, \dots, k\}$ , where  $|I| \geq R(q, m + M, d) + M - 1$ , such that there are colour-preserving isomorphisms from  $U_1$  to each  $U_i$ ,  $i \in I$ . Choose any  $J \subseteq \{1\} \cup I$ ,  $|J| = M$ , and take the subtree  $T' = T - \bigcup_{j \in J} V(U_j)$ . Then  $T'$  behaves the same with respect to  $\phi$  as  $T$ , precisely,  $T \models \phi \iff T' \models \phi$ .

Lemma 4.2 and, in particular, the operation of obtaining  $T'$  from  $T$  as in the lemma, will be useful in the following generalized setting of a reduction. Assume that  $R' : \mathbb{N} \rightarrow \mathbb{N}$  is an arbitrary non-decreasing function and  $M$  is a positive integer (for use with Lemma 4.2, we can have  $R'(i) := R(q, m + M, i)$ ), and  $T$  is a coloured rooted tree of height  $d$ . Inductively for  $i = 1, 2, \dots, d$ , we do the following: For every  $w \in V(T)$  such that  $T_w$  is of height  $i$ , consider the components of  $T_w - w$  partitioned into equivalence classes according to the existence of a colour-preserving isomorphism. In each of these classes whose cardinality is at least  $R'(i) + M$ , we repeatedly remove  $M$ -tuples of components until the cardinality reaches  $R'(i) + c$  where  $0 \leq c < M$ . Let  $T''$  be the resulting “reduced” subtree of  $T$ . In such situation we say that  $T$  is  $R'$ -reduced (modulo  $M$ ) to  $T''$ . Observe that  $T''$  is of bounded size depending only on  $R'$ ,  $M$  and  $d$ , and independent of the size of  $T$ .

We continue with the technical claims leading to Theorem 4.1. Imagine a situation in which we have a graph (tree) automorphism taking a vertex  $x_1$  to a vertex  $x_2$ , and similarly an automorphism taking  $y_1$  to  $y_2$ . Then it is generally not true that there would exist an automorphism taking the pair  $(x_1, y_1)$  to the pair  $(x_2, y_2)$ . The next lemma establishes a simple additional condition under which the previous becomes always true. We need the notion of an orbit. The binary relation on the vertex set of a graph defined as ‘ $x_1 \sim x_2$  if there is an automorphism taking  $x_1$  to  $x_2$ ’ is an equivalence, and its equivalence classes are called the *vertex automorphism orbits*.

Note that all automorphisms in this section are colour-preserving.

**Lemma 4.3.** *Let  $T$  be a coloured rooted tree. Assume that  $X, Y$  are vertex automorphism orbits of  $T$ , and  $x_1, x_2 \in X$  and  $y_1, y_2 \in Y$  are chosen arbitrarily. Let  $z_i = x_i \wedge y_i$ ,  $i = 1, 2$ , denote the least common ancestor of  $x_i, y_i$  in  $T$ . If  $\text{dist}_T(x_1, z_1) = \text{dist}_T(x_2, z_2)$  and  $\text{dist}_T(y_1, z_1) = \text{dist}_T(y_2, z_2)$ , then there is an automorphism of  $T$  taking the pair  $(x_1, y_1)$  onto  $(x_2, y_2)$ .*

*Proof.* We carry on the proof by induction on  $d = \text{dist}_T(x_1, z_1) + \text{dist}_T(y_1, z_1)$ .

The base case of  $d = 0$  is trivial (since  $x_1 = y_1$  and  $x_2 = y_2$ ). Consider now an induction step from  $d$  to  $d + 1$  where  $\text{dist}_T(x_1, z_1) \geq 1$ . Let  $x'_1, x'_2$  be the parent nodes of  $x_1, x_2$ , respectively, and let  $X'$  denote the set of parent nodes of all the members of  $X$ . Then  $X'$  is a vertex orbit of  $T$ , too. By inductive assumption, there is an automorphism  $\tau$  of  $T$  taking the pair  $(x'_1, y_1)$  onto  $(x'_2, y_2)$ . If  $\tau(x_1) = x_3$ , then  $x_3$  is a child of  $x'_2$ , and the subtree of  $T$  rooted at  $x_3$  is isomorphic to that of  $x_2$  by transitivity. Therefore, we may without loss of generality assume  $x_3 = x_2$ , and the induction step is complete.  $\square$

**Lemma 4.4.** *Assume that a class  $\mathcal{G}$  of graphs has a simple CMSO<sub>1</sub> interpretation  $I$  in a class  $\mathcal{T}_d$  of finite coloured rooted trees of height at most  $d$ . Then there exists  $m$  such that the following holds: every graph  $G \in \mathcal{G}$ , where  $G = I(T)$  for some  $T \in \mathcal{T}_d$ , has an  $m$ -coloured tree-model  $U$  of depth  $d$ .*

Furthermore, the rooted tree  $U$  is obtained from  $T$  by “growing leaves” from those nodes of  $T$  that belong to the domain of  $I$  and have distance less than  $d$  from the root. Specially, if




Figure 6: An illustration of the operation of growing new leaves (black dots) from selected original nodes (white dots) of the depicted rooted tree of height  $d$ . If a selected original node already is at a distance  $d$  from the root (the bottom layer), then no new leaf is actually grown.

the domain of  $I$  is a subset of the leaves of  $T$  and all leaves of  $T$  are at a distance  $d$  from the root, then  $U \subseteq T$ .

Here the operation of *growing a leaf* from a node  $u$  of a rooted tree  $T$  of height  $d$  means to add a new branch (a path) from  $u$  to a (new) leaf  $u'$  such that the distance from the root to  $u'$  is exactly  $d$ . Only one new leaf is grown from a node  $u$ , and only when the distance of  $u$  from the root is less than  $d$  (otherwise  $u' = u$ ). See Figure 6.

*Proof.* Let the simple CMSO<sub>1</sub> interpretation  $I(\mathcal{T}_d) = \mathcal{G}$  be given by the formulas  $I = (\alpha, \beta)$ . Recalling the definition of a simple interpretation, every  $G \in \mathcal{G}$  is interpreted in some coloured tree  $T_G \in \mathcal{T}_d$  as follows:  $V(G) = \{x \in V(T_G) : T_G \models \alpha(x)\}$  and  $E(G) = \{xy : x, y \in V(G) \wedge T_G \models \beta(x, y)\}$ . To assist readers' understanding, we remark that we can evaluate the domain  $V(G) \subseteq V(T_G)$  at the beginning, and so we will not deal with  $\alpha$  any more.

For the purpose of directly applying Lemma 4.2, we transform  $\beta$  into a closed sentence,  $\beta' \equiv \exists x, y(L(x) \wedge L(y) \wedge \beta(x, y))$ , where  $L$  is a new vertex label (which will be later added to existing colours of specified nodes). Since  $\beta'$  is a finite formula, it can “see” at most some  $m'$  of the colours of  $\mathcal{T}_d$  including new  $L$ .

Let  $G \in \mathcal{G}$  be a fixed graph and let  $T = T_G$ , as above. Let  $q$  be the number of quantifiers in  $\beta'$ , and let  $M$  be the least common multiple of the  $b$  values of all  $\text{mod}_{a,b}$  predicates occurring in  $\beta'$ . For the function  $R$  from Lemma 4.2, let  $R'(i) := R(q, m' + M, i) + M + 2$ . Choose an arbitrary pair  $u, v \in V(G)$ . We may straightforwardly get a coloured subtree  $T_0^{u,v} \subseteq T$  (not unique) such that the tree  $T$  is  $R'$ -reduced (modulo  $M$ ) to  $T_0^{u,v}$  and  $u, v \in V(T_0^{u,v})$ . If we add the label  $L$  precisely to  $u$  and  $v$ , we shortly denote the resulting structures by  $T[L(u), L(v)]$  and  $T_0^{u,v}[L(u), L(v)]$ .

The first crucial step of the proof is to observe that  $T[L(u), L(v)] \models \beta' \iff T_0^{u,v}[L(u), L(v)] \models \beta'$ . We can easily show this from Lemma 4.2 along the inductive definition of  $T$  being  $R'$ -reduced (modulo  $M$ ) to  $T_0^{u,v}$ . Following the notation of Lemma 4.2, we assume an intermediate step  $T'$  of the reduction process, and a node  $w$  of  $T'$  such that there is an isomorphism class  $\mathcal{J}$  of the components of  $T'_w[L(u), L(v)] - w$  of size at least  $R'(i) - 2 \geq R(q, m' + M, i) + M$ . (Here ‘ $-2$ ’ accounts for the possibility that, in the corresponding isomorphism class of  $T'_w - w$ , up to two of the components got the label  $L$ , and so they are not a part of  $\mathcal{J}$  in  $T'_w[L(u), L(v)] - w$ .) Let  $T'' \subseteq T'$  result by removing  $M$  components of  $\mathcal{J}$ . Then, by Lemma 4.2, we have  $T'[L(u), L(v)] \models \beta' \iff T''[L(u), L(v)] \models \beta'$  and we finish by induction.

Second, one may observe that for any other pair  $u', v' \in V(G)$ , the tree  $T_0^{u',v'} \subseteq T$  is always isomorphic to  $T_0^{u,v}$ . Hence we can choose one universal representative, say  $T_0 := T_0^{u,v}$ . Note that  $T_0$  is of bounded size depending only  $q, m'$  and  $d$ , and independent of the size of  $T$ . Consequently, for an arbitrary pair  $u', v' \in V(G)$ , we can determine whether or not  $u'v'$  forms an edge in  $G$  by testing if  $T_0$  with the “right assignment” of  $L$  satisfies  $\beta'$ . Here the words “right assignment of  $L$  in  $T_0$ ” implicitly refer to the images of  $u', v'$  under an isomorphism of  $T_0^{u',v'}$  to  $T_0$ . Now it only remains to say how to determine these images in  $T_0$  within a sought tree-model  $U$  of  $G$  (which is, though, nontrivial).

From now on, consider the fixed representative  $T_0$ . For  $w \in V(T)$ , denote by  $h(w)$  the distance from  $w$  to the root of  $T$ . For any  $v \in V(G)$ , choose an arbitrary  $u \in V(G)$ , denote by  $\mathcal{O}$  the vertex automorphism orbit of  $v$  in  $T_0^{u,v}$  and by  $Or(v)$  the image of  $\mathcal{O}$  under an isomorphism of  $T_0^{u,v}$  to  $T_0$ . Observe that  $Or(v)$ , as an automorphism orbit, does not depend on our choice of  $u$  and of an isomorphism of  $T_0^{u,v}$  to  $T_0$ . Let  $S$  be the rooted Steiner tree of  $V(G)$  in  $T = T_G$ , which is the minimal rooted subtree  $S \subseteq T$  containing  $V(G)$ . From  $S$  we construct the (uncoloured) tree  $U$  by growing leaves from all nodes  $w$  of  $S$  such that  $w \in V(G)$  and  $h(w) < d$ , in order to literally satisfy Definition 3.1. Each such newly grown leaf  $w'$  will now interpret the corresponding vertex of  $G$  instead of the original  $w$ , that is, we will identify  $w \in V(G)$  with  $w' \in V(U)$ , and set  $h'(w') := d - h(w)$  and  $Or(w') := Or(w)$ . For  $v \in V(G)$ , such that no new leaf has been grown from  $v$ , we have  $h'(v) = 0$ .

In the third (and last) step of the proof, we show that  $U$  together with information carried by  $T_0$  and  $Or, h'$  are sufficient to decide whether a pair  $u, v \in V(G)$  forms an edge of  $G$ . More precisely, we have  $u, v \in V(T) \cap V(G)$  and  $u', v'$  are the corresponding grown leaves in  $U$ , or  $u' = u$  ( $v' = v$ ) if no leaf has been grown from  $u$  ( $v$ ) in  $U$ . Let  $z = u \wedge v$  in  $T$  (cf. Lemma 4.3). We simply determine  $dist_T(u, z) = dist_U(u', z) - h'(u')$  and analogously for  $v$ . Then, knowing  $dist_T(u, z)$ ,  $dist_T(v, z)$  and  $Or(u) = Or(u')$ ,  $Or(v) = Or(v')$ , by Lemma 4.3, determines uniquely up to an automorphism a pair  $u_0, v_0 \in V(T_0)$  such that  $(u, v)$  maps to  $(u_0, v_0)$  under an isomorphism of  $T_0^{u,v}$  to  $T_0$ . Summarizing all the arguments, we get that  $T_0[L(u_0), L(v_0)] \models \beta' \iff T_0^{u,v}[L(u), L(v)] \models \beta' \iff T[L(u), L(v)] \models \beta' \iff T \models \beta(u, v)$ , as desired.

Therefore, we can build a tree-model  $U$  of  $G$  (Definition 3.1) by assigning the colour  $\langle Or(v), h'(v) \rangle$  to each leaf  $v$  of  $U$  and giving it the signature determined from  $T_0$  by the latter argument.  $\square$

**4.2. Stability under transductions.** The first important consequence of Theorem 4.1 is that the shrub-depth of a graph class is preserved under non-copying CMSO<sub>1</sub> transductions.

**Theorem 4.5.** *Let  $d \geq 1$  be an integer,  $\mathcal{G}$  be a graph class of shrub-depth  $d$ , and  $\tau$  be a non-copying CMSO<sub>1</sub> transduction. Then the shrub-depth of the transduction image  $\tau(\mathcal{G})$  is at most  $d$ .*

*Proof.* Let  $\mathcal{G} \subseteq \mathcal{TM}_m(d)$ , and let  $I_1$  denote the corresponding interpretation of  $\mathcal{G}$  in a class of  $m$ -coloured tree-models of depth  $d$ . Assume  $\tau = \tau_0 \circ \varepsilon$  where  $\tau_0$  is a basic transduction and  $\varepsilon$  is an expansion by  $p$  unary predicates. Since each of the  $p$  predicates can be encoded by a binary label added to the above  $m$  colours, we have got that  $\varepsilon(\mathcal{G})$  has an interpretation  $I'_1$  in a class  $\mathcal{T}$  of  $(2^p m)$ -coloured rooted trees of height  $d$ . Let  $I_0$  be the simple CMSO<sub>1</sub> interpretation underlying  $\tau_0$ . Then  $\tau(\mathcal{G}) \subseteq I_0(I'_1(\mathcal{T}))$ . Since  $I_0 \circ I'_1$  is again a CMSO<sub>1</sub>

interpretation, the latter class has shrub-depth at most  $d$  by Theorem 4.1 and the claim follows.  $\square$

We now look at the more general case of copying  $\text{CMSO}_1$  transductions. One cannot immediately extend Theorem 4.5 towards this case since, for example, a 2-copying transduction of the class of edge-less graphs (shrub-depth 1) contains all perfect matchings (shrub-depth 2). This is, however, only a technical problem which we resolve simply by allowing “copying” tree-models here.

Informally, a  $k$ -copied tree-model is a tree-model  $T$  as in Definition 3.1, with an exception that every leaf of  $T$  holds an ordered  $\leq k$ -tuple of distinct vertices of  $G$  and the existence of an edge can depend also on the tuple of a vertex and its index within the tuple. This is formally stated (with a twist) as follows:

**Definition 4.6** ( $k$ -copied tree-model). A graph  $G$  has a  $k$ -copied tree-model of  $m$  colours and “depth”  $d$  if  $G$  has an ordinary tree-model  $T$  of  $m$  colours and depth  $d + 1$  such that every node of  $T$  at distance  $d$  from the root has at most  $k$  descendants (the leaves). The class of all graphs  $G$  having such a  $k$ -copied tree-model is denoted by  $\mathcal{TM}_m^k(d)$ .

A class of graphs  $\mathcal{G}$  has copying shrub-depth  $d$  if there exist  $m, k$  such that  $\mathcal{G} \subseteq \mathcal{TM}_m^k(d)$ , while for all natural  $m', k'$  it is  $\mathcal{G} \not\subseteq \mathcal{TM}_{m'}^{k'}(d - 1)$ .

Notice that  $\mathcal{TM}_m^1(d) = \mathcal{TM}_m(d)$ , but this is not true in general for higher values of  $k$ . It is not too difficult to observe that every graph class of copying shrub-depth  $d$  is contained in a suitable  $k$ -copying transduction of a class of ordinary shrub-depth  $d$ . We complement this observation with the following:

**Theorem 4.7.** *Let  $d \geq 1$ ,  $\mathcal{G}$  be a graph class of copying shrub-depth  $d$ , and  $\tau$  be a  $\text{CMSO}_1$  transduction. Then the copying shrub-depth of  $\tau(\mathcal{G})$  is again at most  $d$ .*

*Proof.* Let  $\tau = \tau_0 \circ \gamma \circ \varepsilon$  where  $\tau_0$  is a basic  $\text{CMSO}_1$  transduction,  $\gamma$  is a  $k$ -copy operation and  $\varepsilon$  is an expansion by  $p$  unary predicates.

We remark that, thanks to transitivity of transductions, it is enough to prove this statement in the case that  $\mathcal{G}$  is of ordinary shrub-depth  $d$ . So, as in the proof of Theorem 4.5,  $\mathcal{G} \subseteq \mathcal{TM}_{m_1}(d)$ , and let  $I_1$  denote an  $\text{MSO}_1$  interpretation of  $\mathcal{G}$  in a suitable class  $\mathcal{U}$  of  $m_1$ -coloured tree-models of depth  $d$ . Then, again as before, we may say that  $\varepsilon(\mathcal{G})$  has an interpretation  $I_1'$  in the corresponding class  $\mathcal{U}'$  of  $(2^p m_1)$ -coloured tree-models of depth  $d$ , that is,  $\varepsilon(\mathcal{G}) = I_1'(\mathcal{U}')$ .

In the next step, we aim to show that the class  $\mathcal{K} = \gamma(I_1'(\mathcal{U}'))$  of relational structures (see Definition 2.6 for  $\gamma$ ) actually has a simple interpretation in a suitable class  $\mathcal{U}^+$  of trees. Here it is important that the domain of  $I_1'$  (which is to be copied by  $\gamma$ ) is restricted to leaves of the trees of  $\mathcal{U}'$ . For  $U \in \mathcal{U}'$ , let  $U^+$  be the  $(k2^p m_1)$ -coloured tree-model of depth  $d + 1$  constructed as follows: for each leaf  $u$  of  $U$  of colour  $c$ , add  $k$  new descendant leaves with the parent  $u$  and of distinct colours  $(c, 1), \dots, (c, k)$ . Actually,  $U^+$  is also a  $k$ -copied tree-model of “depth”  $d$  according to Definition 4.6. Let  $\mathcal{U}^+ = \{U^+ : U \in \mathcal{U}'\}$ .

From the definition of  $\gamma$ , one can easily come up with a simple  $\text{MSO}_1$  interpretation  $I_2 = (\nu_2, \mu_2)$  defining in  $\mathcal{U}^+$  the underlying graphs of the structures of  $\mathcal{K}$ , and an  $\text{MSO}_1$  formula  $\sigma_2$  defining the binary relation  $\sim$  of  $\gamma$  (while the unary relations  $P_i$  of  $\gamma$  are already encoded in the colours of  $\mathcal{U}^+$ ). We hence give a simple interpretation  $I^+ = (\nu_2, \mu_2, \sigma_2)$  (naturally extending Definition 2.5 for  $I^+$ ) such that  $I^+(\mathcal{U}^+)$  equals  $\mathcal{K}$ .

Finally, let  $I_0$  be the simple  $\text{CMSO}_1$  graph interpretation underlying  $\tau_0$ . We summarize that  $\tau(\mathcal{G}) = \tau_0(\mathcal{K})$  is contained in  $(I_0 \circ I^+)(\mathcal{U}^+)$ . By Lemma 4.4, there then exists  $m$

such that every graph  $H$ , where  $H = (I_0 \circ I^+)(U_1)$  for some  $U_1 \in \mathcal{U}^+$ , has an  $m$ -coloured tree-model  $U_2$  of depth  $d + 1$ . Moreover, we have  $U_2 \subseteq U_1$  since the domain of  $I_0 \circ I^+$  is restricted to the leaves of  $U_1$  (recall  $I_1^+$ ), and so  $U_2$  is also a  $k$ -copied tree-model of  $m$  colours and “depth”  $d$  of the graph  $H$ . Consequently,  $\tau(\mathcal{G})$  has copying shrub-depth at most  $d$ .  $\square$

**4.3. On  $\text{MSO}_1$ -transduction hierarchy.** The second interesting consequence of Theorems 4.1 and 4.7 claims that every graph class of bounded shrub-depth “falls under” precisely one of the integer values of copying shrub-depth according to transduction equivalence (both  $\text{MSO}_1$  and  $\text{CMSO}_1$ ). This coming result is close to the main result of Blumensath and Courcelle [1, Theorem 6.4] completely characterizing the related  $\text{MSO}_2$ -transduction hierarchy (precisely, the  $\text{MSO}$  transduction hierarchy of the vertex-edge incidence structures of undirected graphs).

We begin with some necessary technical terms. Fix a logical language of transductions (such as  $\text{MSO}_1$  or  $\text{CMSO}_1$  of simple undirected graphs). For two classes of relational structures (graphs in our case)  $\mathcal{K}, \mathcal{L}$ , we write  $\mathcal{K} \sqsubseteq \mathcal{L}$  if there exists a transduction  $\tau$  such that  $\mathcal{K} \subseteq \tau(\mathcal{L})$ . Similarly we write  $\mathcal{K} \sqsubset \mathcal{L}$  if  $\mathcal{K} \sqsubseteq \mathcal{L}$  but  $\mathcal{L} \not\sqsubseteq \mathcal{K}$ , and  $\mathcal{K} \equiv \mathcal{L}$  if both  $\mathcal{K} \sqsubseteq \mathcal{L}$  and  $\mathcal{L} \sqsubseteq \mathcal{K}$  hold true.

The relation  $\sqsubseteq$  forms a quasi-ordering on the considered classes of structures, as can be easily seen [1]. The research question here is to describe the underlying ordering of  $\sqsubseteq$ , i.e., the *transduction hierarchy*. Unlike for the aforementioned completely solved case of  $\text{MSO}_2$ -transduction hierarchy, only a weaker partial outcome has been known regarding  $\text{MSO}_1$  transductions:

**Theorem 4.8** (Blumensath and Courcelle [1]). *Let  $\mathcal{T}_d$  denote the class of all finite rooted trees of height at most  $d$ . In the scope of either  $\text{MSO}_1$  or  $\text{CMSO}_1$  transductions, the following holds*

$$\mathcal{T}_1 \sqsubset \mathcal{T}_2 \sqsubset \mathcal{T}_3 \sqsubset \dots \sqsubset \mathcal{T}_d \dots$$

Here we provide a full solution of  $\text{MSO}_1$ -transduction hierarchy for graph classes of bounded shrub depth (thus completing and extending Theorem 4.8):

**Theorem 4.9.** *For any graph class  $\mathcal{G}$  of bounded shrub-depth there is an integer  $d$  such that  $\mathcal{G} \equiv \mathcal{T}_d$  in the scope of either  $\text{MSO}_1$  or  $\text{CMSO}_1$  transductions.*

Before getting to the proof, we first establish two supplementary lemmas. Let  $\overline{T}_d^r$  denote the complete rooted  $r$ -ary tree of height  $d$ .

**Lemma 4.10.** *Let  $\mathcal{G}$  be a graph class of bounded shrub-depth. If there exist integers  $d, m, r$  such that every graph  $G \in \mathcal{G}$  has an  $m$ -coloured tree-model of depth  $d$  not containing  $\overline{T}_d^r$  as a rooted subtree, then the copying shrub-depth of  $\mathcal{G}$  is at most  $d - 1$ .*

*Proof.* Let  $G$  have a tree-model with the underlying rooted tree  $U$  of height  $d$  such that  $\overline{T}_d^r \not\sqsubseteq U$ . We have borrowed the following high-level proof idea from [1, Lemma 4.12].

Let  $R \subseteq V(U)$  be the minimal (by inclusion) set of nodes such that  $R$  contains all the leaves of  $U$ , and  $R$  contains every internal node of  $U$  which has at least  $r$  of its children in  $R$ . Let  $F \subseteq E(U)$  be the set of edges having the child end in  $R$  and the parent end in  $V(U) \setminus R$ . The root of  $U$  is not in  $R$  since  $\overline{T}_d^r \not\sqsubseteq U$ . So, every root-to-leaf path in  $U$  contains an edge from  $F$ . Moreover, every internal node of  $U$  that is not in  $R$ , has at most  $r - 1$  of its child edges in  $F$  (or it would be added to  $R$ ).

Now, to every non-leaf edge  $f \in F$  with the parent end  $v$  we assign a label  $\ell_f = (i, j)$ , where  $0 \leq i \leq d-2$  is the distance of  $v$  from the root and  $1 \leq j < r$  is the index of  $f$  among all  $F$ -edges incident with  $v$  (in an arbitrary fixed ordering of the children). Then, in the subtree  $U_f$  below  $f$  in  $U$ , we subdivide all the leaf edges of  $U_f$  and we add the label  $\ell_f$  to (the colours of) the leaves of  $U_f$ . Then we contract  $f$ . Let  $U'$  denote the resulting labelled tree (which is again of height  $d$ ). One can routinely verify that information additionally provided by the added labels ( $\ell_f$ ) is sufficient for  $U'$  to be a tree-model of  $G$ , too. Furthermore, our construction of  $U'$  guarantees that  $U'$  actually is an  $(r-1)$ -copied tree-model of depth  $d-1$ , as in Definition 4.6. Since this holds, with the same  $d, r$ , for every  $G \in \mathcal{G}$ , the copying shrub-depth of  $\mathcal{G}$  is at most  $d-1$ .  $\square$

**Lemma 4.11.** *For every integers  $d, m \geq 1$  there exists a non-copying  $\text{MSO}_1$  transduction  $\sigma_{d,m}$  such that the following holds: if, for an integer  $r$  and a graph  $G \in \mathcal{TM}_m(d)$ , every  $m$ -coloured tree-model of depth  $d$  of  $G$  contains the tree  $\bar{T}_d^r$  as a rooted subtree, then  $\bar{T}_d^{r-1} \in \sigma_{d,m}(G)$ .*

We remark that Blumensath and Courcelle [personal communication] have established a statement similar to Lemma 4.11, but it has not been published. For the sake of completeness, we give our independent proof here.

*Proof.* Our strategy is to construct a very specific tree-model  $U$  of  $G$ , such that we can interpret in suitably labelled  $G$  a tree  $U' \subseteq U$  which is “nearly  $U$ ” in the sense that only one child of each node of the underlying tree of  $U$  is missing (it is used to represent this node instead). From the assumption  $\bar{T}_d^r \subseteq U$  we can then conclude that  $\bar{T}_d^{r-1}$  will be contained in the respective non-copying transduction image  $\sigma_{d,m}(G)$  of this interpretation.

We use technical terms from [16]. Assume  $T$  is a tree-model of  $G$ , with an internal node  $u$ , and let  $W$  be the set of leaves of  $T_u$ . We say that a tree-model  $T'$  is obtained from  $T$  by splitting  $T_u$  along  $X \subseteq W$  if a disjoint copy  $T'_u$  of  $T_u$  with the same parent is added into  $T$ , and then  $T_u$  is restricted to the leaves in  $W \setminus X$  while  $T'_u$  is restricted to those in the corresponding copy of  $X$ . A tree-model  $T$  is *unsplittable* if no such splitting  $T'$  of  $T$  represents the same graph  $G$  as  $T$  does.

Fix now an unsplittable tree-model  $U$  of  $G$  (which obviously exists, by repeated splits). Let  $U$  be  $Q$ -reduced to  $U_0 \subseteq U$  for  $Q \equiv 2$  (cf. Section 4.1 for “reduced”), where  $U_0$  is of constant size depending on  $d, m$ . We colour the vertices of  $G$  by their colours in  $T$ , and additionally give individual distinguishing labels to those (constantly many) vertices which are the leaves of  $U_0$ .

- By [16, Lemma 5.10], there exists an FO-definable relation  $\sim$  (depending on  $U_0$ ) on the vertices not in  $U_0$  such that  $G \models x \sim y$  if, and only if,  $x, y$  are leaves of the same component (subtree) of  $U - V(U_0)$ .

From  $\sim$  one can recursively construct FO-definable relations  $\approx_i$  on  $V(G)$ , for  $i = 1, \dots, d$ , such that the following holds:  $G \models x \approx_i y$  if, and only if, there is a node  $w$  of  $U$  such that  $U_w$  is of height  $i$  and  $x, y \in V(U_w)$ . The precise technical details are analogous to the proof of [16, Theorem 5.14], and we refrain from repeating them here.

Finally, from each equivalence class of  $\approx_1$  we choose an arbitrary representative, and give all these representatives a new label  $\nu_1$ . Recursively, from each equivalence class of  $\approx_i$ ,  $i \geq 2$ , we choose a representative among those labelled  $\nu_{i-1}$ , and give them an additional label  $\nu_i$ . We can now easily interpret the desired tree  $U'$  in  $G$  using the relations  $\approx_i$  and the labels  $\nu_i$ . Consequently, since  $\bar{T}_d^{r-1} \subseteq U'$ , this gives  $\sigma_{d,m}$  such that  $\bar{T}_d^{r-1} \in \sigma_{d,m}(G)$ .  $\square$

We can now finish the main result.

*Proof of Theorem 4.9.* Let us consider any graph class  $\mathcal{G}$  of copying shrub-depth  $d$ , and fix  $m$  be such that  $\mathcal{G} \subseteq \mathcal{TM}_m(d)$ . Since the copying shrub-depth of  $\mathcal{G}$  is not  $d - 1$ , by Lemma 4.10, we obtain that for every integer  $r$  there exists  $G_r \in \mathcal{G}$  such that, every  $m$ -coloured tree-model of  $G_r$  of depth  $d$  contains  $\overline{T}_d^r$  as a rooted subtree. Then, by Lemma 4.11, there is an  $\text{MSO}_1$  transduction  $\sigma_{d,m}$  (independent of  $r$ ) such that  $\overline{T}_d^{r-1} \in \sigma_{d,m}(G_r)$ . Hence,  $\overline{\mathcal{T}}_d := \{\overline{T}_d^s : s \in \mathbb{N}\} \subseteq \sigma_{d,m}(\mathcal{G})$ . Since  $\mathcal{T}_d$  is easily a transduction of  $\overline{\mathcal{T}}_d$ , we conclude that  $\mathcal{G} \equiv \mathcal{T}_d$ .  $\square$

## 5. CONCLUDING NOTES

The structural properties of classes of bounded shrub-depth, in Section 3, leave one important question widely open: what is a nice asymptotic structural characterization of graph classes of unbounded shrub-depth? There are indications, related to matroid theory and to the notion of rank-depth by DeVos, Kwon and Oum, that the following might be the ultimate answer:

[24, **Conjecture 6.3**] A class  $\mathcal{C}$  of graphs is of bounded shrub-depth if, and only if, there exists an integer  $t$  such that no graph  $G \in \mathcal{C}$  contains a path of length  $t$  as a vertex-minor.

On the other hand, in relation to the transduction hierarchy studied in Section 4, the following seems a plausible conjecture:

**Conjecture 5.1.** A class  $\mathcal{G}$  of graphs is of bounded shrub-depth if, and only if, for every  $\text{CMSO}_1$  transduction  $\tau$  there exists an integer  $t$  such that  $P_t \notin \tau(\mathcal{G})$ .

While the ‘only if’ direction follows from Theorems 3.7 and 4.7, the ‘if’ direction can be seen as a weaker form of [24, Conjecture 6.3] since a vertex-minor can be captured by a non-copying  $\text{CMSO}_1$  transduction.

Finally, we briefly mention a natural extension of the shrub-depth notion to general relational structures (e.g., digraphs). Regarding Definition 3.1 of a tree-model, the extension is straightforward. For any (finite) signature of a relational structure  $\mathcal{S}$ , the domain of  $\mathcal{S}$  is again the set of leaves of  $T$ , and we consider (one of) its  $k$ -ary relational symbols  $R$ . We state that, for an ordered  $k$ -tuple  $x_1, \dots, x_k$  from the domain,  $R(x_1, \dots, x_k)$  depends only on the colours of  $x_1, \dots, x_k$  and the shape of the rooted Steiner tree of the leaves  $x_1, \dots, x_k$ . Hence we can define the shrub-depth as in Definition 3.3 for any class of relational structures of a given finite signature. (Notice, though, that SC-depth does not extend this way.)

With the previous definition, one may readily extend Theorem 4.1 to classes of relational structures of a fixed finite signature. In fact, it is enough to provide a corresponding extension of the technical Lemma 4.3, and the rest of the arguments go through smoothly. The question of the lower levels of the  $\text{MSO}$ -transduction hierarchy, as in Theorem 4.9, of such classes is left for future investigation.

## REFERENCES

- [1] A. Blumensath and B. Courcelle. On the monadic second-order transduction hierarchy. *Log. Methods Comput. Sci.*, 6(2), 2010.
- [2] A. Blumensath and B. Courcelle. Monadic second-order definable graph orderings. *Logical Methods in Computer Science*, 10(1), 2014.

- [3] H. L. Bodlaender, J. S. Deogun, K. Jansen, T. Kloks, D. Kratsch, H. Müller, and Z. Tuza. Rankings of graphs. *SIAM J. Discrete Math.*, 11(1):168–181, 1998.
- [4] B. Courcelle. The monadic second order logic of graphs I: Recognizable sets of finite graphs. *Inform. and Comput.*, 85:12–75, 1990.
- [5] B. Courcelle and J. Engelfriet. *Graph Structure and Monadic Second-Order Logic: a Language-Theoretic Approach*, volume 138 of *Encyclopedia of Mathematics and Its Applications*. Cambridge University Press, 2012.
- [6] B. Courcelle, J. Engelfriet, and G. Rozenberg. *Graph Grammars and Their Application to Computer Science: 4th International Workshop Bremen, Germany, March 5–9, 1990 Proceedings*, chapter Context-free handle-rewriting hypergraph grammars, pages 253–268. Springer Berlin Heidelberg, Berlin, Heidelberg, 1991.
- [7] B. Courcelle, J. A. Makowsky, and U. Rotics. Linear time solvable optimization problems on graphs of bounded clique-width. *Theory Comput. Syst.*, 33(2):125–150, 2000.
- [8] B. Courcelle and S. Olariu. Upper bounds to the clique width of graphs. *Discrete Appl. Math.*, 101(1-3):77–114, 2000.
- [9] J. Deogun, T. Kloks, D. Kratsch, and H. Müller. On vertex ranking for permutation and other graphs. In *STACS'94*, volume 775 of *LNCS*, pages 747–758. Springer, 1994.
- [10] R. Diestel. *Graph Theory*, volume 173 of *Graduate texts in mathematics*. Springer, New York, 2005.
- [11] G. Ding. Subgraphs and well-quasi-ordering. *J. Graph Theory*, 16(5):489–502, 1992.
- [12] M. Elberfeld, M. Grohe, and T. Tantau. Where first-order and monadic second-order logic coincide. In *LICS'12*, pages 265–274, 2012.
- [13] W. Espelage, F. Gurski, and E. Wanke. How to solve NP-hard graph problems on clique-width bounded graphs in polynomial time. In *WG'01*, volume 2204 of *LNCS*, pages 117–128. Springer, 2001.
- [14] M. Frick and M. Grohe. The complexity of first-order and monadic second-order logic revisited. *Ann. Pure Appl. Logic*, 130(1-3):3–31, 2004.
- [15] J. Gajarský. Efficient solvability of graph MSO properties. Master's thesis, Masaryk University, Brno, 2012.
- [16] J. Gajarský and P. Hliněný. Kernelizing MSO properties of trees of fixed height, and some consequences. *Logical Methods in Computer Science*, 11(1), 2015.
- [17] J. Gajarský, S. Kreutzer, J. Nešetřil, P. Ossona de Mendez, M. Pilipczuk, S. Siebertz, and S. Toruńczyk. First-order interpretations of bounded expansion classes. In *ICALP*, volume 107 of *LIPICs*, pages 126:1–126:14. Schloss Dagstuhl - Leibniz-Zentrum fuer Informatik, 2018.
- [18] R. Ganian. Thread graphs, linear rank-width and their algorithmic applications. In *IWOCA'10*, volume 6460 of *LNCS*, pages 38–42. Springer, 2010.
- [19] R. Ganian. Improving vertex cover as a graph parameter. *Discrete Mathematics & Theoretical Computer Science*, 17(2):77–100, 2015.
- [20] R. Ganian, P. Hliněný, J. Nešetřil, J. Obdržálek, P. Ossona de Mendez, and R. Ramadurai. When trees grow low: Shrubs and fast  $\text{MSO}_1$ . In *MFCS'12*, volume 7464 of *LNCS*, pages 419–430. Springer, 2012.
- [21] R. Ganian, P. Hliněný, and J. Obdržálek. Clique-width: When hard does not mean impossible. In *STACS'11*, volume 9 of *LIPICs*, pages 404–415. Dagstuhl Publishing, 2011.
- [22] M. U. Gerber and D. Kobler. Algorithms for vertex-partitioning problems on graphs with fixed clique-width. *Theoret. Comput. Sci.*, 299(1-3):719–734, 2003.
- [23] P. Heggernes, D. Meister, and C. Papadopoulos. Characterising the linear clique-width of a class of graphs by forbidden induced subgraphs. *Discrete Appl. Math.*, 160(6):888–901, 2012.
- [24] P. Hliněný, O. Kwon, J. Obdržálek, and S. Ordyniak. Tree-depth and vertex-minors. *Eur. J. Comb.*, 56:46–56, 2016.
- [25] P. Hliněný and S. Oum. Finding branch-decomposition and rank-decomposition. *SIAM J. Comput.*, 38:1012–1032, 2008.
- [26] Ö. Johansson. Clique-decomposition, NLC-decomposition, and modular decomposition — relationships and results for random graphs. *Congr. Numer.*, 132:39–60, 1998.
- [27] M. Lampis. Algorithmic meta-theorems for restrictions of treewidth. *Algorithmica*, 64(1):19–37, 2012.
- [28] M. Lampis. Model checking lower bounds for simple graphs. *Logical Methods in Computer Science*, 10(1), 2014.
- [29] J. Nešetřil and P. Ossona de Mendez. Grad and classes with bounded expansion I. Decompositions. *European J. Combin.*, 29(3):760–776, 2008.



- [30] J. Nešetřil and P. Ossona de Mendez. *Sparsity (Graphs, Structures, and Algorithms)*, volume 28 of *Algorithms and Combinatorics*. Springer, 2012. 465 pages.
- [31] J. Nešetřil and P. Ossona de Mendez. Tree-depth, subgraph coloring and homomorphism bounds. *European J. Combin.*, 27(6):1024–1041, 2006.
- [32] S. Oum and P. D. Seymour. Approximating clique-width and branch-width. *J. Combin. Theory Ser. B*, 96(4):514–528, 2006.
- [33] N. Robertson and P. D. Seymour. Graph minors. II. Algorithmic aspects of tree-width. *J. Algorithms*, 7(3):309–322, 1986.
- [34] P. Schaffer. Optimal node ranking of trees in linear time. *Inform. Process. Lett.*, 33:91–96, 1989/90.
- [35] E. Wanke.  $k$ -NLC graphs and polynomial algorithms. *Discrete Appl. Math.*, 54:251–266, 1994.