

A Note on IC-Planar Graphs

Christian Bachmaier, Franz J. Brandenburg, and Kathrin Hanauer

University of Passau, 94030 Passau, Germany
 {bachmaier|brandenb|hanauer}@fim.uni-passau.de

Abstract. A graph is IC-planar if it admits a drawing in the plane with at most one crossing per edge and such that two pairs of crossing edges share no common end vertex. IC-planarity specializes both NIC-planarity, which allows a pair of crossing edges to share at most one vertex, and 1-planarity, where each edge may be crossed at most once.

We show that there are infinitely maximal IC-planar graphs with n vertices and $3n - 5$ edges and thereby prove a tight lower bound on the density of this class of graphs.

1 Introduction

A graph G is *maximal* in a graph class \mathcal{G} if no edge can be added to G without violating the defining class. The *density* (*sparsity*) of \mathcal{G} is an upper (lower) bound on the number of edges of maximal graphs $G \in \mathcal{G}$ with n vertices. A maximal graph G is *densest* (*sparsest*) in \mathcal{G} if its number of edges meets the upper (lower) bound.

It is well-known that every maximal planar graph is triangulated and has $3n - 6$ edges. The densest and sparsest planar graphs coincide. This does not longer hold for 1-planar graphs, which are graphs that can be drawn with at most one crossing per edge. These graphs have recently received much interest [13]. 1-planar graphs with n vertices have at most $4n - 8$ edges, and this bound is tight for $n = 8$ and all $n \geq 10$ [5, 7]. However, there are sparse maximal 1-planar graphs with less than $2.65n$ edges [10]. The best known lower bound on the sparsity of 1-planar graphs is $2.22n$ [5] and neither the upper nor the lower bound are known to be tight.

There are some subclasses of 1-planar graphs with different bounds for the density and sparsity. A graph is *IC-planar* (independent crossing planar) [1, 8, 14, 15] if it admits a drawing with at most one crossing per edge so that each vertex is incident to at most one crossing edge, and *NIC-planar* (near independent crossing planar) if two pairs of crossing edges share at most one vertex [15]. IC-planar graphs have an upper bound of $3.25n - 6$ on the number of edges, which is known as a tight bound, since there are such graphs for all $n = 4k$ and $k \geq 2$ [15]. The lower bound has not been addressed yet. The upper and lower bounds on the density of NIC-planar graphs are $\frac{18}{5}(n-2)$ [15] and $\frac{16}{5}(n-2)$ [3, 11] and both bounds are known to be tight for infinitely many values of n . Outer 1-planar graphs are another subclass of 1-planar graphs. They must admit a

Table 1: The density of maximal graphs on n vertices.

	1-planar	NIC-planar	IC-planar	outer 1-planar
upper bound	$4n - 8$ [5, 6]	$\frac{18}{5}(n - 2)$ [3, 16]	$\frac{13}{4}n - 6$ [14]	$\frac{5}{2}n - 2$ [2]
└ example	$4n - 8$ [5, 6]	$\frac{18}{5}(n - 2)$ [3, 11]	$\frac{13}{4}n - 6$ [15]	$\frac{5}{2}n - 2$ [2]
lower bound	$\frac{20}{9}n - \frac{10}{3}$ [4]	$\frac{16}{5}(n - 2)$ [3]	$3n - 5$ [Sect. 2]	$\frac{11}{5}n - \frac{18}{5}$ [2]
└ example	$\frac{45}{17}n - \frac{84}{17}$ [9]	$\frac{16}{5}(n - 2)$ [3]	$3n - 5$ [Sect. 2]	$\frac{11}{5}n - \frac{18}{5}$ [2]

1-planar embedding such that all vertices are in the outer face [2, 12]. Results on the density of maximal graphs are summarized in Table 1.

Here, we establish a lower bound of $3n - 5$ on the density of IC-planar graphs and show that it is tight for all $n \geq 5$.

2 Density

We first prove the existence of maximal IC-planar graphs that have n vertices and only $3n - 5$ edges:

Lemma 1. *For every $n \geq 5$ there is a maximal IC-planar graph with n vertices and $3n - 5$ edges.*

Proof. As K_5 has exactly $3n - 5 = 10$ edges and is IC-planar, the statement trivially follows for $n = 5$. Let us hence assume in the following that $n \geq 6$. We construct a graph G_n with n vertices and $3n - 5$ edges as follows: G_n consists of $n - 2$ vertices forming a circle $C = (v_0, v_1, \dots, v_{n-3})$ as well as two pole vertices p and q . For every $0 \leq i < n - 2$, G_n has edges $\{v_i, p\}$ and $\{v_j, q\}$. Additionally, there is an edge $\{p, q\}$ connecting the poles. As an example, Fig. 1a depicts the graph G_8 . Then, every vertex v_i , $0 \leq i < n - 2$, is incident to exactly two circle edges as well as to both p and q , and p and q are each incident to $n - 1$ edges. Hence, G_n has $\frac{1}{2}(4(n - 2) + 2(n - 1)) = 3n - 5$ edges. As every planar graph has at most $3n - 6$ edges, every embedding must contain at least one pair of crossing edges. Let $\mathcal{E}(G_n)$ be any IC-planar embedding of G_n . We will now show that $\{p, q\}$ must be crossed in $\mathcal{E}(G_n)$ and that $\mathcal{E}(G_n)$ is unique up to isomorphism.

Suppose that an edge $\{v_i, v_{i+1}\}$ crosses an edge $\{v_j, v_{j+1}\}$ in $\mathcal{E}(G_n)$ (see Fig. 1b). Due to IC-planarity, $\{v_i, p\}$, $\{v_{i+1}, p\}$, $\{v_j, q\}$, and $\{v_{j+1}, q\}$ must be planar. In consequence of the crossing, v_j and v_{j+1} lie on different sides of the closed path P consisting of $\{v_i, p\}$, $\{v_i, v_{i+1}\}$, and $\{v_{i+1}, p\}$. Hence, either $\{v_j, q\}$ or $\{v_{j+1}, q\}$ must cross an edge of P , a contradiction. Thus, every crossing in $\mathcal{E}(G_n)$ must involve at least one of p or q .

Suppose that an edge $\{v_i, p\}$ crosses an edge $\{v_j, v_{j+1}\}$ in $\mathcal{E}(G_n)$ (see Fig. 1c). By IC-planarity, $\{v_j, q\}$ and $\{v_{j+1}, q\}$ must be planar. As $n \geq 6$, there must be a vertex $v_{i'}$ adjacent to v_i . Furthermore, $\{v_{i'}, v_i\}$ and $\{v_{i'}, p\}$ must be planar due to IC-planarity. In consequence of the crossing, p and v_i however lie on different sides of the closed path P consisting of $\{v_j, q\}$, $\{v_j, v_{j+1}\}$, and $\{v_{j+1}, q\}$, so either




Fig. 1: Proof of Lemma 1: The graph G_n for $n = 8$ (a) along with sketches of the cases where an edge $\{v_i, v_{i+1}\}$ crosses an edge $\{v_j, v_{j+1}\}$ (b), $\{v_i, p\}$ crosses an edge $\{v_j, v_{j+1}\}$ (c), and $\{v_i, p\}$ crosses an edge $\{v_j, q\}$ (d), which all yield non-IC-planar embeddings of G_n .

$\{v_{i'}, v_i\}$ or $\{v_{i'}, p\}$ must cross an edge of P , a contradiction. Thus, every crossing in $\mathcal{E}(G_n)$ must involve both p and q .

Finally, suppose that an edge $\{v_i, p\}$ crosses an edge $\{v_j, q\}$ in $\mathcal{E}(G_n)$ (see Fig. 1d). As $n \geq 6$, there must be two further vertices $v_{i'} \neq v_{j'}$ such that $v_{i'}$ is adjacent to v_i and $v_{j'}$ is adjacent to v_j . Furthermore, $\{v_i, v_{i'}\}$, $\{v_j, v_{j'}\}$, $\{v_{i'}, p\}$, and $\{v_{j'}, q\}$ must be planar due to IC-planarity. In result of the crossing, v_j and q lie on different sides of the closed path P consisting of $\{v_i, p\}$, $\{v_i, v_{i'}\}$, and $\{v_{i'}, p\}$. Thus, one of $\{v_j, v_{j'}\}$ and $\{v_{j'}, q\}$ must cross P , a contradiction.

Consequently, every crossing in $\mathcal{E}(G_n)$ must contain $\{p, q\}$, which in turn can only cross an edge $\{v_i, v_{i+1}\}$ for some i with $0 \leq i < n - 3$ or $\{v_{n-3}, v_0\}$, as depicted, e.g., in Fig. 1a. As no edge can be added to G_n and $\mathcal{E}(G_n)$ such that IC-planarity is preserved, G_n is maximal. \square

Note that the embedding of the graphs G_n from the proof of Lemma 1 are unique up to isomorphism, because $\{p, q\}$ must cross an arbitrary edge $\{v_i, v_{i+1}\}$. Concerning the upper bound, observe that every maximal IC-planar graph with $n \geq 5$ vertices also has at least $3n - 5$ edges, as there always is at least one pair of crossing edges, i.e., it cannot be planar.

Theorem 1. *For all $n \geq 5$, maximal IC-planar graphs with n vertices have at least $3n - 5$ edges, and this bound is tight.*

References

1. Albertson, M.O.: Chromatic number, independence ratio, and crossing number. *Ars Math. Contemp.* 1(1), 1–6 (2008)
2. Auer, C., Bachmaier, C., Brandenburg, F.J., Gleißner, A., Hanauer, K., Neuwirth, D., Reislhuber, J.: Outer 1-planar graphs. *Algorithmica* 74(4), 1293–1320 (2016)
3. Bachmaier, C., Brandenburg, F.J., Hanauer, K., Neuwirth, D., Reislhuber, J.: NIC-planar graphs. Tech. Rep. arXiv:1701.04375 [cs.DM], Computing Research Repository (CoRR) (July 2017)
4. Barát, J., Tóth, G.: Improvements on the density of maximal 1-planar graphs. Tech. Rep. arXiv:1509.05548 [math.CO], Computing Research Repository (CoRR) (September 2015)
5. Bodendiek, R., Schumacher, H., Wagner, K.: Bemerkungen zu einem Sechsfarbenproblem von G. Ringel. *Abh. aus dem Math. Seminar der Univ. Hamburg* 53, 41–52 (1983)
6. Bodendiek, R., Schumacher, H., Wagner, K.: Über 1-optimale Graphen. *Mathematische Nachrichten* 117, 323–339 (1984)
7. Brandenburg, F.J.: On 4-map graphs and 1-planar graphs and their recognition problem. Tech. Rep. arXiv:1509.03447 [cs.CG], Computing Research Repository (CoRR) (January 2015)
8. Brandenburg, F.J., Didimo, W., Evans, W.S., Kindermann, P., Liotta, G., Montecchiani, F.: Recognizing and drawing IC-planar graphs. *Theor. Comput. Sci.* 636, 1–16 (2016)
9. Brandenburg, F.J., Eppstein, D., Gleißner, A., Goodrich, M.T., Hanauer, K., Reislhuber, J.: On the density of maximal 1-planar graphs. In: van Kreveld, M., Speckmann, B. (eds.) *GD 2012*. LNCS, vol. 7704, pp. 327–338. Springer (2013)
10. Cabello, S., Mohar, B.: Adding one edge to planar graphs makes crossing number and 1-planarity hard. *SIAM J. Comput.* 42(5), 1803–1829 (2013)
11. Czap, J., Šugarek, P.: Three classes of 1-planar graphs. Tech. Rep. arXiv:1404.1222 [math.CO], Computing Research Repository (CoRR) (2014)
12. Hong, S., Eades, P., Katoh, N., Liotta, G., Schweitzer, P., Suzuki, Y.: A linear-time algorithm for testing outer-1-planarity. *Algorithmica* 72(4), 1033–1054 (2015)
13. Kobourov, S.G., Liotta, G., Montecchiani, F.: An annotated bibliography on 1-planarity. *Comput. Sci. Rev.* (July 2017), doi:10.1016/j.cosrev.2017.06.002
14. Král, D., Stacho, L.: Coloring plane graphs with independent crossings. *J. Graph Theor.* 64(3), 184–205 (2010)
15. Zhang, X., Liu, G.: The structure of plane graphs with independent crossings and its application to coloring problems. *Central Europ. J. Math* 11(2), 308–321 (2013)
16. Zhang, X.: Drawing complete multipartite graphs on the plane with restrictions on crossings. *Acta Math. Sinica, English Series* 30(12), 2045–2053 (2014)