

Identification of a complete YPT1 Rab GTPase sequence from the fungal pathogen *Colletotrichum incanum*

Cecil Barnett-Neefs and Ruth N. Collins

Dept. Molecular Medicine, College of Veterinary Medicine, Cornell University, Ithaca NY 14853

Introduction

Colletotrichum represent a genus of fungal species primarily known as plant pathogens with severe economic impacts in temperate, subtropical and tropical climates (Cannon et al., 2012). *Colletotrichum* pathogens are useful as models for studying the molecular basis of the differentiated cell types associated with specialized structures associated with infection and fungal-plant interactions (Perfect et al., 1999). Consensus taxonomy and classification systems for *Colletotrichum* species have been undergoing revision as high resolution genomic data becomes available (O'Connell et al., 2012). Here we propose an alternative annotation that provides a complete sequence for a *Colletotrichum* YPT1 gene homolog using the whole genome shotgun sequence of *Colletotrichum incanum* isolated from soybean crops in Illinois, USA.

Results and Discussion

A BLAST (Altschul et al., 1990) search for Rab GTPase YPT1-related protein sequences identified the hypothetical ORF OHW89796.1 in *Colletotrichum incanum*. Pairwise global alignment reveals the hypothetical ORF has 71.8% identity, 80.9% similarity with Ypt1p (Figure 1) however the database annotated ORF lacks a start methionine. The *Colletotrichum incanum* genome features consistent donor splice sites of “GT” and acceptor splice sites of “AG” in line with the majority of fungal introns (Kupfer et al., 2004) so we manually checked the genomic sequence for possible alternative splice sites. The annotated ORF is located within the genomic sequence of KV842198 and is encoded by 4 exons (Figure 2A). A hypothetical acceptor splice site is located adjacent to the first annotated exon of OHW89796,

with a hypothetical donor splice site yielding a 191 bp intron (Fig. 2B). If these consensus splice sites constituted an authentic intron, the resulting mRNA would provide a NH₂-terminal methionine for translation (Figure 3A) and, moreover, the additional residues of the translated protein product (MNPE) would include a strong homology to the NH₂-terminus of Ypt1p in line with other fungal orthologs of this protein (Figure 3B).

In order to provide experimental evidence for an alternative OHW89796 exon, we searched the dBEST database. In order to determine if expressed *Colletotrichum* sequences would include the sequence homologous to the proposed additional NH₂-terminal peptide with start methionine we used a search query of the complete open reading frame (609 nucleotides, see Appendix) of the proposed OHW89796 ORF. The highest scoring sequence identified in this survey was FN670696, a cDNA clone representing mRNA from *Colletotrichum higginsianum* with 581/609 (95%) identity and zero gaps (Figure 4). Importantly, the expressed and experimentally identified sequence contains a complete reading frame including the proposed NH₂-terminal peptide and start methionine. These data support the suggestion that the annotation for genomic OHW89796 should be updated to include an additional exon. Accurate identification of genes and proteins relevant to fungal infection and pathogenesis will contribute to our understanding of the biology of *Colletotrichum* and solving the problem of infection control.

Methods

Pairwise global protein alignments were performed using the EMBOSS (Rice et al., 2000) needle 6.6.0 webserver with EBLOSUM62 matrix, gap penalty 10.0, extension penalty 0.5. DNA sequence alignments used default parameters.

SnapGene Viewer Version 4.1.9 was used for the graphical representation of DNA maps.

OHW89796 was analysed with nucleotide BLAST using the Expressed Sequence Tags database (<https://www.ncbi.nlm.nih.gov/nucest>) and default parameters.

Figure Legends

Figure 1

Global protein alignment of the Rab GTPase Ypt1p from *Saccharomyces cerevisiae* with the database annotated ORF from OHW89796.1 in *Colletotrichum incanum*. The annotated ORF is lacking a start methionine.

Figure 2

A. Database annotated ORF OHW89796 from KV842198 contains 4 exons. KV842198 is 22,107 bp for clarity only the relevant portion of the genomic sequence is depicted.

Numbering is according to the KV842198 database sequence.

B. Proposed identification of upstream exon for complete *Colletotrichum* YPT1 homolog sequence.

Figure 3

A. DNA sequence map surrounding location of proposed intron and translational start site. Numbering is from KV842198.

B. Exon 1 encoded NH₂-terminal peptide (outlined in black) compared to Ypt1p. This peptide contains a level of homology to Ypt1p consistent with the homology observed throughout the ORF (Fig. 1)

Figure 4.

Colletotrichum higginsianum FN670696 IMI349063A biotrophic infection *Colletotrichum* cDNA sequence from the EST database showing alignment with the proposed complete DNA sequence encoding the ORF for the *Colletotrichum incanum* YPT1 ortholog.

Appendix

Complete nucleotide and protein sequences proposed for *Colletotrichum incanum* OHW89796.

References

- Altschul, S.F., W. Gish, W. Miller, E.W. Myers, and D.J. Lipman. 1990. Basic local alignment search tool. *J Mol Biol.* 215:403-410.
- Cannon, P.F., U. Damm, P.R. Johnston, and B.S. Weir. 2012. Colletotrichum - current status and future directions. *Stud Mycol.* 73:181-213.
- Kupfer, D., S. Drabenstot, K. Buchanan, H. Lai, H. Zhu, D. Dyer, B. Roe, and J. Murphy. 2004. Introns and splicing elements of five diverse fungi. *Eukaryotic Cell.* 3:1088-1100.
- O'Connell, R.J., M.R. Thon, S. Hacquard, S.G. Amyotte, J. Kleemann, M.F. Torres, U. Damm, E.A. Buiate, L. Epstein, N. Alkan, J. Altmuller, L. Alvarado-Balderrama, C.A. Bauser, C. Becker, B.W. Birren, Z. Chen, J. Choi, J.A. Crouch, J.P. Duvick, M.A. Farman, P. Gan, D. Heiman, B. Henrissat, R.J. Howard, M. Kabbage, C. Koch, B. Kracher, Y. Kubo, A.D. Law, M.H. Lebrun, Y.H. Lee, I. Miyara, N. Moore, U. Neumann, K. Nordstrom, D.G. Panaccione, R. Panstruga, M. Place, R.H. Proctor, D. Prusky, G. Rech, R. Reinhardt, J.A. Rollins, S. Rounseley, C.L. Schardl, D.C. Schwartz, N. Shenoy, K. Shirasu, U.R. Sikhabolli, K. Stuber, S.A. Sukno, J.A. Sweigard, Y. Takano, H. Takahara, F. Trail, H.C. van der Does, L.M. Voll, I. Will, S. Young, Q. Zeng, J. Zhang, S. Zhou, M.B. Dickman, P. Schulze-Lefert, E. Ver Loren van Themaat, L.J. Ma, and L.J. Vaillancourt. 2012. Lifestyle transitions in plant pathogenic *Colletotrichum* fungi deciphered by genome and transcriptome analyses. *Nat Genet.* 44:1060-1065.
- Perfect, S.E., H.B. Hughes, R.J. O'Connell, and J.R. Green. 1999. *Colletotrichum*: A model genus for studies on pathology and fungal-plant interactions. *Fungal Genet Biol.* 27:186-198.


Rice, P., I. Longden, and A. Bleasby. 2000. EMBOSS: the European Molecular Biology Open Software Suite. *Trends Genet.* 16:276-277.

Figure 1

YPT1	1	MNSEYDYLFKLLLGNSGVGKSCLLRFSDDTYTNDYISTIGVDFKIKTV	50
		: : : : .. : :	
OHW89796.1	1	----YDYLFKLLLIGDGVGKSCLLRFADDTYTESYISTIGVDFKIRTI	46
		: : : : .. .: ..	
YPT1	51	ELDGKTVKLQIWDTAGQERFRTITSSYYRGSHIIIVYDVTDQESFNGVK	100
		: : : : .. .: ..: ..	
OHW89796.1	47	ELDGKTVKLQIWDTAGQERFRTITSSYYRGAHGISCVVYDVTDMDSFNNVK	96
YPT1	101	MWLQEIDRYATSTVLKLLVGNKCDLKDKRVVEYDVAKEFADANKMPFLET	150
	:. ..: :..:	
OHW89796.1	97	QWLQEIDRYATEGVNKLLVGNKSDMSDKVVEYTVAKEFADSLGIPFLET	146
YPT1	151	SALDSTNVEDAFLT MARQIKESMSQQLNETTQKKEDKG NVNL-KGQSL-	198
		.::: 	
OHW89796.1	147	SAKNASNVEQAFLT MARQIKERMGSTTANNT-----KPSVQVGP GHGV S	190
YPT1	199	TNTGGGCC*	207
		: :	
OHW89796.1	191	SNSGGGCC*	199

Figure 2

A. database annotated ORF OHW89796 from KV842198



B. proposed alternative ORF OHW89796 from KV842198





Figure 3

A.



B.

YPT1

OHW89796.1

1 MNSE

|| : |

1 MNPE

Figure 4. Alignment of proposed *Colletotrichum incanum* YPT1 ortholog OHW89796 with cDNA clone from *Colletotrichum higginsianum* FN670696

OHW89796	1	ATGAACCCCGAGTACGACTACCTTTCAAGCTCCTCATCGGTGACTCCGGTGTGGA	60
FN670696	95	ATGAACCCCGAGTACGACTACCTCTTCAAGCTCCTCATCGGTGACTCCGGTGTGGA	154
OHW89796	61	AAGCTTGCCTCTGTTGCGTTGCCGACGACACCTACACTGAGTCCTACATCTCCACC	120
FN670696	155	AAGTCCTGCCTCTGTTGCGATTGCCGACGACACCTACACTGAGTCCTACATCTCCACC	214
OHW89796	121	ATCGGTGTCGACTTCAAATCCGCACGATAGAGCTCGATGGAAAGACGGTGAAACTTCAG	180
FN670696	215	ATTGGTGTCGATTTCAAAATCCGCACGATAGAGCTCGATGGAAAGACGGTGAAAGCTGCAG	274
OHW89796	181	ATCTGGGATACTGCCGCCAGGAGCGTTCCGCACCATCACTCCTCTTACTACCGCGGT	240
FN670696	275	ATCTGGGACACCGCTGCCAGGAGCGTTCCGCACCATGCCCTCTTACTACCGTGGT	334
OHW89796	241	GCTCACGGCATCTGCGTCGTCTACGATGTGACCGACATGGACTCGTTCAACAACGTCAAG	300
FN670696	335	GCCCACGGCATCTGCGTCGTCTACGATGTGACCGACATGGACTCCTCAACAACGTTAAG	394
OHW89796	301	CAGTGGCTCCAGGAGATTGACAGATATGCCACCGAGGGCGTCAACAAGCTGCTTGTGGC	360
FN670696	395	CAGTGGCTCCAGGAGATTGACAGATACGCCACCGAGGGCGTCAACAAGCTGCTCGTGGC	454
OHW89796	361	AACAAGAGCGATATGTCCGACAAGAACGGTTGTCGAGTACACCGTCGCCAAGGAGTTGCC	420
FN670696	455	AACAAGAGCGATATGTCCGACAAGAACGGTTGTCGAGTACACCGTCGCCAAGGAGTTGCC	514
OHW89796	421	GACAGCCTGGGCATCCCTTCCTCGAGACCTCTGCGAAGAACGCCAGCAACGTCGAGCAG	480
FN670696	515	GACAGCCTGGGCATCCCTTCCTCGAGACCTCTGCGAAGAACGCCAGCAACGTTGAGCAG	574
OHW89796	481	GCTTCCTGACCATGGCCGCCAAATCAAGGAGCGCATGGCAGCACGACCGCGAACAAC	540
FN670696	575	GCTTCCTGACCATGGCCGCCAAATCAAGGAGCGCATGGCAGCACGACCGCCAACAAC	634
OHW89796	541	ACGAAAC CCTCTGTGCAGGTTGGCCCGGACACGGCGTCTCCTCGAACCTGGCGGGCGC	600
FN670696	635	ACGAAAC CCTCCGTGCAGGTCGGACCCGGACACGGCGTCTTCGAACCTGGCGGGCGC	694
OHW89796	601	TGCTGCTAA 609	
FN670696	695	TGCTGCTAA 703	

atgaaccccgagtacgactacctttcaagctcctcctcatcggtgactccggtgttggaaagtcttgccctctg
75
M N P E Y D Y L F K L L L I G D S G V G K S C L L

ttgcgtttcgccgacgacacctacactgagtcctacatctccaccatcggtgtcgacttcaaaatccgcacgata
150
L R F A D D T Y T E S Y I S T I G V D F K I R T I

gagctcgatggaaagacggtgaaacttcagatctggatactgccggccaggagcggttccgcaccatcacttcc
225
E L D G K T V K L Q I W D T A G Q E R F R T I T S

tcttactaccgcggtgctcacggcatctgcgtcgatcgatgtgaccgacatggactcggtcaacaacgtcaag
300
S Y Y R G A H G I C V V Y D V T D M D S F N N V K

cagtggctccaggagattgacagatatgccaccgagggcgtaacaagctgcttgcggcaacaagagcgatatg
375
Q W L Q E I D R Y A T E G V N K L L V G N K S D M

tccgacaagaagggtgtcgagtaaccgtcgccaaggatcgccgacagcctggcatcccttcgtcagacc
450
S D K K V V E Y T V A K E F A D S L G I P F L E T

tctgcgaagaacgccagcaacgtcgagcaggcttcctgaccatggcccccaaataaggagcgcatggcagc
525
S A K N A S N V E Q A F L T M A R Q I K E R M G S

acgaccgcgaacaacacgaaaccctctgtcgagggtggccggacacggcgctccctcgaaactcgccggcggc
600
T T A N N T K P S V Q V G P G H G V S S N S G G G

tgctgctaa
609
C C *