A Class of Distributions for Linear Demand Markets

Stefanos Leonardos^{a,*}, Costis Melolidakis^b

^aSingapore University of Technology and Design, 8 Somapah Rd, 487372 Singapore ^bNational and Kapodistrian University of Athens, Panepistimioupolis, 15784 Athens, Greece

Abstract

In this paper, we study distributions that describe markets with linear stochastic demand. We express the price elasticity of expected demand in terms of the *mean residual demand* (MRD) function of the demand distribution and characterize optimal prices or equivalently, points of unitary elasticity as fixed points of the MRD function. This leads to economic interpretable conditions on the demand distribution under which such fixed points exists and are unique. In particular, markets with increasing price elasticity of expected demand that eventually become elastic correspond to distributions with *decreasing generalized mean residual demand* (DGMRD) and finite second moment. DGMRD distributions strictly generalize the widely used *increasing generalized failure rate* (IGFR) distributions. We further elaborate on their relationship and link their limiting behavior at infinity. We examine moment and closure properties of the DGMRD distributions that are important in economic applications and illustrate our results with numerical examples.

Keywords: Price Elasticity of Expected Demand, Decreasing Generalized Mean Residual Demand, Increasing Generalized Failure Rate, Unimodality, Fixed Points 2010 MSC: 91B24, 90B99

1. Introduction

Optimal pricing of monopolistic services and goods under uncertain demand is a recurrent theme in the revenue management literature. A non-exhaustive list includes Harris and Raviv (1981); Raman and Chatterjee (1995); Dana (2001); Ziya et al. (2006); Colombo and Labrecciosa (2012) and more recently Cohen et al. (2015); Chen et al. (2017). The tractability of this problem is closely related to the unimodality of the associated revenue function or equivalently to the existence of a unique optimal price for the seller. Accordingly, a central question in this line of research is the study of conditions on the distribution of the source of uncertainty that yield a unimodal revenue function. The particular case in which the monopolist is selling a single good and uncertainty concerns the valuation of the buyer has been settled in Lariviere (1999); Lariviere and Porteus (2001); Van den Berg (2007). Specifically, if the distribution of the valuation satisfies the *increasing generalized failure* (IGFR) property, then the seller's revenue function is unimodal. The class of distributions with the IGFR property includes most distributions that are commonly used in economic applications, Paul (2005); Lariviere (2006); Banciu and Mirchandani (2013).

In the present paper, we are concerned with the study of unimodality conditions in a more general formulation of this problem. Specifically, we consider a seller who is selling physical goods to a buyer that may buy several units. The buyer is privately informed about her type α , while the seller only knows the distribution of α . Here, α can be interpreted as the *demand level* or more roughly as the amount of goods that the buyer is willing to buy. Equivalently, α can be thought of as the market demand in the presence of several buyers, each of which is willing to buy one unit of the service or good. In any case, the seller's expected revenue function is given by

$$R(p) = p\mathbb{E}\left(D\left(p \mid \alpha\right)\right) \tag{1}$$

*Corresponding author

Email addresses: sleonardos@math.uoa.gr (Stefanos Leonardos), cmelol@math.uoa.gr (Costis Melolidakis)

where *p* denotes the seller's price, $D(p \mid \alpha)$ the demand at price *p*, given that the buyer's realized type is α and \mathbb{E} the expectation over the distribution of α . We assume that $D(p \mid \alpha)$ is continuous and non-increasing in *p*. The seller's objective is to determine the optimal price p^* that maximizes R(p). By differentiating R(p), the seller's first order condition can be written as

$$p = -\frac{\mathbb{E}\left(D\left(p \mid \alpha\right)\right)}{\frac{\mathrm{d}}{\mathrm{d}p}\mathbb{E}\left(D\left(p \mid \alpha\right)\right)}$$
(2)

Given that $\varepsilon(p) := \frac{d\mathbb{E}(D(p|\alpha))/\mathbb{E}(D(p|\alpha))}{dp/p}$ is the price elasticity of expected demand, cf. Xu et al. (2010), the solutions of (2) correspond to the points of unitary price elasticity of expected demand. However, depending on the specific expression for $D(p \mid \alpha)$, (2) may have multiple or even no solutions.

1.1. Model and Results

In this paper, we focus on the additive demand model introduced by Mills (1959), with the common assumption of linear deterministic component, studied (among others) in Petruzzi and Dada (1999); Huang et al. (2013) and Cohen et al. (2015). Specifically, let $D(p | \alpha) = (\alpha - p)_+$, where α denotes the random demand level. We assume that α is a non-negative random variable with continuous cummulative distribution function (cdf) *F*, tail $\overline{F} := 1 - F$ and finite expectation¹, $\mathbb{E}\alpha < +\infty$. For the support of α , let $L := \sup \{p \ge 0, F(p) = 0\} \ge 0$ and $H := \inf \{p \ge 0 : F(p) = 1\} \le +\infty$. Using this notation, (2) can be expressed in terms of the *mean residual demand* (MRD) function, defined as

$$m(p) := \begin{cases} \mathbb{E} \left(\alpha - p \mid \alpha > p \right) = \frac{1}{\bar{F}(p)} \int_{p}^{+\infty} \bar{F}(u) \, \mathrm{d}u, & \text{if } p < H \\ 0, & \text{otherwise} \end{cases}$$
(3)

In reliability theory, m(p) is known as the mean residual life (MRL) function, see, e.g., Shaked and Shanthikumar (2007) or Lai and Xie (2006). In particular, solutions of (2) are precisely solutions of the fixed point equation p = m(p). This is shown in Lemma 2.2. Such fixed points may also be of interest in problems of broader economic and mathematical context, see e.g., Hall and Wellner (1981) and Bagnoli and Bergstrom (2005).

Based on above, our scope is to study fixed points of the MRD function, i.e., solutions to the equation m(p) = p for p > 0. To study this equation, we introduce the *generalized mean residual demand* (GMRD) function, $\ell(p) := m(p)/p$, for $0 , cf. (5), which corresponds to the inverse of the price elasticity of expected demand. It follows that prices <math>p^*$ with unitary price elasticity which maximize the seller's expected revenue, satisfy $\ell(p^*) = 1$ or equivalently $p^* = m(p^*)$. In turn, this implies that a sufficient condition for the unimodality of the seller's expected revenue function in a market with linear demand is that the MRD function of the associated demand distribution has a unique fixed point. If the expected demand has increasing price elasticity and eventually becomes elastic then such a fixed point exists and is unique. In terms of the demand distribution this is equivalent to the property that $\ell(p)$ is decreasing and eventually becomes less than 1. The derivation of necessary and sufficient conditions for the unimodality of the expected revenue function is the main result of Section 2 and is formally established in Theorem 2.3.

An immediate implication of this result is that markets with increasing price elasticity of expected demand can be modelled via distributions that satisfy the *decreasing generalized mean residual demand* (DGMRD) property. As mentioned above, if demand uncertainty is exogenous and corresponds to the buyer's valuation for a single product unit, increasingly elastic markets are described by distributions with *increasing generalized failure rate* (IGFR), see Lariviere and Porteus (2001) and Van den Berg (2007). In Section 2.1, we formulate this as a subcase of the current problem. To further elaborate on their connection to the present setting, we analyze the relationship of IGFR and DGMRD distributions and study their properties. In Theorem 3.1, we provide an alternative proof to the well known fact (see Belzunce et al. (1998); Kayid et al. (2014) that DGMRD distributions generalize the IGFR distributions and establish that the converse is also true if the MRD function is log-convex. A commonly used distribution that is DGMRD but not IGFR is the Birnbaum-Saunders distribution for specific values of its parameters, cf. Example 3.2.

¹For one of our results, Theorem 2.3, we will also require that $\mathbb{E}\alpha^2$ is also finite. However, unless stated otherwise, we do not make this assumption.

The DGMRD class further generalizes the IGFR class in that it does not require the existence of a density as it is defined in terms of the cumulative distribution function, cf. (5) nor a connected support, cf. Example 3.3.

The latter feature, i.e., that DGMRD distributions can be defined over disjoint intervals, provides a useful extension over IGFR distributions for practical pricing scenarios. It can exploited to deal with demand distributions that are concentrated around several distinct levels, such as low and high or low, high and intermediate demand. This property can also be used to incorporate different scenarios in the same model or to account for the probability of demand shocks triggered by unpredictable catastrophic events, technological innovations or abrupt changes in consumers' brand preferences, Mathur et al. (2003); Lorenzoni (2009); Basu and Bundick (2017). Specifically, a seller may encounter a demand distribution that is concentrated with high probability over a connected interval – main scenario – and with lower probabilities over extreme, but smaller intervals, that correspond to less likely, but very high or very low demand realizations. In general, dropping the requirement of a connected interval allows for greater flexibility to the theoretical modelling of situations that arise in common business practice, Yang et al. (2017). From a technical perspective, the current analysis retains only the minimum requirement that *F* is continuous. This is satisfied as long as the distribution of the random demand is atomless, i.e., as long as there do not exist single points with positive probability, even if the distribution is supported over disjoint intervals².

Finally, we turn to moment and closure properties of DGMRD distributions that are useful in economic modelling. In Theorem 3.4, we show that the moments of DGMRD distributions with unbounded support are linked to their limiting behavior at infinity. Specifically, if the GMRD function tends to $c \ge 0$ as $p \to +\infty$, then for any n > 0, its (n + 1)-th moment is finite if and only if c < 1/n. This implies, that markets with increasing and eventually elastic demand, i.e., $\ell(p) < 1$ for every p sufficiently large, correspond to DGMRD distributions with finite second moment. Hence, Theorem 3.4 allows the formulation of a technical condition as a moment condition. In Leonardos and Melolidakis (2019a), it is shown that in the equilibrium analysis of horizontal competition, the number n of competitors imposes a finiteness condition on the n-th moment of the distribution. In Theorem 3.5, we study the relationship in the limiting behavior of the GMRD and GFR functions and link Theorem 3.4 to Theorem 2 of Lariviere (2006). In sum, Theorems 3.1 and 3.5 along with Examples 3.2 and 3.3 establish the relationship and highlight the differences between the DGMRD and IGFR classes.

Finally, we examine closure properties of the DGMRD and the smaller *decreasing MRD* (DMRD) classes, and compare our findings with Paul (2005) and Banciu and Mirchandani (2013). Such properties are relevant for the modelling of economic applications in which the potential seller updates her information about the demand distribution, aggregates different demands, recessimates her expectations about the demand or gains access to more concrete information. In mathematical terms, these actions are expressed via increasing or decreasing transformations, convolutions and shifting, cf. Theorem 4.1 and corollary 4.2 or scale transformations and truncations, cf. Theorem 4.3. We illustrate our results with numerical examples and discuss their limitations along wih open questions.

1.2. Related Literature

The MRD and GMRD functions have been studied in Hall and Wellner (1981) and Guess and Proschan (1988) and more recently in the survey of Bagnoli and Bergstrom (2005) in the context of reliability and statistical analysis with scarce references to economic applications. In revenue management, the MRD and GMRD functions naturally arise in problems with demand uncertainty. Mandal et al. (2018), Luo et al. (2016), Song et al. (2009), Song et al. (2008), Petruzzi and Dada (1999), and references cited therein, study the tail of the distribution of the source of uncertainty, see e.g., Song et al. (2009), Lemma 1 and Song et al. (2008), equation (2). Similar conditions are studied in Bernstein and Federgruen (2005), Kocabykoğlu and Popescu (2011), Lu and Simchi-Levi (2013) and, in a spirit more similar to ours, in Lariviere (2006); Van den Berg (2007) and Banciu and Mirchandani (2013). Questions that deal with demand uncertainty are formulated in Cohen et al. (2015) and Chen et al. (2017).

In Leonardos and Melolidakis (2017), we study the same problem of monopoly pricing under demand uncertainty but from an economic perspective. First, we recover the present expression for the price elasticity of expected demand and the same unimodality conditions in a relatively more general setting. Unlike the current technical treatment, we

²In technical terms, this means that they analysis does not require *F* to be absolutely continuous, i.e., to possess a density f = F'. In fact, the analysis extends even to singular distributions but since such examples are not relevant for economic applications, we defer their discussion for a different context, see Leonardos and Melolidakis (2019b).

then turn to the effects on optimal pricing of the various market characteristics, as expressed by features of the demand distribution. They key insight is that the present characterization of the seller's optimal price via the MRD function, allows for the application of the theory of stochastic orderings, Shaked and Shanthikumar (2007); Lai and Xie (2006). This leads to a diverse comparative statics analysis on the various demand features that challenges existing insights about the effects of market size, demand transformations and demand variability on monopoly pricing.

2. Unimodality of the seller's revenue function

Our first goal is to express (2) in terms of the MRD function m (p). Under mild analytical assumptions on $D(p \mid \alpha)$, we have that $\frac{d}{dp}\mathbb{E}(D(p \mid \alpha)) = \mathbb{E}(\frac{\partial}{\partial p}D(p \mid \alpha))$. In the present context, the interchange of derivative and integral is justified by the positivity of $D(p \mid \alpha)$ and Tonelli's theorem, see Flanders (1973). However, in the specific case that $D(p \mid \alpha) = (\alpha - p)_+$, this can be derived in a straightforward way as shown in Lemma 2.1.

Lemma 2.1. If α is a non-negative random variable with finite expectation $\mathbb{E}\alpha < +\infty$ and continuous distribution function F, then $\frac{d}{dp}\mathbb{E}(\alpha - p)_+ = \mathbb{E}\left(\frac{\partial(\alpha - p)_+}{\partial p}\right) = -\bar{F}(p)$ for any p > 0.

Proof. Let $K_h(\alpha) := -\frac{1}{h} \left[(\alpha - p - h)_+ - (\alpha - p)_+ \right]$ and take h > 0. Then, $K_h(\alpha) = \mathbf{1}_{\{\alpha > p+h\}} + \frac{\alpha - p}{h} \mathbf{1}_{\{p < \alpha \le p+h\}}$ and therefore $\lim_{h \to 0+} K_h(\alpha) = \mathbf{1}_{\{\alpha > p\}}$. Since $0 \le K_h(\alpha) \le 1$ for all α , the dominated convergence theorem implies that $\lim_{h \to 0+} \mathbb{E}(K_h(\alpha)) = P(\alpha > p)$. In a similar fashion, one may show that $\lim_{h \to 0-} \mathbb{E}(K_h(\alpha)) = P(\alpha \ge p)$. Since the distribution of α is non-atomic, $P(\alpha > p) = P(\alpha \ge p)$ and hence, $\lim_{h \to 0} \mathbb{E}(K_h(\alpha)) = \overline{F}(p)$. By the definition of $K_h(\alpha)$, it follows that $\lim_{h \to 0} \mathbb{E}(K_h(\alpha)) = -\frac{d}{dp}\mathbb{E}(\alpha - p)_+$, which concludes the proof.

Using Lemma 2.1, the following formulation of (2) is now immediate.

Lemma 2.2. In the linear demand case $D(p \mid \alpha) = (\alpha - p)_+$, the seller's first order condition, (2), can be written as

$$p = \mathbf{m}\left(p\right) \tag{4}$$

where m(p) denotes the MRD function of the demand distribution.

Proof. Since $(\alpha - p)_+$ is non-negative, we may write $\mathbb{E}(\alpha - p)_+ = \int_0^\infty P((\alpha - p)_+ > u) du = \int_p^\infty \overline{F}(u) du$, for $0 \le p < H$, see Billingsley (1986). Using (3), we thus, have $\mathbb{E}(\alpha - p)_+ = m(p)\overline{F}(p)$ and (2) takes the form p = m(p).

From the buyer's revenue maximization perspective, we are interested in conditions for the existence and uniqueness of solutions of (4). To study this problem, we define the *generalized mean residual demand (GMRD)* function

$$\ell(p) := \frac{\mathrm{m}(p)}{p} = \frac{1}{p\bar{F}(p)} \int_{p}^{+\infty} \bar{F}(u) \,\mathrm{d}u \tag{5}$$

for all 0 . We say that a random variable*D*has the*DGMRD property* $, if <math>\ell(p)$ is non-increasing in *p* for 0 . While the MRD function at a point*p*expresses the expected additional demand given that current demand has reached (or exceeded) the threshold*p* $, the GMRD function expresses the corresponding expected additional demand as a percentage of the current demand. From an economic perspective, <math>\ell(p)$ has an appealing interpretation, since it is the inverse of the price elasticity of the *expected* demand, $\varepsilon(p) := -p \cdot \frac{d}{dp} \mathbb{E}(D(p \mid \alpha)) / \mathbb{E}(D(p \mid \alpha))$,

$$\ell(p) = \frac{\mathrm{m}(p)}{p} = \left(\frac{\bar{F}(p)}{\mathrm{m}(p)\bar{F}(p)} \cdot p\right)^{-1} = \varepsilon(p)^{-1} \tag{6}$$

Thus, demand distributions with the DGMRD property precisely capture markets of goods with increasing price elasticity of expected demand. Moreover, together with (4), (6) implies that the seller's revenue is maximized at prices p^* with unitary price elasticity of *expected* demand. In non-trivial, realistic problems, demand eventually becomes elastic, see also Lariviere (2006). Accordingly, let $p_1 := \sup \{p \ge 0 : \ell(p) \ge 1\}$ and assume that $p_1 < +\infty$ or equivalently that the price elasticity of expected demand, eventually becomes greater than 1. For a continuous distribution F with finite expectation $\mathbb{E}\alpha$, such that F(0) = 0, we have that $m(0) = \mathbb{E}\alpha > 0$ and hence, $p_1 > 0$. Combining the above, we obtain necessary and sufficient conditions for the unimodality of the seller's revenue function R(p), or equivalently for the existence and uniqueness of a solution of (4).

Theorem 2.3. Suppose that α is a random variable with continuous distribution F, F(0) = 0, and finite expectation, such that $p_1 < +\infty$. The seller's revenue function $R(p) = p\mathbb{E}(\alpha - p)_+$ is maximized at all points p^* with unitary elasticity of expected demand, i.e., at all points p^* that satisfy $\ell(p) = 1$ or equivalently, $p^* = m(p^*)$. If $\ell(p)$ is strictly decreasing, then a fixed point p^* exists and is unique.

Proof. To establish the first part, it remains to check that any point satisfying (4) corresponds to a maximum under the assumption that $\ell(p)$ is strictly decreasing. Clearly, $\ell(p)$ is continuous and since $m(0) = \mathbb{E}\alpha < +\infty$, we have that $\lim_{p\to 0^+} \ell(p) = +\infty$. Hence, for values of p close to 0, demand is inelastic and the seller's revenue increases as prices increase. However, the limiting behavior of $\ell(p)$ as p approaches H from the left may vary, depending on whether His finite or not. If H is finite, i.e., if the support of α is bounded, then $\lim_{p\to H^-} \ell(p) = 0$. Hence, in this case, demand eventually becomes elastic and a critical point $p^* \in (0, H)$ that maximizes R(p) exists without any further conditions. The assumption that $\ell(p)$ is strictly decreasing, establishes the uniqueness of p^* . If $H = +\infty$, then an optimal solution p^* may not exist because the limiting behavior of m(p), as $p \to +\infty$, may vary, see e.g., the Pareto distribution in Example 3.6. However, under the assumption that $\ell(p)$ is strictly decreasing and that $p_1 < +\infty$, such a critical p^* exists and is unique.

Remark 2.4. The assumption $p_1 < +\infty$ is equivalent to the condition that the distribution of α has finite second moment. Indeed, as we show in Theorem 3.4, if the support of α is unbounded, and $\ell(p)$ is decreasing, then, $\lim_{p\to+\infty} \ell(p) < 1$ if and only if $\mathbb{E}\alpha^2$ is finite. The assumption of strict monotonocity eliminates intervals with m(p) = p, in which multiple consecutive solutions occur. However, it may be relaxed to weak monotonicity without significant loss of generality. This relies on the explicit characterization of distributions with MRD functions that contain linear segments which is given in Proposition 10 of Hall and Wellner (1981). Namely, m(p) = p on some interval $J = [a, b] \subseteq [L, H]$ if and only if $\overline{F}(p) p^2 = \overline{F}(a) a^2$ for all $p \in J$. If J is unbounded, this implies that α has the Pareto distribution on J with shape parameter 2. In this case, $\mathbb{E}\alpha^2 = +\infty$, see Example 3.6, which is precluded by the requirement that $p_1 < +\infty$. Hence, to replace strict by weak monotonicity, it suffices to exclude distributions that contain intervals $J = [a, b] \subseteq [L, H]$ with $b < +\infty$ in their support, for which $\overline{F}(p) p^2 = \overline{F}(a) a^2$ for all $p \in J$.

2.1. Special case: uncertain reservation price with single product unit

The case in which uncertainty corresponds to the buyer's valuation, see Lariviere (2006) and Ziya et al. (2006), can be derived as a subcase of (2). In particular, assume that the seller posts a price p and the buyer's reservation price is α which is randomly drawn from a distribution F. If $\alpha \ge p$, then the buyer buys one unit of the product, otherwise she does not buy. This implies that $D(p | \alpha) = \mathbf{1}\{p \le \alpha\}$ and hence, that $\mathbb{E}(D(p | \alpha)) = \overline{F}(p)$. In this case and under the assumption that F is absolutely continuous, with F' = f, (2) takes the form ph(p) = 1, for p < H, where $h(p) := f(p) / \overline{F}(p)$ is the hazard rate function of α . Lariviere (1999); Lariviere and Porteus (2001) and Van den Berg (2007) define g(p) := ph(p) as the *generalized failure rate* (GFR) function of α and show that if α has the *increasing generalized failure rate* (IGFR) property, i.e., if g(p) is non-decreasing in p for p < H, and if g(p) eventually exceeds 1, then the seller's optimal price exists and is unique. The GFR function, g(p), corresponds to the price elasticity of demand and hence the assumptions that g(p) is increasing and eventually exceeds 1 capture the economic intuition of increasing and eventually elastic demand. Similarly to Theorem 2.3, the optimal seller's price p^* coincides with the point of unitary price elasticity, i.e., $g(p^*) = 1$.

The GFR function was introduced in economic applications by Singh and Maddala (1976), who used it to model income distributions. It was further studied in the same context by Belzunce et al. (1995) and Belzunce et al. (1998) who provide an alternative definition of the IGFR property without requiring the existence of a density. In the context of revenue management, properties of IGFR distributions have been studied by Ziya et al. (2004), Paul (2005), Lariviere (2006) and Banciu and Mirchandani (2013).

3. Properties of DGMRD distributions

For the remaining part, let $X \sim F$ be a non-negative random variable, with support in L, H as in Section 1, continuous distributions function F, tail $\overline{F} := 1 - F$ and finite expectation $\mathbb{E}X < +\infty$. Let m(x) denote the MRD function of X, as defined in (3), and $\ell(x)$ denote the GMRD function of X, as defined in (5). We say that distribution X has the *decreasing MRD* (DMRD) property, or simply that X is DMRD, if m(p) is non-increasing in p for p < H. If

additionally, X is an absolutely continuous random variable with F' = f almost everywhere, for some density function f, one can easily verify that the derivative m' (p) exists and is given by

$$n'(p) = h(p)m(p) - 1$$
 (7)

where $h(p) = f(p) / \overline{F}(p)$ denotes the *hazard rate function* of *X*, see e.g., Bradley and Gupta (2003).

r

3.1. The DGMRD & IGFR classes

To compare the IGFR and DGMRD classes, we restrict attention to non-negative, absolutely continuous random variables. We, then have

Theorem 3.1. If X is a non-negative, absolutely continuous random variable, with $\mathbb{E}X < +\infty$, then (i) If X is IGFR, then X is DGMRD.

(ii) If X is DGMRD and m(x) is log-convex, then X is IGFR.

Part (*i*) of Theorem 3.4, has been already been stated by Belzunce et al. (1998) and Kayid et al. (2014). To derive an alternative proof of part (*i*) and to establish part (*ii*) of Theorem 3.1, we will use the notions of stochastic orderings, see Shaked and Shanthikumar (2007) or Belzunce et al. (2016). Let X_i be random variables with distribution, failure rate and MRD functions denoted by F_i , h_i and m_i respectively, for i = 1, 2. X_1 is said to be smaller than X_2 in the usual stochastic order, denoted by $X_1 \leq_{st} X_2$, if $F_2(x) \leq F_1(x)$ for all $x \in \mathbb{R}$. Similarly, X_1 is said to be smaller than X_2 in the failure or hazard rate order, denoted by $X_1 \leq_{hr} X_2$, if $h_2(x) \leq h_1(x)$ for all $x \in \mathbb{R}$. Finally, X_1 is said to be smaller than X_2 in the mean residual life order, denoted by $X_1 \leq_{mr1} X_2$, if $m_1(x) \leq m_2(x)$ for all $x \in \mathbb{R}$.

Proof of Theorem 3.1. By Theorem 1 of Lariviere (2006), *X* is IGFR if and only if $X \leq_{hr} \lambda X$ for all $\lambda \geq 1$. By Theorem 2.A.1 of Shaked and Shanthikumar (2007), if $X \leq_{hr} \lambda X$, then $X \leq_{mrl} \lambda X$. Now, $m_{\lambda X}(x) = \lambda \cdot m(x/\lambda)$. Hence, for $\lambda \geq 1$, $X \leq_{mrl} \lambda X$ is by definition equivalent to $m(x) \leq m_{\lambda X}(x)$ for all x > 0, which in turn is equivalent to $\ell(x) \leq \ell(x/\lambda)$ for all x > 0. As this holds for any $\lambda \geq 1$, the last inequality is equivalent to $\ell(x)$ being decreasing, i.e., to *X* being DGMRD.

To prove the second part of the Theorem, it suffices to show that $m(x) / m_{\lambda X}(x)$ is increasing in x, for 0 < x < Hand all $\lambda \ge 1$. Indeed, if this is the case, Theorem 2.A.2 of Shaked and Shanthikumar (2007) implies that $X \le_{mrl} \lambda X$ for all $\lambda \ge 1$ is equivalent to $X \le_{hr} \lambda X$ for all $\lambda \ge 1$, which as we have seen, is equivalent to X being IGFR. Since $m_{\lambda X}(x) = \lambda m(x/\lambda)$ and m(x) is differentiable, $m(x) / m_{\lambda X}(x)$ is increasing in $x \in (0, H)$ for all $\lambda \ge 1$ if and only if $\frac{d_x}{d_x}\left(\frac{m(x)}{\lambda m(x/\lambda)}\right) \ge 0$, for all $\lambda \ge 1$, i.e., if and only if $\frac{m'(x)}{m(x)} \ge \frac{m'(x/\lambda)}{\lambda m(x/\lambda)}$, for all $\lambda \ge 1$. This is equivalent to $\frac{d}{d_x} \ln (m(x))$ being increasing in x, i.e., to m(x) being log-convex.

Based on the proof of Theorem 3.1, a DGMRD random variable X is not IGFR if there exists $\lambda \ge 1$ such that X is smaller than λX in the mean residual life order but not in the hazard rate order. Although more involved, the present derivation of part (*i*) utilizes the characterization of both IGFR and DGMRD in terms of stochastic orderings $- \leq_{hr}$ for IGFR and \leq_{mrl} for DGMRD – and thus, points to the sufficiency condition of part (*ii*). Specifically, in view of the proof of part (*i*), the proof of part (*ii*) reduces to finding conditions, under which, the mean residual life order implies the hazard rate order. Such conditions are provided in Theorem 2.A.2 of Shaked and Shan-



Figure 1: Relationship between the IFR, IGFR, DMRD and DGMRD classes.

thikumar (2007). However, as Shaked and Shanthikumar (2007) already point out, the condition of log-convexity is restrictive and indeed there are many distributions with log-concave MRD function that are nevertheless IGFR. Hence, it would be of interest to obtain part (*ii*) of Theorem 3.1 under a more general condition.

Conceptually, the GFR and GMRD functions differ in the same sense that the FR and MRD functions do. Namely, while the GFR function at a point x provides information about the instantaneous behavior of the distribution just after point x, the GMRD function provides information about the entire expected behavior of the distribution after point x. As the IGFR is trivially implied by the IFR property, the same holds for the DGMRD and DMRD properties. The relationships between all four classes are shown in Figure 1. The IGFR property does not imply, nor is implied by the DMRD property. However, the former seems more inclusive than the latter, cf. Bagnoli and Bergstrom (2005),

Table 3 and Banciu and Mirchandani (2013), Table 1. Conversely, DMRD distributions that are not IGFR can be constructed by considering random variables without a connected support. This relies on the observation that if a distribution X is IGFR, then its support must be an interval, see Lariviere and Porteus (2001). However, it remains unclear whether or not, the DMRD property implies the IGFR property when attention is restricted to absolutely continuous random variables with connected support. A commonly used distribution that is DGMRD but not IGFR is the Birnbaum-Saunders distribution.

Example 3.2 (Birnbaum-Saunders distribution). The Birnbaum-Saunders (BS) distribution, which is extensively used in reliability applications, see Johnson et al. (1995), provides an example of a random variable which is DGMRD but not IGFR for certain values of its parameters. The pdf of X is

$$f(x) = \frac{1}{2ax\sqrt{2\pi}} \left(\sqrt{\frac{x}{\beta}} + \sqrt{\frac{\beta}{x}} \right) \exp\left(-\frac{1}{2a^2} \left(\sqrt{\frac{x}{\beta}} - \sqrt{\frac{\beta}{x}} \right)^2 \right), \quad \text{for } x > 0,$$

where a > 0 is the shape parameter and $\beta > 0$ is the scale parameter. In particular, let $X \sim BS$ with parameters a = 6 and $\beta = 5$. Using the formula for f(x), Figure 2 can be obtained numerically. Implementing the BS distribution for



Figure 2: Birnbaum-Saunders distribution for $a = 6, \beta = 5$. The GFR function (left panel) is not monotone increasing in contrast to the price elasticity of expected demand (right panel) which is the inverse of the GMRD function.

different β and γ , shows that, unlike other distribution families, as e.g., the Gamma or Beta, the shapes of the GFR and GMRD functions of the BS distribution depend largely on the exact values of its parameters. For different values of its parameters, the BS distribution has either increasing or bathtub-shaped (first decreasing and then increasing) MRD function, Tang et al. (1999).

As mentioned above, IGFR random variables must have a connected support, whereas DGMRD do not. Compared to the previous discussion, this property is perhaps the least technical and hence, the most important for economic applications. When a seller is uncertain about the exact support of the demand, her belief could be expressed as a mixture of two or more distributions over disjoint intervals. In this case, even if each individual distribution is IGFR, their mixture is not. The following example illustrates such a case.

Example 3.3 (Mixture of Uniform distributions on disjoint intervals). Let U(L, H) denotes the uniform distribution on (L, H) and let $X_1 \sim U(1, 2)$ with cdf F_1 and $X_2 \sim U(3, 4)$ with cdf F_2 . Further, let X_λ with cdf $F_\lambda = \lambda F_1 + (1 - \lambda) F_2$ for $\lambda \in (0, 1)$ describe the seller's belief about the demand. Both X_1, X_2 are IFR, hence IGFR, DMRD and DGMRD. The support of X_λ is not connected, hence X_λ is not IGFR for $0 < \lambda < 1$. Contrarily, the GMRD ℓ_λ of X_λ is given by

$$\ell_{\lambda}(x) = \begin{cases} \lambda \ell_{1}(x) + (1 - \lambda) \ell_{2}(x), & 0 < x \le 1\\ \frac{\lambda (2 - x) \ell_{1}(x) + (1 - \lambda) \ell_{2}(x)}{\lambda (2 - x) + (1 - \lambda)}, & 1 \le x \le 2\\ \ell_{2}(x), & 2 \le x < 4 \end{cases}$$

Hence, $\ell_{\lambda}(x)$ is decreasing for $x \notin [1, 2]$. For $x \in [1, 2]$, a direct substitution shows that $\ell_{1/4}(x)$ is decreasing over [1, 2], hence $X_{1/4}$ is DGMRD, while $\ell_{3/4}(x)$ is first decreasing and then increasing, as shown in Figure 3 and hence $X_{3/4}$ is not DGMRD.

3.2. Limiting behavior & moments of DGMRD random variables

The moments of DGMRD distributions with unbounded support are closely linked with the limiting behavior of the GMRD function $\ell(x)$, as $x \to +\infty$.

Theorem 3.4. Let X be a non-negative DGMRD random variable with $\mathbb{E}X < +\infty$ and $\lim_{x \to +\infty} \ell(x) = c$. If $\beta > 0$, then $c < \frac{1}{\beta}$, if and only if $\mathbb{E}X^{\beta+1} < +\infty$. In particular, c = 0 if and only if $\mathbb{E}X^{\beta+1} < +\infty$ for every $\beta > 0$.

For the proof of Theorem 3.4, we utilize the theory of regularly varying distributions, see Feller (1971); Hall and Wellner (1981) and Gut (2013). First, observe that if X is a non-negative random variable, then by a simple change of variable, one may rewrite³ $\ell(x)$ in (5) as $\ell(x) = \int_{1}^{+\infty} \frac{\bar{F}(ux)}{\bar{F}(x)} du$. Since we have assumed that $\mathbb{E}X < +\infty$, $\ell(x)$ is well defined. We say that \bar{F} is *regularly varying at infinity* with exponent $\rho \in \mathbb{R}$, if $\bar{F}(ux)/\bar{F}(x) \to u^{\rho}$ for all $u \ge 0$ as $x \to +\infty$. In this case, we write $\bar{F} \in \mathcal{RV}(\rho)$. If $\bar{F}(ux)/\bar{F}(x) \to \infty$ for 0 < u < 1 and $\bar{F}(ux)/\bar{F}(x) \to 0$ for u > 1 as $x \to +\infty$, then we say that \bar{F} is *rapidly varying at infinity with exponent* $-\infty$ or simply that \bar{F} is *rapidly varying*, in symbols $\bar{F} \in \mathcal{RV}(-\infty)$. If $\bar{F} \in \mathcal{RV}(\rho)$ with $\rho \in \mathbb{R}$, then we can write \bar{F} as $\bar{F}(u) = u^{\rho}Z(u)$, where Z is regularly varying at infinity with exponent $\rho = 0$. In this case, we say that Z is *slowly varying at infinity* and write $Z \in \mathcal{SV}$. Feller (1971), see Section VIII.8, shows that if Z(u) >

Feller (1971), see Section VIII.8, shows that if Z(u) > 0 and $Z \in SV$, then the integral $\int_0^{+\infty} u^{\rho} Z(u) du$ is convergent for $\rho < -1$ and divergent for $\rho > -1$. We are now ready to prove Theorem 3.4.

Proof of Theorem 3.4. Let c > 0. Then, the convergence of $\ell(x)$ to some $c \in (0, +\infty)$ is equivalent to \overline{F} being regularly varying at infinity with exponent $-1 - \frac{1}{c}$, in symbols $\overline{F} \in \mathcal{RV}\left(-1 - \frac{1}{c}\right)$, see Proposition 11(b) of Hall and Wellner (1981). Hence, there exists a function $Z \in SV$, such that $\overline{F}(x) = x^{-1-\frac{1}{c}}Z(x)$. Since X is non-negative, this implies that for any $\beta > 0$, we may write $\mathbb{E}X^{\beta+1} = \int_{0}^{+\infty} (\beta + 1) u^{\beta}\overline{F}(u) du = (\beta + 1) \int_{0}^{+\infty} u^{\beta-1-\frac{1}{c}}Z(u) du$. Using Feller (1971), the latter integral converges for $\beta < \frac{1}{c}$ and diverges for



Figure 3: The GMRD function of X_{λ} for $\lambda = 1/4$ (solid) and $\lambda = 3/4$ (dotted).

 $\beta > \frac{1}{c}$. For $c = \frac{1}{\beta}$, we employ the approach of Lariviere (2006) and compare X with a random variable $Y \sim \text{Pareto}(1,\beta+1)$, where 1 is the location parameter and $\beta + 1$ the shape parameter. In this case $m_Y(x) = x/\beta$ and $\mathbb{E}Y^{\beta+1} = +\infty$, which may be used to conclude that $\mathbb{E}X^{\beta+1} = +\infty$ as well. To see this, observe that since $\ell(x)$ is decreasing to $1/\beta$ by assumption, we have that $m_X(x) \ge x/\beta = m_Y(x)$ and hence $Y \le_{\text{mrl}} X$. Moreover, $\frac{m_Y(x)}{m_X(x)} = \frac{1}{\beta} \cdot \frac{1}{\ell(x)}$, which by assumption increases in x for all x > 0. This implies that Y is smaller than X in the hazard rate order, see Theorem 2.A.2 of Shaked and Shanthikumar (2007), and hence also in the usual stochastic order, i.e., $Y \le_{\text{st}} X$. Hence, $\mathbb{E}X^{\beta+1} \ge \mathbb{E}Y^{\beta+1} = +\infty$.

If c = 0, then $\overline{F}(x)$ is rapidly varying with exponent $-\infty$, i.e., $\overline{F} \in \mathcal{RV}(-\infty)$, see Proposition 11(c) of Hall and Wellner (1981). It is known, see De Haan (1970), that all moments of rapidly varying distributions are finite. Conversely, if $\mathbb{E}X^{\beta+1} < +\infty$ for every $\beta > 0$, then it is a straightforward implication that c = 0.

Theorem 3.4 can be compared with Theorem 2 of Lariviere (2006), who states an analogous result for IGFR distributions. Theorem 3.5 establishes the link between the two.

³By differentiating this expression, provided that F' = f almost everywhere, one obtains an alternative straightforward proof that IGFR implies DGMRD.

Theorem 3.5. Let X be an absolutely continuous, non-negative random variable with unbounded support and $\mathbb{E}X < +\infty$. If $\lim_{x\to+\infty} g(x)$ exists and is equal to κ with $\kappa > 1$ (possibly infinite), then

$$\lim_{x \to +\infty} \ell(x) = 1/(\kappa - 1) \tag{8}$$

Proof. Since $\mathbb{E}X < +\infty$, both $\lim_{x\to+\infty} \int_{x}^{+\infty} \bar{F}(u) \, du$ and $\lim_{x\to+\infty} x\bar{F}(x)$ are equal to 0. To compute $\lim_{x\to+\infty} \ell(x)$ we use L'Hôpital's rule. We have that $\frac{d}{dx} \int_{x}^{+\infty} \bar{F}(u) \, du = -\bar{F}(x)$ and $\frac{d}{dx} \left(x\bar{F}(x) \right) = \bar{F}(x) \left(1 - g(x) \right)$. Hence, under the assumption that $\lim_{x\to+\infty} g(x) = \kappa$, we conclude that $\lim_{x\to+\infty} \ell(x) = \lim_{x\to+\infty} \frac{1}{g(x)-1} = \frac{1}{\kappa-1}$.

The inverse relationship in the limiting behavior of $\ell(x)$ and g(x) in (8) is similar in flavor to equation (2.1) of Bradley and Gupta (2003). In the case that $\kappa < +\infty$, Theorem 2 of Lariviere (2006) restricted to n > 1, follows from Theorems 3.1 and 3.4, and equation (8). This approach also covers the case $n = \kappa$, which is not considered in the proof by Lariviere (2006). As for IGFR distributions, the Pareto distribution provides a limiting case between decreasing and increasing GMRD distributions, since it is the unique distribution with constant GMRD function.

Example 3.6 (Pareto distribution). Let X be Pareto distributed with pdf $f(x) = kL^k x^{-(k+1)} \mathbf{1}_{\{L \le x\}}$, and parameters L > 0 and k > 1 (for $0 < k \le 1$ we get $\mathbb{E}X = +\infty$, which contradicts the basic assumptions of our model). To simplify, let L = 1, so that $f(x) = kx^{-k-1}\mathbf{1}_{\{1\le x\}}$, $\overline{F}(x) = x^{-k}\mathbf{1}_{\{1\le x\}}$, and $\mathbb{E}X = \frac{k}{k-1}$. The mean residual demand of X is given by $m(x) = \frac{x}{k-1} + \frac{k}{k-1}(1-x)_+$ and, hence, is decreasing for x < 1 and increasing for $x \ge 1$. However, the GMRD function $\ell(x) = \frac{1}{k-1}$ is decreasing for 0 < x < 1 and constant for $x \ge 1$, hence, X is DGMRD. Similarly, for $1 \le x$ the failure (hazard) rate $h(x) = kx^{-1}$ is decreasing, but the generalized failure rate g(x) = k is constant and, hence, X is IGFR. In this case, the seller's payoff function, (1), becomes

$$R(x) = xm(x)\bar{F}(x) = \begin{cases} x\left(\frac{k}{k-1} - x\right), & \text{if } 0 \le x < 1\\ \frac{x^{2-k}}{(k-1)}, & \text{if } x \ge 1, \end{cases}$$

which diverges as $x \to +\infty$, for k < 2 and remains constant for k = 2. In particular, for $k \le 2$, the second moment of X is infinite, i.e., $\mathbb{E}X^2 = +\infty$, and also $\lim_{x\to+\infty} \ell(x) = \frac{1}{k-1} \ge 1$ and $\lim_{x\to+\infty} g(x) = k \le 2$, which agrees with Theorem 3.4. On the other hand, for k > 2, there exists a unique fixed point $x^* = \frac{k}{2(k-1)}$, as expected.

4. Closure properties of the DGMRD class

Paul (2005) and Banciu and Mirchandani (2013) study closure properties of the IFR and IGFR classes under operations that involve continuous transformations, truncations, and convolutions. Such operations are important in economic applications, as they can be used to model changes or updates in the seller's beliefs (transformations and truncations) or aggregation of demands from different markets (convolutions). Resembling the IFR when compared to the IGFR class, the DMRD class exhibits better closure properties than the DGMRD class.

Theorem 4.1. Let X be a non-negative, absolutely continuous, DMRD random variable and let $\phi : \mathbb{R}_+ \to \mathbb{R}_+$ be a strictly increasing, concave and differentiable function. Then, $Y := \phi(X)$ is DMRD.

Proof. Let F denote the cdf of X, f its pdf and h its hazard rate. Then, for y > 0, $F_Y(y) = F(\phi^{-1}(y))$ and $f_Y(y) = f(\phi^{-1}(y))\frac{1}{\phi'(\phi^{-1}(y))}$, where ϕ^{-1} denotes the inverse of ϕ . Hence $m_Y(y) = (\bar{F}(\phi^{-1}(y)))^{-1} \cdot \int_{y}^{+\infty} \bar{F}(\phi^{-1}(u)) du = (\bar{F}(\phi^{-1}(y)))^{-1} \cdot \int_{\phi^{-1}(y)}^{+\infty} \bar{F}(u) \phi'(u) du$. By (7), and since $h_Y(y) = h(\phi^{-1}(y)) \cdot \frac{1}{\phi'(\phi^{-1}(y))}$, we conclude that $m'_Y(y) = h(\phi^{-1}(y)) \cdot (\bar{F}(\phi^{-1}(y)))^{-1} \cdot \int_{\phi^{-1}(y)}^{+\infty} \bar{F}(u) \frac{\phi'(u)}{\phi'(\phi^{-1}(y))} du - 1$. Concavity of ϕ implies that for $u > \phi^{-1}(y)$, $\frac{\phi'(u)}{\phi'(\phi^{-1}(y))} \le 1$. Thus, $m'_Y(y) \le h(\phi^{-1}(y)) m(\phi^{-1}(y)) - 1 = m'(\phi^{-1}(y)) \le 0$, since m(y) is decreasing by assumption.

Hence, the class of absolutely continuous, DMRD random variables is closed under strictly increasing, differentiable and concave transformations. By Theorem 4.1, it is immediate that Corollary 4.2. Let X be a non-negative, absolutely continuous, DMRD random variable. Then,

(*i*) for any $\alpha > 0$ and $\beta \in \mathbb{R}$, $\alpha X + \beta$ is DMRD, (*i.e.*, the DMRD class is closed under positive scale transformations and shifting).

(*ii*) for any $0 < \alpha \le 1$, X^{α} is DMRD.

More results about the DMRD class can be found in Bagnoli and Bergstrom (2005); Lai and Xie (2006) and Shaked and Shanthikumar (2007). Turning to the DGMRD class, it is straightforward (thus omitted) to show that the DGMRD property is preserved under positive scale transformations and left truncations. For a random variable X with support inbetween L and H, and any $\alpha \in (L, H)$, the left truncated random variable X_{α} is defined as $X_{\alpha} = X \mathbf{1}_{\{X \ge \alpha\}}$.

Theorem 4.3. Let X be a DGMRD random variable with support inbetween L and H with $0 \le L < H \le +\infty$. Then, (i) for any $\lambda > 0$, the random variable λX is DGMRD (i.e., the DGMRD class is closed under positive scale transformations).

(ii) for any $\alpha \in (L, H)$, the left truncated random variable X_{α} has the same GMRD function as X on (α, H) . In particular, the DGMRD class is closed under left truncations.

In Proposition 1, Banciu and Mirchandani (2013) establish that IGFR distributions are closed under right truncations as well. It remains unclear whether DGMRD distributions are also closed under right truncations or not. On the other hand, as expected, the DGMRD class inherits some closure counterexamples from the IGFR class. Banciu and Mirchandani (2013) illustrate that the IGFR property is not preserved under shifting and convolutions. Both of their examples establish the same conclusions for the DGMRD property, as shown below.

Using their notation, the GMRD function of the Pareto distribution of the second kind (Lomax distribution) is $\ell(x) = \frac{1}{k-1} \left(\frac{B-A}{x} + 1\right)$, for $x \ge A$, where A denotes the location parameter. Hence, when A = 0 (i.e., no shift) or A < B, the GMRD is decreasing, whereas, for A > B, the GMRD function is increasing. Similar to the behavior exhibited by the GFR function, the GMRD function is constant for A = B, and, in particular for A = B = 1, which corresponds to the standard Pareto distribution. To show that the IGFR class is not closed under convolution, Banciu and Mirchandani (2013) consider the sum of two loglogistic distributions. The log-logistic distribution is IGFR, and, hence, DGMRD. Using their formula for F, one may establish numerically that the price elas-



Figure 4: The price elasticity (inverse of the GMRD function) for the convolution of 2 standard Log-logistic(k = 2) random variables.

ticity $\varepsilon(p) = \ell(p)^{-1}$ is first increasing and then decreasing, as can be seen in Figure 4.

5. Summary & Conclusions

In this paper, we considered the revenue maximization problem of a seller in a market with linear stochastic demand. We expressed the price elasticity of expected demand in terms of the mean residual demand (MRD) function, cf. (3), of the demand distribution and characterized the seller's optimal prices as fixed points of the MRD function. This led to the description of markets with increasingly elastic demand purely in terms of the demand distribution and in turn, to a novel unimodality condition. Namely, the seller's optimal price in a linear stochastic market exists and is unique if the demand distribution has the decreasing generalized mean residual demand (DGMRD) property and finite second moment. Motivated by the fact that DGMRD distributions strictly generalize the widely used distributions with increasing generalized failure rate (IGFR), we then turned to the study of more technical, yet economically interpretable properties of DGMRD distributions.

While these findings expand our understanding on the distributions that are useful in economic applications, the DGMRD class has its own limitations. First, its applicability appears to be limited to the linear demand assumption. However, the central role of the linear model in economic problems, cf. Cohen et al. (2015), and its detailed analysis that can be achieved by the present findings, cf. Leonardos and Melolidakis (2017, 2019a), provide support for the

study of the DGMRD class. In any case, it would be desirable if future research could demonstrate the usefuleness of DGMRD distributions beyond the linear setting. Second, while DGMRD distributions strictly generalize IGFR distributions, the latter are already sufficiently inclusive and more easy to handle under the simplifying assumption of the existence of a density. While this is arguably true, the GMRD function emerges naturally in revenue management applications on pricing (or stocking) decisions under stochastic demand that are not covered by the IGFR condition, cf. Section 1.2 and Example 3.3. Hence, both the GMRD function and the DGMRD condition can be of broader interest to the operations research literature, at least in terms of a more succinct and unified representation.

Acknowledgements

Stefanos Leonardos gratefully acknowledges support by a scholarship of the Alexander S. Onassis Public Benefit Foundation.

References

Bagnoli, M., Bergstrom, T., 2005. Log-concave probability and its applications. Economic Theory 26, 445–469. doi:doi:10.1007/s00199-004-0514-4.

Banciu, M., Mirchandani, P., 2013. Technical note – new results concerning probability distributions with increasing generalized failure rates. Operations Research 61, 925–931. doi:doi:10.1287/opre.2013.1198.

Basu, S., Bundick, B., 2017. Uncertainty Shocks in a Model of Effective Demand. Econometrica 85, 937–958. doi:doi:10.3982/ECTA13960.

Belzunce, F., Candel, J., Ruiz, J.M., 1995. Ordering of truncated distributions through concentration curves. Sankhy: The Indian Journal of Statistics, Series A (1961-2002) 57, 375–383.

Belzunce, F., Candel, J., Ruiz, J.M., 1998. Ordering and asymptotic properties of residual income distributions. Sankhyā: The Indian Journal of Statistics, Series B (1960-2002) 60, 331–348.

Belzunce, F., Martinez-Riquelme, C., Mulero, J., 2016. Chapter 2: Univariate stochastic orders, in: Belzunce, F., Martnez-Riquelme, C., Mulero, J. (Eds.), An Introduction to Stochastic Orders. Academic Press, pp. 27 – 113. doi:doi:10.1016/B978-0-12-803768-3.00002-8.

Van den Berg, G.J., 2007. On the uniqueness of optimal prices set by monopolistic sellers. Journal of Econometrics 141, 482–491. doi:doi:10.1016/j.jeconom.2006.10.005.

Bernstein, F., Federgruen, A., 2005. Decentralized supply chains with competing retailers under demand uncertainty. Management Science 51, 18–29. doi:doi:10.1287/mnsc.1040.0218.

Billingsley, P., 1986. Probability and measure, 2nd edition. Wiley, NewYork.

Bradley, D., Gupta, R., 2003. Limiting behaviour of the mean residual life. Annals of the Institute of Statistical Mathematics 55, 217–226. doi:doi:10.1007/BF02530495.

Chen, H., Hu, M., Perakis, G., 2017. Distribution-free pricing. doi:doi:10.2139/ssrn.3090002. mimeo, Available at SSRN.

Cohen, M., Perakis, G., Pindyck, R., 2015. Pricing with Limited Knowledge of Demand. Technical Report. MIT Sloan Research Paper No. 5145-15. doi:doi:10.2139/ssrn.2673810. mimeo, Available at SSRN.

Colombo, L., Labrecciosa, P., 2012. A note on pricing with risk aversion. European Journal of Operational Research 216, 252-254. doi:doi:10.1016/j.ejor.2011.07.027.

Dana, J.D., 2001. Monopoly Price Dispersion under Demand Uncertainty. International Economic Review 42, 649-670. URL: http://www.jstor.org/stable/827024.

De Haan, L., 1970. On regular variation and its application to the weak convergence of sample extremes. Mathematisch Centrum, Amsterdam.

Feller, W., 1971. An Introduction to Probability Theory and Its Applications, Volume II. John Wiley & Sons, Inc. New York.

Flanders, H., 1973. Differentiation under the integral sign. The American Mathematical Monthly 80, 615–627.

Guess, F., Proschan, F., 1988. Mean residual life: theory and applications, in: Krishnaiah, P.R., Rao, C.R. (Eds.), Quality Control and Reliability. Elsevier Amsterdam. volume 7 of *Handbook of Statistics*, pp. 215–224. doi:doi:10.1016/S0169-7161(88)07014-2.

Gut, A., 2013. Probability: A Graduate Course, Second Edition. Springer, NewYork.

Hall, W., Wellner, J., 1981. Mean residual life, in: Csørgø, M., Dawson, D.A., Rao, J.N.K., Saleh, A.K.M.E. (Eds.), Proceedings of the International Symposium on Statistics and Related Topics, North Holland Amsterdam. pp. 169–184.

Harris, M., Raviv, A., 1981. A theory of monopoly pricing schemes with demand uncertainty. The American Economic Review 71, 347-365. URL: http://www.jstor.org/stable/1802784.

Huang, J., Leng, M., Parlar, M., 2013. Demand functions in decision modeling: A comprehensive survey and research directions. Decision Sciences 44, 557–609. doi:doi:10.1111/deci.12021.

Johnson, N.L., Kotz, S., Balakrishnan, N., 1995. Continuous Univariate Distributions, 2nd ed., Vol. 2. John Wiley & Sons, Hoboken, NJ.

Kayid, M., Izadkhah, S., Alhalees, H., 2014. Reliability analysis of the proportional mean residual life order. Mathematical Problems in Engineering 2014, 8. doi:doi:10.1155/2014/142169.

Kocabykoğlu, A., Popescu, I., 2011. An elasticity approach to the newsvendor with price-sensitive demand. Operations Research 59, 301–312. doi:doi:10.1287/opre.1100.0890.

Lai, C.D., Xie, M., 2006. Stochastic Ageing and Dependence for Reliability. Springer Science + Business Media, Inc.

Lariviere, M.A., 1999. Supply chain contracting and coordination with stochastic demand, in: Tayur, S., Ganeshan, R., Magazine, M. (Eds.), Quantitative Models for Supply Chain Management. Springer US, Boston, MA, pp. 233–268. doi:doi:10.1007/978-1-4615-4949-9_8.

Lariviere, M.A., 2006. A note on probability distributions with increasing generalized failure rates. Operations Research 54, 602-604. doi:doi:10.1287/opre.1060.0282.

Lariviere, M.A., Porteus, E., 2001. Selling to the newsvendor: An analysis of price-only contracts. Manufacturing & Service Operations Management 3, 293–305. doi:doi:10.1287/msom.3.4.293.9971.

Leonardos, S., Melolidakis, C., 2017. Monopoly Pricing in a Vertical Market with Demand Uncertainty. ArXiv e-prints arXiv:1709.09618.

Leonardos, S., Melolidakis, C., 2019a. A Note on Equilibrium Uniqueness in Cournot Competition with Demand Uncertainty. ArXiv e-prints arXiv:1906.03558.

Leonardos, S., Melolidakis, C., 2019b. A Note on the Mean Residual Life Function of the Cantor Distribution. ArXiv e-prints arXiv: 1906.03443. Lorenzoni, G., 2009. A theory of demand shocks. American Economic Review 99, 2050–2084. doi:doi:10.1257/aer.99.5.2050.

Lu, Y., Simchi-Levi, D., 2013. On the unimodality of the profit function of the pricing newsvendor. Production and Operations Management 22, 615–625. doi:doi:10.1111/j.1937-5956.2012.01419.x.

Luo, S., Sethi, S.P., Shi, R., 2016. On the optimality conditions of a price setting newsvendor problem. Operations Research Letters 44, 697–701. doi:doi:https://doi.org/10.1016/j.orl.2016.08.005.

Mandal, P., Kaul, R., Jain, T., 2018. Stocking and pricing decisions under endogenous demand and reference point effects. European Journal of Operational Research 264, 181–199. doi:doi:10.1016/j.ejor.2017.05.053.

Mathur, A., Moschis, G.P., Lee, E., 2003. Life events and brand preference changes. Journal of Consumer Behaviour 3, 129–141. doi:doi:10.1002/cb.128.

Mills, E.S., 1959. Uncertainty and price theory. The Quarterly Journal of Economics 73, 116–130.

Paul, A., 2005. A note on closure properties of failure rate distributions. Operations Research 53, 733–734. doi:doi:10.1287/opre.1040.0206.

Petruzzi, N.C., Dada, M., 1999. Pricing and the newsvendor problem: A review with extensions. Operations Research 47, 183–194. doi:doi:10.1287/opre.47.2.183.

Raman, K., Chatterjee, R., 1995. Optimal Monopolist Pricing Under Demand Uncertainty in Dynamic Markets. Management Science 41, 144–162. doi:doi:10.1287/mnsc.41.1.144.

Shaked, M., Shanthikumar, G., 2007. Stochastic Orders. Springer Series in Statistics, New York.

Singh, S.K., Maddala, G.S., 1976. A function for size distribution of incomes. Econometrica 44, 963–70.

Song, Y., Ray, S., Boyaci, T., 2009. Technical note – optimal dynamic joint inventory-pricing control for multiplicative demand with fixed order costs and lost sales. Operations Research 57, 245–250. doi:doi:10.1287/opre.1080.0530.

Song, Y., Ray, S., Li, S., 2008. Structural properties of buyback contracts for price-setting newsvendors. Manufacturing & Service Operations Management 10, 1–18. doi:doi:10.1287/msom.1060.0140.

Tang, L.C., Lu, Y., Chew, E.P., 1999. Mean residual life of lifetime distributions. IEEE Transactions on Reliability 48, 73-78. doi:doi:10.1109/24.765930.

Xu, M., Chen, Y.F., Xu, X., 2010. The effect of demand uncertainty in a price-setting newsvendor model. European Journal of Operational Research 207, 946–957. doi:doi:10.1016/j.ejor.2010.06.024.

Yang, H., Zhang, D., Zhang, C., 2017. The influence of reference effect on pricing strategies in revenue management settings. International Transactions in Operational Research 24, 907–924. doi:doi:10.1111/itor.12371.

Ziya, S., Ayhan, H., Foley, R.D., 2004. Relationships among three assumptions in revenue management. Operations Research 52, 804–809. doi:doi:10.1287/opre.1040.0134.

Ziya, S., Ayhan, H., Foley, R.D., 2006. Optimal prices for finite capacity queueing systems. Operations Research Letters 34, 214–218. doi:doi:10.1016/j.orl.2005.04.001.