Building blocks of protein structures – Physics meets Biology

Tatjana Škrbić^{1,2}, Amos Maritan³, Achille Giacometti², George D. Rose⁴, Jayanth R. Banavar¹

- Department of Physics and Institute for Fundamental Science, University of Oregon, Eugene, OR 97403, USA
- Dipartimento di Scienze Molecolari e Nanosistemi, Università Ca' Foscari Venezia, Campus Scientifico, Edificio Alfa, via Torino 155, 30170 Venezia Mestre, Italy
- Dipartimento di Fisica e Astronomia, Università di Padova and INFN, via Marzolo 8, 35131 Padova, Italy
- T. C. Jenkins Department of Biophysics, Johns Hopkins University, 3400 N. Charles Street, Baltimore, MD 21218-2683, USA

Abstract

The native state structures of globular proteins are stable and well-packed indicating that self-interactions are favored over protein-solvent interactions under folding conditions. We use this as a guiding principle to derive the geometry of the building blocks of protein structures – α -helices and strands assembled into β -sheets – with no adjustable parameters, no amino acid sequence information, and no chemistry. There is an almost perfect fit between the dictates of mathematics and physics and the rules of quantum chemistry. Our theory establishes an energy landscape that channels protein evolution by providing sequence-independent platforms for elaborating sequence-dependent functional

diversity. Our work highlights the vital role of discreteness in life and has implications for the creation of artificial life and on the nature of life elsewhere in the cosmos.

Proteins (1-40) [we apologize that we have only included a limited selection of papers], the molecular machines of life, are formidably complex (41). They have myriad degrees of freedom, an astronomical number of possible sequences for even a moderate length chain, and are stabilized by thousands of interactions, both intra-molecular and with solvent. Yet, many proteins adopt their native conformation spontaneously under physiological conditions (5). The native state structures of globular proteins are space-filling and maximize self-interaction (6,7,9). The folded structures (21,26,32,35) are modular and built on scaffolds of α -helices (2) and strands of β -sheet (3), the only two conformers that can be extended indefinitely without steric interference while providing hydrogen-bonding partners for their own backbone polar groups (4,10,28). Proteins are digital molecules: nature's exclusion of α - β hybrid segments (27) – part α -helix, part β -strand – is built into proteins at the covalent level and restricts the topology of single domain proteins to a few thousand distinct folds at most (8,14,20).

Helices are ubiquitous in biomolecular structures. They are also found in everyday life, e.g. a garden hose (or a flexible tube) is often wound into a helix. Figure 1a is a sketch of a segment of a protein helix shown with a tube envelope. A uniform, flexible, self-avoiding solid tube, whose axis is a line, is a geometrical generalization of a sphere. A sphere is a region carving out space around a point, its center. Analogously, all points within the tube are at a distance from the tube axis smaller than or equal to the tube thickness, which is measured by the tube radius, Δ . A flexible tube is an extended object with uniaxial symmetry and is not plagued by symmetry

conflicts, unlike the simple model of a chain of tethered spheres for which the uniaxial symmetry inherent to a chain clashes with the spherical symmetry of the constituent objects.

Here we model a protein as a discretized tube with a set of equally spaced points, analogous to the C_{α} atoms along the protein backbone, defining its axis. The coordinates of these points are described using two angles: θ and μ (see Figure 2). The simplest repeating geometry of the axis of a tube of radius Δ is a helix of pitch P, wrapped around a straight cylinder of radius R, taken to be the helix radius. The helix is parameterized by a variable t and is defined by

$$\mathbf{r}(t) = (\text{Rcos}(t), \text{Rsin}(t), \text{Pt}/(2\pi)).$$
 (1)

As t advances by an integer multiple of 2π , the helix repeats periodically along the z-axis, with an increment equal to the pitch. The helical tube geometry is characterized by three dimensionless quantities Δ/R , $\eta=P/(2\pi R)$, and ε_0 , the rotation angle between successive points along the axis. Our initial goal parallels the seminal work of Pauling et al. (2), who sought rotation angles that allowed for the optimal placement of hydrogen bonds in a helix. The crucial difference here is that we do not need to invoke quantum chemistry, covalent bonds, the planarity of peptide bonds or hydrogen bonds.

We seek to maximize the self-interaction of a *continuum* tube (42-47) by winding the tube as tightly as possible, subject to the excluded volume constraint that the tube cannot penetrate itself. We ensure local space-filling of the helix by equating the tube radius to the local radius of curvature (Fig 1c), which, in turn, is equal to $R(1+\eta^2)$ (46) yielding:

$$\Delta = R(1+\eta^2).$$
 (2)

The successive turns of a space-filling helix need to be parallel and alongside each other (Figure 1e). The square of the distance between a reference point in the continuum helix (denoted by $t_0=0^\circ$) and an arbitrary point t is given by

$$d^{2} = R^{2} \left[2(1 - \cos t) + \eta^{2} t^{2} \right].$$
(3)

We determine the parameter value t_{min} for which d^2 is a minimum and set this minimum distance equal to the square of the tube diameter, $4\Delta^2$, thereby ensuring non-local space-filling (Figure 1f). The minimization condition is

$$\sin t_{\min} + \eta^2 t_{\min} = 0, (4)$$

and the distance constraint is

$$4\Delta^2 = R^2 [2(1 - \cos t_{\min}) + \eta^2 t_{\min}^2].$$
(5)

We solve Equations (2, 4, and 5) simultaneously to obtain the unique geometry of the continuum space-filling helix (Figure 1c,e,f): $\eta \sim 0.4$, $\Delta/R \sim 1.16$, and $t_{min} \sim 302^{\circ}$.

The idealized continuum tube does not take into account discreteness, a common ingredient to all matter, which is crucial at small length scales. A unique benefit of discreteness is the emergence of a second building block (besides the space filling helix): a two dimensional strand with a zigzag tube axis (Figure 3a), the rotation angle ε_0 of 180°, and μ =180°. The existence of two building blocks is *required* for the rich diversity of topologically distinct folds, necessary for the versatile functioning of the molecular machines. A helix is defined by a repeat of (θ , μ)-values and a planar strand by a repeat of μ =180°. For repeat μ -values close to 180°, one obtains a twisted planar strand, a geometrical feature often observed in protein structures. Figure 1g shows the space-filling discrete helix with η ~0.4 and Δ /R~1.16, the geometrical characteristics of the continuum space-filling helix. The discretization requires the specification of the rotation angle ε_0 between successive points that retains the space-filling conditions for the discrete case. This choice of ε_0 is made (in direct analogy with the continuum case) by requiring that the distance between points i (analogous to $t_0=0^\circ$) and i+m with integer m (analogous to t_{min}) is equal to the tube diameter and the angles (i-1,i,i+m) and (i,i+m,i+m+1) are both equal to 90° (analogous to the minimization condition). The smallest value of m for which these conditions are satisfied is m=3 and ε_0 ~99.8° (the ratio of the distance to the tube diameter is found to be 1.00... and both the angles are 90.0...° for this value of ε_0). Upon defining the length scale to match the mean C_{α} - C_{α} distance along the protein backbone of 3.81Å, the tube radius is found to be Δ ~2.63Å. Using these basic results, one may derive many attributes of the space-filling discrete helix, which are in excellent accord with the α -helix building block of protein structures (see Figures 4-5, Table 1).

A space-filling helix maximizes self-interaction through local interactions, whereas the non-local interactions of strands assembled into sheets leads to space-filling. We build on the insights gained from the helix analysis to make predictions of the geometrical arrangements for strand pairing (Figure 3b-c). First, the strands need to be in phase with each other mimicking the behavior of adjoining turns in the continuum helix, placed parallel to and alongside each other. Second, there are two distinct ways (Figures 3b-c) of accomplishing space-filling of assembled strands corresponding to anti-parallel and parallel β -sheet hydrogen bonding patterns, first predicted by Pauling and Corey (3) based on hydrogen bonding. The space-filling packing requires that the distances (i,j) in Figure 3b (anti-parallel arrangement) and (i,M_j) in Figure 3c

(parallel arrangement), which are measures of the closest approach of two parallel tube segments, both ought to be $2\Delta \sim 5.26$ Å (see Figure 3d-e and Table 1).

It is important to note that, for both helices and sheets, the side-chains do not clash sterically unlike in a well-packed compact arrangement of parallel strands in a hexagonal array. In addition to helices and strands, chain turns are needed to inter-connect these building blocks. In proteins, the most abundant turns are β -turns, tight, four-residue segments that approximately reverse the overall chain direction (13). β -turns are tightly wound like an α -helix, and therefore are predicted to have similar θ -angles as in the α -helix (Figure 4).

Figure 4b shows the (θ,μ) coordinates for 4 classes of residues: those that participate in α -helices, parallel β -sheets, anti-parallel β -sheets, and β -turns. The black X marks the coordinates of the predicted space-filling helix. Unsurprisingly, α -helix μ -values $(49.7 \pm 3.9)^\circ$ are a bit lower than the theoretical prediction of 52.4° because the distance between a hydrogen-bonded donor and acceptor (N-H···O=C) can be less than their summed van der Waals radii. Of course, an ideal tube is unaffected by such chemical particulars. Nevertheless, the predicted μ value for an ideal tube is remarkably close to 50°, the average μ value for Pauling's α -helix (2), with 3.6 residues per turn. As predicted, the tight turns predominantly have a θ value close to that of the α -helix. The β strands are twisted with a μ angle around 180° and have a spread of θ angles.

The accord between our prediction and structural data from the protein data bank underscores the consilience (48) between mathematics and physics on one hand and quantum chemistry on the other and show how self-interaction is maximized through a space-filling arrangement of

individual helices and sheets (Figure 6). The large but finite number of protein native state folds (8,14,20) sculpted by geometry and symmetry (24,25) is reminiscent of the restriction of the number of space groups of Bravais lattices of three-dimensional crystals to exactly 230 due to periodicity and space-filling requirements (49).

Our theory shows convincingly that structure-space and sequence-space of proteins are separable, yielding sequence-independent forms (22) that are Platonic and immutable, and not subject to Darwinian evolution. Sequences can then populate these forms resulting in the evolution of the functional diversity of life. The evolution (40,50,51) of biological macromolecules can be framed as a random walk in an inordinately vast sequence space, with selection guided by "fitness". Our formalism imposes an important constraint on protein evolution. A consequence is that the repertoire of possible folds is generated from pre-sculpted α -helices and β -strands, and, of necessity, accessible folds are mix-and-match constructs of these fundamental forms. This diversity of structural scaffolds provides a platform for elaborating functional diversity.

In seminal work, Anfinsen (5) demonstrated that proteins fold rapidly and reproducibly into their native state structures. This naturally led to the text book wisdom (35) that *the amino acid sequence of a protein determines its three-dimensional structure* leading to much effort in finding the energy minimum of a many-body complex system of a protein in its solvent with a huge number of degrees of freedom and with myriad interactions. Subsequent work by Matthews (16) and others showed that protein structure is nevertheless *very tolerant of amino acid replacement*.

Our results here conclusively demonstrate a simple two-step process for understanding proteins. First, a menu of putative native state structures is created without regard to amino acid sequence and chemistry. In the second step, a given protein selects its native state from this menu. Thus the horrendous problem of working out the native state structure of a given protein from knowledge of its sequence by finding, from scratch, the conformation, which minimizes the net energy of myriad imperfectly known microscopic interactions, is replaced by the much simpler task of finding the best fit of the sequence to one among the library of geometrically sculpted folds determined in a sequence-independent and chemistry-independent manner. This best-fit process, also exploited in the threading algorithm (15), is where the role of the amino acid sequence becomes paramount. Indeed, in an influential series of papers (12,17-19), it has been highlighted that the amino acid side chains must be able to fit into the native state fold with minimal frustration thereby creating a landscape akin to a folding funnel.

Some 80 years ago, Bernal (1) wrote – *Any effective picture of protein structure must provide at the same time for the common character of all proteins as exemplified by their many chemical and physical similarities, and for the highly specific nature of each protein type. It is reasonable to believe, though impossible to prove, that the first of these depends on some common arrangement of the amino acids.* Indeed, our work here shows that the common character of all proteins originates from an appropriate tube-like geometrical description of just the backbone C_{α} atoms, which are common to all proteins, and results in the library of native state folds sculpted by geometry and symmetry, without a need for sequence specificity or chemistry. *The highly specific nature of each protein type* then arises from its distinctive amino acid side-chains and their fit to one of the folds from the library. For a protein, the folded structure is central to its

functionality. The situation is loosely analogous to a restaurant in which the chef (geometry and symmetry) creates a menu of items (the library of putative native state folds) that customers (protein sequences) can order from (fold into). The chef does not cater to the individual tastes of the customers. Rather, all patrons of the restaurant are satisfied picking an item from the menu. As in proteins, the total number of patrons can vastly exceed the number of menu items. If, in fact, the menu of protein structures itself evolved, then one would be confronted by an almost impossible situation for evolution and natural selection in which a protein and its interacting partners would have to co-evolve their structures synergistically in order to maintain function. This situation is deftly avoided by the geometrically determined native state folds providing a fixed backdrop for evolution to shape protein sequences and functionalities.

Richard Feynman, in a lecture entitled *There's Plenty of Room in the Bottom: An Invitation to Enter a New Field of Physics* at the annual American Physical Society Meeting at Caltech on December 29, 1959, suggested that tiny, nanoscale machines could be constructed by manipulating individual atoms. Proteins are precisely such machines (21,26,32,35). Indeed, proteins as well as macroscopic machines establish a stable framework that can accommodate moving parts, which perform a function. Proteins are nature's implementation of the abstract forms presented here, a diversity of stable forms deduced entirely from mathematical considerations. These predictions – independent of any chemistry – have implications for life elsewhere in our cosmos (52) suggesting that there is no absolute need for carbon chemistry for life to exist. We look forward to other implementations in the lab, raising the prospect of powerful interacting machines, potentially leading to artificial life (53).

In summary, underlying life's evolving complexity (41) is a sequence-independent energy landscape with thousands of stable minima — a landscape formed from nature's scaffold building blocks, a protein grammar. In both natural and artificial languages, a grammar is a finite set of rules that can generate an a large number of syntactically correct sentences or strings. The discretized tube model establishes an immutable grammar of life and "*from so simple a beginning, endless*" – protein sequences and functionalities – "*most beautiful and most wonderful have been, and are being, evolved*" (54).

PDB analysis: We have carried out a quantitative comparison between our predictions and protein structure. To develop a working set for comparison, Richardsons' Top 8000 set of highresolution, quality-filtered protein chains (resolution $< 2\text{\AA}$, 70% PDB homology level) [see the web site: http://kinemage.biochem.duke.edu/databases/top8000.php] was further filtered to exclude all structures with missing backbone atoms, yielding a working set of 4416 structures (listed in Table 2). The working set was cross-checked against 478 proteins having a more stringent homology cutoff of 20%, taken from the Pisces database (23); 205 entries are in common to both sets. Almost all bond lengths ($C_{\alpha(i)}$ - $C_{\alpha(i+1)}$ distance) (~99.7%) in the working set are clustered around 3.81Å, as expected for a *trans* peptide. Those remaining have shorter bonds, ~2.95Å, predominantly from *cis* residues. For purposes of comparison, a fixed bond length of 3.81Å is used. Hydrogen bonds were identified using DSSP (11). Hydrogen-bonded conformers extracted from the working set include 3595 helices, 8473 antiparallel pairs, 4639 parallel pairs, and 58,820 turns. Helices were identified as 12-residue segments with intra-helical hydrogen bonds (N_i-H•••O_{i-4} and O_i•••H-N_{i+4}) at each residue. Antiparallel strand pairs were identified by three inter-pair hydrogen bonds at (i,j), (i+2,j-2), and (i-2,j+2), i \in strand1, j \in strand2. To avoid

possible end effects, only (i,j) residue pairs were used. Parallel strand pairs were identified by four inter-pair hydrogen bonds between (i,j-1), (i,j+1), (i+2,j+1), and (i-2,j-1), i \in strand1, $j \in$ strand2, and again only the i-th residue was retained. Double-counting was assiduously avoided. β turns were identified by hydrogen bonds between (i,i+3) with no helical residues among the 4. The (θ,μ)-values were then recorded for points i+1 and i+2 in the turns.

References

- 1. Bernal, J. D. Structure of Proteins. *Nature* **143**, 663-667 (1939).
- Pauling, L., Corey, R. B. & Branson, H. R. The structure of proteins: two hydrogenbonded helical configurations of the polypeptide chain. *Proc. Natl. Acad. Sci. USA* 37, 205-210 (1951).
- 3. Pauling, L. & Corey, R. B. The pleated sheet, a new layer configuration of polypeptide chains. *Proc. Natl. Acad. Sci. USA* **37**, 251-256 (1951).
- Ramachandran, G. N. & Sasisekharan, V. Conformation of polypeptides and proteins. *Adv. Prot. Chem.* 23, 283-438 (1968).
- Anfinsen, C. B. Principles that govern the folding of protein chains. *Science* 181, 223-230 (1973).
- Richards, F. M. The Interpretation of Protein Structures: Total Volume, Group Volume Distributions and Packing Density. *J. Mol. Biol.* 82, 1-14 (1974).
- Finney, J. L. Volume Occupation, Environment and Accessibility in Proteins. The Problem of the Protein Surface. *J.Mol. Biol.* 96, 721-732 (1975).
- Levitt, M. & Chothia, C. Structural patterns in globular proteins. *Nature* 261, 552-558 (1976).

- Richards, F. M. Areas, volumes, packing, and protein structure. *Annu. Rev. Biophys. Bioeng.* 6, 151-176 (1977).
- Kim, P. S. & Baldwin, R. L. Specific intermediates in the folding reactions of small proteins and the mechanism of protein folding. *Annu. Rev. Biochem.* 51, 459-489 (1982).
- 11. Kabsch, W. & Sander, C. Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features. *Biopolymers* **22**, 2577-2637 (1983).
- Gō, N. The consistency principle in protein structure and pathways of folding. *Adv. Biophys.* 18, 149-164 (1984).
- Rose, G. D., Gierasch, L. M. & Smith, J. A. Turns in peptides and proteins. *Adv. Protein Chem.* 37, 1-109 (1985).
- 14. Chothia, C. One thousand families for the molecular biologist. *Nature* 357, 543–544 (1992).
- Jones, D. T., Taylor, W. R. & Thornton, J. M. A new approach to protein fold recognition. *Nature* 358, 86-89 (1992).
- 16. Matthews, B. W. Structural and genetic analysis of protein stability. *Annu. Rev. Biochem.*62, 139–160 (1993).
- Bryngelson, J. D., Onuchic, J. N., Socci N. D. & Wolynes, P. G. Funnels, pathways, and the energy landscape of protein folding: a synthesis. *Proteins* 21, 167-195 (1995).
- Wolynes, P. G., Onuchic, J. N. & Thirumalai D. Navigating the folding routes. *Science* 267, 1619-1620 (1995).
- Dill, K. A. & Chan, H. S. From Levinthal to pathways to funnels. *Nat. Struct. Biol.* 4, 10-19 (1997).

- 20. Przytycka, T., Aurora, R. & Rose, G. D. A protein taxonomy based on secondary structure. *Nat. Struct. Biol.* **6**, 672-682 (1999).
- Tanford, C. & Reynolds, J. *Nature's Robots: A History of Proteins* (Oxford University Press, 2001).
- 22. Denton M. & Marshall, C. Laws of form revisited. *Nature* **410**, 417 (2001).
- Wang, G. & Dunbrack, R. L., Jr. PISCES: a protein sequence culling server.
 Bioinformatics 19, 1589-1591 (2003).
- 24. Banavar, J. R., Hoang, T. X., Maritan, A., Seno, F. & Trovato, A. Unified perspective on proteins: A physics approach. *Phys. Rev. E* **70**, 041905 (2004).
- Hoang, T. X., Trovato, A., Seno, F., Banavar, J. R. & Maritan, A. Geometry and symmetry presculpt the free-energy landscape of proteins. *Proc. Natl. Acad. Sci. USA* 101, 7960-7964 (2004).
- 26. Lesk, A. M. *Introduction to Protein Science: Architecture, function and genomics* (Oxford University Press, 2004).
- 27. Fitzkee, N. C. & Rose, G. D. Steric restrictions in protein folding: an alpha-helix cannot be followed by a contiguous beta-strand. *Protein Sci.* **13**, 633-639 (2004).
- Rose, G. D., Fleming, P. J., Banavar, J. R. & Maritan, A. A backbone-based theory of protein folding. *Proc. Natl. Acad. Sci. USA* 103, 16623-16633 (2006).
- Dill, K.A., Ozkan, S. B., Shell, M. S. & Weikl, T. R. The protein folding problem. *Annu. Rev. Biophys.* 37, 289–316 (2008).
- Shaw D. E., Maragakis, P., Lindorf-Larsen, K., Piana, S., Dror, R. O., Eastwood, M. P., Bank, J. A., Jumper, J. M., Salmon, J. K., Shan, Y. & Wriggers W. Atomic-Level Characterization of the Structural Dynamics of Proteins. *Science* 340, 341-346 (2010).

- 31. Bitbol, A.-F., Dwyer, R. S., Colwell, L. J. & Wingreen, N. S. Inferring interaction patterns from protein sequences. *Proc. Natl. Acad. Sci. USA* **113**, 12180-12185 (2016).
- Bahar, I., Jernigan R. L. & Dill, K. A. *Protein Actions* (Garland Science, Taylor & Francis Group, 2017).
- Rocks, J. W., Pashine, N., Bischofberger, I., Goodrich, C. P., Liu, A. J. & Nagel, S. R.
 Designing allostery-inspired response in mechanical networks. *Proc. Natl. Acad. Sci.* USA 114, 2520-2525 (2017).
- Runnels, C. M., Lanier, K. A., Williams, J. K., Bowman, J. C., Petrov, A. S., Hud, N. V. & Williams, L. D. Folding, assembly, and persistence: The essential nature and origins of biopolymers. *J. Mol. Evol.* 86, 598-610 (2018).
- Berg. J. M., Tymoczko, J. L., Gatto, G. J. Jr & Stryer, L. *Biochemistry, Ninth edition* (Macmillan Learning, 2019).
- Leman, J. K. et al. (2020). Macromolecular modeling and design in Rosetta: recent methods and frameworks. *Nat. methods* 17, 665-680 (2020).
- Dobson, C. M., Knowles, T. P. J. & Vendruscolo M. The Amyloid Phenomenon and Its Significance in Biology and Medicine. *Cold Spring Harb. Perspect. Biol.* 12, a033878 (2020).
- Fantini, M., Lisi, S., De Los Rios, P., Cattaneo, A. & Pastore, A. Protein Structural Information and Evolutionary Landscape by In Vitro Evolution. *Mol. Biol. Evol.* 37, 1179-1192 (2020).
- 39. Merritt, H. I., Sawyer, N. & Arora, P. S. Bent into shape: Folded peptides to mimic protein structure and modulate protein function. *Peptide Sci.* **112**, e24145 (2020).

- Bowman, J. C., Petrov, A. S., Frenkel-Pinter, M., Penev, P. I. & Williams, L. D. Root of the Tree: The Significance, Evolution, and Origins of the Ribosome, *Chem. Rev.* 120, 4848–4878 (2020).
- Goldenfeld N. & Kadanoff, L. P. Simple Lessons from Complexity. *Science* 284, 87-89 (1999).
- 42. Maritan, A., Micheletti, C., Trovato, A. & Banavar, J. R. Optimal shapes of compact strings. *Nature* **406**, 287-290 (2000).
- 43. Stasiak, A. & Maddocks, J. H. Best packing in proteins and DNA. *Nature* 406, 251-252 (2000).
- 44. Przybyl, S. & Pieranski, P. Helical close packings of ideal ropes. *Eur. Phys. J. E* 4, 445-449 (2001).
- Snir, Y. & Kamien, R. D. Entropically Driven Helix Formation. *Science* 307, 1067 (2005).
- Snir, Y. & Kamien, R. D. Helical tubes in crowded environments. *Phys. Rev. E* 75, 051114 (2007).
- Olsen, K. & Bohr, J. The generic geometry of helices and their close-packed structures. *Theor. Chem. Acc.* 125, 207-215 (2010).
- Wigner, E. P. Unreasonable Effectivness of Mathematics in the Natural Sciences.
 Commun. Pure Appl. Math. 13, 1-14 (1960).
- 49. Chaikin, P. & Lubensky, T. *Principles of Condensed Matter Physics* (Cambridge University Press, 2000).
- 50. Dawkins R. The Blind Watchmaker (W. W. Norton & Company, London, 1986).
- 51. Goldenfeld, N. & Woese, C. Biology's next revolution. *Nature* 445, 369 (2007).

- Davis, P. *The Eerie Silence: Renewing Our Search for Alien Intelligence* (Mariner Books, 2011).
- 53. Levy, S. Artificial Life: The Quest for a New Creation (Penguin Books, 1993).
- 54. Darwin, C. On the Origin of Species (John Murray, London, 1859).

Acknowledgements: We are indebted to Pete von Hippel for his warm hospitality and to him, Jeremy Berg, and Brian Matthews for stimulating comments. Funding: This project received funding from the European Union's Horizon 2020 research and innovation program under the Marie Skłodowska-Curie Grant Agreement No 894784. The contents reflect only the authors' view and not the views of the European Commission. Support from the University of Oregon (through a Knight Chair to JRB), NSF (GDR), University of Padova through "Excellence Project 2018" of the Cariparo foundation (AM), MIUR PRIN-COFIN2017 *Soft Adaptive Networks* grant 2017Z55KCW and COST action CA17139 (AG) is gratefully acknowledged. The computer calculations were performed on the Talapas cluster at the University of Oregon.

Author contributions: JRB, AM and TŠ developed the ideas for the calculations, and all the authors participated in exploring the consequences of the theory. TŠ carried out the calculations under the guidance of JRB. JRB and GDR wrote the paper. All authors reviewed the manuscript.

Emails: tskrbic@uoregon.edu, amos.maritan@pd.infn.it, achille.giacometti@unive.it, grose@jhu.edu, banavar@uoregon.edu



Figure 1: Optimal geometry of space-filling helix. (a) A segment of ten residues of a helix from phage T4 lysozyme protein 1L56 (residues 61-70). The green ribbon represents the helical trace formed by the C_{α} atoms, the spheres denote the heavy backbone and side-chains atoms in the helix, and the transparent tube is a guide to the eye. (b-c) show top-views of two continuum helices, both with a helix pitch P to helix radius R ratio η =(P/2 π R)~0.4 and a local radius of curvature of the helix, R_{local} =R(1+ η^2)~1.16R. The tube radii Δ in the two cases are different: Δ/R_{local} =1/2 and 1 respectively. (b) When Δ is less than R_{local} , there is empty space in the interior. When Δ is bigger than R_{local} , the turn is too tight leading to a kink, as is sometimes observed in a garden hose (not shown). (c) The sweet spot occurs when Δ = R_{local} , leading to maximization of the *local* self-interaction. (d-e) shows side views of two helices with η -values of 0.8 and ~0.4

respectively. In both cases, Δ has been chosen to be the local radius of curvature of the latter helix ~1.16R. (d) When η is larger than ~0.4, there is empty space between successive turns and the *non-local* self-interaction is not maximized. In the other limit of small η (not shown), successive turns of the tube overlap and this is forbidden sterically. (e) A Goldilocks situation here is when η is tuned just right to ~0.4 yielding (Δ /R)~1.16 for a continuum space-filling helix maximizing both local and non-local self-interaction. The top and side views of the optimal continuum helix are shown in (c) and (e) respectively. (f) and (g) show how these results can be captured analytically (see text) for a continuum and a discrete tube respectively.



Figure 2: Coordinate system at discrete location i along tube axis. The bond length b, assumed here to be a constant, is the distance between successive points. The angle θ_i is the angle subtended at i by points (i-1) and (i+1) along the tube axis. μ_i is the dihedral angle between the planes π_1 and π_2 formed by [(i-2),(i-1),i] and [(i-1),i,(i+1)] respectively or equivalently the angle between the binormals in a Frenet reference frame at points (i-1) and i. Knowledge of the coordinates of the previous three points (i-2,i-1,i) and the variables (θ_i , μ_i) are sufficient to uniquely specify the coordinates of the point (i+1).



Figure 3: Optimal packing of strands. (a) A single two dimensional zig-zag strand (with a rotation angle of 180°) lying in the plane of the paper. This planarity can only occur for a

discrete tube and is forbidden for a tube in the continuum. Alternate points along a strand are colored red and blue. There are two equivalent choices for a straight tube axis, one lying along the line of blue points (the blue axis) or the line of red points (red axis). Two distinct space-filling arrangements for strand packing are shown corresponding to (b) red axis-red axis (or equivalently blue axis-blue-axis – not shown) packing and (c) red axis-blue axis (or equivalently blue axis-red axis – not shown) packing. The two cases correspond to anti-parallel and parallel β -sheets with distinct distance constraints. The yellow point M_j lies midway between the blue points j-1 and j+1. The maximization of self-interaction dictates that the distances (i,j) in (b) and (i,M_j) in (c) ought to be 2 Δ ~5.26Å to ensure space filling. (d) and (e) show the histograms of the distances (i,j) and (i,M_j) in the interior of anti-parallel and parallel β -sheets in protein structures. The black vertical lines show the theoretical prediction of 2 Δ ~5.26Å. The mean values of both histograms are the same as the theoretical prediction (see Table 1).



Figure 4: Two views of the local structure representation of proteins. a) (θ , μ) plot of the PDB data set (see Table 2) comprising 4416 proteins and 972,519 residues. Here, the local conformations of residues are shown in the (θ , μ) plane. For strands, a μ -value that deviates from ~180° is the signature of a twisted strand, which is still locally planar. The plot shows chiral symmetry breaking, i.e., the points are not symmetrically placed around μ =180°. Our simplified analysis does not attempt to account for this. b) (θ , μ) coordinates of random samples of 12000 points each from the interior of α -helices (orange); anti-parallel (green) and parallel (red) β -sheets; and β -turns (the two interior sites of (i,i+3) hydrogen-bonded residues with no helical residues) (blue). The tight turns have θ -values similar to those of helices. Unlike for helices and turns, the θ -values of strands are not constrained. The black X in both panels shows our prediction of the geometry of space-filling helices.



Figure 5: Distribution of α **-helix characteristics.** (a) Distribution of the experimentally determined bond lengths (consecutive C_{α} - C_{α} distances). The bond length in the theory was chosen to be the mean bond length of 3.81Å and sets the characteristic length scale. The other panels show the distributions of (b) the rotation angle, (c) the rise per residue, (d) the helix radius, (e) θ , (f) μ , (g) the local radius of curvature, and (h) the dihedral angle between the planes defined by the points (i-1,i,i+3) and (i,i+3,i+4) in Figure 1g. The triangles formed by the two triplets ought to be congruent but they are not co-planar. The black line in each of the panels (except the first) shows the zero parameter theoretical prediction. Overall, there is excellent accord between theory and observations from protein structures.



Figure 6: Consilience between mathematics and biochemistry. The figure shows three views each of two short proteins. (a-c) is the 56-residue long protein 3GB1 comprising 4 strands assembled into sheets along with a single helix. (d-f) is a protein of the same length, 2KDL, comprised of a three-helix bundle. Each panel shows a uniform tube, with the theoretically predicted radius of 2.6Å, whose axis passes through the C_{α} atoms. The sole exception is the β -sheet (for which hydrogen bonding was identified using DSSP (11)), where every other C_{α} atom is considered (as explained in Figures 3b and c). The tube color varies continuously from red to blue (via grey) as its axis moves from the N-terminal to the C-terminal. The heavy atoms of the side chains sticking outside the tube are shown. The maximization of the self-interaction through space-filling is evident.

Continuum tube diameter from theor	y 2∆=5.26… Å		
Quantity	Theory	PDB data	
HELIX			
Rotation angle ε [°]	99.8	99.1 ± 3.4	
Number of residues per turn	3.61	3.63 ± 0.13	
Helix radius R [Å]	2.27	2.30 ± 0.07	
Rise per residue p [Å]	1.58	1.51 ± 0.08	
Helix pitch P [Å]	5.69	5.47 ± 0.49	
Pitch to radius ratio $\eta = P/(2\pi R)$	0.400	0.377 ± 0.046	
$\angle (\pi(i-1,i,i+3),\pi(i,i+3,i+4))$ [°]	69.1	70.0 ± 4.4	
Local radius of curvature [Å]	2.74	2.73 ± 0.05	
θ[°]	91.8	91.3 ± 2.2	
μ[°]	52.4	49.7 ± 3.9	
CHEFT			
SHEEI			
Type I B-sheet: parallel			
$\theta[\circ]$	flexible	121 ± 10	
u[°]	~180	191 ± 17	
$d(i,M_i)$ [Å]	2Δ = 5.26	5.26 ± 0.16	
Type II β-sheet: antiparallel			
θ[°]	flexible	127 ± 10	
μ[°]	~180	186 ± 20	
d (i,j) [Å]	2Δ = 5.26	5.26 ± 0.20	

Table 1: Quantitative comparison between theory and data from the Protein Data Bank

(PDB). We choose the bond length to match the experimentally determined mean distance between successive C_{α} atoms of 3.81 ± 0.02 Å. The chain is defined by discrete points denoted by 1,2,3,...,i,... d(i,j) is the distance between the points i and j. The angle $\angle(\pi(i,j,k), \pi(l,m,n))$ is the dihedral angle between the two planes formed by the sites (i,j,k) and (l,m,n). M_j is defined to be the geometrical center of the points j-1 and j+1. The agreement between theory and data is striking considering that the theory is parameter-free.

Table 2: PDB codes of the 4416 proteins used in our analysis.

16pk A	lige C	1pnc A	1w0p A	2buw B	2hwn D	2rc3 A	2zk9 X	3euf D	3kl0 B
lali A	liga A	1pnd A	1w0u A	2bv2 B	2hxm_A	2rc8 B	2zkd B	3eul A	3k16_B
1a2n B	ligz A	1 pn 0	$1 \times 1 \times 1$	$2bv4 \Delta$	$2hxn \Delta$	2rci A	2716 B	3eun A	$\frac{3kla}{\Delta}$
$1a2p_D$	lira A	1pp0_C	1wm_{c}	$2bv4_1$	2hxp_A	2red	$2z_{10}$ D	3oup B	3klr A
Ta2y_A	Inq_A	Ipsi_A	IW2C_A	20w0_A	211XS_A		ZZIIU_A	Seup_B	$3KII_A$
Ta2y_B	lisp_A	Iptq_A	IW21_B	2bw8_A	2hxt_A	2rcv_E	2znr_A	3evf_A	3kmt_C
la2z_C	lisu_A	lpuc_A	lw3i_A	2bwf_A	2hy5_A	2rcz_B	2zoo_A	3evk_D	3kmv_D
1a34_A	1it2_B	1puf_B	1w3w_A	2bwl_A	2hy5_B	2rdh_C	2zpd_A	3evy_B	3knb_B
1a3a A	1itw D	1pvm A	1w3y A	2bwr B	2hy7 A	2rdq A	2zpo A	3ew0 A	3knv A
1a4i B	litx A	1pvx A	1w4s A	2c0c A	2hyk A	2rdu A	2zpu A	3ew1 D	3kp8 A
1a73 A	1iu8 B	1pxy B	1w4t A	2c0h A	2hvv A	2rdz A	2zge A	3ewi A	3kph D
la7d A	line B	1pvo B	1w4v B	2c0r B	2hzl B	2ree A	27 A	3exe_D	3ka0 A
1a7t B	$1iuz \Lambda$	1py0_D	$1 w 1 v _B$ 1 w 4 v A	$2c07_A$	2hzy B	$2reg \Lambda$	2zqm_R 2zqn_B	3evr A	$\frac{3kq}{4}$
1a/t_D	1iu2_A	1p25_A	1w4x_A	2002_A	$2\pi z y_B$	21cg_A	2zqn_b	Jexi_A	21- an
1000_A	11V3_D		1w35_A		210q_A	Ziem_B	22S0_A	Seyo_A	SKQI_A
la8q_A	11v9_A	Iq0q_A	Iwsr_B	2cls_A	211n_A	2rer_A	2zs0_D	3eye_A	3kre_A
la8s_A	liwd_A	lq0r_A	Iw66_A	2clv_B	2124_N	2rfg_A	2zs1_B	3eyı_A	3krs_A
1a92_C	1ix1_B	lqlr_B	1w6s_C	2c29_F	2i2q_A	2rfm_B	2zs1_C	3eyp_B	3kru_A
1ab1_A	lixg_A	lqlu_A	1w6s_D	2c2n_A	2i3f_A	2rh2_A	2zsi_A	3ezi_B	3kse_D
1aba A	liy8 C	1q2h A	1w70 A	2c2p A	2i49 A	2rh3 A	2ztl C	3f0y C	3ksh A
lafb_3	livb A	1a4u B	1w80 A	2c2u A	2i4a A	2rhi A	2zu1 B	3f17_A	3ksv A
1ag9 B	live C	1a5m B	1w8u A	2c3n C	2i5r B	2rhk C	27112 A	3f11 A	3ksx A
$1 \text{ agy} \Lambda$	$1iye_e$	1q5n_B	$1 w 0 u \Lambda$	$2c31_{E}$	$2i51_B$	2ri0 B	$2zuz_R$	$3fln \Lambda$	$3k_{10} \Lambda$
lagy_A	liza A	$1q52_A$	1 w	$2041_{\rm P}$	2:51	2110_D	2ZUX_D	$2fl_{p}$	21sta A
$\frac{1 \text{ an}}{1 \text{ an}}$	IIZC_A	1400_A	1w9p_A	2042_B	2101_A	211/_A	ZZUY_A	эпр_в	SKIZ_A
Tano_A	lize_A	1q/I_A	TW95_A	2c4e_A	2162_D	2r19_A	2ZW2_A	312e_A	3KU3_B
lan_A	1j05_B	Iq/I_B	Iwa3_A	$2c4f_T$	216v_A	2rik_A	2zwd_A	3f2u_A	3kus_B
1ako_A	1j0h_B	1q8f_A	1wb0_A	2c4j_D	2i7c_C	2riq_A	2zwj_A	3f3q_A	3kuv_A
1aky_A	1j0p_A	1qau_A	1wb6_B	2c4n_A	2i7d_A	2rji_A	2zwn_A	3f3x_A	3kwe_A
1aoh_B	lj1y_A	1qav_A	1wba_A	2c53_A	2i7f_B	2rjw_A	2zwu_A	3f47_A	3kxt_A
1aoz A	1j24 A	lqaz A	1wbe A	2c6q B	2i8t B	2rk3 A	2zx2 A	3f4m A	3kyj A
1arb A	1j27 A	1gb5 E	1wbh B	2c6u A	2i9a D	2rk5 ^A	2zxj B	3f4s A	3kz5 A
last A	1i2i B	lab7_A	1whi H	2c67_A	2i9i A	2rkl A	27xy A	3f52 A	3kz7 A
$1 \text{ ato } \Delta$	$1j2j_2$	$1 \text{ aba} \Delta$	$1 \text{ wbi} \Delta$	$2c78 \Delta$	$2i \gamma I \Delta$	$2rka \Delta$	$2z_{N}y_{R}$	3f51 B	$3kzi \Delta$
lat D	1j21_A	loov A	1 wbj_{Λ}	2070	$2iax_A$	2rkq_A	2zya_D 2zyb_D	2f50 C	$\frac{3KZJ_{T}}{2kzu}$ D
lata D	1ј30_В 1;24_А	1qcx_A		207 <u>p</u> A	2100_A	21ku_A	2ZyII_B	2f6 a A	3KZU_D
Tatz_B	1J34_A	Iqui_B	Iwc2_A	2081_A	210J_A	2rky_C	2ZYO_A	3160_A	3107_B
laun_A	1j34_B	Iqd2_A	Iwc9_A	2c82_B	21bl_A	2sak_A	2zzd_E	316q_A	3101_A
lavb_A	1j3w_C	Iqd9_C	lwcf_A	2c8h_D	21bp_B	2sec_1	2zzd_J	3f6q_B	3101_B
lawd_A	1j48_A	1qdd_A	1wcg_B	2c92_D	2ic6_A	2sga_A	2zzj_A	3f6y_A	3118_A
laye_A	1j71_A	1qfv_B	1wck_A	2c95_B	2ic7_B	2sn3_A	2zzr_A	3f74_B	311e_A
1b0b_A	1j75_A	1qgi_A	1wd3_A	2c9q_A	2idl_B	2tnf_B	2zzs_O	3f75_A	312c_A
1b16 A	1j77 A	lqgj A	1wdd S	2cal A	2if6 A	2uuy B	2zzv B	3f75 P	3132 A
1b1c A	1j7d A	lggu D	1wdy A	2car B	2ifc C	2uv4 A	3a02 A	3f71 A	3139 A
1b2s_F	li7g A	1ah5 B	1wf3 A	2cb5 A	2198 A	2uvi A	3a03 A	3f7a A	31311 A
1b37 B	1i8e A	lahf A	1whi A	2cb8 A	2igi A	$2uv_{\rm D}$ B	3a04 A	3f8m B	3141 A
1b3n B	1j80_1	laho A	1wh_A	2cbo_A	$2igi_{1}$	$2uvo_B$	3207 A	3f07 A	3142 A
$103a_D$	1;01 A	laha A	1wka_A	2002_A	2igp_A	$2uw1_A$	3a07_A	2f0b A	2146 A
1041_B	1]91_A	Iqliq_A		2000_A	2igv_A	Zuwa_A	3a09_A	3190_A	3140_A
Ibse_A	Ija9_A	Iqnv_A	Twkq_B	2ccn_B	21gx_A	2uyt_A	3a0y_B	319r_A	314p_A
1b63_A	Ijae_A	Iqj5_B	lwkr_A	2ccq_A	21h5_A	2uyw_A	3a16_C	3fas_B	3l4r_A
1b66_A	1jak_A	1qjc_B	1wku_B	2ccw_A	2ihd_A	2uyz_A	3alc_A	3fb9_A	3151_A
1b67_A	1jat_A	1qjw_B	1wkx_A	2cdn_A	2ii2_A	2uyz_B	3a21_A	3fbg_A	316g_A
1b8a B	1jay B	lqkk A	1wld A	2cf7 C	2iid A	2uz1 D	3a2q A	3fbl A	316n A
1b8d K	licd A	1ql0 B	1wlg B	2cfe ^A	2ijh A	2uzc C	3a2v I	$3 f d \overline{7} B$	3177 ⁻ A
1b8p_A	licy A	1a13 B	1wlz C	2cg7 A	2ija A	2v09 A	3a2z A	3fde B	317h B
160p_11 1603_A	1id0 B	lalw A	$1 \text{wm}^2 \text{ A}$	2cga A	$2ijq_1$	2v0h A	3a39 A	3fdl A	317t B
1bas A	lid1 C	lamy C	1wma A	2chc B	$2imf \Lambda$	$2v0s^{-1}$	3a3d B	3fda A	318e B
1baz A	1;45 A	1 qni A	1 willa_A	2cm_B	2mi D	2v05_A		2fdr A	210
IUaz_A	IJUJA	1qiij_A	1 wind_A	2cia_A	2iiii_B	2v0u_A	$3a_{3}v_{A}$	SIUL_A	2101 A
IDUO_A	1jan_B	rqnn_C	iwmn_A	2ciu_A	2imq_X	2V10_B	3840_X	SIEU_A	3191_A
Ibeh_A	1jdl_A	1qnp_A	Iwmw_A	2ciw_A	21n8_A	2vlq_A	3a4r_A	3te/_A	3191_B
lbf6_A	1jek_A	1qnx_A	1wmz_D	2cj3_A	2inc_A	2v1w_B	3a4u_A	3fev_A	319a_X
1bgf_A	1jev_A	1qoz_B	1wn2_A	2cj4_A	2inc_B	2v25_A	3a4w_B	3ff5_B	319f_D
1bgp A	1jf8 A	lgre A	1wny A	2cji A	2ior A	2v27 A	3a57 A	3ff7 C	319s A

1bbp A	1;fl D	lam E	1wo 9 D	2 oil D	Dian D	$2u^2a$ C	205n D	2.ff0 D	210m A
TUIP_A	<u>1]II_Б</u>	IqIp_E			210y_B	2v2g_C	Sasp_D	3119_В	319u_A
Ibj/_A	ljfr_A	lqsl_A	Iwod_A	2cjp_A	21p2_B	2v33_B	3a5r_A	3fg0_F	319y_B
1bkp_A	1jfu_A	1qsa_A	1wog_E	2cjs_C	2ip6_A	2v36_D	3a6r_B	3fgd_A	3las_B
1bn8 A	1jfx A	lgsg A	1wog B	2ckf D	2ipr B	2v3g A	3a72 A	3fh2 A	3lat A
1ba8_A	lig1 A	lat9 A	1wor A	2ckk A	2ia7 A	2v3s A	3a71 A	3fhg A	3lbe D
1bqb_A	libd A	latn A		2 oks A	2iqi	2v4n	3a7n	3 fid A	$3lbf_C$
1bq0_A	1;1,6 A	1 qui_A	1wpa_A	$2cks_A$	2iqj_A 2im, D	2v411_A	$\frac{3a/n}{2}$	261 D	211-1
Ibqk_A	IJII_A	Iqtw_A	Twpn_B	2cm4_A	21ru_B	2V4V_A	5а8 <u>g</u> В	5Ш_В	SIDI_A
lbrt_A	ljhg_A	lqul_D	lwpu_A	2cmj_B	21s8_A	2v51_A	3a8u_X	3fiq_A	3lbm_B
1bs3_B	1jhj_A	1qve_B	1wq8_A	2cmt_A	2is9_A	2v5j_A	3a9b_A	3fju_B	3lcc_A
1bs9 A	1jhs A	law9 B	1wqi B	2cn3 B	2it1 A	2v5z A	3a9f A	3fkb E	31cm A
1bsg A	1ii1 A	lawd A	1wai I	2cnz A	2iu5 A	2v6a_0	3a9i A	3fkc_A	31d3 A
1bue A	1jid A		1 wrg D	2001	2ium A	2v6k B	$3_{0}01$ B	3 flya A	
10uc_A		Iqwg_A	1 w10_D	2007_1	$2iuin_A$		3a91_D	JIKC_A	31uu_A
10x4_A	IJII_A	IQWK_A	Iwra_A	2cs/A	21VI_A	2vou_A	Sa9q_N	Slig_A	SIEU_A
Ibx/_A	ljke_C	Iqwm_B	Iwri_A	2cu5_A	2ivf_B	$2v/w_C$	3a9s_B	3flv_A	31e3_A
1bxu_A	1jkg_A	lqwz_A	1wrm_A	2cvd_D	2ivn_A	2v84_A	3aa0_A	3fn5_A	3le4_A
1bxy_A	1jkx_A	1qxy_A	1ws8_A	2cve_A	2ivx_A	2v89_A	3aa6_B	3fp5_A	3let_A
1byi A	1jl1 A	lqy6 A	1wst A	2cvi B	2ivy A	2v8i A	3aaf B	3fpc A	31f6 B
1c02 A	1i17 A	1az9 A	1wt6 A	2cwd A	2iw0 A	2v8u A	3aal A	3fpf_A	31fh F
1c0n A	1ili A	1r0r F	1wta_A	2cwi B	2iw1 A	2v9m A	3aam A	3fpk B	3lfi B
lold A	1;1; <u>1</u> ;1;	1r12 A	1 wta_A	$2 \text{owr} \Lambda$	$2iw1_R$	2v0t B	Sab6 A	3 fpr D	$31f_{L}C$
	IJIL_A	1112_A	Iwie_A	2CWI_A	21w2_D	2091_B	3400_A	SIPI_D	
Iclk_A	Ijlt_B	Irl/_A	Iwtj_A	2cws_A	21WK_A	2v9v_A	3aba_A	3fpu_B	3lg5_A
lcll_A	ljml_A	lrlp_A	lwto_A	2cxn_B	21wz_A	2vac_A	3abf_E	3fpw_A	3lgi_A
lcly_A	1jnr_C	lrlt_B	1wu9_B	2cyg_A	2ix4_B	2vap_A	3aci_A	3fq3_C	3lgn_A
1cly B	1jnr D	1r26 A	1wui S	2cz4 A	2ixc A	2vb1 A	3act B	3fqm A	3lhq A
1c4a B	1io0 A	1r29 A	1wur B	2czd A	2ixd B	2vba D	3acx A	3fra A	3lhr B
1c52 A	1io8_A	1r2m A	1wve D	2cza B	2ixk A	2vbk_A	3adg A	3frr A	3lid B
1052_1	line A	1r2r B	$1 \text{ wvf} \Lambda$	2024_B	2ivm A	$2 \sqrt{2} \sqrt{2}$	3ado A	$3f_07$ A	3lim D
1036_A	lipe_A	1121_B	1wvi_A	2001_D	2ixin_A	2VC5_A	Jauo_A	261 C	21iv. A
1075_A	IJQ5_A	113 <u>q</u> A	IWWZ_D	2010_A	ZIZZ_D	2VC8_A	Saey_A	3111_C	SIIY_A
Ic/j_A	Ijqe_A	1r45_B	IwyI_A	2d1c_A	2j1s_A	2ve8_E	3afm_A	3ftd_A	3IJW_B
1c7k_A	1jr8_A	1r55_A	1wy2_B	2d1x_A	2j23_A	2veb_A	3afv_A	3fv3_G	3lke_A
1c7n_F	1jsd_B	1r6d_A	1wyx_B	2d1y_C	2j27_A	2vfk_A	3ag3_C	3fv9_G	3lkt_B
1cc8 A	1jt2 A	1r6j A	1wz3 A	2d29 A	2j2j F	2vfq A	3ag3 E	3fvb B	3lkt Q
1ccw B	1iu2 A	1r6x A	1wz8 A	2d37 A	2i3x A	2vg1 B	3ag7 A	3fvh A	311b A
1cf3 A	liub B	1r77 B	1wzd B	2d3d A	2150 A	2yg3 C	3agn A	3fwa A	311u A
	$1 \text{ inv} \Lambda$	1r7i	$1 \sqrt{2} \alpha_{\rm D}$	$2d3u_{\Lambda}$	255 <u>5</u> 1	$2vg5_0$	$3ab2 \Lambda$	3fww_A	3lnv A
leg5_A	ljuv_A	11/J_A	1x0C_A	20311_A	2,51_1	$2vgp_D$	Jali2_A	JIWY_A	Jiny_A
Icg5_B	IJVW_A	118/_A	IX0I_A	204n_A	2JSY_A	Zvna_B	Sanc_A	31X4_A	Slog_C
Ichd_A	ljwq_A	Ir88_B	IxI1_A	2d4p_A	2j5z_C	2v18_A	3ahn_A	3tx/A	3lp6_C
1cip_A	1jy2_N	1r89_A	1x1n_A	2d4v_C	2j6a_A	2vig_A	3ahx_D	3fy1_B	3lpc_A
1cjc_A	1jy2_R	1r8h_D	1x10_B	2d5b_A	2j6b_A	2vj0_A	3ahy_A	3fy3_A	3lpe_B
1ciw A	1jv3 P	1r8s A	1x2i A	2d5c A	2j6f A	2vip B	3ahz A	3fym A	3lpe G
1cka_A	livh A	1r9d A	1x2t C	2d5kC	2i6i A	2viv B	3ai3 C	3fza A	3lpw B
	livo B	$1r9h \Delta$	1x38 A	2d5w B	2j61_F	2vk8C	3aia A	3fzy B	$3 \log \Delta$
lony A	11:07 A	1r01 A	1x20_A	245 w_D	2;72 D	2vko_C		$3\alpha 00$	$\frac{31 \text{ gw}}{21 \text{ r}}$
1 D	11.0° A	1191_A	1,20_A	2032_D	2J75_D	2VKJ_A	Jaj/_A	3g00_A	3114_A
Icnz_B	IKUI_A	Irao_A	IX3X_B	2008_B	2J/J_A	2VKI_A	Sajo_A	Sgue_A	SIRL_A
Icoj_A	Ik0m_A	Irc9_A	1x46_A	2d69_A	2j/z_A	2vkv_A	3ajx_C	3g0m_A	31s0_A
lcpq_A	lkle_K	1rdo_2	1x54_A	2d6m_A	2j8b_A	2vla_A	3ak2_B	3g11_A	3ls9_A
1cqm_B	1k20_A	1rfs_A	1x6i_A	2d73_A	2j8g_A	2vlf_B	3ak8_H	3g1p_B	3ltj_A
1cru B	1k2e A	1rfy B	1x6x X	2d7t H	2j8h A	2vlu A	3akb A	3g1v A	3luc A
1cs6 A	1k4i A	1rg8 B	1x8d C	2d7t L	2i8k A	2vmc A	3akh A	3g20 B	3lum D
1cti A	1k4m C	1rgy C	1x91 A	2d81_A	2i8m A	2vn4 A	3alf A	3g21 A	31vf P
	1k5a	$1rgx \Delta$	1×0 i A	2484 B	$2i8m_{\Lambda}$	$2 \text{vm} \frac{1}{2}$	Salu A	3g2h	31×6 A
	11.5m	11g2_A	1x0x 4	2dou_D	2jow_A	2vii0_A	2 amr D	220_A	21wg D
ICXY_A	IKON_A		1X90_A		2J9C_B	2vno_B	Samn_B	Sg2S_B	JIWg_B
Icyd_D	1K66_B	Irn9_A	1xcr_A	2dc3_A	2J90_B	2vng_A	Jans_B	3g46_B	3lwz_A
lcyo_A	1k6a_A	Irhc_A	1xd3_C	2dc4_B	2j9w_A	2vnk_C	3ap9_A	3g48_A	31x3_A
1cz9_A	1k6d_B	1rie_A	1xdw_A	2ddb_C	2ja2_A	2vnl_A	3apa_A	3g5k_D	3lxr_A
1cza N	1k7c A	1rjd A	1xeo A	2ddx A	2jab C	2vnz X	3apr E	3g5w C	3lxr F
lczf A	1k7i A	1rkd A	1xes B	2de3 A	2jaf A	2vo4 A	3b34 A	3g6m A	3lxy A
1czn A	1k94 A	1rki A	1xfk_A	2de6 A	2ib0 A	2vo8_A	3b42 A	3g7n B	31v0 B
1d02 B	1k91 R	lrka A	1xon R	2de6 F	2iba B	2vo9 R	3b411 B	307w A	$31\sqrt{7}$
	1kal A	1rku A	$1 \times \alpha^2 \Lambda$	2den A	$2jbu_{D}$	2,00 1	3b/w	308h A	3175
1d2m A	1 Irof A	1=10 A	$1 \times g^2 - A$	2dep_A	2j0v_A	2000_A	2651 V	2~00 D	2172 D
102n_A	IKaI_A	1110_A	IXg2_B	Zuib_A	ZJC4_A	2voz_A	3031_X	SBAR B	SIZO_B
1040_A	Ikao_A	Irin_A	1xg4_A	2dtd_C	2jc5_A	2vpg_A	305g_B	3g9m_В	31zw A

1d4t A	1kap P	1rlk A	1xg7 B	2dg1 C	2icb A	2vpi A	3b51 B	3g9x A	3m07 A
1d51 B	lkaz A	1rm6 A	1xgs A	$2 dg_1 = 0$ $2 dg_2 = A$	2jco_A	$2v_{pj}A$	3b5m_B	3ga3 A	3m0f A
$1d51_B$	1kdg B	1rm6_R	1xiw A	2dge_R	2jeq_A	$2vqr_{I}$	3b5n A	3ga4 A	3m0i_A
$1d3t_A$	$1kdj \Lambda$	1 m6 C	1xiw_A	2dgc_{B}	$2jdd_{\Lambda}$	$2vqg_D$	$3b5n_R$	3 gad F	3m0m B
1 daa B	$1 k d_0 R$		1 viv H	$2 dg K_A$	2jdd_A	2vir_{Γ}	$3b5n_D$	3 gab A	3m1h B
$1 dbf \Lambda$	1kag P	1 m 0 P	$1 \times 1 \times 1$	2dlci A	2jul_A	2VIS_C	30311_D	2 gho A	$\frac{3mm}{2m^{2}1}$ D
1dby P	1kow A	про_в 1rai A	$1 \times 1 \times$	2dkj_A	2juk_D 2io6_P	2vsv_A 2vto_P	30311_K	3gbc_A	$\frac{31121}{2m^2 \alpha}$
Idow_B	IKEW_A	11qj_A	1 x K 4 _ I	2 d K O A	2je0_B		3004_A	Sgus_A	SIIIS <u>A</u>
Iden A	IKIW_A	IIIO_A	1xKy_D	2 dn 6 A	2jeo_D	2vuj_A 2vun D	2676 A	Sgco_A	2m51 A
Ideu_A	1kg2_A	Intq_A	1xKZ_D	20p0_A	2 Jek_A	2vuii_B	3070_A	Sgcz_A	311131_A
Idiu_P	IKgc_D	Ifu_A	1×10^{-1}	2dp9_A		2vuo_A	30/e_A	3gd0_A	3m5q_A
IdgI_A	IKNI_A	Iru0_B	1xm8_A	2dpl_D	2jit_A	2006_D	30/S_A	3gd8_A	3m66_A
Idhn_A	Ikhq_A	Iru4_A	Ixmk_A	2dqa_A	2jg6_A	2vve_A	3b84_A	3gdc_A	3m6b_A
Idj0_B	Ikid_A	Irv9_A	Txmp_B	2dql_A	2jh1_A	2vvp_B	368f_C	3gdl_B	3m6z_A
Idjr_G	lkjv_A	Irwh_A	Ixmt_A	2dr1_B	2jhf_B	2vvt_B	3b81_E	3ge3_A	3m/3_A
Idk8_A	lklx_A	lrwj_A	Ixng_B	2dri_A	2jhq_A	2vvw_A	3b8z_B	3ge3_E	3m7o_A
Idl5_B	Ikm9_A	lrwr_A	lxnk_A	2drm_B	2j1/_A	2vw8_A	3b9c_C	3gfu_A	3m/q_B
1dlf_H	1kms_A	lrwy_B	1xo7_B	2ds2_D	2jik_A	2vwf_A	3b9d_A	3gg7_A	3m8j_A
1dlf_L	lkmt_A	lrwz_A	lxoc_A	2ds5_A	2jjc_A	2vwr_A	3b9w_A	3gg9_B	3m80_H
1dlj_A	1kng_A	1rx0_C	1xov_A	2dsj_B	2jjf_A	2vws_C	3ba1_A	3ggw_C	3m8o_L
1dlw_A	1knt_A	1ry9_C	1xph_A	2dsn_B	2jjn_A	2vx5_A	3baa_A	3ggy_A	3m8t_B
1dly_A	1koe_A	1ryi_B	1xpp_C	2dsx_A	2jjs_C	2vxn_A	3bal_B	3gh6_A	3m8u_A
1dm1_A	1kol_B	1ryo_A	1xqo_A	2dt4_A	2jk9_A	2vxq_A	3bbb_D	3gha_A	3m91_C
1doi_A	1kop_A	1ryp_I	1xre_A	2dtj_A	2jkb_A	2vxt_I	3bc1_B	3gip_A	3m9q_B
1dok_A	1kp6_A	1ryp_J	1xrk_B	2dtx_A	2jkg_A	2vxt_L	3bc9_A	3gir_A	3mab_A
1dp7_P	1kpt_A	1ryp_K	1xs5_A	2dur_A	2jkh_A	2vxy_A	3bd1_A	3gk7_B	3mao_A
1dpj_A	1kpu_B	1ryp_Z	1xso_B	2dvm_B	2jl1_A	2vyo_A	3bd2_A	3gkb_C	3maz_A
1dpt_A	1kq1_B	1rzh_H	1xsz_A	2dvx_B	2jlp_A	2vyq_A	3bec_A	3gkj_A	3mb4_B
1dqg_A	1kq3_A	1rzh_L	1xt5_A	2dwu_A	2jlq_A	2vyw_A	3beo_A	3gkm_A	3mb5_A
1dqi_A	1kqp_A	1rzh_M	1xtt_C	2dxe_B	2lis_A	2vyx_C	3ber_A	3gkr_A	3mbg_B
1dqp_A	1kqr_A	1s1d_B	1xty_B	2dy0_A	2mnr_A	2vzc_A	3bex_A	3gkt_A	3mbk_B
1dqz_A	1krh_A	1s2o_A	1xu1_D	2dy1_A	2nml_A	2vzm_A	3bf7_B	3gkv_B	3mbx_H
1ds1_A	1krn_A	1s3c_A	1xu1_T	2dyj_B	2nmx_A	2w0p_B	3bfk_B	3gl0_A	3mcb_B
1dsx_C	1ks8_A	1s57_B	1xvg_C	2dyr_K	2nn8_A	2w15_A	3bfo_B	3glr_A	3md1_A
ldsz A	1ku1 A	1s5m A	1xvg E	2dyu A	2nnr A	2w1j B	3bfq G	3glv B	3md7 ^A
1dtd B	1kug A	1s5u D	1xvo A	2dze A	2nnu A	2wlp A	3bfv A	3gmf A	3md9 ^A
1duv H	1kvd C	1s69 A	1xvx A	2e0q A	2no4 A	2w1r A	3bg8 A	3gmg A	3mdm A
1dxe B	1kve D	1s9r A	1xw6 A	2e0t A	2npt D	2w1v A	3bgo P	3gmi A	$3 \text{ mds } \overline{\text{B}}$
1dxj A	1kw6 B	1sa3 A	1xwt A	2e11 B	2ngl B	2w20 A	3bh4 A	3gms A	3mdu A
1dxy A	1kwf A	1sat A	1xwv A	2e1n B	2ns1 B	2w2b B	3bh7 A	3gmv X	3meb B
1dvs B	1kwg A	1sau A	1xww A	2e1z A	2nsf A	2w2i A	3bh7 B	3gmx B	3mf7 ^A
1dzk A	1kzą A	1sbp A	1xx1 C	2e27 L	2nsz A	2w2k A	3bi1 C	3gn9 C	3mgn B
1e0w A	112p A	1sd5 A	1xxa D	2e20 A	2nt4 A	2w31 B	3bie A	3gne A	3mh9 A
1e25 A	112t B	1sdi A	1xyz A	2e3a A	2ntp A	2w39 A	3bkb A	3gnr A	3mhs B
1e29 A	113p A	1sds A	1v0h A	2e3z B	2nug B	2w3g A	3bki H	3go2 A	3mhv C
1e2w B	1150 A	1seg A	1v0m A	2e42 A	2nuh A	2w3j A	3bkr A	3go6 A	3mi4 A
1e3d B	115w B	1sen A	lvlp A	2e4t A	2nuk A	2w3p B	3bkt_A	3goc B	3mil A
1e4c P	116r A	1sf9_A	1v1x A	2e5f A	2nuw A	2w3v A	3bl6_A	3goe A	3mio B
1e4m M	116w B	1sff C	1v20 A	2e5v B	2nw2B	2w3x A	3bmb B	3gon A	3miv B
1e4v A	1171 A	1sfs_A	1v2t B	2e6f A	2nx0 A	2w40 A	3bmw A	3gox B	3mkh B
1e59 A	1191 A	1sg4 C	1v37 A	2e6u X	2nx4 C	2w43 A	3bmx B	3gn3 D	3mlb A
le5k A	119x A	1sgw A	1v43 B	2e7u A	2nxh B	2w47 A	3bn6 A	3gp4 B	3 mm 5 B
1e5m A	11b6_A	1 sh7 B	1v4i B	2e7z A	2nvb A	2w4c A	3bni A	3gng B	3mm6_A
1e6i Ā	11c3 A	1sh8 B	1v4w A	2e85 A	2nz7A	2w4f A	3bo6 B	3ggh A	3mmg A
1e6v B	11c5 A	1shu X	1v51 A	2e8e A	2nzh A	2w4i F	3bod A	3gai A	3mmh B
1e71 B	11cl A	1skz A	lv5i B	2e9m A	2007 B	2w50 B	3boe A	3grh A	3mmw D
1e7s A	11cn A	1smo A	1v60 E	2e9v B	200h A	2w5a A	3boi A	3grn A	3mn1 C
1e9g A	1le6 A	1sn2 B	1v66_C	2ea3 A	201c B	2w70 A	3bom C	3gru A	3mos A
leai B	11gt A	1snn A	1v6i A	2eab A	201k B	2w7n A	3bom D	3gsh A	3mov A
leao A	11i5 A	1stm B	1v7n B	2ebb A	2020 F	2w7w B	3bov A	3gt5 A	3mpc A
lear A	11i9 B	1svb A	lv7t B	2ebo C	2028 A	2w83 C	3bp5_A	3gv6 A	3mpz B
1eb6 A	1lio A	1svd M	1v7w A	2ecs A	202c C	2w86 A	3bpi B	3gyf A	3mg2_B
leco A	11k5 B	1svf B	1y80 A	2ecu A	202p D	2w8x A	3bpv A	3gvg B	3mqd A

ledg A	11kn A	1sw5 B	1v8a A	2eeo B	2036 A	2w8v B	3bnw A	3gvo A	3mah D
leda A	111f B	1swy A	1y91_A	2eev A	2030_A	2w91 A	$3bp \pi D$	$3\sigma w^9 C$	3ms5 A
leei B	111m C	lsva B	1y9w B	2efr B	2037_A	2w91_R 2w98_B	3ban B	3gwa A	3msu B
legy B	11o6_A	lsvr A	1y97 B	2efr_A	$204t_{\Lambda}$	$2wy0$ _B	$3br8 \Lambda$	3 gwc D	3msy B
leis A	11a0 A	1 sx - R	$1yyz_B$	2erv_R 2erd_R	$204t_R$	$2w y n_{\Lambda}$	3bs1 A	3 gwb B	3mto A
loi0 A	11q2_A	1 sy/_D	lyar D	2cgu_D	$204V_D$	$2W J_A$	$\frac{3031}{2h_{a}2}$ A	2 gwi A	2mtr D
lej0_A	11qa_A	1syy_A	Iyar_D	2egj_A	2031_B	2wa2_B	3082_A	2 gwl E	$3 mu7 \Lambda$
ICJZ_A	11qv_A	1SZII_A	$1 \text{ yal}_{\text{IN}}$	2egv_A	203 <u>g</u> A	2waa_A	3089_B	Sgwk_E	2mmi D
lejb_A	$11qx_A$	ISZII_A	Туро_в 1ь5_А	2eno_A	2030_A	2w00_A 2wbf_V	2buy D	2 gwm_A	Зши <u>ј</u> В
lekj_C	III/_A	1520_K	Tyb5_A	Zeng_A	2001_A	2w01_A	30UV_B	2 9	Sinuz_S
1 eKX_A	1111_A	1100_A	Iyul_D	Zenq_A	200p_A	2w0s_A	30V0_D	Sgxo_A	SINWC_A
	11so_A	1100_A	IYDK_D	Zent_A	2005_A		3DVK_F	3gxb_A	3mwi_A
lelr_A	IIS9_A	Itob_D	Iybz_A	2ehz_A	20/4_F	2wci_A	3bwh_A	3gxr_B	3mwj_A
Ielu_A	list_A	Itor_B	Tyd3_A	2e15_B	20/1_A	2wcj_A	3bwu_D	3gzg_A	3mx6_B
lelw_A	IItI_H	Itof_C	lydy_A	2eiq_B	2090_A	2wco_A	3bx4_A	3gzh_A	3mxn_A
lenf_A	Ilua_C	It0p_B	lyfn_C	2eix_A	209c_A	2wcr_A	3bx4_B	3gzk_A	3mxn_B
leo6_B	llvw_B	It0t_X	lyfu_A	2eiy_B	209s_A	2wcu_A	3bxe_B	3gzx_A	3mxu_A
1ep0_A	1lw6_E	ltlg_A	lyif_A	2eja_B	2oaa_B	2wdc_A	3by4_A	3gzx_B	3myb_A
leq9_B	11w6_1	ltlj_B	lyıı_A	2ejn_B	2obi_A	2wds_A	3byb_B	3h01_A	3mzv_B
les5_A	1lwb_A	ltlv_B	1ykd_A	2ejw_A	2obl_A	2wdu_B	3byp_A	3h04_A	3n08_A
lesw_A	1lwd_B	1t2d_A	1yki_B	2ejx_A	2ocg_A	2we5_C	3bzz_B	3h09_B	3n0i_B
1eu3_A	1ly2_A	1t2h_B	1yn3_B	2ekp_A	2ode_D	2wei_A	3c05_A	3h0o_A	3n10_B
1euh_C	1m0d_C	1t2w_C	1yn8_E	2eky_C	2odf_E	2wf6_A	3c05_D	3h0u_C	3n11_A
1euv_A	1m0s_B	1t3q_A	1yn9_A	2elc_B	2odk_C	2wfc_C	3c0i_A	3h12_B	3n1e_B
1euv_B	1m0u_A	1t3q_B	1ynb_C	2end_A	20e3_A	2wfh_B	3c1o_A	3h1g_A	3n1f_D
1evh_A	1m15_A	1t3y_A	1ynh_B	2eo4_A	20eb_A	2wfj_A	3c2u_A	3h1s_B	3n1s_M
1ex2_B	1m1n_E	1t4b_B	1ynp_B	2eq6_B	2ofc_A	2wfo_A	3c3y_B	3h34_A	3n22_A
1ext_A	1m1n_F	1t61_C	1yo3_A	2erf_A	2ofk_A	2wfz_A	3c4s_A	3h3n_X	3n2n_E
1eyh_A	1m1r_A	1t61_E	1yoa_A	2erw_A	2og1_A	2wge_A	3c5a_A	3h4n_A	3n37_A
1eyl_A	1m2d_B	1t6c_A	1yoc_B	2ery_B	2oh5_A	2wgp_B	3c5e_A	3h4x_A	3n3s_A
1eyv_A	1m2h_A	1t6g_D	1yon_A	2esl_A	2ohw_B	2wh7_A	3c5j_A	3h55_B	3n4i_B
1ez3_B	1m2t_B	1t6u_L	1yp1_A	2et1_A	2oif_B	2whg_B	3c5k_A	3h5i_A	3n4j_A
1ezg_B	1m2x_D	1t6v_N	1yph_D	2etb_A	2oiz_B	2wi8_A	3c68_B	3h5j_B	3n5a_A
lezm_A	1m3u_C	lt7q_B	1yph_E	2etx_A	20j6_C	2wiy_A	3c6w_A	3h51_B	3n5b_B
1f08 B	1m40 A	1t7r A	1yq2 C	2eu7 X	2okl B	2wj5 A	3c70 A	3h62 B	3n72 B
1f0k B	1m4i A	1t8h A	lyqd A	2eut A	20km A	2wje A	3c7f A	3h6p B	3n79 A
1f0y B	1m4j A	1t8k A	lyqe A	2ev1 A	20kg A	2wjn C	3c7t A	3h6p C	3n98 A
lflm C	1m55 A	1t8t B	1yqw B	2evb A	2ol1 B	2wjn L	3c7x A	3h78 A	3n9g H
lflu A	1m5t A	1t8z C	lygw Q	2ewh A	20lm A	2wjn M	3c8e A	3h7h A	3n9i B
1f39 A	1m6j B	1t92 B	lygz A	2ewt A	20ln A	2wk0 A	3c8i A	3h7h B	3n9u B
1f3u G	1m70 D	1t9i B	lyrk A	2ex0 B	20lp A	2wkk ^C	3c80 A	3h7i A	3n9u C
1f46 B	1m7a B	1ta3 A	lys1 X	2ex2 ^A	20lr A	2wkx A	3c8p A	3h7r A	3nbk A
1f4p A	1m7g A	1ta3 B	1vsl B	2exh D	20my B	2wl1 A	3c97 A	3h7u A	3ncl A
1f5j A	1m7j A	1ta9 B	1yt3 A	2exv A	20mz A	$2wm\overline{3}$ A	3c9a B	3h81 C	3ndd A
1f5v A	1m7s D	1tag A	1vtg A	2ez9 A	2on5 A	2wm8 A	3c9h B	3h87 B	3ndh B
1f60 A	1m8s A	1taw B	1vu0 A	2f0c A	2001 B	2wmf ^A	3c9u B	3h87 D	3ndj A
1f60 B	1m93 B	1tbf A	1vuz B	2f23 B	20p3 A	2wn3 ^C	3c9x A	3h8g C	3ndo A
1f71 A	1m9z A	1tc5 B	1yw5 A	2f2b A	20p6 A	2wnp F	3c9z A	3h8t A	3nfu A
1f8m C	1mb4_A	1tca A	1vwm A	2f51_A	20pc A	2wns A	3ca7 A	3h8x A	3nfw B
1f94 A	1mc2 A	1ten A	1vxv A	2f5g B	20pg B	2wny F	3cai A	3h91 A	3 ng 7 X
1f9f D	1md6 A	1tez B	1vva A	2f5t X	20gb A	2wnx A	3cb0 D	3h9c A	3ngf A
1 fcz A	1me4 A	1tf1_A	1vzf A	2f5v A	2or7 A	2wny B	3cb6 A	3h9e O	3ngh A
1fd3 A	1mex L	1tf4 A	1vzl A	2f60 K	2os5 A	2woe C	3cbg A	3ha9 A	3ngi A
1 fe0 B	1mfa H	1tg0 A	1vzm A	2f6e_A	20s9 B	2wol A	3cbx A	3hc4 L	3ngp A
1 fec B	1mg4 A	1tg7 A	lyza A	2f6u A	2osa A	2wot A	3ccd B	3hci A	3ni0 A
1feh A	1mga C	1tgr A	1vzx A	2f7b A	2otu E	2wp7 A	3ce6 A	3hcn B	3ni2 A
1fi2 B	1mgr A	ltgx B	1z06 A	2f91_A	2oui A	2wpg C	3ce7 A	3hd4 A	3nis B
1 fk 5 A	1mgt A	1th7 H	1z08 C	2f99_C	2ous A	2wpv D	3cfc H	3hdf B	3ni2 A
1fli A	1mhn A	1thg A	1z0i A	2f9i D	20v0 A	2wpv E	3cfz A	3hdl A	3nje B
1fm0 D	1mhx A	1thm A	1z0i B	2f9n B	20w9 B	2wai D	3cg1 A	3he5 C	3nin C
1fm4_A	1mi3 B	1thx A	1z0s C	2fao B	2ows A	2wak A	3cgi C	3he5 D	3nn1 A
1fn9 A	1mix A	1thz A	1z1s A	2fb5_A	20x0 A	2war A	3chi A	3he8 B	3no0 A
1 fob A	1mj5 A	1tjy A	1z2a A	2fba A	2ox4 H	2wsb C	3chm A	3hef B	3no7 A

1fp2 A	1mk0 A	1tke A	1z2n X	2fbd A	2ox6 B	2wt1 A	3ci7 A	3hf5 C	3noj A
1fpo B	1mkk A	1tn4 A	1z2u A	2fbn A	2oxc A	2wta A	3cij A	3hfo A	3nok A
1 fqt B	1mla A	1to4 A	1z3e A	2fbg A	2oxg A	2wtg A	3cin A	3hfw A	3nol A
1fr3 A	1mlw A	1toa B	1z3e B	2fc3 A	2oxg Y	2wtm C	3cip G	3hg3 B	3noo B
1 frb A	1mn8 B	1tov A	1z3q A	2fcb A	20xn A	2wto A	3civ A	3hgb A	3ngx A
1fsg A	1mo0 B	1tp5 A	1z47 A	2fcr A	2oy2 F	2wu9 A	3cjp B	3hgm A	3nr1 A
1ftr A	1mo9 A	1tp6 A	1z4j A	2fcw A	2oy7 A	2wue A	3cjs B	3hgu A	3ns2 A
1 fus A	1mof A	1tp9 B	1z4r A	2fcw B	2oya B	2wuh A	3ckf A	3hh7 A	3ns6 B
$1 \text{fw} \overline{4} \text{ A}$	1moq A	1tqh A	1z6n A	2fd5 A	20yn A	2wuk A	3c15 A	3hh8 A	3nsl F
1fx4 A	1mpg B	1tr0 J	1z60 D	2fdn A	2oyp A	2wut A	3cla A	3hhi B	3nsx B
1fxl A	1mpl A	1tsf A	1z60 M	2fdv A	2ozf A	2wv3 A	3cls D	3hht B	3nsz A
1fxo G	1mug A	1tt2 A	1z76 B	2fdx A	2ozl A	2wvf A	3cm0 A	3his A	3nt1 B
lfz1 B	1mv8 C	1tt8 A	1z7x W	2fe3 A	2ozn A	2wvg F	3cmj A	3hjb A	3ntk A
1g01_A	1mvf_A	1tu1_B	1z80_A	2fe5_A	2ozn_B	2wvv_A	3cmy_A	3hje_A	3nua_A
1g0o_C	1mvf_D	1tu7_B	1z96_A	2fe8_A	2p02_A	2ww2_B	3cnk_B	3hjr_A	3nv1_A
1g12_A	1mvo_A	1tu9_A	1zbf_A	2ff4_A	2p09_A	2ww5_A	3cnm_A	3hjs_A	3nvs_A
1g1s_B	1mxg_A	1tua_A	1zch_A	2ffu_A	2p0f_A	2wwe_A	3cnu_A	3hl5_B	3nvw_J
lglt_A	1mxr_A	1tuh_A	1zcz_A	2ffy_B	2p1g_B	2wwf_C	3cou_A	3hlx_A	3nwo_A
1g29_2	1my5_A	1tuk_A	1zd0_A	2fgo_A	2p1m_B	2wwk_T	3cp5_A	3hm5_A	3nxb_B
1g2o_C	1my6_B	1tvn_B	1zd8_A	2fgr_A	2p39_A	2wwx_A	3cp7_B	3hmc_A	3ny3_A
1g2q_A	1mz4_A	1txg_B	1zdy_A	2fhf_A	2p3h_A	2wwx_B	3cpq_B	3hms_A	3ny7_A
1g2r_A	1mz9_A	1ty9_A	1zem_A	2fhz_A	2p49_B	2wx9_A	3cpt_A	3hnb_M	3nye_A
1g3k_B	1mzy_A	1tzw_A	1zgd_B	2fhz_B	2p4e_P	2wy3_B	3cq5_B	3hnx_A	3nyk_A
1g4i_A	1n08_B	1tzy_C	1zhh_A	2fi1_A	2p4k_A	2wy4_A	3cql_A	3hol_A	3nyt_A
1g5a_A	1n0q_B	1tzy_F	1zhq_A	2fi9_A	2p51_A	2wy7_Q	3cqt_A	3hpc_X	3nzn_B
1g61_A	1n13_G	1u07_A	1zhv_A	2fj8_A	2p54_A	2wy8_A	3cry_A	3hr0_A	3007_A
1g6a_A	lnlj_A	1u09_A	1zhx_A	2fl4_A	2p57_A	2wya_A	3csk_A	3hra_A	300a_B
1g6c_B	lnlj_B	1u11_A	1zi9_A	2flh_B	2p5k_A	2wyq_A	3ct1_A	3hrx_A	300d_C
1g6g_A	1n3y_A	lulw_B	1zja_A	2fli_A	2p5y_A	2wz9_A	3ctg_A	3hs3_A	300g_D
1g6h_A	1n5w_D	1u2b_A	1zjc_A	2fm6_A	2p65_A	2wzm_A	3ctk_A	3hsh_A	301g_A
1g6u_B	1n63_C	1u2h_A	1zjj_B	2fma_A	2p68_A	2wzx_A	3ctp_B	3hss_B	301k_B
1g8a_A	1n63_E	1u2p_A	1zk4_A	2fmm_C	2p6h_B	2x0k_A	3ctz_A	3ht1_A	301n_A
1g8i_B	ln71_C	lu2w_B	1zk7_A	2fmp_A	2p6w_A	2x18_E	3cu4_A	3ht5_A	301p_A
1g8k_A	ln7e_A	1u3i_A	1zkc_A	2fn3_A	2p6z_A	2x1b_A	3cu9_A	3huh_A	3026_A
1g8k_D	ln7s_A	1u53_A	1zke_B	2fn4_A	2p74_A	2x23_B	3cui_A	3hup_B	302e_A
1g94_A	In/s_B	1u55_A	lzkk_B	2fn9_B	2p8b_A	2x2o_A	3cvb_A	3hv2_B	303m_C
1g97_A	ln7s_C	lu5d_B	1zkl_A	2fne_A	2p9x_D	2x32_A	3cwn_B	3hvi_A	303m_D
lg9g_A	ln7s_D	lu5f_A	1zl0_B	2fnu_A	2pal_A	2x3h_C	3cwv_A	3hvu_C	303u_N
1g90_A	In82_B	Iu60_B	Izlm_A	2fo3_A	2pa6_B	2x3m_A	3cx5_E	3hvv_A	304h_A
lga6_A	In83_A	lu6e_A	Izm8_A	2fp1_A	2pa/_B	2x49_A	3cx5_F	3hx9_A	304r_B
Igai_A	In8f_B	luor_B	Izn8_A	2fp/A	2pbc_C	2x4d_A	3cx5_G	3hxa_F	304v_B
Igbg_A	In9I_A	$1u6t_A$	Izo2_A	2fq3_A	2pbd_P	$2x4k_B$	3 cx 5 -1	3hxs_B	305V_B
Igbs_A	Ina0_A	Iu6Z_B	IZO1_B	2fqw_A	2pbi_C	2X41_A	3cx5_0	3nxw_A	30/0_A
Igci_A	Ina5_A	1084 A	1ZOS_C	2 If 2 A	2pb1_D	$2x3C_B$	3CXK_A	3nZ2_A	30/9_A
Igcq_C	Ind9_A	1081_Q	12ps_B	2115_C	2pop_A	2X31_B	3CXZ_A	3nZD_E	30/0_A
Igae_B	1n0C_B	$108V_C$	$12pw_X$	211g_P	2pc8_A	$2x3n_B$	3cy4_A	310W_A	3083_B
Igee_E	Inou_D		12q9_В	2110_A 26m D	2pcj_b	$2X3X_A$	SCYLA	2:111 A	3083_Б 208m_А
Igeg_G	Inc5_A	$109K_A$	$12r0_D$ $1\pi^2$ D	$2\pi X B$	2pcn_A	2x5y_A	3cZ1_B	311U_A	308m_A
Iges_D	lno7_C	1ua4_A	1213_B	$2fu0_A$	2pui_B	$2x0W_A$	3czi_B	3124_A	3092_A
1gK0_A	lnen A	luai A	1210_A 1754_D	$2fu4_A$	$2p_1Z_A$ $2p_2Q_B$	$2x70_A$	$3cZt_A$	3i20 D	30ai A
$\frac{15\pi}{10k9}$ A	1 ncp_A $1 \text{ nf8} \Delta$	1_{11}	1234_D $175W$ Δ	$2 \text{fvh} \Delta$	$2pg0_D$ $2pg0_\Delta$	$2 \times 7 \text{m}^{-A}$	3d03 B	$3i31 \Delta$	$30am \Delta$
$1\sigma k9 R$	1nff R	1 ubs A	1zsx A	$2 fv n_A$	$2p_50_A$ $2ph3_A$	$2 \times 8 h$ A	3d0n A	3i33 A	30bu A
1g12 A	1nfv N	1uc4 A	1zt5_A	2fvv A	2php_A	2x8r A	3d00 A	3i35 A	30CU A
1g]2 B	lng6 A	luc4 G	1zu3 A	2fwh A	2pi6 A	2x8s A	3d1b C	3i36 A	30d9 A
1g12 C	1nh2 A	luca A	1zuo A	2fvg A	2pie A	2x8x X	3dlg A	3i3f B	3 odg A
1gl2 D	1nh2 B	1ucr B	1zuu A	2 fvx A	2piv B	2x96 A	3d1k A	3i3g A	30fk C
1gmu C	1nhc E	lucs A	1zuv A	2fzp A	2piz A	2xb4 A	3d2g A	3i45 A	30g9 B
lgmv A	1nhk L	lude A	1zv1 A	2fzv B	2pk3 A	2xbk A	3d2w A	3i47 A	30gn B
1gn0 A	1nki B	lueb A	1zwh A	2fzw B	2pk8 A	2xbl A	3d30 A	3i48 B	30gr A
1gnl A	1nkp D	luek A	1zwz A	2g2n C	2pkf A	2xbp A	3d32 A	3i40 B	3oid C
1gnt_A	1nln_A	luf5_A	1zx6_A	2g2s_A	2pko_A	2xc2A	3d34_A	3i4s_A	3oig_A

-	1		1				1	1	
1gnv A	1nls A	1ufb C	1zxt B	2ø30 A	2pkt A	2xch A	3d3h A	3i4z B	3oiu A
1 0 0 0	1 0 1		12.110_12				0.10		0.17
1go3_N	Innf_A	Tufi_B	IZXX_A	2g45_D	2plt_A	2xce_F	3d3z_A	3157_B	30J/_A
1 goi B	1nnh A	1ufv A	1770 A	$2\sigma 5x A$	2nmk A	2xci A	3d43 B	3i5c B	3ois A
1501_D	1	1 ury_11	1220_11	2501_11	2pmin_11	2.105_11	0115_D	0.2	2 10
lgp6 A	Inns A	lug6 A	lzzg B	2g64 A	2pmr A	2xcz A	3d47 A	315r A	3010 A
$1 \sigma ne \Delta$	1nnw B	lugi F	$177k \Delta$	$2\sigma 6f X$	$2nn6\Delta$	$2 x da \Delta$	3d4i A	$3i5x \Delta$	3013 4
15pc_n	IIIIW_D	Iugi_L		2501_X	2pno_7	2Aua_11	5u+1_71	5157_1	5015_11
lgpi A	lnoa A	lugp B	lzzo A	2g76 A	2pn8 B	2xde A	3d4u B	316c A	3omc B
	1nof A	$1 \mu \sigma v \Lambda$	1771	2070 1	2nnd A	$2 v d \sigma \Lambda$	3d6r 1	3i6t B	3 omt A
Igpu_A		TugA_A	IZZW_A	2g/0_A	2phu_A	ZAUg_A	Juoi_A	510t_D	Joint_A
lgql A	lnog A	luha A	256b B	2g84 A	2pnx A	2xdj F	3d79 A	3i7u B	3onr I
1008	1 nov A	1uba A	$2_{0}07$ V	2080 B	2001 1	2vdn A	2.479 B	3180 C	3008 1
Igqo_A	IIIOA_A	Tunc_A	2007_K	2g00_D	2phy_A	ZAUP_A	Ju/a_D	5105_C	5000_A
lgql B	1npy B	1uhk B	2a0n A	2g9f A	2poi A	2xdw A	3d8t A	3i94 A	300i A
	1na6 A	$1 \text{ui} 0 \Lambda$	291/ 1	$2\sigma_2/D$	2nok B	2ve/ 1	3405 B	3:06 1	3008 1
Igqv_A	Inqo_A	Tulo_A	2014_A	2ga+_D	2pok_D	2704_7	5u)5_D	5170_A	Jopo_A
lgtf I	lnq7 A	luiw C	2a15 A	2gag A	2por A	2xed A	3d9t A	3198 E	3opk A
1 otv A	1 nau B	1110 1	2226 C	2020 B	2nos D	2vet B	3d0x C	3100 1	3002 1
igiv_A	Inqu_D	Tujo_A	2a20_C	2gag_D	2p05_D	ZACI_D	JUJA_C	JIJY_A	50q2_A
lgtz D	Inr0 A	luj2 A	2a28 A	2gag C	2ppp A	2xeu A	3d9y A	31a2 F	3oqy B
1 m 2 A	1nr/G	11118 1	2a2n C	2028 1	2nnt B	2 Vev A	3da0 C	3ia/ D	3 orh C
15u2_7		1uj0_1	2u2ii_C	2gus_11	2ppt_D		Suao_C		Join_C
Igu'/ B	Insc B	luk'/ A	2a2r B	2gb4 B	2pqm B	2xt2 A	3dac A	31an A	3orv B
$1 \text{ mud } \Delta$	$1 \text{ nth } \Delta$	$1 \mu k f \Delta$	2_{940} F	$2 \sigma h t \Delta$	2nar B	$2 \text{ vfd} \Delta$	3dai A	3iar A	3 orv D
1guu_A	Intil_7		2040_L	2501_11	2pqr_D		Suul_II	51a1_71	501V_D
Igug_D	Intv_A	lukm_A	2a4v_A	2gbw_E	2pqr_D	2xfv_A	3dan_A	31av_A	3ose_A
1σπί Α	1ntv A	lukm B	2a4x A	$2\sigma c 4$ I	2nax A	$2xh^2$ C	3dag A	3ib7 A	30sm A
igui_ri	1 my_rr		2 52 0	2501_L	$2pqn_n$		Suuq_1	2:1	
Igv5_A	Invm_C	luku_A	2a53_C	2gdq_B	2pr5_A	2xhi_A	3dau_A	31ch_A	3oti_B
$1 \sigma v i \Delta$	1nvm F	$1 \mu k z \Delta$	2a5d A	$2 \sigma dz \Delta$	$2nsd$ Δ	$2 \text{vhn} \Delta$	3dc5 C	$3id1 \Delta$	30uf B
15VJ_7			2030_A	2guz_n	2psu_n	2.111	Sucs_c	51u1_/1	Jour_D
lgvn D	Inw2 H	lulk A	2a61 C	2gec A	2psp B	2x18 A	3dcn A	31d7 A	3ovp B
$1\sigma we A$	1nwa A	1ulr A	2265 B	2gev D	2nst X	2xii A	3del B	3ida A	30VV B
15.00_11	1	1 1 0	2405_0	250 <u>9</u> 0 m p	2pst_1	2		2.1	2 01 1
Igwi_B	Inwp_A	Tuma_C	2a6x_A	2g13_B	2ptn_A	2X10_A	3deo_A	31dw_A	3put_A
19wii A	1nww A	1umd D	2a70 A	29f9 A	2ntt B	2xkg A	3dfg A	3ie4 A	3plf A
1	1	1	2-71 D	2		21 A	2 -1 -1	2:-5	2.1.1.
Igxn_A	IIIWZ_A	Tunik_A	2a/1_D	2ggo_A	2ptz_A	ZXKI_A	Sugo_A	Sles_A	Spig_A
1gxu A	1nxc A	1umz A	2a8n A	2gh0 B	2pu3 A	2xla A	3dgp A	3iei C	3p2n A
	1 nvi A	11101	2.01 1	2ab0 D	$2n_{10}$ Λ	2v11 A	2 dan B	3 jav A	$3n2t^{-1}$
IgAy_A	IIIAJ_A	Tuow_A	201_A	2gno_D	2pu)_A		Jugp_D	JICV_A	Jp2t_A
lgy6 A	lnxm A	luoy A	2a9s A	2gh9 A	2pu9 B	2xm5 A	3dgt A	3iez B	3p3c A
$1 \sigma \sqrt{7}$	1nvk B	$1 \mu \alpha x \Delta$	2aa1 B	$2\sigma ha \Delta$	$2nv^2\Delta$	$2 \text{ ymy} \Delta$	$3dha \Delta$	$3ife \Delta$	$3n3e^{-\Delta}$
1597_0	1 t C	1 uq	2 uu1_D	25nu_1	2012_1		2.11.5		2 2 1
Igyn_C	Inyt_C	Tuqz_A	2aal_C	2gia_B	2pvb_A	2xn4_A	3ani_B	31g9_C	3p3g_A
1gvo A	1nza A	1urn C	2aan A	2gih B	2pve B	2xn6 A	3dhi C	3igz B	3p3o A
1	1-04 E	1	2-1-0 4		2,	2	2 41 - 0	2:1	2
Igyv_A	1004_E	Tun_A	2a00_A	2gIy_A	2pvq_A	ZXOV_A	Suno_C	SIIIW_A	3p48_A
1gvv B	100e B	1urs A	2abk A	2gi3 A	2pwv A	2xpp A	3die A	3ihz B	3p4t A
1	1 - 1 - 4	1	2.h. D	2-110	2	2	24:0 4	2::7	251.
Igzc_A	1012_A	Tuss_A	Zaow_D	2gja_C	2pxx_A	2xqu_A	Suj9_A	311/_A	spsn_A
1gzw B	1026 C	luse A	2acf D	2gke A	2py4 A	2xs4 A	3djh C	3iij A	3p73 A
1603 D	10/12	lusf B	2ad6 A	2 akm B	20000 1	2801 1	341 1	2iin M	2n72 B
11105_1	104K_A	Tust_D	Zauo_A	2gkm_D	2pyw_A	ZASU_A	Juji_A	JIIu_IVI	зр75_в
1h0h B	lo4s A	lusg A	2ad6 D	2gkr I	2pz0 B	2xt2 A	3djo A	3113 A	3p7y A
1h16_4	$104t^{-}$	11150 4	$2ae^{2}\Delta$	$2\sigma 15 \Delta$	2nze B	$2 \text{ vts} \Delta$	3dkg A	3iil A	3n97 C
11.1	1011_11	1050_11	2002_1	2515_11	2p20_D	2.4.5_1	2 11 A	31j1_11	⁵ p ⁷ /_C
lhln_A	104v_A	Tusq_B	2aen_E	2gmy_E	2pzh_B	2xts_B	3dkc_A	$31k^{2}D$	3p9c_A
1h1v A	104v A	1uti A	2aex A	2gn4 B	2a01 A	2xtt B	3dkm A	3ilo A	3n9n A
11.01 D	1.5.	1	2 4 D	2	2-20 D	2	2	2:1- 4	20
In20_B	105u_A	Tuu4_A	Zag4_B	2gnc_A	2q20_В	2xu3_A	SORT_A	3118_A	3p9x_A
1h2c A	105x A	1uua A	2ag5 B	2gok A	2a28 A	2xu8 B	3dl0 A	3ilw A	3pb6 X
1h2a_1	1079 P	1,1,1,1,2, A	2and D	200m A	2020	2vvm D	3dlm A	3im1 A	3nhf A
	107e_b	Tuuy_A	Zagu_D	2gom_A	ZqZa_D	ZXVIII_D	Julii_A	JIIII_A	Spoi_A
lh2s A	10/1 A	luv4 A	2aht A	2gou A	2q2h A	2xvs A	3dm8 A	31m9 A	3pc3 A
1h2s B	107i C	$1 m \alpha \Delta$	2ahn A	2 gpe B	2a35 A	$2\mathbf{x}\mathbf{y}\mathbf{x}$ Δ	3dme B	3imh A	$3ncv \Delta$
11123_D	107 <u>J</u> _C	Tuvy_A	2 dill_71	2gpc_D	2455_1	2	Sume_D		
Ih4a_X	lo/q_B	Tuw4_C	2aib_A	2gqt_A	2q5c_A	2xws_A	3dmg_A	31nz_B	3pd2_B
1h49 A	107z B	111w4 D	2akz B	2gaw A	2a62 G	2xwt C	3dmi A	3iof A	3nd7 A
11.4	1-92 4	1	2	2.591.	2-72_0	2i D	2	2:-1- 4	2
In4p_A	1082_A	Tuwc_A	2anv_A	2grc_A	2q75_C	2xxj_D	Samo_A	310n_A	span_A
1h4r A	108s A	luwf A	2anv A	2grr B	2a86 B	2xxl B	3dnf B	3ioa A	3pel B
1155 D	1.08	1 unde D	20n1 A	2 and A	2.97	2222 1	2 dng D	2 iov A	2 noru A
поо_в	100X_A	TUWK_D	Zapī_A	2gsu_A	240/_A	ZXYZ_A	Supg_D	JIOX_A	Spew_A
lh5q L	1091 C	luwz A	2apg A	2gso B	2q88 A	2xz2 A	3dqg A	3ip4 A	3pt2 A
$1h5v\Delta$	1.098 4	1uvv V	$2aam \Delta$	$2 \sigma t e^{-\Delta}$	2a8n C	2xzi A	3 dr 0 C	3in8 A	$3nf\sigma \Delta$
11 (4 0	1 0: 5	1 1	2"""_"	2500_1	2401_0	2.2.1	214 5	2	2 P15_11
1n64_Q	1091_D	1uxy_A	2aqp_A	2gtr_A	2q8r_G	2y2z_A	3dr4_B	31pc_A	3pts_A
1h6f A	109r E	luv1 A	2ar1 A	2gu3 A	2a9u A	2v39 A	3dra A	3ipf A	3pg6 C
1661		1	20m D	land D	200 5	2.22	2 d. f 1	2:	2 PB0_0
Inol_A	10a2_C	iuyx_A	Zarc_B	∠gua_B	2qa9_E	2узq_в	Suri_A	SIPW_A	<pre>>pgx_A</pre>
1h6u A	10a8 A	1uz3 A	2asd A	2gui A	2qac A	2y3v D	3drw B	3iq3 A	3phs A
1h6w A	1022 1	1×05^{-1}	29511 B	2 min C	2 dan A	2 37 1	3drz B	3ial A	3nhy B
INOW_A	Toaa_A	1,005_A	Lasu_D	2guv_C	2yap_A	Lyst_A	Juiz_D	Jiqi_A	Jpnz_D
1h72_C	loa1_A	1v08_B	2at8_X	2guy_A	2qb7_A	2y5p_C	3ds4_B	31rp_X	Зрјр_В
1h75 A	loal A	1v0z B	2atb A	2gw4 D	2qc5 A	2v7b A	3dsk A	3irs A	3pk0 A
1h7a D	1000	1	2 otre		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2.00	2 day 1	2:	2 ml A
In/e_B	10a0_A	IV2Z_A	2atv_A	2gwm_A	2qao_A	2y88_A	3aso_A	51rv_A	эркv_А
	1	120 4	20117 4	2 ava A	2 adv A	2v8m A	3 dt0 A	3103 A	2nlf D

1h8μ Δ	load I	1v33 A	2avd B	2 gyra B	2 aed A	$2_{\rm MAM}$ Δ	3dth A	3isa B	3nlw A
1h07_D	loba A	1.27	2avu_D	$2gyq_D$	2qcu_A	2yay_A	2 dury A	2:00 A	$2 \text{ mly } \mathbf{D}$
119/_Б	1000_A	1V3/A	2avk_A	2gz1_D	2qee_r	2ygs_A	Suvw_A	5150_A	эріх_в
Th98_A	loc2_B	Iv4p_C	2axq_A	2gz4_A	2qev_A	2yqu_B	3dwg_A	31sq_A	3pmc_B
1h9m_A	loc8_A	lv4x_B	2axw_B	2gze_A	2qf4_B	2yrr_B	3dwg_C	3it4_B	3pmd_A
1h9s_B	lock_A	1v54_A	2ayd_A	2gze_B	2qfa_A	2ysk_A	3dwv_B	3it4_C	3pms_A
1hbn C	locy A	1v54 J	2b0a A	2gzg B	2qfa B	2yva B	3dxt A	3iu5 A	3pmt A
1hbn E	10dm A	1v54 V	2b0t A	2h17 A	2qfa C	2yve A	3dy0 A	3iu7 A	3pna A
1hc9 ^B	1odt H	1v55 D	2b1k A	2h1c A	2afe A	2vvi A	3dzw A	3iux A	3po0 A
1hd2_A	10e2 A	1v55 L	2b3fD	2h1v A	2001 A	2vvo A	3e05 B	3iwt A	3po8_A
1hdo A	$1 \text{ off } \mathbf{A}$	1v58 B	$2b3h_{A}$	$2h2h \Delta$	2qgy B	$2yyt \Delta$	3e0i A	3ix3 B	3pga B
1hfo I		1v5d_A	20311_A	$2h2b_A$	2qgy_D 2abl_D	$2yvt_A$	3×12 V	JIXJ_D	$3pqa_D$
11.f. T	10II_A	1v5u_A	2049_A	21121_B	2qm_D	2yw2_A	2-17 D	$2i_{m} = D$	2mm A
Inte_1	lois_C	IV5I_A	204Z_A	2h2z_A	2qno_B	2yw3_A	3el /_B	3jpz_B	3prp_A
Ihto_E	lofs_D	Iv51_B	265a_A	2h3h_A	2qhs_A	2ywd_A	3e2d_A	3jqj_C	3psm_A
lhfs_A	lofw_A	lv6s_A	2b5h_A	2h3l_A	2qia_A	2ywj_A	3e3u_A	3jql_A	3pua_A
1hh8_A	lofz_A	1v70_A	2b5w_A	2h54_B	2qif_A	2ywk_A	3e4g_A	3jqu_A	3pvi_B
1hj8_A	logd_D	1v7p_C	2b6n_A	2h62_A	2qih_B	2yxm_A	3e4w_B	3jqy_C	3pxl_A
1hjs B	logm X	1v7r A	2b7r A	2h64 B	2qim A	2yxn A	3e55 A	3jr0 B	3q0h A
1hl7 B	10h0 A	1v7zF	2b82 A	2h6f A	2gkh A	2vxo B	3e6j A	3is4 B	3q12 C
1hle_A	loh4 A	1v8c_C	2b9w A	2h6f B	2 akp C	2vxw A	3e6s F	3is5 A	$3a1x^{-}A$
1bla_C	loh9 A	1v8fA	$2b_{2}$ C	2h6n A	$2qHp_0$ 2qlt A	2 _{VX7} A	3e67 X	3is8 A	3a20 B
1hm6 D	lohn D	1v01_11	2bay E	$2h6n_{C}$	2qn_n	2yAZ_A	2074 A	2 js0_1	2q20_D
	1 Jaic D	1voll_A	20ay_E	21100_0	2qmc_A	2yyv_B	2-71 A	2jsi_D	3q25_В
	1010_B	1095_A	200a_A	21188_A	2qmc_D	2yyy_A	3e/n_A	JSY_D	Sq2e_A
Ihmt_A	lojk_A	IV96_B	2bbe_A	2h88_B	2qmm_A	2yz1_B	3e/r_L	3jte_A	3q3u_A
Ihnj_A	lojq_A	1v98_A	2bcg_G	2h88_D	2qmq_A	2yzc_D	3e8m_B	3jtm_A	3q49_B
lhpl_A	lojx_C	Iv9f_A	2bcg_Y	2h88_P	2qn0_A	2yzh_C	3e8t_A	3jtz_A	3q4t_A
1hpg_A	lok0_A	1vbi_A	2bcm_B	2h8e_A	2qnw_A	2yzt_A	3e96_B	3ju2_A	3q4u_A
1hq0_A	lokt_A	1vbu_A	2bcr_A	2h8g_B	2qo4_A	2z0a_B	3e9t_B	3juu_A	3q5y_A
1ht6_A	1on3_A	1vbw_A	2bd0_D	2h9b_A	2qpn_B	2z0j_E	3ea3_B	3jva_F	3q62_B
1ht9_B	long_A	1vc4_B	2bek_D	2h9h_A	2qpw_A	2z0m_A	3ea6_A	3jxo_A	3q6d_B
1hw1 B	1oni C	lvcd A	2bem A	2ha8 B	2qq4 B	2z0t C	3eaz A	3jxs A	3q61 A
1hx0 A	1onj A	lvcl A	2beq D	2hax B	2qqi A	2z0x A	3ebh A	3jxy A	3q8g A
1hx1 B	looe A	1vd1 A	2bez C	2haz A	2grl A	2z1a A	3ec0 B	3ivo A	3q93 B
1hx6 ^C	loot A	1vd6 A	2bf6 A	2hba A	2 arw I	2z1c B	3edf A	3izv A	3gan C
1hxh D	logi A	lvel A	2bfw_A	2hby A	2 asa A	$2z^2f^A$	3edv A	3k01 A	3 dat B
1hvr B	\log_{10}	lvef B	2bgs A	$2hc8\Delta$	$2 \operatorname{qsk} \Delta$	2738 A	3ee4 A	$3k1h \Delta$	$3 \text{ aby } \Delta$
$1hx1_D$ $1hz4_A$	1 orn A	$1 v f \Delta$	2655_R	$2hc9 \Delta$	2qsk_R 2asa_B	$2z_{3\sigma}$ D	3eeh A	$3k^{26} \Delta$	$3qc7 \Delta$
1hz - C	lorr A	1vfr B	2bii B	2hd0 A	2q3q_D 2qt7_B	$2z_{2}z_{2}$		$3k_20_1$	3 ada B
11120_C				2lid9_A	$2qt/_B$	$2ZSV_A$	Sees_A	3K2W_E	Squs_B
Inzj_A	10SO_A	IVIY_A	20j0_B	2nda_A	2qub_1	224u_A	3e14_A	3K31_A	Sqe1_A
Inzo_A	Tosy_B	Tvg8_C	20JI_A	2he0_A	2qud_A	2266_B	3e16_A	3K3C_D	3qgz_A
Ihzt_A	loth_A	Ivh5_A	2bj1_A	2he2_A	2qul_C	2z6n_A	3ety_A	3k3k_A	3qh4_A
1101_A	Iou8_B	Ivht_B	2bjq_A	2he4_A	2quo_A	2z60_A	3eg4_A	3k3v_A	3qhz_M
1i0r_A	louw_C	1vhw_A	2bk9_A	2hek_B	2quy_H	2z6r_A	3egg_D	3k62_A	3qk8_C
1i0v_A	10v3_A	1vi6_B	2bka_A	2heu_B	2qv5_A	2z6w_A	3ego_B	3k6f_A	3qki_B
liln_A	low3_A	1vim_A	2bkf_A	2hew_F	2qvb_A	2z72_A	3egw_C	3k6i_A	3qmd_A
1i24_A	lowf_A	1vj2_A	2bkl_B	2hf9_A	2qvo_A	2z79_B	3ehg_A	3k6v_A	3qp4_A
1i27 A	lox0 A	1vjk A	2bkm B	2hfn H	2qvu B	2z7f E	3ehw B	3k6y A	3qqi B
li2t A	loxj A	1vjw A	2bko A	2hgx B	2qwc A	2z7f I	3ei9 B	3k7f B	3qry A
li4u A	loxs C	lvk5 A	2bkr A	2hhv A	2gwl A	2z84 A	3eif A	3k7i B	3qu1 B
1i6m A	lovg A	1vkc A	2bkx A	2hin B	2awo B	2z8f A	3ei9 B	3k7p B	3 aug A
1i77 A	1029 A	1vke_F	2bky B	2hiv A	$2\alpha x 8 B$	2z81_A	3ei9 C	3k89 A	$3 \operatorname{axc} A$
1i7h A	lozn A	lvki A	2bky Y	2hke B	2 axi A	2780 A	3eia A	3k8d A	3av1 B
$1i7k \Delta$	lozw B	$1 \text{ vkk} \Delta$	2b10 A	$2h17 \Delta$	2qv1 B	27811 B	$3 \text{ eif } \Delta$		$3 qyi \Delta$
1i8a A	$102W_B$	$1 v R \Lambda$	2010_R	$2hl_{c}$ A	$2qy1_B$	$220u_{\rm D}$	Sejr_A	3k8w	$3qyj_1$
ligf F	1pli A	$1 v 17 \Lambda$	2010_D	2hls A	2qy J_A	2201_A 2701 P	Jej <u>e</u> A	31/00	3r0n B
1:01_1	1p1j_A	IVI/_A	2018_D	2hlv A	$2qZt_D$	$229V_B$	2 alri A	21:0 A	2r1; A
	1p1m_A	IVIC_A	2011_A	2IIIV_A	2100_A	2ZaU_A	2 olive A	JK9W_A	3111_A 2#1.w. C
1180_A	101X_B	IVIJ_A	2011_B	2nmq_D	2r0n_C	2200_A	Selw_A	SKDI_A	SFIW_C
1190_A	1p28_B	IVM9_A	2bme_B	2nor_A	2r16_A	2ZDT_B	Seix_A	3KCC_A	STST_A
liap_A	1p3c_A	Ivmb_A	2bmo_A	2hos_B	2r1j_K	2zc8_A	3em1_A	3kcg_H	3r3s_C
liby_B	1p60_B	lvmf_C	2bmo_B	2hq6_A	2r2y_A	2zd1_A	3em1_A	3kc1_A	3r6t_A
lidp_A	1p/1_A	lvmj_A	2bnm_B	2hqh_C	2r31_A	2zdh_A	3emw_A	3kcp_A	3s11_A
lig3_A	1p99_A	1vp2_A	2bo1_A	2hqs_H	2r37_A	2zdo_B	3enb_A	3kda_A	4ubp_A
ligq_A	1pa2_A	1vp6_C	2bo4_F	2hqy_A	2r50_B	2zdr_A	3enk_B	3ke4_A	4ubp_B

1ihj_B	1pam_B	1vph_E	2bo9_C	2hra_A	2r6j_B	2zex_A	3enu_A	3kef_B	4vub_A
1iib_B	lpcf_C	1vps_A	2bo9_D	2hrv_B	2r75_1	2zez_B	3eoi_A	3keo_B	5pal_A
1ijb_A	1pdo_A	1vq3_B	2boo_A	2hsa_A	2r8e_E	2zfc_B	3epr_A	3kfa_A	6cel_A
1ijt_A	1pe9_B	1vqe_A	2bpd_B	2ht9_B	2r80_A	2zfd_A	3eqn_B	3kff_A	6rxn_A
1ijx_C	1pfb_A	1vsr_A	2bpq_A	2hta_A	2r8q_A	2zfz_D	3er6_A	3kg0_C	7fd1_A
1ijy_B	1pgv_A	1vyf_A	2bqx_A	2hu9_A	2r99_A	2zgq_A	3era_B	3kgr_A	7rsa_A
1ikt_A	1pj5_A	1vyo_A	2br9_A	2hur_B	2r9f_A	2zhj_A	3erj_A	3kgz_B	8abp_A
1io0_A	1pk3_B	1vzi_B	2bsj_A	2hv8_A	2ra3_B	2zhn_A	3erx_B	3kh7_A	
1iom_A	1pkh_A	1vzy_B	2bt6_A	2hv8_E	2ra4_A	2zhz_C	3esg_B	3kij_C	
1ioo_B	1pl3_A	1w0d_A	2bt9_A	2hvm_A	2ra6_B	2zib_A	3esl_B	3kki_A	
1iq6_B	1pl8_D	1w0n_A	2buu_A	2hvw_C	2rbk_A	2zjd_C	3eu9_C	3kkq_A	