A comment on: the violations of locality and free choice are equivalent resources in Bell experiments.

Marian Kupczynski

Département de l'Informatique, Université du Québec en Outaouais , Case postale 1250, succursale Hull, Gatineau. QC, Canada J8X 3X7

* Correspondence:

marian.kupczynski@uqo.ca

In {1) authors study a causal model $\{P_{ab|xy}\}_{xy}$ in which hidden variables $\lambda \in \Lambda$, distributed according to some P_{λ} , might have influenced Alice's and Bob's outcomes.

$$P_{ab|xy} = \sum_{\lambda} P_{ab|xy\lambda} P_{\lambda|xy}$$
^[1]

Local realistic model (LRHVM) is obtained by adding two assumptions:

- locality: $P_{ab|xy\lambda} = P_{a|x\lambda}P_{b|y\lambda}$ [2]
- freedom of choice: $P_{\lambda | x y} = P_{\lambda}$ [3]

Using LRHVM one derives CHSH inequalities, which are violated (2). The authors investigate how often can a given assumptions i.e., locality or free choice, be retained, while safeguarding the other assumption, in order to fully reproduce some given experimental statistics within a model [1-3]. They determine the maximal fraction $\mu_{\rm L}$ of trials in which the locality may be retained and the maximal fraction $\mu_{\rm F}$ of trials in which the assumption [3] may remain valid.

It turns out that $\mu_L = \mu_F$ and that they tend to 0 with growing number of settings. It is a troubling result because *locality* and *freedom of choice* should not be violated (2-4). Moreover, it is difficult to reject *realism* as it is defined in (1): *physical objects and their* properties exist, whether they are observed or not

Fortunately the violation of Bell-type inequalities allows rejecting realism/CFD understood in much more restricted sense: *any system has pre-existing values for all possible measurements of the system* (5). Peres nicely concluded that: *unperformed experiments have no results* (6).

CFD implies the existence of a *counterfactual joint probability distribution* of all 4 random variables describing experimental outcomes and CHSH is a *noncontextuality inequality* for a 4-cyclic Bell-scenario (7). Fine (8) demonstrated that CHSH inequalities are the sufficient conditions for the existence of such probability distribution. In LRHVM the outcomes are determined by variables λ describing "twin-photon pairs" [3,4] and CHSH may not derived, if the assumption [3] is violated. Thus the assumption [3] should be called *CFD* or *noncontextuality* and not *freedom of choice*.

Bohr insisted that measuring instruments play an active role in creation of experimental outcomes. Therefore in contextual causal models (9, 10) a choice of a setting (x, y) is not a choice of two labels but a "choice" of $\Lambda_x \cup \Lambda_y$, where Λ_x and Λ_y are respective sets describing microstates of Alice's and Bob's PBS-detector modules at the moment of the interaction with incoming photonic beams.

In (9) we give a detailed proof, that the assumption [3], <u>contrary to what is often claimed</u>, should not be called *experimenters' freedom of choice*. Misunderstanding is rooted in incorrect interpretation of Bayes Theorem. Conditional probabilities do not allow, in general, any causal interpretation. For example, if an event A="xy"= $\Lambda_x \cup \Lambda_y$ and an event E={ λ_x , λ_y }, then

$$P(E \cap A) = P(E) = P(E \mid A)P(A); P(A \mid E) = P(E \cap A)/P(E) = 1$$
[4]

Experimenters may choose any experimental pair of settings (x, y), as they wish (2-4). The occurrence of a "hidden event E" tells us <u>only</u> that the pair (x, y) was chosen (9). In the notation of (1): $P_{xy|\lambda} = 1 \neq P_{xy}$. We have the *causal independence* without the *stochastic independence* $P_{xy\lambda} = P_{xy}P_{\lambda}$ [3].

Therefore the resource in Bell experiments is *contextuality* and not the violations of *locality* and/or *freedom of choice*. It is definitely the less mind boggling conclusion.

- P. Blasiak et al., Violations of locality and free choice are equivalent resources in Bell experiments, PNAS 118 (17) e2020569118 (2021) DOI: 10.1073/pnas.2020569118
- 2. The BIG Bell Test Collaboration, Challenging local realism with human choices. Nature volume 557, pages212–216 (2018)
- 3. J. S. Bell, *Free Variables and Local Causality in Speakable and Unspeakable in Quantum Mechanics* (Cambridge University Press, 1987).
- 4. W. Myrvold, M. Genovese, and A. Shimony, "Bell's Theorem", The Stanford Encyclopedia of Philosophy (Fall 2020 Edition), Edward N. Zalta (ed.), URL = https://plato.stanford.edu/archives/fall2020/entries/bell-theorem/>.
- 5. M. Giustina *et al.* Significant-loophole-free test of Bell's theorem with entangled photons *.Phys. Rev. Lett.* **115**, 250401. (doi:10.1103/PhysRevLett.115.250401)
- 6. A. Peres, Unperformed experiments have no results. Am. J. Phys., 46, 745–747 (1978).
- 7. M.M. Araujo et al., All noncontextuality inequalities for the n-cycle scenario. Phys. Rev. A 88, 022118 (2013)
- A. Fine, Hidden Variables, Joint Probability, and the Bell Inequalities. Phys. Rev. Lett. 48, 291–295 (1982).
- 9. M. Kupczynski M., Can we close the Bohr-Einstein quantum debate?, Phil. Trans. R. Soc. A., 20160392., DOI: 10.1098/rsta.2016,0392 (2017)
- M. Kupczynski M., Is the Moon there when nobody looks: Bell inequalities and physical reality, Front. Phys., 23 September 2020 | https://doi.org/10.3389/fphy.2020.00273