The Origins of COVID-19

J. C. Phillips

Dept. of Physics and Astronomy, Rutgers University, Piscataway, N. J., 08854

Abstract

The titled subject has attracted much interest. Here we summarize the substantial results obtained by a physical model of protein evolution based on hydropathic domain dynamics.

In a recent Letter eighteen biologists suggested that the titled subject should be studied in a way "inclusive of broad expertise" (1). There is an even broader view that has been developed over several decades by physicists (2,3). This view is based on analyzing amino acid sequences of proteins. These sequences are now available on-line at Uniprot, and represent a treasure-trove of data (4).

Because of large interdisciplinary gaps, the physicists' theory is virtually unknown to biologists. It has been applied to analyze the differences between COVID-03 and COVID-19 (5). The special properties here are associated with the spikes, familiar in popular illustrations. The spikes contain ~ 1200 amino acids, and are divided into two major parts, S-1 and S-2. Recent advances in vaccine development have focused on mutations that stabilize S-2 (6).

Most of the \sim 300 mutational differences between COVID-03 and COVID -19 are concentrated in S-1. These differences are responsible for the much larger differences in contagiousness that have led to the COVID-19 pandemic. To the author's knowledge, there is only one explanation for the extreme COVID-19 contagiousness, and it can be found only in the phase-transition model (5). This model also explains the enhanced contagiousness of recent variants (7).

The 300 mutational differences described in (5,7) are subtle and complex, and are far too many to have been engineered in a laboratory. They are the result of convergent natural evolution (8).

References

- 1. J. D. Bloom, Y. A. Chan, R. S. Baric, et al., "Investigate the origins of COVID-19." *Science* **372**, 694 (2021).
- M. A. Munoz, "Colloquium: Criticality and dynamical scaling in living systems." *Rev. Mod. Phys.* 90, 031001 (2018).
- 3. J. C. Phillips, "Fractals and self-organized criticality in proteins." *Phys A* **415**, 440-448 (2014).
- 4. A. E. Guttmacher, F. S. Collins, "Welcome to the genomic era." *New Engl. J. Med.* **349**, 996-998 (2003).
- 5. J. C. Phillips, "Synchronized attachment and the Darwinian evolution of Coronaviruses CoV-1 and CoV-2". *arXiv*2008.12168 (2020).
- C.-L. Hsieh, J. A. Godsmith, J. M. Schaub, et al., "Structure-based design of prefusionstabilized SARS-CoV-2 spikes." *Science* 369, 1501-1505 (2020).
- C. C. Chow, M. A. Moret, G. F. Zebende, et al., "Phase transitions may explain why SARS-CoV-2 spreads so fast and why new variants are spreading faster." *bioRxiv* 2021.02.16.431437.
- J. C. Phillips, "Evolution of proteins is Darwinian." Proc. Natl. Acad. Sci.117, 19641-19642 (2020).