

Computing and Authentication Practices in Global Oil and Gas Fields

MARY ROSE MARTINEZ, Brown University, USA

SHRIRAM KRISHNAMURTHI*, Brown University, USA

Oil and gas fields are a critical part of our infrastructure, and vulnerable to attack by powerful adversaries. In addition, these are often difficult work environments, with constraints on space, clothing, and more. Yet there is little research on the technology practices and constraints of workers in these environments. We present what we believe is the first survey of oil- and gas-field workers located around the world. We establish the presence and status of a variety of computing devices and of the security practices that govern their use. We also determine the working conditions (such as personal protective equipment) under which these devices are used, which impacts usable security aspects like feasible forms of authentication. We extend these basic insights with additional information from a small number of in-depth interviews. Our preliminary work suggests many directions for improving security in this critical sector.

1 INTRODUCTION

Oil and gas, a key part of the energy sector and critical infrastructure of many countries, is a significant security concern [8]. Its core end-products, like petroleum, are also parts of many other supply-chains: lubricants (“Vaseline” is petroleum jelly), plastics, preservatives, artificial limbs, flame-retardant clothing, and more. Furthermore, oil and gas is necessarily extracted in low-population areas and transported long distances, creating many opportunities for attacks.

The oil and gas industry has become increasingly driven by both information technology (IT) and operational technology (OT). The very components that make IT susceptible to cyberattack (e.g., software, data, connectivity, etc.) are now found in industrial control systems (ICS) and process control networks in the OT environment, thereby vastly increasing a company’s attack surface. Of additional concern are the potentially grave repercussions of an OT cyber incident. Unlike an IT cyber incident, an incident in the field or a manufacturing plant has physical consequences that pose a risk to human life, safety and/or the environment.

In 2019, industrial cybersecurity company Dragos [11] said that the industry “remains at high risk for a destructive loss of life cyberattack due to its political and economic impact and highly volatile processes.” Malware, ransomware, and other attacks on petrochemical plants and pipelines make the news with some regularity. According to the 2018 Symantec Internet Security Threat Report, ICS vulnerabilities increased 29% from 2016 to 2017 [19]. Furthermore, the Dragos Threat Perspective also assessed that “state-associated actors will increasingly target oil and gas and related industries to further political, economic, and national security goals.” This suggests threat actors who are well-funded and well-staffed, with more resources at their disposal than the average cyber criminal.

In this paper, we initiate study of the work environment of oil and gas personnel. Here, it is important to distinguish the three main sectors of the industry: upstream, midstream, and downstream. The *upstream* sector is focused on finding oil and gas reservoirs, and drilling wells in those reservoirs to extract crude oil and natural gas. Transportation from reservoirs and storage make up the *midstream* sector. The *downstream* sector refines and processes oil and gas into fuels and other materials. (That is, the product flows from “up” to “down”.)

The contribution of this paper is to *study oil and gas field workers in the upstream sector*. We focus on them for three reasons. First, they work in locations with great potential for harm. Second, they often have the most unconventional work environments of people in this area. Finally, while they share some similarities to other “front line” workers (e.g.,

*Partially supported by the US National Science Foundation. Author thanks Tiago Guerreiro for citations.

medical personnel), their physical location, bandwidth, etc. create unique challenges. In particular, we try to understand the *computer device use* while performing their job:

- What are the everyday computing practices of upstream oil and gas field workers?
- What ambient factors impact cybersecurity in the oil and gas field?
- Are there any usability challenges?

2 BACKGROUND ON OIL AND GAS

We assume the reader may benefit from a brief primer on the contemporary oil and gas industry. We also introduce some terminology useful in the rest of the paper.

2.1 The Use of Digital Technology

While the cyclical nature of the oil and gas industry is the norm, major shifts have occurred starting from the downturn in 2014 [17]. Its rapid and protracted nature caused companies to focus on operational efficiency as oil shifted from over \$100/barrel to under \$65/barrel, and then under \$40/barrel. Shifts in both energy generation and emission reduction are further forcing technology changes [6, 9], a major part of which is the adoption of the Industrial IoT.

2.2 The Nature of Upstream Workplaces

Readers may have certain clichéd mental images of the nature of an upstream oil and gas field. In fact, the upstream workplace may take many forms, shown visually in fig. 1.

An onshore hydraulic fracturing spread typically includes a data van where field engineers and other company personnel monitor and manage the operation. Data vans range in size similar to a recreational vehicle (RV) and provide an office-like environment in the field. They have air conditioning, control noise levels, and protect personnel and computing equipment from the elements. There are desks for 3–4 people with space for laptops and peripherals such as monitors, keyboards, and computer mice. Some of the computer peripherals are connected to rack-mounted personal computers (RMPCs) stored in a small cabinet along with networking gear to support a local area network on the job site. For more remote locations without cellular coverage, connectivity is typically achieved using a satellite dish installed on the exterior of the van. There may also be a small seating area for guests who can observe a job using overhead monitors that are connected to the RMPCs.

Offshore oil and gas fields, on the other hand, are in far-flung and harsher environments, some located in ultra-deepwater where drilling occurs in depths greater than 1,500 meters. Their remoteness means they lack cellular connectivity, and may have much more drastic connectivity issues (section 2.3). Compared to land operations, offshore platforms also have significantly less space and accommodations for personnel to operate computing equipment.

Unlike in many corporate workplaces, in many upstream sites, there are many companies with shared governance. Typically, there is an *operator* who owns the asset (e.g., Shell, Chevron, ExxonMobil); one or more *service companies* that provide different services (e.g. Halliburton, Schlumberger, Baker Hughes); and a *rig owner*. There can actually be several (5–6) service companies on a particular site.

2.3 Bandwidth

In this paper we will see a persistent use of USB devices, which may surprise some readers, given their known security threats. These have a strong justification in this industry.



Fig. 1. Typical onshore (above) and offshore (below) upstream workplaces. Images are, respectively, from Felix Adamo / *Bakersfield Californian* [1] (used with permission) and US Bureau of Safety and Environmental Enforcement [5] (public domain).

Oil and gas fields generate a significant volume of data. Fiber optics monitor a well's pressure, temperature, and the flow of fluids as oil and gas. Nuclear magnetic resonance and pulsed-neutron technology provide insight into rock formations, such as its lithology and mineralogy, to find oil and gas reservoirs. Sensors and processors are used downhole from where tens of thousands of data points every second are transmitted to drilling engineers who analyze the data to increase drilling precision in, if possible, near-real time.

In 2017, an offshore platform generated 1-2 terabytes of data daily while a typical satellite connection provides a transfer rate of 64 Kbps to 2 Mbps [13]. The amount of data generated in an oil or gas field continues to increase with the utilization of the Industrial IoT. Sensors are used in a variety of surface operations from monitoring of storage tank levels to, in combination with analytics and machine learning, preventive and predictive maintenance of equipment.

Owing to this wide variety of data transmission needs, a correspondingly wide range of devices is used. Some respondents use USB drives; others even continue to use USB sticks. Either way, the the volume of data relative to available bandwidth in effect demands physical data carriage.

3 SURVEY METHODOLOGY

We ran an anonymous, online survey on computing and authentication processes. The recruitment email is shown in appendix A and the full survey is in appendix B. All respondents were volunteers and not compensated. To protect respondents, an application was submitted to Brown's Institutional Review Board (IRB). The respondents were deemed to be Key Informants rather than Human Subjects, and hence not requiring IRB approval. Nevertheless, we have applied all standard and reasonable safeguards in collecting, retaining, and presenting data.

Recruitment. Using the first author's professional contacts, emails were sent to the CISOs of several upstream oil and gas companies to solicit participation from their field personnel. The email also contained a link to the online survey.

The list of oil and gas companies included some of the largest operators and oilfield services companies in the world, most of whom are on the Fortune 500. The invited operators included both international oil companies and independents, in order to obtain a global perspective. Hence, the representation of field personnel activity and processes spans the various stages and job types of the upstream oil and gas lifecycle, from drilling to production.

Procedure. The online survey was run from early July 2020 to the end of the month. Invited CISOs were left free to decide whether to distribute the survey within their respective companies. We have no evidence that employees were pressured to respond; had they been, we may have received many more responses. At one company's request, the first author attended global meetings with its OT representatives to provide context and brief them on the study's intent. Some companies forwarded the survey directly. One major company made an internal copy of it and shared the results; this may have resulted in some redaction, making our findings an undercount. The survey was conducted anonymously, and study respondents were not compensated for their time or input.

In addition to demographic information, the survey consisted of three sets of questions. The first set centered around the computing equipment used, if any. Secondly, questions were asked regarding security practices while using computing equipment. Finally, there were questions geared towards understanding the impact of ambient factors in field operations. Free-response boxes were included throughout the survey for optional further elaboration.

Our survey is necessarily limited in scope. First, we were unable to ask particularly sensitive questions, due to companies wanting to protect information about vulnerabilities. Second, the survey needed to be brief: upstream workers often alternate between high-intensity work on-site followed by periods of relaxation off-site. This makes their time precious, and did not give us the luxury of asking about all the security practices of potential interest. Indeed, we worked extensively to limit our survey size to persuade the CISOs to share it. Finally, we were unfortunate to run into COVID-19, which has shrunk the workforce in this sector and has created significantly greater pressure and job anxiety for those who remain employed. Our design had to account for these realities.

	N	%		N	%
			Years of Oil & Gas Field Experience		
Gender			0– 5	15	18
Female	5	6	6– 10	19	23
Male	79	94	11– 15	14	17
Age			16–20	16	19
18–24	2	2	21–25	10	12
25–34	24	29	26–30	3	4
35–44	23	28	31–35	3	4
45–54	24	29	36–40	2	2
55–64	10	12	40+	1	1
Education			Work Location (multiple responses allowed)		
High school diploma / secondary education	5	4	Africa	3	3
Trade / technical / vocational training	3	54	Asia	17	20
Associate / 2-year degree	3	33	Central America	1	1
Bachelor's / 4-year degree	44	6	Europe	18	21
Graduate / 6-year degree or higher	27	4	Middle East	20	23
			North America	23	26
			Oceania	5	6

Fig. 2. Respondent Demographics.

Respondents. A total of 91 people participated in the survey, summarized in fig. 2. Although the demographic questions were optional, only 9% of the respondents declined to answer. Of the 84 respondents, seventy-nine (94%) of the respondents were male and five (6%) were female. In terms of age distribution, most were between 25 and 54 years old, with an even split among the 25–34, 35–44, and 45–54 age ranges.

In terms of education level, in 2017, the RAND Corporation projected that more than 60% of jobs from 2014 through 2024 in the upstream sector will require postsecondary education, a number higher than that of the midstream and downstream segments [4]. In comparison, the majority of respondents had a bachelor (4-year) degree or higher; 33% of this group also obtained a graduate degree. Only five people (6%) did not have any additional training or education beyond a high school diploma or secondary education. This indicates that the surveyed group represents more of the educated upstream workforce than average.

Respondents were also asked about their number of years of experience in the oil and gas field. The responses reflected a wide range of experience levels, from 0–5 years of experience to one respondent having over 40 years of experience. Most people had between 0 and 25 years of experience.

The geographies represented in the survey spanned the globe and provided relatively good coverage. Multiple responses were allowed in this question since it is not uncommon for oil and gas field workers to work in more than one location. The regions most indicated were North America (26%), the Middle East (23%), Europe (21%), and Asia (20%), with one person having worked across all four regions. There were also five respondents from Oceania and three from Africa. Other than lower participation from Africa, the geographical distribution is representative of the oil and gas regions around the world reported in the 2019 Oil & Gas Employment Outlook Guide [2].

Sampling Threats. Of course, several factors conspire to skew the respondent sample. Naturally, this is only a small fraction of the total number of people employed in this area. Second, they are in a kind of position where they might be

reached by a CISO and respond. Most of all, the survey was conducted at the height of the COVID-19 pandemic, at a time when layoffs and job uncertainties were high globally, but especially so in the oil and gas industries, which had seen demand worldwide plummet. Some of these factors may explain the higher education level of our respondents. Nevertheless, despite these factors, we do not (based on the expert knowledge of an author) find the responses to the survey especially outside the bounds of expectation.

4 SURVEY FINDINGS

The overwhelming majority of respondents (96%) use at least one computing device at a job site. Only five respondents answered “none” to the question “What computing device(s) do you use for work at a job site?”. (Note that some of the questions allow multiple answers, so participation may appear to exceed 100%.)

4.1 Computing Equipment

Twenty percent of survey respondents use computing devices that are fixed (e.g. installed inside a field trailer, mounted on equipment, etc.). The rest use mobile computers such as laptops and tablets, some in addition to fixed computing devices. Of the mobile computing users, 90% use machines that are assigned to them while 22% share a computer with others. A mouse and keyboard are the most commonly used peripheral equipment in the field (85% use a mouse, 59% use a keyboard). 15% also indicated the use of a pen or stylus.

In terms of external USB devices, 53% of respondents use USB storage. Of those, 68% use one provided by the company and 45% use a personal one.

Respondents were evenly split on whether the comfort of the work environment affected their use of a computer. Some common challenges, especially for offshore or remote locations, were space restrictions, limited connectivity, and lack of privacy. On the other hand, a respondent reported, “*At the worksite, the computing device is usually used in a data van, which has the requisite air conditioning and seating space.*” Yet another reported “*There is a standard office environment on [a] job site.*”

4.2 Security Practices

User IDs and passwords remain the prevalent method of logging onto computers used in the field with 86% of the computer users. The next most prevalent was badge scans at 18%. Biometrics were rare: 6% use fingerprints while 4% use facial recognition. Another 4% use some other methods. 18% used more than one method.

For survey respondents who use a shared computer, a little over two-thirds use individually assigned user IDs and passwords, while 31% use a shared user ID and password.

When asked what they *preferred*, support for passwords reduced to 58%, with 38% preferring fingerprints and 23% facial recognition. Support for badge-scans was nearly twice its current use, at 31% badge scans. 2% also suggested other methods. Some readers may find some of these numbers surprising: e.g., why would so few be in favor of biometrics and so many still in favor of passwords? We believe the use of protective equipment may have a major impact, and discuss this in section 4.3.

There were a wide range of frequencies with which respondents were forced to change passwords. The most frequent by far—for 70%—was, perhaps surprisingly, every 2–3 months. The next most frequent was yearly (9%), every 4–6 months and never (each 6%), and some (one person) as frequently as every week. Some also reported more detailed policies, such as not having to change them unless there was a problem (“*all accounts are changed after a failed phishing exercise or proof of compromise*”). Also, for some respondents the frequency depended on whether or not multi-factor

authentication was used: “[*Passwords are changed*] yearly provided you have MFA enabled, 3 months for non-MFA accounts.” Respondents also made distinctions between field computers, corporate computers on the job site, and control systems.

Given the support that remains for passwords, it is interesting to see responses to how often they thought passwords *should* be changed. To researchers, the revised NIST recommendations [12] to not demand frequent changes are probably well-known, based on the rationale that frequent changes lead to weaker passwords [3]. Yet the most chosen response was still every 2–3 months (35%), followed by 4–6 months (22%), then monthly (14%), and annually (12%), with 2% choosing even weekly and daily. Of course, not all respondents were fans of password changes: one commented that they should be changed only when passwords are “*exposed*”, another only “*when necessary*”, and yet another, “*Changing passwords across devices & applications is time consuming and tedious. This should be engineered out.*”

One of our interests is in creating better authentication mechanisms for field workers. Several factors play into this: the ease with which passwords can be stolen in cramped spaces (which can lead to misattribution, masking attacks, etc.), the likelihood that passwords shared between individuals are likely to be of much lower quality than those kept private, and the interest of respondents in biometrics. We are therefore curious about the potential to use other authentication methods (even if not as a primary method, then at least as a second factor).

4.3 Personal Protective Equipment

While biometrics are attractive, field personnel do not work in white-collar office space. Safety is paramount in the oil and gas industry and specific personal protective equipment (PPE) is required in field operations. Most field personnel wear coveralls, steel-toed shoes, and hard hats. Additional PPE may be required depending on the type of operation being conducted, a person’s job function, and the environment. For instance, gloves are typically used when managing heavy equipment, ear plugs protect against high noise levels generated by pumps and other machinery, and respirators prevent fume inhalation when handling chemicals. Any and all of these can interfere with one or more forms of biometric authentication.

This survey was conducted while COVID-19 was well in progress. Our goal was to get “steady state” information that was not overly biased by temporary factors. We were concerned that simply wording the survey to indicate that would not be sufficient, since some respondents might not read the instructions carefully, thereby skewing our results. We therefore added explicit questions about PPE during COVID-19 to appear first, followed by the steady-state question, to make clearer the context when they reached the general question about PPE.

Both questions we posed to respondents asked “which personal protective equipment (PPE) do you use that **INTERFERES** with your use of the computer” (boldface and caps in the original questionnaire). The survey had check-boxes for *all* the PPE commonly used in the field, even if it is a priori unclear how some of them—e.g., steel-toed shoes—might interfere with computer use.

In both situations, slightly over half indicate that PPE does not interfere with computer use. Of the remaining respondents, outside COVID, gloves are the greatest obstruction (64%), followed by safety glasses (24%), masks (19%), coveralls (14%), and hard-hats (14%), and a few others. Some of the hindrances may not be obvious:

- “*A hard hat sometimes ‘slips’, although this may be corrected with proper wearing of the hard hat.*” This is especially likely to occur when leaning over terminals for short-term use.
- “*Ear protection needs to be removed when viewing video ‘guides’ and ‘reference materials.’*”

Under COVID-19, the biggest differences were masks (which went up to 68% of those reporting interference) and respirators (10%, as opposed to nobody outside COVID). Since these are predictable differences, it suggests that our survey strategy reasonably distinguishes between COVID-19 and “steady state” information.

A small number of respondents may nevertheless have listed all the PPE they *use* (especially the one who checked all the boxes), not only that which interferes. We have not, for instance, been able to determine how steel-toed shoes can be problematic. However, the reasons may be subtle: e.g., respondents noted that safety goggles can get smudged or scratched, making it hard to perceive fine-grained details.

Some of these issues, such as slipping hard-hats, seem to be general computer use issues (and may be better corrected by, e.g., raising the machine). Others, like ear plugs, may be relevant to the design of authentication systems (e.g., audio-based authentication). It is especially important to consider combinations of PPE: for workers wearing heavy protective gloves, it can be particularly cumbersome to remove ear plugs.

5 INTERVIEW AND FINDINGS

We followed-up the above survey with a small number of detailed interviews (full protocol in appendix C) conducted over teleconference. Unfortunately, not all survey respondents provided us their contact information (which we solicited, as an optional entry, if they were willing to be interviewed further). Thus, some respondents whose answers interested us—e.g., the ones who identified steel-toed shoes as an operational interference—were not available for clarification.

We did identify four respondents who provided contact information whose answers we wanted to examine in more depth. They represent two major companies and three major geographic regions. They were asked about (a) their computing devices, (b) authentication methods, (c) shared computer use, (4) USB device use, and (5) PPE use, as well as any general comments they might have. Below we summarize the salient portions of these interviews.

P1. uses both individual laptops and shared tablets. They are primarily used to connect to a rig-control system [16]. They are the only respondent who mentioned the deployment of an access-control system (in their case, role-based), which gives some people access to the control systems, others only to maintenance modules, etc. They are moving away from laptops to tablets (the opposite direction of P3’s preference), because laptops have more moving parts and require folding. They recommended further hands-free operation through the use of a voice assistant to give voice commands using a microphone attached to the throat; they said that noise in the environment can be overcome by picking up vibrations from the voice box, and had used such a system earlier in a petrochemical plant.

They use user ID/password authentication. Two-factor is used only when troubleshooting a rig remotely, and this requires a hard token. Control systems are also password-protected. They commented that their primary security concern was that previously un-connected rigs were becoming connected with increased use of the Industrial Internet of Things to enable remote control of the wells.

They share tablets, primarily due to budget constraints. There are also some shared PCs tied to outdated equipment, and are being retired. A local field office controls passwords, with an internal audit to confirm that passwords are being altered to company standards. They personally would have preferred the use of key fob credentials for unlocking machines, both to get around password changes and because it would ideally enable them to walk up to use any computer terminal in the company.

They use various USB devices due to the lack of connectivity. A critical use is to load a “well plan”, a set of instructions (e.g., maximum RPM) for the control system. USB devices are also used for maintenance and file transfer (e.g., equipment photos), but these do not have the same security controls. They use personal USB sticks as well. All USBs are scanned

when plugged into a corporate laptop. However, only the well plan USBs are subject to extra scanning. These must hold a “well key”, a hard-to-guess identifier that uniquely names a rig/well combination. On insertion, the stick is checked for a specific file structure with certain files; any deviation causes the USB to be rejected. Lost USBs are required to be reported immediately; when this happens, the well key is changed, thus invalidating the data on the USB.

P2. uses an individual laptop. They currently authenticate with a user ID and password, with two-factor authentication. They do not believe that they hold critical information. They find the password requirements frustrating and prefer biometric authentication; in particular, they both assume they have no privacy anyway, and do not believe they hold any critical information. However, they were unconvinced that badge-based authentication would be a good idea because badges are lost, forgotten, or destroyed.

They use external USB drives to gather log data (which previously used to be recorded on DVDs). There is no security on this drive, but the log data can only be read/interpreted by proprietary software. They are also able to use a USB drive to carry personal files, which has been important as they have relocated to 5 different countries (in Africa, Asia, and Europe) in 8 years.

P3. uses both an individual laptop and tablets. The tablets are hardened for field use, but equipped with a stylus, and a groove to hold it. Their field duties include recording readings/data from gauges and converting analog to digital data. Though they are equipped with a hardened tablet, they pointed out that they prefer to use a laptop because their work requires not only the specialized software for the above tasks, but also frequent use of Word, Excel, and PDF viewing. As such, a field-hardened laptop would likely be more useful.

They currently use a user ID/password with two-factor for authentication. In their opinion, this is preferable to using biometrics. We found this surprising; their reason is that scanners are likely to get dirty, and then malfunction. In addition, in their experience working in an environment where hands easily get greasy, the scanners do not work even after trying to wipe hands. (Furthermore, if these hands leave deposits on the scanner, that would impact future users with clean hands, too.)

Owing to the multiple companies present on site (section 2.2), the operator at *P3*'s site actually allows all the service companies to use the operator's own laptops. Because many different users may use the same laptop, the user IDs and passwords are actually written down and posted on the laptops. (In other evidence that their site may be less digitally sophisticated than some others, the data capture is sometimes done not only in Excel but also in Word.)

USBs are used to transmit gauge data to operators, the larger of whom expect data within 48 hours (smaller operators can expect to wait longer). These gauges (pressure, temperature, vibration, etc.) can generate over a million data points every hour, but a 12GB USB stick is sufficient for a job. Thus, there is extensive use of USB sticks. However, *P3* says that the data are useful only to someone who understands what they are looking at, so USB theft is perceived to be a low security risk.

Due to connectivity issues, data are also stored on laptops. The end-to-end work process is now cloud-based, which can be problematic due to connectivity. When workers are offshore for 1–2 months, data are recorded on laptops (usually in Excel) and uploaded when back onshore.

P4. uses an individual laptop. They are not concerned about theft because “there is a close community on the rig”. They would have preferred more apps and connectivity: e.g., they point out that when there is no connectivity, Hazard Observation Cards/Forms (which are used in safety engineering) are filled out by hand, which can lead to lost information either through the loss of the card itself, or from information lost in the logging process. We note that

some of the incident reports can relate to later security problems: e.g., a seemingly hazardous behavior could have been a precursor to a later physical safety attack (especially if there are insider threats). When this occurs, having a complete and reliable record is critical.

P4 works with gloves, and does not have the grease problems of P3. They prefer fingerprint-based authentication, which they find convenient and perceive to be safe. (They feel that removing gloves is not a major problem.) They had no privacy concerns with use of biometric authentication. Interestingly, however, they were dubious that facial recognition would work, noting that “*guys look different after 30 days on a rig*” (a reference to the growth of facial hair).

P4 does not use a shared laptop, and did not have any problematic PPE. They also work in an environment that does not use USB storage. When the upstream site is onshore, they are equipped with a “data van”; when offshore, they are equipped with satellite communications (128–256Kbps is common, 512 Kbps at most), which they anyway need because some jobs require real-time data transfer.

6 DISCUSSION AND RECOMMENDATIONS

While oil and natural gas are expected to play a role in the global energy mix for decades [10], market economics are demanding a marked change in operating practices to reduce cost. Operators and oilfield service companies alike are leveraging digital technology in field operations to increase efficiency and lower operating costs. Digital technology is further used for real-time monitoring and remote operations, allowing jobs to be executed by fewer personnel onsite (in industry parlance, “de-manning of the rig”). With fewer field hands, the remaining onsite personnel use technology and software to feed data to remote operating centers and manage field systems. For instance, physical checks of fluid levels in a tank are replaced by liquid level sensors monitored by a computer. This study confirms the prevalent use of computing in oil and gas field operations with 96% of respondents confirming that they use at least one computing device. The results of the study also underscore the importance of system design for improved usability and security.

6.1 Computer Hardware and Software

Despite the widespread use of mobile devices, 56% of respondents still reported using an external keyboard and 80% still use a mouse. The widespread use of peripheral equipment indicates that laptop touchpads and keyboards are not easy to use in the field, likely due to the required use of gloves—which respondents consistently reported as interfering with computer use. Weather conditions may also be a factor (e.g., lack of finger dexterity in extreme cold; sweaty hands in extreme heat), especially for computers on fixed equipment that are subject to the elements. One respondent commented that “*On the equipment, sometimes it is difficult to use computers while it is very hot or raining*”. The need for additional peripheral equipment may also exacerbate already existing space constraints, especially in offshore operations.

Operations managers should consider the increased use of devices with touchscreens and an attached stylus to alleviate the need for a mouse. Alternatively, regular work gloves could be replaced with touchscreen work gloves to further remove friction with device usage. The user interface of software programs could likewise be improved to ease the usability of interacting with a computer. Examples include using button selections instead of dropdown menus, reducing the need to type information with a keyboard, and providing support for voice commands and responses. However, the latter may not be feasible if the device is not located in a tractor cab, field trailer, or office space where noise levels are more controlled.

6.2 Data Transmission

Half of survey respondents also reported the use of USB storage devices, a well-known threat vector; comments included the use of USBs for file transfer and storage. With 45% of the USBs used in the survey being personal devices, USBs pose an even more serious risk to field operations. Even where connectivity is available, it comes with burdens: “*Limited internet connectivity offshore means sharing a small, cramped room with other individuals to perform duties that require connectivity and internet access.*”

Given the connectivity constraints in oil and gas field locations, especially offshore, it may not be possible to eliminate the use of USB devices altogether. It is not clear to what extent companies have put in place policies, procedures, and technologies to provide and allow only company-provided USBs. Our respondents were not in a good position to describe these policies, and some companies may not be comfortable sharing this information anyway.

6.3 Authentication

The study shows a difference between current and preferred authentication methods. Survey respondents’ preference for biometrics or badge scanning would remove the need to use a keyboard and type in a user ID and password, the current predominant method of authentication. “*The quicker the better*”, according to one respondent.

Nevertheless, given the generally perceived cumbersomeness of passwords, we were surprised that respondents wanted passwords at all, and wanted them changed frequently (and in some cases, more frequently than they are now). We failed to ask what password robustness policies are used, in part to keep the survey tractable and in part because the respondents may not accurately know. It is possible that at least some of these systems permit low-quality passwords. Whether respondents want passwords changed often *despite* their weakness or *because* of it is unfortunately a question we cannot answer.

Survey comments indicated the use of individual accounts for corporate devices but shared accounts for field computers. Hence, a potential reason for the continued preference of user IDs and passwords could be that a shared account is required for shared devices and operations that run longer than a person’s work shift. In addition, it is possible that individuals are comfortable with using logon credentials as the customary method, or that there is skepticism around the use and storage of their biometric information.

The burden accompanying password changes arguably supports the use of biometrics as an alternate method of authentication for individual user accounts; badges could be used for shared accounts. Either method would remove the need to remember and type passwords and allow stronger security to be implemented at the same time. However, the use of PPE clearly creates problems in this workplace (gloves being the PPE most cited as interfering with computer use). Facial recognition was also chosen by many respondents, but it comes with its own problems (other forms of PPE like earmuffs and safety glasses; and the growth of beards). Furthermore, support for touchscreen and/or biometrics may require upgrades of existing computing equipment which, in turn, has cost and logistical implications. The same is true for any increased use of badges, although to a lesser extent.

7 RELATED WORK

We are aware of no comparable work on field practices in this sector. (A partial and abbreviated version of this paper appears in EuroUSEC 2021 [15].) There is other work in security for oil and gas. Some of it is constructive in nature: e.g., a cryptographic protocol for SCADA communications that is designed around the low bandwidths available in critical infrastructure [21]. There are also investigative studies, including ones cited above, that analyze attacks.

However, we are not aware of ones that focus directly on the people who actually work in upstream sites. In terms of authentication and PPE, systems like ZEBRA [14] may be useful. NIST guidelines for public safety usable security also cover some PPE-related issues [7]. Another rich source of information is research on situationally-induced impairments and disabilities, which our domain corresponds to [18, 20].

8 FUTURE WORK

There are many directions for future work:

- Sample a bigger population and in more depth.
- Better understand the security mindset of these employees (e.g., do they view USB storage as a threat?).
- Investigate secure data transfer for these environments.
- Do on-site work; this is difficult because, even if access to a rig were granted, the safety training alone is prohibitive (e.g., it includes water survival in case of a helicopter crash).

Nevertheless, ultimately, a deep understanding of the impact of PPE and other ambient factors should result in innovation in both hardware and software design, as well as novel authentication practices, which seem essential in these constrained domains.

REFERENCES

- [1] INSIDE FRACKING: Chevron offers rare look at controversial practice. *The Bakersfield Californian*, July 2015. https://www.bakersfield.com/news/inside-fracking-chevron-offers-rare-look-at-controversial-practice/article_bf5f4865-0b98-592a-905c-63a8e007c2d5.html, retrieved 2021-08-01.
- [2] 2019 oil & gas employment outlook guide. Technical report, OilAndGasJobSearch.com, 2019. https://energyoutlookguide.com/wp-content/uploads/2019/07/oil_and_gas_outlook_guide_2019.pdf, retrieved 2021-02-25.
- [3] NIST special publication 800-63: Digital identity guidelines: Frequently asked questions, July 2020. <https://pages.nist.gov/800-63-FAQ/#q-b05>, retrieved 2021-02-25.
- [4] Robert Bozick, Gabriella C. Gonzalez, Cordaye Ogletree, and Diana Gehlhaus Carew. Developing a skilled workforce for the oil and natural gas industry: An analysis of employers and colleges in Ohio, Pennsylvania, and West Virginia. Technical Report RR-2199-NSF, Rand Corporation. https://www.rand.org/content/dam/rand/pubs/research_reports/RR2100/RR2199/RAND_RR2199.pdf, retrieved 2021-02-25.
- [5] Bureau of Safety and Environmental Enforcement. BSEE director participates in offshore inspection, July 2017. <https://www.bsee.gov/newsroom/latest-news/statements-and-releases/press-releases/bsee-director-participates-in-offshore-inspection>, retrieved 2021-02-25.
- [6] Joana Candina, David González Fernández, Stephen Hall, and Francesco Verre. Reinventing upstream oil and gas operations after the COVID-19 crisis. Technical report, McKinsey, 2020. <https://www.mckinsey.com/industries/oil-and-gas/our-insights/reinventing-upstream-oil-and-gas-operations-after-the-covid-19-crisis>, retrieved 2021-02-25.
- [7] Yee-Yin Choong, Joshua M. Franklin, and Kristen K. Greene. Usability and security considerations for public safety mobile authentication. Technical Report 8080, National Institute of Standards and Technology, 2016. <https://nvlpubs.nist.gov/nistpubs/ir/2016/NIST.IR.8080.pdf>, retrieved 2021-06-06.
- [8] Cybersecurity & Infrastructure Security Agency. Critical infrastructure sectors, October 2020. <https://www.cisa.gov/critical-infrastructure-sectors>, retrieved 2021-02-25.
- [9] Duane Dickson. 2021 oil and gas industry outlook. Technical report, Deloitte, 2020. <https://www2.deloitte.com/us/en/pages/energy-and-resources/articles/oil-and-gas-industry-outlook.html>, retrieved 2021-02-25.
- [10] DNV GL. Oil and gas forecast to 2050: Energy transition outlook 2017. Technical report, 2017. https://www.ourenergypolicy.org/wp-content/uploads/2017/09/DNV-GL_Energy-Transition-Outlook-2017_oil-gas_lowres-single_3108_3.pdf, retrieved 2021-02-25.
- [11] Dragos. Global oil and gas cyber threat perspective. Technical report, Dragos, August 2019. <https://www.dragos.com/wp-content/uploads/Dragos-Oil-and-Gas-Threat-Perspective-2019.pdf>, retrieved 2021-02-25.
- [12] Paul A. Grassi, James L. Fenton, Elaine M. Newton, Ray A. Perlner, Andrew R. Regenscheid, William E. Burr, Justin P. Richer, Naomi B. Lefkowitz, Jamie M. Danker, and Yee-Yin Choong Kristen K. Greene Mary F. Theofanos. Digital identity guidelines: Authentication and lifecycle management. Technical Report 800-63B, National Institute of Standards and Technology, June 2017. <https://pages.nist.gov/800-63-3/sp800-63b.html>, retrieved 2021-02-25.
- [13] Aaron Hand. Oil and gas at the edge. Technical report, September 2017. <https://www.automationworld.com/products/control/blog/13317745/oil-and-gas-at-the-edge>, retrieved 2021-02-25.
- [14] Shrirang Mare, Andres Molina-Markham, Cory Cornelius, Ronald A. Peterson, and David Kotz. ZEBRA: zero-effort bilateral recurring authentication. In *IEEE Symposium on Security and Privacy*, 2014.

- [15] Mary Rose Martinez and Shriram Krishnamurthi. Vision: Computing and authentication practices in global oil and gas fields. In *European Symposium on Usable Security*, 2021.
- [16] NOVOS. Safe and scalable integration of drilling intelligence into NOV control systems. <https://novos.nov.com>, retrieved 2021-02-25.
- [17] Kenneth Rogoff. What's behind the drop in oil prices?, March 2016. <https://www.weforum.org/agenda/2016/03/what-s-behind-the-drop-in-oil-prices/>, retrieved 2021-02-25.
- [18] Andrew Sears, Min Lin, Julie Jacko, and Yan Xiao. When computers fade... pervasive computing and situationally-induced impairments and disabilities. In *International Conference on Human-Computer Interaction*, 2003.
- [19] Symantec. Internet security threat report. Technical report, Symantec, March 2018. <https://www.phishingbox.com/assets/files/images/Symantec-Internet-Security-Threat-Report-2018.pdf>, retrieved 2021-02-25.
- [20] Jacob O. Wobbrock. Situationally aware mobile devices for overcoming situational impairments. In *Symposium on Engineering Interactive Computing Systems*, New York, NY, USA, 2019.
- [21] Andrew K. Wright, John A. Kinast, and Joe McCarty. Low-latency cryptographic protection for SCADA communications. In Markus Jakobsson, Moti Yung, and Jianying Zhou, editors, *Applied Cryptography and Network Security, Second International Conference, ACNS 2004, Yellow Mountain, China, June 8-11, 2004, Proceedings*, volume 3089 of *Lecture Notes in Computer Science*, pages 263–277. Springer, 2004.

A SURVEY RECRUITMENT

Subject: Brown University Study

Due to your current job role, you are invited to take part in a Brown University research study on how oil and gas personnel use field computing equipment. The survey will take at most 10 minutes of your time and the results can help improve field cybersecurity programs.

Please complete the following online survey by July 31: [ELIDED]

If you have any questions, please contact Mary Rose Martinez at [ELIDED]

B FULL SURVEY

Options marked are multiple-choice while those marked are mutually-exclusive. All questions were optional. Several questions had free-response boxes (not shown). One company internally reproduced the survey; we did not see their version of it, but their answers suggest it was faithfully reproduced.

Computing Equipment.

- What computing device(s) do you use for work at a job site?
 - None
 - Mobile device assigned to me (e.g. laptop, tablet)
 - Mobile device shared with others (e.g. laptop, tablet)
 - Fixed computing device (e.g. installed in a field trailer, mounted on equipment)
 - Other (please specify below)
- Think about where you use computing devices while on the job site. Does the comfort of the work environment interfere with your use of the computer (e.g. weather, air-conditioned space)?
 - Yes
 - No
- Do you use a USB storage device/thumb drive as part of your job?
 - Company-provided device
 - Personal device
 - I do not use a USB storage device.
- What external equipment do you use with the computer?
 - None
 - Keyboard
 - Mouse
 - Pen/stylus (for tablets)
 - Other (please specify below)

Security Practices.

- How do you log onto the computer?
 - User ID and password
 - Fingerprint
 - Facial recognition
 - Badge scan
 - Other (please specify below)
- How would you **PREFER** to log onto the computer?
 - User ID and password
 - Fingerprint
 - Facial recognition
 - Badge scan
 - Other (please specify below)

- If you use a shared computer, is there a shared user ID / password or does each person have their own user ID / password?
 - Individual user ID / password
 - Shared user ID / password
- How often is a password changed?
 - With every job
 - Daily
 - Weekly
 - Monthly
 - Every 2 - 3 months
 - Every 4 - 6 months
 - Yearly
 - Never
 - Other (please specify below)
- In your opinion, how often should a password be changed?
 - With every job
 - Daily
 - Weekly
 - Monthly
 - Every 2 - 3 months
 - Every 4 - 6 months
 - Yearly
 - Never
 - Other (please specify below)
- During this period of COVID-19, which personal protective equipment (PPE) do you use that **INTERFERES** with your use of the computer?
 - None
 - Hard hat
 - Steel-toed shoes
 - Coveralls
 - Gloves
 - Ear plugs or muffs
 - Safety glasses
 - Masks
 - Respirators
 - Other (please specify below)
- Under *normal* circumstances (i.e., excluding COVID-19), which personal protective equipment (PPE) do you use that **INTERFERES** with your use of the computer?
 - None
 - Hard hat
 - Steel-toed shoes

- Coveralls
- Gloves
- Ear plugs or muffs
- Safety glasses
- Masks
- Respirators
- Other (please specify below)

Demographics.

- What is your gender?
 - Male
 - Female
 - Other
- What is your age?
 - Under 18
 - 18 - 24
 - 25 - 34
 - 35 - 44
 - 45 - 54
 - 55 - 64
 - 65 or older
- What is the highest level of school you have completed?
 - Less than high school diploma / secondary education
 - High school diploma / secondary education
 - Trade / technical / vocational training
 - Associates / 2-year degree
 - Bachelor's / 4-year degree
 - Graduate / 6-year degree or higher
 - Other (please specify below)
- How many years of oil and gas field experience do you have?
 - 0 - 5
 - 6 - 10
 - 11 - 15
 - 16 - 20
 - 21 - 25
 - 26 - 30
 - 31 - 35
 - 36 - 40
 - 40+
- In what region(s) do you currently work?
 - Africa

- Asia
- Central America
- Eastern Europe
- European Union
- Middle East
- North America
- Oceania
- South America
- The Caribbean

Contact Information. If you are willing to be contacted for a brief interview, please provide your name and the best way to contact you.

[Name]

[Contact Information]

C INTERVIEW PROTOCOL

- (1) Regarding the computing device(s) used,
 - (a) What do you use the computing device for?
 - (b) Do you think there is any cybersecurity risk when using the device?
 - (c) Is there any additional security needed?
- (2) Regarding log on methods,
 - (a) Why do you prefer <answer from survey response>?
 - (b) Do you use multi-factor authentication? If so, which one?
 - (c) Do you think it is important for access to a computing device in the field to be secure?
 - (d) If you had to choose, would you use the most *convenient* method or the most *secure* method? Why?
- (3) If using a *shared* computer and credentials,
 - (a) Why is sharing needed (e.g., operational disruption, shift work, easier, etc.)?
 - (b) Who sets/changes the password? How is it shared with everyone who needs it?
 - (c) Do you have any security concerns regarding this? If so, is there anything that can be done to mitigate some of the security risks?
- (4) If using a USB drive,
 - (a) What is the device used for?
 - (b) Do you think there are any cybersecurity risks with using USBs?
 - (c) If the USB drive is used to store and/or transfer data,
 - (i) Who can access and use the data that has been stored?
 - (ii) Do you think the data is adequately protected? If not, what else can be done?
 - (iii) Is the USB drive prepared for reuse for another job (e.g., data is wiped)?
 - (d) Do you use a USB for all jobs or only certain jobs (e.g., depending on job type, field location, available connectivity, etc.)?
 - (e) What changes can be made so USBs are no longer needed?
 - (f) Does your computer allow any USB or only company-authorized USBs to be connected?
 - (g) For computers that accept any USB, do you use a personal USB or one provided by the company?
 - (i) Do you think one is safer than the other?
 - (ii) If using a personal USB, would you use a company USB if the company provided one?
- (5) If any PPE interferes with the use of the computer,
 - (a) How does it interfere?
 - (b) What would make it easier for you to use the computer while keeping in mind the need for PPE?
- (6) Are there any other challenges with using computing devices in the field that we have not discussed?
- (7) Are there any other cybersecurity concerns in the field that we have not discussed?