

An Adaptive Optics Census of Companions to Northern Stars Within 25 pc with Robo-AO

MAÍSSA SALAMA ^{1,*} CARL ZIEGLER ² CHRISTOPH BARANEC ¹ MICHAEL C. LIU ³ NICHOLAS M. LAW ⁴ REED RIDDLE ⁵
TODD J. HENRY ⁶ JENNIFER G. WINTERS ⁷ WEI-CHUN JAO ⁸ JAMES OU ¹ AND ARCELIA HERMOSILLO RUIZ ⁹

¹*Institute for Astronomy, University of Hawai‘i at Mānoa, Hilo, HI 96720, USA*

²*Department of Physics, Engineering and Astronomy, Stephen F. Austin State University, 1936 North St, Nacogdoches, TX 75962, USA*

³*Institute for Astronomy, University of Hawai‘i at Mānoa, Honolulu, HI 96822, USA*

⁴*Department of Physics and Astronomy, University of North Carolina at Chapel Hill, Chapel Hill, NC 27599-3255, USA*

⁵*Division of Physics, Mathematics, and Astronomy, California Institute of Technology, Pasadena, CA 91125, USA*

⁶*RECONS Institute, Chambersburg, PA 17201, USA*

⁷*Center for Astrophysics | Harvard & Smithsonian, 60 Garden Street, Cambridge, MA 02138, USA*

⁸*Department of Physics and Astronomy, Georgia State University, Atlanta, GA 30302-4106, USA*

⁹*Astronomy & Astrophysics Department, University of California, Santa Cruz, CA 95064, USA*

ABSTRACT

In order to assess the multiplicity statistics of stars across spectral types and populations in a volume-limited sample, we censused nearby stars for companions with Robo-AO. We report on observations of 1157 stars of all spectral types within 25 pc with decl. $> -13^\circ$ searching for tight companions. We detected 154 companion candidates with separations ranging from $\sim 0''.15$ to $4''.0$ and magnitude differences up to $\Delta m_i \leq 7$ using the robotic adaptive optics instrument Robo-AO. We confirmed physical association from Gaia EDR3 astrometry for 53 of the companion candidates, 99 remain to be confirmed, and 2 were ruled out as background objects. We complemented the high-resolution imaging companion search with a search for co-moving objects with separations out to 10,000 AU in Gaia EDR3, which resulted in an additional 147 companions registered. Of the 301 total companions reported in this study, 49 of them are new discoveries. Out of the 191 stars with significant acceleration measurements in the Hipparcos–Gaia catalog of accelerations, we detect companions around 115 of them, with the significance of the acceleration increasing as the companion separation decreases. From this survey, we report the following multiplicity fractions (compared to literature values): $40.9\% \pm 3.0\%$ (44%) for FGK stars and $28.2\% \pm 2.3\%$ (27%) for M stars, as well as higher-order fractions of $5.5\% \pm 1.1\%$ (11%) and $3.9\% \pm 0.9\%$ (5%) for FGK stars and M type stars, respectively.

Keywords: binaries: close – instrumentation: adaptive optics – techniques: high angular resolution – methods: data analysis – methods: observational

1. INTRODUCTION

Stellar multiples provide important constraints for stellar formation and evolution models through detailed statistics of their multiplicity rates as well as detailed studies of individual systems. Studying the orbits of multiple star systems may yield information on the intrinsic properties of the constituent stars (e.g., mass ratios, separation distributions), improving our knowledge of fundamental astrophysical links such as the mass-luminosity relationship, dynamical interac-

tions, and molecular cloud formation environments (see [Bate 2015](#) review paper). Studying companions around the nearest stars is also vital to the current and next generation of transiting-planet hunting missions, allowing quick identification of false-positive transit signals and calibrating estimates of planetary characteristics (e.g., [Ziegler et al. 2018](#)).

The stars in our solar neighborhood are among the most studied in astronomy. Their proximity allows even very faint stars to be counted, providing the best census of our galaxy’s stellar population. Various studies have been conducted, focusing on different populations of nearby stars. For low-mass stars, [Ward-Duong et al. \(2015\)](#) surveyed 245 late-K to mid-M stars within 15 pc combining adaptive optics imaging and digitized wide-field archival plates and reported 65 companions. [Winters et al. \(2019\)](#) performed a volume-limited stel-

Corresponding author: Maïssa Salama
msalama@ucsc.edu

* Now at Astronomy & Astrophysics Department, University of California, Santa Cruz, CA 95064, USA

lar multiplicity study of 1120 M dwarfs within 25 pc, combining observations with a comprehensive literature search and report on the multiplicity rates and companion separation distribution trends. Lamman et al. (2020) observed 5566 nearby M type stars with adaptive optics imaging and detect 553 tight stellar companion candidates. Vrijmoet et al. (2020) report on 542 M type stars within 25 pc, comparing 20 years of astrometric data with Gaia DR2 and define criteria for finding unresolved companions in Gaia DR2 data. On the very low-mass end of stars, Bardalez Gagliuffi et al. (2019) conducted a volume-limited spectroscopic study of ultracool dwarfs (M7–L5) within 25 pc and report on spectral binary statistics.

Focusing on higher-mass FGK stars, Raghavan et al. (2010) presents the results from a sample of 454 stars within 25 pc. They report detailed statistics on stellar multiplicity fractions and trends with stellar properties (such as mass, age, metallicity). Tokovinin (2014) and Riddle et al. (2015) focused on the higher-order multiplicity of F and G stars within 67 pc. Others such as Kervella et al. (2019) have used Gaia to search for companions within 50 pc using changes in proper motion between the Hipparcos and Gaia catalogs and Rebassa-Mansergas et al. (2021) searched for systems consisting of white-dwarf and main sequence pairs within 100 pc.

For the Robo-AO Solar Neighborhood Survey, we observed a volume-limited sample of >1200 stars across all spectral types within 25 pc, made possible by the observing efficiency provided by the fully-autonomous laser adaptive optics (AO) Robo-AO instrument. Our goal was to detect otherwise unresolved companions in order to estimate the multiplicity fraction of stars across spectral types and provide a census of companions inaccessible to non-AO observations.

In Section 2 we describe the survey target selection and observations, followed by the data reduction in Section 3. In Section 4 we report the companion detections and characterizations, and a complementary search for wide companions with Gaia. This is followed by a discussion of Gaia companion recovery, accelerating stars, higher-order multiple systems, and multiplicity fractions by spectral types in Section 5, and we conclude in Section 6.

2. SURVEY TARGETS AND OBSERVATIONS

2.1. Target Selection

A volume-limited survey requires a well vetted target list. Our list is based on targets initially identified by the REsearch Consortium On Nearby Stars (RECONS, www.recons.org) collaboration, whose goal is to discover and characterize all stars and their environments within 25 pc. To consider stars as nearby stars within 25 pc, prior to the Gaia data releases, RECONS calculated the weighted mean trigonometric par-

Table 1. The specifications of the Robo-AO solar neighborhood survey

Field size	44" × 44"
Detector format	1024 ² pixels
Pixel scale	43.1 mas / pix
Exposure time per target	120 seconds
Targets observed / hour	20
Observation dates	2012 Jun 17 – 2013 Oct 23

allaxes from the literature or published astrometry catalogs, i.e., Hipparcos catalog (van Leeuwen 2007) or Yale Parallax Catalog (van Altena et al. 1995). For stars without trigonometric parallaxes, their distances were estimated using photographic plate photometry, and optical and/or near-IR photometry (see Winters et al. 2015, Boyd et al. 2011 and references therein). Our targets have declinations $> -13^\circ$ and $0 < V < 16$ magnitude range.

2.2. Observations

We obtained high-angular-resolution images of 1221 stars during 58 nights of observations between 2012 June 17 and 2013 October 23. The observations were performed using the automated Robo-AO laser adaptive optics system (Baranec et al. 2013, 2014; Riddle et al. 2012) mounted on 1.5-m telescope at Palomar observatory. The adaptive optics system operates at a control loop rate of 1.2 kHz to correct high-order wavefront aberrations. Image displacement is corrected post-facto using the target star in the science images that are captured at a rate of 8.6 frames per second. Observations were taken in the i' -band filter.

Typical seeing at the Palomar Observatory is between 0".8 and 1".8, with median around 1".1 (Cenko et al. 2006). The typical FWHM (diffraction limited) resolution of the Robo-AO system is 0".15. Specifications of the Robo-AO solar neighborhood survey are summarized in Table 1.

2.3. Target Verification

To verify that the star viewed in the image is the desired target, we created Digital Sky Survey and PanSTARRS cutouts of similar angular size around the target coordinates. Each image was manually inspected to confirm the target observed with Robo-AO was the correct star, based on surrounding stars and/or brightness, as well as assess image quality. Images of stars were rejected if the wrong star was observed or if there had been a clear issue during the observation, i.e. telescope moved or AO correction turned off during integration. Approximately 98% of our images passed inspection,

and for all but five of the rejected images, additional images of the same target were available.

All verified targets were cross-matched with Gaia EDR3 to obtain their parallaxes. Three stars were found to have distances between 50 and 500 pc and we are unable to confirm the distances for another four stars. These observations are thus omitted from this paper. Fifty two stars (4.3% of our sample) were initially thought to be within 25 pc, but are now also known to be more distant according to the Gaia parallax measurements. Of those 52, 87% (45 stars) are within 30 pc and 7 stars extend out to distances of 30–40 pc. These stars and their 19 companions (8 detected within 4'' with Robo-AO and 11 found in the Gaia wide co-moving search, see §4.3.2) were removed from the analysis throughout this paper as they are beyond our distance cut-off of 25 pc but the ones with companions are listed in the Appendix Table 7.

After removing stars with distances greater than 25pc, we are left with 1157 stars confirmed to be within 25 pc. Of these, 74 are wide binaries where we observed each component of the binary separately with Robo-AO. So we observed 1157 stars, which make up 1083 unique systems.

Therefore, the sample of stars reported throughout this paper consists of 1083 primary stars (summarized in Table 2), of which 1005 have Gaia EDR3 information. The distances for the remaining 78 stars were obtained from SIMBAD, all but one (RAO 0739+0513) with parallax measurements. All observations and distance references are listed in Table 4 in the Appendix. The spectral type estimates are from SIMBAD when available (1038 of the stars) and the remaining 45 not found in SIMBAD are derived from Gaia EDR3 colors (Bp–Rp and G–Rp) and absolute G magnitudes. Using the Pecaut & Mamajek (2013) color-Teff grids¹ we estimated the spectral types for each color and magnitude and averaged them to get our final spectral type estimate. For systems with sub-arcsecond companions, the spectral type is a composite type that includes both components of the binary. The spectral type distribution of stars observed and reported in this paper are shown in Figure 1, denoting the sample with Gaia EDR3 information. Many of the early-type stars are not in the Gaia sample because they are too bright (with V magnitudes spanning 0 to 3.5) and therefore do not have Gaia parallax measurements. Furthermore, thirteen stars are identified as young ($\lesssim 300$ Myrs) low-mass (K or M type) stars by the LASSO survey (Salama et al. 2021).

2.4. Volume-Limited Sample Completeness

We evaluated the completeness of our volume-limited sample by examining its $\langle V/V_{max} \rangle$ statistic (Schmidt 1968). $\langle V/V_{max} \rangle$ is the mean of the distribution of V/V_{max} values,




Figure 1. Spectral type distribution of observed stars making up the Robo-AO Solar Neighborhood Survey sample. The dashed lines and corresponding numbers are the stars in our sample with Gaia EDR3 parallaxes. Almost half of our sample are M type stars.

Table 2. Summary of Observed Stars

Total observed:	1221 stars
rejected during target verification	5
unable to confirm distance	4
> 50 pc	3
30 – 40 pc	7
25 – 30 pc	45
Final sample < 25 pc:	1157 individual stars
	1083 systems

which are the ratios of the volume out to the distance of each star to the maximum volume of the sample (i.e., spherical volume of radius = 25 pc). If a sample is 100% complete, the mean of the V/V_{max} values (which ranges from 0 to 1) should be $\langle V/V_{max} \rangle = 0.5$, meaning that the sample is uniformly distributed in space. A sample with an overabundance of targets at greater distances within the volume will result in a $\langle V/V_{max} \rangle > 0.5$ and thus a completeness of $>100\%$. Figure 2(a) shows the cumulative distribution of stellar distances in our sample and the $\langle V/V_{max} \rangle$ value of our sample as a function of corresponding limiting distance. At 25 pc, $\langle V/V_{max} \rangle = 0.39 \pm 0.01$, which corresponds to 78% completeness. Our sample has 90% completeness out to 15 pc. Figure 2(b) shows the same $\langle V/V_{max} \rangle$ statistic for each spectral type subsample. F, G, and K stars are the most complete samples, with $\geq 94\%$ completeness at 25 pc, while M stars are less uniformly distributed as we go to larger distances. This is likely due to the difficulty in detecting M stars, which are less luminous and thus harder to detect, especially as the RECONS list was constructed before Gaia was avail-

¹ http://www.pas.rochester.edu/~emamajek/EEM.dwarf_UBVIJHK_colors_Teff.txt (version 2021.03.02)

able. Furthermore, we have a majority of early M type stars (M0–4) compared to late M type stars (M5 and later) due to the large decrease in luminosity across M type stars, making later M type stars fainter and harder to detect than early M type stars. There are too few A stars and white dwarfs to expect those samples to be complete.

3. DATA REDUCTION

The data reduction process was automated as much as possible for efficiency and consistency. We followed the proven methods detailed in Law et al. (2014) and Ziegler et al. (2015). An initial pipeline calibrates the images and performs the post-facto image displacement correction. The reduced images are then subject to a point-spread function (PSF) subtraction before searching for companions.

3.1. Imaging Pipeline

The Robo-AO imaging pipeline (Law et al. 2009, 2014) reduced the images: the raw EMCCD output frames are dark-subtracted and flat-fielded and then aligned and stacked using the Drizzle algorithm (Fruchter & Hook 2002), which also increases the sampling in the images by a factor of two. To avoid tip/tilt anisoplanatism effects, the image displacement was corrected during the reduction by using the target star itself as the guide star in each observation.


3.2. PSF Subtraction

A custom PSF subtraction routine (Law et al. 2014) based on the Locally Optimized Combination of Images algorithm (Lafrenière et al. 2007) was applied to centered cutouts of all stars. Detailed in Law et al. (2014), the code uses a set of twenty observations from the same observing night as reference PSFs, as it is improbable that a companion would appear at the same position in two different images. A locally optimized PSF is generated and subtracted from the original image, leaving residuals consistent with photon noise.


This procedure was performed on all target star images out to $2''$, and the results manually checked for companions. Figure 3 shows an example of the PSF subtraction. The PSF subtracted images were subsequently processed through the automated companion-finding routine, as described in Section 4.1.

3.3. Imaging Performance Metrics

An automated routine was used to classify the image performance for each target. Described in detail in Law et al. (2014), the code uses PSF core size as a proxy for image performance, modeled by two Moffat functions to measure separately the widths of the core and halo of the PSF. Observations were binned into three performance groups by PSF core size, with 0.65% falling in the low performance group (PSF core $< 0.10''$), 9.83% in the medium performance group



(a)



(b)

Figure 2. (a): $\langle V/V_{max} \rangle$ statistic to assess completeness of our volume-limited sample (top). Percentages are the completeness of the sample out to the corresponding distance. Our sample is 90% complete to 15 pc and 78% complete to 25 pc. The green line traces the cumulative distance distribution of all observed stars in our sample (bottom). (b): $\langle V/V_{max} \rangle$ statistic to assess completeness of our volume-limited sample, shown for each spectral type subsample.




Figure 3. Example of a companion detection in the original reduced image shown in linear-stretch (*left*) and the PSF-subtracted image (*right*). The companion is circled in orange.




Figure 4. Sensitivity curves for all observed targets.

($0.1 - 0.15''$), and 89.52% in the high performance group ($> 0.15''$).

We determine the sensitivity to a 5σ detection by injecting artificial companions, created as a clone of the primary PSF at different angular separations and contrast ratios. For concentric annuli of $0'.1$ width, the detection limit is calculated by steadily dimming the artificial companion until it falls below the 5σ detection threshold for the auto-companion detection algorithm (Section 4.1). This process is subsequently performed at multiple random azimuths within each annulus and the limiting 5σ magnitudes are averaged. For clarity, these average magnitudes for all radii measurements are fitted with functions of the form $a \times \sinh(b \times r + c) + d$ (where r is the radius from the target star and a , b , c and d are fitting variables). Achievable sensitivities are listed in Table 6 and the sensitivity curves are shown in Figure 4.

4. RESULTS

4.1. Robo-AO Companion Detection

To facilitate the automation of the data reduction, we created $8'.5$ square cutouts centered on the observed target stars. Since we are primarily interested in those companions that can only be detected with high-angular resolution images (as opposed to seeing limited images), we selected a $4''$ separation cutoff for our companion search. We ran all images through a custom automated search algorithm, based on the code described in Law et al. (2014). The algorithm slides a 5-pixel diameter aperture within concentric annuli centered on the target star. Any aperture with $>5\sigma$ outlier to the local noise is considered a potential astrophysical source. In addition, a visual companion search was performed redundantly by three of the authors. This search filtered out bad images, eliminated spurious detections with dissimilar PSFs to the target star and those having characteristics of a cosmic ray hit, such as a single bright pixel or bright streak. We detected 154 tight companion candidates in Robo-AO images. The detection measurements and significance values are listed in Table 5 and the image cutouts are shown in Figures 5–8.

4.2. Companion Characterization

4.2.1. Contrast Ratios

In order to measure the contrast ratio between the primary star and companion candidate, we removed most of the primary starlight by subtracting a radially averaged image. We then performed aperture photometry by measuring the flux in circular apertures around the primary star in the original image and the companion candidate in the radially-subtracted image. We measured the noise in an annulus around the star at the same separation as the companion candidate. The aperture radius was chosen to maximize the Signal-to-Noise ratio (S/N) of the companion detection. Photometric uncertainties were estimated from the standard deviation of the contrast ratios measured for the various aperture sizes. This method is explained in more detail in Salama et al. (2021).

4.2.2. False Triples

Occasionally, the frame stacking centers on the bright companion instead of the target used as the natural guide star, which creates a “false triple” image with the companion appearing on either side of the primary at the same separation and 180° rotated. We measured the contrast at both locations and combined the measurements following Law (2006) to calculate the final contrast. This affected 11 of our companion candidates. This effect can be seen in Figures 5–7 (e.g. RAO 0201+7332, RAO 0828+3500, RAO 1233+0901, ...)

4.2.3. Separation and Position Angles

Raw pixel positions were calibrated to on-sky positions using a distortion solution produced using Robo-AO measure-




Figure 5. Grid of Robo-AO images of binary candidates. The images are displayed either in linear or log stretch (when $\Delta m > 2.5$), for ease of visually seeing the companion. The images outlined in blue are the PSF-subtracted images in order to see close-in companions. The color of the circle indicating the companion is based on whether the companion is physically associated (solid green) or yet to be confirmed (dashed orange). The North-East orientation of the images are shown in the bottom right and the image scale in arcseconds is shown for each image cutout.




Figure 6. (*continued*). Grid of Robo-AO images of binary candidates. The images are displayed either in linear or log stretch (when $\Delta m > 2.5$), for ease of visually seeing the companion. The images outlined in blue are the PSF-subtracted images in order to see close-in companions. The color of the circle indicating the companion is based on whether the companion is physically associated (solid green) or yet to be confirmed (dashed orange). The North-East orientation of the images are shown in the bottom right and the image scale in arcseconds is shown for each image cutout.




Figure 7. (*continued*). Grid of Robo-AO images of binary candidates. The images are displayed either in linear or log stretch (when $\Delta m > 2.5$), for ease of visually seeing the companion. The images outlined in blue are the PSF-subtracted images in order to see close-in companions. The color of the circle indicating the companion is based on whether the companion is physically associated (solid green) or yet to be confirmed (dashed orange). The North-East orientation of the images are shown in the bottom right and the image scale in arcseconds is shown for each image cutout.




Figure 8. Grid of Robo-AO images of tight triple system candidates. The images are displayed either in linear or log stretch (when $\Delta m > 2.5$), for ease of visually seeing the fainter companion. The second row of images outlined in blue are the PSF-subtracted images in order to see the close-in companion(s) of the image above. The color of the circle indicating the companion is based on whether the companion is physically associated (solid green) or yet to be confirmed (dashed orange). The North-East orientation of the images is shown in the bottom right and the image scale in arcseconds is shown for each image cutout.

ments for the globular cluster M15.² Separation and position angles were determined from the calibrated positions. Uncertainties were found using estimated systematic errors due to blending between the primary and close companions in the system. Typical uncertainty in the position for each star was 1-2 pixels (Baranec et al. 2016), which corresponds to an average uncertainty of $0.06''$. For very tight companions ($\lesssim 0.5''$), a small uncertainty in companion position still results in a large position angle uncertainty ($\gtrsim 7^\circ$).

4.3. Gaia Companion Detections

4.3.1. Physical Association of Robo-AO Detections

To determine if a candidate companion was physically associated with its host star, we searched for it in Gaia EDR3 to determine whether it had matching parallax and proper motion measurements. To determine physical association status, we applied a threshold of 0.35 to both the ratio of the difference in parallax measurements between the primary and companion to the primary’s parallax ($\Delta\pi/\pi_{prim} < 0.35$) and to the ratio of the difference in proper motion measurements between the primary and companion to the primary’s proper motion ($\Delta\mu/\mu_{prim} < 0.35$), as explained in Salama et al. (2021). We determined 53 companions detected with Robo-AO to be physically associated and ruled out 2 as background objects. Another 99 were not found in Gaia EDR3 or were lacking parallax and proper motion measurements and thus remain to be confirmed with future follow-up studies. However, we expect the vast majority of these companion candidates to be physically associated, as they are mostly within $1''$, where the likelihood of a background star alignment is much lower (Horch et al. 2014; Ziegler et al. 2020; Salama et al. 2021). The i' -band contrasts of the 154 companion candidates detected with Robo-AO are shown in Figure 9 as a function of separation from the host star with their physical association status denoted. Figure 10 also shows the companion detections, as a function of projected separations in AU and the primary star’s SpT is shown.

4.3.2. Wide Co-moving Companions

In order to evaluate the multiplicity fractions of our sample, in addition to the close companions detected with Robo-AO within $4''$, where AO is most beneficial, we searched for wide co-moving companions out to separations of 10,000 AU using Gaia EDR3. We found an additional 147 wide companions. This wide co-moving companion search was carried out for the 1005 stars found in Gaia EDR3. We used the same $\Delta\pi/\pi_{prim} < 0.35$ and $\Delta\mu/\mu_{prim} < 0.35$ thresholds as described in Section 4.3.1 to determine co-moving companions. As can be seen in Figures 11 & 12, all but one companion have $\Delta\pi/\pi_{prim} < 0.1$ and 97% have $\Delta\mu/\mu_{prim} < 0.1$.




Figure 9. Detected companion candidates within $4''$ with Robo-AO. Companions with Gaia EDR3 parallax and proper motion measurements consistent with their host star are determined to be physically associated (green circles). Companion candidates with Gaia parallax and proper motion measurements inconsistent with the host star are determined to be background objects (grey triangles). The remaining companion candidates were not found in Gaia EDR3 or the star or companion were lacking parallax and proper motion information to confirm co-moving physical association (orange squares).




Figure 10. Detected companions within $4''$ as a function of projected separation in astronomical units and color-coded by primary star spectral type. Filled circles are physically associated companions and empty squares are yet to be confirmed companion candidates, where the distance was assumed to be the same as the host star. The detections determined to be background objects were removed.

To further validate our companion search and physical association analysis, we cross-matched with El-Badry et al. (2021)’s catalog of one million binaries in Gaia EDR3. The colored symbols in Figure 11 are the companions that are

² S. Hildebrandt (2013, private communication).




Figure 11. Physical association thresholds (the two dashed lines at 0.35), identified by comparing the primary and companion proper motion and parallax Gaia EDR3 measurements. The wide Gaia co-moving companions as well as those detected in Robo-AO images with Gaia EDR3 information are shown. For those found in the [El-Badry et al. \(2021\)](#) catalog, their \mathcal{R} value is given and we show the sub-sample of stars within 50pc in [El-Badry et al. \(2021\)](#)’s binary catalog in green.

found in [El-Badry et al. \(2021\)](#)’s catalog and thus have \mathcal{R} values, which can be used as a proxy for the probability that a companion candidate is instead a chance alignment. \mathcal{R} is computed from the ratio of the estimated density of chance alignments at a given point in parameter space to the estimated density of candidates (which includes both true companions and chance alignments): $\mathcal{R}(x) = \mathcal{N}_{chance\ align}(x)/\mathcal{N}_{candidates}(x)$. A value of \mathcal{R} very close to 0 means a very high probability that the companion candidate is a true physically associated object, while a value of \mathcal{R} close to 1 indicates a high probability that the object is a chance alignment. The highest \mathcal{R} value in our sample of companions found in [El-Badry et al. \(2021\)](#)’s catalog is 0.0068, therefore we determine them all to be physically associated. Furthermore, for those not found in the catalog and that overlap in $\Delta\pi/\pi_{prim}$ and $\Delta\mu/\mu_{prim}$ space with those from the catalog, we determine them to also be physically associated.

Therefore, in total 200 companions are determined to be physically associated: 53 detected with Robo-AO and 147 from the Gaia wide co-moving search (73 as new companions and 74 are wide companions that were observed separately from the primary star with Robo-AO allowing a search for tight tertiary companions around the secondary star). Using [El-Badry et al. \(2021\)](#)’s catalog, we further validate 158 of the 200 companions as physically associated.

4.3.3. Companion Properties

The detected co-moving companion absolute Gaia magnitudes as a function of projected separation are shown in [Figure 13](#). The farthest detected companion is at a projected




Figure 12. The distribution of $\Delta\pi/\pi_{prim}$ and $\Delta\mu/\mu_{prim}$ for the wide co-moving companions identified in Gaia EDR3 as well as the Robo-AO-detected companions found in Gaia EDR3.

separation of 6285 AU. There are three companions found in the Gaia co-moving search that are within 4'' but missed by Robo-AO: G 239-25 was near the edge of the detector in the observation and thus the companion was out of the field of view; 16 Cyg A has a companion with too large contrast ($\Delta m_G \approx 8$); and VV Lyn A has too poor image quality for Robo-AO to detect the companion.

[Figure 14](#) shows companion properties from Gaia magnitude and colors and color-coded by SpT estimate as explained in [Section 2.3](#), this time for the companions found in Gaia EDR3. The [Pecaut & Mamajek \(2013\)](#) grid is only for main sequence stars, so companions that clearly fall in the white dwarf portion of the color-magnitude diagram were determined to be white dwarfs from their placement on the plot rather than directly from the [Pecaut & Mamajek \(2013\)](#) grid. This was also further validated for companions found in the [El-Badry et al. \(2021\)](#) catalog, which labeled all binaries with a white dwarf component.

4.4. Cross-matching with other catalogs

Of the 301 total companions (including both the 154 detected by Robo-AO and the 147 wide co-moving companions found with Gaia) reported in this survey, we find 252 of them in the literature and the remaining 49 are new discoveries. We found 51 of our companions around FGK stars reported in [Raghavan et al. \(2010\)](#) and 74 of those around M type stars reported in [Winters et al. \(2019\)](#). We checked for the remaining companions in the Washington Double Star catalog (WDS; [Mason et al. 2001](#)) and found another 110 and an additional 17 in the Fourth Catalog of Interferometric Measurements of Binary Stars ([Hartkopf et al. 2001](#)). They are all marked in [Table 5](#). We also searched for our companions in [Vrijmoet et al. \(2020\)](#)’s study where they calculated orbits




Figure 13. Absolute Gaia magnitudes of 147 wide co-moving companions identified in Gaia EDR3 as a function of projected separation and color-coded by spectral type of the primary star.




Figure 14. Gaia color-magnitude diagram for companions detected in Gaia, including the wide co-moving search and the Robo-AO tight detections found in Gaia. Color-coded by companion SpT estimate from Gaia photometry.

for resolved multiple systems and flagged systems as potential multiples in a RECONS sample of 210 (mostly southern) M dwarfs. 77 of our observed stars are in their sample, including 15 of them where we detect companions with Robo-AO. Of these detected companions, 5 are either flagged as potentially having unresolved companions or marked as single stars. Another 9 were marked as potentially having companions but we do not detect any in our Robo-AO images.

5. ANALYSIS & DISCUSSION

5.1. Gaia companion recovery




Figure 15. Cumulative distribution of RUWE values for stars with companions detected by Robo-AO within 1", stars with companion beyond >1" only, and stars with no companions detected. The vertical dashed line marks RUWE = 1.4. Large RUWE values (>1.4) indicate an issue with the astrometry fitting to a single-star model, likely caused by the presence of a close companion.

Gaia Renormalized Unit Weight Errors (RUWE) values are often used as an indicator of the presence of a companion, as a large (>1.4) RUWE value indicates an issue with the single-star astrometric model (as seen in Ziegler et al. 2020). Figure 15 shows the cumulative distribution of primary star RUWE values for our sample in three categories: systems with tight companions within 1" detected by Robo-AO, systems with only companions beyond 1", and single stars. For systems with companion detections, Figure 16 shows the correlation between primary star RUWE value and companion separation and whether a companion is detected by Gaia is also denoted. Gaia EDR3 does not resolve most companions detected in Robo-AO images within 1", however the presence of a companion can be inferred from the high RUWE values.

5.2. Accelerating Stars

Dynamical masses and orbital information on companions can be determined from changes in stellar proper motion. The Hipparcos-Gaia Catalog of Accelerations (HGCA; Brandt 2018, 2021) comprises stellar accelerations determined from Hipparcos and Gaia EDR3 proper motion and positional measurements. Stars with acceleration measurements of $\chi^2 > 11.8$ (corresponding to 3σ) are considered to have significant accelerations, likely caused by the presence of a companion. Of the 727 stars from our sample that are found in the HGCA, 191 have significant accelerations. We report companions within 4" detected with Robo-AO around 68 of those stars, with another 47 stars having wide co-moving companions found in Gaia EDR3. We also detected companions around 72 of the 536 stars with no significant acceleration measurements (7 within 4" detected by




Figure 16. Primary star RUWE values as a function of companion separations detected by Robo-AO, color-coded by magnitude difference. Companions that are detected by Gaia and have parallax and proper motion measurements are shown as circles, those that are found in Gaia but with no parallax and proper motion measurements are shown as diamonds, while those not found in Gaia are shown as X's. Companions that orbit the same primary star and detected by Robo-AO within 4'' are connected by a dotted line. The horizontal dashed line marks $\text{RUWE} = 1.4$. It is clear that companions within 1'' are not well detected by Gaia and are causing large RUWE values, while the systems where the companions are well detected generally have smaller RUWE values.

Robo-AO and 65 wide co-moving companions found in Gaia EDR3). Figure 17 shows the cumulative distribution of acceleration χ^2 for stars with no companions detected, with only wide companions beyond 4'', and with any companions within 4''. Figure 18 shows the correlation between significance of acceleration and companion separation. As can be seen in Figure 17, the distribution that consists of wide companions has a majority of stars with non-significant accelerations ($58.0\% \pm 7.2\%$), even though they have companions. However, the distribution only including the tight companions, has a much larger fraction ($91^{+2}_{-4}\%$) with significant accelerations. This is expected, as companions at larger separations will have less effect on the primary star's acceleration. In the sample with no detected companions, whether tight or wide, there are still some stars with significant accelerations ($14.1\% \pm 1.6\%$). It is likely that these stars have unresolved companions.

5.3. Higher-Order Systems

Triple systems and higher-order systems give us important insights on the dynamics and formation histories of stellar systems. The only stable orbital configuration for these systems is a hierarchical structure, with a tight binary and wider tertiary (Reipurth & Mikkola 2012).




Figure 17. Cumulative distribution of HGCA acceleration χ^2 values for stars with and without companions detected. The vertical dashed line marks the threshold for significant acceleration ($\chi^2 > 11.8$). Of the 540 stars with no companions detected, $85.9\% \pm 4.0\%$ (464/540) do not have significant accelerations, while $14.1\% \pm 1.6\%$ (76/540) of them do. Of the 112 stars with wide (>4'') companion detections, $58.0\% \pm 7.2\%$ (65/112) do not have significant accelerations, and $42.0\% \pm 6.1\%$ (47/112) of them do. Of the 75 stars with companions detected within 4'', only $9^{+5}_{-2}\%$ (7/75) do not have significant accelerations while $91^{+2}_{-4}\%$ (68/75) of them do.




Figure 18. Primary star HGCA acceleration χ^2 as a function of companion projected separation. Orange squares are detections within 4'' with Robo-AO that have yet to be confirmed as physically associated, green circles are physically associated companions detected within 4'' with Robo-AO, and purple stars are wide co-moving companions detected in Gaia EDR3. Companions linked by a dotted line have the same primary star. The horizontal dashed line marks the threshold for significant acceleration ($\chi^2 > 11.8$).




Figure 19. CU CnC system consisting of four imaged M dwarfs with the PSF-subtracted image of star A in order to see its companion. The Robo-AO image is displayed with a log stretch.

We detected 4 triple systems with both companions within $4''$. They are shown in Figure 8. The hierarchical structure can clearly be seen for three of the four systems. With our wide co-moving companion search in Gaia EDR3, we found an additional 17 higher-order systems. 13 are combinations of a tight binary (detected with Robo-AO) and a wider co-moving tertiary companion identified in Gaia, and the other 4 have both companions as wide co-moving companions identified with Gaia. In total, we detected 19 triple systems and 2 higher-order systems, detailed below.

We resolved 4 of the 5 known components of the Cu CnC quintuple system (with the 5th being an eclipsing binary to primary star Cu CnC A). The imaged system consists of two sets of tight ($< 1''$) binaries separated by $\approx 10''$ (Figure 19). Wilson et al. (2017) recently studied this system and Beuzit et al. (2004) imaged it with adaptive optics in 2000, reporting separations and position angles of $0.68''$ and 158° for Cu CnC AD and $0.55''$ and 219° for BC. Twelve years later, we measure $0.49''$ and 186° for AD and $0.95''$ and 188° for BC.

HD 152751 is also a high-order multiple system where we resolved four of its components. The primary star, HD 152751, is a spectroscopic binary, as well as its binary companion, Wolf 629, at a separation of $72''$. Furthermore, we resolved a companion to HD 152751 at $0.24''$ and a wide co-moving companion to Wolf 629 at almost $300''$ separation.

5.4. Multiplicity Fractions

Combining the tight companion detections from Robo-AO with the wide companion detections from Gaia EDR3 as-




Figure 20. Stacked distribution comparison between the stars found in Gaia EDR3 and those not found in Gaia where distances were found in SIMBAD. There is no clear bias in the sample distance distributions. However, there are more bright stars not found in Gaia EDR3 and possibly more bright sub-arcsecond binaries.

trometry, we evaluated the multiplicity fraction of our observed sample of stars for separations ranging from a few AU (for a typical FWHM resolution of $0.15''$ this corresponds to $\lesssim 1$ AU at < 7 pc and 3.75 AU at 25 pc) out to $10,000$ AU. The multiplicity frequency was calculated only including the 1005 stars that were found in Gaia EDR3, where we could perform the wide companion search to complement the tight companion search with Robo-AO. Removing the stars not found in Gaia EDR3 removes a larger proportion of brighter stars. Removing the stars not in Gaia also likely removes some bright sub-arcsecond binaries, which could cause us to underestimate the multiplicity fractions. See Figure 20 for a comparison of property distributions between the Gaia and non-Gaia samples.

Our calculated multiplicity fractions for each SpT sample are summarized in Table 3 and Figure 21. We excluded systems with companions ruled out as background objects but




Figure 21. Stellar multiplicity fractions as a function of spectral type for the sample of 1005 primary stars found in Gaia with both tight Robo-AO detected companions and wide co-moving companions found in Gaia (colored bars) and for the full sample of 1083 primary stars with only tight companions detected by Robo-AO (dashed bars).

include systems that have yet to be confirmed, as we expect the vast majority to be physically associated due to their tight separations (Salama et al. 2021). The fraction of observed stars with companion(s) is $25.5\% \pm 1.5\%$. We used the Poisson distribution to calculate the error bars for the samples with at least 100 stars, and numerically calculated the 1σ uncertainties using the binomial distribution for those with less than 100 stars (Burgasser et al. 2003).

The multiplicity fraction of FGK stars is estimated at $44 \pm 2\%$ (Raghavan et al. 2010) and $26.7 \pm 1.4\%$ (Winters et al. 2019) for M type stars. Our results of $29.5\% \pm 2.5\%$ for FGK stars and $20.8\% \pm 2.0\%$ for M stars are lower, however we have not incorporated spectroscopic binaries in our estimates (see Section 5.4.1). In addition, Winters et al. (2021) found that M dwarf separations are closer, 20 AU on average, than the 50 AU average for companions to FGK stars. This makes it more challenging to resolve companions around low-mass stars. The known trend of higher multiplicity fractions for higher-mass stars (Duchêne & Kraus 2013) is consistent with our results, within the error bars.

Overall, we compute a $1.9\% \pm 0.4\%$ higher-order multiplicity fraction. The higher order multiplicity fractions by SpT of primary stars are also shown in Table 3 for the full sample with only tight ($<4''$) companions, and for the Gaia EDR3 sample with all its companions. Duchêne & Kraus (2013) estimate high order multiplicity fractions of $\approx 11\%$ for solar-type stars (FGK types), whereas we calculate $1.1\% \pm 0.5\%$. However, they also include spectroscopic binaries. Winters et al. (2019) estimate a high order multiplicity rate of $\approx 5\%$ for M dwarfs, which is slightly higher than our estimate of

$2.5\% \pm 0.7\%$. The Winters et al. (2019) study was also conducted on a volume-limited sample out to 25 pc and searched for companions from $2''$ – $300''$, however they also included known sub-arcsecond companions from the literature and because all of their targets within 10 pc had been observed with high-resolution techniques, they applied the same $< 2''$ multiplicity rate to stars with distances 10–25 pc.

5.4.1. Correcting for Unresolved Companions

We cross-matched our Gaia sample of stars with the ninth catalog of spectroscopic binary orbits (SB9; Pourbaix et al. 2004³) and a catalog of eclipsing variables from Malkov et al. (2006) in order to correct our multiplicity fractions for unresolved binaries. We found that 70 of our stars are spectroscopic binaries and an additional 4 are eclipsing binaries, which adds 42 new binaries and 28 higher-order multiple systems to our sample. After applying this correction, our FGK and M multiplicity fractions increase to $37.1\% \pm 2.9\%$ and $21.7\% \pm 2.1\%$, respectively, and to $6.2\% \pm 1.2\%$ and $3.5\% \pm 0.8\%$ for their corresponding higher-order multiplicity fractions.

Stars with high RUWE values (>2.0) but with no detected companion within $2''$ and/or with significant accelerations ($\chi^2 > 11.8$) but with no detected companion within 300 AU, likely have unresolved tight companions. These separation cutoffs were chosen based on Figures 16 & 18, and with the assumption that a companion’s separation on-sky in arcseconds is what impacts Gaia’s ability to resolve the pair and a companion’s true separation in AU is what affects the acceleration of its primary star. We thus created a sample of “potentially unresolved” multiple systems. In addition, following Vrijmoet et al. (2020), who determined that 75% of stars with $\text{RUWEs} > 2.0$ have unresolved companions, we removed 25% of the counts of our “potentially unresolved” sample to not over-correct our multiplicity fraction calculations. With these assumptions, we would expect an additional 94 stars to have unresolved tight companions, and an additional 27 higher-order systems where we have detected the wider companion only. If this were the case, our multiplicity fractions become $40.9\% \pm 3.0\%$ for FGK stars and $28.2\% \pm 2.3\%$ for M type stars and $5.5\% \pm 1.1\%$ and $3.9\% \pm 0.9\%$ for their corresponding higher-order fractions. This method likely over-corrects for low-mass stars, which are fainter and thus are more likely to have issues with the astrometry fits based on their faintness without necessarily being caused by the presence of a companion. Another source of error is that the estimate from Vrijmoet et al. (2020) of 75% of stars with $\text{RUWEs} > 2.0$ having unresolved companions is based on Gaia DR2 and would likely increase with improved astrometry from Gaia EDR3.

³ version:2021-03-02 10:50:23.278733383 +0100

Table 3. Companion Detection Frequencies

SpT Primary	Full Sample			Gaia Sample		
	# Stars	# Stars with Comp(s) <4''		# Stars	# Stars with Comp(s)	# Stars with >1 Comp
A	14	3 (21 ⁺¹⁴ ₋₇ %)		4	1 (25 ⁺²⁷ ₋₁₀ %)	1 (25 ⁺²⁷ ₋₁₀ %)
F	81	13 (16 ⁺⁵ ₋₃ %)		70	28 (40 ⁺⁶ ₋₅ %)	0 ...
G	127	14 (11.0%±3.0%)		119	32 (26.9%±4.8%)	3 (2.5%±1.5%)
K	278	35 (12.6%±2.1%)		266	74 (27.8%±3.2%)	2 (0.8%±0.5%)
M	550	80 (14.6%±1.6%)		515	107 (20.8%±2.0%)	13 (2.5%±0.7%)
WD	31	2 (7 ⁺⁷ ₋₂ %)		30	2 (7 ⁺⁸ ₋₂ %)	0 ...

Both of these correction methods yield multiplicity fractions that are closer than our raw multiplicity fractions, to the current estimates from the literature. Another source of error, particularly affecting the fainter stars in our sample, is a bias towards detecting binaries due to an increase in brightness of the system. Faint stars that have been more challenging to detect and to measure their parallaxes, especially prior to Gaia, will appear brighter if there are two stars and thus have been more likely to be counted in nearby stellar censuses.

6. CONCLUSION

Our objective with the Robo-AO Solar Neighborhood Survey is to provide a uniform sample of the nearby stellar population, allowing more accurate multiplicity statistics across spectral types and stellar populations. We observed 1083 stellar systems within 25 pc across all spectral types. Our main findings are:

- We detected 301 companions, 154 are <4'' companions detected with high-resolution imaging using the Robo-AO adaptive optics instrument, and 147 were detected using Gaia EDR3 astrometry, spanning out to 10,000 AU. 49 are new companion detections.
- We detected 255 binary systems, 19 triple systems, and 2 higher-order systems.
- We evaluated the Gaia EDR3 companion recovery and correlation with RUWE values and found that most companions within 1'' were not detected by Gaia but the host stars have a large (>1.4) RUWE value.
- We found that 91⁺²₋₄% of the stars with companions within 4'' had significant acceleration measurements in the HGCA catalog, compared to 42.0%±6.1% for stars with wide (>4'') companions, and 14.1%±1.6% for stars with no detected companions.
- From these results, we have calculated the raw multiplicity fractions of stars within 25 pc to be 29.5%±2.5% for FGK stars and 20.8%±2.0% for M stars, which we estimate to increase to 40.9%±3.0% and 28.2%±2.3% for FGK and M type stars if we account for unresolved companions.

Surveys such as ours with Robo-AO allow us to probe for tight companions not resolvable with non-AO observations. This provides a more complete census of the number of stellar multiple systems among our nearest neighbors and will allow for more detailed statistics on the characteristic distribution of these stellar multiple systems. Follow-up studies constraining the orbits of these companions will provide important information on the dynamics of these systems and mass calculations of each stellar component in the systems. These orbital dynamics, mass measurements, and more detailed statistics of multiplicity fractions will help constrain stellar evolution and formation models, further informing us on our understanding of the stellar populations in our galaxy.

ACKNOWLEDGMENTS

The Robo-AO system is supported by collaborating partner institutions, the California Institute of Technology and the Inter-University Centre for Astronomy and Astrophysics, and by the National Science Foundation under Grant Nos. AST-0906060, AST-0960343, and AST-1207891, by the Mount Cuba Astronomical Foundation, and by a gift from Samuel Oschin.

We are grateful to the Palomar Observatory staff for their ongoing support of Robo-AO on the 60 inch telescope, particularly S. Kunsman, M. Doyle, J. Henning, R. Walters, G. Van Idsinga, B. Baker, K. Dunscombe and D. Roderick.

This research was funded in part by grants to M. Liu from the Gordon and Betty Moore Foundation (Grant GBMF8550) and the National Science Foundation (AST-1518339)

JGW is supported by the National Aeronautics and Space Administration under Grant No. 80NSSC18K0476 issued through the XRP Program.

This research has made use of the SIMBAD database, operated by Centre des Données Stellaires (Strasbourg, France), and bibliographic references from the Astrophysics Data System maintained by SAO/NASA.

This work has made use of data from the European Space Agency (ESA) mission *Gaia* (<https://www.cosmos.esa.int/gaia>), processed by the *Gaia* Data Processing and Analysis Consortium (DPAC, <https://www.cosmos.esa.int/web/gaia/dpac/consortium>). Funding for the DPAC has been pro-

vided by national institutions, in particular the institutions participating in the *Gaia* Multilateral Agreement.

This research has made use of the Washington Double Star Catalog maintained at the U.S. Naval Observatory.

Facilities: PO:1.5m (Robo-AO)

REFERENCES

- Baranec, C., Ziegler, C., Law, N. M., et al. 2016, *AJ*, 152, 18, doi: [10.3847/0004-6256/152/1/18](https://doi.org/10.3847/0004-6256/152/1/18)
- Baranec, C., Riddle, R., Law, N. M., et al. 2013, *Journal of Visualized Experiments*, 72, e50021, doi: [10.3791/50021](https://doi.org/10.3791/50021)
- . 2014, *ApJL*, 790, L8, doi: [10.1088/2041-8205/790/1/L8](https://doi.org/10.1088/2041-8205/790/1/L8)
- Bardalez Gagliuffi, D. C., Burgasser, A. J., Schmidt, S. J., et al. 2019, *ApJ*, 883, 205, doi: [10.3847/1538-4357/ab253d](https://doi.org/10.3847/1538-4357/ab253d)
- Bate, M. R. 2015, in *Astronomical Society of the Pacific Conference Series*, Vol. 496, *Living Together: Planets, Host Stars and Binaries*, ed. S. M. Rucinski, G. Torres, & M. Zejda, 37
- Beuzit, J. L., Ségransan, D., Forveille, T., et al. 2004, *A&A*, 425, 997, doi: [10.1051/0004-6361:20048006](https://doi.org/10.1051/0004-6361:20048006)
- Boyd, M. R., Winters, J. G., Henry, T. J., et al. 2011, *AJ*, 142, 10, doi: [10.1088/0004-6256/142/1/10](https://doi.org/10.1088/0004-6256/142/1/10)
- Brandt, T. D. 2018, *ApJS*, 239, 31, doi: [10.3847/1538-4365/aaec06](https://doi.org/10.3847/1538-4365/aaec06)
- . 2021, *ApJS*, 254, 42, doi: [10.3847/1538-4365/abf93c](https://doi.org/10.3847/1538-4365/abf93c)
- Burgasser, A. J., Kirkpatrick, J. D., Reid, I. N., et al. 2003, *ApJ*, 586, 512, doi: [10.1086/346263](https://doi.org/10.1086/346263)
- Cenko, S. B., Fox, D. B., Moon, D.-S., et al. 2006, *PASP*, 118, 1396, doi: [10.1086/508366](https://doi.org/10.1086/508366)
- Duchêne, G., & Kraus, A. 2013, *ARA&A*, 51, 269, doi: [10.1146/annurev-astro-081710-102602](https://doi.org/10.1146/annurev-astro-081710-102602)
- El-Badry, K., Rix, H.-W., & Heintz, T. M. 2021, *MNRAS*, 506, 2269, doi: [10.1093/mnras/stab323](https://doi.org/10.1093/mnras/stab323)
- Fruchter, A. S., & Hook, R. N. 2002, *PASP*, 114, 144, doi: [10.1086/338393](https://doi.org/10.1086/338393)
- Hartkopf, W. I., McAlister, H. A., & Mason, B. D. 2001, *AJ*, 122, 3480, doi: [10.1086/323923](https://doi.org/10.1086/323923)
- Horch, E. P., Howell, S. B., Everett, M. E., & Ciardi, D. R. 2014, *ApJ*, 795, 60, doi: [10.1088/0004-637X/795/1/60](https://doi.org/10.1088/0004-637X/795/1/60)
- Kervella, P., Arenou, F., Mignard, F., & Thévenin, F. 2019, *A&A*, 623, A72, doi: [10.1051/0004-6361/201834371](https://doi.org/10.1051/0004-6361/201834371)
- Lafrenière, D., Marois, C., Doyon, R., Nadeau, D., & Artigau, É. 2007, *ApJ*, 660, 770, doi: [10.1086/513180](https://doi.org/10.1086/513180)
- Lamman, C., Baranec, C., Berta-Thompson, Z. K., et al. 2020, *AJ*, 159, 139, doi: [10.3847/1538-3881/ab6ef1](https://doi.org/10.3847/1538-3881/ab6ef1)
- Law, N. M. 2006, PhD thesis, Institute of Astronomy & Selwyn College, Cambridge University. https://users.physics.unc.edu/~nmlaw/nlaw_lucky_thesis.pdf
- Law, N. M., Mackay, C. D., Dekany, R. G., et al. 2009, *ApJ*, 692, 924, doi: [10.1088/0004-637X/692/1/924](https://doi.org/10.1088/0004-637X/692/1/924)
- Law, N. M., Morton, T., Baranec, C., et al. 2014, *ApJ*, 791, 35, doi: [10.1088/0004-637X/791/1/35](https://doi.org/10.1088/0004-637X/791/1/35)
- Malkov, O. Y., Oblak, E., Snegireva, E. A., & Torra, J. 2006, *A&A*, 446, 785, doi: [10.1051/0004-6361:20053137](https://doi.org/10.1051/0004-6361:20053137)
- Mason, B. D., Wycoff, G. L., Hartkopf, W. I., Douglass, G. G., & Worley, C. E. 2001, *AJ*, 122, 3466, doi: [10.1086/323920](https://doi.org/10.1086/323920)
- Pecaut, M. J., & Mamajek, E. E. 2013, *ApJS*, 208, 9, doi: [10.1088/0067-0049/208/1/9](https://doi.org/10.1088/0067-0049/208/1/9)
- Pourbaix, D., Tokovinin, A. A., Batten, A. H., et al. 2004, *A&A*, 424, 727, doi: [10.1051/0004-6361:20041213](https://doi.org/10.1051/0004-6361:20041213)
- Raghavan, D., McAlister, H. A., Henry, T. J., et al. 2010, *ApJS*, 190, 1, doi: [10.1088/0067-0049/190/1/1](https://doi.org/10.1088/0067-0049/190/1/1)
- Rebassa-Mansergas, A., Solano, E., Jiménez-Esteban, F. M., et al. 2021, *MNRAS*, 506, 5201, doi: [10.1093/mnras/stab2039](https://doi.org/10.1093/mnras/stab2039)
- Reipurth, B., & Mikkola, S. 2012, *Nature*, 492, 221, doi: [10.1038/nature11662](https://doi.org/10.1038/nature11662)
- Riddle, R. L., Burse, M. P., Law, N. M., et al. 2012, in *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, Vol. 8447, *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, 2, doi: [10.1117/12.925475](https://doi.org/10.1117/12.925475)
- Riddle, R. L., Tokovinin, A., Mason, B. D., et al. 2015, *ApJ*, 799, 4, doi: [10.1088/0004-637X/799/1/4](https://doi.org/10.1088/0004-637X/799/1/4)
- Salama, M., Ou, J., Baranec, C., et al. 2021, *AJ*, 162, 102, doi: [10.3847/1538-3881/ac0445](https://doi.org/10.3847/1538-3881/ac0445)
- Schmidt, M. 1968, *ApJ*, 151, 393, doi: [10.1086/149446](https://doi.org/10.1086/149446)
- Tokovinin, A. 2014, *AJ*, 147, 87, doi: [10.1088/0004-6256/147/4/87](https://doi.org/10.1088/0004-6256/147/4/87)
- van Altena, W. F., Lee, J. T., & Hoffleit, E. D. 1995, *The general catalogue of trigonometric [stellar] parallaxes*
- van Leeuwen, F. 2007, *A&A*, 474, 653, doi: [10.1051/0004-6361:20078357](https://doi.org/10.1051/0004-6361:20078357)
- Vrijmoet, E. H., Henry, T. J., Jao, W.-C., & Dieterich, S. B. 2020, *AJ*, 160, 215, doi: [10.3847/1538-3881/abb4e9](https://doi.org/10.3847/1538-3881/abb4e9)
- Ward-Duong, K., Patience, J., De Rosa, R. J., et al. 2015, *MNRAS*, 449, 2618, doi: [10.1093/mnras/stv384](https://doi.org/10.1093/mnras/stv384)
- Wilson, R. E., Pilachowski, C. A., & Terrell, D. 2017, *ApJ*, 835, 251, doi: [10.3847/1538-4357/835/2/251](https://doi.org/10.3847/1538-4357/835/2/251)
- Winters, J. G., Charbonneau, D., Henry, T. J., et al. 2021, *AJ*, 161, 63, doi: [10.3847/1538-3881/abcc74](https://doi.org/10.3847/1538-3881/abcc74)
- Winters, J. G., Henry, T. J., Lurie, J. C., et al. 2015, *AJ*, 149, 5, doi: [10.1088/0004-6256/149/1/5](https://doi.org/10.1088/0004-6256/149/1/5)
- Winters, J. G., Henry, T. J., Jao, W.-C., et al. 2019, *AJ*, 157, 216, doi: [10.3847/1538-3881/ab05dc](https://doi.org/10.3847/1538-3881/ab05dc)
- Ziegler, C., Law, N. M., Baranec, C., Riddle, R. L., & Fuchs, J. T. 2015, *ApJ*, 804, 30, doi: [10.1088/0004-637X/804/1/30](https://doi.org/10.1088/0004-637X/804/1/30)

Ziegler, C., Tokovinin, A., Briceño, C., et al. 2020, AJ, 159, 19,
doi: [10.3847/1538-3881/ab55e9](https://doi.org/10.3847/1538-3881/ab55e9)

Ziegler, C., Law, N. M., Baranec, C., et al. 2018, AJ, 156, 83,
doi: [10.3847/1538-3881/aace59](https://doi.org/10.3847/1538-3881/aace59)

Table 4. All Observed Targets

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
		SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{rec}	Candidate(s)?
0005+4548 A	HD 38A		386653851004022144	00:05:41.02	+45:48:43.55	8.23	8.25	11.52 ± 0.00 [G]	K6V [S]	2012 Jul 17	1.2	6209.3	yes
0006+5826 A	HD 123A		423075173680043904	00:06:15.81	+58:26:12.11	6.11	6.22	20.79 ± 0.02 [G]	G3V [S]	2012 Jul 17	1.8	45358.3	yes
0006+2901 A	HD 166		2860924621205256704	00:06:36.78	+29:01:17.41	6.21	5.88	13.77 ± 0.01 [G]	G8 [S]	2012 Jul 17	0.9	3.1	...
0006-0732 A	G 158-27		2441630500517079808	00:06:43.20	-07:32:17.02	13.77	11.77	4.85 ± 0.00 [G]	M5.5V [S]	2013 Jul 27	1.3
0007+2914 A	G 130-43		2860957125517813248	00:07:26.71	+29:14:32.77	14.15	12.95	21.11 ± 0.01 [G]	M3.5V [S]	2012 Jul 17	1.1
0008+1725 A	GJ 3008		2772804845911842944	00:08:27.28	+17:25:27.46	10.8	10.03	21.74 ± 0.01 [G]	K7V [S]	2012 Oct 09	1.0	2.7	...
0009+5908 A	bet Cas		...	00:09:10.6851	+59:08:59.212	2.36	...	16.78 [S]	F2III [S]	2012 Jul 17
0011+5908 A	LSPM 10011+5908		423027104407576576	00:11:31.82	+59:08:39.88	15.68	13.47	9.31 ± 0.00 [G]	M6.0V [S]	2012 Aug 05	1.1
0012+5025 A	EGGR 381		395234439752169344	00:12:14.74	+50:25:20.74	14.36	14.24	10.87 ± 0.00 [G]	DA7.6 [S]	2012 Jul 17	1.1
0013+6919 A	...		530438704553073280	00:13:15.78	+69:19:36.85	12.44	12.05	20.52 ± 0.05 [G]	M3V [G]		2.3	562.4	yes
0013+8039 A	G 242-48		565169459378433152	00:13:38.71	+80:39:56.84	11.11	10.22	19.24 ± 0.01 [G]	M1.5V [S]	2012 Jul 18	1.1	0.8	yes
0015+1333 A	G 32-5		2768048564768256512	00:15:49.24	+13:33:22.32	12.61	11.4	12.17 ± 0.00 [G]	M4V [S]		1.2
0016+1951 A	G 32-6		2797745549200763520	00:16:14.63	+19:51:37.54	12.25	10.91	15.36 ± 0.01 [G]	M4.0V [S]	2012 Jul 16	1.6	14.4	yes (+SB)
0016+1951 B	G 32-7		2797745549200773120	00:16:16.15	+19:51:50.47	13.2	11.89	15.36 ± 0.01 [G]	M4.0V [S]	2012 Aug 04	1.6
0016+0507 A	G 31-39		2741452134407577216	00:16:56.30	+05:07:26.41	13.79	12.39	17.81 ± 0.01 [G]	M4V [S]	2012 Aug 04	1.3
0017+4056 A	BD+40 45		383426372059603712	00:17:06.37	+40:56:53.87	9.02	8.37	14.69 ± 0.00 [G]	K7 [S]	2012 Jul 17	1.0	3.5	...
0017+2910 A	Ross 680		2860379125997924480	00:17:20.32	+29:10:58.81	11.22	10.6	22.84 ± 0.01 [G]	M0V [S]	2012 Jul 17	1.2	0.1	...
0018+1012 A	GJ 16		2752746111688997248	00:18:16.59	+10:12:10.04	10.91	10.01	16.77 ± 0.01 [G]	M1V [S]	2012 Jul 16	1.0	0.5	...
0018+4401 A	GX And		3853342308292516480	00:18:22.88	+44:01:22.64	8.08	7.22	3.56 ± 0.00 [G]	M2V [S]	2012 Jul 17	1.0	2455.9	yes
0018+4401 B	GX And		385334196532776576	00:18:25.83	+44:01:38.09	11.06	9.69	3.56 ± 0.00 [G]	M3.5V [S]	2012 Jul 17	1.2
0018-0803 A	HD 1461		2430102808294101760	00:18:41.87	-08:03:10.80	6.46	6.31	23.40 ± 0.02 [G]	G3VFe0.5 [S]	2013 Jul 27	0.8	2.7	...
0020+3813 A	HD 1562		379582273249916416	00:20:00.41	+38:13:38.63	7.11	6.83	24.73 ± 0.01 [G]	G1V [S]	2012 Jul 17	0.9	28.6	...
0022-1212 A	9 Cet		2423493369021649920	00:22:51.79	-12:12:33.97	6.38	6.24	21.33 ± 0.01 [G]	G2.5V [S]	2013 Jul 27	1.0	8.7	...
0023+2418 A	G 131-62		2801216123294143360	00:23:27.99	+24:18:24.62	14.27	12.82	16.61 ± 0.01 [G]	M4 [S]	2012 Aug 03	1.3	...	yes
0023+7711 A	G 242-51		540136568911394944	00:23:28.83	+77:11:21.45	11.31	10.43	19.13 ± 0.00 [G]	M2.5V [S]	2012 Jul 18	1.0	6.1	yes
0023+7711 B	G 242-52		540136568911394432	00:23:31.81	+77:11:26.61	14.1	12.83	19.13 ± 0.01 [G]	M4.5 [S]	2012 Aug 03	1.3
0024+3002 A	G 130-68		2859027409595355776	00:24:34.88	+30:02:29.53	14.56	12.96	19.49 ± 0.02 [G]	M5V [S]	2012 Jul 17	1.3
0026+7008 A	GJ 21		530158019855216896	00:26:52.70	+70:08:32.72	10.53	9.7	16.16 ± 0.00 [G]	M1.0Ve [S]	2012 Jul 18	1.0	1.3	...
0027+4941 A	G 217-51		391624571277556992	00:27:06.78	+49:41:52.92	14.25	12.77	22.31 ± 0.01 [G]	M4 [S]	2012 Jul 17	1.2
0028-0639 A	G 31-53		2430731144829585280	00:28:39.46	-06:39:49.18	12.17	10.9	13.38 ± 0.01 [G]	dM4.0 [S]	2012 Sep 03	1.3
0031-0552 A	G 270-1		2526862202360516224	00:31:35.41	-05:52:13.08	12.73	11.55	14.08 ± 0.01 [G]	M3.68 [S]	2012 Sep 03	1.3
0032-6714 A	...		527956488340229632	00:32:29.51	+67:14:09.14	10.28	9.57	9.89 ± 0.05 [G]	M2.5V [G]	2012 Jul 17	5.9	...	yes
0032-0434 A	GR* 50		2528227035593363840	00:32:53.13	-04:34:07.27	13.97	12.55	18.92 ± 0.04 [G]	M4.5V [S]	2013 Jul 27	3.5	...	yes
0034+7111 A	G 242-60		536325146216950016	00:34:37.67	+71:11:42.06	13.53	12.3	19.31 ± 0.01 [G]	M3.5 [S]	2012 Jul 18	1.1
0035-0335 A	13 Cet		2528433919872925512	00:35:14.8796	-03:35:34.236	5.18	5.03	21.25 [S]	F7V+G4V [S]	2012 Aug 06	yes (+SB)
0035+5241 A	G 172-11		416158489625704320	00:35:53.33	+52:41:12.23	12.54	11.53	24.29 ± 0.02 [G]	M2.5V [S]	2012 Oct 09	1.4	...	yes
0035+5241 B	G 217-59		416158523985440896	00:35:53.68	+52:41:36.66	15.1	13.66	24.28 ± 0.01 [G]	M3V [S]	2012 Aug 02	1.2

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0035+1028 A	G 32-35		2751296646125543040	00:35:55.52	+10:28:35.51	15.32	13.56	14.39 ± 0.01 [G]	M5V [S]	2012 Aug 03	1.2
0036+4530 A	G 172-13		...	00:36:08.4481	+45:30:57.475	11.71	...	22.78 [S]	M2.0Ve [S]	2012 Jul 17	yes
0038+5219 A	G 218-5		416135846558362112	00:38:15.29	+52:19:55.53	10.57	9.81	23.02 ± 0.01 [G]	M0.0Ve [S]	2012 Jul 17	0.9	14.6	...
0038+3036 A	Wolf 1056		2858600494141185280	00:38:59.04	+30:36:58.39	11.08	10.06	12.67 ± 0.00 [G]	M2.5V [S]	2012 Jul 17	1.2
0039+2115 A	54 Psc		2802397960855105920	00:39:21.81	+21:15:01.71	6.03	5.65	11.11 ± 0.01 [G]	K0.5V [S]	2012 Jul 16	0.9	2.5	...
0040+4011 A	HD 3765		369092520004831232	00:40:49.27	+40:11:13.82	7.38	7.09	17.91 ± 0.01 [G]	K2V [S]	2012 Jul 17	1.0	3.8	...
0041+5550 A	G 218-7		418491408481398272	00:41:20.83	+55:50:04.41	14.02	12.73	22.87 ± 0.01 [G]	M4.17 [S]	2012 Jul 17	1.2	...	yes
0041+5550 B	EGGR 245		418491412783587200	00:41:22.04	+55:50:08.35	14.08	14.0	22.87 ± 0.01 [G]	DBQ5 [S]	2012 Aug 03	1.1
0042+3532 A	FF And		365548347350541952	00:42:48.25	+35:32:55.65	10.53	9.56	21.68 ± 0.01 [G]	M1Ve+M1Ve [S]	2012 Jul 17	1.2	8.0	(SB)
0043+3350 A	BD+33 99		362082308742525824	00:43:32.86	+33:50:40.42	8.84	8.31	21.08 ± 0.01 [G]	K5-V [S]	2012 Jul 17	0.9	8.5	...
0043+2826 A	G 69-16		2810002011474061568	00:43:35.59	+28:26:41.44	14.51	13.25	20.86 ± 0.01 [G]	M4 [S]	2012 Aug 03	1.4
0045+0147 A	HD 4256		2549518150551364864	00:45:04.89	+01:47:07.88	7.99	7.73	22.39 ± 0.01 [G]	K3V [S]	2012 Jul 16	0.9	1.6	...
0048-0508 A	LP 646-17		2525688198820543360	00:48:13.33	-05:08:07.70	12.15	11.17	24.86 ± 0.02 [G]	M2.5V [S]	2012 Sep 03	1.4	4.2	...
0048+0516 A	HD 4628		2552925644460225152	00:48:22.98	+05:16:50.21	5.72	5.47	7.44 ± 0.00 [G]	K2.5V [S]	2012 Jul 16	1.1	0.8	...
0048+1656 A	64 Psc		2781872793183604096	00:48:58.71	+16:56:26.32	5.18	4.93	23.39 ± 0.06 [G]	F8V [S]	2012 Jul 16	1.0	7.4	(SB)
0049+5748 A	eta Cas		42504000962559616	00:49:06.29	+57:48:54.64	3.58	3.32	5.92 ± 0.01 [G]	F9V [S]	2012 Jul 17	3.1	659.4	yes
0049+5748 B	eta Cas B		4250400096249792	00:49:05.19	+57:49:04.17	7.51	6.76	5.92 ± 0.00 [G]	K7Ve [S]	2012 Aug 02	1.0
0049+0523 A	Wolf 28		2552928187080872832	00:49:09.90	+05:23:18.99	12.4	12.3	4.31 ± 0.00 [G]	DZ7.5 [S]	2012 Jul 16	1.2	1620.7	...
0049+7026 A	HD 4635		536088338900732544	00:49:46.48	+70:26:58.15	7.89	7.5	21.54 ± 0.01 [G]	K2.5V+ [S]	2012 Jul 18	1.0	3.8	...
0050-1038 A	phi02 Cet		2473608009504466688	00:50:07.59	-10:38:39.58	5.16	5.03	15.92 ± 0.02 [G]	F7V [S]	2013 Jul 27	1.0	0.2	...
0050+2449 A	FT Psc		2805045756653326080	00:50:33.25	+24:49:00.17	12.15	11.24	14.99 ± 0.02 [G]	M4.0V [S]	2012 Aug 03	1.5	768.3	yes
0051-0502 A	HD 4915		2525514785221197696	00:51:10.85	-05:02:21.40	7.11	6.81	22.43 ± 0.01 [G]	G5V [S]	2012 Oct 09	0.9	0.1	...
0051+1844 A	HD 4913		2788907296779604864	00:51:21.75	+18:44:21.29	9.2	8.76	22.21 ± 0.01 [G]	K6V [S]	2012 Jul 16	1.0	3.7	yes
0051+5818 A	Wolf 33		424422281584852352	00:51:29.84	+58:18:07.30	10.67	9.97	18.99 ± 0.00 [G]	M0.0Ve [S]	2012 Oct 09	1.0	0.7	...
0053+6107 A	HD 5015		427322415301550208	00:53:04.20	+61:07:26.30	4.91	4.64	18.90 ± 0.04 [G]	F9V [S]	2012 Jul 17	1.1	10.2	...
0056+1727 A	G 32-59		2787758616366123136	00:56:38.37	+17:27:34.95	13.71	12.33	18.23 ± 0.01 [G]	M3.78 [S]	2012 Jul 16	1.8
0100-0426 A	G 70-28		2525276565243086080	01:00:56.37	-04:26:56.56	13.35	11.97	12.38 ± 0.01 [G]	M4.0V [S]	2012 Aug 28	1.5
0101+6121 A	Wolf 44		426641955043723520	01:01:20.05	+61:21:56.68	10.85	9.85	10.53 ± 0.00 [G]	M2.0Ve [S]	2012 Aug 06	1.0
0102-1025 A	BD-11 192		2473055951588089088	01:02:21.13	-10:25:25.89	10.11	9.38	21.10 ± 0.01 [G]	M0V [S]	2013 Jul 27	1.1	0.4	...
0102+0503 A	HD 6101		2552288133874677760	01:02:24.55	+05:03:41.61	8.25	8.02	22.49 ± 0.07 [G]	K2V [S]	2012 Aug 04	3.2	12192.8	yes
0102+7140 A	Ross 318		533621859441169920	01:02:32.24	+71:40:47.34	9.98	8.94	8.23 ± 0.00 [G]	M3.0Ve [S]	2012 Jul 28	1.0	1.9	...
0102+6220 A	BD+61 195		522863309964987520	01:02:38.87	+62:20:42.18	9.56	8.67	9.86 ± 0.00 [G]	M1.5V [S]	2012 Jul 18	1.0	3.5	yes
0102+6220 B	Wolf 47		522864272041351296	01:03:19.84	+62:21:55.84	13.78	11.93	9.86 ± 0.00 [G]	M5V [S]	2012 Aug 02	1.1
0103+2005 A	G 33-35 A		2788769028896753664	01:03:14.15	+20:05:52.28	11.4	10.66	15.93 ± 0.01 [G]	M1.5 [S]	2012 Aug 04	1.4	28.4	yes
0103+0504 A	EGGR 7		2552121179905893888	01:03:49.92	+05:04:30.57	14.1	13.94	22.02 ± 0.04 [G]	DA5.9 [S]	2012 Aug 04	4.5
0105+2829 A	G 69-47		308256610357824640	01:05:37.64	+28:29:33.57	14.79	12.95	12.51 ± 0.04 [G]	M5.42 [S]	2012 Jul 18	7.5
0106+1516 A	G 33-36		2783324526489670144	01:06:41.51	+15:16:22.09	11.48	10.51	22.23 ± 0.02 [G]	M0V [S]	2012 Oct 09	1.1	1.8	...
0107+6356 A	BD+63 137		523433578540463488	01:07:08.20	+63:56:28.78	8.97	8.42	15.07 ± 0.00 [G]	K7V [S]	2012 Jul 28	1.0	1.0	...
0107+2257 A	HD 6660		2791782794564103808	01:07:37.87	+22:57:17.93	8.42	8.03	20.54 ± 0.01 [G]	K4V [S]	2012 Jul 18	1.2	7.3	yes

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{dec}	Candidate(s)?
0107+3412 A	Ross 322		314922605759778048	01:07:47.84	+34:12:30.54	13.37	12.36	23.46 ± 0.01 [G]	M3 [S]	2012 Jul 18	1.6
0108+5455 A	mu. Cas		411413822074322432	01:08:16.30	+54:55:12.56	5.29	4.95	7.68 ± 0.03 [G]	G5Vb [S]	2012 Jul 18	7.0	...	(SB)
0111+0453 A	G 70-43		2564020472698316416	01:11:55.59	+04:55:05.15	12.88	11.73	15.46 ± 0.04 [G]	M3.5Ve [S]	2012 Aug 03	6.3	...	yes
0111+0455 B	G 70-44		2564019716784563840	01:11:57.99	+04:54:12.46	13.9	12.56	15.46 ± 0.01 [G]	M4V [S]	2012 Aug 03	1.5
0114-0755 A	37 Cet		2475331528340199936	01:14:24.04	-07:55:22.17	5.14	5.02	24.05 ± 0.06 [G]	F5V [S]	2013 Jul 27	0.9	5.5	yes
0114-0755 B	HD 7438		2475331597059676288	01:14:22.43	-07:54:39.25	7.83	7.63	24.05 ± 0.01 [G]	K1(V) [S]	2013 Jul 27	0.9
0116+4256 A	HD 7590		373349657227961472	01:16:29.25	+42:56:21.90	6.72	6.46	24.17 ± 0.01 [G]	G0-V(k) [S]	2012 Jul 18	1.1	1.5	...
0116+2419 A	G 34-15		294014808041906688	01:16:29.20	+24:19:26.78	15.0	13.62	21.45 ± 0.01 [G]	M4.0V [S]	2012 Jul 18	1.4
0116+2519 A	G 69-62		294517800251711616	01:16:39.36	+25:19:53.32	10.09	9.48	23.88 ± 0.01 [G]	M0V [S]	2012 Jul 18	1.1	0.3	...
0118+1610 A	Wolf 1516		2591754107321120896	01:18:00.08	+16:10:20.56	13.87	13.78	16.76 ± 0.01 [G]	DC6 [S]	2012 Aug 04	1.0
0118-1253 A	G 270-188		2456594647612706432	01:18:16.01	-12:53:59.38	11.79	10.84	23.75 ± 0.02 [G]	M2 [S]	2013 Jul 27	1.1	4.9	...
0119+8409 A	G 265-8		573273684709125504	01:19:52.17	+84:09:32.80	14.75	13.1	14.45 ± 0.00 [G]	M5 [S]	2012 Jul 28	1.2
0120+5719 A	Ross 9		413391568618906880	01:20:40.75	+57:19:40.51	10.39	9.79	21.74 ± 0.01 [G]	K5 [S]	2012 Jul 18	1.1	0.6	...
0121+8009 A	BD+79 38		565471721996476160	01:21:30.91	+80:09:06.48	9.79	9.16	24.35 ± 0.01 [G]	K5V [S]	2012 Jul 28	1.0	0.3	...
0121+7642 A	HD 7924		560130775546153344	01:21:59.11	+76:42:37.04	7.31	6.94	17.00 ± 0.00 [G]	K0.5V [S]	2012 Jul 28	1.1	0.4	...
0122+0032 A	G 70-55A		2534338503471881728	01:22:44.97	+00:32:04.11	13.63	12.59	15.26 ± 0.02 [G]	M5V [S]	2012 Jul 18	1.4	...	yes
0129+2143 A	EO Psc		288781167053300480	01:29:04.90	+21:43:23.40	7.76	7.43	23.29 ± 0.04 [G]	K2.5V [S]	2012 Oct 09	3.0	0.6	(SB)
0134+6856 A	HD 9407		532057254394731776	01:34:33.26	+68:56:53.29	6.65	6.35	21.05 ± 0.01 [G]	G6.5V [S]	2012 Jul 28	1.1	1.6	...
0136+4124 A	ups. And		348020482735930112	01:36:47.84	+41:24:19.65	4.21	3.97	13.48 ± 0.04 [G]	F9V [S]	2012 Jul 18	7.2	6.4	yes
0136+4124 B	UCAC4 657-006214		348020242217448576	01:36:50.40	+41:23:32.12	13.86	12.5	13.48 ± 0.01 [G]	M4.5V [S]	2012 Aug 02	1.5
0137-0645 A	EX Cet		2477815222028038272	01:37:35.47	-06:45:37.53	7.8	7.47	24.06 ± 0.01 [G]	K0/IV [S]	2012 Sep 13	1.0	6.1	...
0137-0459 A	LAWD 10		2480523216087975040	01:37:59.39	-04:59:44.67	12.83	12.74	12.62 ± 0.00 [G]	DA+D1 [S]	2012 Aug 28	1.1
0138+0039 A	G 71-24		2510475768254568832	01:38:29.94	+00:39:05.72	11.58	10.65	20.74 ± 0.01 [G]	M2.5V [S]	2012 Oct 09	1.3	21.9	...
0139+4552 A	HD 10086		350664155368182656	01:39:36.02	+45:52:39.98	6.74	6.45	21.02 ± 0.01 [G]	G5V [S]	2012 Jul 18	0.9	1.7	...
0141+4236 A	HD 10307		348515297330773120	01:41:47.13	+42:36:48.22	5.08	4.8	14.70 ± 0.08 [G]	G1V [S]	2012 Oct 09	2.9	2539.8	(SB)
0142+2016 A	107 Psc		96331172942614528	01:42:29.76	+20:16:06.64	5.39	5.0	7.64 ± 0.01 [G]	K1V [S]	2012 Jul 18	1.3	3.2	...
0143+2750 A	BD+27 273		301785337751949824	01:43:15.97	+27:50:31.59	10.4	9.66	22.01 ± 0.01 [G]	M1V [S]	2012 Jul 18	1.4	4.8	...
0143+0419 A	G 3-14		2560771312759450496	01:43:20.18	+04:19:17.96	10.92	9.91	11.32 ± 0.00 [G]	M2V [S]	2012 Aug 04	1.1	0.4	...
0143+6349 A	HD 10436		512129087182637696	01:43:40.72	+63:49:24.23	8.4	7.93	13.52 ± 0.00 [G]	K5Vbe [S]	2012 Jul 28	1.0	0.5	...
0143-0602 A	UCAC4 420-002082		2479453696216295296	01:43:45.15	-06:02:40.21	13.01	11.66	21.41 ± 0.02 [G]	M3.5 [S]	2013 Jul 27	1.6
0144+1620 A	Wolf 1530		91289568531757184	01:44:58.45	+16:20:39.24	14.12	12.64	16.21 ± 0.01 [G]	M4V [S]	2012 Jul 18	1.4
0146+1224 A	HD 10853		2575383100738086656	01:46:38.72	+12:24:42.38	8.91	8.55	24.01 ± 0.01 [G]	K3.5V [S]	2012 Jul 18	1.1	3.0	...
0147+6351 A	HD 10780		512167948043650816	01:47:44.83	+63:51:09.01	5.77	5.41	10.04 ± 0.00 [G]	K0V [S]	2012 Jul 28	1.0	5.3	...
0148+2112 A	Wolf 87		97993497084921984	01:48:03.97	-21:12:24.26	12.16	11.11	18.61 ± 0.01 [G]	M2.5Ve [S]	2012 Jul 28	1.4	1.0	...
0149-1041 A	chi Cet		2461043306017773696	01:49:35.10	-10:41:11.07	4.74	4.57	23.48 ± 0.07 [G]	F0V [S]	2013 Jul 27	0.9	5.9	yes
0149-1041 B	EZ Cet		2461045711199481472	01:49:23.35	-10:42:13.08	6.86	6.59	23.92 ± 0.15 [G]	G3V [S]	2013 Jul 28	7.4	8717.5	...
0151-0607 A	G 159-3		2467732906559754496	01:51:04.10	-06:07:05.00	14.49	12.7	10.56 ± 0.01 [G]	M4.5Ve [S]	2012 Sep 04	1.5
0151-1048 A	Ross 555		2460983348274381696	01:51:48.69	-10:48:12.49	11.8	10.86	17.17 ± 0.01 [G]	M3.5 [S]	2013 Jul 27	1.3	1.8	...
0152+4700 A	GD 279		356922880493142016	01:52:02.96	+47:00:06.65	12.55	12.5	16.51 ± 0.01 [G]	DA3.6 [S]	2012 Jul 18	1.1	1.1	...

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0153+2934 A	alf Tri	299464296907113984	01:53:04.9070	+29:34:43.780	3.52	3.31	19.48 [S]	F5III [S]	2012 Jul 18
0154+6610 A	HD 11373	518458597663391744	01:54:06.12	+66:10:34.29	8.62	8.15	22.48 ± 0.01 [G]	K3 Vrk [S]	2012 Jul 28	0.9	0.6	...
0154+2048 A	bet Ari	...	01:54:38.4109	+20:48:28.913	2.7	...	17.99 [S]	kA4hA5mASVa [S]	2012 Aug 04
0159+3312 A	HD 12051	304991163902854784	01:59:06.63	+33:12:34.86	7.12	6.95	24.73 ± 0.02 [G]	G9V [S]	2012 Jul 18	1.2	0.5	...
0159+5831 A	Ross 15	505516521175942784	01:59:23.51	+58:31:16.10	12.21	10.85	13.11 ± 0.00 [G]	M4Ve [S]	2012 Jul 18	1.3	2.3	...
0200+1303 A	TZ Ari	76868614540049408	02:00:12.96	+13:03:07.00	12.31	10.68	4.47 ± 0.00 [G]	M4.5V [S]	2012 Aug 07	1.9
0201+7332 A	...	558611490995613056	02:01:54.16	+73:32:31.69	14.12	13.17	11.85 ± 0.02 [G]	M5V [G]	...	1.7	...	yes
0202+1020 A	LP 469-67	2571094283835172736	02:02:16.24	+10:20:13.94	15.61	13.44	9.24 ± 0.00 [G]	M5.5V [S]	2012 Aug 28	1.7
0206+2420 A	HD 12846	104453918172129792	02:06:30.24	+24:20:02.37	7.03	6.74	23.75 ± 0.01 [G]	G2V [S]	2012 Aug 02	1.0	1.5	...
0206+4511 A	G 134-1	352649456753106304	02:06:57.1859	+45:11:04.181	10.29	9.55	19.43 [S]	M0V [S]	2012 Aug 02	(SB)
0207+2327 A	alf Ari	...	02:07:10.4057	+23:27:44.703	2.17	...	20.18 [S]	K2-IIIbCa-1 [S]
0211+3955 A	EGGR 168	333010327952701696	02:11:20.84	+39:55:21.52	14.52	14.41	17.17 ± 0.01 [G]	DAZ6.9 [S]	2012 Aug 02	1.1
0212+0334 A	BD+02 348	2515037264041041536	02:12:20.99	+03:34:32.23	10.04	9.21	10.51 ± 0.00 [G]	M1V [S]	2012 Aug 01	1.3	0.9	...
0212+0000 A	G 159-46	2507016253701863040	02:12:54.62	+00:00:16.86	13.58	12.1	15.27 ± 0.01 [G]	M4V [S]	2012 Aug 02	1.4
0214+0338 A	HD 13789	2493069773336748928	02:14:13.57	-03:38:06.73	8.69	8.2	22.74 ± 0.02 [G]	K3/4V [S]	2012 Aug 29	1.1	122.4	yes
0214+1725 A	G 35-35	80530400577483904	02:14:59.81	+17:25:08.37	14.44	13.02	22.01 ± 0.01 [G]	M4V [S]	2012 Aug 01	1.3
0215+6740 A	HD 13579	520377795206114688	02:15:42.55	+67:40:20.32	7.19	6.97	18.57 ± 0.01 [G]	K2 [S]	2012 Aug 02	1.0	58.5	...
0216+1335 A	LP 469-206	74203982469858816	02:16:29.85	+13:55:12.78	15.79	13.56	9.10 ± 0.01 [G]	M5.0Ve [S]	2012 Aug 28	1.6
0217+3413 A	del Tri	326173044957518080	02:17:03.23	+34:13:27.24	4.98	4.67	10.91 ± 0.05 [G]	G0.5VFe-0.5 [S]	2012 Aug 01	3.2	0.3	(SB)
0217+3526 A	LP 245-10	327944328126649856	02:17:10.02	+35:26:32.54	15.9	13.69	10.34 ± 0.01 [G]	M7V [S]	2012 Aug 07	1.2
0219+3521 A	Ross 19	327930412432710784	02:19:03.01	+35:21:18.60	12.55	11.39	17.44 ± 0.01 [G]	M3.5Ve [S]	2012 Aug 01	1.5
0221+3653 A	G 74-19	328181411032297792	02:21:04.07	+36:53:04.25	13.31	12.75	22.81 ± 0.03 [G]	M3 [S]	2012 Aug 02	0.9	...	yes
0221+3653 B	G 74-18	328181410322978816	02:21:01.89	+36:52:47.44	14.29	13.03	22.81 ± 0.01 [G]	M3.5 [S]	2012 Aug 02	1.3
0222+4752 A	BD+47 612	354077348697687424	02:22:14.64	+47:52:48.10	9.48	8.64	11.95 ± 0.00 [G]	M0V [S]	2012 Aug 01	1.1	5.3	...
0227+0425 A	HD 15285	2515752565074318720	02:27:45.8615	+04:25:55.748	8.78	8.5	17.14 [S]	M2V [S]	2012 Aug 01	yes (+SB)
0231+5722 A	Ross 21	458018340407727104	02:31:27.67	+57:22:43.16	13.22	12.02	20.00 ± 0.01 [G]	M3.5 [S]	2012 Aug 02	1.5
0233+2455 A	G 36-24	102162639019033600	02:33:37.18	+24:55:37.69	12.98	11.53	9.99 ± 0.00 [G]	M3.5Ve [S]	2012 Aug 02	1.4
0235+2013 A	BD+19 381	87921523897823872	02:35:53.31	+20:13:11.58	10.66	9.71	14.04 ± 0.00 [G]	M3V [S]	2012 Jul 28	1.3	0.5	...
0236+0653 A	HD 16160	19316224572460416	02:36:04.90	+06:53:12.38	5.81	5.5	7.23 ± 0.02 [G]	K3V [S]	2012 Jul 28	7.3	6077.9	yes
0236+0653 B	BX Cet	18565464288396416	02:36:15.27	+06:52:17.92	11.66	10.33	7.22 ± 0.00 [G]	M3.5V [S]	2012 Aug 02	1.8
0236-0309 A	FT Cet	2495442626804315392	02:36:41.76	-03:09:22.09	8.09	7.85	24.42 ± 0.02 [G]	K1V [S]	2012 Aug 28	1.5	13.0	(SB)
0239-1152 A	eps Cet	5171076479048181760	02:39:33.7974	-11:52:19.551	4.82	4.62	23.54 [S]	F5V [S]	2013 Jul 29	(SB)
0240-0927 A	HD 16673	5173902189571919872	02:40:12.42	-09:27:10.34	5.9	5.67	21.78 ± 0.07 [G]	F8VFe-0.4 [S]	2013 Aug 14	3.9	30.5	(SB)
0240+0111 A	BD+00 444	2501948402746099456	02:40:42.87	+01:11:55.24	9.52	9.04	23.91 ± 0.01 [G]	K7V [S]	2012 Jul 28	1.3	0.7	...
0241-0432 A	G 75-35	5185165891628969984	02:41:15.14	-04:32:17.83	13.79	12.25	12.32 ± 0.01 [G]	M4.5V [S]	2012 Aug 29	1.7
0242+4011 A	L2 Per	335144892337326336	02:42:14.91	+04:11:38.22	5.02	4.72	23.93 ± 0.17 [G]	F9V [S]	2012 Jul 28	2.8	24.4	(SB)
0242+0322 A	BD+02 418	2502865532882650496	02:42:32.54	+03:22:26.01	10.16	9.56	24.53 ± 0.01 [G]	K5V [S]	2012 Aug 02	1.3
0243+0314 A	gam Cet A	2502847975056102400	02:43:18.0411	+03:14:08.966	3.47	3.55	22.94 [S]	A2Vn [S]	2012 Jul 28	yes
0243+1925 A	HD 16909	84675937371332608	02:43:20.8851	+19:25:45.032	8.28	7.86	18.67 [S]	K3.5Vrk [S]	2012 Jul 28	(SB)

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0243-0849 A	Wolf 1132	5173999736868992512	02:43:53.22	-08:49:45.74	12.03	11.05	21.33 ± 0.01 [G]	M1.5 [S]	2013 Aug 14	1.4	1.1	...
0244+4913 A	tet Per	438829629114680704	02:44:11.99	+49:13:42.41	4.21	3.98	11.15 ± 0.02 [G]	F8V [S]	2012 Jul 28	3.2	0.7	yes
0244+4913 B	tet Per B	438829835272390784	02:44:10.27	+49:13:54.00	10.06	9.14	11.15 ± 0.00 [G]	M1.5V [S]	2012 Aug 02	1.2
0244+2531 A	VX Ari	114207651462714880	02:44:15.51	+25:31:24.11	10.57	9.47	7.68 ± 0.00 [G]	dM3 [S]	2012 Jul 28	1.1	1.8	...
0245+4456 A	G 78-4	340780267388505344	02:45:39.68	+44:56:55.53	10.92	10.07	23.97 ± 0.01 [G]	M0.5Ve [S]	2012 Jul 28	1.2	0.9	yes
0245+4456 B	LP 197-48	340780198669027840	02:45:41.85	+44:57:00.78	15.0	14.65	22.00 ± 0.20 [S]	M5.0 [S]	2012 Jul 28
0246+1146 A	HD 17230	25488745411919360	02:46:17.28	+11:46:30.86	8.62	8.11	16.16 ± 0.01 [G]	K6V [S]	2012 Jul 28	1.1	60.9	...
0248+2704 A	HD 17382	114832620743735808	02:48:09.15	+27:04:07.11	7.6	7.38	22.95 ± 0.03 [G]	K2 [S]	2012 Jul 28	2.2	483.7	yes (+SB)
0248+5423 A	EGGR 473	453562088496088320	02:48:36.43	+54:23:22.46	15.32	15.12	10.87 ± 0.00 [G]	DAZ9 [S]	2012 Aug 28	1.0
0250+1542 A	HD 17660	33439176553394048	02:50:36.89	+15:42:35.69	8.91	8.48	23.34 ± 0.01 [G]	K4.5V [S]	2012 Jul 28	1.0	2.5	...
0252+3423 A	BD+33 529	139860666488305664	02:52:07.14	+34:23:21.67	9.63	9.03	14.78 ± 0.00 [G]	K4 [S]	2012 Jul 28	1.1	1.8	...
0252+1246 A	HD 17925	5160075762132996992	02:52:32.13	-12:46:10.97	6.01	5.81	10.36 ± 0.00 [G]	KIV [S]	2013 Aug 16	1.0	2.9	...
0253+1652 A	Teegarden's Star	35227046884571776	02:53:00.89	+16:52:52.63	15.14	12.26	3.83 ± 0.00 [G]	dM6 [S]	2012 Aug 07	1.3
0255+2652 A	HD 18143A	116037204451525376	02:55:39.06	+26:52:23.57	7.6	7.35	22.51 ± 0.01 [G]	K2V [G]	2012 Jul 28	1.0	171.6	yes
0255+2652 B	HD 18143C	116037376250217984	02:55:35.78	+26:52:20.46	13.85	12.49	22.51 ± 0.01 [G]	M4.0V [S]	2012 Aug 28	1.2
0256+5526 A	Ross 364	459661938487952000	02:56:34.42	+55:26:14.10	10.48	9.69	20.28 ± 0.01 [G]	M1.0Ve [S]	2012 Jul 28	1.1	14.5	yes
0257+1047 A	Ross 791	27360698317776640	02:57:31.05	+10:47:24.58	13.06	11.89	16.38 ± 0.01 [G]	M4V [S]	2012 Jul 28	1.4
0300+0744 A	BZ Cet	8479094371605632	03:00:02.81	+07:44:59.12	8.11	7.72	23.77 ± 0.02 [G]	K2.5Vsk [S]	2012 Aug 29	1.0	0.0	...
0302+2636 A	51 Ari	115311458058061440	03:02:26.03	+26:36:33.26	6.76	6.46	21.19 ± 0.01 [G]	G8V [S]	2012 Aug 01	0.8	0.4	...
0304+6142 A	HD 18757	466294295706341760	03:04:09.63	+61:42:20.96	6.78	6.48	23.55 ± 0.01 [G]	G1.5V [S]	2012 Aug 01	1.0	7511.8	yes
0304+6142 B	G 246-22	466291787445425408	03:04:43.44	+61:44:08.85	12.55	11.49	23.51 ± 0.01 [G]	M2.5V [S]	2012 Aug 31	1.6
0306+0157 A	HD 19305	630505494719360	03:06:26.74	+01:57:54.63	9.07	8.46	14.72 ± 0.01 [G]	M0V [S]	2012 Aug 02	1.1	0.5	...
0309+1001 A	G 76-62	14912165107085184	03:09:00.17	+10:01:25.65	14.85	13.18	12.59 ± 0.00 [G]	M5.04 [S]	2012 Aug 01	1.4
0309+7602 A	G 245-65	548172349642820352	03:09:04.48	+76:02:28.19	9.83	9.16	21.05 ± 0.00 [G]	M0V [S]	2012 Aug 01	1.0	3.7	...
0309+4936 A	iot Per	436648129327098496	03:09:04.02	+49:36:47.80	4.18	3.9	10.58 ± 0.02 [G]	G0V [S]	2012 Aug 01	2.7	2.0	...
0310+0554 A	EK Cet	4267552520347776	03:10:15.47	+05:54:31.47	11.9	10.89	18.10 ± 0.01 [G]	M2.5Ve [S]	2012 Aug 31	1.4	0.7	...
0310+7346 A	G 221-5	547381594623756416	03:10:58.30	+73:46:19.69	14.61	13.02	12.10 ± 0.00 [G]	M6 [S]	2012 Oct 09	1.2
0312-0111 A	94 Cet	3265335443260522112	03:12:46.44	-01:11:45.96	5.04	4.92	22.88 ± 0.07 [G]	F8.5V [S]	2012 Aug 31	1.2	1.8	yes
0313+0446 A	CD Cet	3179036008830848	03:13:22.92	+04:46:29.34	13.86	12.1	8.60 ± 0.00 [G]	M4.5Ve [S]	2012 Aug 01	1.4
0314+0858 A	HD 20165	14163878724940672	03:14:47.23	+08:58:50.86	7.87	7.59	23.11 ± 0.01 [G]	KIV [S]	2012 Aug 01	1.1	1.9	...
0316+5810 A	Ross 370A	461701979229013376	03:16:13.83	+58:10:02.53	10.31	10.02	13.58 ± 0.00 [G]	M2.0V [S]	2012 Aug 01	1.2	130.2	yes
0317+4522 A	G 78-28	242513339807684992	03:17:12.21	+45:22:22.02	11.13	11.22	18.83 ± 0.18 [G]	M3.0Ve [S]	2012 Aug 31	5.4
0317+2515 A	G 37-32	111379432679196672	03:17:45.24	+25:15:06.35	11.84	10.9	21.71 ± 0.01 [G]	M2.5V [S]	2012 Aug 01	1.1	8.1	...
0318+3815 A	HD 275122	235383247412615936	03:18:07.48	+38:15:07.44	10.28	9.41	15.96 ± 0.01 [G]	M1.5Ve [S]	2012 Aug 01	1.2	0.3	...
0319+0322 A	kap01 Cet	3269362645115584640	03:19:21.70	+03:22:12.71	4.82	4.66	9.28 ± 0.02 [G]	G5V [S]	2012 Aug 01	1.3	0.3	...
0321+7958 A	G 245-71	567659818855055488	03:21:21.78	+79:58:02.15	11.21	10.24	13.96 ± 0.00 [G]	M2.0Ve [S]	2013 Jul 27	1.0	1.6	...
0321+5219 A	HD 232781	443016706832479488	03:21:54.76	+52:19:53.48	9.19	8.71	23.91 ± 0.01 [G]	K3.5V [S]	2012 Aug 31	1.1	1.4	...
0322+0256 A	G 77-48	3269132022551595264	03:22:04.10	+02:56:34.73	14.78	13.31	16.30 ± 0.01 [G]	M4.5 [S]	2012 Jul 28	1.4
0323+4200 A	G 95-30	240945608019526272	03:23:01.76	+42:00:26.85	15.31	13.61	14.73 ± 0.01 [G]	M5V [S]	2012 Oct 09	1.4

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0323+1141 A	G 5-32		16302463200535040	03:23:22.42	+11:41:13.35	12.25	11.1	17.10 ± 0.01 [G]	M3.5V [S]	2012 Jul 28	1.4
0324+2347 A	LP 356-14 A		62948174562104448	03:24:06.48	+23:47:06.12	10.47	9.96	20.72 ± 0.01 [G]	M1.5Ve [S]	2012 Aug 28	1.4	593.6	yes
0324+2347 B	LP 356-15		62947354224986240	03:24:12.86	+23:46:19.06	11.89	10.87	20.72 ± 0.01 [G]	M2.5Ve [S]	2012 Aug 28	1.2
0324+0521 A	HD 21197		5170039467784804096	03:24:59.73	-05:21:49.52	7.86	7.47	15.32 ± 0.01 [G]	K4V [S]	2012 Sep 13	1.0	0.3	...
0329-1140 A	BD-12 662		5162123155863791744	03:29:19.79	-11:40:42.13	9.95	9.34	21.03 ± 0.01 [G]	dK7 [S]	2013 Aug 17	1.1	0.5	...
0330+5413 A	LSPM J03330+5413		445100418805396608	03:30:48.89	+54:13:55.16	15.96	13.71	10.50 ± 0.00 [G]	M7V [S]	2012 Aug 31	1.3
0331+1419 A	G 5-43		41840029505514496	03:31:47.14	+14:19:17.74	14.61	11.28	20.19 ± 0.01 [G]	M2.5Ve [S]	2012 Jul 28	1.4	0.2	...
0332-0927 A	eps Eri		5164707970261890560	03:32:55.84	-09:27:29.74	3.73	3.47	3.22 ± 0.00 [G]	K2V [S]	2013 Aug 15	2.7	33.9	...
0335-0829 A	LP 653-13		5165286828773802880	03:35:38.61	-08:29:22.80	15.92	13.85	13.05 ± 0.01 [G]	M5.5V [S]	2013 Aug 15	1.5
0336+3118 A	LSPM J03336+3118		121254932585133568	03:36:08.70	+31:18:39.52	13.72	12.36	13.66 ± 0.01 [G]	M4.5V [S]	2012 Aug 29	1.5
0336-0024 A	10 Tau		3263836568394170880	03:36:52.38	+00:24:05.99	4.28	4.14	13.92 ± 0.03 [G]	F9IV-V [S]	2012 Jul 28	3.1	2.9	...
0338-1129 A	Ross 578		5115463180914712448	03:38:15.70	-11:29:13.51	13.01	12.07	16.16 ± 0.01 [G]	d/sdM2 [S]	2013 Aug 17	1.4
0342+1717 A	HD 23052		44171372114396032	03:42:36.8629	+17:17:36.711	7.21	6.92	20.57 [S]	G4V [S]	2012 Jul 28	(SB)
0343-0945 A	del Eri		5164120762333028736	03:43:14.90	-09:45:48.21	3.53	3.28	9.09 ± 0.02 [G]	K0+IV [S]	2013 Aug 17	3.0	2.8	...
0343-0933 A	G 160-19		5164137461165628032	03:43:22.0630	-09:33:50.680	14.69	13.07	20.14 [S]	M4.5V [S]	2013 Aug 16
0343+1640 A	BD+16 502		43335880716390784	03:43:52.56	+16:40:19.30	9.88	9.22	17.23 ± 0.01 [G]	K6V [S]	2012 Jul 28	1.0	6.6	yes
0343+1640 B	MCC 428		43335537119385216	03:43:45.25	+16:40:02.17	10.71	9.93	17.23 ± 0.01 [G]	MOV [S]	2012 Aug 29	0.9	0.8	...
0344+1155 A	BD+11 514		36590651757883392	03:44:51.13	+11:55:12.01	9.23	8.66	21.92 ± 0.01 [G]	K4/5V [S]	2012 Jul 28	1.2	2.7	...
0346+2612 A	HD 23453		70051608089857536	03:46:20.14	+26:12:55.82	9.66	8.87	14.39 ± 0.01 [G]	M1V [S]	2012 Aug 28	1.1	3.0	...
0347+4125 A	HD 23439A		231113736385994624	03:47:02.11	+41:25:38.10	7.79	7.91	23.86 ± 0.01 [G]	K2:V Fe-1.3 [S]	2012 Aug 29	1.1	77.5	yes (+SB)
0347+0841 A	G 7-4		3278325004913943808	03:47:20.89	+08:41:47.09	14.48	12.96	12.49 ± 0.01 [G]	M5V [S]	2012 Jul 28	1.3
0347-0158 A	G 80-21		3250328209054347264	03:47:23.34	-01:58:19.95	11.51	10.51	16.83 ± 0.01 [G]	M3.0V [S]	2012 Aug 31	1.5	1.8	...
0347+0247 A	Ross 588		3270590765246119168	03:47:58.10	+02:47:16.15	11.02	10.23	17.55 ± 0.01 [G]	MOV [S]	2012 Jul 28	1.3	2.5	...
0348+6840 A	HD 23189		493650660400463488	03:48:01.03	+68:40:22.41	9.28	8.77	17.91 ± 0.00 [G]	K2V [S]	2012 Aug 31	1.0	41.2	yes
0348+7332 A	G 221-22		543789661932658432	03:48:38.22	+73:32:35.19	11.32	10.4	15.96 ± 0.00 [G]	M1V [S]	2012 Aug 31	1.1
0350-0605 A	G 160-28		3243715604392800512	03:50:44.29	-06:05:41.63	12.8	11.48	9.93 ± 0.00 [G]	M3V [S]	2012 Sep 13	1.7
0352+1701 A	Wolf 227		43574131143039104	03:52:41.75	+17:01:04.17	13.79	12.18	9.66 ± 0.01 [G]	M5V [S]	2012 Jul 28	3.7
0354+1636 A	HD 24496		43499295632961152	03:54:28.03	+16:36:57.79	6.95	6.65	20.47 ± 0.01 [G]	G7V [S]	2012 Jul 28	1.0	1143.0	yes
0354-0649 A	BD-07 699		324491507292668416	03:54:35.47	-06:49:33.65	9.02	8.42	15.67 ± 0.01 [G]	K5V [S]	2012 Sep 13	1.1	3.5	...
0355+6110 A	HD 24238		474648763011926272	03:55:03.84	+61:10:00.51	7.85	7.59	20.97 ± 0.01 [G]	K2V [S]	2012 Aug 31	0.9	3.0	...
0356+5938 A	HD 24409		473347456640406016	03:56:11.58	+59:38:31.28	6.67	6.42	21.74 ± 0.05 [G]	G3V [S]	2012 Aug 31	4.6	27674.9	yes
0357-0109 A	HD 24916		3256334497479041024	03:57:28.70	-01:09:34.07	8.03	7.67	15.28 ± 0.01 [G]	K4V [S]	2013 Aug 16	1.1	62.2	yes
0357-0109 B	HD 24916B		3256334497479304832	03:57:28.90	-01:09:23.49	11.55	10.44	15.27 ± 0.01 [G]	M2.5V [S]	2013 Aug 14	1.2
0359+2605 A	Wolf 1322		67198925172337536	03:59:53.67	+26:05:23.61	12.62	11.47	22.91 ± 0.19 [G]	M4V [S]	2012 Aug 29	12.9
0401+7609 A	HD 24451		551050046451136256	04:01:19.62	+76:09:33.74	8.23	7.81	16.22 ± 0.00 [G]	K4 [S]	2012 Oct 06	1.0	0.8	...
0403+3516 A	HD 25329		219057458247921536	04:03:15.00	+35:16:23.81	8.64	8.23	18.50 ± 0.01 [G]	K1VbFe-2 [S]	2012 Sep 13	1.0	6.8	...
0405+2200 A	39 Tau		53112944270520832	04:05:20.26	+22:00:32.06	6.04	5.76	16.81 ± 0.01 [G]	G5V [S]	2012 Sep 04	0.9	10.6	...
0408+3802 A	50 Per		225668203191521280	04:08:36.62	+38:02:23.06	5.63	5.4	21.19 ± 0.03 [G]	F8V [S]	2012 Sep 13	1.4	0.3	...
0408+3338 A	HD 281621		170639948323693952	04:08:37.40	+33:38:13.33	10.2	9.37	13.92 ± 0.00 [G]	K7V [S]	2012 Sep 13	1.0	2.1	yes

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0409+6932 A	HD 25665	493935296471302784	04:09:35.04	+69:32:29.01	7.85	7.43	18.78 ± 0.01 [G]	K2.5V [S]	2012 Sep 13	1.0	0.5	...
0412+5236 A	Ross 28	274936731203012736	04:12:58.8326	+52:36:42.021	13.5	11.93	13.23 [S]	M4.0Ve [S]	2012 Sep 13	yes
0413+5031 A	Ross 29A	271438845026834944	04:13:10.09	+50:31:41.16	13.67	12.7	19.82 ± 0.01 [G]	M4V [G]	2012 Sep 13	1.6	...	yes
0415-0739 A	om102 Eri	3195919528989223040	04:15:16.32	-07:39:10.34	4.43	4.18	5.01 ± 0.00 [G]	K0V [S]	2013 Aug 17	1.9	9.8	yes
0415-0739 B	om102 Eri B	3195919254111315712	04:15:21.80	-07:39:29.20	9.52	9.54	5.01 ± 0.00 [G]	DA2.9 [S]	2013 Aug 18	1.2
0415+0611 A	HD 26923	3285218186904332288	04:15:28.80	+06:11:12.70	6.44	6.17	22.07 ± 0.01 [G]	G0IV [S]	2012 Sep 01	1.1	0.9	yes
0415+0611 B	HD 26913	3285218255623808640	04:15:25.79	+06:11:58.75	7.08	6.78	22.07 ± 0.01 [G]	G8V [S]	2012 Sep 01	1.0	1.1	...
0416-1233 A	LP 714-58 A	3177244255271333376	04:16:41.69	-12:33:23.05	10.91	10.4	21.77 ± 0.14 [G]	M1 [S]	2013 Aug 21	18.7	1187.5	yes
0419+3629 A	Ross 592	177391907491420032	04:19:59.69	+36:29:11.36	11.54	10.65	23.69 ± 0.01 [G]	M1.5Ve [S]	2012 Sep 13	1.0	1.1	...
0422+3900 A	G 39-9	179416417636545920	04:22:33.50	+39:00:43.63	15.3	13.66	20.01 ± 0.01 [G]	M5V [S]	2012 Sep 13	1.2
0429+2155 A	HD 28343	145421309108301184	04:29:00.12	+21:55:21.72	8.42	7.7	11.23 ± 0.00 [G]	M0.5V [S]	2012 Sep 04	1.1	1.9	...
0430+3950 A	Ross 594	179700710496485504	04:30:25.29	+39:50:59.42	13.93	12.31	10.89 ± 0.00 [G]	M5V [S]	2012 Sep 13	1.2
0431+5858 A	...	470826482637310080	04:31:11.51	+58:58:37.46	11.04	9.7	5.52 ± 0.00 [G]	M4V [G]	2013 Jan 13	1.2	208.4	yes
0435+1630 A	alf Tau B	3313069881590622848	04:35:57.25	+16:30:21.34	1.0	11.95	21.16 ± 0.04 [G]	M2.5 [S]	2012 Sep 01	2.4
0436+2707 A	HD 283750	151650076838458112	04:36:48.24	+27:07:55.89	8.23	7.75	17.40 ± 0.01 [G]	K2.5Ve [S]	2012 Sep 04	1.8	12.8	yes (+SB)
0437+5253 A	HD 232979	272855565763652480	04:37:40.93	+52:53:37.01	8.63	7.95	9.91 ± 0.00 [G]	M0.5V [S]	2012 Sep 13	1.2	0.1	...
0437-0849 A	EGGR 41	3186021141200137472	04:37:47.41	-08:49:10.62	13.76	13.6	9.40 ± 0.00 [G]	DQ8 [S]	2013 Aug 20	1.0
0440-0911 A	BD-09 956A	3185759697950315008	04:40:29.27	-09:11:46.45	10.31	10.17	20.23 ± 0.02 [G]	M1V [G]	2013 Aug 20	1.3	...	yes
0441+2054 A	HD 29697	3411339626674506624	04:41:18.86	+20:54:05.45	8.01	7.54	13.21 ± 0.00 [G]	K4V [S]	...	1.0	2.4	...
0442+1857 A	HD 285968	3409711211681795584	04:42:55.77	+18:57:29.40	9.98	9.0	9.49 ± 0.00 [G]	M2.5V [S]	2012 Sep 04	0.9	4.4	...
0443+2741 A	HD 29883	154660191781205120	04:43:35.44	+27:41:14.65	8.14	7.73	21.84 ± 0.01 [G]	K3 [S]	2012 Sep 04	0.9	0.7	...
0449+0657 A	pi.03 Ori	3288921720025503360	04:49:50.41	+06:57:40.60	3.19	3.09	8.02 ± 0.01 [G]	F6V [S]	2012 Sep 01	3.9	1.3	...
0450+2207 A	G 85-19	3412806512623627008	04:50:50.93	+22:07:21.53	15.2	13.33	12.65 ± 0.00 [G]	M5V [S]	2012 Sep 12	1.2
0452+0628 A	Wolf 1539	3288082758293022848	04:52:05.73	+06:28:35.59	11.98	10.71	12.41 ± 0.00 [G]	M2V [S]	2012 Sep 01	1.2	35.1	...
0452+4042 A	G 96-6	200296663143599104	04:52:34.61	+40:42:24.15	13.44	12.04	13.50 ± 0.01 [G]	M5V [S]	2012 Sep 13	1.1
0458+5056 A	G 191-15	259731623173675904	04:58:45.99	+50:56:37.77	10.98	10.16	21.05 ± 0.01 [G]	M1.0Ve [S]	2012 Sep 13	1.0	3.0	...
0458+4950 A	BD+49 1280	256487136159035136	04:58:50.57	+49:50:57.43	9.77	9.09	16.62 ± 0.01 [G]	M0.0Ve [S]	2012 Sep 13	0.9	0.6	...
0500-0545 A	HD 32147	3211461469444773376	05:00:49.00	-05:45:13.22	6.23	5.89	8.84 ± 0.00 [G]	K3+V [S]	2012 Oct 07	1.0	0.3	...
0501-0656 A	LP 656-38	3187115498866675456	05:01:57.43	-06:56:46.38	12.22	10.65	5.37 ± 0.00 [G]	M4.0Ve [S]	2012 Oct 03	1.1
0503+5307 A	BD+52 911	266846631637524864	05:03:23.90	+53:07:42.49	9.98	9.22	13.86 ± 0.00 [G]	M0.5Ve [S]	2012 Oct 06	1.1	82.3	yes
0507+1838 A	m Tau	3407611182744289152	05:07:27.01	+18:38:42.18	5.04	4.73	15.92 ± 0.03 [G]	G4V [S]	2012 Oct 05	0.9	6.3	...
0508+7538 A	G 248-32	...	05:08:18.6759	+75:38:14.858	14.5	...	15.11 [S]	M4.5V [S]	2012 Oct 08
0510+4850 A	G 96-21A	261243245503357056	05:10:22.01	+48:50:32.51	11.39	11.08	23.34 ± 0.01 [G]	M2.5V [G]	2012 Oct 07	1.2	...	yes
0512+1939 A	G 85-52	3407785622839603968	05:12:42.23	+19:39:56.36	10.82	9.81	12.15 ± 0.00 [G]	M0V [S]	2012 Oct 05	1.1	0.4	...
0516+4559 A	alf Aur	...	05:16:41.3587	+45:59:52.769	0.24	...	13.00 [S]	G3III: [S]
0517+4550 A	G 96-29	2118102333512673792	05:17:23.86	+45:50:22.93	10.11	9.32	13.34 ± 0.00 [G]	M2.5V [S]	2012 Oct 09	1.1	...	yes
0519+44005 A	lam Aur	188771135583573504	05:19:08.48	+40:05:56.59	4.82	4.53	12.56 ± 0.02 [G]	G1.5IV-VFe-I [S]	2012 Oct 07	0.9	0.3	...
0519-0304 A	HD 34673	3213958769587525888	05:19:12.66	-03:04:25.74	7.89	7.49	15.71 ± 0.01 [G]	K3V [S]	2012 Oct 10	1.0	2500.3	yes
0522+0236 A	HD 35112	3234412606443085824	05:22:37.48	+02:36:11.65	7.9	7.57	19.80 ± 0.01 [G]	K3V [S]	2012 Sep 13	1.4	192759.8	yes

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0524+1723 A	111 Tau		34002927989900117888	05:24:25.46	+17:23:00.73	5.11	4.85	14.58 ± 0.02 [G]	F8V [S]	2012 Oct 06	0.8	0.7	...
0528+0938 A	Ross 41		3338097377577012480	05:28:00.15	+09:38:38.16	12.49	11.17	10.22 ± 0.00 [G]	M3.5Ve [S]	2012 Oct 04	1.1	5.5	...
0528+0258 A	...		3235885299189856384	05:28:14.60	+02:58:14.31	12.81	11.69	21.05 ± 0.03 [G]	M3V [G]	2012 Sep 13	1.3	...	yes
0528-0329 A	HD 36003		3210731015768096000	05:28:26.10	-03:29:58.40	7.65	7.24	12.93 ± 0.00 [G]	K5V [S]	2012 Oct 06	1.0	2.0	...
0529+1534 A	LP 417-213		3390818582171734656	05:29:27.02	+15:34:38.24	10.66	9.82	17.18 ± 0.01 [G]	M0.5Ve [S]	2012 Oct 06	1.1	5.5	yes
0529+1534 B	LP 417-212		3390818582171735040	05:29:26.11	+15:34:45.19	14.68	13.26	17.18 ± 0.01 [G]	K7V [S]	2012 Oct 06	1.2
0529-0326 A	Wolf 1450		32107116711234654848	05:29:52.02	-03:26:30.07	12.03	10.95	17.31 ± 0.01 [G]	M3 [S]	2012 Oct 10	1.3
0531+0340 A	HD 36395		3209938366665770752	05:31:27.40	-03:40:38.02	7.97	7.11	5.70 ± 0.00 [G]	M1.5Ve [S]	2012 Oct 07	1.0	13.0	...
0532+0949 A	Ross 42		3338162729799839104	05:32:14.66	+09:49:14.93	11.55	10.26	12.96 ± 0.00 [G]	M4Ve [S]	2012 Oct 05	1.2	17.3	...
0533+0156 A	V371 Ori		32233516063958808064	05:33:44.80	+01:56:43.45	11.53	10.38	15.78 ± 0.01 [G]	M3.0V [S]	2012 Sep 13	2.4	7.4	...
0534+1352 A	Ross 46		3341624061123288448	05:34:52.12	+13:52:46.71	11.81	10.62	11.91 ± 0.00 [G]	M3V [S]	2012 Oct 05	1.0
0536+1119 A	V2689 Ori		3339921875389105152	05:36:30.99	+11:19:40.33	8.78	8.2	11.42 ± 0.00 [G]	K6V [S]	2012 Oct 05	1.1	1.4	yes
0538+5126 A	HD 37008		215395053733297024	05:38:11.86	+51:26:44.68	7.75	7.49	20.44 ± 0.01 [G]	K1V [S]	2012 Oct 09	0.9	4.3	...
0541+5328 A	HD 37394		263916708025623680	05:41:20.34	+53:28:51.81	6.35	5.99	12.27 ± 0.00 [G]	K1 [S]	2012 Oct 09	1.0	0.6	yes
0541+5328 B	HD 233153		263916742385357056	05:41:30.73	+53:29:23.29	9.76	8.92	12.27 ± 0.00 [G]	M1.0V [S]	2012 Oct 09	1.1	8.3	...
0542+1229 A	Ross 47		334047717172813568	05:42:09.27	+12:29:21.60	11.57	10.11	5.79 ± 0.00 [G]	M4V [S]	2012 Oct 05	1.1	4.4	...
0542-0527 A	LP 658-44		302312182775577280	05:42:12.70	-05:27:55.56	15.29	13.48	12.97 ± 0.00 [G]	M5.0V [S]	2012 Oct 07	1.1
0545+6214 A	BD+62 780		283569928616960768	05:45:48.28	+62:14:12.39	9.03	8.38	13.49 ± 0.00 [G]	K7V [S]	2012 Oct 08	1.0	94.8	...
0546+3717 A	HD 38230		3456337827237371264	05:46:01.89	+37:17:04.74	7.36	7.12	20.90 ± 0.01 [G]	K0V [S]	2012 Oct 07	0.9	154.1	...
0547-0512 A	LP 658-33		3022439786949104256	05:47:09.12	-05:12:11.39	14.54	13.08	17.57 ± 0.01 [G]	M4.5V [S]	2012 Oct 07	1.3
0548-0405 A	HD 38858		3023711269067191296	05:48:34.94	-04:05:40.72	6.1	5.81	15.21 ± 0.01 [G]	G2V [S]	2012 Oct 07	1.0	0.8	...
0553-0559 A	BD-06 1339		3022099969137163904	05:53:00.28	-05:59:41.44	9.69	9.11	20.31 ± 0.01 [G]	K7V/M0V [S]	2012 Oct 07	1.2	0.6	...
0553+2415 A	...		3427930123268526720	05:53:14.06	+24:15:31.76	10.84	9.93	20.95 ± 0.22 [G]	M2V [G]	2012 Oct 09	6.1
0554+2016 A	chi01 Ori		3399063235755057792	05:54:22.96	+20:16:34.52	4.52	4.24	8.70 ± 0.04 [G]	G0V [S]	2012 Oct 07	5.6	430.1	...
0558-0439 A	HD 40397		3022685626580347392	05:58:21.54	-04:39:02.42	7.12	6.82	24.08 ± 0.01 [G]	F7V [S]	2012 Oct 07	1.0	4513.7	yes
0559+4456 A	bet Aur		...	05:59:31.7229	+44:56:50.757	1.9	...	24.87 [S]	A1IV-Vp [S]	2012 Oct 09
0559+5835 A	G 192-11		269067920001221888	05:59:37.75	+58:35:34.84	10.35	9.41	13.49 ± 0.00 [G]	M0.0V [S]	2012 Oct 08	1.1	0.4	yes
0559+5835 B	G 192-12		269066953631488384	05:59:55.68	+58:34:15.21	13.56	12.09	13.48 ± 0.00 [G]	M4.2V [S]	2012 Oct 08	1.2
0600+0242 A	G 99-49		3316364602541746048	06:00:03.50	+02:42:23.59	11.31	9.9	5.21 ± 0.00 [G]	M3.5Ve [S]	2012 Oct 10	1.1
0600+6809 A	G 249-28		1105454458063448448	06:00:49.51	+68:09:22.84	13.32	11.71	19.84 ± 0.01 [G]	M3.5Ve [S]	2012 Oct 08	1.5	...	yes
0600+6809 B	G 249-27		1105454320624498688	06:00:46.60	+68:08:29.11	13.32	12.04	19.84 ± 0.01 [G]	M4 [S]	2012 Oct 08	1.3
0601+5935 A	G 192-13		999747822484300800	06:01:11.05	+59:35:49.88	11.71	10.42	7.73 ± 0.00 [G]	M4.0Ve [S]	2012 Oct 08	1.1
0602+4951 A	G 192-15		970354749937140736	06:02:29.19	+49:51:56.16	14.53	12.68	9.53 ± 0.00 [G]	M5.0V [S]	2012 Oct 09	1.3
0606+1532 A	V1386 Ori		3345968334645285376	06:06:40.48	+15:32:31.58	6.9	6.54	15.77 ± 0.01 [G]	K0V [S]	2012 Oct 06	1.0	0.9	...
0607-6758 A	GJ 226.2		1105408965770145920	06:07:55.25	+67:58:36.55	9.87	9.25	24.96 ± 0.01 [G]	K8V [S]	2012 Oct 08	1.1	2.9	...
0610+8206 A	G 222-11		114332167288274560	06:10:19.85	+82:06:24.32	10.49	9.47	9.46 ± 0.00 [G]	M2.5V [S]	2012 Oct 08	1.1	0.9	...
0610+1019 A	BD+10 1032		3329599136109041536	06:10:54.8038	+10:19:04.994	10.42	9.51	10.91 [S]	M2.5V [S]	2012 Oct 07	yes
0612+0646 A	HD 42618		3319126988068404096	06:12:00.57	+06:46:59.06	6.99	6.7	24.40 ± 0.01 [G]	G4V [S]	2012 Oct 10	1.2	0.2	...
0613+1037 A	HD 42807		3330062833797919744	06:13:12.50	+10:37:37.71	6.56	6.27	18.60 ± 0.01 [G]	G5V [S]	2012 Oct 09	1.0	5.2	...

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0614+1909 A	71 Ori	3374052988354372992	06:14:50.88	+19:09:23.21	5.3	5.07	21.78 ± 0.11 [G]	F5.5IV-V [S]	2012 Oct 06	1.2	4.0	...
0616+1216 A	k Ori	3331979901042416512	06:16:26.62	+12:16:19.79	5.14	4.92	19.59 ± 0.04 [G]	F5V [S]	2012 Oct 07	1.0	2.6	...
0617+0505 A	HD 43587	3317901165746471552	06:17:16.13	+05:05:59.90	5.7	5.57	19.37 ± 0.05 [G]	G0V [S]	2012 Oct 10	2.0	22570.8	yes (+SB)
0619-0639 A	Ross 417	3007599370624135424	06:19:20.78	-06:39:22.11	13.06	11.86	16.81 ± 0.01 [G]	M3 [S]	2012 Oct 10	1.3
0624+2325 A	Ross 64	3377365057060447616	06:24:41.28	+23:25:58.94	13.06	11.66	8.49 ± 0.00 [G]	M4V [S]	2012 Oct 09	1.2
0625+5610 A	G 192-26	997801721262070912	06:25:53.00	+56:10:24.95	14.62	13.21	19.82 ± 0.01 [G]	M4 [S]	2012 Oct 09	1.2
0626+1845 A	HD 45088	3372159045216183552	06:26:10.25	+18:45:24.76	6.93	6.48	14.62 ± 0.02 [G]	K2Ve [S]	2012 Oct 06	2.7	19680.6	yes (+SB)
0628+3628 A	HD 45391	942860190374658688	06:28:46.03	+36:28:47.96	7.27	6.99	24.49 ± 0.01 [G]	G1V [S]	2013 Aug 16	1.1	0.3	...
0629-0248 A	Ross 614	3117120863523946368	06:29:23.3915	-02:48:48.803	11.15	9.63	4.12 [S]	M4.5V [S]	2012 Oct 10	yes
0630-0205 A	G 106-51	3117320802840630784	06:30:38.80	-02:05:53.94	15.32	13.88	21.37 ± 0.01 [G]	M3/4: [S]	2012 Oct 10	1.3	...	yes
0637+1733 A	HD 260655	3359074685047632640	06:37:10.80	+17:33:53.33	9.64	8.88	10.00 ± 0.00 [G]	M0.0Ve [S]	2012 Oct 09	1.1	0.2	...
0640-0552 A	BD-05 1737	3100542495921276160	06:40:13.99	-05:52:23.38	10.22	9.31	11.79 ± 0.00 [G]	M2 [S]	2012 Oct 10	1.0
0641+2357 A	HD 47752	3382815271394515072	06:41:15.71	+23:57:27.78	8.22	7.74	17.26 ± 0.01 [G]	K3.5V [S]	2012 Oct 09	1.0	0.8	...
0642+0334 A	G 108-21	3127503620545728128	06:42:11.19	+03:34:52.62	12.06	10.9	15.16 ± 0.01 [G]	M3V [S]	2012 Oct 10	1.1	...	yes
0642+0334 B	G 108-22	3127574019351694848	06:42:13.34	+03:35:30.89	13.33	12.04	15.16 ± 0.01 [G]	M4 [S]	2012 Oct 10	1.2
0643+5108 A	G 192-39A	991713931537805440	06:43:49.80	+51:08:19.88	12.34	11.51	18.86 ± 0.01 [G]	M3V [G]	2012 Oct 09	1.4	...	yes
0644+7153 A	G 251-16	1113055759899565568	06:44:45.65	+71:53:15.41	10.95	10.19	21.51 ± 0.03 [G]	K7V [S]	2012 Oct 08	5.5	8763.7	yes
0645+1253 A	ksi Gem	3352485990058854912	06:45:17.36	+12:53:44.14	3.44	3.25	18.45 ± 0.08 [G]	F5IV-V [S]	2013 Jan 18	1.9	3.4	...
0646+7933 A	HD 46588	1141280704422528128	06:46:14.15	+79:33:53.32	5.55	5.3	18.20 ± 0.02 [G]	F7V [S]	2013 Aug 17	1.0	1.6	...
0646+4334 A	psi05 Aur	952326504452337792	06:46:44.34	+43:34:38.73	5.37	5.11	16.61 ± 0.02 [G]	F9V [S]	2013 Jan 21	1.1	0.1	...
0647+3730 A	LAWD 23	943770757800160384	06:47:37.99	+37:30:57.07	11.64	12.06	17.08 ± 0.01 [G]	DA2.3 [S]	2013 Jan 21	1.1	1.6	...
0649+3706 A	VB 16	943688191349024000	06:49:05.46	+37:06:50.49	13.78	12.46	14.45 ± 0.01 [G]	M4 [S]	2013 Apr 22	1.5
0649+6020 A	HD 48948	1003351437484254464	06:49:57.03	+60:20:07.96	8.7	8.12	16.84 ± 0.01 [G]	K3V [S]	2012 Oct 08	0.9	0.1	...
0651+4722 A	HD 49601	954713853434626176	06:51:32.39	+47:22:04.15	8.96	8.46	18.65 ± 0.01 [G]	K6V [S]	2013 Jan 21	1.1	2.1	...
0652-0510 A	HD 50281	3101923001490347392	06:52:18.05	-05:10:25.57	6.59	6.23	8.74 ± 0.00 [G]	K3.5V [S]	2012 Oct 10	1.3	9.1	yes
0652-0510 B	HD 50281B	3101920046552857728	06:52:18.04	-05:11:24.04	10.09	9.1	8.75 ± 0.00 [G]	M2.5V [S]	2012 Oct 10	1.2
0654+6052 A	G 250-29	1003752587430126464	06:54:04.37	+60:52:18.10	11.17	10.0	10.92 ± 0.06 [G]	M3.0Ve [S]	2012 Oct 08	9.1	...	yes
0654+3316 A	HD 265866	939072613334579328	06:54:48.96	+33:16:05.44	10.02	8.86	5.58 ± 0.00 [G]	M3V [S]	2012 Oct 10	1.1	5.2	...
0655+2522 A	37 Gem	3381727613874753536	06:55:18.67	+25:22:32.50	5.88	5.6	17.40 ± 0.03 [G]	G0V [S]	2012 Oct 10	0.9	0.5	...
0656+5458 A	G 192-58	999873716565531008	06:56:23.41	+54:58:27.81	12.47	11.52	21.43 ± 0.01 [G]	M2.0Ve [S]	2012 Oct 09	1.3
0657+3045 A	HD 266611	888957972853029632	06:57:04.69	+30:45:23.38	9.75	9.1	18.88 ± 0.01 [G]	K5V [S]	2012 Oct 10	1.1	3.3	...
0657+6219 A	G 250-31A	1099288633074163328	06:57:57.15	+62:19:19.58	13.65	12.15	11.49 ± 0.01 [G]	M6V [S]	2012 Oct 08	1.9	...	yes
0658+2228 A	HD 51419	3379989457790428416	06:58:11.75	+22:28:33.18	7.06	6.77	24.83 ± 0.01 [G]	G5VFe-1 [S]	2013 Jan 19	1.0	0.3	...
0659+1920 A	G 109-35	3365063724883180288	06:59:28.82	+19:20:55.86	14.52	12.78	7.75 ± 0.00 [G]	M5.0Ve [S]	2013 Jan 19	1.6
0701+5949 A	MCC 484	1002898644851988352	07:01:06.19	+59:49:59.83	10.97	10.26	22.10 ± 0.01 [G]	K5 [S]	2012 Oct 08	1.2	3.9	...
0701+4822 A	HD 51866	978615483876384000	07:01:38.59	+48:22:43.21	8.0	7.69	20.31 ± 0.01 [G]	K3V [S]	2013 Jan 13	0.9	0.1	...
0702-0647 A	HD 52919	30522753116376444800	07:02:42.92	-06:47:57.21	8.49	7.99	19.11 ± 0.01 [G]	K4V [S]	2013 Jan 19	1.0	5.2	...
0703+2920 A	HD 52711	887822001246832384	07:03:30.46	+29:20:13.49	6.06	5.79	18.95 ± 0.02 [G]	G0V [S]	2012 Oct 10	1.2	0.1	...
0703+5242 A	G 193-27	981548637301374336	07:03:55.73	+52:42:06.57	13.29	11.7	9.02 ± 0.06 [G]	M5.0Ve [S]	2012 Oct 09	18.9

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0704+6817 A	G 250-33		1103079616027292416	07:04:25.94	+68:17:19.65	11.96	10.85	16.36 ± 0.01 [G]	M3.0Ve [S]	2012 Oct 08	1.3	0.1	...
0705+2728 A	BD+27 1311		884039857341503616	07:05:42.24	+27:28:14.99	10.22	9.58	22.83 ± 0.01 [G]	K7V [S]	2013 Oct 23	0.9	2.0	...
0707+6712 A	G 250-34		1102868303634261632	07:07:50.42	+67:12:04.85	11.18	10.29	18.97 ± 0.04 [G]	M1.5Ve [S]	2012 Oct 08	6.8	16323.3	...
0708+2950 A	HD 53927		884951489919636352	07:08:04.24	+29:50:04.19	8.23	8.06	22.99 ± 0.01 [G]	K2.5V [S]	2013 Apr 22	1.0	1.6	...
0710+3831 A	QY Aur		946632924007399936	07:10:01.83	+38:31:46.09	11.48	9.93	6.05 ± 0.00 [G]	M4.5Ve [S]	2013 Apr 22	1.1	3.6	...
0710+3740 A	G 87-28		946030529073022080	07:10:13.60	+37:40:10.43	14.57	13.23	22.42 ± 0.22 [G]	M4V [S]	2013 Apr 22	33.1	...	yes
0711+4329 A	LP 206-11		...	07:11:11.5185	+43:29:56.665	15.9	...	12.20 [S]	M5.5V [S]	2013 Jan 22	yes
0715+4714 A	HD 55575		974887555341533440	07:15:50.14	+47:14:23.87	5.67	5.39	16.85 ± 0.02 [G]	F9V [S]	2013 Jan 22	1.1	5.4	...
0716+3309 A	G 87-32		890284258753196544	07:16:18.02	+33:09:10.43	14.48	12.92	15.27 ± 0.01 [G]	M5V [S]	2013 Apr 22	1.1
0716+2708 A	G 109-55		883439489632629120	07:16:19.77	+27:08:33.10	10.87	9.74	11.92 ± 0.05 [G]	M3V [S]	2013 Oct 23	25.6	243.4	...
0717-0501 A	SCR 10717-0501		3059246454092369024	07:17:17.09	-05:01:03.55	13.29	11.86	11.13 ± 0.00 [G]	M3.5V [S]	2013 Jan 19	1.2
0718+3916 A	Ross 987		948039989652369408	07:18:08.18	+39:16:29.31	10.39	9.52	14.02 ± 0.00 [G]	M0V [S]	2013 Apr 22	1.3	1.6	...
0719+3249 A	BD+33 1505		893214796542513280	07:19:31.27	+32:49:48.34	10.08	9.36	18.23 ± 0.01 [G]	M0V [S]	2013 Apr 22	1.8	1301.4	...
0720+2158 A	...		866177431955478144	07:20:07.37	+21:58:56.29	3.6	3.46	18.60 ± 0.08 [G]	F4V [G]	2013 Jan 22	2.6	36.9	yes
0723+4605 A	G 107-65		974536192658255104	07:23:14.90	+46:05:14.68	10.07	9.69	16.98 ± 0.01 [G]	M1V [S]	2013 Jan 22	1.3	0.5	...
0723+1257 A	HD 57901		3163201979956736000	07:23:47.07	+12:57:52.99	8.33	7.9	24.03 ± 0.02 [G]	K3-V [S]	2013 Jan 18	1.1	4.2	...
0727+0513 A	BD+05 1668		3139847906307949696	07:27:24.50	+05:13:32.84	9.85	8.58	3.79 ± 0.00 [G]	M3.5V [S]	2013 Jan 18	1.2	6.3	...
0727+2202 A	Ross 878		866016662739803008	07:27:28.61	+22:02:37.94	11.28	10.3	20.27 ± 0.01 [G]	M2V [S]	2013 Jan 19	1.1	1.4	...
0728-0317 A	G 112-21		3060641356390249728	07:28:45.44	-03:17:53.31	11.43	10.3	11.73 ± 0.01 [G]	M3V [S]	2013 Jan 19	1.1	2.6	...
0729+3147 A	rho Gem		892160231749198848	07:29:06.74	+31:47:05.50	4.81	4.09	17.82 ± 0.12 [G]	F1V [S]	2013 Apr 22	3.8
0729+4940 A	22 Lyn		976893923544104576	07:29:55.96	+49:40:20.85	5.46	5.22	20.40 ± 0.06 [G]	F6V [S]	2013 Jan 13	1.5	4.8	...
0731+1436 A	HD 59582		3165287719154543232	07:31:07.71	+14:36:50.92	9.02	8.54	20.75 ± 0.01 [G]	K5 [S]	2013 Jan 18	1.0	0.6	...
0731+3613 A	VV Lyn A		898506093171335424	07:31:57.71	+36:13:10.11	10.6	9.6	11.99 ± 0.01 [G]	M2.5V [G]	2013 Apr 22	2.5	48469.1	yes
0732+6837 A	G 250-49		1108529414127974656	07:32:02.02	+68:37:15.53	10.89	10.05	23.39 ± 0.01 [G]	M1.5Ve [S]	2012 Oct 08	0.9	33.2	...
0733+3701 A	HD 59747		898639447612575104	07:33:00.58	+37:01:47.45	7.82	7.43	20.68 ± 0.01 [G]	G5V [S]	2013 Apr 22	1.0	0.3	...
0734+0059 A	G 112-27		3134682194522547968	07:34:17.59	+00:59:09.26	11.91	10.87	15.62 ± 0.01 [G]	M2.5Ve [S]	2012 Oct 10	1.3
0734+0653 A	HD 60491		3054448838181163520	07:34:26.17	-06:53:48.04	8.3	7.91	23.46 ± 0.01 [G]	K1V [S]	2012 Oct 10	1.1	5.2	...
0734+6256 A	G 234-5		1088813933689615872	07:34:27.43	+62:56:29.36	10.94	9.65	11.81 ± 0.00 [G]	M0V [S]	2012 Oct 08	1.1	0.2	...
0734+3153 A	alf Gem		...	07:34:35.87319	+31:53:17.8160	1.58	...	15.60 ± 0.91 [S]	A1V+A2Vm [S]	2013 Apr 21	yes
0735+5450 A	GJ 3452		985610542491481984	07:35:21.88	+54:50:58.97	11.29	10.32	12.79 ± 0.00 [G]	M2.5Ve [S]	2013 Jan 13	1.1	5.1	...
0736+0704 A	G 89-32		3142052633276822144	07:36:25.1182	+07:04:43.139	13.25	12.01	9.00 [S]	M4.5V [S]	yes
0739+0513 A	alf Cmi B		...	07:39:17.8800	+05:13:26.800	0.37	...	3.50 [S]	DQZ [S]
0739+0211 A	BD+02 1729		3135225421986581504	07:39:23.04	+02:11:01.19	9.58	8.9	15.07 ± 0.00 [G]	M0.0Ve [S]	2013 Jan 19	1.0	0.2	...
0739-0335 A	HD 61606		3057712223051571200	07:39:59.33	-03:35:51.03	7.18	6.89	14.08 ± 0.00 [G]	K3V [S]	2013 Jan 19	1.1	2.8	yes
0739-0335 B	HD 61606B		3057712188691831936	07:40:02.90	-03:36:13.23	8.93	8.33	14.08 ± 0.01 [G]	K7V [S]	2013 Jan 19	1.0
0744+0333 A	YZ Cmi		3136952686035250688	07:44:40.17	+03:33:08.88	11.19	9.69	5.99 ± 0.00 [G]	M4.0Ve [S]	2013 Jan 20	1.4	2.3	...
0745+2801 A	bet Gem		...	07:45:18.9498	+28:01:34.316	1.29	...	10.36 [S]	K0IIIb [S]	2013 Apr 22
0748+2022 A	Wolf 1421		672091364541849344	07:48:16.39	+20:22:05.25	11.45	10.55	14.70 ± 0.00 [G]	M1.5Ve [S]	2013 Jan 20	1.3	2.1	...
0749+2721 A	HD 63433		875071278432954240	07:49:55.06	+27:21:47.46	7.04	6.74	22.38 ± 0.01 [G]	G5IV [S]	2013 Apr 22	1.0	5.6	...

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{dec}	Candidate(s)?
0751+0532 A	G 50-6	3143635723866162432	07:51:51.39	+05:32:57.17	14.72	13.14	14.79 ± 0.00 [G]	M5.08 [S]	2013 Jan 20	1.2
0754-0124 A	HD 64606	3082317193037072256	07:54:34.19	-01:24:44.30	7.43	7.25	19.72 ± 0.20 [G]	K0V [S]	2013 Jan 19	18.4	363.7	yes (+SB)
0754+1914 A	HD 64468	6702168334655936128	07:54:54.07	+19:14:10.84	7.9	7.47	20.31 ± 0.12 [G]	K2.5V [S]	2013 Jan 20	11.5	21.2	yes (+SB)
0758+4118 A	G 111-47	922225002820369152	07:58:12.70	+41:18:13.31	11.98	10.67	8.85 ± 0.00 [G]	M3.5Ve [S]	2013 Jan 22	1.2	0.5	...
0759+2050 A	HD 65430	670853314448533888	07:59:33.94	+20:50:38.14	7.71	7.46	23.99 ± 0.11 [G]	K0V [S]	2013 Jan 20	10.5	6869.9	(SB)
0800+2912 A	HD 65583	876370076542359936	08:00:32.13	+29:12:44.48	7.11	6.78	17.09 ± 0.01 [G]	K0V_Fe-1.3 [S]	2013 Apr 21	0.9	4.1	...
0807+2134 A	mu.02 Cnc	676768820148924416	08:07:45.86	+21:34:54.53	5.42	5.13	23.81 ± 0.05 [G]	G1IVb [S]	2013 Jan 20	0.9	4.3	...
0808+2106 A	BD+21 1764	676689831406224128	08:08:13.19	+21:06:18.25	9.52	8.84	17.85 ± 0.01 [G]	K7Ve [S]	2013 Jan 20	1.0	140.8	yes
0808+3249 A	FP Cnc	902175202130167936	08:08:56.34	+32:49:11.57	10.05	9.41	23.96 ± 0.53 [G]	K6V [S]	2013 Apr 21	35.8	1350.0	yes
0808+3249 B	FP Cnc B	902175030329924608	08:08:55.44	+32:49:04.69	12.12	10.86	23.96 ± 0.02 [G]	M2.8+M3.3 [S]	2013 Apr 21	1.4
0809+2154 A	G 91-34	676804558572501120	08:09:30.95	+21:54:17.24	11.84	10.86	20.95 ± 0.01 [G]	M2.0Ve [S]	2013 Jan 20	1.3	1.7	...
0811+3227 A	HD 68017	902007870203594880	08:11:38.65	+32:27:25.79	6.92	6.62	21.58 ± 0.03 [G]	G3V [S]	2013 Apr 21	3.0	30174.7	...
0811+0846 A	Ross 619	3098328182579892096	08:11:57.57	+08:46:22.95	12.82	11.4	6.77 ± 0.00 [G]	M4.5Ve [S]	...	2.1
0812+1738 A	zet01 Cnc A	657244586015485440	08:12:12.72	+17:38:51.51	4.78	5.52	24.46 ± 0.09 [G]	F7V [G]	2013 Jan 19	1.4	...	yes
0814+1301 A	HD 68834	650337664425397632	08:14:35.91	+13:01:22.18	8.84	8.35	19.24 ± 0.01 [G]	K5V [S]	2013 Apr 20	1.1	3.5	...
0816+0118 A	G 113-20	3089711447388931584	08:16:07.98	+01:18:09.27	10.14	9.13	8.94 ± 0.00 [G]	M2.0V [S]	2013 Jan 19	1.1	2.5	...
0818+3036 A	BD+31 1781	708608825759209088	08:18:10.78	+30:36:02.94	8.83	8.43	22.86 ± 0.01 [G]	K4.5V [S]	2013 Apr 21	0.9	1.2	...
0819+0120 A	BD+01 2063	3089675232224086784	08:19:19.05	+01:20:19.91	8.5	8.09	22.38 ± 0.01 [G]	G5V [S]	2013 Jan 19	1.1	0.0	...
0820+2713 A	chi Cnc	683184784030475520	08:20:03.86	+27:13:03.74	5.23	4.99	18.22 ± 0.03 [G]	F6V [S]	2013 Apr 21	1.1	0.2	...
0820+1404 A	BD+14 1876	652005932802958976	08:20:55.33	+14:04:16.80	9.97	9.22	22.74 ± 0.01 [G]	M0V [S]	2013 Jan 22	1.1	1.5	...
0825+6902 A	LP 35-347	1097353325107339776	08:25:52.82	+69:02:01.09	15.67	13.76	12.29 ± 0.06 [G]	M7V [S]	2012 Oct 08	4.6	...	yes
0827+4539 A	HD 71148	918107434852949888	08:27:36.78	+45:39:10.75	6.45	6.17	21.94 ± 0.01 [G]	G1V [S]	2013 Jan 22	1.0	3.3	...
0828+2008 A	G 9-7	6637674443044739840	08:28:12.66	+20:08:21.56	13.12	12.02	23.49 ± 0.01 [G]	M4V [S]	2013 Jan 20	1.3
0828+3500 A	MCC 253	...	08:28:22.1145	+35:00:59.245	10.73	...	19.68 [S]	M0V [S]	2013 Apr 20	yes
0829+2646 A	G 51-15	703790044252850688	08:29:49.35	+26:46:33.62	14.9	12.17	3.58 ± 0.00 [G]	M6.5Ve [S]	2013 Apr 21	1.2
0829+6143 A	G 234-35	1090049716041842816	08:29:56.33	+61:43:32.74	10.33	9.66	20.29 ± 0.01 [G]	K7V [S]	2013 Jan 14	1.2	0.2	...
0831+1923 A	CU Cnc	662732046688476288	08:31:37.57	+19:23:39.40	11.59	10.58	16.65 ± 0.01 [G]	M5Ve [S]	2013 Apr 21	1.5	2767.2	yes
0831+1923 B	CV Cnc	662732115407952768	08:31:37.43	+19:23:49.70	13.32	12.28	16.60 ± 0.02 [G]	M4V [G]	2013 Apr 21	2.1	...	yes
0834-0108 A	G 113-46	3073508528645520000	08:34:25.89	-01:08:39.55	12.73	11.52	13.44 ± 0.01 [G]	M3 [S]	2013 Jan 19	1.2
0835+6804 A	G 234-37	1094235934764378112	08:35:49.04	+68:04:09.13	11.64	10.55	13.00 ± 0.00 [G]	M3.0Ve [S]	2012 Oct 08	1.2
0836+6717 A	BD+67 552	1093918828739878528	08:36:25.47	+67:17:41.78	9.32	8.62	14.16 ± 0.05 [G]	M0.5Ve [S]	2012 Oct 08	13.4	9935.2	yes
0837+1507 A	G 9-11	657608666099404544	08:37:07.96	+15:07:45.52	11.79	10.74	17.82 ± 0.01 [G]	M3.0Ve [S]	2013 Apr 19	1.3	0.1	...
0837-0648 A	V401 Hya	5755064487956174720	08:37:50.29	-06:48:24.78	6.88	6.6	24.35 ± 0.01 [G]	G8/K0(V) [S]	2013 Jan 19	0.9	1.9	...
0839+6501 A	pi.01 UMa	1092545710514654464	08:39:11.70	+65:01:15.26	5.76	5.5	14.44 ± 0.01 [G]	G0.5V [S]	2012 Oct 08	1.2	0.5	...
0839+1131 A	HD 73667	602079652404802688	08:39:50.79	+11:31:21.62	7.62	7.36	18.43 ± 0.01 [G]	K2V [S]	2013 Apr 19	1.0	1.9	...
0841+5929 A	G 234-45	1040827088726734976	08:41:20.13	+59:29:50.44	15.05	13.08	9.50 ± 0.00 [G]	dM5.5 [S]	2013 Jan 14	1.3
0842+0933 A	BD+10 1857A	598180818531935232	08:42:44.53	+09:33:24.09	9.65	8.95	15.46 ± 0.03 [G]	M0.5V [G]	2013 Jan 22	6.3	186.0	yes
0842+0933 B	G 46-2	598180646733241216	08:42:52.23	+09:33:11.17	11.79	10.73	15.46 ± 0.01 [G]	M2.5Ve [S]	2013 Jan 22	1.2	2.3	...
0850+0751 A	BD+08 2131A	596779044285041792	08:50:42.30	+07:51:52.46	9.16	9.07	17.85 ± 0.01 [G]	K9V [G]	2013 Jan 22	1.5	206.6	yes

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0851+1807 A	Ross 622		659951725379878272	08:51:43.79	+18:07:29.92	11.55	10.67	16.71 ± 0.01 [G]	M1.5Ve [S]	2013 Apr 21	1.1	0.6	...
0852+6607 A	BD+66 582		1092897519875582592	08:52:00.35	+66:07:53.39	9.35	8.69	16.50 ± 0.00 [G]	K5 [S]	2012 Oct 08	1.1	2.7	...
0852+0803 A	HD 75767		596878550087942528	08:52:16.39	+08:03:46.50	6.7	6.42	22.97 ± 0.02 [G]	G1.5V [S]	2013 Jan 22	1.9	387.9	yes (+SB)
0852+2819 A	rho01 Cnc		704967037090946688	08:52:35.81	+28:19:50.96	6.11	5.73	12.59 ± 0.01 [G]	K0IV-V [S]	2013 Apr 21	0.9	1.8	yes
0852+2819 B	rho01 Cnc B		704966762213039488	08:52:40.86	+28:18:58.82	13.14	11.68	12.59 ± 0.01 [G]	M4.5V [S]	2013 Apr 21	1.5
0854+0526 A	HD 76151		5760701787150565888	08:54:17.95	-05:26:04.05	6.0	5.85	16.85 ± 0.01 [G]	G2V [S]	2013 Jan 19	0.9	5.4	...
0855+0132 A	BD+02 2098		577602496345490176	08:55:07.62	+01:32:47.42	9.98	9.29	20.52 ± 0.01 [G]	M0V [S]	2013 Jan 19	1.1	0.8	...
0855+7047 A	...		1118916397393675648	08:55:24.92	+70:47:38.17	8.7	8.07	11.59 ± 0.01 [G]	K8V [G]	2013 Jan 22	2.2	...	yes
0857+1138 A	BD+12 1944		604756890202697728	08:57:04.68	+11:38:48.82	10.57	9.96	16.31 ± 0.03 [G]	M1V [S]	2013 Apr 20	4.6	25168.4	yes
0858+1945 A	G 9-38A		660597997696173440	08:58:15.07	+19:45:48.26	13.65	11.97	5.15 ± 0.00 [G]	M8Ve [S]	2013 Apr 21	2.6	...	yes
0858+2032 A	BD+21 1949		684865658135318144	08:58:38.18	+20:22:48.30	9.25	8.78	21.03 ± 0.01 [G]	M0 [S]	2013 Apr 21	1.2	2.2	...
0858+0828 A	G 41-14		...	08:58:56.3208	+08:28:26.068	10.92	...	4.39 [S]	M3.5V [S]	2013 Jan 22	yes
0859+4802 A	...		1014058103758571520	08:59:12.45	+48:02:30.56	3.19	3.12	14.71 ± 0.09 [G]	A8V [G]	2013 Jan 20	4.8	10.2	yes
0859+7257 A	G 252-25		1123681096674583552	08:59:56.20	+72:57:36.27	14.32	12.79	14.40 ± 0.01 [G]	M5V [G]	2013 Jan 22	1.5
0900+4635 A	G 115-42		1010729194865571456	09:00:32.48	+46:35:11.10	13.32	11.79	10.08 ± 0.00 [G]	M4.5V [S]	2013 Jan 22	1.3
0900+4146 A	10 UMa		81664900296779584	09:00:38.47	+41:46:58.89	4.06	3.96	18.74 ± 0.28 [G]	F3V+G5V [S]	2013 Apr 20	8.0	...	yes (+SB)
0900+0514 A	Ross 686		583257314711142144	09:00:48.52	+05:14:41.46	12.42	11.26	22.15 ± 0.02 [G]	M3.0Ve [S]	2013 Jan 22	1.4	...	yes
0900+0514 B	Ross 687		583257319006770176	09:00:50.33	+05:14:29.57	12.72	11.55	22.15 ± 0.02 [G]	M3.0Ve [S]	2013 Jan 22	1.6	1.4	...
0900+4825 A	G 194-50		1015570963037979264	09:00:52.08	+48:25:24.73	15.72	12.89	19.58 ± 0.01 [G]	M3.5 [S]	2013 Jan 20	1.5
0901+1515 A	HD 77175A		610304720934423424	09:01:17.48	+15:15:56.75	8.65	8.74	18.47 ± 0.01 [G]	K5 [S]	2013 Apr 20	1.0	210.8	yes
0902+0828 A	G 41-18		585132295569511168	09:02:19.88	+08:28:06.54	11.77	10.72	20.43 ± 0.01 [G]	M3.0Ve [S]	2013 Jan 22	1.2	4.0	...
0906+0848 A	BD-08 2582		5743705394673617664	09:06:45.35	-08:48:24.61	9.5	8.79	14.50 ± 0.00 [G]	K7V [S]	2013 Apr 20	1.1	14.3	yes
0908+3352 A	HD 78366		714116137767540096	09:08:51.07	+33:52:55.99	6.08	5.81	18.95 ± 0.01 [G]	G0IV-V [S]	2013 Apr 21	0.9	2.6	...
0909+4006 A	G 115-57		815474621470643968	09:09:23.83	+40:06:04.91	14.53	13.14	20.90 ± 0.09 [G]	M4 [S]	2013 Apr 21	10.8
0909+3249 A	BD+33 1814A		712329087779343744	09:09:30.5982	+32:49:09.604	9.98	9.54	21.36 [S]	M0.5Ve [S]	2013 Apr 21	yes
0911+4637 A	G 115-59		1011390516749963392	09:11:30.82	+46:37:01.42	10.99	10.15	23.68 ± 0.01 [G]	M1V [S]	2013 Jan 21	1.0	0.8	...
0912+1459 A	pi01 Cnc		607464716759460480	09:12:17.5474	+14:59:45.776	6.63	6.3	20.35 [S]	G9V [S]	2013 Apr 22	yes (+SB)
0914+6125 A	c UMa		1040054235130174080	09:14:20.54	+61:25:23.94	5.31	5.02	20.24 ± 0.06 [G]	G0V [S]	2013 Jan 14	2.0	5.4	(SB)
0914+5241 A	HD 79210		1022456139210632064	09:14:22.77	+52:41:11.79	7.78	6.98	6.33 ± 0.00 [G]	K7V [S]	2013 Jan 14	1.1	178.2	yes
0914+5241 B	HD 79211		1022456104850892928	09:14:24.68	+52:41:10.90	7.97	7.05	6.33 ± 0.00 [G]	M0V [S]	2013 Apr 21	1.1	27.5	...
0914+0426 A	HD 79555		579567598501642368	09:14:53.65	+04:26:34.16	7.93	7.65	17.88 ± 0.05 [G]	K4V [S]	2013 Jan 22	5.0	22354.5	yes
0917+2833 A	HD 79969		...	09:17:53.4557	+28:33:37.863	7.35	...	17.27 [S]	K3V [S]	2013 Apr 19
0919+3831 A	G 115-68		811947078931179264	09:19:18.94	+38:31:15.90	14.5	13.05	19.33 ± 0.01 [G]	M5V [S]	2013 Apr 20	1.3	...	yes
0920+2643 A	LP 313-42		694072869723271296	09:20:21.93	+26:43:43.02	15.6	14.08	18.79 ± 0.01 [G]	M5V [S]	2013 Apr 19	1.2
0920+0545 A	HD 80632		5746426720312132608	09:20:44.32	-05:45:14.30	9.07	8.67	24.15 ± 0.01 [G]	K4V [S]	2013 Jan 19	1.0	79.2	...
0920+0322 A	G 48-6		3845829101135351296	09:20:57.95	+03:22:06.44	13.33	12.1	17.63 ± 0.01 [G]	M4V [S]	2013 Jan 19	1.1
0922+4012 A	BF Lyn		812477352773908608	09:22:25.94	+40:12:03.80	7.75	7.3	23.44 ± 0.01 [G]	K2.5Vike [S]	2013 Apr 20	1.0	5.1	(SB)
0928-0722 A	Ross 439		5745027080665197696	09:28:53.33	-07:22:15.81	12.1	11.04	17.49 ± 0.01 [G]	M2.5 [S]	2013 Apr 19	1.1	0.6	yes
0928-0722 B	G 161-34		5745027011945719808	09:28:55.71	-07:22:11.85	15.04	13.47	17.49 ± 0.01 [G]	M4.5 [S]	2013 Apr 19	1.2

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
0929-0246 A	tau01 Hya		3837697972130323456	09:29:08.93	-02:46:08.18	4.6	4.47	18.21 ± 0.15 [G]	F5V [S]	2013 Jan 18	3.1	2350.7	yes (+SB)
0929-0522 A	BD-04 2639		3824731809460825728	09:29:35.05	-05:22:21.74	9.75	9.2	24.13 ± 0.01 [G]	K7V [S]	2013 Jan 18	1.0	2.1	...
0929+0539 A	HD 82106		3852570413083923072	09:29:54.83	+05:39:18.47	7.2	6.89	12.79 ± 0.00 [G]	K3V [S]	2013 Jan 22	1.0	5.9	...
0930+0019 A	G 48-20		3840711729206827520	09:30:44.59	+00:19:21.59	11.72	10.5	9.91 ± 0.00 [G]	M3.5Ve [S]	2013 Jan 18	1.1	10.6	...
0931+6303 A	h UMa		1064092789129355136	09:31:31.71	+63:03:42.70	3.73	3.58	23.76 ± 0.09 [G]	F0IV [S]	2013 Jan 22	3.6	0.7	yes
0931+6303 B	AG+63 543		1064092479891020800	09:31:28.36	+63:03:41.90	9.19	8.83	23.76 ± 0.01 [G]	K5V [G]	2013 Jan 22	1.2
0931+3619 A	BD+36 1970		798914636327665536	09:31:56.33	+36:19:12.82	10.22	9.41	13.57 ± 0.00 [G]	M1V [S]	2013 Apr 20	1.1	0.8	...
0932-1111 A	LQ Hya		5739942011185493888	09:32:25.57	-11:11:04.69	7.84	7.49	18.27 ± 0.01 [G]	K1 Vp [S]	2013 Apr 19	1.1	0.4	...
0932+2659 A	HD 82443		646255212109355136	09:32:43.76	+26:59:18.71	7.2	6.81	18.07 ± 0.01 [G]	G9V(k) [S]	2013 Apr 19	1.0	1.9	yes
0932+2659 B	HD 82443B		646255246469567232	09:32:48.24	+26:59:43.78	14.7	13.84	18.07 ± 0.02 [G]	M5.5V [S]	2013 Apr 19	0.8
0932+5140 A	tet UMa		1018776176872261248	09:32:51.43	+51:40:38.33	3.28	3.07	13.54 ± 0.04 [G]	F7V [S]	2013 Apr 20	3.7	518.5	...
0935+3548 A	l LMi		798068905726303232	09:35:39.50	+35:48:36.48	5.54	5.2	11.23 ± 0.01 [G]	G8Va [S]	2013 Apr 20	1.0	496.1	yes
0937+2241 A	BD+23 2121		641154096631794432	09:37:11.34	+22:41:38.91	9.54	8.91	22.57 ± 0.01 [G]	K5 [S]	2013 Apr 19	1.0	1.6	...
0939+3145 A	...		793785826901083520	09:39:24.29	+31:45:16.98	11.92	10.92	21.29 ± 0.02 [G]	M2V [G]	2013 Apr 21	1.0	13.8	yes
0941+2201 A	Ross 92		640862653425455360	09:41:02.05	+22:01:28.34	14.24	12.7	12.34 ± 0.00 [G]	M4 [S]	2013 Apr 19	1.2
0941+1312 A	Ross 85		614543647497149056	09:41:10.36	+13:12:34.42	10.4	9.44	11.54 ± 0.00 [G]	M2.5V [S]	2013 Apr 19	1.1	0.9	...
0942+5559 A	G 195-36		1022122334352145280	09:42:23.19	+55:59:01.27	12.5	11.26	16.53 ± 0.01 [G]	M3V [S]	2013 Jan 22	1.5
0942+7002 A	G 236-1		1071194431653425280	09:42:34.84	+70:02:01.96	10.58	9.57	11.86 ± 0.00 [G]	M2.5V [S]	2013 Jan 22	1.2	3.2	yes
0942+7002 B	G 236-2		1071195187567668480	09:42:51.73	+70:02:21.88	11.24	10.08	11.86 ± 0.00 [G]	M3.5V [S]	2013 Jan 14	1.1	0.5	...
0943+4241 A	HD 84035		819750862709551360	09:43:25.66	+42:41:29.62	8.13	7.74	17.99 ± 0.01 [G]	K4V [S]	2013 Apr 20	1.0	6.1	...
0943+2658 A	Ross 93		646818024623804416	09:43:55.61	+26:58:08.41	12.05	10.85	14.37 ± 0.01 [G]	M3.5Ve [S]	2013 Apr 19	1.1	23.3	yes
0944-1220 A	G 161-71		5690846274384548864	09:44:54.19	-12:20:54.38	13.76	11.87	13.15 ± 0.01 [G]	M5.0V [S]	2013 Apr 19	1.1
0948+4601 A	l LMi		821455861647126656	09:48:35.37	+46:01:15.63	5.21	4.92	18.82 ± 0.03 [G]	G0.5Va [S]	2013 Apr 20	0.8	8.7	...
0951-1219 A	BD-11 2741		5690980582306104448	09:51:09.64	-12:19:47.48	10.06	9.24	13.13 ± 0.00 [G]	dM0.5 [S]	2013 Apr 19	1.1	0.3	...
0952+0213 A	HD 85488		3847128380281953664	09:52:11.36	+03:13:18.63	8.85	8.41	20.52 ± 0.01 [G]	K5V [S]	2013 Apr 19	1.2	3.6	...
0953-0341 A	BD-02 3000		3823307284773157248	09:53:11.78	-03:41:24.41	10.55	9.55	15.72 ± 0.02 [G]	M2V [S]	2013 Jan 18	3.4	80.3	...
0953+2056 A	G 42-24		628080246633611520	09:53:55.17	+20:56:46.79	14.02	12.36	9.55 ± 0.00 [G]	M4.0Ve [S]	2013 Apr 19	1.2
0956+6247 A	BD+63 869		1051547052218220160	09:56:08.67	+62:47:18.46	8.97	8.23	10.52 ± 0.00 [G]	M0.5Ve [S]	2013 Jan 14	1.0	2.1	...
1001+3155 A	20 LMi		746545172372256384	10:01:00.66	+31:55:25.21	5.51	5.2	14.93 ± 0.02 [G]	G3VaHdel1 [S]	2013 Apr 20	0.9	0.5	yes
1002+4805 A	BD+48 1829		823228721067307392	10:02:21.75	+48:05:19.68	10.1	9.27	14.96 ± 0.01 [G]	M1V [S]	2013 Jan 21	0.9	0.0	...
1006+4142 A	G 116-77		806893276814027008	10:06:43.81	+41:42:52.66	11.33	10.52	22.28 ± 0.02 [G]	M1.0Ve [S]	2013 Apr 20	3.7	20343.2	...
1006+0257 A	BD+03 2316		3836586468953204608	10:06:56.86	+02:57:51.90	9.94	9.33	22.11 ± 0.01 [G]	K7.5Ve [S]	2013 Apr 19	1.2	1317.9	yes
1008+1159 A	HD 87884		3880785530720066176	10:08:12.79	+11:59:49.06	8.13	7.89	24.23 ± 0.02 [G]	K0Ve [S]	2013 Apr 19	1.1	...	yes
1008+1158 A	alf Leo		...	10:08:22.3109	+11:58:01.951	1.32	...	23.76 [S]	B8IVh [S]	2013 Apr 19
1008+3414 A	HD 87883		747266452000257280	10:08:43.14	+34:14:32.15	7.71	7.29	18.29 ± 0.01 [G]	K0V [S]	2013 Apr 20	1.2	713.6	...
1009+5117 A	G 195-57		848178083009862656	10:09:29.97	+51:17:19.68	13.48	12.16	13.16 ± 0.00 [G]	M4.65 [S]	2013 Jan 20	1.4
1011+4927 A	HD 88230		823773494718931968	10:11:22.14	+49:27:15.25	6.59	5.96	4.87 ± 0.00 [G]	K6VeFe-1 [S]	2013 Jan 21	0.9	3.9	...
1012-0241 A	MCC 568		3828751074215823872	10:12:04.6719	-02:41:05.170	10.64	9.69	11.54 [S]	M2.5V [S]	2013 Jan 18
1012-0344 A	AN Sex		3828238392559860992	10:12:17.67	-03:44:44.39	9.29	8.33	7.71 ± 0.00 [G]	M2V [S]	2013 Jan 18	1.0	1.0	...

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
			Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{par}	Candidate(s)?
1013+5230 A	HD 233719		851346566283231616	10:13:57.38	+52:30:24.22	9.52	9.1	22.96 ± 0.01 [G]	K6V [S]	2013 Jan 20	1.0	1.0	...
1014+2104 A	MCC 124		628827128175694976	10:14:19.1632	+21:04:29.817	10.14	9.37	23.40 [S]	M0.7V [S]	2013 Apr 19	(SB)
1016-1157 A	MCC 573		3765772972322477696	10:16:45.95	-11:57:42.41	10.51	9.93	13.47 ± 0.00 [G]	dM3.0 [S]	2013 Apr 19	1.2	1.3	...
1017+2306 A	39 Leo		725398123501434496	10:17:14.54	+23:06:22.38	5.92	5.68	22.27 ± 0.03 [G]	F6V [S]	2013 Apr 19	0.9	0.2	...
1018+4402 A	HD 89269		806000816970521728	10:18:51.95	+44:02:53.95	6.79	6.49	20.19 ± 0.01 [G]	G4V [S]	2013 Apr 20	1.0	0.4	...
1019+1952 A	BD+20 2465		625453654702751872	10:19:36.28	+19:52:12.01	9.32	8.2	4.97 ± 0.00 [G]	dM3 [S]	2013 Apr 19	1.2
1019+1928 A	40 Leo		624684408880100992	10:19:44.17	+19:28:15.29	4.89	4.66	21.22 ± 0.08 [G]	F6IV-V [S]	2013 Apr 19	1.1	12.6	...
1025-1013 A	BD-09 3070		3767878708888402816	10:25:10.84	-10:13:43.29	10.17	9.28	12.79 ± 0.00 [G]	M1V [S]	2013 Apr 19	1.2	1.2	...
1028+4847 A	...		834571523536798848	10:28:03.88	+48:47:05.64	6.56	6.28	22.99 ± 0.02 [G]	G1V [G]	2013 Jan 21	0.9	101.0	yes
1028+4814 A	G 146-35		...	10:28:28.0030	+48:14:19.463	13.25	...	20.58 [S]	M3.5 [S]	2013 Jan 21
1028+0050 A	BD+01 2447		3855208897392952192	10:28:55.55	+00:50:27.60	9.63	8.68	7.04 ± 0.00 [G]	dM2 [S]	2013 Jan 18	0.9	1.7	...
1030+5558 A	36 UMa		853819947756949120	10:30:37.58	+55:58:49.94	4.94	4.67	12.95 ± 0.01 [G]	F8V [S]	2013 Jan 21	0.9	3.8	yes
1030+5558 B	36 UMa B		853820948481913472	10:30:25.31	+55:59:56.86	8.72	8.08	12.92 ± 0.00 [G]	K7Ve [S]	2013 Jan 21	0.9
1030+5945 A	HD 90875		1047559604579391872	10:30:46.99	+59:45:03.94	8.77	8.35	23.51 ± 0.01 [G]	K4/5V [S]	2013 Jan 14	1.0	1.1	...
1031+4531 A	BD+46 1635		830239138487431808	10:31:24.22	+45:31:33.78	8.95	8.29	15.99 ± 0.01 [G]	K7V [S]	2013 Apr 18	1.0	111.8	yes
1031+5706 A	BD+57 1274		854769861377131520	10:31:43.22	+57:06:57.11	9.64	9.0	17.54 ± 0.00 [G]	K5V [S]	2013 Jan 21	1.1	7.6	...
1036+0507 A	RY Sex		3858896247076028288	10:36:01.22	+05:07:12.79	12.61	11.37	15.27 ± 0.01 [G]	M4V [S]	2013 Jan 22	1.2
1039-0655 A	G 55-35		3774789959807192064	10:39:40.56	-06:55:25.51	11.31	10.27	15.58 ± 0.01 [G]	dM2.5 [S]	2013 Jan 18	1.0	5.6	...
1041+3736 A	G 146-58		751975660302006784	10:41:37.88	+37:36:39.16	12.98	11.55	10.05 ± 0.00 [G]	M4.0Ve [S]	2013 Apr 20	1.0
1043-0912 A	WT 1827		3762231926405726720	10:43:02.85	-09:12:40.85	15.11	13.2	12.20 ± 0.04 [G]	M5.5V [S]	2013 Apr 19	13.0
1045+3830 A	BD+39 2376		776067089642433664	10:45:21.49	+38:30:42.37	9.25	8.69	13.87 ± 0.02 [G]	K7/M0V [S]	2013 Apr 20	3.0	11.1	yes
1048-1120 A	LP 731-58		3757613049856225792	10:48:12.61	-11:20:09.61	15.6	12.84	4.56 ± 0.00 [G]	M6.5V [S]	2013 Apr 19	1.1
1049+3532 A	G 119-36		750586216906847104	10:49:45.63	+35:32:51.11	13.13	11.63	9.73 ± 0.04 [G]	M5V [S]	2013 Apr 20	10.2
1050+3306 A	G 119-37		737721385400747520	10:50:26.01	+33:06:04.15	13.07	11.79	22.59 ± 0.10 [G]	M3.5Ve [S]	2013 Apr 21	9.7
1050+0648 A	Wolf 358		386461545988622464	10:50:52.03	+06:48:29.26	11.65	10.29	6.97 ± 0.00 [G]	M4V [S]	2013 Jan 22	1.0	1.4	...
1052+1359 A	G 44-42		3873066031380105216	10:52:04.24	+13:59:51.30	12.68	11.47	13.25 ± 0.01 [G]	M4V [S]	2013 Apr 19	1.2
1055-0921 A	G 163-23		3759774208680370688	10:55:34.47	-09:21:25.92	13.53	12.28	19.19 ± 0.01 [G]	M4 [S]	2013 Apr 19	1.2
1056+0700 A	Wolf 359		3864972938605115520	10:56:28.92	+07:00:53.00	13.53	11.04	2.41 ± 0.00 [G]	dM6 [S]	2013 Jan 22	0.8
1056+0723 A	HD 94765		3865002247461685248	10:56:30.80	+07:23:18.51	7.52	7.11	17.30 ± 0.01 [G]	K0V [S]	2013 Jan 22	1.1	7.0	...
1059+3015 A	G 147-11		733392535107534464	10:59:06.31	+30:15:12.31	15.36	13.76	22.25 ± 0.01 [G]	M5V [S]	2013 Apr 19	1.2
1059+4025 A	47 UMa		777254360337133312	10:59:27.97	+40:25:48.92	5.16	4.87	13.89 ± 0.02 [G]	G1-VFe-0.5 [S]	2013 Apr 21	0.8	2.1	...
1100+2249 A	Ross 104		3988987164339438208	11:00:04.26	+22:49:58.65	10.02	8.98	6.75 ± 0.00 [G]	M4V [S]	2013 Apr 19	1.1	1.0	...
1101+0300 A	G 45-27		3814642931282607104	11:01:19.66	+03:00:17.22	14.06	12.67	14.87 ± 0.01 [G]	M5V [S]	2013 Jan 19	1.1
1102+2158 A	DS Leo		3988689609004982912	11:02:38.34	+21:58:01.70	9.57	8.81	11.94 ± 0.00 [G]	M1.0V [S]	2013 Apr 19	1.1	1.0	...
1103+3558 A	HD 95735		762815470562110464	11:03:20.19	+35:58:11.58	7.47	6.55	2.55 ± 0.00 [G]	M2+V [S]	2013 Apr 21	1.0	7.2	...
1105+4331 A	BD+44 2051		778947814402602752	11:05:28.58	+43:31:36.39	8.77	7.91	4.90 ± 0.00 [G]	M1.0Ve [S]	...	0.9	25.1	yes
1105+4331 B	BD+44 2051B		778947608243864320	11:05:30.89	+43:31:17.89	14.44	12.26	4.90 ± 0.00 [G]	M6.0V [S]	2013 Apr 20	1.0
1105+1014 A	G 45-33		3868080055385587840	11:05:43.14	+10:14:09.40	12.37	11.27	17.86 ± 0.01 [G]	M3.0Ve [S]	2013 Jan 22	1.1	0.1	...
1108+3825 A	HD 96612		764805169996366720	11:08:14.01	+38:25:35.87	8.48	8.05	22.82 ± 0.01 [G]	K0V [S]	2013 Apr 21	1.1	2.6	...

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1111+3026 A	HD 97101	73285758276385664	11:11:05.17	+30:26:45.66	8.34	7.74	11.88 ± 0.00 [G]	K7V [S]	2013 Apr 19	1.0	0.3	yes
1111+3026 B	HD 97101B	732856080807636224	11:11:02.54	+30:26:41.31	9.98	9.05	11.88 ± 0.00 [G]	M2V [S]	2013 Apr 19	1.0
1111-1057 A	HD 97214	3566643651231641600	11:11:10.70	-10:57:03.19	9.26	8.8	19.88 ± 0.01 [G]	K5V [S]	2013 Apr 19	0.9	0.5	...
1111+4325 A	G 122-2A	778758492243661824	11:11:19.48	+43:25:02.40	10.88	10.55	16.76 ± 0.01 [G]	M3 [S]	2013 Apr 21	1.2	140.0	yes
1112+3548 A	HD 97334	761919883981626752	11:12:32.35	+35:48:50.69	6.54	6.26	22.70 ± 0.01 [G]	G2 [S]	2013 Apr 21	0.8	2.4	yes
1113+0428 A	HD 97503	3815264842546968192	11:13:13.23	+04:28:56.44	8.69	8.26	18.35 ± 0.01 [G]	K5V [S]	2013 Jan 19	1.0	6.3	...
1114+2031 A	del Leo	...	11:14:06.5014	+20:31:25.385	2.59	...	17.69 [S]	A5IV(m) [S]	2013 Apr 19
1114+2542 A	HD 97658	3997075206232885888	11:14:33.16	+25:42:37.39	7.9	7.53	21.56 ± 0.01 [G]	K1V [S]	2013 Apr 19	1.0	0.2	...
1115+7328 A	HD 97584	1078773262224027520	11:15:11.90	+73:28:30.74	7.74	7.31	14.46 ± 0.00 [G]	K4V [S]	2013 Jan 20	1.0	47.0	yes
1118+3131 A	ksi UMa B	756853643637996160	11:18:10.8360	+31:31:44.821	4.33	4.64	8.73 [S]	G2V [S]	yes (+SB)
1118-0504 A	HD 98281	3786697056556771584	11:18:22.01	-05:04:02.29	7.28	7.09	22.13 ± 0.01 [G]	G8V [S]	2013 Jan 18	1.0	6.1	...
1119+4641 A	LP 169-22	788357434914248448	11:19:30.61	+46:41:43.13	15.86	13.67	10.47 ± 0.01 [G]	M5.5 [S]	2013 Jan 21	1.4
1121+0608 A	G 10-17	3814369840081992448	11:21:38.50	+06:08:26.01	13.57	12.45	19.95 ± 0.01 [G]	M3.5V [S]	2013 Jan 22	1.6
1123+0833 A	Wolf 386	3914019231742221568	11:23:44.57	+08:33:48.55	11.23	10.33	20.17 ± 0.01 [G]	M0V [S]	2013 Jan 22	1.0	5.2	...
1123+1031 A	iot Leo A	3915612630249291008	11:23:55.4532	+10:31:46.222	4.03	3.91	23.61 [S]	F1IV [S]	2013 Jan 22	yes
1124+4000 A	GJ 3662	770435567178890624	11:24:59.78	+40:00:12.67	10.33	9.6	23.46 ± 0.01 [G]	K4V [S]	2013 Apr 18	1.0	1.7	...
1126+0300 A	83 Leo A	3812355328621651328	11:26:45.32	+03:00:47.16	6.14	6.3	18.18 ± 0.01 [G]	G9IV-V [S]	2013 Jan 19	1.0	1.5	yes
1126+0300 B	83 Leo B	3812355294262255104	11:26:46.28	+03:00:22.76	7.7	7.27	18.18 ± 0.01 [G]	K3 [S]	2013 Jan 19	1.0	0.3	...
1130-0805 A	LP 672-42	3592769731134725248	11:30:41.83	-08:05:42.99	12.06	10.82	13.48 ± 0.00 [G]	M3.0V [S]	2013 Apr 19	1.0	1.3	...
1131+6309 A	BD+63 965	863776987616459392	11:31:13.09	+63:09:27.12	10.09	9.4	22.97 ± 0.01 [G]	K7V [S]	2013 Jan 20	1.1	9.4	...
1131+2240 A	BD+23 2359	3980560507224374400	11:31:43.39	+22:40:01.70	10.28	9.47	15.82 ± 0.01 [G]	M2V [S]	2013 Apr 18	1.1	5.7	...
1131+1421 A	88 Leo	3966121308211393920	11:31:44.94	+14:21:52.21	6.39	6.13	23.44 ± 0.04 [G]	F9.5V [S]	2013 Apr 18	1.0	13.7	yes
1131+1421 B	88 Leo B	3966121308211394944	11:31:44.42	+14:22:05.67	9.22	8.74	23.62 ± 0.01 [G]	K5 [S]	2013 Apr 18	1.1
1136+3911 A	BD+40 2442	767326526253334400	11:36:40.89	+39:11:26.25	10.03	9.41	24.19 ± 0.01 [G]	K5V [S]	2013 Apr 18	1.0	10.3	...
1138+4506 A	HD 101177A	773861404893710208	11:38:44.90	+45:06:30.30	6.41	6.32	23.29 ± 0.01 [G]	G0V [S]	2013 Apr 18	0.9	207.3	yes (+SB)
1138+4506 B	HD 101177B	773861400598512512	11:38:44.10	+45:06:26.92	8.38	8.07	23.29 ± 0.05 [G]	K2V [S]	2013 Apr 18	4.1
1138+4219 A	MV UMa	772395274857111552	11:38:59.72	+42:19:43.69	8.26	7.88	19.30 ± 0.04 [G]	K5V [S]	2013 Apr 21	3.9	10.3	(SB)
1141+3412 A	61 UMa	4025850731201819392	11:41:03.02	+34:12:05.88	5.45	5.11	9.58 ± 0.01 [G]	G8V [S]	2013 Apr 19	1.1	0.1	...
1141+4245 A	Ross 1003	772430527947893632	11:41:44.64	+42:45:07.10	11.92	10.58	11.03 ± 0.00 [G]	M4.0Ve [S]	2013 Apr 21	1.3	3.2	...
1142+2642 A	Ross 905	4017860992519744384	11:42:11.09	+26:42:23.65	10.65	9.58	9.78 ± 0.00 [G]	M3V [S]	2013 Apr 19	1.1	1.4	...
1147+5058 A	BD+51 1697	791297254127958784	11:47:03.50	+50:58:18.50	9.62	9.01	23.55 ± 0.01 [G]	K4V [S]	2013 Jan 21	1.0	2.0	...
1147+0048 A	Ross 128	3796072592206250624	11:47:44.40	+00:48:16.40	11.16	9.6	3.37 ± 0.00 [G]	dM4 [S]	2013 Jan 19	1.1	0.1	...
1149+1434 A	bet Leo	...	11:49:03.5783	+14:34:19.409	2.16	...	11.09 [S]	A3Va [S]	2013 Apr 19
1150+0145 A	bet Vir	3796442680948579328	11:50:41.72	+01:45:53.00	3.6	3.47	11.00 ± 0.02 [G]	F9V [S]	2013 Jan 19	2.8	7.5	...
1150+4822 A	G 122-49	786834302080370304	11:50:57.72	+48:22:38.56	13.24	11.68	8.04 ± 0.00 [G]	M4.5Ve [S]	2013 Jan 21	1.0
1151+3516 A	MCC 135	4031586157514097024	11:51:07.34	+35:16:19.25	9.72	8.85	8.77 ± 0.00 [G]	M1.5V [S]	2013 Apr 18	1.0	4.2	...
1152+3743 A	HD 103095	4034171629042489088	11:52:58.77	+37:43:07.24	6.56	6.2	9.17 ± 0.00 [G]	K1V Fe-1.5 [S]	...	0.9	1.4	...
1153+0722 A	L 901-10	3595317540095019520	11:53:16.09	-07:22:27.65	11.86	10.85	19.51 ± 0.01 [G]	M2.5 [S]	2013 Apr 19	1.5	0.4	...
1154+0948 A	Ross 119	3912369208386557440	11:54:07.89	+09:48:22.81	12.81	11.53	11.52 ± 0.00 [G]	M4.0V [S]	2013 Jan 22	1.1

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
		SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1157-0149 A	2MJ11574552-0149023		3602406744394215936	11:57:45.55	-01:49:02.70	15.99	14.22	19.91 ± 0.01 [G]	M5V [G]	2013 Jan 17	1.2
1200-1026 A	HD 104304		3575733210781078016	12:00:44.46	-10:26:46.07	5.55	5.36	12.77 ± 0.02 [G]	G8IV [S]	2013 Apr 19	1.2	57499.8	...
1202+2835 A	G 121-45		4007861690179758464	12:02:18.07	+28:35:14.20	12.86	11.78	17.51 ± 0.16 [G]	sdM3.5 [S]	2013 Apr 18	31.3
1209-1151 A	HD 105590A		3574377616021489024	12:09:28.53	-11:51:25.46	6.71	6.67	24.79 ± 0.02 [G]	G4 [S]	2013 Apr 19	1.1	0.6	yes
1210+4103 A	G 123-8		1536232908980349952	12:10:56.89	+41:03:27.99	10.67	9.96	22.08 ± 0.01 [G]	MOV [S]	2012 Jun 18	0.9	7.3	...
1212+5429 A	HD 238090		1573086442800134272	12:12:20.86	+54:29:08.72	9.79	9.04	15.25 ± 0.00 [G]	K5V [S]	2012 Jul 17	0.9	9.1	yes
1212+5429 B	G 197-50		1573086507223498496	12:12:21.14	+54:29:23.19	13.33	12.1	15.24 ± 0.01 [G]	M4.12 [S]	2013 Jan 20	1.5
1214+0037 A	G 13-22		3698534434669937024	12:14:16.55	+00:37:26.36	13.73	11.83	8.09 ± 0.00 [G]	M4.5Ve [S]	2012 Jun 18	1.4
1215+4843 A	BD+49 2126		1545795533411708032	12:15:08.82	+48:43:57.21	10.52	9.8	22.83 ± 0.05 [G]	K6V [S]	2012 Jun 18	4.7	28656.9	...
1215+1018 A	HD 106516		3581001280225616128	12:15:10.5573	-10:18:44.635	6.21	6.0	22.35 [S]	F9VFe-1.7CH-0.7 [S]	2013 Apr 19	(SB)
1215+5701 A	del UMa		1575287046603605888	12:15:25.56	+57:01:57.42	...	3.31	24.80 ± 0.12 [G]	A2Vn [S]	2012 Jul 16	2.6	0.8	...
1216+0258 A	G 13-26A		3701290326205270784	12:16:51.86	+02:58:04.88	13.16	12.08	23.35 ± 0.02 [G]	M4V [S]	2012 Jun 18	1.6	...	yes
1218+1107 A	GL Vir		3907283967108054528	12:18:59.40	+11:07:33.77	13.8	11.93	6.46 ± 0.00 [G]	M4.5Ve [S]	2012 Jun 18	1.4
1220+0035 A	BD+01 2684		3699797150759489792	12:20:25.53	+00:35:00.85	10.2	9.41	17.51 ± 0.02 [G]	K7V [S]	2012 Jun 18	2.6	...	yes
1221+4208 A	HD 107596		1537992501630401920	12:21:54.07	+42:08:01.99	9.39	8.75	15.94 ± 0.00 [G]	M0V [S]	2012 Jul 16	1.0	1.7	...
1223+6401 A	Ross 690		1584088431025057792	12:23:00.16	+64:01:50.97	...	10.55	18.37 ± 0.01 [G]	M3V [S]	2012 Jul 16	1.4	125.9	...
1223+6711 A	...		1680921595450031232	12:23:33.20	+67:11:18.49	11.3	10.82	13.22 ± 0.08 [G]	M3V [G]	2012 Jul 17	6.6	1766.7	yes
1223+1234 A	HD 107888		3908605030329021440	12:23:53.55	+12:34:48.91	10.39	9.68	21.48 ± 0.01 [G]	K5V [S]	2012 Jun 18	1.1	0.6	...
1228+0825 A	Wolf 414		3902745286187581312	12:28:57.59	+08:25:31.15	12.29	10.87	13.84 ± 0.13 [G]	M4V [S]	2012 Jun 18	21.3	2059.5	yes
1229-0527 A	G 13-44A		3680612219043341824	12:29:54.18	-05:27:24.36	13.08	11.75	21.28 ± 0.02 [G]	M3.5 [S]	2013 Jan 18	1.2	...	yes
1230+5304 A	HD 108954		1569335115284976000	12:30:50.14	+53:04:35.78	6.33	6.07	22.31 ± 0.01 [G]	F9V [S]	2012 Jun 18	0.9	4.6	...
1231+0848 A	BD+09 2636		3902785006045478656	12:31:15.81	+08:48:38.16	9.66	8.95	13.72 ± 0.01 [G]	M0V [S]	2012 Jun 18	1.0	1.6	...
1233+0901 A	Wolf 424		3902874650602495232	12:33:17.42	+09:01:16.04	12.75	11.24	4.33 ± 0.01 [G]	M5.5V [S]	...	6.1	...	yes
1233+4121 A	bet CVn		1534011998572555776	12:33:44.54	+41:21:26.92	4.37	4.09	8.47 ± 0.01 [G]	G0V [S]	2012 Jul 16	2.1	2.2	...
1235+0949 A	Wolf 427		3903318372263850368	12:35:00.71	+09:49:42.56	11.41	10.45	18.19 ± 0.01 [G]	M1V [S]	2012 Jun 18	1.4	0.6	...
1238-0419 A	G 13-51		3680458326070745728	12:38:47.27	-04:19:17.06	13.56	12.22	18.68 ± 0.01 [G]	M4.26 [S]	2013 Jan 18	1.5
1238+1141 A	Wolf 433		3928391218812375808	12:38:52.44	+11:41:46.14	11.51	10.34	14.26 ± 0.01 [G]	M3.5Ve [S]	2012 Jun 18	1.1	0.8	...
1239+4702 A	G 123-49		1542896911520969600	12:39:04.70	+47:02:23.06	12.28	11.21	22.98 ± 0.02 [G]	M2.5V [S]	2012 Jun 18	1.5	7.5	...
1241+1522 A	HD 110315		3934198156329809152	12:41:06.49	+15:22:36.00	7.93	7.51	14.11 ± 0.01 [G]	K4.5V [S]	2012 Jun 18	1.0	21834.3	yes
1241-0126 A	gam Vir A		3683687763520080384	12:41:39.63	-01:26:57.85	2.74	3.43	12.02 ± 0.07 [G]	F1-F2V [S]	...	1.5	551.7	yes
1241+5543 A	HD 110463		1571411233756646656	12:41:44.52	+55:43:28.82	...	7.99	22.72 ± 0.01 [G]	K3V [S]	2012 Jul 16	1.0	1.4	...
1244+5145 A	HD 110833		1568219729458240128	12:44:14.55	+51:45:33.39	7.16	6.75	14.50 ± 0.10 [G]	K3 [S]	2012 Jul 16	24.0	95.4	yes (+SB)
1244+3916 A	10 CVn		1521686782461765888	12:44:59.41	+39:16:44.10	6.07	5.8	17.56 ± 0.01 [G]	F9V_Fe-0.3 [S]	2012 Jun 18	0.8	8.1	...
1247+4637 A	Ross 991		1542683331386097280	12:47:00.99	+46:37:33.37	11.76	10.72	20.20 ± 0.01 [G]	M2.5V [S]	2012 Jun 18	1.0	6.2	...
1247-0334 A	G 14-1		3681919233426269056	12:47:09.78	-03:34:17.73	12.6	11.47	20.82 ± 0.02 [G]	M3 [S]	2013 Jan 18	1.8
1247-0525 A	2MJ12471472-0525130		3677094164086948736	12:47:14.72	-05:25:13.31	14.78	13.23	19.82 ± 0.01 [G]	M4.5 [S]	2013 Jan 18	1.1
1247+0945 A	Wolf 437		3735000631158990976	12:47:56.62	+09:45:05.04	11.39	10.11	8.08 ± 0.00 [G]	M3.5Ve [S]	2012 Jun 18	1.1	0.9	...
1248+2450 A	HD 111395		3957887649746830976	12:48:47.05	+24:50:24.82	6.43	6.11	17.10 ± 0.01 [G]	G5V [S]	2012 Jun 18	0.9	0.8	...
1249+6606 A	G 237-78		1677568531661779072	12:49:02.7563	+66:06:36.664	10.91	9.84	10.21 [S]	M3V [S]	2012 Jul 17

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1255+5055 A	G 177-4	1555980240895554816	12:55:56.83	+50:55:21.97	14.42	13.17	21.51 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.2
1257+3513 A	BD+36 2322	1515952176488267008	12:57:40.26	+35:13:29.63	10.68	9.77	17.82 ± 0.09 [G]	M0V+M4/5V [S]	2012 Jul 16	10.6	30343.9	yes
1257+3513 B	BD+36 2322B	1515952176488266496	12:57:38.94	+35:13:16.89	13.2	11.87	17.82 [G]	M4.5V [S]	2012 Jul 16
1259-0950 A	HD 112758	3626268998574790656	12:59:01.56	-09:50:02.68	7.55	7.33	20.07 ± 0.16 [G]	G9V [S]	2013 Apr 19	15.7	13.3	(SB)
1300+0541 A	Wolf 461	3705324881045028992	13:00:33.52	+05:41:08.00	13.41	11.77	8.54 ± 0.00 [G]	M4.5Ve [S]	2013 Jan 22	1.1
1300+1222 A	...	3737308025029348608	13:00:46.56	+12:22:32.68	9.73	8.9	11.51 ± 0.02 [G]	M1.5V [G]	2012 Jun 18	4.2	3393.1	...
1303-0509 A	PX Vir	3677911582262521728	13:03:49.6546	-05:09:42.517	7.83	7.43	20.46 [S]	K1V [S]	2013 Jan 18	(SB)
1305+4928 A	HD 113827	1555608537246019968	13:05:41.41	+49:28:18.96	9.38	8.82	21.57 ± 0.01 [G]	K4V [S]	2013 Jan 21	0.9	1.0	...
1306+2043 A	BD+21 2486A	3943232534138172672	13:06:15.40	+20:43:45.30	9.51	8.97	19.68 ± 0.01 [G]	K7V [G]	2013 Apr 18	1.1	4328.7	yes
1307+3424 A	BD+35 2406	1468036318743647616	13:07:35.06	+34:24:06.06	9.43	8.87	24.77 ± 0.01 [G]	K3V [S]	2013 Apr 18	1.0	1.0	...
1309+2859 A	G 164-47	1461125613285603840	13:09:34.97	+28:59:06.36	14.16	12.58	12.84 ± 0.01 [G]	M4.8V [S]	2013 Apr 18	1.4
1309+1731 A	alf Com	...	13:09:59.2852	+17:31:46.038	4.43	...	17.83 [S]	F5V+F6V [S]	2013 Apr 18	yes
1310+4745 A	G 177-25	155443377791815808	13:10:12.63	+47:45:18.67	14.16	12.8	12.19 ± 0.00 [G]	M5.0V [S]	2013 Apr 18	1.4
1311+2752 A	bet Com	1460229442589223424	13:11:52.39	+27:52:41.46	4.36	4.09	9.20 ± 0.01 [G]	F9.5V [S]	2013 Apr 18	2.5	4.4	...
1312-0215 A	HD 114783	3684934540986187776	13:12:43.79	-02:15:54.13	7.72	7.33	21.03 ± 0.01 [G]	K1V [S]	2013 Jan 18	1.1	33.3	...
1314+1320 A	LP 497-33	3742871034173807488	13:14:20.3766	+13:20:01.006	15.83	14.03	9.00 [S]	M6.0V [S]	2013 Apr 21
1316+2752 A	G 149-70	146150738437635840	13:16:32.84	+27:52:29.80	13.26	12.05	15.43 ± 0.01 [G]	M4V [S]	2013 Apr 21	1.6
1316+0925 A	e Vir	3732539683617410816	13:16:46.51	+09:25:26.96	5.18	5.04	17.59 ± 0.04 [G]	G0V [S]	2012 Jun 18	1.0	2.0	...
1316+1701 A	HD 115404	3936909723803146368	13:16:51.05	+17:01:01.84	6.6	6.3	10.99 ± 0.00 [G]	K2V [S]	2013 Apr 19	1.0	2205.4	yes
1317+3617 A	MCC 44	14744445475101294848	13:17:58.40	+36:17:56.88	11.92	10.45	23.68 ± 0.01 [G]	M1.0V [S]	2013 Apr 20	1.2	2.5	...
1319+3506 A	BD+35 2436	1473166433840438016	13:19:33.59	+35:06:36.63	9.52	8.69	13.70 ± 0.06 [G]	M1V [S]	2013 Apr 19	19.3	79.9	yes (+SB)
1319+3506 B	G 164-65	1473166433840437888	13:19:34.70	+35:06:25.17	12.12	11.01	13.70 ± 0.01 [G]	M3V [S]	2013 Apr 19	1.7	2.3	...
1319+3320 A	Ross 1007	1472718211053416320	13:19:40.13	+33:20:47.51	10.6	9.72	16.86 ± 0.01 [G]	M2V [S]	2013 Apr 20	1.2	4.7	...
1319+4746 A	HD 115953	1552921051659352960	13:19:45.5462	+47:46:40.905	8.94	8.04	9.09 [S]	M2V [S]	2013 Apr 20	yes (+SB)
1320-0139 A	G 14-47	3686261307923490688	13:20:24.94	-01:39:27.05	11.58	10.74	22.53 ± 0.01 [G]	M1.5Vk: [S]	2013 Jan 18	1.4	3.7	yes
1320-0139 B	G 14-46	3686259727375524864	13:20:12.56	-01:40:40.97	13.43	12.26	22.49 ± 0.02 [G]	M3: [S]	2013 Jan 18	1.7
1320+3416 A	BD+35 2439	1472903753640492160	13:20:58.05	+34:16:44.20	10.63	9.77	16.66 ± 0.01 [G]	M1V [S]	2013 Apr 19	1.2	199.1	...
1322+2428 A	Ross 1020	1446540213584440704	13:22:56.75	+24:28:03.60	12.96	11.63	13.75 ± 0.01 [G]	M4V [S]	2012 Jul 18	1.5
1323+2914 A	HD 116495A	1462061709995883136	13:23:32.78	+29:14:14.95	8.89	8.84	18.11 ± 0.01 [G]	K5 [S]	2013 Apr 21	1.2	213.5	yes
1323+0243 A	HD 116442	3712538708114516736	13:23:39.15	+02:43:23.98	7.21	6.85	16.59 ± 0.01 [G]	G9V [S]	2012 Jun 18	1.0	6.3	yes
1323+0243 B	HD 116443	371253881193759744	13:23:40.85	+02:43:30.99	7.51	7.11	16.59 ± 0.01 [G]	K2V [S]	2013 Jan 19	1.0	0.9	...
1325+5658 A	HD 116956	1565867461768654208	13:25:45.53	+56:58:13.78	7.43	7.08	21.65 ± 0.01 [G]	G9V [S]	2013 Apr 18	1.0	2.2	...
1325+6315 A	HD 117043	1665517334465010432	13:25:59.86	+63:15:40.59	6.64	6.33	20.88 ± 0.01 [G]	G6V [S]	2013 Apr 18	1.0	0.7	...
1328-0221 A	...	3637980103080627328	13:28:21.08	-02:21:37.10	11.42	10.19	13.18 ± 0.01 [G]	M3V [G]	2013 Jan 18	0.9	20.6	yes
1328+1346 A	70 Vir	3740176925743994752	13:28:25.81	+13:46:43.64	5.1	4.78	18.10 ± 0.03 [G]	G4Va [S]	2013 Apr 18	1.3	1.6	...
1329+1126 A	G 63-32	3738495703745045120	13:29:21.31	+11:26:26.65	12.11	11.02	19.11 ± 0.01 [G]	M3V [S]	2012 Jun 18	1.4
1329+1022 A	BD+11 2576	3738099879558957952	13:29:59.79	+10:22:37.79	9.05	8.21	7.63 ± 0.00 [G]	M1.0Ve [S]	2012 Jun 18	1.1	10.3	...
1330+1909 A	G 149-94	3746973763029907328	13:30:31.06	+19:09:34.06	14.71	13.2	14.96 ± 0.01 [G]	M5V [S]	2013 Apr 18	2.1
1332+1648 A	G 63-36A	3745619095984248448	13:32:44.60	+16:48:39.11	11.39	10.86	16.64 ± 0.01 [G]	M3.5Ve [S]	2013 Apr 18	1.7	51.3	yes

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
			Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1333+0835 A	HD 117936		3719665845564967552	13:33:32.40	+08:35:12.35	8.12	7.64	18.14 ± 0.01 [G]	K3V [S]	2012 Jun 18	1.1	1.3	...
1334+3313 A	HD 118096		1469230212276302080	13:34:03.24	+33:13:42.21	9.36	8.84	22.68 ± 0.01 [G]	K4V [S]	2013 Apr 18	0.9	2.1	...
1334+0440 A	BD+05 2767		3714667225186824064	13:34:21.50	+04:40:02.64	10.03	9.27	20.42 ± 0.01 [G]	K5V [S]	2012 Jun 18	1.1	0.0	...
1334+0820 A	HD 118100		3630092241022731136	13:34:43.21	-08:20:31.34	9.31	8.74	20.48 ± 0.01 [G]	K5Ve [S]	2013 Apr 19	1.2	3.7	...
1336+0340 A	Wolf 489		3713594960831605760	13:36:31.85	+03:40:45.94	14.61	14.37	8.35 ± 0.00 [G]	DC9 [S]	2012 Jun 18	1.0
1337+3543 A	BD+36 2393		1471777269618346240	13:37:28.77	+35:43:03.94	9.0	8.36	10.94 ± 0.00 [G]	K7.5Ve [S]		1.0	1.0	...
1337+4808 A	BD+48 2138A		1552284674943267072	13:37:51.22	+48:08:17.04	9.77	9.48	21.18 ± 0.01 [G]	M0.5V [S]	2013 Apr 18	1.0	1201.9	yes
1338-0614 A	BD-05 3740		3632451071421231360	13:38:58.69	-06:14:12.47	10.81	10.02	24.19 ± 0.01 [G]	M0.5V [S]	2013 Jan 19	1.1	1.3	...
1339+4611 A	BD+46 1889		1503625448550796032	13:39:24.10	+46:11:11.36	10.23	9.41	13.37 ± 0.00 [G]	M1.0V [S]	2013 Apr 18	1.2	0.6	...
1340-0411 A	HD 118926		3633926753464638592	13:40:07.13	-04:11:09.98	9.63	8.94	15.11 ± 0.01 [G]	K5V [S]	2013 Jan 18	1.0	0.2	...
1340+4346 A	Ross 1026		1501656395023984640	13:40:08.79	+43:46:37.95	12.76	11.47	17.27 ± 0.03 [G]	M3.5Ve [S]	2013 Apr 18	2.9
1341+5643 A	HD 119332		1562668432688194688	13:41:13.40	+56:43:37.82	7.91	7.54	23.89 ± 0.01 [G]	K0V [S]	2013 Apr 20	0.9	5.2	...
1342-0141 A	HD 119291		3661492609484469504	13:42:26.03	-01:41:10.58	9.34	8.78	24.62 ± 0.01 [G]	K7V [S]	2013 Jan 18	1.2	0.1	...
1342+3317 A	Ross 1015		1470462322431834880	13:42:43.27	+33:17:24.32	11.97	10.72	9.19 ± 0.00 [G]	M4V [S]	2013 Apr 19	0.9	3.2	...
1344+5141 A	Ross 492		...	13:44:28.0507	+51:41:08.661	12.57	...	24.33 [S]	M2.5Ve [S]	2013 Apr 20
1345+1747 A	BD+18 2776		1244644727396803584	13:45:05.08	+17:47:07.57	9.81	9.11	12.91 ± 0.00 [G]	M1V [S]	2013 Apr 19	1.0	5.1	...
1345+0850 A	HD 119802		3725115471868587904	13:45:14.72	+08:50:09.51	8.64	8.15	22.01 ± 0.01 [G]	K3V [S]	2012 Jun 18	0.9	1.0	...
1345+1453 A	HD 119850		3741297293732404352	13:45:43.78	+14:53:29.47	8.46	7.61	5.43 ± 0.00 [G]	M2V [S]	2013 Apr 19	1.0	5.0	...
1349+2658 A	...		1451450048399808384	13:49:04.00	+26:58:47.75	7.14	7.2	13.50 ± 0.01 [G]	K4V [G]	2012 Jul 17	1.4	63803.7	yes
1352+4957 A	HD 234078		1510834911934401152	13:52:00.01	+49:57:03.27	8.93	8.25	14.26 ± 0.00 [G]	K7V [S]	2013 Apr 20	1.0	1.0	...
1353+1256 A	BD+13 2721		3728535399707693696	13:53:27.5608	+12:56:32.580	9.8	9.1	21.92 [S]	K7V [S]	2012 Jun 18	yes
1353+7851 A	G 256-11		1715209040928674560	13:53:47.15	+78:51:06.81	10.61	9.85	22.69 ± 0.01 [G]	M2V [S]	2012 Oct 10	1.0	0.1	...
1355+1403 A	HD 121560		1230894097540611968	13:55:49.99	+14:03:23.41	6.28	6.03	24.51 ± 0.02 [G]	F6V [S]	2013 Apr 19	0.9	2.4	...
1357+6129 A	HD 122064		1661568850770761600	13:57:32.06	+61:29:34.30	6.63	6.17	10.07 ± 0.00 [G]	K3V [S]	2013 Jan 20	1.0	1.2	...
1358-1202 A	LP 739-2		3612684120096472192	13:58:16.17	-12:02:59.04	14.46	12.88	17.30 ± 0.01 [G]	M4.5V [S]	2013 Apr 19	1.3
1359+2252 A	HD 122120		1250801855073489280	13:59:19.40	+22:52:11.10	9.18	8.63	23.84 ± 0.01 [G]	K5V [S]	2013 Apr 19	1.0	1.8	...
1401-0239 A	HD 122303		3657653114880309248	14:01:03.19	-02:39:17.52	9.76	8.86	10.42 ± 0.00 [G]	M0V [S]	2013 Jan 19	1.2	2.5	...
1402+1341 A	GJ 3822		1229977414080680192	14:02:19.62	+13:41:22.69	10.66	9.84	20.36 ± 0.01 [G]	M1V [S]	2013 Apr 19	1.2	11.7	...
1402+4620 A	...		150886439891509248	14:02:33.14	+46:20:23.63	9.17	9.03	11.16 ± 0.00 [G]	M1V [G]	2013 Apr 20	1.1	...	yes
1403+1047 A	HD 122742		3724242219117947904	14:03:32.34	+10:47:12.34	6.41	6.11	15.12 ± 0.06 [G]	G6V [S]	2013 Jan 22	10.3	640.6	(SB)
1408+8035 A	BD+81 465		1715791060537076608	14:08:12.98	+80:35:50.19	10.35	9.53	17.20 ± 0.01 [G]	M3V [S]	2012 Oct 10	1.3	1.0	...
1408+7551 A	G 255-49		1712390236711693696	14:08:22.67	+75:51:07.32	11.59	10.74	23.25 ± 0.13 [G]	M1.5Ve [S]	2012 Oct 10	23.7
1411-1236 A	HD 124106		6303961686341504512	14:11:46.17	-12:36:42.36	8.07	7.69	23.05 ± 0.01 [G]	K1V [S]	2013 Apr 19	1.0	2.3	...
1412-0319 A	HD 124292		3646061719703116032	14:12:45.24	-03:19:12.30	7.03	6.86	21.79 ± 0.01 [G]	G8/K0V [S]	2013 Apr 20	1.2	4.2	...
1413-0657 A	BD-06 3950		3640244581637740416	14:13:31.19	-06:57:32.34	10.17	9.47	18.32 ± 0.01 [G]	M0V [S]	2013 Jan 18	1.0	1.4	...
1413+3013 A	HD 124642		1453180404823190912	14:13:57.08	+30:13:01.87	8.04	7.68	17.22 ± 0.01 [G]	K3.5V [S]	2013 Apr 21	1.0	1.5	...
1415+4500 A	Ross 992		1505105593069066880	14:15:16.98	+45:00:53.28	11.86	10.73	16.96 ± 0.00 [G]	M3V [S]	2013 Apr 20	1.3
1415+0439 A	G 65-39		3668176368871118208	14:15:32.55	+04:39:31.46	14.3	12.66	13.89 ± 0.07 [G]	M5.69 [S]	2013 Apr 22	13.2
1415+1910 A	alf Boo		...	14:15:39.6720	+19:10:56.673	-0.12	...	11.26 [S]	K1.5IIIFe-0.5 [S]	

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1416-0600 A	iot Vir	3640828731549972480	14:16:00.87	-06:00:01.97	4.19	3.94	22.03 ± 0.14 [G]	F7III [S]	2013 Apr 20	3.7	46.2	...
1417+4526 A	BD+46 1951	1505214930047542784	14:17:24.38	+45:26:40.11	10.25	9.54	19.43 ± 0.00 [G]	M0Vp [S]	2013 Apr 20	1.0	6.5	yes
1418-0636 A	HD 125354	3639984066101401344	14:18:58.2664	-06:36:12.972	9.09	8.65	22.53 [S]	K5 [S]	2013 Jan 18	(SB)
1419-0509 A	HD 125455	3642413746280598784	14:19:34.86	-05:09:04.29	7.58	7.35	20.45 ± 0.02 [G]	K1V [S]	2013 Apr 20	1.1	2.7	yes
1421-0107 A	G 124-27	3652796572020424448	14:21:15.12	-01:07:19.81	13.12	11.82	13.37 ± 0.01 [G]	M4 [S]	2013 Apr 20	1.5
1421+2937 A	BD+30 2512	1284721994948665216	14:21:57.22	+29:37:46.62	8.56	8.02	14.52 ± 0.00 [G]	K6V [S]	2013 Apr 21	0.9	0.8	...
1423+0114 A	HD 126053	3654496279558010624	14:23:15.28	+01:14:29.64	6.26	6.09	17.46 ± 0.01 [G]	G1.5V [S]	2013 Jan 22	1.1	0.2	...
1424+0853 A	G 65-49	1175938925836488448	14:24:55.98	+08:53:15.45	12.23	11.1	13.02 ± 0.01 [G]	M3V [S]	2013 Apr 22	1.7	0.3	...
1425+5151 A	iet Boo	1604859511344724864	14:25:11.7969	+51:51:02.6771	4.15	3.92	14.48 [G]	F7V [S]	2013 Apr 20	3.4	...	yes
1425+5151 B	iet Boo B	1604859408265509632	14:25:11.58	+51:49:53.10	11.5	10.5	14.53 ± 0.01 [G]	M2.5V [S]	2013 Jul 27	1.2
1425+2337 A	BD+24 2733	1254695603704323712	14:25:43.47	+23:37:01.49	9.76	9.01	16.33 ± 0.01 [G]	M3V [S]	2013 Apr 22	1.0	0.1	yes
1425+2337 B	BD+24 2733B	1254694882149817728	14:25:46.65	+23:37:13.71	10.01	9.2	16.33 ± 0.01 [G]	M3V [S]	2013 Apr 22	1.0	4.0	...
1429+8048 A	HD 128642	1721626615421969408	14:29:22.3132	+80:48:35.444	7.02	6.68	19.70 [S]	G5 [S]	2012 Oct 10
1429+1531 A	BD+16 2658	1229089524081628416	14:29:29.70	+15:31:57.50	10.68	9.73	14.22 ± 0.00 [G]	M2/3V [S]	2013 Apr 22	1.3	0.3	...
1429+4147 A	HD 127334	1491593733326694912	14:29:36.81	+41:47:45.29	6.5	6.2	23.39 ± 0.01 [G]	G5VCH0.3 [S]	2012 Jun 17	1.0	2.3	...
1430+3527 A	HD 127506	1480314599451475712	14:30:44.98	+35:27:13.43	8.7	8.34	22.50 ± 0.06 [G]	K3.5V [S]	2012 Jun 17	10.1	1098.6	(SB)
1432+0811 A	LP 560-35	1172618435080418176	14:32:08.51	+08:11:31.25	15.68	13.65	12.73 ± 0.01 [G]	M6V [S]	2013 Apr 22	1.4
1433+5254 A	HD 128165	1605198298364601088	14:33:28.87	+52:54:31.65	7.37	6.92	13.23 ± 0.00 [G]	K3 [S]	2012 Jun 17	1.0	1.3	...
1434+2944 A	sig Boo	1284257623084916480	14:34:40.82	+29:44:42.46	4.55	4.34	15.76 ± 0.03 [G]	F4VRF2mF1 [S]		1.2	0.7	...
1434+3344 A	BD+34 2541	1287752248996223488	14:34:57.81	+33:44:48.22	9.58	9.01	20.05 ± 0.01 [G]	K6V [S]	2012 Jun 17	1.0	0.2	...
1442+1930 A	BD+20 3009	1237696157506521600	14:42:26.26	+19:30:12.69	10.08	9.43	23.63 ± 0.01 [G]	K5V [S]	2013 Apr 21	1.1	0.8	...
1442+1928 A	BD+20 3010	...	14:42:33.6480	+19:28:47.215	9.15	...	21.58 [S]	M0V [S]		yes
1442+6603 A	G 239-25	1669449084967071872	14:42:21.58	+66:03:20.84	10.83	9.85	10.93 ± 0.00 [G]	M3V [S]		1.1	62.9	yes
1443-0539 A	...	6337717036911729024	14:43:03.62	-05:39:29.52	3.96	3.77	19.16 ± 0.14 [G]	F5V [G]	2013 Apr 20	3.8	23.5	yes
1446+1629 A	BD+17 2785	1234693112077610880	14:46:23.28	+16:29:48.11	9.26	8.71	17.74 ± 0.01 [G]	K5V [G]	2012 Jun 17	1.0	0.1	...
1447+0242 A	HD 130307	3655492127855307136	14:47:16.10	+02:42:11.61	7.78	7.51	19.32 ± 0.01 [G]	K1V [S]		1.2	4.8	...
1448+3827 A	BD+39 2801	1294776032353235968	14:48:01.43	+38:27:58.44	9.74	9.18	23.95 ± 0.01 [G]	K7Ve [S]	2012 Jun 17	1.0	0.4	...
1450+2354 A	HD 130948	1265976524286377856	14:50:15.81	+23:54:42.63	5.99	5.73	18.20 ± 0.01 [G]	F9IV-V [S]		1.0	1.9	...
1453+1134 A	G 136-27	1181168684174651392	14:53:37.19	+11:34:12.52	15.31	13.73	19.48 ± 0.01 [G]	M5V [S]	2013 Apr 22	1.3
1453+1909 A	DE Boo	1236929488664453376	14:53:23.77	+19:09:10.07	6.14	5.77	11.63 ± 0.07 [G]	K0.5V [S]		16.5	1.0	(SB)
1453+2320 A	HD 131582	1265702917689682944	14:53:41.58	+23:20:42.83	8.79	8.35	23.57 ± 0.03 [G]	K3V [S]	2013 Apr 21	3.2	23106.2	...
1453+2333 A	Ross 52	1266092694561970432	14:53:51.40	+23:33:21.02	11.68	10.73	11.43 ± 0.01 [G]	M3V [S]	2012 Jun 17	1.9	6509.0	yes
1454+0956 A	Ross 1028b	1174189362318863488	14:54:53.48	+09:56:36.54	11.29	10.48	24.80 ± 0.02 [G]	M2V [S]	2012 Jun 17	1.2	2.5	...
1454+1606 A	BD+16 2708	1187851653287128576	14:54:29.24	+16:06:03.80	10.22	9.12	9.95 ± 0.00 [G]	M3V [S]		1.2	2763.8	...
1455+5340 A	HD 132142	1606148310770764288	14:55:11.04	+53:40:49.25	7.77	7.55	23.57 ± 0.01 [G]	K1V [S]	2012 Jun 17	1.1	1.9	...
1457+5639 A	G 201-27	1612801833587498240	14:57:53.73	+56:39:24.47	15.53	13.57	11.47 ± 0.00 [G]	M5.5V [S]	2013 Apr 20	1.4
1500+4525 A	BD+45 2247	1586968533015434624	15:00:55.57	+45:25:34.58	9.22	8.47	11.71 ± 0.00 [G]	M0V [S]	2012 Jun 17	1.5	80074.9	yes
1503+4739 A	i Boo A	1588936345294751872	15:03:47.2296	+47:39:14.318	4.88	5.49	12.95 [S]	F5V [S]	2012 Jun 17	yes
1504+0538 A	BD+06 2986	1156846524895814144	15:04:53.53	+05:38:17.16	9.8	9.24	19.05 ± 0.01 [G]	K8V [S]	2012 Jun 17	1.2	0.9	...

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1504+6023 A	Ross 1051	Gaia EDR3	1615982823805660544	15:04:18.50	+60:23:04.51	11.0	10.12	17.08 ± 0.00 [G]	M1V [S]	2012 Jun 17	1.2	0.9	...
1507+2452 A	c Boo		1264630412816366720	15:07:18.07	+24:52:09.10	5.03	4.8	19.54 ± 0.03 [G]	F5V [S]		1.1	0.8	...
1507+2456 A	BD+25 2874		1264654395913772416	15:07:23.58	+24:56:07.87	10.05	9.38	19.03 ± 0.01 [G]	K5V [S]		1.1
1509+0310 A	Ross 1047		1155276250492687616	15:09:35.59	+03:10:00.55	11.45	10.38	14.61 ± 0.00 [G]	M2V [S]	2012 Jun 17	1.0	4.6	...
1511+1757 A	G 136-76		1211589731374380544	15:11:35.96	+17:57:16.41	13.45	12.32	24.34 ± 0.02 [G]	M4V [S]	2012 Jun 17	1.9
1513-0121 A	HD 135204		4418203587193988480	15:13:50.89	-01:21:05.00	6.59	6.39	17.27 ± 0.01 [G]	G9V [S]	2013 Jul 28	1.2	8.8	...
1515+0047 A	HD 135599		441914064597897904	15:15:59.17	+00:47:46.90	7.06	6.7	15.82 ± 0.01 [G]	K0V [S]	2012 Jun 17	1.2	3.8	...
1521+2058 A	OT Ser		1214160733157163008	15:21:52.93	+20:58:39.91	10.11	9.12	11.45 ± 0.00 [G]	M1.0V [S]	2012 Jun 17	1.3	2.8	...
1522-0446 A	BD-04 3873		6335064087152916224	15:22:04.10	-04:46:38.83	9.49	8.9	19.15 ± 0.01 [G]	K4V [S]	2013 Jul 28	1.2	1.1	...
1522+1855 A	HD 136923		1209182041427374080	15:22:46.83	+18:55:08.26	7.3	6.96	19.71 ± 0.01 [G]	G9V [S]	2012 Jun 17	0.9	0.6	...
1523+1727 A	Ross 508		1208695640675619584	15:23:51.14	+17:27:57.44	13.72	12.2	11.22 ± 0.00 [G]	M4-92 [S]		1.5
1523+3017 A	eta CrB		...	15:23:12.3053	+30:17:16.170	5.11	...	17.86 [S]	G2V+G2V [S]	2012 Jun 17	yes
1528+2547 A	GJ 587.1		1222160745406471680	15:28:01.31	+25:47:23.87	11.19	10.37	24.58 ± 0.01 [G]	M0V [S]	2012 Jun 17	1.3	2.9	...
1529+8026 A	pi.01 UMi A		1720995598827435648	15:29:11.18	+80:26:54.97	6.74	6.47	21.81 ± 0.01 [G]	G1.5V(m) [S]	2012 Oct 09	0.9	0.5	yes
1529+8026 B	pi.01 UMi B		1720995598827436928	15:29:23.59	+80:27:00.97	7.51	7.14	21.81 ± 0.01 [G]	G9V [S]	2012 Oct 09	1.0	0.0	...
1529+4252 A	G 179-33		1390976698417570688	15:29:43.97	+42:52:48.71	14.21	12.94	18.84 ± 0.04 [G]	M4-68 [S]	2013 Apr 22	6.3	...	yes
1534+1416 A	Ross 512		1193998747920687872	15:34:30.50	+14:16:17.84	13.83	12.55	22.66 ± 0.02 [G]	M4V [S]		1.7
1534+2642 A	...		1222646935698492160	15:34:41.27	+26:42:52.87	2.22	2.27	23.67 ± 0.55 [G]	B9V [G]	2012 Jun 17	10.3	20.3	...
1535+6005 A	HD 139477		1603267143629157120	15:35:20.04	+60:05:13.17	8.53	8.03	19.52 ± 0.01 [G]	K3V [S]	2013 Apr 22	1.0	2.5	yes
1535+6005 B	LP 99-392		1603272950424941440	15:35:25.68	+60:05:07.57	13.46	12.16	19.52 ± 0.01 [G]	M4.1 [S]	2013 Apr 22	1.4
1535+1742 A	Ross 513		1209281375431039104	15:35:20.52	+17:42:46.88	12.34	11.35	14.95 ± 0.01 [G]	M2.5V [S]	2013 Apr 22	1.5	...	yes
1535+1742 B	Ross 513B		1209281444150517120	15:35:20.33	+17:43:04.42	14.94	13.43	14.95 ± 0.00 [G]	M4.5V [S]	2013 Apr 22	1.4
1535+2209 A	G 167-51		1217467067705592576	15:35:46.13	+22:09:03.75	12.73	11.51	18.40 ± 0.01 [G]	M3.5Ve [S]	2012 Jun 17	2.0
1536+3948 A	...		1389522117550542464	15:36:02.23	+39:48:09.82	6.93	7.2	22.56 ± 0.03 [G]	K2V [G]	2012 Jun 17	2.3	...	yes
1540+4329 A	VB 24 A		1391241478857408768	15:40:03.62	+43:29:39.14	11.91	11.02	12.52 ± 0.00 [G]	M3V [S]	2012 Jun 17	1.2	...	yes
1541+7559 A	Ross 1057		1706907487621086464	15:41:16.57	+75:59:33.98	12.23	11.17	13.65 ± 0.06 [G]	M3.5Ve [S]	2012 Oct 09	9.2	1780.1	(SB)
1544+0230 A	psi Ser		4423865487962417024	15:44:01.82	+02:30:54.60	5.86	5.7	14.79 ± 0.01 [G]	G2.5V [S]		1.1	4964.8	...
1544+0625 A	alf Ser		4429785739602747392	15:44:16.07	+06:25:32.27	2.64	2.33	22.76 ± 0.24 [G]	K2IIIbCN1 [S]	2012 Jun 17	2.7	0.3	...
1546+0721 A	lam Ser		44302380511990001216	15:46:26.61	+07:21:11.05	4.41	4.25	11.92 ± 0.02 [G]	G0-V [S]	2012 Jun 17	1.1	1.2	...
1548+0134 A	HD 141272		4422809716282811776	15:48:09.46	+01:34:18.27	7.58	7.23	21.66 ± 0.01 [G]	K0V [S]	2012 Jun 17	0.9	1.7	yes
1549+5102 A	G 202-16		1404215517041788800	15:49:36.27	+51:02:57.26	12.12	11.09	21.09 ± 0.01 [G]	M2.0Ve [S]	2012 Aug 06	1.2	3.2	...
1549+3448 A	...		1372546413931606016	15:49:38.24	+34:48:56.57	13.2	11.94	16.91 ± 0.04 [G]	M4V [G]	2012 Jun 17	3.4	...	yes
1550+0428 A	eps Ser		4426032591025363200	15:50:48.97	+04:28:39.83	3.75	3.7	22.06 ± 0.12 [G]	kA2hA5mA7V [S]	2013 Apr 22	4.2	0.5	...
1552+1052 A	BD+11 2874		4456127942261895808	15:52:08.24	+10:52:28.08	9.35	8.72	21.08 ± 0.06 [G]	K5V [S]	2012 Aug 06	6.6	7.5	yes (+SB)
1554+4227 A	chi Her		1384195086792268800	15:52:40.54	+42:27:05.46	4.72	4.42	15.90 ± 0.02 [G]	F8VFe-2Hdel-1 [S]	2012 Jun 17	0.9	1.1	...
1553+1311 A	39 Ser		1191518146611956096	15:53:12.10	+13:11:47.85	6.21	5.93	17.78 ± 0.07 [G]	G1VFe-1 [S]	2012 Aug 06	8.8	0.0	(SB)
1553+3445 A	Ross 806		1371764351925288512	15:53:06.36	+34:45:13.87	11.76	10.91	22.88 ± 0.09 [G]	M3.0Ve [S]	2012 Jun 17	7.4	...	yes
1553+3445 B	G 180-9		13717643519252872384	15:53:06.64	+34:44:47.65	13.17	11.93	22.88 ± 0.01 [G]	M3.0Ve [S]	2012 Aug 02	1.3
1555+3350 A	LP 274-24		1371474768050872192	15:55:05.18	+33:50:50.70	15.95	14.35	22.97 ± 0.01 [G]	M5 [S]	2013 Apr 22	1.1

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1556+1539 A	gam Ser	1193030490492925824	15:56:27.18	+15:39:41.81	3.95	3.69	11.17 ± 0.02 [G]	F6V [S]	2012 Aug 06	1.5	0.7	...
1559-0815 A	BD-07 4156	4347870370990204928	15:59:53.38	-08:15:11.54	10.49	9.6	13.28 ± 0.00 [G]	M1V [S]	2013 Apr 18	1.3	1.2	...
1601+3318 A	rho CrB	1323427759184545536	16:01:02.66	+33:18:12.64	5.52	5.23	17.51 ± 0.02 [G]	G0+VaFe-1 [S]	2012 Aug 03	1.0	1.4	...
1601+5833 A	tet Dra	1623289903206300928	16:01:53.34	+58:33:54.90	4.12	3.87	21.52 ± 0.06 [G]	F9V [S]	2012 Aug 03	2.2	2.5	...
1602+2035 A	G 137-78	1205070452055788928	16:02:50.94	+20:35:21.04	12.57	11.17	10.02 ± 0.00 [G]	M4V [S]	2012 Jun 18	1.5
1604+2515 A	HD 144287	1219254942328596736	16:04:03.64	+25:15:17.25	7.24	6.9	21.63 ± 0.09 [G]	G8+V [S]	2012 Jun 18	10.7	55337.5	(SB)
1604+3909 A	HD 144579	1379500756257031808	16:04:56.79	+39:09:23.43	6.8	6.46	14.36 ± 0.00 [G]	G8V [S]	2012 Jun 18	0.8	1.0	yes
1604+3909 B	HD 144579B	1379500928055726848	16:04:50.86	+39:09:35.92	11.59	12.85	14.36 ± 0.00 [G]	M4.0V [S]	2012 Aug 02	1.1
1606+3837 A	AT CrB	1379416712336909440	16:06:29.60	+38:37:56.07	8.6	8.28	23.25 ± 0.01 [G]	K3V [S]	2012 Jun 18	1.0	0.3	...
1607+2650 A	G 168-32	1315585148902734976	16:07:13.64	+26:50:17.01	13.33	12.27	22.53 ± 0.01 [G]	M3V [S]	2012 Jun 18	1.4
1609+5256 A	GJ 3942	1428030622526979968	16:09:03.14	+52:56:37.96	10.19	9.41	16.95 ± 0.00 [G]	M0.5Ve [S]	2012 Aug 03	1.1	1.5	...
1610+4349 A	I 4 Her	1385293808145621504	16:10:24.32	+43:49:03.51	6.76	6.4	17.90 ± 0.01 [G]	K0V [S]	2012 Aug 03	1.8	1008.7	...
1613+1331 A	49 Ser A	4464207428579939840	16:13:18.45	+13:31:36.85	6.8	7.18	24.31 ± 0.01 [G]	G9V [S]	2012 Jun 18	1.0	428.7	yes
1614+1906 A	LP 4443-35	1201405126966920448	16:14:32.62	+19:06:10.87	12.9	11.75	16.98 ± 0.01 [G]	M3.5V [S]	2012 Jun 18	1.5
1614+3351 A	sig CrB A	1328866562170960512	16:14:40.85	+33:51:31.01	5.36	5.43	22.70 ± 0.02 [G]	F6V [S]	2012 Jun 18	1.2	88.9	yes (+SB)
1615-0822 A	I 8 Sco	4345775217221821312	16:15:37.27	-08:22:09.98	5.48	5.33	14.14 ± 0.01 [G]	G2Va [S]	2012 Jun 18	1.0	2.2	...
1617+5516 A	BD+55 1823	1429437378934511616	16:17:05.35	+55:16:08.77	9.97	9.08	20.15 ± 0.17 [G]	M1.5Ve [S]	2012 Aug 03	39.1	757.3	...
1620+4057 A	BD+41 2695	1380821338441693312	16:20:52.74	+40:57:41.22	9.1	8.44	15.79 ± 0.00 [G]	K5V [S]	2012 Jun 18	1.0	2.0	...
1624+4821 A	G 202-45	1411178510887026048	16:24:09.3137	+48:21:11.107	10.29	9.25	7.84 [S]	M3.0Ve [S]	2012 Aug 03	(SB)
1625+5418 A	G 202-48	1428427236986209024	16:25:24.62	+54:18:14.77	10.1	9.14	6.48 ± 0.00 [G]	M1.5V [S]	2012 Aug 03	1.0	11.8	...
1628+3646 A	Ross 640	1331106782752978688	16:28:25.00	+36:46:15.85	13.84	13.78	15.90 ± 0.00 [G]	DZ6 [S]	2012 Jun 18	1.0
1628+1824 A	HD 148653A	4467355154275146112	16:28:52.66	+18:24:50.60	7.12	7.41	19.30 ± 0.01 [G]	K3V [S]	2012 Jun 18	0.9	2069.4	yes
1631+1733 A	G 138-37	4467057362719443072	16:31:35.06	+17:33:48.86	12.76	11.65	16.82 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.3
1632+1236 A	G 138-39	445954826016199168	16:32:45.19	+12:36:46.00	12.19	11.07	18.51 ± 0.01 [G]	M3.0Ve [S]	2012 Jun 18	1.3	2.1	...
1636+0848 A	G 138-43	4446207564241339520	16:36:05.65	+08:48:49.26	13.81	12.39	15.12 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.5
1637+0015 A	HD 149806	4383374219923745024	16:37:08.43	+00:15:15.63	7.23	6.88	20.32 ± 0.01 [G]	K0V [S]	2012 Jun 18	1.0	1251.0	...
1639+5034 A	G 202-68	1413099460779606528	16:39:30.27	+50:34:03.44	11.91	10.98	20.68 ± 0.01 [G]	M0V [S]	2012 Aug 03	1.1	1.8	...
1640+6736 A	G 240-23	1648484868558988544	16:40:20.63	+67:36:04.74	15.65	13.55	14.32 ± 0.05 [G]	M7V [S]	2012 Aug 02	9.8
1640+3619 A	Ross 812	1328078796458810240	16:40:48.88	+36:19:00.08	11.59	10.57	21.47 ± 0.02 [G]	M2V [S]	2012 Jun 18	3.9	11914.0	...
1641+3136 A	zet Her	...	16:41:17.1610	+31:36:09.787	2.93	...	10.72 [S]	G0IV [S]	2012 Jun 18	yes
1645+3330 A	HD 151288	1314438839310796800	16:45:06.35	+33:30:33.21	8.18	7.49	9.85 ± 0.00 [G]	K7.5Ve [S]	2012 Jun 18	1.0	3.6	...
1646+1628 A	G 138-64	4558856584955186432	16:46:13.74	+16:28:40.79	11.69	10.59	15.78 ± 0.01 [G]	M3.0Ve [S]	2012 Jun 18	1.4	1.0	...
1648+5903 A	DN Dra	1431783457574556672	16:48:25.63	+59:03:22.66	12.39	12.28	10.95 ± 0.00 [G]	DA4.0 [S]	2012 Aug 03	1.2	4.0	...
1649+3916 A	BD+39 3048	1352483797057853440	16:49:24.70	+39:16:34.48	9.75	9.21	22.37 ± 0.00 [G]	K4V [S]	2012 Jun 18	1.0	1.3	...
1654+1154 A	Ross 644	448223656247483904	16:54:12.03	+11:54:52.86	10.75	10.04	20.08 ± 0.01 [G]	K7V [S]	2012 Jun 18	0.9	1.6	...
1655-0820 A	HD 152751	4339465085630200960	16:55:27.89	-08:20:25.17	9.03	8.27	6.50 [G]	M3.5Ve [S]	2013 Apr 19	yes (+SB)
1655-0820 B	Wolf 629	43394653360510320128	16:55:25.22	-08:19:21.30	11.8	10.44	6.50 ± 0.00 [G]	M3.5V [S]	2013 Apr 18	1.1	15.8	yes
1656+6508 A	h Dra	1635375460142367104	16:56:01.69	+65:08:05.30	4.88	4.75	15.32 ± 0.13 [G]	F8V [S]	2012 Aug 03	4.0	0.2	...
1657+2126 A	EGGR 197	4565048312887877888	16:57:09.86	+21:26:48.66	14.04	14.08	20.99 ± 0.01 [G]	DA5.4 [S]	2012 Jun 18	1.0

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
			Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1657+4722 A	HD 153557		1408029509584967168	16:57:53.18	+47:22:00.06	7.91	7.52	17.94 ± 0.01 [G]	K3V [S]	2012 Aug 03	1.0	875.6	yes
1658+2544 A	BD+25 3173		4572835555272627712	16:58:08.85	+25:44:38.97	9.69	8.82	10.39 ± 0.00 [G]	M2V [S]	2012 Jun 18	1.2	0.4	...
1702+4704 A	HD 154345		1359938520253565952	17:02:36.40	+47:04:54.76	6.91	6.58	18.27 ± 0.01 [G]	G9 [S]	2012 Aug 03	1.0	12.8	...
1702+0604 A	BD-05 4394		4364314662596822528	17:02:49.59	-06:04:06.25	10.91	10.06	19.78 ± 0.01 [G]	M0 [S]	2012 Sep 03	0.9	0.2	...
1703+5124 A	G 203-42		1412645602995521920	17:03:23.88	+51:24:22.87	...	11.98	9.91 ± 0.00 [G]	M5.0V [S]	2012 Jul 15	1.3
1704+1655 A	G 170-12		4547881191164080768	17:04:22.34	+16:55:55.57	12.3	11.24	16.47 ± 0.01 [G]	M3V [S]	2012 Jun 18	1.8
1705-0503 A	HD 154363		4364527594192166400	17:05:03.39	-05:03:59.44	7.73	7.26	10.46 ± 0.00 [G]	K4/5V [S]	2012 Sep 03	1.0	3.6	yes
1705-0503 B	HD 154363B		4364480521350598144	17:05:13.78	-05:05:39.25	10.08	9.18	10.46 ± 0.00 [G]	M1.5V [S]	2012 Sep 03	0.9	0.4	...
1705+0042 A	V2213 Oph		4381502851133968128	17:05:16.82	+00:42:09.22	6.01	5.86	20.59 ± 0.02 [G]	F8.5IV-V [S]	2012 Jun 18	1.1	10.1	...
1707+2133 A	Ross 863		4568060562432051584	17:07:07.49	+21:33:14.47	11.62	10.56	14.09 ± 0.00 [G]	M3V [S]	2012 Jun 18	1.4	3.6	...
1707+0722 A	G 139-12		4394736637893755008	17:07:40.8542	+07:22:06.736	14.02	13.03	12.00 [S]	M5V [S]	yes
1709+4340 A	G 203-47		1355264565043431040	17:09:31.54	+43:40:52.77	...	10.45	7.60 ± 0.02 [G]	M3.5V [S]	2012 Jul 15	23.2	51.0	...
1710+5429 A	HD 155674		1420000579871414528	17:10:10.51	+54:29:39.76	...	8.48	21.24 ± 0.01 [G]	K6V [S]	2012 Jul 15	1.0	2.4	yes
1710+5429 B	BD+54 1862		1419999819661235840	17:10:12.36	+54:29:24.51	9.32	8.85	21.24 ± 0.01 [G]	K6V [S]	2012 Aug 04	1.0	0.1	...
1711+3826 A	Wolf 654		1341113541156480768	17:11:34.75	+38:26:33.92	...	10.42	12.04 ± 0.00 [G]	M4V [S]	2012 Jul 15	1.1	1.3	...
1712+4539 A	HD 155876		1364668825433435776	17:12:07.9117	+45:39:57.215	...	9.18	5.98 [S]	M3V [S]	2012 Jul 15	yes
1712+1821 A	HD 155712		4548462729742343296	17:12:37.62	+18:21:04.30	8.09	7.68	20.81 ± 0.01 [G]	K2.5V [S]	2012 Jun 18	1.1	0.4	...
1712-0507 A	G 19-16		4364702279101280256	17:12:51.27	-05:07:31.37	11.61	10.87	23.12 ± 0.19 [G]	M1V [S]	2012 Sep 03	18.6	68.7	yes
1713-0825 A	V2367 Oph		4359809585500446720	17:13:40.47	-08:25:14.76	12.03	10.87	20.63 ± 0.14 [G]	M3.5 [S]	2013 Apr 19	14.2	15.0	...
1715+2450 A	del Her		4573412435280434560	17:15:01.91	+24:50:21.13	3.15	3.13	23.54 ± 0.12 [G]	A1IVn [S]	2012 Jun 18	3.1	3.5	...
1715+0457 A	G 139-21		4393265392168829056	17:15:18.93	+04:57:50.07	14.68	13.0	14.64 ± 0.01 [G]	M4.5V [S]	2012 Jun 18	1.0
1716+1103 A	BD+11 3149		4540061704989418240	17:16:00.64	+11:03:27.62	10.9	9.99	18.18 ± 0.01 [G]	M1V [S]	2012 Jun 18	1.1	3.1	...
1716+0803 A	G 139-27		4395113396338721024	17:16:40.98	+08:03:30.21	11.54	10.48	15.12 ± 0.01 [G]	M2.5Ve [S]	2012 Jun 18	1.1	0.7	...
1717+2913 A	HD 156688		4575374857376398976	17:17:40.49	+29:13:38.02	...	8.12	24.32 ± 0.01 [G]	K3V [S]	2012 Jul 15	1.0	1.0	...
1717+5226 A	HD 156985		1416124285987232256	17:17:50.42	+52:26:49.61	...	7.65	18.52 ± 0.01 [G]	K2 [S]	2012 Jul 15	1.0	0.7	yes
1717+5226 B	LP 138-36		1416123117756120960	17:17:38.57	+52:24:22.25	14.04	12.69	18.54 ± 0.01 [G]	M3.5V [S]	2012 Aug 03	1.4
1719+2630 A	Ross 868		4574048021719710848	17:19:54.21	+26:30:03.07	11.43	10.15	10.75 ± 0.00 [G]	M3.5V [S]	2012 Aug 03	1.4	2.2	yes
1719+2630 B	Ross 867		4574048021719712640	17:19:52.97	+26:30:02.67	12.95	11.46	10.75 ± 0.00 [G]	M4.5V [S]	2012 Aug 03	1.4
1720+3228 A	w Her		1333760419707327744	17:20:39.57	+32:28:03.88	5.51	5.21	14.59 ± 0.01 [G]	G0V [S]	2012 Aug 04	1.2	1.2	...
1720+4915 A	G 203-63		1366580223320727808	17:20:46.31	+49:15:20.21	...	13.07	17.96 ± 0.01 [G]	M4V [S]	2012 Jul 15	1.2
1722-0223 A	HD 157347		4367026303085396352	17:22:51.29	-02:23:17.44	6.42	6.12	19.62 ± 0.01 [G]	G3V [S]	2012 Aug 05	1.0	5.0	yes
1725+6718 A	HD 158633		1637110042813188608	17:25:00.10	+67:18:24.15	...	6.22	12.79 ± 0.00 [G]	K0 [S]	2012 Jul 16	1.0	0.6	...
1725+0206 A	HD 157881		4375233191015944192	17:25:45.23	+02:06:41.12	7.53	6.93	7.71 ± 0.00 [G]	K7V [S]	2012 Jul 15	0.9	4.2	...
1729+1429 A	G 139-39		4542821410453751680	17:27:39.88	+14:29:01.89	13.7	12.5	18.48 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.2
1729+2923 A	BD+29 3029		...	17:29:20.0695	+29:23:30.907	23.76 [S]	K5V [S]	2012 Jul 15	yes
1730+4724 A	HD 159062		1362295082910131200	17:30:16.43	+47:24:07.90	...	7.03	21.65 ± 0.01 [G]	G9V_Fe-0.8 [S]	2012 Jul 15	1.0	9818.8	...
1730+0532 A	BD+05 3409		4389844948935164544	17:30:22.73	+05:32:54.67	9.3	8.53	10.12 ± 0.00 [G]	M1.0Ve [S]	2012 Jun 18	0.9	4.5	...
1730-0103 A	HD 158614		4373199682919943808	17:30:23.7969	-01:03:46.488	5.31	5.83	16.34 [S]	G9-IV_VHdel [S]	yes
1732+3416 A	HD 159222		1335880415564253312	17:32:00.99	+34:16:16.13	...	6.38	24.20 ± 0.01 [G]	G1V [S]	2012 Jul 15	0.9	1.8	...

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
			Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1734+1233 A	alf Oph		...	17:34:56.0694	+12:33:36.134	2.13	...	14.90 [S]	A5IVnn [S]	2012 Jul 15
1734+6152 A	26 Dra		1439121018358632832	17:34:59.62	+61:52:28.24	...	5.07	14.43 ± 0.04 [G]	F9V+K3V [S]	2012 Jul 16	2.8	11964.7	yes (+SB)
1736+7152 A	HD 160964		1651235193817400448	17:36:13.36	+71:52:42.08	...	8.17	19.05 ± 0.01 [G]	K4V [S]	2012 Jul 14	1.0	0.3	...
1736+6820 A	BD+68 946		1637645127018395776	17:36:25.90	+68:20:20.91	...	8.03	4.55 ± 0.00 [G]	M3.0V [S]	2012 Jul 14	1.2	4.1	...
1736+6845 A	ome Dra		1637717179389828224	17:36:57.09	+68:45:28.68	...	4.65	23.76 ± 0.08 [G]	F4V [S]	2012 Jul 14	0.9	7.4	(SB)
1737+2257 A	BD+23 3151A		4557198933740208768	17:37:48.70	+22:57:20.09	9.39	9.36	22.80 ± 0.01 [G]	M0.5V [S]	2012 Jun 18	1.1	12.5	yes
1737+1835 A	BD+18 3421		4550763526539955712	17:37:53.35	+18:35:30.16	9.61	8.74	8.16 ± 0.00 [G]	M1.5Ve [S]	2012 Jun 18	1.1	1.0	...
1738+7119 A	BD+71 851		1651145102583323136	17:38:34.10	+71:19:56.33	...	8.73	24.15 ± 0.01 [G]	K5 [S]	2012 Jul 14	1.0	3471.3	...
1739+0333 A	HD 160346		4377160604838377600	17:39:16.9163	+03:33:18.875	6.51	6.22	10.09 [S]	K3-V [S]	2012 Jun 18	(SB)
1741+7208 A	psi01 Dra A		1651268660203160448	17:41:56.06	+72:08:55.93	5.87	4.44	22.75 ± 0.45 [G]	F5IV-V [S]	2012 Aug 04	3.4	...	yes
1741+7208 B	psi01 Dra B		1651268763282397312	17:41:58.10	+72:09:24.85	...	5.66	22.75 ± 0.03 [G]	F8V [S]	2012 Jul 14	0.9	7.2	...
1742+0849 A	Wolf 1471		4165225959018604288	17:42:10.76	-08:49:00.19	13.57	12.48	21.36 ± 0.01 [G]	M3 [S]	2013 Apr 19	1.1
1743+0547 A	G 140-9		4473756480908157184	17:43:00.80	+05:47:21.84	10.74	9.96	20.91 ± 0.29 [G]	M0V [S]	2012 Jun 18	33.7	721.5	yes
1743+2136 A	HD 161198		4556066746008265344	17:43:15.68	+21:36:33.14	7.64	7.3	21.86 ± 0.21 [G]	G9V [S]	2012 Jun 18	19.9	12101.3	yes (+SB)
1743+4322 A	BD+43 2796		1349047857580994560	17:43:55.96	+43:22:43.00	...	9.45	9.53 ± 0.00 [G]	M2V [S]	2012 Jul 15	1.1	0.3	...
1745+4651 A	BD+46 2361		1362592672604119168	17:45:33.53	+46:51:19.32	...	9.96	21.49 ± 0.02 [G]	M1V [S]	2012 Jul 15	2.2	43318.5	yes
1746+2439 A	G 170-62		4581486217883307008	17:46:04.65	+24:39:04.93	12.68	11.55	15.01 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.4
1746+2743 A	mu.01 Her		4594497769766809216	17:46:27.55	+27:43:14.56	3.56	3.24	8.34 ± 0.01 [G]	G5IV [S]	2012 Jun 18	3.9	12597.7	yes
1746+2743 B	mu.02 Her		4594497834189213184	17:46:25.19	+27:43:02.23	9.78	9.18	8.34 ± 0.01 [G]	M3.5V [S]	2012 Aug 04	4.3	...	yes
1748+7052 A	EGGR 372		1638979384378696704	17:48:07.99	+70:52:35.92	...	13.78	6.21 ± 0.00 [G]	DQ9P [S]	2012 Jul 15	1.1
1750+2345 A	G 183-5		4580620038939265920	17:50:15.13	+23:45:50.93	13.5	12.21	21.35 ± 0.01 [G]	M3.38 [S]	2012 Jun 18	1.3
1750-0603 A	HD 162283		4175058204312299904	17:50:34.03	-06:03:01.04	10.16	9.47	22.21 ± 0.01 [G]	K7V [S]	2012 Sep 03	1.0	1.9	...
1753+2119 A	BD+21 3245		4576863905365412736	17:53:29.94	+21:19:31.05	8.64	8.21	24.52 ± 0.01 [G]	K2.5V [S]	2012 Jun 18	1.0	3.0	...
1754+0722 A	G 140-19		4475881317196185728	17:54:17.12	+07:22:44.80	13.12	11.82	16.09 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.0
1757+0441 A	Barnard's star		4472832130942575872	17:57:48.50	+04:41:36.11	9.57	8.19	1.83 ± 0.00 [G]	M4V [S]	2012 Jun 18	1.1	74.9	...
1757+4635 A	G 204-39		1350714133093019904	17:57:50.97	+46:35:19.13	...	10.57	13.99 ± 0.00 [G]	M2.5V [S]	2012 Jul 15	1.1	0.6	...
1800-0341 A	zet Ser		4177224620176470912	18:00:29.01	-03:41:24.98	4.62	4.51	23.00 ± 0.07 [G]	F2V [S]	2012 Aug 30	0.8	5.7	...
1802+2618 A	HD 164922		4582680493669880704	18:02:30.86	+26:18:46.81	7.15	6.8	21.98 ± 0.01 [G]	G9V [S]	2012 Aug 07	1.1	3.2	...
1802+3731 A	G 182-36		4609689240889873280	18:02:46.26	+37:31:02.97	14.8	13.08	12.23 ± 0.00 [G]	dM5.0 [S]	2012 Aug 17	1.1
1804+3557 A	BD+35 3145		4606406992522938240	18:04:17.59	+35:57:25.76	10.89	10.02	21.62 ± 0.01 [G]	M0V [S]	2012 Jul 17	1.1	0.6	...
1805-0301 A	HD 165222		4177731838628465408	18:05:07.58	-03:01:52.75	9.37	8.52	7.74 ± 0.00 [G]	M0V [S]	2012 Aug 30	1.0	6.8	...
1805+0230 A	70 Oph A		4468557611984384512	18:05:27.25	+02:30:00.53	4.02	3.99	5.11 ± 0.01 [G]	K0V [S]	2012 Jun 18	3.3	...	yes
1805+0230 B	70 Oph B		4468557611977674496	18:05:27.46	+02:29:56.21	4.02	5.54	5.11 ± 0.01 [G]	K4V [S]	2012 Jun 18	3.7
1805+0439 A	HD 165401		4471087175915086080	18:05:37.45	+04:39:25.80	6.8	6.65	24.11 ± 0.01 [G]	G2V [S]	2012 Jun 18	1.0	43756.5	yes
1807+3033 A	...		4590758227641991424	18:07:01.59	+30:33:43.58	5.16	4.95	15.77 ± 0.02 [G]	F9.5V [G]	2012 Jun 18	1.4	66473.8	yes
1809+2957 A	HD 166435		4590489981163831296	18:09:21.38	+29:57:06.17	6.97	6.67	24.41 ± 0.01 [G]	G1IV [S]	2012 Jun 18	1.0	3.9	yes
1809+3827 A	HD 166620		4610177733290768896	18:09:37.42	+38:27:28.00	6.52	6.13	11.10 ± 0.00 [G]	K2V [S]	2012 Jul 17	1.0	2.0	...
1809+3152 A	LP 334-11		4591351448523805312	18:09:40.71	+31:52:12.85	...	10.57	21.80 ± 0.01 [G]	M1V [S]	2012 Jul 16	1.1	0.9	...
1813+6423 A	36 Dra		2161275788716592256	18:13:53.83	+64:23:50.23	4.98	4.86	23.16 ± 0.05 [G]	F5V [S]	2012 Jul 17	1.0	10.8	...

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1815+4512 A	HD 168009		Gaia EDR3	18:15:32.46	+45:12:33.54	6.44	6.15	23.29 ± 0.01 [G]	G1V [S]	2012 Jul 17	1.0	0.5	...
1815+1856 A	HD 348274			18:15:43.59	+18:56:19.57	10.9	10.05	23.19 ± 0.09 [G]	M1V [S]	2012 Jun 18	8.3	6.3	...
1816+1354 A	BD+13 3578			18:16:02.25	+13:54:48.21	10.19	9.48	18.27 ± 0.01 [G]	K7V [S]	2012 Jun 18	1.1	1.9	...
1816+0131 A	G 21-7			18:16:18.18	+01:31:27.36	12.51	11.44	15.90 ± 0.01 [G]	M3V [S]	2012 Jun 18	1.0
1816+4533 A	BD+45 2688			18:16:31.09	+45:33:28.27	10.28	9.52	17.44 ± 0.00 [G]	M0V [S]	2012 Jul 16	1.0	4.1	...
1818+3846 A	G 204-58			18:18:04.23	+38:46:32.61	11.88	10.75	11.36 ± 0.00 [G]	M3V [S]	2012 Jul 16	1.1	...	yes
1818+6611 A	G 258-33			18:18:57.23	+66:11:33.30	13.49	11.91	7.64 ± 0.00 [G]	M4.5V [S]	2012 Jul 16	1.3
1819-0156 A	HD 168442			18:19:50.84	-01:56:19.00	9.66	9.06	19.09 ± 0.01 [G]	K7Vrk [S]	2012 Aug 07	0.9	3.5	...
1821+7243 A	chi Dra			18:21:03.3825	+72:43:58.251	...	3.39	8.30 [S]	F7V [S]
1821-0253 A	eta Ser			18:21:18.60	-02:53:55.78	3.26	2.99	19.07 ± 0.07 [G]	K0III-IV [S]	2012 Aug 07	3.7	3.9	...
1822+0620 A	Ross 136			18:22:06.68	+06:20:37.58	12.6	11.38	14.81 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.2
1825+2438 A	HD 336196			18:25:04.79	+24:38:04.48	10.85	10.03	22.87 ± 0.01 [G]	M0V [S]	2012 Jun 18	1.0	5.8	...
1825+3821 A	G 205-20			18:25:31.93	+38:25:12.67	11.37	10.52	23.60 ± 0.01 [G]	K6V [S]	2012 Jul 16	1.0	41.0	...
1826+0146 A	LP 630-81			18:26:16.55	+01:46:20.98	14.94	13.27	18.08 ± 0.01 [G]	M4V [S]	2012 Jun 18	1.2
1829-0149 A	HD 170493			18:29:52.41	-01:49:05.17	8.02	7.68	18.81 ± 0.01 [G]	K4V [S]	2012 Aug 07	0.9	5.2	...
1833+2218 A	HD 171314			18:33:17.76	+22:18:51.31	8.93	8.5	23.41 ± 0.01 [G]	K4V [S]	2012 Jun 18	1.0	0.5	yes
1833+5143 A	BY Dra			18:33:55.77	+51:43:08.90	8.29	7.6	16.56 ± 0.01 [G]	K4Ve+K7.5Ve [S]	2012 Jul 16	2.2	3.1	yes (+SB)
1835+4544 A	BD+45 2743			18:35:18.39	+45:44:38.54	...	9.11	15.57 ± 0.00 [G]	M0.5V [S]	2012 Jul 16	1.0	2.5	yes
1835+4544 B	BD+45 2743B			18:35:27.29	+45:45:40.95	13.02	11.75	15.57 ± 0.00 [G]	M2.5V [S]	2012 Aug 07	1.1
1836+3847 A	alf Lyr			18:36:56.3363	+38:47:01.280	0.03	...	7.68 [S]	A0Va [S]	2012 Jul 17
1840+3131 A	BD+31 3330			18:40:54.88	+31:31:59.09	8.54	8.26	23.95 ± 0.01 [G]	K2.5V [S]	2012 Jun 18	0.9	111.4	...
1841+2447 A	G 184-19			18:41:09.76	+24:47:14.43	12.16	10.73	9.93 ± 0.00 [G]	M4.5V [S]	2012 Jun 18	1.2	...	yes
1841+3149 A	Ross 145			18:41:59.04	+31:49:49.76	11.32	10.2	10.80 ± 0.00 [G]	M2V [S]	2012 Jun 18	1.1	3.0	...
1842+5937 A	HD 173739			18:42:46.7044	+59:37:49.4095	8.9	7.85	3.52 [G]	M3V [S]	2012 Aug 29	1.0	...	yes
1842+5937 B	HD 173740			18:42:46.89	+59:37:36.72	9.69	8.52	3.52 ± 0.00 [G]	M3.5V [S]	2012 Aug 07	1.3	91.4	...
1843+0420 A	GD 215			18:43:25.72	+04:20:22.83	14.92	14.75	24.88 ± 0.02 [G]	DA5.6 [S]	2012 Jun 18	1.0
1845+2032 A	I 10 Her			18:45:39.73	+20:32:46.71	4.18	4.08	19.35 ± 0.05 [G]	F5.5IV-V [S]	2012 Aug 07	3.0	3.0	...
1845+5227 A	LP 141-1			18:45:52.25	+52:27:40.62	15.13	13.83	20.51 ± 0.01 [G]	d/sdM4 [S]	2012 Aug 07	1.1	...	yes
1847-0338 A	HD 173818			18:47:27.25	-03:38:23.40	8.81	8.27	14.26 ± 0.01 [G]	K5V [S]	2012 Aug 28	1.0	1.7	...
1848+1044 A	HD 174080			18:48:29.23	+10:44:43.62	8.09	7.61	16.88 ± 0.01 [G]	K0 [S]	2012 Aug 07	0.9	1.0	...
1848+1726 A	HD 229590			18:48:51.87	+17:26:20.21	9.21	8.61	16.73 ± 0.01 [G]	K7 [S]	2012 Jun 18	1.1	0.9	...
1850+0305 A	Ross 142			18:50:00.8304	+03:05:17.193	10.74	9.96	21.23 ± 0.01 [S]	M0.5Ve [S]	2012 Jun 18	1.0	0.1	...
1851+1634 A	HD 229793			18:51:51.18	+16:34:59.82	10.15	9.38	15.21 ± 0.00 [G]	M0V [S]	2012 Jun 18	1.0	0.7	...
1854+1058 A	HD 230017A			18:54:53.64	+10:58:40.35	9.44	8.8	18.72 ± 0.04 [G]	M0V [S]	2012 Jun 18	6.0	...	yes
1855+0824 A	MCC 188			18:55:27.41	+08:24:09.03	10.12	9.03	11.12 ± 0.00 [G]	M3Ve [S]	2012 Jun 18	1.3	4.5	...
1855+2333 A	HD 175742			18:55:53.23	+23:33:23.93	8.24	7.81	21.33 ± 0.01 [G]	K0V [S]	2012 Jun 18	1.7	12.3	(SB)
1857+3254 A	...			2043885295914531072	+32:54:04.75	5.33	5.17	14.89 ± 0.03 [G]	G0V [G]	2012 Jul 06	2.7	38155.3	yes
1858+0554 A	HD 176029			18:58:00.14	+05:54:29.24	9.21	8.46	11.11 ± 0.00 [G]	M1.0Ve [S]	2012 Aug 07	1.1	1.4	...
1858+3010 A	HD 176377			18:58:51.00	+30:10:50.32	6.93	6.65	23.97 ± 0.01 [G]	G1V [S]	2012 Jun 18	1.0	0.5	...

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
1900+7039 A	LAWD 73	2262849634963004416	19:00:10.25	+70:39:51.42	13.2	13.25	12.88 ± 0.00 [G]	DAP4.5 [S]	2012 Aug 07	1.0
1907+2052 A	HD 349726	4519789081415296128	19:07:13.20	+20:52:37.26	10.76	9.81	8.83 ± 0.00 [G]	M2V [S]	2012 Aug 07	1.0	3.1	yes
1907+2052 B	Ross 730	4519789321942643072	19:07:05.56	+20:53:16.94	10.78	9.81	8.83 ± 0.00 [G]	M2.0V [S]	2012 Jun 18	0.8	2.2	...
1907+3232 A	G 207-16	2042937585610945536	19:07:42.9873	+32:32:41.701	...	10.45	8.30 [S]	M3V [S]
1907+1651 A	HD 178428	4513165073646443008	19:07:37.32	+16:51:12.17	6.22	5.91	21.13 ± 0.04 [G]	G4.5V [S]	2012 Jun 18	3.3	127.5	(SB)
1908+2635 A	G 207-18	2036104120839521792	19:08:15.78	+26:35:05.67	15.14	13.56	19.06 ± 0.01 [G]	M5V [S]	2012 Aug 07	1.2
1909+1740 A	G 142-11	4514347014282093312	19:09:50.87	+17:40:06.40	13.5	11.95	10.28 ± 0.00 [G]	M4V [S]	2012 Jun 18	0.9
1912+5740 A	HD 180161	2143016302194287488	19:12:11.36	+57:40:19.13	7.18	6.83	20.22 ± 0.01 [G]	K0 [S]	2012 Jul 18	1.0	9.0	...
1912+0253 A	Wolf 1062	4268226078065241600	19:12:14.6156	+02:53:11.438	11.31	9.89	9.41 [S]	M3.5V [S]	2012 Jun 18
1912+3533 A	G 207-22	2050589430625453824	19:12:29.40	+35:33:52.36	12.01	11.0	17.93 ± 0.01 [G]	M2V [S]	2012 Jul 18	1.1
1914+1919 A	Ross 733	4516199313406309504	19:14:39.16	+19:19:03.73	11.59	10.39	18.12 ± 0.01 [G]	M4.5V [S]	2012 Jun 18	1.4	5.7	yes
1914+1919 B	Ross 734	4516199240366268672	19:14:39.21	+19:18:22.98	13.28	12.0	18.12 ± 0.01 [G]	M4V [S]	2012 Aug 07	1.1
1916+0510 A	HD 180617	4293318823182081408	19:16:55.26	+05:10:08.04	9.1	8.1	5.92 ± 0.00 [G]	M3-V [S]	2012 Jun 18	0.9	5.6	yes
1918+3843 A	EGGR 375	2052891361294411520	19:18:58.63	+38:43:21.48	14.58	14.47	11.87 ± 0.00 [G]	DC7 [S]	2012 Jul 18	1.0
1921+2052 A	G 185-18	4516795626657707008	19:21:38.70	+20:52:03.28	13.37	11.93	10.59 ± 0.00 [G]	M4.0Ve [S]	2012 Jun 18	0.9
1921+1440 A	GD 219	4319908862597055232	19:21:40.42	+14:40:41.40	13.01	13.02	19.88 ± 0.01 [G]	DA3.3 [S]	2012 Jun 18	1.1
1921+2839 A	Ross 163	2038078706303237632	19:21:51.43	+28:39:58.21	11.53	10.72	23.57 ± 0.01 [G]	M2V [S]	2012 Jun 18	1.2	0.1	...
1922+0702 A	G 22-26	4295619138933719808	19:22:02.07	+07:02:30.31	12.4	11.26	10.62 ± 0.00 [G]	M4V [S]	2012 Jun 18	1.0	...	yes
1922+2926 A	G 207-30	2038543078169577472	19:22:40.91	+29:26:01.61	15.35	13.84	21.14 ± 0.01 [G]	M4.5V [S]	2012 Aug 07	1.3
1923+3313 A	HD 182488	2046207670631964928	19:23:34.01	+33:13:19.08	6.51	6.16	15.61 ± 0.00 [G]	K0V [S]	2012 Jul 18	1.0	1700.3	...
1924+7533 A	G 261-6	2289304297045379456	19:24:16.31	+75:33:11.85	15.38	13.38	10.63 ± 0.00 [G]	M6V [S]	2012 Oct 09	1.1
1924+1156 A	b Aql	4315804351350378496	19:24:58.20	+11:56:39.89	5.31	4.97	14.92 ± 0.01 [G]	G7IVHdelI [S]	2012 Jun 18	0.7	2.8	...
1925+0306 A	del Aql	...	19:25:29.9013	+03:06:53.206	3.36	...	15.53 [S]	FIIIV-V(m) [S]	2012 Jun 18
1926+2426 A	G 185-23	2022893621784904064	19:26:01.62	+24:26:17.12	14.3	12.75	18.58 ± 0.01 [G]	M4.5V [S]	2012 Jun 18	1.1
1926+4927 A	HD 183255	2129771310248902016	19:26:25.98	+49:27:55.10	8.15	7.72	24.32 ± 0.13 [G]	K2.5V [S]	2012 Jul 18	14.3	0.7	(SB)
1931+5835 A	HD 184467	2238597054155896832	19:31:07.97	+58:35:09.60	6.75	6.36	18.09 ± 0.12 [G]	K2V [S]	2012 Jul 18	24.7	27.5	(SB)
1932+6939 A	sig Dra	2261614264931057664	19:32:21.59	+69:39:40.24	4.81	4.45	5.76 ± 0.00 [G]	K0V [S]	...	1.7	1.4	...
1932+0034 A	BD+00 4241	428747378816247936	19:32:37.92	+00:34:39.06	10.43	9.74	22.15 ± 0.01 [G]	M0.5V [S]	2012 Jun 18	1.1	0.6	...
1933+2150 A	HD 184385	2018474482692959232	19:33:25.55	+21:50:25.18	7.03	6.71	20.85 ± 0.01 [G]	G8V [S]	2012 Jun 18	0.8	8.8	yes
1934+0434 A	HD 184489	4291123545113039616	19:34:39.84	+04:34:57.05	9.35	8.71	14.44 ± 0.00 [G]	M0V [S]	2012 Jun 18	0.9	3.9	...
1934+5315 A	Wolf 1108	2136665454312416128	19:34:55.02	+53:15:23.61	12.2	11.15	15.21 ± 0.00 [G]	M2.5Ve [S]	2012 Jul 18	1.0
1935+5659 A	HD 185414	2142179058450057856	19:35:55.59	+56:59:02.08	6.86	6.58	23.95 ± 0.01 [G]	G0 [S]	2012 Aug 02	1.6	41481.6	yes
1936+5013 A	tet Cyg	2135110401277424384	19:36:26.53	+50:13:15.97	4.48	4.37	18.43 ± 0.03 [G]	F3+V [S]	2012 Jul 18	0.8	103.1	yes
1937+2743 A	PY Vul	2025389380082340992	19:37:13.75	+27:43:18.73	12.97	13.06	18.26 ± 0.01 [G]	DA4.0 [S]	2012 Jun 18	0.9
1939+7152 A	BD+71 8595	2263910113928117632	19:39:32.87	+71:52:19.16	11.04	10.2	21.04 ± 0.01 [G]	M0.5Ve [S]	...	1.2	5.7	...
1941+5031 A	16 Cyg A	2135550755683405952	19:41:48.95	+50:31:30.22	6.11	5.82	21.13 ± 0.01 [G]	G1.5Vb [S]	2012 Jul 18	1.0	20.3	yes
1941+0309 A	G 23-8	4289793067314163072	19:41:54.21	+03:09:16.01	12.82	11.95	23.07 ± 0.05 [G]	M2 [S]	2012 Jun 18	6.4	...	yes
1945+3336 A	HD 186858A	2035020964491479552	19:45:33.53	+33:36:07.22	7.79	8.02	20.98 ± 0.01 [G]	K5V [S]	2012 Aug 07	0.9	6696.3	yes
1945+3000 A	HD 332518	2032017717217569152	19:45:35.60	+30:00:36.79	9.27	8.69	20.92 ± 0.01 [G]	K5V [S]	2012 Jun 18	1.0	3.7	...

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{Gaia}	Candidate(s)?
1945+3223 A	G 125-30		2034628782438989440	19:45:49.75	+32:23:13.66	...	9.99	13.76 ± 0.00 [G]	M1.5Ve [S]	2012 Jul 14	0.9	25.4	...
1946+3201 A	HD 331161A		2034581091118259328	19:46:23.93	+32:01:01.42	...	9.31	13.94 ± 0.00 [G]	M0.5V [S]	2012 Jul 18	1.0	420.0	yes
1946+3343 A	17 Cyg		2035035223783462400	19:46:25.60	+33:43:39.35	5.11	4.87	20.99 ± 0.03 [G]	F5.5IV-V [S]	2012 Jul 18	0.8	1.2	yes
1950+0852 A	alf Aql		...	19:50:46.9985	+08:52:05.956	0.77	...	5.13 [S]	A7Vh [S]
1951+1024 A	omi Aql		4303294039306246656	19:51:01.64	+10:24:56.59	5.24	4.98	19.49 ± 0.03 [G]	F8V [S]	2012 Jun 18	0.9	6.1	yes
1953+4424 A	G 208-45		2079073928612821760	19:53:55.14	+44:24:54.15	13.46	11.91	4.66 ± 0.00 [G]	M6V [S]	2012 Jul 18	1.6	...	yes
1955+0624 A	...		4296708789290712064	19:55:18.79	+06:24:24.35	3.72	3.48	13.60 ± 0.03 [G]	F7V [G]	2012 Jun 18	2.9	0.4	yes
1956-0102 A	LAWD 79		4235280071072332672	19:56:29.23	-01:02:32.67	13.72	13.59	11.57 ± 0.00 [G]	DA6.4 [S]	2012 Aug 07	1.0	...	yes
1958+0202 A	G 2.3-19		4240815184408080512	19:58:15.74	+02:02:15.64	11.97	10.96	15.59 ± 0.01 [G]	M2.5Ve [S]	2012 Jun 18	1.2
1959-0957 A	HD 189340		4191794317470513664	19:59:47.2802	-09:57:29.634	5.88	5.78	21.31 [S]	F9V [S]	2013 Jul 23	(SB)
2000+2242 A	HD 189733		1827242816201846144	20:00:43.71	+22:42:39.07	7.83	7.43	19.78 ± 0.01 [G]	K2V [S]	2012 Aug 07	1.0	6.6	yes
2002+1535 A	HD 190067		1807953155988203264	20:02:34.16	+15:55:31.47	7.29	6.96	19.26 ± 0.01 [G]	K0VFe-0.9 [S]	2012 Aug 02	0.9	679.7	yes
2002+0319 A	HD 190007		4247023886053586304	20:02:47.05	+03:19:34.27	7.46	7.08	12.72 ± 0.00 [G]	K5V [S]	2012 Jun 18	0.9	2.9	...
2003+2953 A	HD 190360		2029433521248546304	20:03:37.41	+29:53:48.49	5.88	5.55	16.00 ± 0.01 [G]	G7IV-V [S]	2012 Aug 02	1.0	14.8	yes
2003+0559 A	G 2.3-24		4248817876711932416	20:03:51.00	+05:59:44.24	12.11	11.13	13.29 ± 0.00 [G]	M2.5Ve [S]	2012 Jun 18	1.3
2003+2320 A	HD 190404		1833199729671740800	20:03:52.13	+23:20:26.47	7.42	7.04	15.62 ± 0.00 [G]	K1V [S]	2012 Jul 18	1.0	6.3	...
2004+1704 A	15 Sge		1821708351374312064	20:04:06.22	+17:04:12.68	5.92	5.65	17.77 ± 0.01 [G]	G0V [S]	2012 Aug 02	0.9	31557.6	...
2004+2547 A	HD 190470		1834788970646666112	20:04:10.05	+25:47:24.82	7.97	7.56	22.11 ± 0.01 [G]	K3V [S]	2012 Aug 02	1.0	0.4	...
2005+5426 A	Wolf 1130		2185710338703934976	20:05:02.20	+54:26:03.23	12.0	11.17	16.58 ± 0.01 [G]	sdM1 [S]	2012 Aug 07	1.8	4.6	...
2005+3828 A	HD 190771		2061876742143320064	20:05:09.78	+38:28:42.56	6.32	6.01	19.04 ± 0.01 [G]	G2V [S]	2012 Aug 07	1.4	12756.6	...
2006+3558 A	bol Cyg		2059103120983068160	20:06:21.77	+35:58:20.89	5.54	5.14	23.99 ± 0.03 [G]	G8.5IVa [S]	2012 Aug 07	1.0	0.1	...
2008+3318 A	G 210-2		2055262595567307392	20:08:17.9765	+33:18:13.822	14.88	13.79	16.00 [S]	M4-77 [S]	2012 Aug 07
2009-0113 A	UCAC4 444-118477		4223813264304668288	20:09:18.25	-01:13:38.31	14.47	12.67	10.79 ± 0.01 [G]	M5.0V [S]	2012 Aug 07	1.5
2009+1648 A	HD 191499A		1809456806859123584	20:09:34.30	+16:48:20.76	7.67	7.47	24.80 ± 0.01 [G]	K0V [G]	2012 Jul 18	1.0	0.3	yes
2010+7714 A	HD 193202		2290483248388179528	20:10:52.42	+77:14:20.30	8.97	8.32	16.83 ± 0.00 [G]	K7V [G]	2012 Oct 08	1.0	1.9	...
2011+1611 A	...		1809360187275432832	20:11:06.07	+16:11:16.79	7.48	7.11	20.44 ± 0.01 [G]	K1V [G]	2012 Jul 18	0.8	0.8	yes
2014-0716 A	BD-07 5223		4216680418835844864	20:14:28.19	-07:16:55.13	10.27	9.56	21.67 ± 0.01 [G]	M0V [S]	2013 Jul 28	1.0	2.5	...
2017+6651 A	HD 193664		2246581329639103872	20:17:31.33	+66:51:13.28	6.04	5.77	17.48 ± 0.01 [G]	G3V [S]	2012 Aug 28	0.8	0.9	...
2026+5834 A	Wolf 1069		2188318517720321664	20:26:05.30	+58:34:22.68	14.04	12.35	9.57 ± 0.00 [G]	dM5.0 [S]	2012 Aug 07	1.4
2029+0941 A	G 24-16		1752805741531173632	20:29:48.3179	+09:41:20.590	13.08	11.49	7.47 [S]	M4.5V [S]	2012 Jun 18
2030+2650 A	HD 340345		1856712201700234880	20:30:10.6682	+26:50:34.200	9.78	9.89	20.40 [S]	M1V [S]	2012 Aug 07	yes
2030+6526 A	G 262-15		2246206567973292160	20:30:32.05	+65:26:58.41	10.56	9.44	8.09 ± 0.00 [G]	M3V [S]	2012 Aug 28	1.1	1.6	...
2032-0951 A	HD 195564		6904703228801028864	20:32:23.69	-09:51:12.18	5.8	5.49	24.74 ± 0.03 [G]	G2.5IV [S]	2013 Jul 28	1.0	1053.5	yes
2032+4153 A	HD 195987		2067948245320365184	20:32:51.64	+41:53:54.55	7.21	6.83	21.86 ± 0.10 [G]	G9V [S]	2012 Jul 28	11.8	30.9	(SB)
2033+6145 A	G 230-42		2195298973450457984	20:33:40.32	+61:45:13.59	12.54	11.21	15.98 ± 0.01 [G]	M4.0Ve [S]	2012 Jul 28	1.1
2034+2503 A	HD 340611		1831553382794173824	20:34:21.88	+25:03:49.75	11.55	11.54	14.83 ± 0.01 [G]	DA2.4 [S]	2012 Jul 28	1.1	4.3	...
2034+0320 A	G 24-20		4233129014004310656	20:34:43.03	+03:20:51.29	11.92	10.99	21.09 ± 0.01 [G]	M2.5Ve [S]	2012 Jun 18	1.0	11.4	...
2039+0458 A	HD 196795		1735416587180214528	20:39:37.7096	+04:58:19.340	7.9	7.64	16.72 [S]	K5V [S]	2012 Jul 28	yes (+SB)
2040+1529 A	G 144-25		1810616448010879488	20:40:33.86	+15:29:58.73	13.45	11.84	9.53 ± 0.00 [G]	M4.5V [S]	2012 Jul 18	1.1

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
			Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
2040+1956 A	HD 197076		1814241194252808704	20:40:45.14	+19:56:07.93	6.56	6.29	20.94 ± 0.01 [G]	G5V [S]	2012 Jul 28	0.9	0.4	...
2041+5725 A	BD+56 2471		2187263158355763072	20:41:28.16	+57:25:47.27	10.37	9.64	24.80 ± 0.01 [G]	M1V [S]	2012 Jul 28	1.1	0.8	...
2043+5520 A	Wolf 1084		2183807118443409536	20:43:19.26	+55:20:53.10	14.69	12.92	16.40 ± 0.11 [G]	M5Ve [S]	2012 Jul 28	7.7
2043+6416 A	G 262-26		2245095683274908672	20:43:41.36	+64:16:54.10	11.38	10.63	21.47 ± 0.01 [G]	M0.0Ve [S]	2012 Jul 28	1.1	0.1	...
2044+1944 A	HD 352860		1814070838668707840	20:44:21.95	+19:44:58.65	10.35	9.65	19.68 ± 0.22 [G]	K6V [S]	2012 Jul 28	32.4	1583.0	yes
2045+4429 A	BD+44 3567		2070115588901082368	20:45:04.10	+44:29:56.65	10.77	9.83	12.06 ± 0.00 [G]	M2V [S]	2012 Jul 28	1.1	2.3	...
2045+6150 A	eta Cep		2195115561168483712	20:45:17.38	+61:50:19.61	3.57	3.18	14.37 ± 0.03 [G]	K0IV [S]	2012 Jul 28	3.0	0.4	...
2046+3358 A	eps Cyg C		186930267499983104	20:46:06.41	+33:58:06.27	2.64	12.21	21.94 ± 0.01 [G]	M3 [S]	2012 Jul 28	1.2
2049+3728 A	EGGR 261		1871118140493076224	20:49:06.70	+37:28:14.05	13.4	13.04	17.59 ± 0.01 [G]	DA3.4 [S]	2012 Jul 28	1.0
2049+3217 A	V 2431 Cyg		1859954627138933888	20:49:16.23	+32:17:05.24	8.4	7.97	23.33 ± 0.01 [G]	K2.5V [S]	2012 Jul 28	1.0	1.3	yes
2050+2923 A	HD 198550		1858219151114884352	20:50:10.56	+29:23:02.75	8.47	8.01	20.16 ± 0.01 [G]	K5V [S]	2012 Jul 28	1.4	80091.4	yes
2050+5253 A	BD+52 2815		218219777015312512	20:50:33.08	+52:53:58.55	9.74	9.18	22.77 ± 0.01 [G]	K7-V [S]	2012 Jul 28	1.1	0.1	...
2053+6209 A	HD 199305		2195886971653527168	20:53:19.79	+62:09:15.82	8.56	7.76	7.04 ± 0.00 [G]	M1.0Ve [S]	2012 Jul 28	0.9	0.7	...
2053+1037 A	G 25-8		1750765357185849856	20:53:33.06	+10:37:02.20	13.97	12.44	12.83 ± 0.00 [G]	M5V [S]	2012 Jun 18	1.2
2055+1310 A	BD+12 4499		1758463038092175232	20:55:06.86	+13:10:36.56	8.82	8.44	23.60 ± 0.06 [G]	K4V [S]	2012 Jun 18	3.9	9270.0	(SB)
2056-1026 A	Wolf 896		6890353330746858368	20:56:46.60	-10:26:54.75	11.5	10.42	16.14 ± 0.01 [G]	dM2.5 [S]	2013 Jul 21	1.0	0.9	...
2056-0450 A	Ross 193		6913810483612308480	20:56:48.54	-04:50:49.12	11.94	10.66	16.17 ± 0.02 [G]	M3Vme [S]	2012 Aug 28	3.0	72.5	yes
2057+2221 A	Wolf 1373		1838855376946302720	20:57:25.36	+22:21:45.81	12.0	11.01	14.43 ± 0.01 [G]	M3V [S]	2012 Jul 18	1.2	0.1	...
2100+4004 A	BD+40 883		1873073175244118784	21:00:05.39	+40:04:12.65	10.15	9.4	15.03 ± 0.02 [G]	M2.0V+M0.5Ve [S]	2012 Oct 09	5.2	46071.9	yes (+SB)
2101-0619 A	Wolf 906		6910371005081903488	21:01:58.64	-06:19:07.47	11.24	10.18	14.49 ± 0.01 [G]	M2.5V [S]	2012 Sep 13	1.0	2.9	...
2102+4553 A	HD 200560		2163558855915068416	21:02:40.75	+45:53:05.17	...	7.43	19.46 ± 0.01 [G]	K2.5V [S]	2012 Jul 14	1.0	6003.2	yes
2106+3844 A	...		1872046609345556480	21:06:53.94	+38:44:57.92	6.03	4.77	3.50 ± 0.00 [G]	K6V [G]	2012 Aug 02	1.2	317.4	yes
2107+5943 A	Wolf 1106		2192213022271586560	21:07:55.40	+59:43:19.33	...	12.42	24.18 ± 0.01 [G]	sdM1.5 [S]	2012 Jul 14	1.2
2114+3801 A	G 211-14		1964791549008457856	21:14:46.87	+38:01:14.29	3.82	11.0	20.36 ± 0.02 [G]	M2.5Ve [S]	2012 Jun 17	3.2	...	yes
2118+0009 A	HD 202751		2689454850844597504	21:18:02.97	+00:09:41.67	...	7.86	20.21 ± 0.01 [G]	K4/5V [S]	2012 Jul 14	1.0	4.9	...
2118+5412 A	EGGR 378		2176116580055936512	21:18:56.26	+54:12:41.24	...	12.39	17.31 ± 0.01 [G]	DA3.4 [S]	2012 Jul 14	0.9
2118+6235 A	alf Cep		...	21:18:34.7723	+62:35:08.068	2.51	...	15.04 [S]	A8Vh [S]	2012 Jun 17
2126+7338 A	G 263-3		2274076297221559568	21:26:57.66	+73:38:44.67	...	12.89	22.23 ± 0.01 [G]	DA3.1 [S]	2012 Jul 14	1.0	...	yes
2127-0650 A	Wolf 920		6898272528885931008	21:27:16.86	-06:50:39.38	11.1	10.29	16.77 ± 0.01 [G]	M0V [S]	2012 Sep 13	1.2	3.0	...
2130-1230 A	HD 204587		6891134705556330880	21:30:02.76	-12:30:36.25	9.1	8.54	17.72 ± 0.01 [G]	K7Vh: [S]	2013 Jul 28	1.0	2.2	...
2131-0947 A	Wolf 922		6894054664842632448	21:31:18.5690	-09:47:26.482	12.04	10.47	7.46 [S]	M4.5V [S]
2133+0146 A	G 26-14		2688566793341935560	21:33:49.13	+01:46:56.51	13.36	12.55	16.89 ± 0.01 [G]	M4 [S]	2012 Jul 28	1.4	...	yes
2133+6200 A	HD 205434		2216158427021654528	21:33:01.07	+62:00:08.83	9.47	8.92	23.27 ± 0.01 [G]	K4 [S]	2012 Jun 17	1.0	6.0	...
2134+5132 A	Wolf 926		2171727299589482112	21:34:50.34	+51:32:13.60	...	10.72	17.63 ± 0.01 [G]	M2.5Ve [S]	2012 Jul 14	1.2	7.3	...
2136+3927 A	L 1578-44		1953952391581618432	21:36:38.58	+39:27:20.53	10.17	9.65	20.79 ± 0.08 [G]	M0V [S]	2012 Jul 28	7.0	147.3	yes
2138+2743 A	BD+27 4120A		1800808220175220480	21:38:00.39	+27:43:25.44	9.94	9.13	13.11 ± 0.01 [G]	M0.5V [G]	2012 Jul 28	1.2	359.2	yes
2139+2736 A	...		1800750014779745152	21:39:54.36	+27:36:43.29	11.65	10.75	23.36 ± 0.27 [G]	M2V [G]	2012 Oct 10	21.7	544.3	...
2142+2059 A	EGGR 148		1792830060723673472	21:42:41.01	+20:59:58.12	13.24	13.17	11.04 ± 0.00 [G]	DQ6 [S]	2012 Jul 28	1.1
2144+2844 A	mu. Cyg		1801210568415251072	21:44:08.58	+28:44:33.47	4.6	4.62	22.15 ± 0.06 [G]	F6V+F3V [S]	2012 Jul 28	1.2	171.1	yes

Table 4 continued

Table 4 (continued)

Target ID	Robo-AO	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
				J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
2144+0638 A	G 93-33		2700417192226894976	21:44:12.99	+06:38:29.28	12.02	10.99	20.57 ± 0.02 [G]	M3.0V [S]	2012 Jul 28	2.0	53.5	...
2144+4135 A	BD+40 4631		1954559047126247808	21:44:29.96	+41:35:50.86	9.73	9.04	19.84 ± 0.01 [G]	K8V [S]	2012 Jul 14	1.1	5.6	...
2144+1446 A	HN Peg		1772187382746856320	21:44:31.33	+14:46:18.98	6.08	5.82	18.13 ± 0.01 [G]	G0V+ [S]	2012 Jul 28	1.2	0.6	...
2146+4638 A	Wolf 944		1974606167761195904	21:46:56.24	+46:38:06.23	13.45	12.08	17.14 ± 0.00 [G]	M3.5 [S]	2012 Jun 17	1.1
2147+5014 A	Wolf 945		1980487077505535744	21:47:52.48	+50:14:47.74	13.33	12.14	20.61 ± 0.01 [G]	M4V [S]	2012 Jul 16	1.2
2148+2755 A	G 188-26		1800265817345116544	21:48:15.27	+27:55:42.03	11.99	11.04	16.83 ± 0.01 [G]	M2V [S]	2012 Jul 28	0.9
2152+0223 A	EGGR 150		2693940725141960192	21:52:25.38	+02:23:19.58	12.75	12.78	22.56 ± 0.02 [G]	DA2.8 [S]	2012 Jul 28	1.0	0.5	...
2153+2055 A	HD 208038		17810033885454165888	21:53:05.35	+20:55:49.87	8.32	7.91	23.24 ± 0.01 [G]	K2.5V [S]	2012 Jul 28	1.0	0.5	...
2154+3219 A	HD 208313		1898230241798771584	21:54:45.04	+32:19:42.84	7.88	7.48	20.38 ± 0.01 [G]	K1 [S]	2012 Jul 28	1.1	8.0	...
2156-0154 A	LP 639-1		2679694971455927296	21:56:55.25	-01:54:09.33	14.65	13.01	13.47 ± 0.01 [G]	M5.03 [S]	2012 Aug 28	1.3
2157+0808 A	Wolf 953		2724890053318383232	21:57:26.23	+08:08:13.93	11.02	10.14	20.95 ± 0.01 [G]	M1V [S]	2012 Jul 28	1.1	2.3	...
2158+7535 A	G 263-10		2280191304155597184	21:58:24.52	+75:55:20.61	...	9.8	21.90 ± 0.00 [G]	M1V [S]	2012 Jul 14	1.0	6.3	yes
2201+2818 A	V374 Peg		1893189736896880640	22:01:13.12	+28:18:24.91	11.97	10.63	9.10 ± 0.00 [G]	M3.5Ve [S]	2012 Aug 28	1.2	10.4	...
2201+1628 A	Ross 265		1775651840806925312	22:01:49.0454	+16:28:02.844	10.64	9.97	16.18 [S]	M2.5Ve [S]	2012 Jul 28	yes
2202+0124 A	HD 209290		2683023811628007296	22:02:10.28	+01:24:00.83	9.17	8.4	10.57 ± 0.01 [G]	M0.5V [S]	2012 Jul 14	1.1	0.1	...
2207+2520 A	iot Peg		1891598193816300544	22:07:00.67	+25:20:42.36	3.87	3.66	11.90 ± 0.03 [G]	F5V [S]	2012 Jul 28	4.6	66.2	...
2209-0732 A	HD 210277		2619706544757416192	22:09:29.87	-07:32:55.16	6.53	6.36	21.34 ± 0.01 [G]	G8V [S]	2013 Jul 21	1.1	1.1	...
2209-0438 A	BD-05 5715		2627117287488522240	22:09:40.34	-04:38:26.65	10.39	9.24	8.81 ± 0.00 [G]	M3.5V [S]	2012 Aug 28	1.4	7.8	...
2209+4102 A	G 214-12		1956721064938340224	22:09:43.05	+41:02:05.61	...	11.45	23.08 ± 0.01 [G]	M3.0Ve [S]	2012 Jul 14	1.4
2211+3615 A	HD 210667		1906647037667895424	22:11:11.91	+36:15:22.77	7.37	7.03	22.48 ± 0.01 [G]	G9V [S]	2012 Jul 28	1.0	1.7	...
2211+4100 A	...		1958031442283263616	22:11:16.95	+41:00:54.83	11.19	10.38	23.69 ± 0.01 [G]	M0.5V [G]	2012 Jul 14	1.1	1.4	...
2211+1825 A	Ross 271		1776317182780536064	22:11:30.09	+18:25:34.30	10.23	9.26	11.71 ± 0.00 [G]	M2V [S]	2012 Jul 28	1.0	0.7	...
2212+0833 A	Wolf 1014		2723557788822526720	22:12:35.94	+08:33:11.61	11.97	10.91	15.90 ± 0.01 [G]	M3.0Ve [S]	2012 Jul 14	1.2	2.5	...
2214+2751 A	...		1892539307049423872	22:14:31.41	+27:51:18.69	10.36	9.66	19.68 ± 0.01 [G]	M0V [G]	2012 Jul 28	1.2	20.6	yes
2215+5440 A	HD 211472		2005798350576886144	22:15:54.14	+54:40:22.41	...	7.28	21.93 ± 0.01 [G]	K1V [S]	2012 Jul 15	1.0	0.3	yes
2216+7056 A	G 241-1		2229668951018122112	22:16:20.22	+70:56:39.82	...	11.22	22.84 ± 0.01 [G]	M2.0Ve [S]	2012 Jul 15	0.9
2216+6820 A	BD+67 1424		2220169200616370432	22:16:31.79	+68:20:23.26	...	8.81	23.99 ± 0.01 [G]	K5-V [S]	2012 Jul 15	0.9	3.8	...
2217-0848 A	Wolf 1561 A		2616132101175106816	22:17:18.97	-08:48:12.32	13.41	12.09	11.05 ± 0.03 [G]	M4V [S]	2013 Jul 27	10.1	...	yes
2217-0848 B	Wolf 1561 B		2616132101175335936	22:17:18.70	-08:48:19.33	13.41	12.9	11.14 ± 0.02 [G]	M5V [S]	2013 Jul 27	1.8	...	yes
2223+3227 A	Wolf 1225 A		1901773448080491392	22:23:29.13	+32:27:33.92	10.75	10.37	15.23 ± 0.02 [G]	M3V [G]	2012 Jul 28	1.5	5174.1	yes
2224+2233 A	BD+21 4747A		1875076004382831616	22:24:45.54	+22:33:04.09	8.92	8.49	20.87 ± 0.01 [G]	K7 [S]	2012 Jul 28	1.1	10290.4	yes
2227+5741 A	HD 239960A		2007876324466455040	22:27:59.5575	+57:41:42.080	...	8.67	4.01 [S]	M3V [S]	2012 Jul 15	yes
2228+1855 A	G 127-35		2738145555048846080	22:28:45.94	+18:55:54.11	10.74	10.02	22.27 ± 0.01 [G]	M1V [S]	2012 Jul 14	1.1	1.3	...
2229+0139 A	LP 640-74		2702655587447223168	22:29:05.86	+01:39:48.17	10.6	9.79	22.21 ± 0.01 [G]	M1V [S]	2012 Jul 14	1.2	0.4	...
2232+5347 A	BD+53 2911		...	22:32:56.7741	+53:47:40.552	10.1	...	23.20 [S]	M0V [S]	yes
2233+0922 A	BD+08 4887		2717105133036645760	22:33:02.23	+09:22:40.72	10.38	9.54	12.98 ± 0.00 [G]	M0V [S]	2012 Jul 14	1.2	6.7	...
2234-0104 A	LP 640-43		2629732510254843136	22:34:53.68	-01:04:58.04	14.83	13.39	22.18 ± 0.01 [G]	M4.5 [S]	2012 Aug 28	1.2
2237+3922 A	BD+38 4818		1908305169922494208	22:37:29.92	+39:22:51.69	9.48	8.84	21.33 ± 0.26 [G]	M0.0Ve [S]	2012 Jul 14	32.0	2310.2	yes (+SB)
2239+0406 A	HD 214683		2704912403783213696	22:39:50.77	+04:06:58.02	8.61	8.18	22.57 ± 0.01 [G]	K2V [S]	2012 Jul 15	0.9	0.6	...

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
2242+1740 A	G 67-15	2832827391830929920	22:42:38.75	+17:40:09.28	11.76	10.71	19.82 ± 0.02 [G]	M2.5Ve [S]	2012 Jul 14	0.9	1.3	...
2243-0624 A	HD 215152	26233505219992303104	22:43:21.30	-06:24:02.95	8.14	7.81	21.58 ± 0.01 [G]	K3V [S]	2012 Sep 13	1.0	2.7	...
2246+1210 A	...	2719475542667772416	22:46:41.58	+12:10:22.39	4.31	4.07	16.42 ± 0.05 [G]	F7V [G]	2012 Jul 14	3.3	4.0	yes
2246+4420 A	EV Lac	1934263333784036736	22:46:49.73	+44:20:02.37	...	9.01	5.05 ± 0.00 [G]	M4.0V [S]	2012 Jul 15	1.1	11.4	...
2247+8341 A	HD 216520	2299942278201276288	22:47:31.88	+83:41:49.30	...	7.29	19.55 ± 0.01 [G]	K0V [S]	2012 Jul 15	1.0	5.7	...
2249+2236 A	EGGR 155	2836609093355562496	22:49:05.55	+22:36:31.99	14.36	14.37	17.83 ± 0.01 [G]	DA4.7 [S]	2012 Jul 28	1.2
2250+3451 A	G 189-38	1891459758430361088	22:50:37.70	+34:51:21.78	11.72	10.79	19.32 ± 0.01 [G]	M2+V [S]	2012 Jul 28	1.2	0.5	...
2251+1358 A	HD 216259	2720132500864789760	22:51:26.36	+13:58:11.94	8.28	8.03	22.57 ± 0.01 [G]	K2.5V [S]	2012 Jul 14	1.1	1.9	...
2251+3145 A	GT Peg	1889703529122914560	22:51:53.5351	+31:45:15.195	11.62	10.5	15.06 ± 0.01 [S]	M3.5V [S]	2012 Jul 14	1.4	1.3	...
2254+6059 A	Ross 226	2014653404891943936	22:54:21.50	+60:59:43.62	...	11.6	17.82 ± 0.01 [G]	M3V [S]	2012 Jul 15	1.1
2255+0545 A	G 28-24	2711324381934051200	22:55:56.82	+05:45:18.35	11.26	10.42	24.78 ± 0.01 [G]	M1V [S]	2012 Jul 16	1.2	0.4	yes
2255+0545 B	LP 581-35	2711324446359728384	22:55:55.71	+05:45:22.59	15.7	16.04	24.78 ± 0.04 [G]	DA8.1 [S]	2012 Aug 02	1.0
2256+1633 A	HD 216899	2828928008202069376	22:56:34.80	+16:33:12.36	8.65	7.8	6.87 ± 0.00 [G]	M1.5Ve [S]	2012 Jul 28	1.1	0.6	...
2257+2046 A	51 Peg	2835207319109249920	22:57:27.98	+20:46:07.80	5.59	5.28	15.53 ± 0.02 [G]	G2IV [S]	2012 Jul 14	1.1	4.7	...
2258-0223 A	HD 217107	2648914040357320576	22:58:15.54	-02:23:43.38	6.31	6.0	20.09 ± 0.01 [G]	G8IV/IV [S]	2012 Aug 28	0.9	49.2	...
2301-0350 A	HD 217580	2636589099125426816	23:01:51.54	-03:50:55.40	7.45	7.21	16.17 ± 0.13 [G]	K3V [S]	2012 Aug 06	18.1	232.6	(SB)
2303+2055 A	HD 217813	2832641058969396864	23:03:04.98	+20:55:06.86	6.78	6.51	24.30 ± 0.01 [G]	G1V [S]	2012 Aug 05	1.0	1.2	...
2304+6645 A	BD+65 1846	2212272649484661504	23:04:30.21	+66:45:17.79	...	9.21	20.32 ± 0.00 [G]	M0.5Ve [S]	2012 Jul 16	0.9	5.6	...
2306+6355 A	MCC 858	2207738916728293888	23:06:04.85	+63:55:34.36	...	10.14	24.03 ± 0.01 [G]	M0.3V [S]	2012 Jul 16	1.1	8.5	...
2307+6840 A	G 241-45	2213428064767263360	23:07:29.92	+68:40:05.16	...	11.35	15.40 ± 0.00 [G]	M3.0Ve [S]	2012 Jul 16	1.1
2308+0319 A	G 28-39	2661803855688028800	23:08:06.96	+03:19:44.38	...	10.12	16.48 ± 0.01 [G]	M0V [S]	2012 Jul 15	1.2	0.1	...
2310+4530 A	...	1935133906477014016	23:10:50.08	+45:30:44.18	...	6.8	23.55 ± 0.01 [G]	G8V [G]	2012 Jul 16	0.9	2.7	yes
2312+4924 A	7 And	199072383998750176	23:12:33.00	+49:24:22.35	...	4.44	24.82 ± 0.07 [G]	F1V [S]	2012 Jul 16	1.0	0.0	...
2313+5710 A	HD 219134	2009481748875806976	23:13:16.98	+57:10:06.08	...	5.23	6.54 ± 0.00 [G]	K3V [S]	2012 Jul 16	1.0	6.3	...
2316+3040 A	HD 219538	1909581805999126784	23:16:18.16	+30:40:12.74	...	7.83	24.90 ± 0.01 [G]	K2V [S]	2012 Jul 16	0.9	6.2	...
2316+5312 A	HD 219623	1995681125599758592	23:16:42.30	+53:12:48.51	...	5.45	20.61 ± 0.02 [G]	F8V [S]	2012 Jul 16	1.0	4.7	...
2317+3812 A	G 190-17	1917144384415057536	23:17:24.38	+38:12:41.54	...	10.42	17.24 ± 0.06 [G]	M3.0Ve [S]	2012 Jul 15	4.7
2318+4617 A	BD+45 4188	1941217160713765376	23:18:17.94	+46:17:21.44	10.9	10.13	23.79 ± 0.01 [G]	M0.5Ve [S]	2012 Jul 16	1.1	2.1	...
2319+7900 A	HD 220140	2282846074981010688	23:19:26.64	+79:00:12.67	7.67	7.29	18.95 ± 0.00 [G]	G9V [S]	2013 Jul 28	0.9	1.0	yes
2319+7900 B	HD 220140B	2282846074981011328	23:19:24.47	+79:00:03.82	12.24	10.92	18.95 ± 0.01 [G]	M3.5V [S]	2012 Oct 04	1.2
2321+1717 A	G 68-8	2817999068780218368	23:21:37.45	+17:17:25.39	11.65	10.36	10.60 ± 0.00 [G]	M3.5Ve [S]	2012 Aug 05	1.0	5.9	...
2321+4405 A	HD 220182	193700372907791616	23:21:36.51	+44:05:52.37	7.38	7.15	21.43 ± 0.01 [G]	G9V [S]	2012 Oct 09	1.0	5.2	...
2321+4510 A	HD 220221	1937923436193950080	23:21:44.45	+45:10:33.79	8.29	7.82	20.36 ± 0.01 [G]	K3V(k) [S]	2012 Jul 16	0.9	0.8	...
2323-1045 A	HD 220339	2436812303124645504	23:23:04.90	-10:45:51.28	7.78	7.54	19.17 ± 0.01 [G]	K2V [S]	2013 Jul 27	1.0	0.1	...
2324+5751 A	BD+57 2735	2009439555118168832	23:24:30.51	+57:51:15.52	10.01	9.14	13.23 ± 0.00 [G]	M1.5Ve [S]	2012 Jul 16	0.9	3.1	...
2326+0853 A	G 29-33	2761162254724651776	23:26:12.37	+08:53:37.81	10.59	9.87	22.54 ± 0.02 [G]	M0.5V [S]	2012 Jul 15	1.0	0.3	...
2328+0514 A	ZZ Psc	266035803257156736	23:28:47.64	+05:14:54.24	...	13.06	17.52 ± 0.01 [G]	DA4.1 [S]	2012 Jul 15	1.1
2329+4128 A	G 190-28	1923896725839633024	23:29:23.48	+41:28:06.73	11.87	10.71	14.94 ± 0.00 [G]	M2.9V [S]	2012 Oct 09	1.2	...	yes
2329+4128 B	G 190-27	1923896622760418176	23:29:22.60	+41:27:52.02	12.44	11.08	14.94 ± 0.18 [G]	M4.2V [S]	2012 Aug 05	34.7

Table 4 continued

Table 4 (continued)

Target ID	Target ID	Source ID	R. A.	Dec.	V	G	Distance	SpT	Obs. Date	Gaia	HIP-Gaia	Comp.
Robo-AO	SIMBAD	Gaia EDR3	J2000	J2000	(mag)	(mag)	(pc)		(UTC)	RUWE	prim. χ^2_{acc}	Candidate(s)?
2331+5909 A	HD 221354	2011251030583236352	23:31:22.21	+59:09:55.87	6.9	6.54	16.84 ± 0.00 [G]	K0V [S]	2012 Jul 16	1.0	5.4	...
2331+1956 A	BD+19 5116A	2824770686019003904	23:31:52.17	+19:56:14.13	...	9.04	6.26 ± 0.00 [G]	M3.5Ve [S]	2012 Jul 15	1.3	17565.7	yes
2334+0010 A	Wolf 1039	2644439955745152512	23:34:03.33	+00:10:45.88	...	10.18	14.04 ± 0.00 [G]	M2/3V [S]	2012 Jul 15	1.2	1.6	...
2335+0136 A	BD+00 5017	2646280705713202816	23:35:00.28	+01:36:19.43	9.57	9.04	20.85 ± 0.01 [G]	K7V [S]	2013 Jul 27	1.1	1252.6	yes
2335+0223 A	G 157-77	2640434056928150400	23:35:10.46	-02:23:20.61	14.67	12.62	7.18 ± 0.00 [G]	M5.0Ve [S]	2012 Oct 10	1.1
2335+3109 A	HD 221851	2871343486014101888	23:35:25.61	+31:09:40.71	8.05	7.68	24.17 ± 0.01 [G]	KIV [S]	2012 Oct 10	0.9	5.0	...
2337+4611 A	HD 222143	1939093660163197312	23:37:58.49	+46:11:57.96	6.72	6.43	22.81 ± 0.01 [G]	G2 [S]	2012 Jul 16	0.9	7.8	...
2338-0741 A	GD 1212	2439184705619919488	23:38:50.74	-07:41:19.97	13.28	13.29	18.66 ± 0.01 [G]	DA4.5 [S]	2013 Jul 27	1.0
2339+7737 A	gam Cep	2281778105594488192	23:39:20.91	+77:37:56.51	3.38	2.94	13.79 ± 0.03 [G]	KIII-IVCNI [S]	2012 Jul 16	3.2	4770.5	...
2339+0537 A	iot Psc	2756363608023588864	23:39:57.04	+05:37:34.65	4.14	4.0	13.65 ± 0.03 [G]	F7V [S]	2013 Jul 27	2.6	0.9	...
2341+4410 A	Ross 248	1926461164913660160	23:41:55.04	+44:10:38.82	12.29	10.38	3.16 ± 0.00 [G]	M5.0V [S]	2012 Jul 16	1.0
2342-0234 A	BD-03 5691	2639991331699321472	23:42:10.64	-02:34:36.18	10.41	9.7	24.82 ± 0.11 [G]	K7V [S]	2012 Oct 10	9.2
2342+3049 A	G 130-3	2868199402451064064	23:42:52.75	+30:49:21.75	14.36	12.8	12.91 ± 0.01 [G]	M5V [S]	2012 Jul 15	1.3
2343+3632 A	G 130-4	2879455480942629248	23:43:06.31	+36:32:13.14	12.57	11.17	8.36 ± 0.00 [G]	M4.5V [S]	2012 Oct 09	1.2
2344+2136 A	G 68-37	2826640989657989992	23:44:20.88	+21:36:05.11	...	12.03	20.20 ± 0.01 [G]	M3.4V [S]	2012 Jul 15	1.4
2345+3615 A	G 130-9	2879203933297161088	23:45:49.50	+36:15:18.18	...	9.31	19.84 ± 0.01 [G]	K4V [S]	2012 Jul 15	1.0	0.4	...
2348+4900 A	Ross 249	1940584323054654592	23:48:03.14	+49:00:57.31	12.08	11.18	16.32 ± 0.01 [G]	M3V [S]	2012 Jul 16	1.4	0.4	...
2349+0224 A	BR Psc	2739689239311660672	23:49:12.53	+02:24:04.40	...	8.15	5.91 ± 0.00 [G]	dM1 [S]	2012 Jul 16	1.2	0.4	...
2350+3021 A	BD+29 5007	2867514406706887808	23:50:27.86	+30:21:11.73	9.45	8.86	23.65 ± 0.01 [G]	K5V [S]	2012 Jul 17	1.0	1.5	...
2350-0933 A	G 273-147	2435125446129139712	23:50:31.64	-09:33:32.66	13.44	12.0	17.01 ± 0.01 [G]	dM4.0 [S]	2013 Jul 27	1.3
2352+7532 A	...	2232348941893483520	23:52:25.41	+75:32:40.35	...	6.05	10.90 ± 0.01 [G]	K3V [G]	2012 Jul 16	2.0	124289.9	yes
2353+2901 A	BD+28 4660	2867175035571212416	23:53:08.59	+29:01:05.04	...	9.15	19.91 ± 0.01 [G]	K6V [S]	2012 Jul 16	1.1	0.6	...
2355-0608 A	BD-06 6318	2442996678074668288	23:55:39.78	-06:08:33.36	11.16	10.15	17.88 ± 0.01 [G]	M2.5Vk [S]	2012 Sep 03	2.1	2137.1	...
2357+2318 A	G 129-47	2848303052351577344	23:57:44.14	+23:18:16.48	...	10.66	16.79 ± 0.24 [G]	M3V [S]	2012 Jul 15	25.6
2358+5026 A	HD 224465	1940954617956840192	23:58:06.81	+50:26:51.63	...	6.57	24.55 ± 0.03 [G]	G4V [S]	2012 Jul 16	3.1	21.0	...
2358+0739 A	Wolf 1051	2746709861572970624	23:58:32.65	+07:39:30.06	...	10.66	16.92 ± 0.08 [G]	M3.0Ve [S]	2012 Jul 15	13.3
2358+4643 A	BD+45 4378	1927184643563033856	23:58:43.4881	+46:43:44.737	...	8.84	17.12 [S]	K7V [S]	2012 Jul 16	(SB)

[G] from Gaia EDR3; [S] from SIMBAD

Table 5. Companion Candidate Measurements

Target ID	Source ID	Detection	Epoch (Julian date)	Separation (")	Separation (AU)	P. A. ($^{\circ}$)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
0005+4548 AB ^{WDS}	386653747925624576	Gaia EDR3	...	6.03	69.50 ± 0.02	188.4	G	0.05	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
0005+4548 AC ^{ln4}	386655019234959872	Gaia EDR3	...	328.48	3778.66 ± 0.74	253.8	G	0.83	...	10 ⁻³	10 ⁻²	yes	...
0006+5826 AB ^{R10}	423075173674854528	Robo-AO	2012.5420580	1.51 ± 0.06	32.11 ± 1.28	352.0 ± 2.3	i'	0.77 ± 0.11	217	10 ⁻²	0.2	yes	10 ⁻⁶
0013+6919 AB ^{W19}	...	Robo-AO	2012.5447009	0.83 ± 0.06	17.04 ± 1.23	89.4 ± 4.1	i'	0.33 ± 0.13	110
0013+8039 AB ^{W19}	565169459376414592	Gaia EDR3	...	12.76	245.40 ± 0.28	126.2	G	4.20	...	10 ⁻⁵	10 ⁻²	yes	10 ⁻⁶
0016+1951 AB ^{W19}	279774549200773120	Gaia EDR3	...	25.14	386.15 ± 0.23	58.5	G	0.98	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹¹
0018+4401 AB ^{W19}	385334196532776576	Gaia EDR3	...	34.35	122.36 ± 0.01	65.5	G	2.47	...	10 ⁻⁵	10 ⁻²	yes	10 ⁻⁶
0023+2418 AB ^{WDS}	2801216123294143488	Robo-AO	2012.5419523	2.26 ± 0.06	4636.00 ± 797.87	254.3 ± 1.5	i'	3.24 ± 0.09	160	1.0	1.0	no	...
0023+7711 AB ^{W19}	540136568911394432	Gaia EDR3	...	11.25	215.28 ± 0.08	61.7	G	2.41	...	10 ⁻⁴	10 ⁻⁴	yes	10 ⁻⁹
0032+6714 AB ^{W19}	...	Robo-AO	2012.5420855	0.49 ± 0.06	4.87 ± 0.62	181.0 ± 9.5	i'	2.47 ± 0.11	36
0032+6714 AC ^{ln4}	527956488339113600	Robo-AO	2012.5420855	3.94 ± 0.07	39.23 ± 0.72	180.4 ± 1.1	i'	1.52 ± 0.03	412	10 ⁻³	10 ⁻²	yes	10 ⁻⁹
0032-0434 AB ^{WDS}	...	Robo-AO	2013.5686125	0.55 ± 0.06	10.31 ± 1.14	185.7 ± 6.3	i'	2.94 ± 0.22	51
0035-0335 AB ^{R10}	...	Robo-AO	2012.5967767	0.22 ± 0.09	4.64	294.3 ± 23.5	i'	1.66 ± 0.18	27
0035+5241 AB ^{W19}	416158523985440896	Gaia EDR3	...	24.57	596.70 ± 0.30	7.4	G	2.13	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻¹
0035+5241 AC	...	Robo-AO	2012.54204	1.34 ± 0.14	32.54 ± 3.28	55.7 ± 3.8	i'	4.97 ± 0.17	57
0036+4530 AB	...	Robo-AO	2012.5420178	0.52 ± 0.06	11.78	96.5 ± 8.3	i'	0.76 ± 0.14	71
0041+5550 AB ^{WDS}	418491412783587200	Gaia EDR3	...	10.85	248.17 ± 0.12	68.4	G	1.27	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
0049+5748 AB ^{R10}	42504000962497792	Gaia EDR3	...	13.33	78.93 ± 0.01	324.4	G	3.44	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁷
0050+2449 AB ^{W19}	2805045756652783104	Robo-AO	2012.5393671	1.08 ± 0.06	16.11 ± 0.90	319.6 ± 3.2	i'	1.59 ± 0.13	136
0051+1844 AB ^{WDS}	2788907296779605376	Gaia EDR3	...	12.68	281.18 ± 0.45	142.4	G	6.54	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁷
0102+0503 AB ^{WDS}	...	Robo-AO	2012.5447620	0.70 ± 0.06	15.81 ± 1.35	82.9 ± 4.9	i'	1.48 ± 0.12	96
0102+6220 AB ^{W19}	522864272041351296	Gaia EDR3	...	294.46	2904.73 ± 1.38	75.5	G	3.26	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻³
0103+2005 AB ^{W19}	2788757282161376512	Robo-AO	2012.5447894	2.46 ± 0.06	39.13 ± 0.96	55.0 ± 1.4	i'	0.97 ± 0.02	386	10 ⁻⁶	10 ⁻³	yes	10 ⁻¹
0107+2257 AB ^{WDS}	2791782794564103680	Gaia EDR3	...	9.41	193.22 ± 0.19	73.2	G	4.58	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁶
0111+0455 AB ^{W19}	2564019716784563840	Gaia EDR3	...	63.51	981.98 ± 0.56	146.0	G	0.82	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
0111+0455 AC	...	Robo-AO	2012.5447574	0.44 ± 0.06	6.86 ± 0.94	357.7 ± 7.9	i'	3.15 ± 0.08	32
0114-0755 AB ^{ln4}	2475331597059676288	Gaia EDR3	...	49.05	1179.77 ± 0.72	330.8	G	2.61	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁵
0122+0032 AB ^{W19}	...	Robo-AO	2012.5447433	1.28 ± 0.06	19.55 ± 0.92	48.7 ± 2.7	i'	0.77 ± 0.07	201
0136+4124 AB ^{R10}	348020242217448576	Gaia EDR3	...	55.62	749.63 ± 0.36	148.8	G	8.53	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁵
0149-1041 AB ^{WDS}	2461045711199481472	Gaia EDR3	...	184.07	4403.54 ± 27.17	250.4	G	2.02	...	10 ⁻²	10 ⁻³	yes	...
0201+7332 AB ^{W19}	558611490992292480	Robo-AO	2012.6571457	0.43 ± 0.06	5.10 ± 0.71	261.6 ± 8.0	i'	0.87 ± 0.16	50
0214-0338 AB	...	Robo-AO	2012.6598014	2.83 ± 0.06	64.24 ± 1.37	213.2 ± 1.2	i'	5.21 ± 0.05	263
0221+3653 AB ^{W19}	328181410322978816	Gaia EDR3	...	30.91	705.10 ± 0.38	237.5	G	0.29	...	10 ⁻⁴	10 ⁻³	yes	...
0221+3653 AC ^{W19}	328181406025950848	Robo-AO	2012.5831218	1.19 ± 0.06	27.21 ± 1.37	339.2 ± 2.9	i'	0.58 ± 0.15	150	10 ⁻⁴	10 ⁻³	yes	...
0227+0425 AB ^{WDS}	...	Robo-AO	2012.5831330	0.35 ± 0.06	5.97	300.6 ± 10.0	i'	2.28 ± 0.28	44
0236+0653 AB ^{R10}	18565464288396416	Gaia EDR3	...	164.18	1185.95 ± 0.36	109.5	G	4.83	...	10 ⁻⁴	10 ⁻⁴	yes	10 ⁻⁷
0243+0314 AB ^{WDS}	...	Robo-AO	2012.5722168	2.20 ± 0.06	50.38	297.8 ± 1.6	i'	2.31 ± 0.01	280

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
0244+4913 AB ^{R10}	438829835272390784	Gaia EDR3	...	20.93	233.39 ± 0.08	305.1	G	5.16	...	10 ⁻³	0.1	yes	10 ⁻⁴
0245+4456 AB ^{W19}	340780198669027840	Gaia EDR3	...	17.98	395.68 ± 3.66	66.2	G	4.58	...	0.1	10 ⁻²	yes	...
0248+2704 AB ^{R10}	114832620743735040	Gaia EDR3	...	20.35	468.26 ± 0.30	22.5	G	6.53	...	10 ⁻³	10 ⁻⁴	yes	10 ⁻⁶
0255+2652 AB ^{R10}	116037376250217984	Gaia EDR3	...	43.79	985.47 ± 0.51	266.3	G	5.14	...	10 ⁻³	10 ⁻³	yes	...
0256+5526 AB ^{W19}	459661938487951360	Gaia EDR3	...	16.60	336.63 ± 0.15	21.0	G	0.94	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹¹
0304+6142 AB ^{R10}	466291787445425408	Gaia EDR3	...	263.30	6190.37 ± 3.78	65.8	G	5.01	...	10 ⁻³	10 ⁻⁴	yes	10 ⁻⁴
0312-0111 AB ^{W19}	3265335443259949568	Robo-AO	2012.6653860	2.21 ± 0.06	50.56 ± 1.38	199.5 ± 1.6	i'	4.50 ± 0.04	51
0316+5810 AB ^{W19}	461701979233050624	Gaia EDR3	...	5.04	68.52 ± 0.02	2.0	G	0.17	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
0324+2347 AB ^{W19}	62947354224986240	Gaia EDR3	...	99.22	2055.54 ± 1.37	118.2	G	0.91	...	10 ⁻³	0.1	yes	...
0324+2347 AC ^{W19}	62948174562535808	Robo-AO	2012.6571753	2.51 ± 0.06	52.10 ± 1.24	340.7 ± 1.4	i'	0.79 ± 0.00	513	10 ⁻⁴	0.1	yes	...
0343+1640 AB ^{WDS}	43335537119385216	Gaia EDR3	...	106.54	1835.77 ± 0.92	260.8	G	0.71	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁵
0347+4125 AB ^{WDS}	231113740685855616	Gaia EDR3	...	6.88	165.83 ± 0.17	56.0	G	0.54	...	10 ⁻²	10 ⁻³	yes	...
0348+6840 AB ^{WDS}	493650660396520064	Gaia EDR3	...	16.91	302.10 ± 0.57	12.6	G	1.71	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁵
0354+1636 AB ^{R10}	43499295630701824	Robo-AO	2012.5722630	3.46 ± 0.06	70.65 ± 1.23	240.5 ± 1.0	i'	3.31 ± 0.02	344	10 ⁻³	0.1	yes	10 ⁻⁹
0356+5938 AB ^{R10}	...	Robo-AO	2012.6653134	0.47 ± 0.06	10.13 ± 1.30	265.5 ± 7.4	i'	3.00 ± 0.15	22
0357-0109 AB ^{WDS}	3256334497479304832	Gaia EDR3	...	10.97	167.47 ± 0.11	14.1	G	2.77	...	10 ⁻³	0.1	yes	10 ⁻⁸
0408+3338 AB	...	Robo-AO	2012.7007579	0.23 ± 0.06	3.20 ± 0.84	24.8 ± 15.3	i'	3.66 ± 0.32	7
0412+5236 AB	...	Robo-AO	2012.7008458	3.03 ± 0.06	40.13	338.6 ± 1.1	i'	5.18 ± 0.18	106
0413+5031 AB ^{WDS}	271438845031711104	Robo-AO	2012.7008330	1.57 ± 0.06	30.98 ± 1.19	52.6 ± 2.2	i'	0.54 ± 0.10	224	10 ⁻³	10 ⁻²	yes	10 ⁻¹
0415-0739 AB ^{R10}	319591925411315712	Gaia EDR3	...	83.34	417.50 ± 0.11	102.2	G	5.36	...	10 ⁻⁴	10 ⁻²	yes	...
0415-0739 AC ^{WDS}	319591925411314816	Gaia EDR3	...	78.10	391.56 ± 0.14	97.5	G	5.60	...	10 ⁻⁴	10 ⁻³	yes	...
0415+0611 AB ^{R10}	3285218255623808640	Gaia EDR3	...	64.20	1417.20 ± 0.74	315.7	G	0.60	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁵
0416-1233 AB ^{W19}	3177244255271333248	Robo-AO	2013.6373213	2.90 ± 0.06	63.59 ± 1.34	98.2 ± 1.2	i'	0.84 ± 0.05	289	10 ⁻³	0.2	yes	10 ⁻⁷
0431+5858 AB ^{WDS}	470826482637310848	Gaia EDR3	...	10.26	56.62 ± 0.01	58.2	G	2.63	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
0436+2707 AB ^{WDS}	151650935831913216	Gaia EDR3	...	123.97	2157.13 ± 1.56	338.8	G	7.87	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁴
0440-0911 AB	3185759697949251456	Robo-AO	2013.6345814	1.55 ± 0.06	31.46 ± 1.22	7.7 ± 2.2	i'	0.08 ± 0.10	339	10 ⁻³	0.3	yes	10 ⁻⁸
0503+5307 AB ^{W19}	266846631637525120	Gaia EDR3	...	5.60	77.52 ± 0.09	278.5	G	6.49	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻¹
0510+4850 AB ^{W19}	261243245503357184	Robo-AO	2012.7663046	1.96 ± 0.06	45.71 ± 1.40	112.5 ± 1.8	i'	0.15 ± 0.09	244	10 ⁻⁴	10 ⁻³	yes	10 ⁻¹
0517+4550 AB	211810233512673920	Robo-AO	2012.77164	3.43 ± 0.07	45.62 ± 0.88	171.7 ± 1.3	i'	2.29 ± 0.03	380	10 ⁻³	10 ⁻²	yes	10 ⁻⁷
0519-0304 AB ^{WDS}	...	Robo-AO	2012.7746090	1.47 ± 0.06	23.03 ± 0.94	308.4 ± 2.3	i'	2.17 ± 0.04	200
0522+0236 AB ^{R10}	3234412602147418496	Robo-AO	2012.7009916	1.04 ± 0.06	20.59 ± 1.19	154.1 ± 3.3	i'	2.18 ± 0.13	139
0528+0258 AB ^{W19}	3235885299189354496	Gaia EDR3	...	4.70	99.50 ± 0.11	175.2	G	3.48	...	10 ⁻³	10 ⁻³	yes	...
0529+1534 AB ^{W19}	3390818582171735040	Gaia EDR3	...	14.86	255.36 ± 0.09	298.9	G	3.44	...	10 ⁻⁴	0.1	yes	10 ⁻⁶
0536+1119 AB ^{WDS}	3339914973377653760	Gaia EDR3	...	156.63	1793.23 ± 0.69	135.4	G	3.00	...	10 ⁻³	0.1	yes	...
0541+5328 AB ^{R10}	263916742385357056	Gaia EDR3	...	98.03	1202.90 ± 0.34	71.2	G	2.93	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁴
0558-0439 AB ^{W19}	3022685630877620096	Robo-AO	2012.7667198	2.24 ± 0.06	54.35 ± 1.46	32.7 ± 1.5	i'	2.95 ± 0.23	226	10 ⁻³	0.2	yes	10 ⁻⁷
0559+5835 AB ^{W19}	269066953631488384	Gaia EDR3	...	161.11	2171.15 ± 0.72	119.6	G	2.67	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁴
0600+6809 AB ^{W19}	1105454320624498688	Gaia EDR3	...	56.08	1112.44 ± 0.47	196.8	G	0.33	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻¹¹
0610+1019 AB	...	Robo-AO	2012.7665843	0.76 ± 0.06	8.31	47.1 ± 4.5	i'	2.19 ± 0.24	50

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys.
0617+0505 AB ^{R10}	...	Robo-AO	2012.7748055	0.66 ± 0.06	12.71 ± 1.16	37.0 ± 5.3	<i>i'</i>	4.47 ± 0.05	13
0626+1845 AB	3372159045217009920	Robo-AO	2012.7640187	2.19 ± 0.06	32.36 ± 0.89	321.9 ± 1.6	<i>i'</i>	3.55 ± 0.05	198	10 ⁻³	10 ⁻²	yes 10 ⁻⁸
0629-0248 AB	...	Robo-AO	2012.7749042	0.71 ± 0.06	2.94	149.7 ± 4.8	<i>i'</i>	3.26 ± 0.42	47
0630-0205 AB ^{WDS}	3117320802840630400	Robo-AO	2012.7748119	4.26 ± 0.06	91.24 ± 1.29	318.5 ± 0.8	<i>i'</i>	2.03 ± 0.33	219	10 ⁻³	10 ⁻²	yes 10 ⁻⁸
0642+0334 AB ^{W19}	3127574019351694848	Gaia EDR3	...	50.05	758.69 ± 0.37	40.0	<i>G</i>	1.15	...	10 ⁻³	10 ⁻²	yes 10 ⁻⁴
0643+5108 AB ^{W19}	991713927241075840	Robo-AO	2012.7722283	1.72 ± 0.06	32.57 ± 1.13	271.2 ± 2.0	<i>i'</i>	1.05 ± 0.08	282	10 ⁻³	10 ⁻²	yes 10 ⁻¹³
0644+7153 AB ^{W19}	...	Robo-AO	2012.7693168	0.63 ± 0.06	13.62 ± 1.29	64.1 ± 5.4	<i>i'</i>	2.92 ± 0.03	67
0652-0510 AB ^{WDS}	3101920046552857728	Gaia EDR3	...	58.83	514.76 ± 0.10	180.6	<i>G</i>	2.87	...	10 ⁻⁴	0.1	yes 10 ⁻⁴
0654+6052 AB ^{W19}	...	Robo-AO	2012.7692982	0.51 ± 0.06	5.62 ± 0.66	277.7 ± 6.7	<i>i'</i>	1.57 ± 0.09	65
0657+6219 AB ^{WDS}	1099288637370627072	Robo-AO	2012.7692861	1.39 ± 0.06	15.91 ± 0.69	241.1 ± 2.5	<i>i'</i>	1.61 ± 0.07	217	10 ⁻³	0.1	yes 10 ⁻⁷
0710+3740 AB ^{WDS}	946030529073021440	Gaia EDR3	...	12.47	303.98 ± 0.27	43.1	<i>G</i>	2.28	...	0.1	10 ⁻²	yes
0711+4329 AB	...	Robo-AO	2013.0588316	2.05 ± 0.06	25.01	123.9 ± 1.7	<i>i'</i>	3.28 ± 0.25	94
0720+2158 AB ^{WDS}	866177431955017600	Gaia EDR3	...	5.54	102.60 ± 0.09	228.6	<i>G</i>	4.51	...	10 ⁻³	10 ⁻³	yes 10 ⁻⁷
0731+3613 AB ^{W19}	898506097466756352	Gaia EDR3	...	1.56	18.67 ± 0.03	190.0	<i>G</i>	2.67	...	10 ⁻³	10 ⁻²	yes
0731+3613 AC ^{In4}	898506166187633280	Gaia EDR3	...	37.36	448.01 ± 0.14	352.4	<i>G</i>	0.90	...	10 ⁻⁴	0.1	yes
0734+3153 AB ^{In4}	892348454394856064	Gaia EDR3	...	67.65	1020.18 ± 0.37	178.9	<i>G</i>	8.25	...	10 ⁻²	0.1	yes
0734+3153 AC ^{WDS}	...	Robo-AO	2013.3022062	4.51 ± 0.06	70.36	58.4 ± 0.8	<i>i'</i>	0.78 ± 0.68	211
0736+0704 AB	...	Robo-AO	2013.0506275	0.56 ± 0.06	5.03	28.1 ± 6.2	<i>i'</i>	0.69 ± 0.12	83
0739-0335 AB ^{R10}	3057712188691831936	Gaia EDR3	...	57.90	815.17 ± 0.29	112.7	<i>G</i>	1.44	...	10 ⁻⁴	10 ⁻²	yes 10 ⁻⁴
0754-0124 AB ^{WDS}	...	Robo-AO	2013.0507888	0.65 ± 0.06	12.81 ± 1.19	328.0 ± 5.3	<i>i'</i>	3.55 ± 0.09	36
0754+1914 AB	670216834655935872	Gaia EDR3	...	4.71	95.60 ± 0.27	358.6	<i>G</i>	9.00	...	10 ⁻⁴	10 ⁻²	yes 10 ⁻⁵
0808+2106 AB ^{WDS}	676689831406224384	Gaia EDR3	...	10.65	189.47 ± 0.38	144.6	<i>G</i>	1.31	...	10 ⁻³	10 ⁻²	yes 10 ⁻⁶
0808+3249 AB ^{In4}	902175030329924608	Gaia EDR3	...	13.93	333.74 ± 0.32	240.0	<i>G</i>	1.45	...	10 ⁻²	0.1	yes
0812+1738 AB	657244521593509376	Robo-AO	2013.0507108	1.11 ± 0.06	27.24 ± 1.47	28.3 ± 3.1	<i>i'</i>	0.40 ± 0.09	174
0825+6902 AB	...	Robo-AO	2012.7694393	0.40 ± 0.06	4.95 ± 0.74	223.0 ± 8.6	<i>i'</i>	2.28 ± 0.11	40
0828+3500 AB ^{W19}	...	Robo-AO	2013.2994574	0.51 ± 0.07	10.02	191.8 ± 8.9	<i>i'</i>	0.81 ± 0.19	35
0831+1923 AB ^{In4}	662732115407952768	Gaia EDR3	...	10.36	172.01 ± 0.22	349.1	<i>G</i>	1.70	...	10 ⁻³	10 ⁻²	yes
0831+1923 BC ^{WDS}	...	Robo-AO	2013.3023118	0.95 ± 0.06	15.80 ± 1.00	188.2 ± 3.6	<i>i'</i>	0.72 ± 0.08	202
0831+1923 AD ^{W19}	662732115405773824	Robo-AO	2013.3023118	0.49 ± 0.06	8.11 ± 1.00	185.7 ± 7.1	<i>i'</i>	4.33 ± 1.29	24
0836+6717 AB ^{WDS}	...	Robo-AO	2012.7694757	0.40 ± 0.06	5.67 ± 0.85	318.5 ± 8.7	<i>i'</i>	2.83 ± 0.02	23
0842+0933 AB ^{In4}	598180646733241216	Gaia EDR3	...	114.57	1771.35 ± 0.59	96.3	<i>G</i>	1.77	...	10 ⁻⁴	10 ⁻²	yes
0842+0933 AC ^{WDS}	598180818531355776	Robo-AO	2013.0592608	1.37 ± 0.06	21.27 ± 0.93	47.9 ± 2.5	<i>i'</i>	2.80 ± 0.05	137	10 ⁻⁴	0.1	yes
0850+0751 AB ^{WDS}	596779044285545984	Robo-AO	2013.0591013	1.24 ± 0.06	22.05 ± 1.07	174.8 ± 2.8	<i>i'</i>	0.49 ± 0.14	167	10 ⁻³	1.1	no 10 ⁻⁷
0852+0803 AB ^{R10}	596878550087942400	Robo-AO	2013.0590659	3.19 ± 0.06	73.43 ± 1.39	338.2 ± 1.1	<i>i'</i>	5.26 ± 0.03	159	10 ⁻³	0.1	yes 10 ⁻⁹
0852+2819 AB ^{R10}	704966762213039488	Gaia EDR3	...	84.83	1067.69 ± 0.64	128.1	<i>G</i>	5.95	...	10 ⁻³	10 ⁻³	yes
0855+7047 AB ^{WDS}	1118916397395366656	Robo-AO	2013.0590001	2.74 ± 0.06	31.72 ± 0.69	352.7 ± 1.3	<i>i'</i>	0.21 ± 0.05	290	10 ⁻⁴	10 ⁻²	yes 10 ⁻¹³
0857+1138 AB ^{W19}	604756894497812864	Robo-AO	2013.2995175	0.48 ± 0.06	7.84 ± 0.98	249.2 ± 7.2	<i>i'</i>	2.97 ± 0.47	11
0858+1945 AB	660597997697274752	Robo-AO	2013.3023695	1.89 ± 0.06	9.65 ± 0.31	218.4 ± 1.8	<i>i'</i>	0.57 ± 0.04	475	10 ⁻²	0.2	yes
0858+0828 AB ^{WDS}	...	Robo-AO	2013.0591196	0.53 ± 0.06	2.31	100.9 ± 6.6	<i>i'</i>	1.79 ± 0.20	70

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
0859+4802 AB ^{In4}	...	Robo-AO	2013.0536628	1.91 ± 0.06	28.09 ± 0.90	99.4 ± 1.8	i'	6.77 ± 0.75	49
0859+4802 AC ^{WDS}	...	Robo-AO	2013.0536628	2.36 ± 0.06	34.64 ± 0.91	83.1 ± 1.5	i'	6.43 ± 0.48	117
0900+4146 AB	...	Robo-AO	2013.2994510	0.52 ± 0.06	9.79 ± 1.13	215.8 ± 6.6	i'	2.55 ± 0.22	53
0900+0514 AB ^{W19}	583257319006770176	Gaia EDR3	...	29.46	652.55 ± 0.54	113.7	G	0.29	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁵
0901+1515 AB ^{WDS}	610304720935037184	Gaia EDR3	...	5.03	92.93 ± 0.04	179.1	G	0.18	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
0906-0848 AB ^{WDS}	5743705398968422400	Gaia EDR3	...	8.42	122.01 ± 0.06	264.3	G	5.75	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁶
0909+3249 AB ^{WDS}	...	Robo-AO	2013.3023987	0.72 ± 0.06	15.30	212.6 ± 4.8	i'	1.20 ± 0.11	119
0912+1459 AB ^{R10}	...	Robo-AO	2013.3051192	0.13 ± 0.06	2.54	338.2 ± 29.8	i'	1.47 ± 0.13	17
0914+5241 AB ^{W19}	1022456104850892928	Gaia EDR3	...	17.08	108.15 ± 0.01	97.9	G	0.08	...	10 ⁻⁵	10 ⁻²	yes	10 ⁻⁷
0914+0426 AB	...	Robo-AO	2013.0592718	0.72 ± 0.06	12.94 ± 1.07	37.6 ± 4.8	i'	2.81 ± 0.09	62
0919+3831 AB	811947108994206976	Gaia EDR3	...	7.50	144.99 ± 0.06	7.5	G	0.12	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁹
0928-0722 AB ^{W19}	5745027011945719808	Gaia EDR3	...	35.61	622.76 ± 0.20	83.6	G	2.43	...	10 ⁻⁵	10 ⁻⁴	yes	10 ⁻⁶
0929-0246 AB	3837746380705638656	Gaia EDR3	...	65.73	1189.25 ± 0.54	4.2	G	2.48	...	10 ⁻³	0.2	yes	...
0931+6303 AB ^{WDS}	1064092479891020800	Gaia EDR3	...	22.73	540.02 ± 0.21	267.5	G	5.25	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
0932+2659 AB ^{R10}	646255246469567232	Gaia EDR3	...	65.01	1175.03 ± 1.52	67.3	G	7.03	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁶
0935+3548 AB ^{WDS}	798068940086479104	Gaia EDR3	...	7.13	80.17 ± 0.09	59.2	G	5.98	...	10 ⁻⁴	0.1	yes	10 ⁻⁹
0939+3145 AB ^{WDS}	793785826900630016	Robo-AO	2013.3024394	1.92 ± 0.06	40.83 ± 1.28	284.3 ± 1.8	i'	6.08 ± 0.09	77	10 ⁻³	0.1	yes	10 ⁻⁹
0942+7002 AB ^{W19}	1071195187567668480	Gaia EDR3	...	88.78	1052.80 ± 0.23	76.9	G	0.51	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁶
0943+2658 AB	...	Robo-AO	2013.2968539	2.27 ± 0.06	32.61 ± 0.86	68.3 ± 1.5	i'	5.83 ± 0.46	63
1001+3155 AB ^{WDS}	746545859566712832	Gaia EDR3	...	134.39	2007.87 ± 11.43	278.6	G	8.92	...	10 ⁻³	10 ⁻³	yes	10 ⁻⁷
1006+0257 AB ^{WDS}	3836586468952863488	Robo-AO	2013.0511658	2.49 ± 0.06	55.24 ± 1.33	210.3 ± 1.4	i'	3.02 ± 0.01	275	10 ⁻³	10 ⁻²	yes	10 ⁻⁹
1008+1159 AB ^{WDS}	3880785530720066304	Robo-AO	2013.2969303	2.00 ± 0.06	48.50 ± 1.46	94.8 ± 1.7	i'	3.15 ± 0.02	210	10 ⁻⁴	0.1	yes	10 ⁻⁹
1017+2306 AB ^{R10}	725598127796012288	Gaia EDR3	...	7.86	175.09 ± 0.11	299.2	G	5.17	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁹
1028+4847 AB ^{WDS}	834571523535693184	Gaia EDR3	...	3.95	90.83 ± 0.09	22.3	G	5.44	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹²
1030+5558 AB ^{R10}	853820948481913472	Gaia EDR3	...	122.86	1587.26 ± 0.37	303.0	G	3.41	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁴
1031+4531 AB ^{WDS}	830239138485572224	Gaia EDR3	...	4.59	73.37 ± 0.03	90.5	G	4.87	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹¹
1045+3830 AB ^{WDS}	776067093937332992	Robo-AO	2013.2996792	0.65 ± 0.06	8.97 ± 0.83	236.2 ± 5.3	i'	1.96 ± 0.12	90
1105+4331 AB ^{W19}	778947608243864320	Gaia EDR3	...	31.85	156.23 ± 0.04	124.7	G	4.34	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹
1111+3026 AB ^{WDS}	732856080807636224	Gaia EDR3	...	34.15	405.73 ± 0.10	262.4	G	1.32	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁶
1111+4325 AB ^{WDS}	778758492243886464	Robo-AO	2013.2997962	3.52 ± 0.06	59.11 ± 1.01	82.6 ± 1.0	i'	0.08 ± 0.06	320	10 ⁻³	10 ⁻²	yes	10 ⁻¹¹
1112+3548 AB ^{R10}	761918578311083264	Gaia EDR3	...	89.88	2127.57 ± 53.29	245.1	G	13.72	...	10 ⁻²	10 ⁻²	yes	10 ⁻⁷
1115+7328 AB ^{In4}	1078773262224027648	Gaia EDR3	...	6.48	93.75 ± 0.02	327.1	G	3.30	...	10 ⁻⁵	0.1	yes	10 ⁻⁹
1118+3131 AB ^{WDS}	...	Robo-AO	2013.2971307	1.58 ± 0.06	13.79	187.3 ± 2.2	i'	0.99 ± 0.19	190
1123+1031 AB	...	Robo-AO	2013.0595982	2.08 ± 0.06	49.02	96.2 ± 1.7	i'	2.70 ± 0.06	218
1126+0300 AB ^{WDS}	3812355294262255104	Gaia EDR3	...	28.17	512.18 ± 0.28	149.5	G	0.97	...	10 ⁻³	10 ⁻³	yes	10 ⁻⁸
1131+1421 AB ^{R10}	3966121308211394944	Gaia EDR3	...	15.50	366.02 ± 0.19	331.4	G	2.61	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁹
1138+4506 AB ^{WDS}	773861400598512512	Gaia EDR3	...	8.95	208.47 ± 0.44	246.3	G	1.75	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁹
1209-1151 AB ^{WDS}	3574377616021489152	Gaia EDR3	...	9.03	223.50 ± 0.16	88.4	G	2.48	...	10 ⁻³	0.1	yes	10 ⁻⁸
1212+5429 AB ^{W19}	1573086507223498496	Gaia EDR3	...	14.66	223.40 ± 0.08	10.1	G	3.05	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁷

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
1216+0258 AB ^{W19}	3701290326205270528	Robo-AO	2012.4617414	2.17 ± 0.06	50.79 ± 1.40	178.1 ± 1.6	<i>i'</i>	3.94 ± 0.04	131	10 ⁻³	10 ⁻²	yes	10 ⁻¹³
1220+0035 AB ^{WDS}	...	Robo-AO	2012.4617302	0.67 ± 0.06	11.72 ± 1.05	356.8 ± 5.1	<i>i'</i>	1.52 ± 0.09	94
1223+6711 AB	1680921595449613696	Robo-AO	2012.5411606	0.39 ± 0.06	5.17 ± 0.79	223.8 ± 8.9	<i>i'</i>	3.16 ± 0.15	24
1228+0825 AB	...	Robo-AO	2012.4617470	0.21 ± 0.06	2.93 ± 0.83	344.6 ± 16.7	<i>i'</i>	2.22 ± 0.11	22
1229-0527 AB ^{W19}	3680612223339219328	Gaia EDR3	...	8.15	173.13 ± 0.23	60.5	<i>G</i>	1.09	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁹
1233+0901 AB	...	Robo-AO	2012.4617581	0.52 ± 0.06	2.26 ± 0.26	168.4 ± 6.6	<i>i'</i>	0.72 ± 0.17	53
1241+1522 AB ^{WDS}	3934198156329808896	Robo-AO	2012.4617924	2.15 ± 0.06	30.80 ± 0.88	263.1 ± 1.6	<i>i'</i>	5.06 ± 0.06	213	10 ⁻²	0.2	yes	10 ⁻⁸
1241-0126 AB ^{WDS}	...	Robo-AO	2013.0514009	1.89 ± 0.06	22.68 ± 0.73	190.7 ± 1.8	<i>i'</i>	0.13 ± 0.10	246
1244+5145 AB ^{WDS}	...	Robo-AO	2012.4619051	1.78 ± 0.06	25.84 ± 0.89	272.4 ± 1.9	<i>i'</i>	6.23 ± 1.39	91
1257+3513 AB ^{In4}	1515952176488266496	Gaia EDR3	...	16.05	285.96	226.7	<i>G</i>	2.10	0.1	yes	...
1306+2043 AB ^{WDS}	3943232534137347072	Robo-AO	2013.2945514	1.49 ± 0.06	29.27 ± 1.18	200.6 ± 2.3	<i>i'</i>	2.01 ± 0.14	161	10 ⁻³	0.3	yes	10 ⁻⁹
1309+1731 AB ^{WDS}	...	Robo-AO	2013.2945741	0.38 ± 0.06	6.71	193.9 ± 9.2	<i>i'</i>	2.77 ± 0.31	21
1316+1701 AB ^{R10}	3936909723803146496	Gaia EDR3	...	7.67	84.35 ± 0.02	104.6	<i>G</i>	2.57	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
1319+3506 AB	1473166433840437888	Gaia EDR3	...	17.79	243.83 ± 0.11	131.6	<i>G</i>	2.32	...	10 ⁻²	10 ⁻²	yes	10 ⁻⁷
1319+4746 AB ^{In4}	...	Robo-AO	2013.2999641	1.13 ± 0.06	10.30	89.6 ± 3.0	<i>i'</i>	1.34 ± 0.10	148
1320-0139 AB ^{W19}	3686259727375524864	Gaia EDR3	...	199.83	4493.85 ± 3.10	248.3	<i>G</i>	1.52	...	10 ⁻³	10 ⁻³	yes	10 ⁻⁴
1323+2914 AB ^{WDS}	1462061709996744448	Robo-AO	2013.2972617	1.62 ± 0.06	29.36 ± 1.09	86.6 ± 2.1	<i>i'</i>	0.85 ± 0.17	197	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹
1323+0243 AB ^{R10}	3712538811193759744	Gaia EDR3	...	26.20	434.62 ± 0.18	74.4	<i>G</i>	0.26	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁶
1328-0221 AB ^{W19}	3637980098784983936	Gaia EDR3	...	8.47	112.07 ± 0.65	50.2	<i>G</i>	2.13	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁴
1332+1648 AB ^{W19}	3745619095984248576	Robo-AO	2013.2946464	2.76 ± 0.06	46.09 ± 1.00	51.7 ± 1.2	<i>i'</i>	0.42 ± 0.10	302	10 ⁻³	0.1	yes	10 ⁻⁸
1337+4808 AB ^{WDS}	1552284576156142720	Robo-AO	2013.2945664	1.64 ± 0.06	34.74 ± 1.27	332.0 ± 2.1	<i>i'</i>	0.84 ± 0.08	197	10 ⁻⁵	0.1	yes	10 ⁻⁸
1349+2658 AB ^{WDS}	1451450048399313792	Robo-AO	2012.5411492	2.97 ± 0.06	40.14 ± 0.81	182.7 ± 1.2	<i>i'</i>	0.35 ± 0.03	299	10 ⁻⁴	0.1	yes	10 ⁻⁹
1353+1256 AB ^{WDS}	...	Robo-AO	2012.4619668	0.27 ± 0.06	5.95	14.5 ± 12.9	<i>i'</i>	2.90 ± 0.13	25
1402+4620 AB ^{W19}	1508886439891508736	Robo-AO	2013.2999220	3.63 ± 0.06	40.49 ± 0.67	24.9 ± 0.9	<i>i'</i>	0.12 ± 0.02	327	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
1417+4526 AB ^{W19}	1505209054532280960	Gaia EDR3	...	59.20	1124.33 ± 2.56	203.9	<i>G</i>	3.07	...	10 ⁻²	10 ⁻³	yes	...
1419-0509 AB ^{WDS}	3642410791343099008	Gaia EDR3	...	15.18	310.78 ± 0.16	105.0	<i>G</i>	6.15	...	10 ⁻³	10 ⁻³	yes	10 ⁻⁹
1425+5151 AB ^{WDS}	1604859408265509632	Gaia EDR3	...	69.67	1012.53 ± 0.47	181.7	<i>G</i>	6.58	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁵
1425+2337 AB	1254694882149817728	Gaia EDR3	...	45.35	740.57 ± 0.23	74.4	<i>G</i>	0.20	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁹
1442+1928 AB ^{WDS}	...	Robo-AO	2012.4590727	0.51 ± 0.06	11.05	146.9 ± 6.7	<i>i'</i>	1.43 ± 0.23	70
1442+6603 AB ^{W19}	1669449084967072000	Gaia EDR3	...	2.29	25.07 ± 0.02	93.6	<i>G</i>	5.91	...	10 ⁻³	0.1	yes	10 ⁻⁹
1443-0539 AB ^{WDS}	6337717243069148032	Gaia EDR3	...	42.45	792.40 ± 0.59	297.0	<i>G</i>	10.21	...	10 ⁻²	10 ⁻²	yes	...
1453+2333 AB ^{W19}	1266092694562422912	Robo-AO	2012.4591469	1.02 ± 0.06	11.84 ± 0.70	95.6 ± 3.4	<i>i'</i>	1.43 ± 0.12	127	10 ⁻²	0.1	yes	...
1500+4525 AB ^{W19}	1586968533013974528	Robo-AO	2012.4591928	1.82 ± 0.06	21.25 ± 0.70	167.5 ± 1.9	<i>i'</i>	3.33 ± 0.12	210	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁸
1503+4739 AB ^{In4}	...	Robo-AO	2012.4592095	1.31 ± 0.06	16.91	63.7 ± 2.6	<i>i'</i>	0.53 ± 0.14	183
1523+3017 AB ^{R10}	...	Robo-AO	2012.4593917	0.65 ± 0.06	11.56	188.4 ± 6.3	<i>i'</i>	1.00 ± 0.18	92
1529+8026 AB ^{R10}	1720995598827436928	Gaia EDR3	...	31.56	688.51 ± 0.24	79.1	<i>G</i>	0.67	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
1529+4252 AB ^{W19}	...	Robo-AO	2013.3056453	0.56 ± 0.06	10.56 ± 1.13	3.7 ± 6.2	<i>i'</i>	1.44 ± 0.03	78
1535+6005 AB ^{WDS}	1603272950424941440	Gaia EDR3	...	42.54	830.51 ± 0.31	97.6	<i>G</i>	4.12	...	10 ⁻³	10 ⁻³	yes	...
1535+1742 AB ^{W19}	1209281444150517120	Gaia EDR3	...	17.64	263.73 ± 0.08	351.2	<i>G</i>	2.08	...	10 ⁻⁴	10 ⁻⁴	yes	10 ⁻¹

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys.
1536+3948 AB ^{R10}	Gaia EDR3 1389522117550541056	Robo-AO	2012.4594556	1.10 ± 0.06	24.85 ± 1.35	180.9 ± 3.1	<i>i'</i>	0.82 ± 0.16	S/N	10 ⁻³	10 ⁻²	yes
1540+4329 AB ^{W19}	1391241478857408640	Robo-AO	2012.4594615	4.35 ± 0.06	54.48 ± 0.75	153.4 ± 0.8	<i>i'</i>	1.61 ± 0.08	352	10 ⁻⁴	10 ⁻²	yes
1548+0134 AB ^{R10}	4422809711989181824	Gaia EDR3	...	17.74	385.06 ± 0.23	352.4	<i>G</i>	4.78	...	10 ⁻³	10 ⁻²	yes
1549+3448 AB ^{W19}	...	Robo-AO	2012.4594790	0.26 ± 0.06	4.43 ± 1.01	87.5 ± 13.4	<i>i'</i>	2.98 ± 0.37	15
1552+1052 AB ^{WDS}	...	Robo-AO	2012.5958573	0.09 ± 0.06	1.93 ± 1.27	203.9 ± 43.9	<i>i'</i>	2.57 ± 0.08	11
1553+3445 AB ^{W19}	1371764351925872384	Gaia EDR3	...	26.61	608.78 ± 0.27	172.6	<i>G</i>	1.03	...	10 ⁻³	10 ⁻²	yes
1553+3445 AC	...	Robo-AO	2012.4594733	0.34 ± 0.06	7.74 ± 1.37	309.1 ± 10.3	<i>i'</i>	2.14 ± 0.10	38
1604+3909 AB ^{R10}	1379500928055726848	Gaia EDR3	...	70.00	1005.13 ± 0.28	280.1	<i>G</i>	6.39	...	10 ⁻⁵	10 ⁻²	yes
1613+1331 AB ^{In4}	4464207428577214464	Robo-AO	2012.4620054	4.06 ± 0.06	98.67 ± 1.46	356.8 ± 0.8	<i>i'</i>	0.07 ± 0.03	538	10 ⁻⁴	10 ⁻²	yes
1614+3351 AB ^{WDS}	1328866562170960384	Gaia EDR3	...	7.23	163.85 ± 0.07	238.5	<i>G</i>	1.01	...	10 ⁻³	0.1	yes
1628+1824 AB ^{R10}	4467355158571184256	Robo-AO	2012.4620215	2.29 ± 0.06	44.22 ± 1.16	119.8 ± 1.5	<i>i'</i>	0.16 ± 0.02	407	10 ⁻⁴	10 ⁻²	yes
1641+3136 AB ^{WDS}	...	Robo-AO	2012.4620599	1.10 ± 0.06	11.76	155.8 ± 3.1	<i>i'</i>	2.54 ± 0.24	165
1655-0820 AB ^{W19}	4339465360510320128	Gaia EDR3	...	72.29	469.81 ± 0.14	313.2	<i>G</i>	2.17
1655-0820 AC	...	Robo-AO	2013.2976708	0.24 ± 0.06	1.58	2.5 ± 14.5	<i>i'</i>	2.44 ± 0.19	23
1655-0820 BD ^{WDS}	4339417394313320192	Gaia EDR3	...	298.79	1940.65 ± 0.72	150.1	<i>G</i>	3.37	...	10 ⁻⁴	10 ⁻²	yes
1657+4722 AB ^{R10}	1408029509583934464	Robo-AO	2012.5876730	4.89 ± 0.06	87.76 ± 1.08	63.5 ± 0.7	<i>i'</i>	2.53 ± 0.10	350	10 ⁻⁴	10 ⁻²	yes
1705-0503 AB ^{WDS}	4364480521350598144	Gaia EDR3	...	184.42	1929.92 ± 0.43	122.7	<i>G</i>	1.91	...	10 ⁻⁵	10 ⁻³	yes
1707+0722 AB ^{In4}	...	Robo-AO	2012.4621862	0.44 ± 0.07	5.29	236.4 ± 8.3	<i>i'</i>	1.13 ± 0.15	57
1710+5429 AB ^{WDS}	141999819661235840	Gaia EDR3	...	22.14	470.27 ± 0.12	133.1	<i>G</i>	0.38	...	10 ⁻⁴	10 ⁻²	yes
1712+4539 AB	...	Robo-AO	2012.5359678	1.06 ± 0.06	6.36	222.9 ± 3.2	<i>i'</i>	0.60 ± 0.13	140
1712-0507 AB ^{W19}	4364702279101281024	Gaia EDR3	...	5.92	136.19 ± 0.41	351.3	<i>G</i>	6.48	...	10 ⁻³	10 ⁻³	yes
1717+5226 AB ^{WDS}	1416123117756120960	Gaia EDR3	...	182.91	3391.09 ± 1.15	216.4	<i>G</i>	5.04	...	10 ⁻⁴	10 ⁻³	yes
1719+2630 AB ^{W19}	4574048021719712640	Gaia EDR3	...	16.86	181.31 ± 0.06	268.9	<i>G</i>	1.31	...	10 ⁻⁴	10 ⁻²	yes
1722-0223 AB ^{R10}	4367026096925086464	Gaia EDR3	...	48.90	957.95 ± 5.56	146.6	<i>G</i>	5.61	...	10 ⁻³	0.1	yes
1722-0223 AC ^{WDS}	4367026096927711104	Gaia EDR3	...	48.49	951.09 ± 6.73	147.4	<i>G</i>	5.61	...	10 ⁻⁴	10 ⁻²	yes
1729+2923 AB ^{WDS}	...	Robo-AO	2012.5359256	0.32 ± 0.06	7.50	47.6 ± 11.0	<i>i'</i>	1.48 ± 0.21	46
1730-0103 AB ^{R10}	...	Robo-AO	2012.5932351	0.82 ± 0.06	13.44	150.0 ± 4.2	<i>i'</i>	0.37 ± 0.18	112
1734+6152 AB ^{WDS}	...	Robo-AO	2012.5332882	0.73 ± 0.07	10.58 ± 0.99	307.5 ± 5.3	<i>i'</i>	2.63 ± 0.08	84
1737+2257 AB ^{WDS}	4557198933740208128	Robo-AO	2012.4622507	3.86 ± 0.06	88.08 ± 1.37	187.4 ± 0.9	<i>i'</i>	1.22 ± 0.75	185	10 ⁻⁴	10 ⁻²	yes
1741+7208 AB	1651268763282397312	Gaia EDR3	...	30.07	684.29 ± 0.80	16.4	<i>G</i>	1.21	...	10 ⁻³	10 ⁻²	yes
1743+0547 AB ^{W19}	...	Robo-AO	2012.4621808	0.44 ± 0.06	9.13 ± 1.26	124.7 ± 7.9	<i>i'</i>	1.73 ± 0.15	63
1743+2136 AB	4556066746008264192	Gaia EDR3	...	22.98	516.93 ± 0.35	188.6	<i>G</i>	7.60	...	10 ⁻²	10 ⁻²	yes
1745+4651 AB ^{W19}	...	Robo-AO	2012.5360033	0.67 ± 0.06	14.46 ± 1.29	77.0 ± 5.1	<i>i'</i>	4.44 ± 1.77	13
1746+2743 AB ^{R10}	4594497834189213184	Gaia EDR3	...	35.36	294.89 ± 0.51	248.9	<i>G</i>	5.95	...	10 ⁻⁴	0.1	yes
1746+2743 BC ^{R10}	...	Robo-AO	2012.4622720	0.96 ± 0.06	8.04 ± 0.50	259.6 ± 3.6	<i>i'</i>	0.49 ± 0.10	138
1805+0230 AB	4468557611977674496	Gaia EDR3	...	6.41	32.79 ± 0.04	125.1	<i>G</i>	1.55	...	10 ⁻³	10 ⁻³	yes
1805+0439 AB ^{WDS}	4471087175915093632	Gaia EDR3	...	15.08	363.83 ± 0.16	7.1	<i>G</i>	6.72	...	10 ⁻⁴	10 ⁻²	yes
1807+3033 AB ^{R10}	4590758227637479040	Robo-AO	2012.4624340	1.19 ± 0.06	18.75 ± 0.95	318.8 ± 2.9	<i>i'</i>	3.17 ± 0.13	126
1809+2957 AB ^{WDS}	4590489981163833984	Gaia EDR3	...	29.18	713.39 ± 0.43	300.7	<i>G</i>	6.46	...	10 ⁻³	0.1	yes

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
1818+3846 AB ^{W19}	Gaia EDR3 2109049433075667584	Gaia EDR3	...	9.97	113.33 ± 0.03	277.4	G	1.43	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁷
1833+2218 AB ^{WDS}	Gaia EDR3 4535145719786807552	Gaia EDR3	...	49.09	1149.80 ± 0.58	302.1	G	5.90	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁶
1833+5143 AB ^{WDS}	Gaia EDR3 2145277550935526784	Gaia EDR3	...	16.96	279.85 ± 0.10	46.6	G	6.31	...	10 ⁻³	0.1	yes	...
1835+4544 AB ^{W19}	Gaia EDR3 2118429538570209920	Gaia EDR3	...	112.14	1745.74 ± 0.48	56.2	G	2.65	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁵
1841+2447 AB ^{WDS}	Gaia EDR3 4535928365908541440	Gaia EDR3	...	4.73	46.99 ± 0.01	5.6	G	2.21	...	10 ⁻³	10 ⁻²	yes	...
1842+5937 AB ^{W19}	Gaia EDR3 2154880616774131712	Gaia EDR3	...	11.56	40.74 ± 0.00	179.9	G	0.67	...	10 ⁻⁶	10 ⁻²	yes	10 ⁻⁷
1845+5227 AB	...	Robo-AO	2012.5988512	3.66 ± 0.06	75.13 ± 1.23	253.8 ± 0.9	i'	4.33 ± 0.24	66
1854+1058 AB ^{WDS}	Gaia EDR3 4311983376655076864	Robo-AO	2012.4623635	3.90 ± 0.06	72.73 ± 1.12	42.8 ± 0.9	i'	2.49 ± 0.02	609	10 ⁻³	0.3	yes	10 ⁻⁷
1857+3254 AB ^{R10}	Gaia EDR3 2043885295914530944	Robo-AO	2012.5385235	1.16 ± 0.06	17.22 ± 0.89	250.4 ± 3.0	i'	2.12 ± 0.02	164
1907+2052 AB ^{W19}	Gaia EDR3 4519789321942643072	Gaia EDR3	...	114.05	1007.33 ± 0.26	290.2	G	0.01	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻³
1914+1919 AB ^{W19}	Gaia EDR3 4516199240366268672	Gaia EDR3	...	40.77	738.80 ± 0.29	179.1	G	1.61	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁷
1914+1919 AC	...	Robo-AO	2012.4625728	2.22 ± 0.06	40.25 ± 1.09	348.9 ± 1.5	i'	5.41 ± 0.41	93
1916+0510 AB ^{W19}	Gaia EDR3 4293315765165489536	Gaia EDR3	...	75.50	446.87 ± 0.18	152.5	G	6.20	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁴
1922+0702 AB	...	Robo-AO	2012.46253	2.48 ± 0.06	26.31 ± 0.64	79.3 ± 1.4	i'	4.92 ± 0.14	130
1933+2150 AB ^{WDS}	Gaia EDR3 2018474482692940288	Gaia EDR3	...	37.07	775.54 ± 1.86	131.7	G	10.83	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁴
1935+5659 AB ^{WDS}	Gaia EDR3 2142179058447029760	Gaia EDR3	...	10.09	241.53 ± 0.10	251.2	G	5.82	...	10 ⁻⁴	0.1	yes	10 ⁻⁶
1936+5013 AB ^{WDS}	...	Robo-AO	2012.5440160	2.14 ± 0.06	39.42 ± 1.11	71.1 ± 1.6	i'	6.56 ± 0.16	97
1941+5031 AB ^{R10}	Gaia EDR3 2135550755683407232	Gaia EDR3	...	39.76	840.07 ± 0.30	133.1	G	0.26	...	10 ⁻⁴	10 ⁻²	yes	...
1941+5031 AC ^{R10}	Gaia EDR3 2135550755684554112	Gaia EDR3	...	3.25	68.58 ± 0.18	208.2	G	8.03	...	10 ⁻⁴	0.1	yes	...
1941+0309 AB	...	Robo-AO	2012.4625081	0.56 ± 0.06	12.90 ± 1.38	39.3 ± 6.2	i'	3.13 ± 0.15	40
1945+3336 AB ^{WDS}	Gaia EDR3 2035021028896869888	Robo-AO	2012.5990132	2.91 ± 0.06	61.18 ± 1.26	157.6 ± 1.2	i'	0.12 ± 0.01	418	10 ⁻³	10 ⁻²	yes	10 ⁻⁸
1946+3201 AB ^{W19}	Gaia EDR3 2034581091125010048	Gaia EDR3	...	5.71	79.61 ± 0.04	135.1	G	0.82	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁹
1946+3343 AB ^{WDS}	Gaia EDR3 2035035258143206016	Gaia EDR3	...	26.13	547.34 ± 0.21	68.2	G	3.35	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁵
1951+1024 AB ^{R10}	Gaia EDR3 4303294035005560704	Gaia EDR3	...	21.48	418.06 ± 0.33	220.2	G	6.79	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁵
1953+4424 AB	...	Robo-AO	2012.5439994	0.64 ± 0.06	2.97 ± 0.28	351.2 ± 5.4	i'	2.73 ± 0.13	58
1955+0624 AB ^{WDS}	Gaia EDR3 4296708789289490816	Gaia EDR3	...	13.27	180.86 ± 0.05	0.6	G	6.98	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
1956-0102 AB ^{WDS}	...	Robo-AO	2012.5990547	2.65 ± 0.06	30.61 ± 0.69	116.7 ± 1.3	i'	1.16 ± 0.10	320
2000+2242 AB ^{WDS}	Gaia EDR3 1827242816176111360	Gaia EDR3	...	11.44	226.00 ± 0.06	244.3	G	5.77	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁴
2002+1535 AB ^{R10}	Gaia EDR3 1807953087254264064	Robo-AO	2012.4626942	3.16 ± 0.09	60.94 ± 1.71	78.5 ± 1.9	i'	5.21 ± 0.02	265	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹
2003+2953 AB ^{R10}	Gaia EDR3 2029432043779954432	Gaia EDR3	...	178.05	2847.64 ± 1.02	232.3	G	7.23	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁶
2009+1648 AB	Gaia EDR3 1809456596391861248	Robo-AO	2012.5440922	3.81 ± 0.06	94.57 ± 1.49	13.5 ± 0.9	i'	2.15 ± 0.44	229	10 ⁻⁴	0.1	yes	10 ⁻⁷
2011+1611 AB ^{R10}	Gaia EDR3 1809359465717142656	Gaia EDR3	...	103.84	2122.35 ± 1.37	94.8	G	5.50	...	10 ⁻⁵	10 ⁻³	yes	10 ⁻⁶
2030+2650 AB ^{WDS}	...	Robo-AO	2012.5990937	0.51 ± 0.06	10.42	240.6 ± 6.8	i'	1.36 ± 0.21	64
2032-0951 AB ^{WDS}	...	Robo-AO	2013.5712372	1.25 ± 0.06	30.89 ± 1.48	45.1 ± 2.8	i'	4.05 ± 0.16	78
2039+0458 AB ^{WDS}	...	Robo-AO	2012.4626328	0.15 ± 0.06	2.48	123.8 ± 32.0	i'	2.14 ± 0.20	10
2039+0458 AC ^{Int4}	...	Robo-AO	2012.4626328	0.67 ± 0.06	11.20	308.5 ± 5.4	i'	1.27 ± 0.12	102
2044+1944 AB ^{WDS}	...	Robo-AO	2012.5441034	0.27 ± 0.07	5.41 ± 1.36	19.0 ± 14.4	i'	1.82 ± 0.10	33
2049+3217 AB ^{R10}	Gaia EDR3 1859954695858413184	Gaia EDR3	...	34.44	803.87 ± 0.67	246.1	G	7.33	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁵
2050+2923 AB ^{WDS}	Gaia EDR3 1858219151103357952	Robo-AO	2012.5441403	1.06 ± 0.06	21.42 ± 1.21	325.4 ± 3.2	i'	2.82 ± 0.06	146

Table 5 continued

Table 5 (continued)

Target ID	Source ID	Detection	Epoch (Julian date)	Separation ($''$)	Separation (AU)	P. A. ($^\circ$)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
2056-0450 AB ^{WDS}	Gaia EDR3 6913810483611035776	Gaia EDR3	...	15.01	242.98 ± 0.20	309.4	G	5.69	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁷
2100+4004 AB	...	Robo-AO	2012.5964639	0.72 ± 0.09	10.88 ± 1.36	43.1 ± 7.6	i'	2.10 ± 0.09	73
2100+4004 AC	...	Robo-AO	2012.5964639	2.40 ± 0.06	36.08 ± 0.90	300.0 ± 1.4	i'	4.56 ± 0.05	114
2102+4553 AB ^{WDS}	2163558855915069824	Robo-AO	2012.5337328	2.73 ± 0.06	53.36 ± 1.17	87.7 ± 1.3	i'	3.77 ± 0.03	315	10 ⁻³	0.1	yes	10 ⁻⁸
2106+3844 AB ^{WDS}	1872046574983497216	Gaia EDR3	...	31.59	110.46 ± 0.01	152.6	G	0.68	...	10 ⁻⁵	10 ⁻²	yes	10 ⁻⁹
2114+3801 AB ^{WDS}	...	Robo-AO	2012.4599156	0.83 ± 0.06	16.84 ± 1.22	220.5 ± 4.2	i'	2.85 ± 0.10	81
2126+7338 AB ^{WDS}	2274076301516712704	Robo-AO	2012.53376	1.86 ± 0.06	41.38 ± 1.34	164.7 ± 1.9	i'	3.14 ± 0.32	40	10 ⁻³	10 ⁻²	yes	10 ⁻⁸
2133+0146 AB ^{W19}	2688566793341935616	Robo-AO	2012.5719829	4.22 ± 0.06	71.31 ± 1.01	358.9 ± 0.8	i'	0.52 ± 1.24	160	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁸
2136+3927 AB ^{WDS}	1953952387283004544	Robo-AO	2012.5720164	1.19 ± 0.06	24.82 ± 1.26	266.3 ± 2.9	i'	1.37 ± 0.05	183	10 ⁻³	0.1	yes	10 ⁻⁸
2138+2743 AB ^{W19}	1800808220172866048	Robo-AO	2012.5719987	3.19 ± 0.06	40.26 ± 0.82	18.9 ± 1.1	i'	3.31 ± 0.08	527	10 ⁻²	10 ⁻³	yes	10 ⁻⁵
2144+2844 AB ^{WDS}	1801210503990080896	Robo-AO	2012.5716426	1.66 ± 0.06	36.77 ± 1.33	314.9 ± 2.1	i'	1.38 ± 0.04	287
2158+7535 AB ^{W19}	2280379251923776896	Gaia EDR3	...	218.62	6284.78 ± 9.77	316.0	G	6.86	...	0.2	0.1	yes	...
2201+1628 AB ^{W19}	...	Robo-AO	2012.53382	0.30 ± 0.06	4.87	297.5 ± 11.6	i'	1.93 ± 0.26	31
2214+2751 AB ^{WDS}	1892539307048909184	Robo-AO	2012.5720380	2.95 ± 0.06	58.11 ± 1.19	90.7 ± 1.2	i'	5.73 ± 0.15	154	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁷
2215+5440 AB ^{R10}	2005804153064109056	Gaia EDR3	...	76.90	1685.46 ± 0.75	107.4	G	5.45	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻³
2217-0848 AB ^{W19}	2616132101175335936	Gaia EDR3	...	7.90	88.04 ± 0.13	215.6	G	0.81	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
2217-0848 BC ^{W19}	...	Robo-AO	2013.5685822	0.78 ± 0.06	8.73 ± 0.67	322.4 ± 4.4	i'	2.35 ± 0.02	98
2223+3227 AB ^{WDS}	1901773452377248512	Robo-AO	2012.5338954	1.34 ± 0.06	20.46 ± 0.97	242.8 ± 3.0	i'	0.14 ± 0.13	243	10 ⁻³	0.1	yes	10 ⁻⁹
2224+2233 AB	1875076004383341824	Robo-AO	2012.5338529	2.30 ± 0.06	48.10 ± 1.25	222.4 ± 1.5	i'	1.72 ± 0.01	282	10 ⁻⁴	0.1	yes	...
2227+5741 AB	...	Robo-AO	2012.5365162	1.51 ± 0.06	6.07	347.3 ± 2.3	i'	1.30 ± 0.09	209
2232+5347 AB	...	Robo-AO	2012.5365051	0.52 ± 0.06	12.08	289.4 ± 6.6	i'	0.70 ± 0.20	70
2237+3922 AB	...	Robo-AO	2012.5339142	0.27 ± 0.06	5.80 ± 1.28	276.8 ± 12.9	i'	2.07 ± 0.13	37
2246+1210 AB ^{R10}	2719475542667351552	Gaia EDR3	...	11.04	180.77 ± 0.06	94.2	G	6.68	...	10 ⁻³	0.1	yes	10 ⁻⁵
2255+0545 AB ^{WDS}	2711324446359728384	Gaia EDR3	...	17.17	425.51 ± 0.76	284.6	G	5.63	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁶
2310+4530 AB ^{R10}	1935122258524180608	Gaia EDR3	...	50.40	1186.39 ± 6.17	87.3	G	7.67	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁵
2319+7900 AB ^{R10}	2282846074981011328	Gaia EDR3	...	10.91	206.60 ± 0.08	214.1	G	3.62	...	10 ⁻³	10 ⁻²	yes	...
2329+4128 AB ^{W19}	1923896622760418176	Gaia EDR3	...	17.71	264.62 ± 3.22	214.0	G	0.37	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
2331+1956 AB ^{W19}	2824770686019004032	Robo-AO	2012.5365982	4.91 ± 0.06	30.69 ± 0.38	76.1 ± 0.7	i'	1.82 ± 1.05	148	10 ⁻³	10 ⁻²	yes	...
2335+0136 AB	2646280710009020672	Robo-AO	2012.5365582	1.04 ± 0.06	21.61 ± 1.25	352.5 ± 3.3	i'	2.15 ± 0.13	100
2352+7532 AB ^{WDS}	2232348941889476608	Robo-AO	2012.5392790	1.91 ± 0.06	20.76 ± 0.65	304.7 ± 1.8	i'	5.40 ± 0.53	21

^{W19} Found in Winters et al. (2019).

^{R10} Found in Raghavan et al. (2010).

^{WDS} Found in the Washington Double Star catalog.

^{I/4} Found in the Fourth Catalog of Interferometric Measurements of Binary Stars.

Table 6. 5σ Detection Limits

Target ID	Obs	Limit (mag) at Separation							Target ID	Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'.0	1'.5	2'.0	2'.5	3'.0	3'.5	Robo25	Quality	0'.5	1'.0	1'.5	2'.0	2'.5	3'.0	3'.5
0005+4548 A	high	1.52	3.19	4.51	5.36	6.0	6.36	6.63	1147+5058 A	high	1.29	2.69	3.92	4.88	5.57	6.07	6.41
0006+2901 A	high	0.93	2.45	3.67	4.66	5.41	6.01	6.37	1147+0048 A	high	1.53	2.93	4.12	5.09	5.75	6.29	6.67
0006-0732 A	high	2.47	4.22	5.31	5.86	6.11	6.23	6.3	1149+1434 A	high	0.0	0.3	1.16	1.93	2.62	3.2	3.7
0008+1725 A	high	1.23	3.06	4.29	5.14	5.77	6.26	6.48	1150+0145 A	high	1.04	2.4	3.63	4.57	5.3	5.92	6.35
0009+5908 A	high	0.73	2.2	3.26	4.08	4.78	5.49	6.06	1150+4822 A	high	1.71	3.12	4.26	4.97	5.36	5.54	5.69
0012+5025 A	low	1.41	2.52	2.91	3.09	3.2	3.21	3.24	1151+3516 A	high	0.15	1.49	2.66	3.58	4.3	4.93	5.32
0013+8039 A	high	1.11	2.97	4.34	5.32	5.91	6.33	6.64	1153-0722 A	high	0.1	1.14	2.24	3.12	3.76	4.28	4.61
0016+1951 A	high	0.46	1.87	3.07	3.94	4.55	4.95	5.19	1154+0948 A	high	0.37	1.79	2.92	3.71	4.19	4.49	4.74
0016+1951 B	high	2.21	4.12	5.25	5.8	5.95	6.05	6.07	1200-1026 A	high	0.02	1.19	2.28	3.3	4.09	4.73	5.19
0016+0507 A	high	1.01	2.84	3.91	4.49	4.75	4.8	4.8	1202+2835 A	high	0.21	1.41	2.39	3.15	3.63	3.97	4.18
0017+4056 A	high	1.61	3.39	4.71	5.67	6.36	6.87	7.19	1209-1151 A	high	0.0	0.36	1.21	2.01	2.7	3.26	3.67
0017+2910 A	high	1.47	2.97	4.24	5.16	5.68	6.1	6.39	1210+4103 A	high	2.06	3.98	5.4	6.26	6.87	7.21	7.48
0018+1012 A	high	0.66	2.27	3.51	4.48	5.23	5.74	6.05	1214+0037 A	high	2.0	3.69	4.59	4.98	5.14	5.26	5.32
0018+4401 A	high	1.41	3.05	4.4	5.43	6.15	6.66	7.08	1215+4843 A	high	2.16	4.11	5.38	6.31	6.88	7.27	7.49
0018+4401 B	high	1.41	3.05	4.4	5.43	6.15	6.66	7.08	1215-1018 A	high	0.0	0.51	1.41	2.27	2.96	3.55	3.98
0018-0803 A	high	2.19	4.11	5.6	6.54	7.16	7.46	7.62	1215+5701 A	high	1.33	3.3	4.67	5.76	6.48	6.98	7.3
0020+3813 A	high	1.34	3.03	4.34	5.37	6.07	6.51	6.94	1218+1107 A	high	1.88	3.61	4.67	5.27	5.51	5.68	5.75
0022-1212 A	high	2.45	4.1	5.69	6.65	7.2	7.51	7.82	1221+4208 A	high	1.24	3.25	4.73	5.75	6.43	6.74	6.98
0023+7711 A	high	1.04	2.7	4.16	5.07	5.73	6.2	6.43	1223+6401 A	high	1.94	3.96	5.28	6.16	6.6	7.04	7.05
0023+7711 B	high	1.84	4.0	5.3	5.99	6.31	6.49	6.59	1223+1234 A	high	1.92	3.76	5.07	5.98	6.57	7.03	7.22
0024+3002 A	high	1.91	3.38	4.28	4.79	4.9	5.07	5.07	1229-0527 A	high	1.22	2.57	3.67	4.37	4.85	5.06	5.17
0026+7008 A	high	1.23	2.95	4.31	5.24	6.05	6.5	6.74	1230+5304 A	high	2.2	4.08	5.36	6.36	7.04	7.45	7.73
0027+4941 A	high	1.48	3.13	4.16	4.6	4.84	5.09	5.08	1231+0848 A	high	1.92	3.76	5.03	5.97	6.63	7.03	7.41
0028-0639 A	high	1.71	3.48	4.82	5.64	6.06	6.35	6.55	1233+4121 A	high	0.97	2.94	4.34	5.46	6.17	6.7	7.05
0031-0552 A	high	1.75	3.62	4.75	5.52	5.86	6.0	6.13	1235+0949 A	high	2.02	3.78	4.96	5.83	6.4	6.73	6.94
0034+7111 A	high	1.13	2.87	4.09	4.73	4.99	5.15	5.24	1238-0419 A	high	0.9	2.07	3.09	3.75	4.18	4.38	4.46
0035+1028 A	medium	2.16	3.55	4.2	4.54	4.63	4.62	4.72	1238+1141 A	high	2.06	3.98	5.2	6.1	6.69	7.04	7.29
0038+5219 A	high	1.45	3.03	4.28	5.24	5.93	6.4	6.65	1239+4702 A	high	2.32	4.33	5.58	6.52	6.84	7.21	7.32
0038+3036 A	high	1.8	3.45	4.78	5.67	6.35	6.86	6.98	1241+5543 A	high	1.68	3.81	5.22	6.27	6.89	7.32	7.61
0039+2115 A	high	0.26	1.64	2.89	3.91	4.67	5.3	5.72	1244+3916 A	high	2.15	4.18	5.54	6.46	7.07	7.52	7.77
0040+4011 A	high	1.24	2.92	4.26	5.24	6.03	6.5	6.77	1247+4637 A	high	2.18	4.16	5.43	6.33	6.95	7.22	7.49
0041+5550 A	high	0.96	2.37	3.38	4.02	4.33	4.43	4.48	1247-0334 A	high	0.9	2.2	3.31	4.05	4.58	4.8	5.01
0041+5550 B	high	0.84	1.75	1.81	1.89	1.92	1.92	1.91	1247+0945 A	high	2.29	4.11	5.4	6.22	6.84	7.13	7.32
0042+3532 A	high	1.2	2.82	4.09	5.05	5.74	6.24	6.55	1248+2450 A	high	2.22	4.21	5.58	6.54	7.18	7.56	7.82
0043+3350 A	high	1.26	2.89	4.24	5.29	6.02	6.44	6.89	1249+6606 A	high	0.18	1.52	2.8	3.76	4.35	4.9	5.12
0043+2826 A	medium	2.28	3.91	4.68	4.99	5.17	5.09	5.14	1255+5055 A	medium	2.15	3.81	4.79	5.36	5.51	5.6	5.51
0045+0147 A	high	1.22	3.04	4.27	5.32	5.96	6.43	6.83	1257+3513 A	high	1.05	3.19	4.66	5.55	5.99	6.27	6.4
0048+0516 A	high	1.09	2.91	4.2	5.25	5.97	6.5	6.94	1257+3513 B	high	1.05	3.19	4.66	5.55	5.99	6.27	6.4
0048+1656 A	high	0.48	2.04	3.29	4.27	5.04	5.6	6.09	1259-0950 A	high	0.0	0.66	1.6	2.49	3.13	3.63	3.97
0049+5748 A	high	0.87	2.42	3.73	4.81	5.56	6.15	6.66	1300+0541 A	medium	0.07	1.08	2.0	2.72	3.26	3.61	3.8
0049+5748 B	high	1.4	3.5	4.9	5.91	6.62	7.05	7.39	1300+1222 A	high	1.85	3.46	4.78	5.85	6.6	7.08	7.38
0049+0523 A	high	0.95	2.53	3.46	4.02	4.33	4.43	4.53	1303-0509 A	high	0.59	1.88	3.01	3.88	4.51	4.95	5.25
0049+7026 A	high	1.11	2.8	4.14	5.14	5.88	6.39	6.59	1305+4928 A	high	1.12	2.47	3.67	4.58	5.29	5.85	6.29
0050-1038 A	high	2.11	3.93	5.42	6.34	6.97	7.41	7.77	1307+3424 A	high	0.0	1.25	2.28	3.19	3.89	4.55	4.98
0051-0502 A	high	1.88	3.71	5.06	5.88	6.48	6.82	7.05	1309+2859 A	medium	0.39	1.6	2.55	3.14	3.5	3.74	3.82
0051+1844 A	high	0.79	2.52	3.87	4.8	5.5	6.05	6.54	1311+2752 A	high	0.02	1.23	2.28	3.16	3.86	4.49	4.98
0051+5818 A	high	1.42	3.07	4.28	5.28	5.91	6.39	6.6	1312-0215 A	high	0.0	0.82	1.72	2.48	3.18	3.77	4.17
0053+6107 A	high	1.12	2.7	4.02	5.07	5.77	6.37	6.81	1316+2752 A	high	2.65	4.27	5.44	5.95	6.12	6.33	6.36
0056+1727 A	high	1.03	2.6	3.6	4.25	4.55	4.78	4.8	1316+0925 A	high	1.96	3.83	5.22	6.21	6.93	7.3	7.62
0100-0426 A	high	2.12	4.09	5.25	5.91	6.24	6.34	6.48	1316+1701 A	high	0.0	0.55	1.53	2.36	3.04	3.68	4.11

Table 6 continued

Table 6 (continued)

Target ID		Obs	Limit (mag) at Separation							Target ID		Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5		
0101+6121 A	high	1.41	3.33	4.32	4.84	4.98	5.12	5.23	1317+3617 A	high	0.9	2.51	3.8	4.73	5.33	5.71	5.96		
0102-1025 A	high	2.05	3.9	5.35	6.25	6.79	7.11	7.53	1319+3506 A	high	0.01	1.25	2.37	3.32	4.04	4.67	5.13		
0102+7140 A	high	1.55	3.16	4.34	5.33	6.06	6.63	7.04	1319+3506 B	high	0.0	0.04	0.78	1.6	2.22	2.75	3.06		
0102+6220 A	high	0.21	0.99	1.88	3.28	4.14	4.63	4.95	1319+3320 A	high	0.38	1.91	3.17	4.2	4.9	5.4	5.75		
0102+6220 B	high	1.18	3.08	4.2	4.76	4.92	5.06	5.11	1320-0139 A	high	0.0	0.65	1.5	2.18	2.74	3.2	3.43		
0103+0504 A	medium	2.34	3.42	3.73	3.78	3.83	3.76	3.8	1320+3416 A	high	0.0	0.76	1.82	2.74	3.43	4.05	4.52		
0105+2829 A	medium	1.75	3.29	4.27	4.67	4.93	4.98	5.08	1322+2428 A	medium	0.0	0.68	1.64	2.31	2.69	2.93	3.04		
0106+1516 A	high	1.66	3.37	4.56	5.47	6.0	6.43	6.79	1323+0243 A	high	2.0	3.76	5.04	6.02	6.65	7.14	7.47		
0107+6356 A	high	1.56	3.09	4.31	5.28	6.0	6.49	6.94	1325+5658 A	high	0.04	1.28	2.31	3.2	3.87	4.47	4.79		
0107+3412 A	high	1.78	3.51	4.61	5.09	5.34	5.48	5.56	1325+6315 A	high	0.0	1.22	2.43	3.35	4.07	4.71	5.13		
0108+5455 A	high	1.69	3.56	5.11	6.06	6.79	7.28	7.62	1328-0221 A	high	0.0	0.76	1.63	2.39	3.07	3.62	3.97		
0111+0455 B	high	1.94	3.47	4.63	5.09	5.3	5.34	5.4	1328+1346 A	high	0.0	0.84	1.79	2.68	3.39	4.02	4.58		
0114-0755 A	high	2.24	4.08	5.55	6.57	7.13	7.55	7.75	1329+1126 A	high	1.84	3.87	5.2	5.98	6.47	6.73	6.86		
0114-0755 B	high	2.42	4.17	5.69	6.54	6.97	7.22	7.43	1329+1022 A	high	1.99	4.0	5.39	6.39	7.03	7.38	7.67		
0116+4256 A	high	1.87	3.73	5.16	6.09	6.77	7.29	7.5	1330+1909 A	medium	0.22	1.32	2.14	2.59	2.9	3.04	3.11		
0116+2419 A	medium	1.57	3.07	3.86	4.03	4.28	4.3	4.3	1333+0835 A	high	2.18	4.19	5.63	6.63	7.26	7.69	7.86		
0116+2519 A	high	1.8	3.53	4.88	5.8	6.49	6.86	7.17	1334+3313 A	high	0.01	1.18	2.22	3.19	3.86	4.46	4.95		
0118+1610 A	medium	2.21	3.29	3.64	3.68	3.73	3.78	3.77	1334+0440 A	high	2.04	4.01	5.38	6.35	6.98	7.38	7.57		
0118-1253 A	high	2.35	4.13	5.5	6.24	6.67	6.88	6.97	1334-0820 A	high	0.0	0.14	0.92	1.68	2.34	2.98	3.5		
0119+8409 A	medium	1.52	2.9	3.84	4.33	4.54	4.74	4.73	1336+0340 A	medium	1.95	3.12	3.57	3.58	3.68	3.69	3.71		
0120+5719 A	high	1.84	3.52	4.76	5.36	5.72	5.93	5.99	1338-0614 A	high	0.43	1.52	2.58	3.41	4.11	4.64	4.99		
0121+8009 A	high	1.24	2.67	3.8	4.7	5.46	6.01	6.48	1339+4611 A	high	0.01	1.29	2.33	3.23	3.97	4.57	4.98		
0121+7642 A	high	1.75	3.32	4.7	5.65	6.34	6.86	7.35	1340-0411 A	high	1.0	2.39	3.54	4.49	5.24	5.78	6.23		
0129+2143 A	high	1.51	3.0	4.24	5.1	5.75	6.16	6.3	1340+4346 A	high	0.04	1.2	2.2	2.97	3.56	3.93	4.15		
0134+6856 A	high	1.93	3.75	5.15	6.14	6.69	7.14	7.44	1341+5643 A	high	0.78	2.36	3.61	4.53	5.02	5.28	5.47		
0136+4124 A	high	1.78	3.78	5.25	6.23	6.82	7.29	7.59	1342-0141 A	high	0.16	1.23	2.22	3.08	3.83	4.43	4.93		
0137-0645 A	high	0.78	2.4	3.69	4.61	5.2	5.66	5.98	1342+3317 A	high	0.09	1.26	2.31	3.2	3.85	4.31	4.73		
0137-0459 A	medium	2.31	3.98	4.81	5.19	5.25	5.31	5.29	1344+5141 A	high	0.4	2.04	3.2	3.99	4.44	4.66	4.74		
0138+0039 A	high	1.79	3.51	4.96	5.82	6.44	6.75	6.91	1345+0850 A	high	2.16	4.03	5.41	6.41	6.99	7.41	7.69		
0139+4552 A	high	1.94	3.86	5.26	6.12	6.84	7.27	7.6	1345+1453 A	high	0.0	0.7	1.66	2.56	3.28	3.95	4.46		
0141+4236 A	high	1.82	3.67	5.18	6.2	6.84	7.27	7.53	1349+2658 A	high	0.31	1.8	2.84	3.32					
0142+2016 A	high	1.49	3.15	4.56	5.52	6.27	6.81	7.12	1352+4957 A	high	0.43	2.07	3.4	4.44	5.2	5.83	6.12		
0143+2750 A	high	1.76	3.49	4.87	5.75	6.37	6.89	7.11	1353+7851 A	high	0.56	1.98	3.38	4.49	5.31	5.76	6.06		
0143+0419 A	high	2.16	4.05	5.51	6.45	6.94	7.25	7.51	1355+1403 A	high	0.28	1.48	2.62	3.52	4.25	4.88	5.33		
0143+6349 A	high	2.03	3.73	5.12	6.12	6.78	7.26	7.62	1357+6129 A	high	1.71	3.22	4.5	5.52	6.25	6.69	7.07		
0144+1620 A	medium	1.79	3.17	4.13	4.53	4.74	4.83	4.83	1359+2252 A	high	0.01	1.25	2.22	3.13	3.81	4.48	4.92		
0146+1224 A	high	1.74	3.34	4.77	5.7	6.45	6.88	7.26	1401-0239 A	high	0.66	1.82	2.88	3.7	4.39	4.96	5.4		
0147+6351 A	high	1.93	3.61	4.97	6.04	6.72	7.16	7.56	1402+1341 A	high	0.24	1.45	2.56	3.52	4.2	4.76	5.22		
0148+2112 A	high	1.68	3.19	4.38	5.27	5.78	6.12	6.41	1402+4620 A	high	0.81	2.4	3.66	4.59					
0149-1041 A	high	2.28	4.12	5.61	6.63	7.2	7.58	7.87	1403+1047 A	high	0.9	2.46	3.69	4.66	5.38	5.88	6.28		
0149-1041 B	high	0.59	1.75	2.78	3.67	4.32	4.89	5.32	1408+8035 A	high	1.51	3.14	4.39	5.28	5.9	6.28	6.54		
0151-0607 A	medium	1.86	3.69	4.51	4.8	4.85	4.99	5.02	1408+7551 A	high	1.29	2.86	4.04	4.88	5.35	5.61	5.77		
0151-1048 A	high	1.94	3.83	4.91	5.35	5.59	5.66	5.71	1411-1236 A	high	0.0	0.88	1.9	2.78	3.56	4.23	4.77		
0152+4700 A	medium	1.66	2.76	2.96	3.03	3.11	3.1	3.18	1412-0319 A	high	0.08	1.51	2.72	3.68	4.34	4.83	5.17		
0153+2934 A	high	1.69	3.61	4.99	5.91	6.65	7.18	7.5	1413-0657 A	high	0.0	1.02	1.94	2.71	3.35	3.78	4.09		
0154+6610 A	high	2.05	3.68	5.07	6.03	6.75	7.24	7.58	1413+3013 A	high	2.61	4.22	5.72	6.63	7.35	7.76	7.94		
0154+2048 A	high	1.66	3.3	4.45	5.19	5.66	6.21	6.69	1415+4500 A	high	0.0	0.38	1.3	2.16	2.88	3.39	3.75		
0159+3312 A	high	1.73	3.5	4.9	5.91	6.54	7.01	7.28	1415+0439 A	high	2.47	3.91	4.93	5.35	5.5	5.6	5.61		
0159+5831 A	high	1.53	3.22	4.03	4.36	4.56	4.58	4.65	1416-0600 A	high	0.08	1.47	2.72	3.73	4.55	5.18	5.68		
0200+1303 A	high	2.3	4.2	5.5	6.12	6.4	6.5	6.62	1417+4526 A	high	0.0	0.45	1.43	2.34	3.08	3.7	4.14		
0202+1020 A	medium	2.46	4.1	4.8	5.15	5.22	5.22	5.28	1418-0636 A	high	0.0	0.5	1.35	2.1	2.75	3.25	3.64		
0206+2420 A	high	1.77	3.8	5.24	6.19	6.96	7.3	7.69	1419-0509 A	high	0.0	0.74	1.77	2.65	3.33	3.83	4.2		
0206+4511 A	high	2.14	4.31	5.69	6.64	7.21	7.47	7.63	1421-0107 A	medium	0.03	1.23	2.29	3.05	3.55	3.83	3.97		

Table 6 continued

Table 6 (continued)

Target ID	Obs	Limit (mag) at Separation							Target ID	Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5
0211+3955 A	medium	1.64	2.55	2.85	2.87	2.92	2.94	2.96	1421+2937 A	high	1.41	2.95	4.53	5.69	6.51	6.98	7.29
0212+0334 A	high	0.32	1.54	2.54	3.43	4.17	4.8	5.2	1423+0114 A	high	0.0	0.73	1.74	2.61	3.33	3.87	4.34
0212+0000 A	high	1.87	3.65	4.59	5.01	5.19	5.24	5.28	1424+0853 A	high	2.39	3.93	5.29	6.04	6.41	6.62	6.8
0214-0338 A	high	1.46	3.3	4.81	5.8	6.31		7.27	1425+2337 A	high	2.57	4.08	5.51	6.45	7.06	7.48	7.74
0214+1725 A	medium	0.8	2.06	2.9	3.4	3.67	3.8	3.89	1425+2337 B	high	2.63	4.21	5.68	6.59	7.19	7.54	7.9
0215+6740 A	high	0.59	2.35	4.02	5.02	5.82	6.38	6.77	1429+8048 A	high	1.75	3.29	4.55	5.47	6.15	6.54	6.83
0216+1335 A	medium	2.53	4.07	4.81	5.01	5.14	5.18	5.2	1429+1531 A	high	2.82	4.37	5.91	6.73	7.24	7.58	7.72
0217+3413 A	high	0.52	1.84	2.97	3.92	4.68	5.37	5.91	1429+4147 A	high	0.51	2.17	3.44	4.49	5.16	5.8	6.01
0217+3526 A	medium	1.97	2.87	3.08	3.19	3.2	3.18	3.23	1430+3527 A	high	0.43	1.76	3.03	4.05	4.81	5.4	5.81
0219+3521 A	high	0.49	1.71	2.72	3.57	4.12	4.52	4.74	1433+5254 A	high	0.6	2.02	3.25	4.38	5.15	5.71	6.15
0221+3653 A	medium	0.67	2.08	3.06	3.48	3.65	3.74	3.81	1434+3344 A	high	0.02	1.39	2.69	3.8	4.67	5.37	5.65
0221+3653 B	medium	0.67	2.08	3.06	3.48	3.65	3.74	3.81	1442+1930 A	high	2.56	4.3	5.79	6.68	7.28	7.58	7.73
0222+4752 A	high	0.2	1.64	2.76	3.65	4.45	5.0	5.43	1443-0539 A	high	0.11	1.65	2.89	3.92	4.74	5.34	5.86
0231+5722 A	high	1.05	2.86	4.01	4.7	5.05	5.07	5.19	1446+1629 A	high	0.44	1.83	3.12	4.16	4.92	5.51	5.97
0233+2455 A	high	1.14	2.9	4.18	4.94	5.39	5.56	5.65	1448+3827 A	high	0.71	2.35	3.65	4.68	5.46	6.01	6.54
0235+2013 A	high	1.66	3.34	4.6	5.6	6.21	6.66	6.93	1453+1134 A	medium	2.62	3.81	4.51	4.72	4.79	4.8	4.88
0236+0653 A	high	1.44	3.01	4.29	5.26	6.06	6.52	7.04	1453+2320 A	medium	2.76	4.14	4.99	5.2	5.44	5.47	5.63
0236+0653 B	high	0.08	1.44	2.65	3.71	4.43	4.94	5.22	1454+0956 A	high	0.78	2.32	3.63	4.61	5.31	5.77	6.09
0236-0309 A	high	2.24	4.17	5.62	6.65	7.18	7.54	7.79	1455+5340 A	high	0.74	2.19	3.41	4.35	5.02	5.4	5.67
0239-1152 A	high	0.72	2.25	3.59	4.6	5.31	5.84	6.25	1457+5639 A	medium	0.64	2.0	2.71	3.09	3.23	3.31	3.35
0240-0927 A	high	0.39	1.83	3.07	4.09	4.87	5.4	5.81	1504+0538 A	high	1.38	3.04	4.38	5.33	6.09	6.51	6.95
0240+0111 A	high	1.21	2.66	3.85	4.79	5.53	6.06	6.47	1507+2452 A	high	1.25	3.01	4.4	5.46	6.24	6.71	7.13
0242+4011 A	high	1.99	3.77	5.22	6.23	6.89	7.3	7.69	1509+0310 A	high	0.99	2.56	3.85	4.82	5.47	5.95	6.2
0242+0322 A	high	1.54	3.38	4.79	5.83	6.42	6.8	6.96	1511+1757 A	high	1.06	2.49	3.56	4.25	4.57	4.83	4.84
0243+1925 A	high	1.56	3.17	4.49	5.5	6.21	6.73	7.11	1513-0121 A	high	1.88	3.75	5.16	6.08	6.66	7.05	7.27
0243-0849 A	high	0.0	0.92	1.91	2.77	3.45	3.92	4.28	1515+0047 A	high	0.52	1.98	3.22	4.33	5.09	5.74	6.04
0244+4913 A	high	1.99	3.79	5.22	6.24	6.9	7.4	7.7	1521+2058 A	high	0.83	2.35	3.67	4.65	5.39	5.96	6.34
0244+4913 B	high	1.63	3.61	5.07	6.09	6.84	7.29	7.65	1522-0446 A	high	1.81	3.58	5.0	5.99	6.61	6.97	7.27
0244+2531 A	high	1.45	3.17	4.51	5.5	6.11	6.64	6.91	1522+1855 A	high	0.51	1.84	3.1	4.16	4.88	5.52	5.97
0245+4456 A	high	2.28	3.93	5.3	6.21	6.86	7.16	7.43	1528+2547 A	high	0.89	2.51	3.7	4.66	5.29	5.78	6.07
0245+4456 B	high	2.28	3.93	5.3	6.21	6.86	7.16	7.43	1529+8026 A	high	1.93	3.6	5.14	6.07	6.65	6.95	7.23
0246+1146 A	high	1.23	2.81	4.14	5.1	5.8	6.34	6.7	1529+8026 B	high	1.85	3.43	4.72	5.65	6.13	6.46	6.69
0248+2704 A	high	2.08	3.75	5.11	6.08	6.73	7.04	7.48	1534+2642 A	high	0.0	0.18	0.68	1.21	1.72	2.2	2.66
0248+5423 A	medium	2.05	2.98	3.33	3.29	3.35	3.37	3.31	1535+6005 A	high	2.38	3.98	5.52	6.43	7.15	7.6	7.9
0250+1542 A	high	1.45	2.95	4.18	5.19	5.94	6.44	6.8	1535+6005 B	high	2.38	3.98	5.52	6.43	7.15	7.6	7.9
0252+3423 A	high	1.73	3.44	4.87	5.89	6.47	6.9	7.35	1535+1742 A	high	2.43	4.04	5.24	5.95	6.34	6.54	6.65
0252-1246 A	high	2.0	3.71	5.05	6.06	6.71	7.2	7.5	1535+1742 B	high	2.43	4.04	5.24	5.95	6.34	6.54	6.65
0255+2652 A	high	1.85	3.59	4.88	5.81	6.44	6.86	7.02	1535+2209 A	high	0.75	2.15	3.42	4.38	5.15	5.65	6.05
0255+2652 B	high	2.79	4.73	5.94	6.66	7.0	6.94	7.39	1540+4329 A	high	0.34	1.6	2.76	3.62	4.26	4.58	
0256+5526 A	high	1.94	3.75	5.16	6.03	6.7	7.09	7.36	1541+7559 A	high	2.18	3.89	5.29	6.05	6.38	6.66	6.81
0257+1047 A	high	1.25	2.74	3.91	4.61	5.07	5.32	5.37	1544+0625 A	high	0.39	2.0	3.35	4.43	5.24	5.83	6.22
0300+0744 A	high	2.08	4.08	5.47	6.56	7.16	7.47	7.83	1546+0721 A	high	0.75	2.4	3.66	4.74	5.49	6.12	6.56
0302+2636 A	high	0.1	1.43	2.54	3.54	4.34	5.03	5.45	1548+0134 A	high	0.72	2.2	3.48	4.56	5.38	5.94	6.3
0304+6142 A	high	0.0	0.93	1.99	2.98	3.73	4.4	4.92	1549+5102 A	high	0.66	1.72	2.81	3.74	4.42	4.8	5.02
0304+6142 B	high	1.43	2.81	3.8	4.56	5.1	5.34	5.49	1550+0428 A	high	1.93	3.53	4.93	5.82	6.56	7.05	7.41
0306+0157 A	high	1.64	3.35	4.79	5.92	6.61	6.98	7.18	1552+1052 A	high	0.78	2.24	3.37	4.24	4.96	5.43	5.88
0309+1001 A	medium	0.37	1.55	2.36	2.84	3.09	3.23	3.4	1552+4227 A	high	0.54	2.03	3.18	4.11	4.91	5.5	5.99
0309+4936 A	high	0.19	1.38	2.44	3.36	4.16	4.84	5.41	1553+1311 A	high	0.76	2.2	3.36	4.28	5.09	5.68	6.16
0310+0554 A	high	1.47	3.03	4.17	4.93	5.46	5.88	6.22	1553+3445 B	high	1.75	3.37	4.43	5.11	5.48	5.78	5.93
0310+7346 A	high	1.34	2.77	3.74	4.23	4.52	4.53	4.66	1555+3350 A	medium	1.96	3.35	4.01	4.23	4.27	4.37	4.42
0313+0446 A	medium	0.34	1.6	2.57	3.15	3.56	3.8	3.87	1556+1539 A	high	0.86	2.27	3.45	4.4	5.22	5.82	6.36
0314+0858 A	high	0.08	1.31	2.44	3.41	4.14	4.79	5.48	1559-0815 A	high	0.0	0.67	1.6	2.47	3.18	3.81	4.22
0316+5810 A	high	0.36	1.64	2.69	3.49	4.08	4.35		1601+3318 A	high	0.11	1.44	2.57	3.52	4.3	5.01	5.54

Table 6 continued

Table 6 (continued)

Target ID		Obs	Limit (mag) at Separation							Target ID		Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5		
0317+4522 A	high	1.27	2.57	3.62	4.41	5.0	5.45	5.72	1601+5833 A	high	0.65	2.24	3.5	4.5	5.3	5.92	6.43		
0317+2515 A	high	0.39	1.65	2.62	3.37	3.9	4.21	4.32	1602+2035 A	high	1.94	3.87	5.16	5.9	6.34	6.64	6.84		
0318+3815 A	high	0.44	1.73	2.75	3.64	4.26	4.78	5.11	1604+2515 A	high	1.64	3.57	4.91	5.95	6.66	7.08	7.32		
0319+0322 A	high	0.25	1.49	2.52	3.4	4.15	4.86	5.36	1604+3909 A	high	2.02	3.94	5.25	6.24	6.9	7.39	7.65		
0321+7958 A	high	2.02	3.92	5.44	6.26	6.78	7.12	7.26	1604+3909 B	medium	1.84	3.44	4.45	5.0	5.19	5.44	5.4		
0321+5219 A	high	1.44	2.93	4.03	4.93	5.66	6.19	6.75	1606+3837 A	high	2.0	3.91	5.24	6.29	6.89	7.35	7.75		
0322+0256 A	medium	1.39	2.55	3.25	3.59	3.75	3.79	3.82	1607+2650 A	high	1.43	3.16	4.35	5.01	5.38	5.51	5.53		
0323+4200 A	medium	1.38	2.75	3.58	3.94	4.1	4.13	4.17	1609+5256 A	high	0.69	2.35	3.65	4.68	5.37	5.92	6.28		
0323+1141 A	high	1.64	3.01	4.1	4.76	5.17	5.34	5.5	1610+4349 A	high	0.33	1.62	2.72	3.66	4.43	5.07	5.53		
0324+2347 B	high	2.85	4.56	5.61	6.03	6.2	6.29	6.3	1613+1331 A	high	2.17	4.13	5.4	6.17	6.59				
0324-0521 A	high	1.33	3.14	4.46	5.41	6.01	6.38	6.63	1614+1906 A	high	2.28	4.13	5.36	6.03	6.39	6.53	6.66		
0329-1140 A	high	1.19	3.01	4.41	5.42	6.09	6.56	6.85	1614+3351 A	high	2.01	3.79	5.11	6.01	6.55	6.85	6.85		
0331+1419 A	high	1.47	2.85	3.8	4.29	4.54	4.65	4.7	1617+5516 A	high	0.46	1.91	3.08	4.07	4.82	5.49	5.91		
0332-0927 A	high	1.71	3.43	4.79	5.75	6.35	6.8	7.15	1620+4057 A	high	2.43	4.28	5.62	6.62	7.31	7.64	7.97		
0336+0024 A	high	1.12	2.61	3.77	4.76	5.54	6.17	6.6	1624+4821 A	high	0.5	2.2	3.49	4.47	5.26	5.82	6.15		
0338-1129 A	high	1.42	3.04	4.19	4.68	4.82	5.0	5.06	1625+5418 A	high	0.71	2.3	3.56	4.54	5.31	5.93	6.27		
0342+1717 A	high	1.27	2.66	3.92	4.85	5.39	5.77	6.03	1628+3646 A	medium	1.86	3.19	3.63	3.86	3.96	4.03	4.09		
0343-0945 A	high	1.05	2.88	4.25	5.29	5.99	6.48	6.84	1631+1733 A	high	2.22	4.06	5.27	6.01	6.37	6.61	6.83		
0343-0933 A	high	2.21	3.6	4.44	4.76	4.92	5.0	5.02	1632+1236 A	high	2.12	4.02	5.28	6.13	6.59	6.75	6.89		
0343+1640 A	high	1.29	2.73	3.89	4.64	5.13	5.36	5.58	1636+0848 A	high	2.15	4.0	5.09	5.64	5.89	5.91	6.02		
0343+1640 B	high	1.28	3.01	4.37	5.31	5.88	6.24	6.52	1639+5034 A	high	0.3	1.64	2.76	3.66	4.28	4.73	5.05		
0344+1155 A	high	1.52	3.05	4.31	5.15	5.75	6.22	6.56	1640+6736 A	medium	1.04	2.35	3.06	3.44	3.53	3.64	3.7		
0346+2612 A	high	2.5	4.48	5.78	6.49	6.82	6.95	7.12	1640+3619 A	high	1.99	3.88	5.15	6.0	6.56	6.91	7.16		
0347+4125 A	high	0.82	2.45	3.88	4.85	5.44	5.73	5.88	1645+3330 A	high	1.8	3.57	5.0	6.0	6.71	7.14	7.49		
0347+0841 A	medium	1.37	2.5	3.16	3.42	3.59	3.62	3.66	1646+1628 A	high	2.09	4.03	5.34	6.25	6.73	7.12	7.23		
0347-0158 A	high	0.02	1.06	1.97	2.51	2.93	3.29	3.61	1648+5903 A	medium	1.03	2.49	3.44	3.9	4.14	4.23	4.26		
0347+0247 A	high	1.38	2.84	4.05	4.92	5.47	5.84	6.12	1649+3916 A	high	1.87	3.9	5.24	6.14	6.78	7.17	7.42		
0348+6840 A	high	0.15	1.1	2.14	3.13	3.85	4.56	5.11	1654+1154 A	high	2.08	3.96	5.33	6.21	6.81	7.13	7.45		
0348+7332 A	high	1.52	3.0	4.15	5.02	5.59	6.02	6.24	1655-0820 B	medium	0.0	0.21	0.99	1.74	2.38	2.93	3.36		
0350-0605 A	high	1.44	3.14	4.38	5.1	5.62	5.85	5.95	1656+6508 A	high	1.05	2.82	4.13	5.13	5.88	6.54	6.92		
0352+1701 A	high	1.12	2.01	2.43	2.56	2.59	2.65	2.65	1657+2126 A	medium	2.0	3.28	3.62	3.77	3.83	3.85	3.77		
0354+1636 A	high	1.31	2.78	4.08	5.05	5.72			1657+4722 A	high	0.16	1.6	2.76	3.7	4.45	5.09	5.43		
0354-0649 A	high	1.27	3.01	4.39	5.39	6.16	6.68	6.94	1658+2544 A	high	2.12	4.0	5.44	6.34	6.98	7.36	7.6		
0355+6110 A	high	1.39	2.76	3.98	4.93	5.63	6.17	6.63	1702+4704 A	high	0.72	2.56	3.88	4.99	5.68	6.26	6.67		
0359+2605 A	high	0.46	1.98	3.14	3.8	4.16	4.32	4.39	1702-0604 A	high	2.08	4.19	5.56	6.46	6.97	7.17	7.36		
0401+7609 A	high	1.6	3.19	4.59	5.67	6.34	6.89	7.2	1703+5124 A	high	1.85	3.84	5.07	5.68	5.98	6.13	6.18		
0403+3516 A	high	1.15	3.19	4.68	5.71	6.47	6.91	7.2	1704+1655 A	high	1.89	3.67	5.04	5.93	6.36	6.76	6.9		
0405+2200 A	high	2.29	4.38	5.8	6.73	7.23	7.53	7.85	1705-0503 A	high	2.06	4.25	5.73	6.68	7.26	7.63	8.08		
0408+3802 A	high	0.61	2.51	3.99	5.07	5.85	6.4	6.69	1705-0503 B	high	2.06	4.24	5.59	6.51	7.14	7.4	7.59		
0415-0739 A	high	1.54	3.34	4.75	5.72	6.4	6.87	7.23	1705+0042 A	high	1.55	3.36	4.76	5.76	6.42	6.91	7.28		
0415-0739 B	high	0.45	2.07	3.25	4.26	4.93	5.38	5.73	1707+2133 A	high	1.48	3.18	4.47	5.53	6.19	6.68	6.87		
0415+0611 A	high	0.71	2.13	3.32	4.31	5.08	5.69	6.11	1709+4340 A	high	1.65	3.66	5.08	6.09	6.62	6.96	7.12		
0415+0611 B	high	1.01	2.57	3.74	4.73	5.5	6.02	6.45	1710+5429 A	high	1.6	3.68	5.08	6.19	6.83	7.22	7.52		
0419+3629 A	high	1.04	2.98	4.3	5.25	5.82	6.25	6.52	1710+5429 B	high	1.86	3.91	5.25	6.2	6.88	7.31	7.69		
0422+3900 A	medium	1.6	3.23	4.05	4.37	4.49	4.47	4.48	1711+3826 A	high	1.76	3.86	5.27	6.11	6.73	6.97	7.25		
0429+2155 A	high	2.44	4.27	5.68	6.58	7.15	7.46	7.77	1712+1821 A	high	1.88	3.55	4.87	5.95	6.69	7.17	7.64		
0430+3950 A	high	1.11	3.0	4.13	4.73	5.07	5.21	5.27	1712-0507 A	high	1.93	4.0	5.31	6.13	6.51	6.68	6.81		
0431+5858 A	high	1.11	2.5	3.77	4.8	5.5	6.07	6.38	1713-0825 A	high	0.0	0.74	1.67	2.49	3.18	3.68	4.03		
0435+1630 A	high	0.0	0.0	0.36	1.11	1.78	2.41	2.91	1715+2450 A	high	1.54	3.22	4.65	5.73	6.45	6.94	7.24		
0436+2707 A	high	2.75	4.57	6.05	6.93	7.45	7.82	8.2	1715+0457 A	high	2.18	3.9	4.77	5.25	5.39	5.45	5.44		
0437+5253 A	high	0.95	2.85	4.28	5.4	6.11	6.64	7.01	1716+1103 A	high	2.36	4.2	5.57	6.5	7.03	7.35	7.64		
0437-0849 A	medium	1.91	2.6	2.81	2.88	2.88	2.9	2.91	1716+0803 A	high	2.42	4.35	5.7	6.55	7.06	7.33	7.45		
0442+1857 A	high	2.44	4.55	5.88	6.79	7.41	7.67	7.82	1717+2913 A	high	1.43	3.71	5.11	6.13	6.84	7.16	7.6		

Table 6 continued

Table 6 (continued)

Target ID		Obs	Limit (mag) at Separation						Target ID	Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5
0443+2741 A	high	2.75	4.57	6.05	6.82	7.46	7.75	8.0	1717+5226 A	high	1.42	3.63	5.03	6.09	6.8	7.24	7.48
0449+0657 A	high	0.76	2.23	3.44	4.4	5.18	5.87	6.27	1719+2630 A	high	0.0	0.64	1.75	2.84	3.65	4.31	4.7
0450+2207 A	medium	2.12	3.09	3.39	3.49	3.48	3.53	3.58	1719+2630 B	high	0.73	2.22	3.38	4.22	4.72	5.12	5.22
0452+0628 A	high	0.75	2.19	3.29	4.16	4.8	5.22	5.46	1720+3228 A	high	2.03	3.9	5.29	6.21	6.97	7.38	7.71
0452+4042 A	high	1.04	2.73	3.93	4.67	5.02	5.19	5.3	1720+4915 A	medium	2.13	3.98	4.9	5.28	5.54	5.49	5.59
0458+5056 A	high	1.14	3.01	4.43	5.43	6.11	6.51	6.69	1722-0223 A	high	1.6	3.32	4.62	5.56	6.32	6.85	7.15
0458+4950 A	high	1.04	2.99	4.42	5.5	6.21	6.71	7.01	1725+6718 A	high	1.36	3.19	4.52	5.55	6.36	6.85	7.24
0500-0545 A	high	0.29	1.48	2.42	3.22	3.84	4.48	4.96	1725+0206 A	high	0.0	1.59	3.26	4.45	5.2	5.7	6.1
0501-0656 A	high	0.97	2.5	3.69	4.54	5.12	5.51	5.74	1727+1429 A	high	2.26	4.04	5.11	5.68	5.85	6.01	6.11
0503+5307 A	high	1.72	3.39	4.8	5.74	6.37	6.82	7.14	1730+4724 A	high	1.57	3.89	5.29	6.44	7.06	7.3	7.82
0507+1838 A	high	1.28	2.62	3.72	4.66	5.37	5.95	6.42	1730+0532 A	high	2.16	4.08	5.47	6.42	7.08	7.48	7.79
0512+1939 A	high	1.08	2.45	3.63	4.49	5.2	5.67	6.02	1732+3416 A	high	1.71	3.93	5.3	6.32	6.93	7.39	7.67
0519+4005 A	high	0.9	2.16	3.15	4.01	4.73	5.37	5.8	1736+7152 A	high	1.33	3.17	4.51	5.54	6.28	6.84	7.12
0524+1723 A	high	1.25	3.03	4.4	5.37	6.05	6.56	6.95	1736+6820 A	high	0.46	2.09	3.37	4.43	5.25	5.79	6.24
0528+0938 A	medium	0.24	1.22	2.09	2.61	2.92	3.09	3.24	1736+6845 A	high	0.51	2.14	3.52	4.61	5.41	6.05	6.43
0528+0258 A	high	1.03	2.58	3.61	4.21	4.46	4.65	4.64	1737+2257 A	high	2.12	3.97	5.3	6.22	6.52		
0529+1534 A	high	1.36	2.84	4.0	4.78	5.34	5.74	5.94	1737+1835 A	high	2.02	4.06	5.4	6.37	7.12	7.37	7.74
0529+1534 B	high	1.32	2.44	2.93	3.19	3.26	3.3	3.32	1738+7119 A	high	0.25	1.58	2.77	3.7	4.58	5.17	5.63
0529-0326 A	high	0.83	2.13	3.25	3.97	4.59	4.97	5.26	1739+0333 A	high	0.44	2.24	3.68	4.72	5.55	6.16	6.53
0531-0340 A	high	0.7	1.85	2.85	3.53	4.18	4.69	5.08	1741+7208 A	high	1.68	3.6	5.1	6.09	6.71	7.21	7.51
0532+0949 A	high	1.07	2.44	3.57	4.43	5.08	5.57	6.03	1741+7208 B	high	0.0	0.34	1.26	2.3	3.14	4.0	4.64
0533+0156 A	high	0.84	2.37	3.63	4.55	5.07	5.45	5.64	1742-0849 A	medium	0.09	0.95	1.82	2.48	2.92	3.2	3.34
0534+1352 A	high	1.57	2.92	4.07	4.86	5.47	5.88	6.13	1743+2136 A	high	1.58	3.22	4.55	5.55	6.21	6.73	7.12
0536+1119 A	high	1.21	2.58	3.75	4.64	5.33	5.89	6.38	1743+4322 A	high	1.88	3.88	5.22	6.19	6.87	7.25	7.49
0538+5126 A	high	1.33	2.82	4.01	4.9	5.49	5.93	6.22	1746+2439 A	high	1.98	3.77	5.03		6.36	6.6	6.84
0541+5328 A	high	1.37	2.79	3.99	4.95	5.59	6.15	6.56	1746+2743 A	high	1.68	3.58	4.95	5.92	6.56	7.02	7.22
0541+5328 B	high	1.1	2.48	3.67	4.6	5.29	5.89	6.3	1746+2743 B	high	1.68	3.58	4.95	5.92	6.56	7.02	7.22
0542+1229 A	high	1.51	2.88	4.04	4.9	5.51	5.98	6.33	1748+7052 A	medium	1.3	2.83	3.45	3.73	3.77	3.81	3.75
0542-0527 A	medium	0.59	1.59	2.29	2.74	3.0	3.17	3.22	1750+2345 A	high	1.94	3.73	4.81	5.55	5.89	6.17	6.2
0545+6214 A	high	2.12	3.95	5.54	6.41	7.02	7.37	7.65	1750-0603 A	high	2.57	4.57	6.05	6.99	7.41	7.65	7.91
0546+3717 A	high	0.66	1.76	2.71	3.35	3.76	4.12	4.32	1753+2119 A	high	2.19	4.02	5.34	6.35	7.03	7.43	7.75
0547-0512 A	medium	0.81	1.92	2.64	3.15	3.44	3.59	3.69	1754+0722 A	high	2.39	4.32	5.42	6.09	6.38	6.58	6.68
0548-0405 A	high	0.39	1.59	2.53	3.33	4.0	4.59	5.03	1757+0441 A	high	2.09	4.04	5.4	6.43	7.11	7.48	7.77
0553-0559 A	high	0.65	1.92	2.94	3.73	4.38	4.95	5.4	1757+4635 A	high	1.53	3.79	5.11	6.05	6.6	6.87	7.07
0553+2415 A	high	1.84	3.25	4.43	5.26	5.92	6.4	6.78	1800-0341 A	high	1.52	3.39	4.79	5.87	6.57	7.02	7.4
0554+2016 A	high	0.61	1.96	2.99	3.89	4.57	5.14	5.58	1802+3731 A	medium	1.97	3.68	4.59	4.92	5.06	5.15	5.21
0559+4456 A	high	0.63	2.0	3.18	4.07	4.74	5.35	5.83	1804+3557 A	high	0.0	1.07	2.31	3.34	4.07	4.62	5.11
0559+5835 A	high	1.62	3.19	4.45	5.39	6.02	6.47	6.86	1805-0301 A	high	1.96	3.78	5.22	6.24	6.87	7.32	7.67
0559+5835 B	high	1.67	3.19	4.24	4.89	5.24	5.46	5.54	1805+0439 A	high	2.14	4.14	5.54	6.51	7.17	7.5	7.81
0600+0242 A	high	1.24	2.66	3.92	4.7	5.38	5.85	6.23	1809+2957 A	high	1.29	2.97	4.34	5.39	6.13	6.75	6.92
0600+6809 B	high	2.0	3.88	5.09	5.75	5.92	6.03	6.09	1809+3827 A	high	0.0	1.1	2.29	3.3	4.07	4.74	5.28
0601+5935 A	high	2.11	3.91	5.31	6.1	6.63	6.97	7.17	1809+3152 A	high	1.9	3.82	5.09	6.02	6.56	6.87	7.06
0602+4951 A	high	1.36	2.93	3.98	4.57	4.82	5.04	5.03	1813+6423 A	high	1.41	3.05	4.38	5.41	6.18	6.73	7.05
0606+1532 A	high	1.32	2.79	3.97	4.88	5.54	6.06	6.39	1815+4512 A	high	0.0	0.91	1.96	3.0	3.71	4.41	4.91
0607+6758 A	high	2.38	4.18	5.7	6.56	7.05	7.48	7.65	1815+1856 A	high	1.63	3.52	4.9	5.91	6.57	6.94	7.05
0610+8206 A	high	1.54	3.48	4.87	5.79	6.42	6.83	7.09	1816+1354 A	high	1.92	3.95	5.36	6.36	6.95	7.31	7.59
0612+0646 A	high	0.7	2.22	3.37	4.23	4.88	5.37	5.77	1816+0131 A	high	2.34	4.2	5.43	6.3	6.78	6.92	7.16
0613+1037 A	high	1.33	2.83	4.05	4.97	5.64	6.2	6.62	1816+4533 A	high	1.95	4.12	5.35	6.32	7.0	7.25	7.59
0614+1909 A	high	1.06	2.5	3.69	4.53	5.22	5.7	6.07	1818+3846 A	high	1.91	4.0	5.25	6.15	6.68	6.94	7.07
0616+1216 A	high	0.59	1.86	2.96	3.83	4.53	5.13	5.6	1818+6611 A	high	1.69	3.66	4.74	5.51	5.68	5.92	6.03
0619-0639 A	high	0.78	2.23	3.31	4.0	4.4	4.72	4.87	1819-0156 A	high	1.65	3.43	4.78	5.84	6.54	7.0	7.27
0624+2325 A	high	1.66	3.12	4.23	4.96	5.4	5.71	5.87	1821-0253 A	high	1.27	3.0	4.43	5.5	6.2	6.75	7.08
0625+5610 A	medium	1.27	2.49	3.16	3.45	3.59	3.64	3.73	1822+0620 A	high	0.44	1.67	3.03	4.21	5.04	5.51	5.67

Table 6 continued

Table 6 (continued)

Target ID		Obs	Limit (mag) at Separation							Target ID		Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5		
0628+3628 A	high	2.36	4.13	5.5	6.24	6.77	7.07	7.16	1825+2438 A	high	1.36	3.25	4.68	5.74	6.34	6.76	7.09		
0637+1733 A	high	1.09	2.33	3.66	4.66	5.42	5.92	6.35	1825+3821 A	high	1.79	3.85	5.24	6.13	6.76	6.96	7.2		
0641+2357 A	high	1.36	2.92	4.23	5.1	5.79	6.34	6.75	1829-0149 A	high	0.83	2.49	3.75	4.74	5.48	6.07	6.42		
0642+0334 A	high	1.12	2.58	3.76	4.56	5.06	5.55	5.79	1833+2218 A	high	1.82	3.78	5.23	6.28	6.94	7.35	7.8		
0642+0334 B	high	0.9	2.32	3.28	3.98	4.36	4.62	4.72	1833+5143 A	high	1.35	3.28	4.66	5.76	6.49	6.92	7.18		
0645+1253 A	high	0.0	0.0	0.25	0.83	1.4	1.96	2.44	1835+4544 A	high	2.11	4.11	5.44	6.41	7.05	7.48	7.68		
0646+7933 A	high	0.0	0.49	1.27	2.33	3.3	4.04	4.51	1835+4544 B	high	2.01	3.88	5.08	5.72	5.97	6.13	6.21		
0646+4334 A	high	1.61	3.26	4.7	5.7	6.44	6.96	7.24	1836+3847 A	high	0.0	0.0	0.44	0.99	1.53	2.06	2.54		
0647+3730 A	medium	0.94	2.22	3.08	3.71	3.88	4.03	4.01	1840+3131 A	high	1.36	3.07	4.55	5.63	6.37	6.8	7.16		
0649+3706 A	high	2.27	3.62	4.54	4.89	5.15	5.15	5.21	1841+2447 A	high	1.88	3.7	5.13	5.96	6.58	6.81	6.9		
0649+6020 A	high	1.95	3.47	4.88	5.83	6.52	6.98	7.43	1841+3149 A	high	1.37	3.13	4.48	5.49	6.29	6.66	6.91		
0651+4722 A	high	1.76	3.37	4.68	5.71	6.34	6.84	7.2	1843+0420 A	low	1.88	2.78	2.96	3.02	2.93	3.1			
0654+3316 A	high	1.04	2.49	3.71	4.68	5.37	5.94	6.35	1845+2032 A	high	0.94	2.18	3.35	4.33	5.12	5.75	6.34		
0655+2522 A	high	1.41	2.92	4.27	5.26	5.95	6.45	6.79	1845+5227 A	medium	1.83	3.29	3.96	4.15	4.31	4.13	4.29		
0656+5458 A	high	1.73	3.23	4.27	4.8	5.02	5.15	5.21	1847-0338 A	high	2.15	3.7	5.0	5.95	6.63	7.16	7.58		
0657+3045 A	high	1.01	2.44	3.75	4.69	5.38	5.92	6.29	1848+1044 A	high	1.55	3.5	4.82	5.83	6.53	6.97	7.33		
0658+2228 A	high	0.0	0.56	1.6	2.71	3.56	4.4	4.77	1848+1726 A	high	2.18	4.04	5.51	6.52	7.08	7.49	7.76		
0659+1920 A	high	1.96	3.42	4.46	4.97	5.24	5.37	5.45	1850+0305 A	high	2.28	4.23	5.56	6.52	7.06	7.49	7.61		
0701+5949 A	high	1.87	3.42	4.76	5.63	6.23	6.64	6.83	1851+1634 A	high	2.15	4.24	5.61	6.56	7.18	7.55	7.75		
0701+4822 A	high	0.0	0.24	0.85	1.4	1.82	2.25	2.58	1855+0824 A	high	2.17	4.09	5.48	6.43	7.14	7.48	7.76		
0702-0647 A	high	1.52	3.0	4.33	5.31	6.07	6.54	6.94	1855+2333 A	high	2.34	4.34	5.73	6.67	7.32	7.58	8.0		
0703+2920 A	high	0.93	2.49	3.85	4.8	5.53	6.02	6.42	1858+0554 A	high	2.24	3.95	5.47	6.48	7.16	7.54	7.88		
0703+5242 A	high	1.6	3.07	4.14	4.83	5.18	5.37	5.47	1858+3010 A	high	1.28	2.98	4.4	5.49	6.17	6.68	7.03		
0704+6817 A	high	1.61	3.21	4.44	5.32	5.87	6.18	6.51	1900+7039 A	medium	1.13	2.59	3.29	3.62	3.64	3.71	3.76		
0705+2728 A	high	1.41	3.21	4.7	5.67	6.22	6.54	6.73	1907+2052 A	high	1.62	3.53	4.89	5.87	6.5	6.88	7.12		
0707+6712 A	high	1.68	3.27	4.59	5.45	6.09	6.48	6.72	1907+2052 B	high	1.16	2.96	4.41	5.53	6.22	6.6	6.98		
0708+2950 A	high	2.83	4.31	5.83	6.73	7.35	7.73	8.03	1907+1651 A	high	1.01	2.65	4.02	5.07	5.88	6.45	6.83		
0710+3831 A	high	2.55	4.09	5.51	6.4	6.95	7.22	7.43	1908+2635 A	medium	1.74	3.34	4.07	4.38	4.58	4.56	4.55		
0710+3740 A	medium	2.25	3.58	4.32	4.62	4.73	4.71	4.78	1909+1740 A	high	1.15	2.9	4.24	4.99	5.4	5.65	5.81		
0715+4714 A	high	0.0	0.69	1.76	2.73	3.53	4.19	4.71	1912+5740 A	high	0.52	2.28	3.85	5.09	5.87	6.4	6.86		
0716+3309 A	medium	2.12	3.39	4.01	4.3	4.37	4.42	4.45	1912+0253 A	high	1.35	3.27	4.63	5.69	6.46	6.77	7.08		
0716+2708 A	high	1.92	3.7	5.13	5.98	6.51	6.88	6.98	1912+3533 A	high	1.67	3.55	4.87	5.7	6.27	6.68	6.79		
0718+3916 A	high	2.48	3.91	5.34	6.2	6.86	7.26	7.53	1916+0510 A	high	0.96	2.6	4.08	5.15	5.89	6.42	6.73		
0719+3249 A	high	2.24	3.8	5.18	6.09	6.65	6.99	7.29	1918+3843 A	medium	1.65	2.85	3.27	3.42	3.48	3.56	3.44		
0720+2158 A	high	1.32	2.75	4.05	4.99	5.79	6.34	6.83	1921+2052 A	high	0.87	2.48	3.7	4.51	5.07	5.41	5.6		
0723+4605 A	high	0.0	0.81	1.99	2.97	3.77	4.47	4.83	1921+1440 A	medium	1.36	2.92	3.77	4.04	4.17	4.18	4.21		
0723+1257 A	high	0.29	1.42	2.44	3.34	4.12	4.74	5.23	1921+2839 A	high	1.01	2.57	3.93	4.97	5.61	6.04	6.39		
0727+0513 A	high	0.55	1.78	2.94	3.89	4.67	5.32	5.81	1922+2926 A	medium	1.66	3.22	3.85	4.04	4.13	4.19	4.21		
0727+2202 A	high	1.59	3.05	4.29	5.21	5.88	6.38	6.71	1923+3313 A	high	1.8	3.55	4.97	5.88	6.6	7.13	7.57		
0728-0317 A	high	1.68	3.43	4.71	5.6	6.2	6.6	6.81	1924+7533 A	medium	1.61	3.13	4.08	4.45	4.64	4.75	4.77		
0729+3147 A	high	2.91	4.48	5.91	6.69	7.31	7.69	7.95	1924+1156 A	high	1.16	2.73	4.13	5.12	5.94	6.54	7.02		
0729+4940 A	high	0.03	0.92	1.87	2.66	3.34	3.95	4.44	1925+0306 A	high	1.12	2.96	4.34	5.4	6.12	6.68	6.99		
0731+1436 A	high	0.89	2.16	3.35	4.31	5.02	5.61	6.07	1926+2426 A	medium	1.34	3.13	4.28	4.83	5.1	5.25	5.3		
0731+3613 A	high	3.01	4.63	6.2	6.95	7.36	7.56	7.72	1926+4927 A	high	1.69	3.68	5.05	5.97	6.68	7.12	7.49		
0732+6837 A	high	1.34	2.93	4.17	5.09	5.74	6.2	6.51	1931+5835 A	high	1.53	3.41	4.87	5.91	6.58	7.06	7.34		
0733+3701 A	high	2.8	4.35	5.84	6.6	6.94	7.15	7.29	1932+0034 A	high	1.67	3.43	4.8	5.74	6.43	6.75	7.11		
0734+0059 A	high	0.59	1.95	3.06	3.74	4.2	4.47	4.61	1933+2150 A	high	1.18	2.94	4.25	5.33	6.17	6.69	7.07		
0734-0653 A	high	1.0	2.6	3.73	4.5	5.07	5.42	5.71	1934+0434 A	high	1.33	3.08	4.55	5.51	6.21	6.74	7.12		
0734+6256 A	high	1.26	2.85	4.08	5.02	5.72	6.2	6.49	1934+5315 A	high	1.35	3.05	4.41	5.33	5.89	6.31	6.47		
0734+3153 A	high	1.35	2.4	3.47	3.96	4.35	4.65	4.79	1935+5659 A	high	0.5	2.21	3.6	4.76	5.65	6.19	6.67		
0735+5450 A	medium	0.0	0.11	0.67	1.23	1.75	2.28	2.69	1936+5013 A	high	1.52	3.46	4.88	5.88	6.59	7.1	7.43		
0739+0211 A	high	1.19	2.56	3.74	4.73	5.42	6.04	6.43	1937+2743 A	medium	1.35	2.96	3.91	4.28	4.49	4.54	4.65		
0739-0335 A	high	1.69	3.21	4.52	5.45	6.14	6.55	6.92	1941+5031 A	high	1.62	3.53	5.02	5.95	6.64	7.13	7.51		

Table 6 continued

Table 6 (continued)

Target ID	Obs	Limit (mag) at Separation							Target ID	Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5
0739-0335 B	high	1.56	3.05	4.35	5.29	6.02	6.56	6.88	1945+3000 A	high	1.27	2.92	4.28	5.37	6.11	6.62	7.1
0744+0333 A	high	2.47	3.95	5.3	6.23	6.83	7.23	7.48	1946+3201 A	high	1.86	3.81	5.19	6.02	6.5	6.74	6.71
0745+2801 A	high	0.0	0.19						1946+3343 A	high	1.57	3.31	4.7	5.77	6.59	7.2	7.5
0748+2022 A	high	2.11	3.44	4.74	5.62	6.21	6.57	6.88	1951+1024 A	high	1.27	3.05	4.37	5.5	6.25	6.73	7.07
0749+2721 A	high	3.17	4.72	6.26	7.08	7.54	7.79	7.99	1955+0624 A	high	1.56	3.42	4.81	5.79	6.52	6.96	7.27
0751+0532 A	high	2.03	3.34	4.21	4.56	4.78	4.84	4.85	1958+0202 A	high	1.86	3.71	5.04	5.94	6.38	6.79	7.03
0754+1914 A	high	2.35	3.77	5.17	5.98	6.56	6.85	7.08	1959-0957 A	high	0.91	2.31	3.48	4.48	5.19	5.8	6.29
0758+4118 A	high	0.0	1.04	2.24	3.25	3.95	4.51	4.82	2000+2242 A	high	1.98	4.11	5.5	6.6	7.27	7.56	7.77
0759+2050 A	high	2.14	3.62	4.92	5.78	6.34	6.6	6.93	2002+0319 A	high	1.02	2.79	4.16	5.21	5.98	6.37	6.72
0800+2912 A	high	2.31	3.94	5.28	6.13	6.75	7.16	7.39	2003+2953 A	high	0.93	2.81	4.21	5.36	6.11	6.62	7.04
0807+2134 A	high	2.42	3.86	5.33	6.31	7.09	7.45	7.82	2003+0559 A	high	1.08	2.69	3.86	4.91	5.5	5.92	6.14
0808+2106 A	high	2.21	3.69	5.08	6.03	6.68	7.09	7.49	2003+2320 A	high	1.67	3.61	4.94	5.94	6.63	7.15	7.41
0808+3249 A	high	2.72	4.27	5.68	6.57	7.16	7.47	7.74	2004+1704 A	high	0.92	2.7	4.19	5.36	6.16	6.72	7.12
0808+3249 B	high	2.91	4.49	5.83	6.5	6.9	7.12	7.31	2004+2547 A	high	1.21	3.21	4.71	5.8	6.4	6.95	7.24
0809+2154 A	high	1.82	3.22	4.54	5.35	5.92	6.23	6.48	2005+5426 A	high	1.69	3.82	5.15	6.05	6.49	6.7	6.79
0811+3227 A	high	3.02	4.6	6.03	6.95	7.48	7.69	7.96	2005+3828 A	high	2.01	4.24	5.65	6.71	7.31	7.65	7.88
0814+1301 A	high	0.27	1.59	2.8	3.94	4.8	5.47	5.89	2006+3558 A	high	1.71	3.88	5.36	6.49	7.12	7.5	7.92
0816+0118 A	high	1.3	2.57	3.77	4.69	5.4	5.93	6.36	2008+3318 A	high	1.35	3.56	4.97	6.14	6.77	7.27	7.6
0818+3036 A	high	2.85	4.54	6.1	7.07	7.63	7.9	8.17	2009+1648 A	high	1.43	3.39	4.68	5.62	6.3		
0819+0120 A	high	1.18	2.61	3.85	4.78	5.5	6.06	6.45	2010+7714 A	high	1.69	3.61	5.07	5.95	6.57	7.08	7.2
0820+2713 A	high	2.95	4.53	6.13	7.13	7.6	7.94	8.21	2011+1611 A	high	1.54	3.54	4.9	5.92	6.55	7.01	7.39
0820+1404 A	high	0.0	0.76	1.87	2.86	3.72	4.35	4.86	2014-0716 A	high	0.58	1.83	2.98	3.88	4.57	5.11	5.53
0827+4539 A	high	0.0	1.17	2.39	3.39	4.18	4.85	5.25	2017+6651 A	high	1.27	2.94	4.21	5.16	5.85	6.39	6.89
0828+2008 A	medium	2.44	3.85	5.01	5.55	5.87	5.98	6.12	2026+5834 A	high	1.73	3.61	4.83	5.54	5.92	5.93	6.02
0828+3500 A	high	0.0	1.58	2.9	3.98	4.63	5.08	5.32	2029+0941 A	high	1.21	2.93	4.27	5.13	5.56	5.81	5.92
0829+2646 A	medium	2.11	3.67	4.74	5.29	5.57	5.73	5.74	2030+6526 A	high	1.43	3.23	4.41	5.35	6.03	6.56	6.88
0829+6143 A	high	0.0	0.72	1.5	2.18	2.65	3.11	3.44	2032+4153 A	high	0.88	2.25	3.32	4.25	5.06	5.58	6.03
0834-0108 A	high	1.31	2.67	3.81	4.56	5.05	5.34	5.47	2033+6145 A	high	0.73	2.15	3.31	4.15	4.77	5.16	5.46
0835+6804 A	high	1.67	3.06	4.31	5.15	5.66	5.94	6.17	2034+2503 A	high	2.14	4.08	5.34	6.04	6.34	6.45	6.56
0836+6717 A	high	1.55	3.12	4.5	5.43	6.06	6.52	6.78	2034+0320 A	high	1.45	3.1	4.41	5.28	5.8	6.15	6.41
0837+1507 A	high	1.32	2.98	4.21	4.93	5.32	5.53	5.69	2040+1529 A	high	1.4	3.39	4.63	5.34	5.72	5.96	6.02
0837-0648 A	high	1.17	2.39	3.52	4.48	5.1	5.67	6.08	2040+1956 A	high	2.03	3.88	5.39	6.4	6.98	7.4	7.67
0839+6501 A	high	1.82	3.37	4.74	5.73	6.28	6.81	7.05	2041+5725 A	high	1.79	3.76	5.23	6.2	6.81	7.2	7.48
0839+1131 A	high	1.44	3.05	4.34	5.26	5.9	6.29	6.5	2043+5520 A	high	1.76	3.73	4.73	5.28	5.44	5.56	5.55
0841+5929 A	medium	0.26	1.24	1.96	2.5	2.8	2.94	3.07	2043+6416 A	high	1.73	3.61	4.97	5.87	6.52	6.76	7.0
0842+0933 B	high	0.46	1.96	3.23	4.27	4.85	5.34	5.64	2045+4429 A	high	2.03	4.13	5.59	6.52	7.14	7.43	7.62
0851+1807 A	high	2.89	4.54	5.93	6.76	7.17	7.4	7.63	2046+3358 A	high	0.22	1.36	2.35	3.27	3.98	4.68	5.19
0852+6607 A	high	1.5	3.02	4.28	5.17	5.79	6.18	6.4	2049+3728 A	low	0.86	1.89	2.56	2.96	3.15	3.26	3.33
0852+2819 A	high	2.85	4.57	6.08	6.98	7.52	7.86	8.09	2049+3217 A	high	0.76	2.17	3.33	4.33	5.1	5.73	6.18
0852+2819 B	medium	3.07	4.57	5.88	6.42	6.71	6.88	6.9	2050+5253 A	high	2.06	4.02	5.44	6.39	7.09	7.49	7.75
0854-0526 A	high	0.25	1.26	2.25	3.16	3.85	4.5	5.02	2053+6209 A	high	0.77	1.88	3.09	4.45	5.53	6.26	6.72
0855+0132 A	high	0.61	1.9	2.94	3.86	4.56	5.1	5.56	2053+1037 A	high	1.29	2.87	3.99	4.53	4.78	4.89	4.94
0858+2032 A	high	1.95	3.47	4.88	5.9	6.6	7.09	7.43	2055+1310 A	high	1.09	2.67	4.02	5.14	5.84	6.37	6.71
0859+7257 A	medium	0.0	0.82	1.67	2.33	2.78	2.9	3.03	2056-1026 A	high	1.3	3.19	4.47	5.21	5.62	5.83	5.97
0900+4635 A	high	0.31	1.83	3.03	3.76	4.32	4.54	4.7	2056-0450 A	high	0.94	2.42	3.66	4.52	5.22	5.62	5.91
0900+0514 A	high	0.53	2.01	3.27	4.09	4.72	5.05	5.21	2057+2221 A	high	1.79	3.55	4.89	5.7	6.25	6.54	6.73
0900+0514 B	high	0.53	2.01	3.27	4.09	4.72	5.05	5.21	2101-0619 A	high	0.76	2.28	3.53	4.5	5.15	5.69	5.95
0900+4825 A	medium	2.18	3.54	4.51	4.97	5.15	5.28	5.25	2106+3844 A	high	1.39	3.44	4.93	6.07	6.81	7.24	7.51
0901+1515 A	high	1.66	3.26	4.58	5.42	5.96	6.16		2107+5943 A	high	0.89	2.56	3.58	4.03	4.24	4.4	4.34
0902+0828 A	high	0.36	1.81	3.06	4.07	4.66	5.17	5.32	2114+3801 A	high	0.22	1.58	2.77	3.71	4.48	5.17	5.64
0906-0848 A	high	0.0	0.86	1.81	2.77	3.58	4.29	4.78	2118+0009 A	high	0.08	1.1	2.13	3.36	4.5	5.37	5.94
0908+3352 A	high	2.26	3.75	5.09	6.1	6.72	7.18	7.55	2118+5412 A	high	0.71	2.27	3.09	3.44	3.6	3.62	3.59
0909+4006 A	high	1.78	3.09	3.96	4.44	4.55	4.74	4.78	2118+6235 A	high	0.0	0.65	1.78	2.84	3.73	4.44	5.01

Table 6 continued

Table 6 (continued)

Target ID		Obs	Limit (mag) at Separation							Target ID		Obs	Limit (mag) at Separation						
Robo-AO	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5	Robo25	Quality	0'.5	1'0	1'.5	2'0	2'.5	3'0	3'.5		
0911+4637 A	high	0.0	0.85	1.78	2.6	3.26	3.8	4.22	2127-0650 A	high	0.61	2.03	3.29	4.22	4.91	5.44	5.76		
0912+1459 A	high	2.52	4.16	5.62	6.52	7.1	7.36	7.62	2130-1230 A	high	1.13	2.54	3.72	4.65	5.38	5.99	6.39		
0914+6125 A	high	0.09	1.01	1.94	2.66	3.24	3.76	4.15	2133+0146 A	high	1.56	3.1	4.21	4.75	5.02	5.05	5.09		
0917+2833 A	high	0.42	1.85	3.13	4.1	4.81	5.38	5.69	2133+6200 A	high	0.36	1.86	3.02	3.88	4.43	4.77	4.89		
0919+3831 A	high	2.0	3.47	4.28	4.61	4.79	4.88	4.83	2134+5132 A	high	1.36	3.38	4.73	5.62	6.08	6.34	6.46		
0920+2643 A	medium	0.96	2.22	2.86	3.11	3.19	3.22	3.28	2139+2736 A	high	1.11	2.84	4.13	5.0	5.51	5.88	6.1		
0920-0545 A	high	0.3	1.54	2.63	3.6	4.34	4.96	5.42	2142+2059 A	medium	1.93	3.3	4.12	4.41	4.54	4.61	4.78		
0920+0322 A	high	1.15	2.53	3.55	4.24	4.69	4.92	4.97	2144+0638 A	high	2.23	3.83	5.2	6.08	6.64	6.87	7.1		
0922+4012 A	high	2.32	3.97	5.4	6.2	6.79	7.03	7.18	2144+4135 A	high	1.08	3.14	4.53	5.64	6.32	6.8	7.01		
0928-0722 A	high	0.95	2.54	3.85	4.72	5.2	5.49	5.61	2144+1446 A	high	2.09	3.77	5.15	6.12	6.89	7.26	7.65		
0928-0722 B	medium	0.7	1.86	2.67	3.1	3.23	3.34	3.37	2146+4638 A	medium	0.56	1.95	2.95	3.62	3.95	4.13	4.19		
0929-0246 A	high	0.2	1.31	2.36	3.29	4.06	4.7	5.15	2147+5014 A	high	0.75	2.15	3.17	3.98	4.36	4.64	4.81		
0929-0522 A	high	0.32	1.47	2.52	3.41	4.08	4.62	4.98	2148+2755 A	high	1.79	3.59	4.91	5.8	6.43	6.7	6.93		
0929+0539 A	high	0.8	2.32	3.57	4.58	5.37	5.82	6.15	2152+0223 A	medium	1.83	3.39	4.18	4.61	4.61	4.85	4.97		
0930+0019 A	high	0.1	1.07	2.0	2.79	3.46	4.02	4.33	2153+2055 A	high	1.83	3.63	4.99	5.95	6.72	7.17	7.57		
0931+6303 A	high	0.24	1.77	3.06	4.14	4.91	5.63	6.01	2154+3219 A	high	1.98	3.67	5.01	5.9	6.65	7.14	7.35		
0931+6303 B	high	0.24	1.77	3.06	4.14	4.91	5.63	6.01	2156-0154 A	medium	1.81	3.23	4.2	4.64	4.88	5.05	5.01		
0931+3619 A	high	2.09	3.76	5.21	6.19	6.78	7.06	7.31	2157+0808 A	high	2.21	3.89	5.28	6.28	6.83	7.24	7.47		
0932-1111 A	high	0.94	2.53	3.89	4.83	5.39	5.69	5.95	2158+7535 A	high	0.8	2.52	3.96	4.94	5.57	6.05	6.15		
0932+2659 A	high	0.63	2.14	3.47	4.48	5.18	5.6	5.92	2201+2818 A	high	1.86	3.6	4.95	5.76	6.4	6.8	7.07		
0932+2659 B	medium	0.85	2.16	2.85	3.12	3.21	3.29	3.32	2202+0124 A	high	1.22	3.22	4.71	5.81	6.49	6.97	7.25		
0935+3548 A	high	1.87	3.56	5.01	6.04	6.76	7.08	7.43	2207+2520 A	high	1.31	2.73	4.08	4.99	5.71	6.33	6.8		
0937+2241 A	high	0.93	2.53	3.83	4.85	5.63	6.16	6.58	2209-0732 A	high	0.99	2.87	4.36	5.41	6.12	6.62	6.9		
0941+2201 A	high	1.07	2.57	3.55	4.07	4.29	4.41	4.51	2209-0438 A	high	1.49	3.09	4.41	5.37	6.15	6.61	6.99		
0941+1312 A	high	0.48	2.05	3.4	4.46	5.24	5.71	6.05	2209+4102 A	high	1.2	2.74	3.44	3.75	3.91	3.93	3.9		
0942+5559 A	high	0.03	1.31	2.42	3.29	3.85	4.22	4.51	2211+3615 A	high	1.67	3.18	4.48	5.42	6.09	6.58	6.92		
0943+4241 A	high	2.05	3.65	5.07	6.05	6.75	7.17	7.56	2211+4100 A	high	1.19	3.04	4.06	4.68	4.99	5.04	5.12		
0948+4601 A	high	2.18	3.77	5.28	6.25	6.97	7.31	7.6	2211+1825 A	high	1.33	2.67	3.88	4.83	5.52	6.07	6.47		
0951-1219 A	high	0.86	2.4	3.73	4.78	5.51	6.0	6.3	2212+0833 A	high	1.1	3.11	4.4	5.37	5.76	6.12	6.08		
0953-0341 A	high	0.65	1.86	2.97	3.91	4.63	5.2	5.6	2215+5440 A	high	1.19	3.09	4.37	5.43	6.01	6.47	6.66		
0953+2056 A	high	0.92	2.42	3.46	4.09	4.41	4.56	4.59	2216+7056 A	high	0.69	2.48	3.71	4.62	5.1	5.38	5.58		
0956+6247 A	high	0.0	0.42	1.23	1.95	2.49	2.97	3.38	2216+6820 A	high	1.12	3.08	4.41	5.44	6.14	6.66	6.97		
1001+3155 A	high	1.52	3.15	4.56	5.57	6.32	6.75	7.11	2228+1855 A	high	1.52	3.54	5.04	5.95	6.5	6.75	6.95		
1002+4805 A	high	0.47	1.82	2.89	3.79	4.52	5.09	5.56	2229+0139 A	high	1.45	3.16	4.45	5.5	6.17	6.61	6.84		
1006+4142 A	high	2.02	3.67	5.07		6.41	6.68	6.89	2233+0922 A	high	1.0	2.83	4.28	5.29	5.95	6.41	6.62		
1008+1158 A	high	0.0	0.54	1.3	2.0	2.6	3.11	3.52	2234-0104 A	medium	2.25	3.75	4.66	4.98	5.21	5.24	5.21		
1008+3414 A	high	2.29	3.95	5.47	6.29	6.81	7.07	7.2	2239+0406 A	high	1.41	3.11	4.46	5.52	6.28	6.72	7.09		
1009+5117 A	medium	2.14	3.62	4.83	5.43	5.74	5.9	6.01	2242+1740 A	high	1.36	3.42	4.85	5.76	6.26	6.53	6.68		
1011+4927 A	high	0.85	2.31	3.49	4.51	5.17	5.78	6.19	2243-0624 A	high	1.0	2.55	3.89	4.9	5.72	6.34	6.72		
1012-0241 A	high	0.81	2.07	3.3	4.24	4.93	5.48	5.87	2246+1210 A	high	0.89	2.74	4.23	5.26	6.01	6.65	6.99		
1012-0344 A	high	0.23	1.34	2.42	3.32	4.08	4.68	5.16	2246+4420 A	high	1.63	3.57	4.9	5.99	6.59	7.04	7.29		
1013+5230 A	high	2.22	3.8	5.2	6.11	6.72	7.13	7.35	2247+8341 A	high	0.99	2.67	3.94	4.97	5.61	6.08	6.34		
1014+2104 A	high	0.01	1.2	2.3	3.22	3.99	4.57	4.99	2249+2236 A	medium	1.8	2.86	3.29	3.32	3.35	3.46	3.4		
1016-1157 A	high	0.0	1.14	2.49	3.55	4.3	4.88	5.16	2250+3451 A	high	2.06	3.57	4.94	5.81	6.36	6.72	7.03		
1017+2306 A	high	0.0	0.92	2.02	2.93	3.73	4.34	4.82	2251+1358 A	high	1.35	3.39	4.82	5.93	6.57	7.02	7.37		
1018+4402 A	high	1.95	3.66	5.11	6.0	6.59	6.84	7.09	2251+3145 A	high	1.58	3.47	4.79	5.61	6.13	6.41	6.52		
1019+1952 A	high	0.02	1.19	2.39	3.33	4.12	4.74	5.18	2254+6059 A	high	1.71	3.49	4.67	5.4	5.8	6.02	6.07		
1019+1928 A	high	0.0	1.21	2.3	3.22	3.99	4.66	5.18	2255+0545 A	high	1.35	2.85	4.11	5.05	5.69	6.18	6.45		
1025-1013 A	high	0.15	1.54	2.77	3.8	4.6	5.19	5.56	2255+0545 B	high	1.56	3.58	4.93	5.82	6.25	6.56	6.63		
1028+4847 A	high	1.43	2.86	4.16	5.13	5.81	6.29	6.53	2256+1633 A	high	1.93	3.54	4.87	5.85	6.58	7.14	7.46		
1028+4814 A	high	0.71	2.17	3.22	3.92	4.35	4.58	4.74	2257+2046 A	high	1.33	3.42	4.9	5.99	6.73	7.13	7.53		
1028+0050 A	high	0.22	1.28	2.3	3.17	3.9	4.5	5.03	2258-0223 A	high	1.96	3.57	4.86	5.81	6.55	6.92	7.24		
1030+5558 A	high	1.48	2.94	4.24	5.21	5.96	6.51	6.95	2301-0350 A	high	1.33	3.11	4.43	5.49	6.14	6.64	6.92		

Table 6 continued

Table 7. Companion Candidate Measurements for Stars >25 pc

Prim. Source ID	Comp. Source ID	Distance (pc)	Detection Source	Epoch (Julian date)	Separation (")	Separation (AU)	P. A. (°)	Filter	Contrast (mag)	Detection S/N	$\Delta\pi/\pi$	$\Delta\mu/\mu$	Phys. assoc.	\mathcal{R}
435570539206096640	...	25.05 ± 0.05 [G]	Robo-AO	2012.5831972	0.73 ± 0.06	18.32 ± 1.50	193.9 ± 4.7	<i>i'</i>	2.43 ± 0.14	72
9178383766474496	...	25.14 ± 0.02 [G]	Robo-AO	2012.6679375	0.23 ± 0.08	5.84 ± 2.07	81.5 ± 17.4	<i>i'</i>	2.28 ± 0.16	14
9178383766474496	9178383766474624	25.14 ± 0.02 [G]	Robo-AO	2012.6679375	2.09 ± 0.12	52.58 ± 2.92	213.4 ± 2.9	<i>i'</i>	0.16 ± 0.11	246
3199115603133450880	3199115603133451136	36.09 ± 0.03 [G]	Robo-AO	2012.7009272	2.95 ± 0.06	106.32 ± 2.17	282.1 ± 1.2	<i>i'</i>	0.82 ± 0.21	269	10 ⁻³	10 ⁻³	yes	10 ⁻³⁷
3413754360367271168	3413754360367270272	31.78 ± 0.08 [G]	Gaia EDR3	...	9.45	300.27 ± 0.76	19.4	<i>G</i>	7.36	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
3379666746830064384	3379666751124980352	1383.13 ± 255.77 [G]	Robo-AO	2012.7720618	2.49 ± 0.06	3442.82 ± 642.05	155.9 ± 1.4	<i>i'</i>	5.40 ± 0.58	90	1.0	1.0	no	...
950395658954590080	950395654664758272	25.05 ± 0.01 [G]	Gaia EDR3	...	37.90	949.16 ± 0.49	6.2	<i>G</i>	1.61	...	10 ⁻³	10 ⁻²	yes	10 ⁻⁶
870758684590736896	870758684589320448	27.17 ± 0.21 [G]	Robo-AO	2013.0561190	2.40 ± 0.06	65.32 ± 1.71	138.2 ± 1.4	<i>i'</i>	4.22 ± 0.26	304	10 ⁻²	10 ⁻²	yes	10 ⁻⁸
3969885761146749824	3969885761146749952	25.65 ± 0.01 [G]	Gaia EDR3	...	18.69	479.20 ± 0.28	281.4	<i>G</i>	0.10	...	10 ⁻⁵	10 ⁻²	yes	10 ⁻⁸
3789271459953459328	3789271459953459072	26.31 [G]	Gaia EDR3	...	11.72	308.39	222.1	<i>G</i>	2.29	...	10 ^{-E+}	10 ⁻³	yes	...
3789271459953459328	...	26.31 [G]	Robo-AO	2013.0485648	0.21 ± 0.06	5.47 ± 1.58	87.4 ± 17.0	<i>i'</i>	0.46 ± 0.10	43
1522552819668322688	1522552819667933952	27.72 ± 0.11 [G]	Robo-AO	2013.2944552	0.44 ± 0.06	12.10 ± 1.66	156.4 ± 7.9	<i>i'</i>	2.18 ± 0.27	38	10 ⁻²	0.1	yes	10 ⁻⁹
1437124683199761920	1437124683199762304	25.01 ± 0.01 [G]	Gaia EDR3	...	12.19	305.03 ± 0.09	42.9	<i>G</i>	1.38	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻⁷
4595398441587270272	4595398441587270272	27.79 ± 0.20 [G]	Gaia EDR3	...	56.44	1568.60 ± 11.42	21.0	<i>G</i>	1.24	...	10 ⁻⁴	10 ⁻³	yes	10 ⁻⁸
4595398441587270272	...	27.79 ± 0.20 [G]	Robo-AO	2012.4622772	0.22 ± 0.06	6.00 ± 1.67	305.5 ± 16.4	<i>i'</i>	1.76 ± 0.29	25
2132788541955849984	2132788541955849216	25.27 ± 0.01 [G]	Gaia EDR3	...	7.19	181.60 ± 0.07	204.3	<i>G</i>	0.16	...	10 ⁻⁵	10 ⁻³	yes	10 ⁻¹²
2815542965962559488	2815543034682035840	25.13 ± 0.01 [G]	Gaia EDR3	...	31.36	788.24 ± 0.33	269.6	<i>G</i>	3.23	...	10 ⁻⁴	10 ⁻²	yes	10 ⁻¹²