Making heads or tails of systemic risk measures

Aleksy Leeuwenkamp*

April 2023

Abstract

This paper shows that the CoVaR, Δ -CoVaR, CoES, Δ -CoES and MES systemic risk measures can be represented in terms of the univariate risk measure evaluated at a quantile determined by the copula. The result is applied to derive empirically relevant properties of these measures concerning their sensitivity to power-law tails, outliers and their properties under aggregation. Furthermore, a novel empirical estimator for the CoES is proposed. The power-law result is applied to derive a novel empirical estimator for the power-law coefficient which depends on Δ -CoES / Δ -CoVaR. To show empirical performance simulations and an application of the methods to a large dataset of financial institutions are used. This paper finds that the MES is not suitable for measuring extreme risks. Also, the ES-based measures are more sensitive to power-law tails and large losses. This makes these measures more useful for measuring network risk but less so for systemic risk. The robustness analysis also shows that all Δ measures can underestimate due to the occurrence of intermediate losses. Lastly, it is found that the power-law tail coefficient estimator can be used as an early-warning indicator of systemic risk.

Keywords— Expected Shortfall, Extreme Value Theory, Power-Laws, Copula, Systemic Risk, Financial Networks, CoVaR, CoES, MES, Tail Dependence, Robustness, Tail Risk, Risk Management *JEL*— C21, C51, C58, E32, G01, G12, G17, G20, G32

^{*}KU Leuven Faculty of Economics and Business (FEB) Department of Accounting, Finance & Insurance (AFI),

Naamsestraat 69 3000 Leuven Belgium Email: aleksy.leeuwenkamp@kuleuven.be . An earlier version of this paper has been previously circulated under the title " Δ -CoES". The author thanks Stijn Claessens, Lars Van Cutsem, Roman Gonachrenko , Ralph De Haas, Hamza Hanbali, Florian Hoffmann, Wentao Hu, Cédric Huylebroek, Sotirios Kokas, Ivan Marković, participants of the BSE Banking Summer School 2022, the CEBA Seminar at the University of St. Petersburg the IFABS 2022 conference in Naples and the 17th Belgian Financial Research Forum 2023 for comments, suggestions and other forms of assistance.

1 Introduction

Accurately and reliably measuring systemic risk is still a surmountable challenge after the Great Financial Crisis (GFC) in 2008. The main lesson from the GFC was that in order to have an accurate assessment of systemic risk it is insufficient to measure and control the risk of individual financial institutions (microprudential). Considering the risk in the system as a whole (macroprudential) has become a vital strand in the literature as can be seen in Claessens (2015) and Freixas et al. (2015) for example. As a consequence, over the years following the GFC the attention has shifted to attempting to measure systemic risk and more precisely risk emerging from the interactions between financial institutions and the networks these interactions create.

Two very popular methods that have emerged in the literature are the CoVaR method proposed by Adrian and Brunnermeier (2016) and the MES method proposed by Acharya et al. (2016). Both of these systemic risk measures are conditional in the sense that rather looking at the risk of a financial institution Y in isolation they consider the risk of Y conditional on another institution X or the financial system being in a state of distress. While both of these papers provided solid economic foundations for their respective measures the mathematical and statistical properties were not elaborated much upon. Despite this, both measures have become a stable of the empirical literature on systemic risk and even beyond ¹. As a consequence, a considerable amount of literature is devoted to this topic 2 . However, as far as the author is aware results from this literature have only been sparsely applied in the empirical literature such as Reboredo (2013); Reboredo and Ugolini (2015); Karimalis and Nomikos (2018). Also, as both systemic risk measures aim to measure (conditional) tail risks and tail dependencies in (sometimes aggregated) financial data some obvious but unanswered questions are: "How good are these measures at actually capturing these risks?", "What effects do very large losses in the data have on the estimates?", "How does aggregation affect the risk measures?" and "What are the practical implications of these questions?". Answering these questions is crucial in order to assess the empirical usefulness and reliability of these risk measures. In the case of the unconditional VaR and ES these questions have been answered already in Yamai and Yoshiba (2002); McNeil et al. (2015), Cont et al. (2010), Artzner et al. (1999); Embrechts et al. (2009); McNeil et al. (2015) and Danielsson et al. (2001); Danielsson (2008) respectively. However, for conditional risk measures like the CoVaR, CoES and MES the questions remain open. The answers to these questions form part of the reason behind the regulatory push from VaR to ES-based risk measures for unconditional risks BIS (2014).

By applying copula (Nelsen (2007)), extreme value (Embrechts et al. (2003)) and statistical robustness theory (Hampel (1971)) this paper aims to, on one hand, contribute to the literature general mathematical, extreme value properties and robustness of risk measures ³. On the other hand, by showing the practical implications of the results and proposing new estimators this paper aims to contribute to the literature on model risk and its economic implications ⁴, conditional risk measure estimation ⁵, (dynamic) power-law coefficient estimation ⁶ and the development of systemic risk measures and early-warning indicators ⁷. The final goal is to offer empiricists a simple but sound set of facts and results to aid their choice, estimation and interpretation of conditional risk measures while also pointing out some shortfalls.

The paper is structured as follows: in section 2 the mathematical theory and the results are introduced and proven. In section 3 the estimators are proposed and a Monte-Carlo simulation setups to test their properties and the theoretical results are provided. In section 4 the data are discussed. In section 5 all the empirical results are provided and discussed. In section 6 a short conclusion is provided.

¹For the CoVaR applications some recent examples: Ji et al. (2018); Brunnermeier et al. (2020); Beck et al. (2020); Keilbar and Wang (2022); Torri et al. (2021); Zelenyuk and Faff (2022); Song and Fang (2022). The MES has since its inception been implemented in the SRISK systemic risk measure Brownlees and Engle (2016) and in the systemic risk suite V-lab NYU (2022).

²Some references: Girardi and Tolga Ergün (2013); Mainik and Schaanning (2014); Bernard and Czado (2015); Bernardi et al. (2017); Jaworski (2017); Sordo et al. (2018); Dhaene et al. (2022)

³Artzner et al. (1999); Yamai and Yoshiba (2002); Embrechts et al. (2009); Cont et al. (2010); Mainik and Schaanning (2014); Bernard and Czado (2015); Bernardi et al. (2017); Jaworski (2017); Sordo et al. (2018); Dhaene et al. (2022)

⁴Danielsson et al. (2001); Daníelsson (2008); Donnelly and Embrechts (2010)

⁵Girardi and Tolga Ergün (2013); Adrian and Brunnermeier (2016); Acharya et al. (2016); Karimalis and Nomikos (2018); Torri et al. (2021); Keilbar and Wang (2022))

 $^{{}^{6}}_{-}$ Hill (1975); Kelly (2014)

⁷For comprehensive surveys see:Bisias et al. (2012); Benoit et al. (2017)

2 Theory: the CoVaR and CoES

2.1 Definition

In this paper will make use of the profit/loss P/L approach like in Adrian and Brunnermeier (2016). This means that if P is a random variable representing returns or payoffs then X = -P represents losses. Then the Value-at-Risk (VaR) of the losses at a significance level $\alpha \in (0, 1)$ can be represented as follows:

$$\operatorname{VaR}_{\alpha}(X) = F_X^{-1}(\alpha)$$

As in this setting the interest lies in high quantiles far above 0.5 such as $\{0.95, 0.975, 0.99\}$ the VaR will always be positive. In Adrian and Brunnermeier (2016) the CoVaR is proposed in order to capture the effect of financial institutions affecting the financial system or another institution. Simply, the CoVaR at a level $\beta \in (0, 1)$ is the VaR of the financial system or another institution Y given that an institution X is in distress. Adrian and Brunnermeier (2016) propose to use the condition $X = \text{VaR}_{\alpha}(X)$ to denote X being in distress. Hence, their definition of CoVaR is

$$\operatorname{CoVaR}_{\alpha,\beta}^{=}(Y \mid X) = \operatorname{VaR}_{\beta}(Y \mid X) = \operatorname{VaR}_{\alpha}(X))$$

While this conditioning makes estimation of the CoVaR easy as quantile regression can be used it has a set of problems which were first highlighted in Mainik and Schaanning (2014). First, conditioning on a set of measure zero makes the measure more involved in a probabilistic sense and less stable in a statistical sense as discussed in Girardi and Tolga Ergün (2013) and Mainik and Schaanning (2014). Second, this version of the measure even in the most simple case of bivariate normal returns is not guaranteed to increase as the underlying random variables become more dependent i.e. it is not dependence consistent. This property makes this version of the measure unreliable in any empirical application and also risky to use in regulation as financial institutions could lower their CoVaR by becoming more dependent with other institutions. In order to partly fix this issue and to establish a measure that measures an institutions risk contribution to that of another or the system Adrian and Brunnermeier (2016) propose the Δ -CoVaR:

$$\Delta - \operatorname{CoVaR}_{\alpha,\beta}^{=,\operatorname{med}}(Y \mid X) = \operatorname{CoVaR}_{\alpha,\beta}^{=}(Y \mid X) - \operatorname{CoVaR}_{1/2,\beta}^{=}(Y \mid X).$$

In simpler terms, this is the change in the losses of Y that can occur with probability $1-\beta$ given that the losses of X move from their median level to their $\operatorname{VaR}_{\alpha}$ level. Adrian and Brunnermeier (2016) show that in the case of bivariate normal returns this measure is increasing in the correlation coefficient ρ . However, Mainik and Schaanning (2014) argue that this result is superficial as it is proportional to the traditional CAPM beta. Furthermore, they show that once one deviates from this simple model the dependence consistency result does not hold and propose different definitions of the CoVaR and Δ -CoVaR which are dependence consistent under a broader class of distributions and also remediate the probabilistic and statistical issues by simply changing the conditioning from $X = \operatorname{VaR}_{\alpha}(X)$ to $X \geq \operatorname{VaR}_{\alpha}(X)$. Hence, they obtain:

$$\operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = \operatorname{VaR}_{\beta}(Y \mid X \ge \operatorname{VaR}_{\alpha}(X)) \tag{1}$$

and

$$\Delta - \operatorname{CoVaR}_{\alpha,\beta}^{\mathrm{med}}(Y \mid X) = \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) - \operatorname{CoVaR}_{1/2,\beta}(Y \mid X).$$

Hence, in the rest of the paper the definition of the CoVaR in equation 1 will be used. In Girardi and Tolga Ergün (2013) it is shown that these measures can be estimated using bivariate GARCH models. Even with this change the Δ -CoVaR is not ideal yet as it is only dependence consistent under still quite strict assumptions (see Sordo et al. (2018); Dhaene et al. (2022)), the second term opens up a conundrum of what the appropriate benchmark state for X is (see:Girardi and Tolga Ergün (2013)) and the interpretation of the risk contribution is not really statistical in nature. In the literature another version of the Δ -CoVaR has been proposed

$$\Delta - \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) - \operatorname{VaR}_{\beta}(Y).$$
⁽²⁾

In Sordo et al. (2018); Dhaene et al. (2022) it is proven that this version is dependence consistent under more general assumptions on the multivariate distribution. Because the second term now provides a baseline

assuming independence of X and Y the Δ -CoVaR has a natural statistical interpretation and it makes the choice of benchmark state for X irrelevant. Now, the Δ -CoVaR can be interpreted as the difference in the losses of Y which occur with probability of $1 - \beta$ if X is in distress and X and Y are dependent versus if X is in any state and X and Y are independent. This implies that the measure really shows the amount of risk that X and its dependence with Y pose on Y (total risk) minus the risk of Y itself (microprudential). Hence, this interpretation fits more with the spirit of macroprudential financial regulation which was the original intended purpose of the Δ -CoVaR Adrian and Brunnermeier (2016). Therefore, in the rest of the paper we will use the definition in equation 2 for the Δ -CoVaR.

Analogously to the univariate case there also exist co-risk versions of the Expected Shortfall (ES) introduced in Acerbi et al. (2001). These are the CoES and Δ -CoES:

$$\operatorname{CoES}_{\alpha,\beta}(Y \mid X) = \mathbb{E}[Y \ge \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) \mid X \ge \operatorname{VaR}_{\alpha}(X)] = \frac{1}{1-\beta} \int_{\beta}^{1} \operatorname{CoVaR}_{\alpha,q}(Y \mid X) dq, \quad (3)$$

$$\Delta - \operatorname{CoES}_{\alpha,\beta}(Y \mid X) = \operatorname{CoES}_{\alpha,\beta}(Y \mid X) - \operatorname{ES}_{\beta}(Y).$$
(4)

The interpretation of the CoES is the expected loss that occurs with probability $1 - \beta$ if X and Y are dependent and X is in distress. The Δ -CoES then computes the difference of this expected loss with the expected loss if X and Y were independent. In this paper these definitions for both will be used. In the next section an alternative representation of the CoES will be proposed which greatly reduces the complexity of these measures when proving properties and estimation. The CoES and Δ -CoES have similar properties to the CoVaR and Δ -CoVaR in that under this conditioning on X both are dependence consistent under very general assumptions on the multivariate distribution Mainik and Schaanning (2014); Sordo et al. (2018); Dhaene et al. (2022). However, the Δ -CoES is dependence consistent under more general assumptions on the marginal distribution of Y. In empirical work this measure has been used most notably in Karimalis and Nomikos (2018). However, in the literature no attention has been given yet to the statistical properties of the CoVaR, Δ -CoVaR, CoES and Δ -CoES.

2.2 Representation in terms of the copula

A downside of the expressions of the CoVaR and CoES given in the previous section is that they make the mathematics and statistics unnecessarily complicated. For example in Adrian and Brunnermeier (2016) only under the restrictive assumption of a linear relationship between X and Y and a bivariate normal distribution an explicit could be found for the CoVaR⁼ and Δ -CoVaR^{=,med}. This paper extends their results in the Appendix to the multivariate t-distribution. In Mainik and Schaanning (2014) the same was attempted for the CoVaR but this resulted in integrals that could not be analytically solved. However, using copulas to model the multivariate distribution Bernardi et al. (2017) found very simple representations for both the CoVaR⁼ and CoVaR.

To start off, a copula is an alternative representation of the multivariate distribution function of random variables. In simple terms a copula shows more explicitly how two or more marginal distributions are linked together. Therefore, copulas are natural objects for studying dependence structures and are already popular in finance and other fields Genest et al. (2007); Embrechts (2009); Genest et al. (2009); McNeil et al. (2015). A copula $C : [0,1]^d \rightarrow [0,1]$ is a function from d uniform margins to [0,1]. When d = 2 it is related to the distribution function as follows Sklar (1959):

$$\mathbb{P}(X \le x, Y \le y) = F_{X,Y}(x, y) = C_{X,Y}(U \le F_X(x), V \le F_Y(y)).$$

From the definition ⁸ it can already be seen that a copula and its margins are quite independent in the sense that one can use the same copula but with different F_X and F_Y . While this will result in a different multivariate distribution of course the way in which X and Y are linked will be the same. In fact, copulas are invariant to a broad range of transformations (increasing) of the marginals Nelsen (2007). Therefore, the copula represents the entire dependence structure between X and Y Nelsen (2007). Another convenient

⁸This representation is unique if X and Y are continuous.

property of copulas are the Fréchet-Hoeffding bounds. These state that every copula is bounded below and above by the two cases of maximal positive and minimal negative dependence. Therefore, for a given copula C(u, v) we know that

$$W(u, v) \le C(u, v) \le M(u, v)$$
 for all $(u, v) \in [0, 1]^2$.

Where $W(u, v) = \max(u + v - 1, 0), M(u, v) = \min(u, v)$ with the lower(upper) bound being the copula of two counter-monotonic(comonotonic) random variables. Two random variables X and Y are said to be counter-monotonic(comonotonic) if there exists a decreasing(increasing) function f(.) such that Y = f(X). For example, if f is linear and $\rho(X, Y) = 1$ then X and Y are comonotonic. As f does not have to be linear copulas capture any possible kind of dependence and hence are more general than the bivariate normal distribution⁹. This paper will focus on a positive dependence structure so for any C(u, v) it holds that $I(u, v) \leq C(u, v) \leq M(u, v)$ with I(u, v) = uv the independence copula. Now the result of Bernardi et al. (2017) adapted to the P/L setting is as follows:

$$1 - F_{Y|X \ge \operatorname{VaR}_{\alpha}(X)}(\operatorname{CoVaR}_{\alpha,\beta}(Y \mid X)) = \mathbb{P}(Y \ge \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) \mid X \ge \operatorname{VaR}_{\alpha}(X)) = \frac{C(\alpha, F_y(\operatorname{CoVaR}_{\alpha,\beta}(Y \mid X)))}{1 - \alpha} = 1 - \beta.$$

Let $F_y(\text{CoVaR}_{\alpha,\beta}(Y \mid X)) = \omega$ with $\omega(\alpha, \beta, C)$ the largest solution to the equation $\overline{C}(\alpha, \omega) = (1 - \alpha)(1 - \beta)$ with $\overline{C}(u, v) = 1 - u - v + C(u, v)$. Then it follows that:

$$\operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = F_Y^{-1}(\omega) = \operatorname{VaR}_{\omega}(Y)$$
(5)

D (O II D

(37 | 37)))

and

$$\Delta - \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = \operatorname{VaR}_{\omega}(Y) - \operatorname{VaR}_{\beta}(Y).$$
(6)

A special case of the copula method to obtain the CoVaR was used in Girardi and Tolga Ergün (2013). This result is so powerful because it reduces the conditional problem to a marginal problem with the dependence structure fully captured by $\omega(\alpha, \beta, C)$. In the copula literature often parameterized copulas are used for theoretical and empirical purposes with the parameters denoting the degree of dependence. As an example the Gumbel copula has one parameter $\theta \in [1, \infty)$ with the lower bound attained in the case of independence and the upper limit attained under comonotonicity. In this case $\omega(\alpha, \beta, \theta)$ and in Bernardi et al. (2017) it is shown that for lower tail dependence it has an analytical solution. Applying the results of Bernardi et al. (2017); Jaworski (2017) we know that for a copula with a positive dependence structure $\beta \leq \omega \leq \alpha + \beta - \alpha\beta$ with the lower bound attained in the case of independence and the upper bound attained in the case of independence and the upper bound attained in the case of comonotonicity. With equation 5 one can prove results for the CoVaR and Δ -CoVaR by using results for the marginal VaR. In estimation, one can reduce the problem of estimating CoVaR to fitting a copula, computing ω and then estimating the VaR at level ω . The former has a large literature Hofert et al. (2019) and the fact that a lot of popular copulas have analytical expressions for ω^{-10} while for the latter there exists a rich literature on univariate VaR estimation methods with known statistical properties Kuester et al. (2005). The addition in this paper is to now extend this result to the CoES which results in the following expression:

$$\operatorname{CoES}_{\alpha,\beta}(Y \mid X) = \operatorname{ES}_{\omega}(Y) = \frac{1}{1-\omega} \int_{\omega}^{1} \operatorname{VaR}_{q}(Y) dq$$
(7)

and

$$\Delta \text{-CoES}_{\alpha,\beta}(Y \mid X) = \text{ES}_{\omega}(Y) - \text{ES}_{\beta}(Y).$$
(8)

Equation 7 will be proven in the Appendix section 8.3. The representations of the risk measures given in equations 5,6,7 and 8 will form the basis for all following results on the statistical properties. Next, we also provide a new representation of the MES by Acharya et al. (2016) which are the latter terms of the equality:

$$\operatorname{MES}_{\alpha}(Y \mid X) = \operatorname{CoES}_{\alpha,0}(Y \mid X) = \operatorname{ES}_{\omega(\alpha,0,C)}(Y) = \frac{1}{1 - \omega(\alpha,0,C)} \int_{\omega(\alpha,0,C)}^{1} \operatorname{VaR}_{q}(Y) dq$$

This representation follows that from the CoES representation and is proven in the Appendix section 8.3. The proof also shows that the MES is a special case of the CoES with $\beta = 0$. Hence, unless specifically mentioned in the rest of the paper any property of the Δ -CoES can be assumed to hold for the MES as well.

 $^{^{9}}$ In fact, if the copula is Gaussian and the margins are normal then the distribution is equivalent to a bivariate normal distribution.

¹⁰Contrary to the Gaussian and t-copulas, see Girardi and Tolga Ergün (2013).

2.3 Coherence, (in)dependence, symmetry and invariance

Following the representation results in the previous section in this section some additional mathematical properties of the risk measures are proven. The VaR can be shown to not be coherent in the sense of Artzner et al. (1999) due to it not satisfying sub-additivity in general. However, under the condition of a linear combination of elliptically distributed random variables the VaR is sub-additive McNeil et al. (2015). Beyond elliptical distributions in Embrechts et al. (2009) it is shown that establishing (asymptotic) sub-additivity of the VaR is a complex affair but mostly depends on the heaviness of the tails and the existence of the mean outside the case of elliptical distributions. The ES is sub-additive and hence coherent in general. Using the representation of the VaR it is straightforward to see that the CoVaR in general is not coherent. Similarly, using the representation of the CoES it is straightforward to establish coherence as it inherits the property from the ES. In empirical simulations by Danielsson et al. (2005) it has been found that the VaR often does satisfy sub-additivity. This result is strengthened in Daníelsson et al. (2013) where asymptotic subadditivity for regularly varying tails with tail exponent $\xi < 1$ is satisfied¹¹. Moreover, in Dhaene et al. (2003) it is argued that sub-additivity is not a useful or even desirable property in some risk management problems. Hence, in the rest of the paper this property will not not be directly used to inform the choice of risk measure.

Since the Δ -CoVaR and Δ -CoES capture the dependence structure as well the next results are about their behavior under independence and comonotonicity.

Proposition 2.3.1. Let (X, Y) be a bivariate random vector with copula C(u, v). It will hold that:

 $\Delta - Co \operatorname{VaR}_{\alpha,\beta}(Y \mid X) = 0 \iff X, Y \text{ are independent},$ $\Delta - Co \operatorname{ES}_{\alpha,\beta}(Y \mid X) = 0 \iff X, Y \text{ are independent},$ $\Delta - Co \operatorname{VaR}_{\alpha,\beta}(Y \mid X) \text{ is maximal} \iff X, Y \text{ are comonotonic and}$ $\Delta - Co \operatorname{ES}_{\alpha,\beta}(Y \mid X) \text{ is maximal} \iff X, Y \text{ are comonotonic}.$

The proof is provided in the Appendix. The practical implications are that both risk measures capture the full dependence structure and hence can provide more information than simple correlations. A corollary to this result is that under a positive dependence structure Δ -CoVaR and Δ -CoES are bounded below by zero and bounded above by the value under a comonotonic bivariate random vector. The fact that both Δ -CoES and the Δ -CoVaR are bounded above by the comonotonic scenario makes developing a market fragility measure based on them and identifying strongly dependent institutions straightforward.

Another property of some dependence measures is that they are symmetric. For example, for the Pearson correlation $\rho(X, Y)$ we always have that $\rho(X, Y) = \rho(Y, X)$. Because the co-risk measures and their risk contribution counterparts also take into account the risk of the variable that is not conditioned on we generally expect these measures to not be symmetric as the distribution of losses of a given institution Y can be very different from that of X. The following proposition establishes under what conditions these risk measures are symmetric.

Proposition 2.3.2. Let (X, Y) be a bivariate random vector. If C(u, v) = C(v, u) for all $(u, v) \in [0, 1]^2$ and $F_X = F_Y$ then we have that:

$$CoVaR_{\alpha,\beta}(Y \mid X) = CoVaR_{\alpha,\beta}(X \mid Y), CoES_{\alpha,\beta}(Y \mid X) = CoES_{\alpha,\beta}(X \mid Y),$$
$$\Delta - CoVaR_{\alpha,\beta}(Y \mid X) = \Delta - CoVaR_{\alpha,\beta}(X \mid Y) \text{ and } \Delta - CoES_{\alpha,\beta}(Y \mid X) = \Delta - CoES_{\alpha,\beta}(X \mid Y)$$

Proof. Due to the copula ω will not change if the conditioning is flipped because $\overline{C}(u,v) = \overline{C}(v,u)$ for all $(u,v) \in [0,1]^1$ and due to $F_X = F_Y$ the $\operatorname{VaR}_{\omega}(Y) = \operatorname{VaR}_{\omega}(X)$ and $\operatorname{ES}_{\omega}(Y) = \operatorname{ES}_{\omega}(X)$. This then implies equality of the Δ -CoVaR and Δ -CoES as well.

¹¹See section 2.4 for a definition.

Random vectors that satisfy copula symmetry and equality of marginal distributions are called exchangeable. This result is important because in the empirical literature often symmetric copulas are used. Therefore, if one also obtains or imposes similar margins the order of X and Y should not matter. Researchers using these risk measures in a network setting should therefore be wary but could also exploit this property to reduce the computational burden of estimation as under symmetry for a set of n institutions only n(n-1)/2 Δ -CoVaR's or Δ -CoES's have to be estimated.

Knowing when the risk measures are invariant if X or Y are transformed is crucial as for example the Pearson correlation is only invariant under increasing linear transformations which can lead to surprising results when data are transformed with a non-linear function, see Embrechts et al. (2001). Due to the properties of copulas the resulting multivariate distribution is invariant under increasing transformations on both variables Nelsen (2007). However, the risk measures depend on the distribution of Y so therefore this invariance result only applies to the variable that is conditioned on; X. Still this property while more restrictive than the property of copulas is valuable for empirical researchers.

2.4 Tail sensitivity

It is well-known that the ES is more sensitive to the tails of a distribution than the VaR. Alongside coherence it is one of the main reasons the ES was originally developed, see Acerbi et al. (2001) and Acerbi and Tasche (2002). In order to assess this difference in tail sensitivity beyond some high quantile extreme value theory will be applied. First, results will be derived when assuming only the tails of the distribution of Y matter. However as the CoVaR and CoES are by definition multivariate we will also consider the case where the tails of both distributions matter.

In the univariate case as the quantiles the risk measures are computed at can be very high indeed (between β and $\alpha + \beta - \alpha\beta$) to establish results on tail sensitivity extreme value theory (EVT) is needed. Applying EVT to risk management was proposed in Embrechts et al. (1999) and is now widely accepted and developed Embrechts et al. (2013); Nolde and Zhou (2021). In extreme value theory there exists a very elegant and robust result regarding the behavior of the tails of a given distribution. This result is called the Theorem of Pickands-Balkema-DeHaan Pickands III (1975); Balkema and de Haan (1974) and in simple terms it states that for a sufficiently high u one obtains that:

$$F_u(y) = \mathbb{P}(Y - u \le y \mid Y > u) = \begin{cases} 1 - \left(1 + \frac{\xi(y - u)}{s}\right)^{-1/\xi} & \text{if } \xi \ne 0\\ 1 - \exp\left(-\frac{y - u}{s}\right) & \text{if } \xi = 0 \end{cases}$$

which is a Generalized Pareto distribution $(\text{GPD})^{12}$ with a tail parameter (index) ξ and scale parameter s. The theorem is exact when $u \to \infty$ but an approximation for finite u. This result is a special case of a result established by Gnedenko (1943). The result states that for a large class of distributions the tail function behaves as follows for $y \to \infty$: $\bar{F}(Y) = 1 - F(y) = L(y)y^{-1/\xi}$ for $\xi > 0$ with L(y) a function that slowly varies with y^{13} . The tail index ξ fully determines the heaviness of the tails and distributions that have this tail representation are called regularly varying. For some $\xi > 0$ the highest finite moment of Y is $1/\xi$. Hence, if $\xi > 0$ the distribution has a heavy tail that behaves like a power-law whereas if $\xi \leq 0$ the tail either decays at an exponential rate (light-tailed distributions like the normal) or does not exist because the distribution has bounded support. In stock return data the power-law tail is a well-established empirical result with theoretical foundations ¹⁴. In this literature estimates of $\xi \approx 1/3^{15}$ are obtained which do not seem to depend on the time period or stock market studied. The power-law does change when considering different time intervals with tails converging to Gaussian tails as the interval increases ¹⁶. Power-law tails

¹²Special cases of the GPD are the Pareto distribution for $u = x_m = s/\xi$ and $\alpha = 1/\xi$, the continuous uniform distribution on (0, s) for $\xi = -1$ and the exponential distribution for $\xi = 0$ and u = 0.

¹³A slowly-varying function satisfies that $L(tx)/L(x) \to 1$ for $t \to \infty$.

¹⁴Some references on this are: Gopikrishnan et al. (1999); Plerou et al. (1999); Cont (2001); Gabaix et al. (2003); Farmer and Lillo (2004); Plerou et al. (2004); Malevergne et al. (2005); Gabaix (2009, 2016)

¹⁵The power-law estimates in these papers are usually in the form of $1/\xi$ so are in the interval $[1, \infty)$.

¹⁶See Gopikrishnan et al. (1999); Plerou et al. (1999); Cont (2001); Gabaix (2009).

of economic variables are common and speculated to be universal in economics in Gabaix (2016). One must mind that these results apply to the *unconditional* returns distribution. More recently, the *conditional* distribution having time-dependent power-law tails has been explored empirically in Kelly (2014); Kelly and Jiang (2014)¹⁷. Considering the power-law distributions used in the empirical literature are a special case of the GPD it seems to be applicable to model the tails of asset prices both in unconditional and conditional setting with the GPD. The following proposition establishes the properties of the co-risk and risk contribution measures under a GPD tail of Y.

Proposition 2.4.1. Let (X, Y) be a bivariate random vector with marginals F_X , F_Y and a positive dependence structure. Suppose that the tails of Y beyond some point $u = \operatorname{VaR}_{\gamma}(Y)$ with $\gamma \leq \beta, \gamma > 0.5$ follows a GPD with $\mu = u, s > 0, \xi \in [0, \infty)$ then

$$\operatorname{CoES}_{\alpha,\beta}(Y \mid X) - \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = s\left(\frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\xi}}{1-\xi}\right) \ge 0 \ \text{if } 0 < \xi < 1$$

$$\operatorname{CoES}_{\alpha,\beta}(Y \mid X) - \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = s \text{ if } \xi = 0 \text{ or if } X, Y \text{ are independent}$$
$$\operatorname{CoES}_{\alpha,\beta}(Y \mid X) - \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) = \infty \text{ if } \xi \ge 1$$

$$\Delta - CoES_{\alpha,\beta}(Y \mid X) - \Delta - CoVaR_{\alpha,\beta}(Y \mid X) = s\left(\frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\varsigma} - \left(\frac{1-\beta}{1-\gamma}\right)^{-\varsigma}}{1-\xi}\right) \ge 0 \text{ if } 0 < \xi < 1$$

$$\begin{split} \Delta - CoES_{\alpha,\beta}(Y \mid X) &- \Delta - CoVaR_{\alpha,\beta}(Y \mid X) = 0 \text{ if } \xi = 0 \text{ or if } X, Y \text{ are independent} \\ \Delta - CoES_{\alpha,\beta}(Y \mid X) &- \Delta - CoVaR_{\alpha,\beta}(Y \mid X) = \infty \text{ if } \xi \geq 1 \\ \frac{\Delta - CoES_{\alpha,\beta}(Y \mid X)}{\Delta - CoVaR_{\alpha,\beta}(Y \mid X)} &= \frac{1}{1 - \xi} \text{ if } 0 \leq \xi < 1 \text{ and } \omega > \beta \end{split}$$

The proof can be found in the Appendix section 8.5. This proposition makes immediately clear that the CoES and Δ -CoES are more sensitive to the tails of the distribution of Y and hence more suitable if one assumes the quantile is sufficiently high for the Pickands-Balkema-DeHaan result to be accurate. The most important result is the ratio between the risk contribution measure as this exclusively depends on ξ . Therefore, one can use this ratio to estimate ξ and it indicates to what extent the ES based measures capture the tail better than the VaR-based measures. For the CoES and CoVaR a similar result exists but it holds only in the limit of $\omega \to 1$. Furthermore, if one uses a t-distribution for the distribution of Y in McNeil and Frey (2000) it is shown that the tails behave like $cy^{-\nu}$ with c a normalization constant and with ν the degrees of freedom of the t-distribution. Hence, the tails behave like a GPD with tail index $\xi = 1/\nu$. These results could also apply to a conditional GPD with varying ξ where the risk measures are computed at time t given the GPD at time t. Because the MES cannot satisfy the assumption that $\beta \geq \gamma > 0.5$ this result does not hold for it. This makes sense as the MES is just the expected value of the entire distribution conditional on $X \geq \operatorname{VaR}_{\alpha}(X)$. Only in the case where the random variables are comonotonic (or close to it) we get $\omega(\alpha, 0, C) = \alpha$ and this quantile of the distribution of Y could be sufficiently high to be in the region of the GPD tail. This shows that if one requires a measure that is sensitive to the tail shape the MES is not suitable as only in the extreme case of $\xi \geq 1$ it will not be finite anymore as then $\mathbb{E}[Y \mid X]$ will not exist. However, in finance the infinite mean scenario does not seem to be applicable due to the estimate of $\xi \approx 1/3$ obtained in the literature. Next, this result will be generalized to bivariate exceedances which will show that the MES is not suitable for measuring tail dependence as well.

In the bivariate case one can still use the Pickands-Balkema-DeHaan result for the marginal distributions but now one must also ask what will the distribution of *joint* exceedances converge as the thresholds $u_1, u_2 \rightarrow \infty$? In other words, what copula will the bivariate exceedances have? Results on this were first established by De Haan and Resnick (1977) and Pickands (1989) and showed that there exists a whole family of extremevalue copulas that characterises the dependence structure of bivariate extremes. For more information on

¹⁷For theoretical literature on asset pricing with (varying) tail risk see for example Barro (2006); Gabaix (2012).

extreme-value copulas the reader is referred to Gudendorf and Segers (2010). A good parametric extremevalue copula for bivariate extremes is the Gumbel (also called logistic) copula and is studied in Tawn (1988) and Ledford and Tawn (1996). A convenient property of the Gumbel copula is that it ranges between the independence and comonotonic copula. This model has been used in finance as well Longin and Solnik (2001). As this extreme-value copula is simple and ranges from independence to comonotonicity it will be used in the next result.

Proposition 2.4.2. Let (X, Y) be a bivariate random vector with marginals F_X , F_Y and Gumbel copula with dependence parameter $\theta \in [1, \infty)$. Suppose that the tails of Y and X beyond some point $(u_1, u_2) =$ $(\operatorname{VaR}_{\gamma_1}(X), \operatorname{VaR}_{\gamma_2}(Y))$ with $\gamma_1 \leq \alpha, \gamma_2 \leq \beta$ follow GPDs with $\mu_1 = u_1, \mu_2 = u_2, s_1 > 0, s_2 > 0, (\xi_1, \xi_2) \in$ $[0, \infty)^2$ then the results for the risk measures will be the same as those in proposition 2.4.1 but with $\omega(\alpha, \beta, C_{\theta})$ the largest solution to:

$$1 - \alpha - \omega + \exp\left(-\left(-\ln(\alpha)\right)^{\theta} + \left(-\ln(\omega)\right)^{\theta}\right)^{1/\theta}\right) = (1 - \alpha)(1 - \beta).$$

The proof can be found in the Appendix in section 8.5. When $\theta = 1$ the solution is explicit $\omega = \beta$ and the Δ -CoVaR and Δ -CoES are zero because X and Y are independent. If one takes $\theta \to \infty \omega = \alpha + \beta - \alpha\beta$ and the risk contribution measures are maximal because X and Y are comonotonic. In short, this proposition shows how the tail dependence structure affects the risk measures. This result is less likely to be valid as it also requires that the quantile α of X is far enough in the tail of X for the GPD to be a good approximation of exceedances beyond X. As before, the MES suffers from the same deficiencies also in this setting and hence is not suitable for measuring tail dependence and its effects.

2.5 Robustness

Next to the tail sensitivity of risk measures another important aspect is their robustness. Robustness is here defined in the sense of robust statistics and in simple terms it means the sensitivity to outliers. In this paper outliers are not seen as contamination of the data but rather as unexpected large losses that fall outside the distribution of the majority of the data (see Hampel (1971)). Another interpretation is conditional in that the losses represent a shift at t + 1 to the conditional distribution at t while being agnostic to both loss distributions. The intent is to assess how such losses affect estimates of the risk measures while being agnostic towards the distribution of the majority of the data and the distribution of the outliers. Mind that this is different from the extreme value paradigm in section 2.4. The following theory is based on Cont et al. (2010) that first applied robust statistics to risk measures. The main object of interest from this paper and robust statistics that will be used to assess the robustness of a risk measure and its estimator is the sensitivity function.

Definition 2.5.1. Let X be a random variable with distribution F(X), let Δ_l be a dirac delta distribution at $l \in \mathbb{R}$ and $\rho(X)_{eff}$ a risk estimator in the sense of Cont et al. (2010). Then the influence function S(l; F) is:

$$S(l;F) = \lim_{\epsilon \to 0} \frac{\rho_{eff}((1-\epsilon)F(X) + \epsilon\Delta_l) - \rho_{eff}(F(X))}{\epsilon}$$

With $\rho(X)_{eff} = \lim_{n \to \infty} \hat{\rho}(x_1, \dots, x_n)$ and $\hat{\rho}(x_1, \dots, x_n)$ is an estimate of the risk measure ρ on a sample drawn from X i.i.d.

The sensitivity function can be seen as a derivative in a distributional sense and can be interpreted as follows: how will the risk estimate change if some infinitesimal point masses at l are added to the distribution of X? In a more practical sense this corresponds to the addition of data points at l in a large sample. This definition of the sensitivity function is asymptotic in that it assumes the sample is infinite. In Cont et al. (2010) a finite-sample version is also provided. However, in this paper the focus remains on the infinite sample version to focus on the effects of outliers in isolation from any kind of sampling error. In practice these results provide a best-case scenario and sampling error will be relevant. In Cont et al. (2010) the sensitivity function for the VaR and the ES are provided given different estimation methods. In this paper, results concerning the historical estimators will be applied and extended because these are distribution agnostic and because the estimation methodology for the CoES given in section 3.1 will be a historical estimator. The robustness results for the CoVaR and CoES will be given by the following proposition. **Proposition 2.5.1.** Let (X, Y) be a bivariate random vector with a PD copula C(u, v) and margins F_X, F_Y . Then the sensitivity functions $S_1(l), S_2(l)$ for the $\text{CoVaR}_{\alpha,\beta}(Y \mid X)$ and $\text{CoES}_{\alpha,\beta}(Y \mid X)$ respectively will be:

$$S_{1}(l) = \begin{cases} \frac{\omega}{f_{Y}(\operatorname{VaR}_{\omega}(Y))} & \text{if } l > \operatorname{VaR}_{\omega}(Y) \\ 0 & \text{if } l = \operatorname{VaR}_{\omega}(Y) \\ \frac{\omega-1}{f_{Y}(\operatorname{VaR}_{\omega}(Y))} & \text{if } l < \operatorname{VaR}_{\omega}(Y) \end{cases}$$

With f(.) the pdf of Y and:

$$S_2(l) = \begin{cases} \frac{l}{1-\omega} - \frac{\omega}{1-\omega} \operatorname{VaR}_{\omega}(Y) + \operatorname{ES}_{\omega}(Y) & \text{if } l \ge \operatorname{VaR}_{\omega}(Y) \\ \operatorname{VaR}_{\omega}(Y) + \operatorname{ES}_{\omega}(Y) & \text{if } l \le \operatorname{VaR}_{\omega}(Y) \end{cases}$$

The proof can be found in the Appendix section 8.6 but it is straightforward and follows from adapting the results of Cont et al. (2010) to the P/L setting and applying the representation results from section 2.2. From this proposition it becomes apparent that just as in Cont et al. (2010) the CoES is more sensitive than the CoVaR because its sensitivity function is linear beyond $\operatorname{VaR}_{\omega}(Y)$ in the size of the loss l whereas the sensitivity function of the CoVaR is a piecewise constant in l. The reason behind this difference is rather simple: the historical VaR estimator uses the empirical quantile function estimate at a given quantile α whereas the historical ES takes a sample average of the point exceeding the empirical quantile estimate at a level α . Hence, one only needs one data point beyond $\operatorname{VaR}_{\alpha}$ to make the ES arbitrarily large whereas with the VaR estimate one would need more than $(1 - \alpha)n$ data points. The result shows that the MES can react to insignificantly low losses and even to profits as in the case of the MES $0 \leq \omega \leq \alpha$. The sensitivity of the risk contribution measures will be investigated next. The sensitivity function of the Δ -CoVaR is left out because it will be piecewise constant again and therefore not very interesting. These are given in the next proposition:

Proposition 2.5.2. Let (X, Y) be a bivariate random vector with copula C(u, v) and margins F_X, F_Y . Then the sensitivity function $S_3(l)$ for the Δ -CoES_{α,β}(Y | X) will be:

$$S_{3}(l) = \begin{cases} \frac{l(\omega-\beta)}{(1-\omega)(1-\beta)} - \frac{\omega}{1-\omega} \operatorname{VaR}_{\omega}(Y) + \frac{\beta}{1-\beta} \operatorname{VaR}_{\beta}(Y) + \operatorname{ES}_{\omega}(Y) - \operatorname{ES}_{\beta}(Y) & \text{if } l \ge \operatorname{VaR}_{\omega}(Y) \ge \operatorname{VaR}_{\beta}(Y) \\ \operatorname{VaR}_{\omega}(Y) + \operatorname{ES}_{\omega}(Y) - \frac{l}{1-\beta} + \frac{\beta}{1-\beta} \operatorname{VaR}_{\beta}(Y) - \operatorname{ES}_{\beta}(Y) & \text{if } \operatorname{VaR}_{\omega}(Y) \ge l \ge \operatorname{VaR}_{\beta}(Y) \\ \operatorname{VaR}_{\omega}(Y) - \operatorname{VaR}_{\beta}(Y) + \operatorname{ES}_{\omega}(Y) - \operatorname{ES}_{\beta}(Y) & \text{if } \operatorname{VaR}_{\omega}(Y) \ge \operatorname{VaR}_{\beta}(Y) \ge l \end{cases}$$

This proposition is proven in the Appendix section 8.6 but follows straightforwardly from the results in proposition 2.5.1 and the definition of the Δ -CoES. In Section 5.1 the sensitivity of both will be assessed by means of simulations and compared to the theoretical results. The proposition shows that the sensitivity of the Δ -CoES to large values depends both on the value of the loss l and the dependence structure. Similarly to the CoES the Δ -CoES reacts linearly to losses above VaR $_{\omega}(Y)$ but less strongly because the second term in the Δ -CoES dampens this reaction. The dampening and reaction perfectly cancel out when $\omega = \beta$ which is when $S_3(l) = 0$ for all $l \in \mathbb{R}^{18}$. Also, the strength of the linear reaction is bounded due to the boundedness of ω and occurs in the comonotonic scenario. In this scenario the length of the middle piece of $S_3(l)$ is also maximized. More notably, in between $\operatorname{VaR}_{\omega}(Y)$ and $\operatorname{VaR}_{\beta}(Y)$ the Δ -CoES reacts linearly in a negative way. This shows the trade-off one must make with the Δ -CoES: on the upside one obtains high sensitivity to large losses which could be useful for early-warning systems but also mind the downside of the increased sensitivity of the Δ -CoES as for intermediate losses it could react adversely and push estimates downwards. This contrasts with the more stable behavior of the Δ -CoVaR. Interpreting the results in a conditional setting implies that the Δ -CoVaR will have slower decaying autocorrelations than the Δ -CoES as even very large losses will not easily affect estimates much unless over time enough of them have occurred to shift the conditional distribution. The Δ -CoES on the other hand can already react to individual large losses and hence estimates will be less correlated over time. Therefore, combined with the results in section 2.4 the Δ -CoVaR seems more reasonable for its intended purpose, measuring long-term systemic risk build-up. while the Δ -CoES seems to be more fit as a short-term early-warning system.

¹⁸If $\omega = \beta$ the middle piece of $S_3(l)$ becomes redundant as l can only then be higher or lower than $\operatorname{VaR}_{\beta}(Y)$.

2.6 Aggregation properties

In the previous sections the properties of the risk measures if Y denotes the losses of a single institution have been studied. However, often in empirical research ¹⁹ \bar{Y} which denotes denotes some weighted average of losses is used. Therefore, it is also necessary to know the behavior of the risk measures under aggregation.

First denote $\bar{Y} = \sum_{i=1}^{N} a_i Y_i$ with $a_i \in [0,1]$, $\sum_{i=1}^{N} a_i = 1$. Using the results in Gabaix (2009, 2016) and Jessen and Mikosch (2006) it can established that if the tails of each Y_i follow a GPD with tail exponent ξ_i then \bar{Y} has a tail exponent of $\bar{\xi} = \max(\xi_1, \ldots, \xi_N)$. Therefore, the tail of \bar{Y} is fully determined by the heaviest tail(s) of the Y_i . One can then apply the results from section 2.4 to obtain the behavior of the risk measures of \bar{Y} given some X. Therefore, it can be expected that in a network setting the Δ -CoES and Δ -CoVaR will give more diverse results depending on the tail exponent of the Y institution whereas in the system setting both will be very similar given any X and only differ in function of the dependence structure. In any case the Δ -CoES will be more sensitive to the tails than the Δ -CoVaR.

Concerning robustness under aggregation sub-additivity will become important as this property determines the behavior of the risk measures under aggregation. First, observe that Δ -CoVaR_{α,β}($\bar{Y} \mid X$) \leq VaR_{ω}(\bar{Y}) and Δ -CoES_{α,β}($\bar{Y} \mid X$) \leq ES_{ω}(\bar{Y}). Then, under general conditions it can be deduced ²⁰ that: VaR_{ω}(\bar{Y}) > $\sum_{i=1}^{N} a_i \text{VaR}_{\omega}(Y_i)$ and ES_{ω}(\bar{Y}) $\leq \sum_{i=1}^{N} a_i \text{ES}_{\omega}(Y_i)$. Therefore, it follows that in general the Δ -CoVaR could exceed the weighted average of VaRs ²¹. However it also follows that the Δ -CoES is bounded above by the weighted average of the ESs in general. Suppose that one or more of the Y_i s is(/are) perturbed by outlier(s)

weighted average of the ESs in general. Suppose that one or more of the Y_i s is(/are) perturbed by outlier(s) l_i . Then, using the setting and the results of section 2.5 it can quickly be seen that the Δ -CoVaR will not react much to the outlier(s) as the bound will be a weighted average of the piecewise constant sensitivity function of the individual VaRs. The weighted average will dampen the effect of any jump in the piecewise constant functions. The dampening is strengthened in the case if conditions hold such that the VaR is (asymptotically) sub-additive as then the Δ -CoVaR will be bounded by this weighted average ²². However, the reaction of the Δ -CoES will be markedly different. The upper bound of the Δ -CoES will shift upwards as some of the l_i 's will be in the region where the individual ES estimates will react linearly resulting with upper bound being a weighted average of said linear reactions. Again, the weighted average will dampen some of the individual reactions. As seen in proposition 2.5.2 the Δ -CoES will react more dampened depending on ω with the possibility of a negative reaction in a certain region. In any case if l_i is sufficiently large the effect will still be linear in l_i but now further dampened by the weighted average. Hence, on aggregated data the Δ -CoES is still expected to be less robust than the Δ -CoVaR but both are expected to be more robust than their respective counterparts in the network setting.

Based on these results, it can be stated that the Δ -CoES will be more suitable for being an early-warning measure of network risk between individual financial institutions than the Δ -CoVaR due to its higher sensitivity to tails and lower robustness. In the system setting the Δ -CoES is still more sensitive to the tails and less robust than the Δ -CoVaR but the differences with the Δ -CoVaR might be less pronounced.

¹⁹For example see Adrian and Brunnermeier (2016); Karimalis and Nomikos (2018); Beck et al. (2020); Brunnermeier et al. (2020)

 $^{^{20}}$ Using results of the VaR and ES regarding positive homogeneity and sub-additivity, see Artzner et al. (1999); McNeil et al. (2015).

 $^{^{21}}$ As stated in section 2.3 the VaR can be (asymptotically) sub-additive under some conditions discussed in Embrechts et al. (2009); McNeil et al. (2015).

 $^{^{22}}$ In Embrechts et al. (2009); Daníelsson et al. (2013) it is shown that the relatively mild assumption of regularly varying distributions with $\xi < 1$ is sufficient to guarantee asymptotic sub-additivity. As in these applications the quantiles can be very high indeed these results can hold approximately.

2.7 An extension with varying prudence

Given the properties of the risk measures outlined in previous sections a practitioner or regulator might want to have some mixture between the properties of the VaR- and ES-based measures with mixture weights that vary over time. This approach could allow for a varying degree of prudence where the higher weight is put on the more sensitive ES-based measures during periods where higher prudence is desirable. Due to the representation results of the CoVaR and CoES such a mixture would boil down to a simple convex combination of the VaR and ES at level ω^{23} . The resulting risk measure has been proposed in Hu et al. (2022) and is called the SlideVaR. Hence, in this context it is proposed to name the resulting risk measures the SlideCoVaR and Slide Δ -CoVaR.

3 Methodology

3.1 Estimators

Simply stated, the CoES estimator proposed in this paper is an extension of the historical ES estimator from for example Nadarajah et al. (2014):

$$\widehat{\mathrm{ES}}_{\alpha}(Y) = \frac{1}{\lfloor n(1-\alpha) \rfloor} \sum_{i=\lfloor n\alpha \rfloor}^{N} Y_{(i)},$$

where $\lfloor v \rfloor$ is the floor function and $Y_{(1)} \leq Y_{(i)} \leq Y_{(N)}$ the *i*-th order statistic. In other words, the historical ES estimate at a level α is the sample mean of all the observations exceeding the historical VaR estimate (empirical quantile) at level α . Using the representation result the proposed estimator is defined as follows

$$\hat{\text{CoES}}_{\alpha,\beta}(Y \mid X) = \hat{\text{ES}}_{\hat{\omega}}(Y) = \frac{1}{\lfloor n(1-\hat{\omega}) \rfloor} \sum_{i=\lfloor n\hat{\omega} \rfloor}^{N} Y_{(i)}.$$
(9)

Mind that in this estimator ω has to be estimated as well since in practice the true copula and hence ω are unknown. An estimator of Δ -CoES is then $\hat{\mathrm{ES}}_{\hat{\omega}} - \hat{\mathrm{ES}}_{\beta}$. If the data are i.i.d. the historical method is known to have the best statistical performance compared to model-based methods Nadarajah et al. (2014). Even in the case of dependent observations the historical ES at least outperforms kernel-based methods Chen (2007) in most scenarios. A downside of the historical ES is the variance incurred due using a very small amount observations at high quantiles and the bias incurred to its sensitivity to large losses Cont et al. (2010). However, for the purposes of this paper the CoES estimator must be sensitive to large losses as the VaR estimators are already robust in this regard. In an unconditional setting obtaining estimates for ω can be done by estimating the copula of X and Y using the empirical beta copula estimator from Segers et al. (2017). Among the most popular empirical copula estimators this estimator has the best finite-sample performance in the MSE sense while having the same asymptotic distribution and being smooth ²⁴. Once $\hat{C}(u, v)$ is obtained then $\hat{\omega}$ can be obtained by solving $\hat{C}(\alpha, \omega) = (1 - \beta)(1 - \alpha)$ in terms of ω . The method outlined is a fully nonparametric method and will be applied to obtain the unconditional results. If one requires a parametric copula then these can be fitted using the methods discussed in Hofert et al. (2019). Estimation of the unconditional case will be covered in the next section.

²³Extending to a convex combination of the risk contribution measures is quite straightforward.

²⁴Smooth in the sense that for a given sample size n the n-th derivative exists. This smoothness also allows for a wider choice of root finding algorithms when solving $\hat{C}(\alpha, \omega) = (1 - \alpha)(1 - \beta)$ in terms of ω . The classical empirical copula estimator is not even continuous while the empirical checkerboard copula estimator is not differentiable everywhere. There also exists the empirical Bernstein copula estimator which has similar smoothness properties to the empirical beta copula estimator. However, in Segers et al. (2017) it is shown that in most cases the finite sample performance of the empirical beta copula estimator is better in terms of MSE.

Based on the results in proposition 2.4.1 also an estimator for ξ and ξ_t can be formulated:

$$\hat{\xi} = \frac{\frac{\Delta - \text{CoES}_{\alpha,\beta}(Y|X)}{\Delta - \hat{\text{CoVaR}}_{\alpha,\beta}(Y|X)} - 1}{\frac{\Delta - \hat{\text{CoES}}_{\alpha,\beta}(Y|X)}{\Delta - \hat{\text{CoVaR}}_{\alpha,\beta}(Y|X)}}.$$
(10)

This estimator can also estimate ξ_t if time-dependent estimators for the risk measures have been used. If the conditions of proposition 2.4.2 hold then this is an alternative estimator for ξ and ξ_t . Especially for estimating ξ_t this is quite convenient since the estimator does not require a whole cross-section of asset prices to estimate ξ_t whereas the approach in Kelly (2014); Kelly and Jiang (2014) does. The estimated ξ will be used to assess the situations under which the Δ -CoES can be preferred to the Δ -CoVaR. The statistical properties of the estimators and their sensitivity to outliers will be assessed via simulations in Section 5.1.

A simple way to use these estimators in a time-dependent manner is is to estimate them in a rolling or expanding window. While this approach does ignore the conditional mean and variance structure it models the dependence structure in a more flexible way than existing copula-GARCH by Chen and Fan (2006); Jondeau and Rockinger (2006) or DCC-GARCH by Engle (2002) models do. Also, in most GARCH specifications the conditional VaR and ES are linear functions of the conditional mean and variance structure the Δ measures cancel out the former while the ξ estimator will also cancel out the latter. Furthermore, the result in proposition 2.5.2 applies to simple empirical estimators. To avoid the copula misspecification problem as much as possible, to provide a simple estimator on time-series data and to clearly show the effects and implications of propositions 2.4.1 and 2.5.2 the simple approach is used. More concretely, in Section 5.3the risk measures and ξ are estimated daily using the rolling window of 2000 observations over the period 9th of August 2007 to 15th of September 2008. The chosen Y institutions are Lehman Brothers and JP Morgan Chase to provide a clear contrast between an institution that has survived the GFC versus one that went bankrupt. For the X institutions all 72 remaining institutions are chosen and all results are averaged daily over these institutions. The dates chosen correspond to the start of the subprime mortgage crisis and the bankruptcy of Lehman Brothers respectively. The setting is meant to emulate an agent at the time of the GFC receiving daily returns information and updating the model daily to assess systemic risk. The questions that arise then are: "Could these estimators have detected the impending problems with Lehman Brothers on time?" and "Do the estimators also find increasing systemic risk for an institution that survived the GFC?".

3.2 Simulation setup

To assess the empirical validity of the theoretical results in sections 2.4 and 2.5 and the statistical performance of all the estimators Monte-Carlo simulations will be used. To test proposition 2.4.1 empirically and the statistical performance of the estimators from section 3.1 the following simulation model is used. The data are drawn from Gumbel copula with $\theta = 2.22...$ and T-distributed margins with $\mu = 0, \sigma = 1, \nu = 3$. The usage of the Gumbel copula for joint large losses is popular in the actuarial and risk management literature and used by Embrechts et al. (2001); Mainik and Schaanning (2014); Karimalis and Nomikos (2018). Also, the Gumbel copula emulates the setup of proposition 2.4.2. The value for θ is obtained from Karimalis and Nomikos (2018) where a Kendall's Tau of 0.55 is within the range of their results. From this Tau using methods described in Nelsen (2007) the θ value is computed. The ν parameter of the T-distribution is chosen in accordance with the literature on the power-law tails of stock returns. This setup implies the following set of true values:

- Δ -CoVaR_{0.95,0.95} $(Y \mid X) = 5.071827$
- Δ -CoES_{0.95,0.95} $(Y \mid X) = 7.383257$
- $\omega(0.95, 0.95, C) = 0.9974727$
- Δ -CoES_{0.95,0.95} $(Y \mid X) / \Delta$ -CoVaR_{0.95,0.95} $(Y \mid X) = 1.455739$
- $\xi = 0.3130637$

The simulation setup consists of drawing m = 10000 datasets of sizes $n = \{500, 1000, 2000, 5000, 10000, 20000\}$ from the copula. The margins are then transformed to be T-distributed with $\nu = 3$. Then, this data is transformed into a uniform distribution with the method described in Hofert et al. (2019). On this sample the empirical beta copula is estimated and the equation $\hat{C}(\alpha, \omega) = (1-\alpha)(1-\beta)$ is solved using a root finding algorithm ²⁵ to obtain $\hat{\omega}$. Applying the theoretical results the Δ -CoVaR_{0.95,0.95}($Y \mid X$), Δ -CoES_{0.95,0.95}($Y \mid X$) and $\hat{\xi}$ are computed. To ensure replicability the seed within each dataset is set to fixed value. Therefore, even if the sample size of one dataset increases the data will be drawn using the same settings but across datasets the seed will differ to obtain sufficient variability. In section 5.1 the results are discussed and the bias, variance and MSE are provided. The simulation could also have been done for higher quantiles but seeing as 0.95 is already well-used in the literature, the results only become worse for higher quantiles the simulations were only performed at the 0.95 level and the GPD approximation already works well as the true ξ is close to the actual ξ of the distribution which is 1/3. Lastly, the 0.95 level already presents a challenge as the true ω in this scenario is already very close to its comonotonic upper bound of 0.9975.

To test proposition 2.5.2 empirically the following simulation model is used. The data are drawn from Gumbel copula with $\theta = 2.22...$ and T-distributed margins with $\mu = 0, \sigma = 1, \nu = 3$. The outlier consists of a single point (l, l) in the following interval of quantiles $[0.94, 0.999999]^2$ in steps of 0.000001. The lower bound is chosen as it is just below the significance of 0.95 to assess the behavior when the outlier is below the quantile level. The upper bound is very close to 1 but not equal as the support of the T-distribution is unbounded. The simulation setup then consists of drawing for each (l, l) a sample of 5000 observations from the Gumbel copula. As before the margins are then transformed to be standardized T-distributed with $\nu = 3$. At this stage the point (l, l) is added to the dataset. Then, the observations are transformed to be uniformly distributed, the empirical copula and all relevant quantities are estimated. For each (l, l) the seed is kept to he same fixed value to obtain datasets that only differ in the additional coordinate (l, l). According to the results in section 2.5 when taking all estimated quantities, subtracting the true value and graphing the difference versus l for the Δ -CoVaR the estimates should be a piecewise constant function whereas for the Δ -CoES the estimates should be piecewise linear with an intermediate area in which the estimates decrease and an extreme area where they increase in function of l. Based on these results it is hypothesized that the estimates of ξ also have a range of l where they are decreasing and for larger l a range where they are increasing. Since ξ is a non-linear function of the ratio of Δ -CoES / Δ -CoVaR the effects are hypothesized to be non-linear too. Although the theoretical results apply to univariate outliers in the distribution of Ybivariate outliers are used to also assess the effect of bivariate outliers on estimating ω .

3.3 Backtesting

From the representations of the CoVaR and CoES it can be seen that the former has two sources of variation while the latter has three. These sources of variation are: the model for the VaR, the model for the dependence structure and the model for the ES. The second source affects the choice of quantile at which the model should be evaluated. As this is unknown and the true VaR model are unknown it is impossible to tell if deviations are due to errors in one or the other. The issue is compounded in the case of the ES where also model error of the ES brings an additional source of variation. Therefore, according to definitions of elicitability and identifiability as provided by Gneiting (2011) these measures cannot be backtested. A proof of this is provided in Fissler and Hoga (2021). However, using the notion of joint elicitability from Acerbi and Szekely (2014) and multiple objective elicitability from Fissler and Hoga (2021) it is possible to backtest risk measures with multiple sources of variation. In the literature these tests have been explored in Acerbi and Szekely (2014); Fissler and Hoga (2021); Banulescu-Radu et al. (2021); Deng and Qiu (2021). Practitioners should therefore be wary and use these newer tests in order to properly backtest the CoVaR, CoES, MES and the Δ -CoVaR / Δ -CoES. Lastly, Acerbi and Szekely (2014) argue and prove that the ES-based measures and their respective backtests are more informative to regulators and risk managers because these backtests test the amount of violations and the severity of violations whereas backtests for the VaR only consider the amount of violations.

 $^{^{25}}$ The default uniroot function in R is used for this with lower bound 0 upper bound 1 and tolerance $1 \cdot 10^{-8}$

4 Data

The dataset used for this paper is daily equity data of US financial institutions from CRSP. The dataset spans a time period from 31-12-1970 to 31-12-2020. Therefore, the dataset includes plenty of crises and rare events such as Black Monday, the Dotcom Bubble, the Great Financial Crisis and most recently the Covid crisis. Next to these aggregate shocks the data also contain some idiosyncratic shocks. In line with Adrian and Brunnermeier (2016) a financial institution is defined as a firm having an SIC-code between 6000 and 6800. In line with the literature on asset pricing ADRs, SDIs and REITs are excluded. Furthermore, missing returns and prices (as well as prices lesser than or equal to zero) and firms with less than 260 weeks of returns data are excluded. Only active firms are kept in the sample. The CRSP data is also merger adjusted in a sense that at any given time t only firms that were not acquired until t are in the dataset. Through the PERMNO identifier firms that have changed name, SIC code or even stock ticker over time are tracked. It must be noted that its fairly rare for a firm to change SIC codes, a few prominent examples include Goldman Sachs changing to the 6730 (bank holding firm) SIC code during the GFC and VISA and Mastercard changing to the 7389 SIC code (Business services, not elsewhere classified). This last change has as a consequence that these two firms are kept out of the sample as there are fewer than 260 weeks of returns data between the IPO date and the SIC code change. For a full and precise list of all variables and the filtering procedures we refer the reader to Section 8.8. In the end a dataset of in total 6.182.652 observations over 18.613 days and over 1564 firms is obtained. Mind that since not all firms have data available for the entire time span the panel dataset is unbalanced. To analyse the data R R Core Team (2021) is used. For the details regarding the computer and R setup including packages, see section 8.10. Lastly, to aid in weekly aggregation of our data a trading week is defined to consist of 5 days and a trading year to consist of 51 weeks. This division results in a total of 2523 weeks. For the weekly returns aggregation daily returns r_i were aggregated according to the following formula $\prod_{i=1}^{5} (1+r_i) - 1$ for day i = 1, ..., 5 in order to avoid the instabilities faced when using daily prices as for some firms the price and outstanding share data exhibited jumps that could not be seen when looking at share data of the same firms on for example Yahoo Finance. However, returns did not seem to be subject to these anomalies and also the anomalies do not affect market value calculations as even with the jumps the total market value would not change much.

The losses of the financial system index are defined as follows:

Definition 4.0.1. Let X_i^1, \ldots, X_i^T be the equity returns of institution *i* with $i = 1, \ldots, N$ from time $t = 1, \ldots, T$. Let MV_i^t be the market-value of institution *i* at time *t*. Then the loss of the financial system at time *t* is defined as:

$$X_{sys}^t = \frac{-\sum_{i=1}^N \mathbf{M} \mathbf{V}_i^t X_i^t}{\sum_{i=1}^N \mathbf{M} \mathbf{V}_i^t}$$

This definition is equivalent to the one in Adrian and Brunnermeier (2016). The definition applies to both daily and weekly equity data.

The choice of financial institutions for the systemic risk analyses is based on Girardi and Tolga Ergün (2013) but with additional institutions representing stock exchanges. These additions are: CME Group Inc (CME), Intercontinental Exchange Inc (ICE)²⁶ and NASDAQ Inc (NDAQ). This results in a sample of 73 financial institutions for which the risk measures will be computed ²⁷.

 $^{^{26}\}mathrm{Since}$ ICE has acquired NYSE/Euronext in 2012 the NYSE is also included.

²⁷For some institutions studied in Girardi and Tolga Ergün (2013) the Brunnermeier dataset did not have data so these drop out. The institutions are: Leucadia International, Union Pacific, Berkshire Hathaway Inc (A and B class).

5 Results

5.1 Simulation

First, the results of the extreme value simulations are provided in Table 1 and 2. These tables contain the bias and variance respectively of the estimates of Δ -CoVaR, Δ -CoES, ω and ξ .

n	Δ -CoVaR	Δ -CoES	ω	ξ	n	Δ -CoVaR	Δ -CoES	ω	ξ
500	-0.559	-2.099	$-1 \cdot 10^{-4}$	-0.305	500	3.883	15.348	$1.36 \cdot 10^{-7}$	0.088
1000	-0.276	-0.970	$-4.2 \cdot 10^{-5}$	-0.155	1000	2.169	14.017	$3.9\cdot10^{-8}$	0.058
2000	-0.171	-0.417	$-2.1 \cdot 10^{-5}$	-0.077	2000	1.211	8.850	$1.5\cdot 10^{-8}$	0.039
5000	-0.057	-0.181	$-8 \cdot 10^{-6}$	-0.038	5000	0.509	3.903	$5 \cdot 10^{-9}$	0.018
10000	-0.028	-0.075	$-4 \cdot 10^{-6}$	-0.019	10000	0.257	1.943	$2 \cdot 10^{-9}$	0.010
20000	-0.011	-0.045	$-2 \cdot 10^{-6}$	-0.011	20000	0.131	0.989	$1 \cdot 10^{-9}$	0.006

Table 1: Bias of the estimates

 Table 2: Variance of the estimates

In Table 1 it is clear that in finite samples all estimates are biased downwards. This bias does decrease as n increases albeit at a slow rate for the risk measures because there need to be sufficient tail observations in the data which by definition are very rare and the method is fully empirical . The Δ -CoVaR estimates are more accurate than the Δ -CoES estimates because fewer tail observations are required for the level of the quantile than for the mean of the distribution above said level. A consequence of this is that the variance of Δ -CoES estimates can be quite severe. The bias of the ω estimates quickly decreases to about 2 orders of magnitude above the tolerance of the numerical solver. This quick decrease is necessary as at these high quantiles even a small estimation error in ω could result in a large estimation error in Δ -CoES. Hence, alternatively, one could use the fully empirical method to estimate ω with high precision and then use a well-specified model for the margins to compute the risk measures with parametric precision. These results show that for reliable estimates of the risk measures one needs at least 2000 observations. The downwards bias is also a warning to practitioners that any estimate is likely to be too low. In general, these results show that proposition 2.4.1 holds relevance for empirical use and that one should consider extreme value properties and methods when estimating these risk measures. A table with the MSE for each estimator can be found in the appendix.

Regarding the results of the outlier simulation these will be displayed graphically for a risk measure as a function of l. Mind that the actual levels of l and not the corresponding quantiles will be used. However, as a reference the losses corresponding to the quantiles {0.95, 0.975, 0.99, 0.9975} are {2.353363, 3.182446, 4.540703, 7.453319}.



Figure 1: Plots of the simulation on the sensitivity of risk measure estimates (from top left to bottom right: Δ -CoVaR, Δ -CoES, ω and ξ) to an outlier at joint loss (l, l) with l on the x-axis. For all figures except 1(c) the y-axis shows estimates minus the true value. In figure 1(c) the y-axis shows the estimates.

Figure 1 clearly shows the estimates tend to be biased downwards with the Δ -CoVaR having lower bias than the Δ -CoES. However, now it becomes clear that outliers can change this. In the case of the Δ -CoVaR the sensitivity function is indeed as hypothesized a piecewise constant function with an intermediate region where the downward bias is larger and a region beyond it where the downward bias is smaller than even before the intermediate region. The Δ -CoES sensitivity function confirms proposition 2.5.2 that it is piecewise linear with an intermediate region where the bias is decreasing in l and a region beyond it where it is increasing in l. For sufficiently large l this upward effect would make the the estimate unbiased while the Δ -CoVaR estimates stay constant after the jump upwards from the intermediate region. Due to the use of a joint outlier (l, l)the ω estimates are also affected but only to a very small extent. Interestingly, the sensitivity function looks very much like that of the VaR. The sensitivity function of the ξ estimates seems to confirm the hypothesis made in section 3.2 and has an intermediate region where it sharply decreases before non-linearly increasing in l. These results provide an additional warning for practitioners: sharply decreasing estimates of these risk measures might be due to intermediate losses building up which signals a build up of risk rather than a reduction! For very large losses Δ -CoES and ξ estimates are sensitive to the size of the loss. Hence, for these estimators sharply decreasing values could be followed up by sharply increasing values as the built up risk manifests as losses beyond the intermediate range. Lastly, in a great confirmation of the theoretical results the points as which the different pieces of the Δ -CoES begin and end are, up to sampling error of ω , exactly where proposition 2.5.2 indicated they would be.

5.2 Data analysis: unconditional case

In this section, the measures will be estimated in an unconditional fashion. First, the unconditional powerlaw properties of the financial system and financial institution returns will be checked to see if they conform with the broader empirical literature and assess the change if the return interval is changed from daily to weekly.

First, by examining the unconditional tails of the loss distribution of the financial system index, the entire dataset and of the sample of chosen institutions at the daily and weekly interval the power-law results by Gopikrishnan et al. (1999); Plerou et al. (1999) are confirmed with estimates of ξ in [0.3296567, 0.3971911] so therefore well around the value of 1/3. In Table 3 and 4 the summary statistics for the risk measures computed on the sample of 73 institutions versus the system index on daily and weekly returns data are provided.

	Mean	Median	SD	Q1	Q3	Min	Max
Δ -CoVaR _{0.95,0.95}	0.04865	0.05318	0.0110627	0.04349	0.05527	0.01720	0.06947
Δ -CoES _{0.95,0.95}	0.05937	0.06328	0.0110131	0.05972	0.06483	0.01780	0.07052
$\omega(0.95, 0.95, C)$	0.9971	0.9973	0.0007990754	0.9971	0.9974	0.9920	0.9975
Ratio	1.236	1.196	0.1301443	1.150	1.364	1.015	1.644
ξ	0.18258	0.16373	0.07967325	0.13027	0.26676	0.01482	0.39158

Table 3: Summary statistics of daily Δ -CoVaR, Δ -CoES, ω , the ratio $\frac{\Delta$ -CoES}{\Delta-CoVaR} and the ξ implied by the ratio at $\alpha = \beta = 0.95$. For $\alpha = \beta = 0.95$ one gets that $\omega_{\min} = 0.95$ and $\omega_{\max} = 0.9975$.

	Mean	Median	SD	Q1	Q3	Min	Max
Δ -CoVaR _{0.95,0.95}	0.10118	0.10957	0.0312604	0.08858	0.12225	0.03254	0.14469
Δ -CoES _{0.95,0.95}	0.13656	0.14992	0.03152259	0.13314	0.15226	0.02801	0.17574
$\omega(0.95, 0.95, C)$	0.9971	0.9975	0.0008783222	0.9972	0.9975	0.9935	0.9975
Ratio	1.4099	1.3465	0.3526316	1.1958	1.4735	0.8408	2.8606
ξ	0.2593	0.2573	0.1371591	0.1638	0.3213	-0.1894	0.6504

Table 4: Summary statistics of weekly Δ -CoVaR, Δ -CoES, ω , the ratio $\frac{\Delta$ -CoES}{\Delta-CoVaR} and the ξ implied by the ratio at $\alpha = \beta = 0.95$. For $\alpha = \beta = 0.95$ one gets that $\omega_{\min} = 0.95$ and $\omega_{\max} = 0.9975$.

The results show that on both for daily and weekly losses the ω s are very close to the upper comonotonic bound ($\omega(0.95, 0.95, C)_{\max} = 0.9975$) which shows that the risk measures are computed at very high quantiles. This result should make practitioners use very large samples and appropriate estimators in order to makes sure results are reliable. For higher $\alpha = \beta$ this becomes even worse. Therefore, in the rest of this paper all measures are computed at $\alpha = \beta = 0.95$. Additionally, all measures are computed at the daily level because even at the lowest quantile the median amount of observations used for CoES estimation on weekly data was 5 while on the daily data this was 24. Therefore, in order to maximize the stability of estimates the sample of daily data is used. As predicted in section 2.6 due to using a weighted average of losses the Δ -CoVaR and Δ -CoES do not show much heterogeneity between institutions and also the differences between the risk measures are small. There is a bit more variety in the ratios and the ξ estimates. This is not surprising as also with the traditional methods the estimated tail coefficient can be highly dependent on the choice of threshold. In order to better test the results and implications of section 2.6 next the network version of these measures are computed across the full grid of $73 \cdot 72 = 5256$ ordered pairs of different institutions.

In Table 5 the summary statistics for the network estimation are provid	In
---	----

	Mean	Median	SD	Q1	Q3	Min	Max
Δ -CoVaR _{0.95,0.95}	0.05911531	0.05675903	0.02533318	0.04193931	0.07294496	0.004581243	0.2825005
Δ -CoES _{0.95,0.95}	0.07916396	0.07277265	0.03811298	0.05443875	0.1012622	0.006456835	0.5619791
$\omega(0.95, 0.95, C)$	0.9948876	0.9960929	0.003585537	0.9946132	0.9967199	0.9631791	0.9975
Ratio	1.345733	1.289713	0.2848762	1.183651	1.435364	0.6777686	5.599564
ξ	0.2306807	0.2246334	0.1338684	0.1551567	0.3033125	-0.4754298	0.8214147

Table 5: Summary statistics of daily network Δ -CoVaR, Δ -CoES, ω , the ratio $\frac{\Delta$ -CoES}{\Delta-CoVaR} and the ξ implied by the ratio at $\alpha = \beta = 0.95$. For $\alpha = \beta = 0.95$ one gets that $\omega_{\min} = 0.95$ and $\omega_{\max} = 0.9975$.

The table shows that the results from section 2.6 are confirmed because not just do both risk measures show more variability compared to the systemic version but also the standard deviation of the Δ -CoES estimates is almost twice that of the Δ -CoVaR estimates again showing the higher sensitivity. Similar conclusions hold for the ratios and the ξ estimates, There are some very low values of Δ -CoVaR, Δ -CoES and ω but these can mostly be attributed to the institution Commerce Bancorp Inc NJ (CBH) which was acquired on October 2nd 2007 by the Toronto Dominion bank. Hence, the extremes of the GFC are not present in the CBH stock loss data. For this reason, the ratio and ξ summary statistics are computed with CBH omitted. Notice that some ξ estimates are negative. This could be due to the true ξ being close to zero combined with the downward bias of the estimator and some intermediate losses that push the estimates further down. The ω (see Figure ??, Appendix) estimates give credence to the notion that in times of a financial market crisis (almost) everything moves in the same direction. Also, the ω estimates for the stock exchanges and broker-dealers are higher than for other intermediaries. Besides these patterns the ω estimates are quite uniform. Therefore, most of the variation in the risk measures can be attributed to the tails of the losses of Y.



Figure 2: Daily network ξ estimates for the network of institutions. X institutions are on the rows, Y institutions are on the columns. CBH has been omitted for reasons mentioned above.

In Figure 2 it can be seen that the estimates for each Y institution show a clear band structure with estimates of the same Y having similar magnitudes. Because the ω estimates across all pairs are rather similar this difference is mostly due to the difference in the tails of Y as shown in proposition 2.4.1. The differences within the estimates of a Y institution can be explained by joint outliers that can push up ω estimates. This confirms the effects of propositions 2.4.2 and 2.5.2. In these plots it is rather straightforward to identify the institutions that failed or were close to failing during the GFC as these tend to exhibit elevated estimated when being the Y institution. Notable examples include: National City Corp (NCC), Wachovia Bank (WB), Washington Mutual (WM), Fannie Mae (FNM), Freddie Mac (FRE), AIG, Bear Staerns (BSC) and Lehman Brothers (LEH). Finally, it seems that the stock exchanges exhibit some particularly strong links with all the examples mentioned with extreme estimates if Bear Stearns and Lehman Brothers were the Y institution. Even more striking is that the link in the opposite direction is rather weak with the ξ 's implying they have (sub)-Gaussian tails. Some caution must be taken here as the negative ξ estimates are likely a combination of the true ξ being close to zero, the negative bias of the ξ estimator and some intermediate losses pushing the estimates further downwards. So even if the tails might be well-behaved there could still be some sizeable losses. These findings show that one cannot ignore the role of stock exchanges in systemic risk analyses and provide evidence that exchanges as a financial intermediary have a sizable impact on other intermediaries if the exchanges are under stress. Hence, the ξ estimates contain information that the ω estimates do not have: information on exposure and the effect of the dependence.

5.3 Data analysis: conditional case

In this section the risk measures and ξ are estimated daily using the rolling window of 2000 observations over the period 9th of August 2007 to 15th of September 2008. The chosen Y institutions are Lehman Brothers and JP Morgan Chase to provide a clear contrast between an institution that has survived the GFC versus one that went bankrupt. For the X institutions all 72 remaining institutions are chosen and all results are averaged daily over these institutions. All estimates are at the 95% level.



Figure 3: Figure 3(a) contains the Δ -CoVaR and Δ -CoES estimates for JP Morgan Chase (Δ -CoVaR:Blue, Δ -CoES:Black) and Lehman Brothers (Δ -CoVaR:Red, Δ -CoES:Green) averaged over all the other institutions. Hence, the estimates show the average risk contributions of other institutions to JP Morgan Chase and Lehman Brothers. Figure 3(b) shows the ξ estimates for JP Morgan Chase (Black) and Lehman Brothers (Red).

Figure 3 shows that over the whole period the Δ -CoES and Δ -CoVaR estimates consider Lehman Brothers to be more sensitive to shocks at other institutions than JP Morgan Chase. The Δ -CoES and Δ -CoVaR for both show similar patterns but as expected due to the sensitivity function of the Δ -CoES the estimates of the Δ -CoES of Lehman Brothers quickly jump upwards some months before bankruptcy but also in the few days before bankruptcy jump to before unseen levels. Hence, the notion that the Δ -CoES could function as an early warning indicator seems to hold. In contrast, the estimates of both risk measures of JP Morgan Chase barely change apart from around a month before the Lehman Brothers bankruptcy. This can be interpreted as another sign that risk is building up in other parts of the financial system instead of just in Lehman Brothers. The negative reaction to intermediate losses of the Δ -CoES and Δ -CoVaR can also be seen in the estimates of Lehman Brothers right before the large spike at the end. Again, this behavior could be used as an early-warning sign. The ξ estimates show an even more stark difference with those of JP Morgan Chase slowly trending up and a jump around mid-August. In stark contrast, the estimates of Lehman Brothers spike mid-March, rapidly decrease from June to the start of September and spike again just a few days (5) before bankruptcy. This pattern is rather interesting as it is due to the Δ -CoES and Δ -CoVaR estimates becoming more similar. This could be due to the Δ -CoVaR catching up to the Δ -CoES as large losses are accumulated which temporarily creates the very false impression that the tail of Lehman Brothers is becoming more Gaussian and hence less risky. However, looking at the actual levels of both risk measures its clear that even if the tail seems to become lighter the distribution has shifted upwards (in a first- or second-order dominance sense) as well which still reflects the increased risk. Because Δ -CoVaR and Δ -CoES estimates are necessary for the ξ estimator of this paper practitioners are advised to always look at both, compare and to be wary of strongly fluctuating ξ estimates. Therefore, highly volatile ξ estimates can serve as an early-warning sign. Lastly, the hypothesized time-series properties of the Δ -CoVaR and Δ -CoES seem to hold as the estimates of the former are more similar over time while the estimates of the latter are more volatile. Additional evidence for this claim is provided by ACF plots in figure 5 in the appendix.

6 Conclusion

Based on a univariate representation several statistical properties of the Δ -CoVaR, Δ -CoES and MES are explored. This leads to novel empirical estimators for the Δ -CoVaR, Δ -CoES and the power-law coefficient. The theoretical exploration also highlights the importance of extreme value theory, outliers and their effects on the statistical behavior of these risk measures. Empirically, these theoretical results are confirmed, the statistical performance of the novel estimators is assessed and the novel methods are applied to an extended version of the dataset of Adrian and Brunnermeier (2016). The findings are that the MES is not suitable for measuring (joint) extreme risk, under aggregation of Y the difference between the Δ -CoVaR and Δ -CoES is more marginal, the Δ -CoES is most suited for network risk, the extremes matter when estimating the risk measures, outliers can greatly affect estimates which can work as an early-warning system, for accurate estimation very large samples sizes are necessary, the risk measures generally are underestimated and the power-law coefficient estimator shows its merits when applied to a case-study on financial data.

7 Bibliography

- Acerbi, C., Nordio, C., and Sirtori, C. (2001). Expected shortfall as a tool for financial risk management. arXiv preprint cond-mat/0102304.
- Acerbi, C. and Szekely, B. (2014). Back-testing expected shortfall. Risk, 27(11):76-81.
- Acerbi, C. and Tasche, D. (2002). On the coherence of expected shortfall. *Journal of Banking & Finance*, 26(7):1487–1503.
- Acharya, V. V., Pedersen, L. H., Philippon, T., and Richardson, M. (2016). Measuring Systemic Risk. The Review of Financial Studies, 30(1):2–47.
- Adrian, T. and Brunnermeier, M. K. (2016). CoVaR. American Economic Review, 106(7):1705-41.

- Artzner, P., Delbaen, F., Eber, J.-M., and Heath, D. (1999). Coherent measures of risk. Mathematical Finance, 9(3):203–228.
- Balkema, A. A. and de Haan, L. (1974). Residual life time at great age. *The Annals of Probability*, 2(5):792–804.
- Banulescu-Radu, D., Hurlin, C., Leymarie, J., and Scaillet, O. (2021). Backtesting marginal expected shortfall and related systemic risk measures. *Management Science*, 67(9):5730–5754.
- Barro, R. J. (2006). Rare disasters and asset markets in the twentieth century. The Quarterly Journal of Economics, 121(3):823–866.
- Beck, T., Radev, D., and Schnabel, I. (2020). Bank resolution regimes and systemic risk.
- Benoit, S., Colliard, J.-E., Hurlin, C., and Pérignon, C. (2017). Where the risks lie: A survey on systemic risk. *Review of Finance*, 21(1):109–152.
- Bernard, C. and Czado, C. (2015). Conditional quantiles and tail dependence. Journal of Multivariate Analysis, 138:104–126. High-Dimensional Dependence and Copulas.
- Bernardi, M., Durante, F., and Jaworski, P. (2017). CoVaR of families of copulas. Statistics & Probability Letters, 120:8–17.
- BIS (2014). Fundamental review of the trading book: A revised market risk framework. https://www.bis. org/publ/bcbs265.pdf.
- Bisias, D., Flood, M., Lo, A. W., and Valavanis, S. (2012). A survey of systemic risk analytics. Annu. Rev. Financ. Econ., 4(1):255–296.
- Brownlees, C. and Engle, R. F. (2016). SRISK: A Conditional Capital Shortfall Measure of Systemic Risk. The Review of Financial Studies, 30(1):48–79.
- Brunnermeier, M., Rother, S., and Schnabel, I. (2020). Asset price bubbles and systemic risk. *The Review* of Financial Studies, 33(9):4272–4317.
- Chen, S. X. (2007). Nonparametric Estimation of Expected Shortfall. *Journal of Financial Econometrics*, 6(1):87–107.
- Chen, X. and Fan, Y. (2006). Estimation and model selection of semiparametric copula-based multivariate dynamic models under copula misspecification. *Journal of econometrics*, 135(1-2):125–154.
- Cirillo, P. and Taleb, N. N. (2016). Expected shortfall estimation for apparently infinite-mean models of operational risk. *Quantitative Finance*, 16(10):1485–1494.
- Claessens, S. (2015). An overview of macroprudential policy tools. Annual Review of Financial Economics, 7(1):397–422.
- Cont, R. (2001). Empirical properties of asset returns: stylized facts and statistical issues. *Quantitative Finance*, 1(2):223–236.
- Cont, R., Deguest, R., and Scandolo, G. (2010). Robustness and sensitivity analysis of risk measurement procedures. *Quantitative Finance*, 10(6):593–606.
- Dahl, D. B., Scott, D., Roosen, C., Magnusson, A., and Swinton, J. (2019). *xtable: Export Tables to LaTeX* or *HTML*. R package version 1.8-4.
- Danielsson, J., Jorgensen, B. N., Mandira, S., Samorodnitsky, G., and De Vries, C. G. (2005). Subadditivity re-examined: the case for Value-at-Risk. Technical report, Cornell University Operations Research and Industrial Engineering.
- Danielsson, J., Jorgensen, B. N., Samorodnitsky, G., Sarma, M., and de Vries, C. G. (2013). Fat tails, VaR and subadditivity. *Journal of econometrics*, 172(2):283–291.

- Danielsson, J., Keating, C., Shin, H. S., and Goodhart, C. (2001). An Academic Response to Basel II. Fmg special papers, Financial Markets Group.
- Daníelsson, J. (2008). Blame the models. *Journal of Financial Stability*, 4(4):321–328. Regulation and the Financial Crisis of 2007-08: Review and Analysis.
- De Haan, L. and Resnick, S. I. (1977). Limit theory for multivariate sample extremes. Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete, 40(4):317–337.
- Deng, K. and Qiu, J. (2021). Backtesting expected shortfall and beyond. Quantitative Finance, 21(7):1109– 1125.
- Dhaene, J., Goovaerts, M. J., and Kaas, R. (2003). Economic Capital Allocation Derived from Risk Measures. North American Actuarial Journal, 7(2):44–56.
- Dhaene, J., Laeven, R. J., and Zhang, Y. (2022). Systemic risk: Conditional distortion risk measures. Insurance: Mathematics and Economics, 102:126–145.
- Ding, P. (2016). On the Conditional Distribution of the Multivariate t Distribution. The American Statistician, 70(3):293-295.
- Donnelly, C. and Embrechts, P. (2010). The Devil is in the Tails: Actuarial Mathematics and the Subprime Mortgage Crisis. ASTIN Bulletin, 40(1):1–33.
- Embrechts, P. (2009). Copulas: A Personal View. Journal of Risk and Insurance, 76(3):639-650.
- Embrechts, P., Klüppelberg, C., and Mikosch, T. (2013). Modelling extremal events: for insurance and finance, volume 33. Springer Science & Business Media.
- Embrechts, P., Lambrigger, D. D., and Wüthrich, M. V. (2009). Multivariate extremes and the aggregation of dependent risks: examples and counter-examples. *Extremes*, 12(2):107–127.
- Embrechts, P., McNeil, A. J., and Straumann, D. (2001). Correlation and dependence in risk management. Risk management: value at risk and beyond', Cambridge University Press, Cambridge.
- Embrechts, P., Mikosch, T., and Kluppelberg, C. (2003). Modelling extremal events: for insurance and finance. Applications of mathematics 33. Springer, Berlin.
- Embrechts, P., Resnick, S. I., and Samorodnitsky, G. (1999). Extreme value theory as a risk management tool. North American Actuarial Journal, 3(2):30–41.
- Engle, R. (2002). Dynamic conditional correlation: A simple class of multivariate generalized autoregressive conditional heteroskedasticity models. *Journal of Business & Economic Statistics*, 20(3):339–350.
- Farmer, J. D. and Lillo, F. (2004). On the origin of power-law tails in price fluctuations. Quantitative Finance, 4(1):C7.
- Fissler, T. and Hoga, Y. (2021). Backtesting systemic risk forecasts using multi-objective elicitability. arXiv preprint arXiv:2104.10673.
- Freixas, X., Laeven, L., and Peydro, J.-L. (2015). Systemic Risk, Crises, and Macroprudential Regulation, volume 1. The MIT Press, 1 edition.
- Freixas, X. and Rochet, J. (2008). Microeconomics of Banking, Second Edition. Mit Press. MIT Press.
- Gabaix, X. (2009). Power laws in economics and finance. Annu. Rev. Econ., 1(1):255–294.
- Gabaix, X. (2012). Variable rare disasters: An exactly solved framework for ten puzzles in macro-finance. The Quarterly journal of economics, 127(2):645–700.
- Gabaix, X. (2016). Power laws in economics: An introduction. Journal of Economic Perspectives, 30(1):185– 206.

- Gabaix, X., Gopikrishnan, P., Plerou, V., and Stanley, H. E. (2003). A theory of power-law distributions in financial market fluctuations. *Nature*, 423(6937):267–270.
- Genest, C., Favre, A.-C., et al. (2007). Everything you always wanted to know about copula modeling but were afraid to ask. *Journal of hydrologic engineering*, 12(4):347–368.
- Genest, C., Gendron, M., and Bourdeau-Brien, M. (2009). The Advent of Copulas in Finance. The European Journal of Finance, 15(7-8):609–618.
- Girardi, G. and Tolga Ergün, A. (2013). Systemic risk measurement: Multivariate GARCH estimation of CoVaR. Journal of Banking & Finance, 37(8):3169–3180.
- Gnedenko, B. (1943). Sur la distribution limite du terme maximum d'une serie aleatoire. Annals of mathematics, pages 423–453.
- Gneiting, T. (2011). Making and evaluating point forecasts. Journal of the American Statistical Association, 106(494):746–762.
- Gopikrishnan, P., Plerou, V., Amaral, L. A. N., Meyer, M., and Stanley, H. E. (1999). Scaling of the distribution of fluctuations of financial market indices. *Physical Review E*, 60(5):5305.
- Gudendorf, G. and Segers, J. (2010). Extreme-value copulas. In *Copula theory and its applications*, pages 127–145. Springer.
- Hampel, F. R. (1971). A general qualitative definition of robustness. The annals of mathematical statistics, 42(6):1887–1896.
- Hill, B. M. (1975). A simple general approach to inference about the tail of a distribution. *The annals of statistics*, pages 1163–1174.
- Hofert, M., Kojadinovic, I., Mächler, M., and Yan, J. (2019). *Elements of Copula Modeling with R.* Use R! Springer International Publishing.
- Hofert, M., Kojadinovic, I., Maechler, M., and Yan, J. (2022). *copula: Multivariate Dependence with Copulas*. R package version 1.1-0.
- Hu, W., Chen, C., Shi, Y., and Chen, Z. (2022). A Tail Measure With Variable Risk Tolerance: Application in Dynamic Portfolio Insurance Strategy. *Methodology and Computing in Applied Probability*, pages 1–44.
- Jaworski, P. (2017). On Conditional Value at Risk (CoVaR) for tail-dependent copulas. *Dependence Modeling*, 5(1):1–19.
- Jessen, H. A. and Mikosch, T. (2006). Regularly varying functions. Publications de L'institut Mathematique, 80(94):171–192.
- Ji, Q., Liu, B.-Y., Nehler, H., and Uddin, G. S. (2018). Uncertainties and extreme risk spillover in the energy markets: A time-varying copula-based covar approach. *Energy Economics*, 76:115–126.
- Jondeau, E. and Rockinger, M. (2006). The Copula-GARCH model of conditional dependencies: An international stock market application. *Journal of International Money and Finance*, 25(5):827–853.
- Karimalis, E. N. and Nomikos, N. K. (2018). Measuring systemic risk in the European banking sector: a copula CoVaR approach. The European Journal of Finance, 24(11):944–975.
- Keilbar, G. and Wang, W. (2022). Modelling systemic risk using neural network quantile regression. *Empirical Economics*, 62(1):93–118.
- Kelly, B. (2014). The dynamic power law model. *Extremes*, 17(4):557–583.
- Kelly, B. and Jiang, H. (2014). Tail risk and asset prices. The Review of Financial Studies, 27(10):2841–2871.

- Kuester, K., Mittnik, S., and Paolella, M. S. (2005). Value-at-Risk Prediction: A Comparison of Alternative Strategies. Journal of Financial Econometrics, 4(1):53–89.
- Landsman, Z. M. and Valdez, E. A. (2003). Tail Conditional Expectations for Elliptical Distributions. North American Actuarial Journal, 7(4):55–71.
- Ledford, A. W. and Tawn, J. A. (1996). Statistics for near independence in multivariate extreme values. Biometrika, 83(1):169–187.
- Longin, F. and Solnik, B. (2001). Extreme correlation of international equity markets. The journal of finance, 56(2):649–676.
- Mainik, G. and Schaanning, E. (2014). On dependence consistency of CoVaR and some other systemic risk measures. Statistics & Risk Modeling, 31(1):49–77.
- Malevergne, Y., Pisarenko, V., and Sornette, D. (2005). Empirical distributions of stock returns: between the stretched exponential and the power law? *Quantitative Finance*, 5(4):379–401.
- McNeil, A. J. and Frey, R. (2000). Estimation of tail-related risk measures for heteroscedastic financial time series: an extreme value approach. *Journal of Empirical Finance*, 7(3):271–300. Special issue on Risk Management.
- McNeil, A. J., Frey, R., and Embrechts, P. (2015). Quantitative risk management: concepts, techniques and tools-revised edition. Princeton university press.
- Microsoft and Weston, S. (2022). foreach: Provides Foreach Looping Construct. R package version 1.5.2.
- Nadarajah, S., Zhang, B., and Chan, S. (2014). Estimation methods for expected shortfall. Quantitative Finance, 14(2):271–291.
- Nelsen, R. (2007). An Introduction to Copulas. Springer Series in Statistics. Springer New York.
- Nolde, N. and Zhou, C. (2021). Extreme value analysis for financial risk management. Annual Review of Statistics and Its Application, 8:217–240.
- Norton, M., Khokhlov, V., and Uryasev, S. (2018). Calculating CVaR and bPOE for Common Probability Distributions With Application to Portfolio Optimization and Density Estimation. arXiv e-prints, page arXiv:1811.11301.
- NYU (2022). V-Lab. https://vlab.stern.nyu.edu/.
- Pickands, J. (1989). Multivariate negative exponential and extreme value distributions. In *Extreme Value Theory*, pages 262–274. Springer.
- Pickands III, J. (1975). Statistical inference using extreme order statistics. the Annals of Statistics, pages 119–131.
- Plerou, V., Gopikrishnan, P., Amaral, L. A. N., Meyer, M., and Stanley, H. E. (1999). Scaling of the distribution of price fluctuations of individual companies. *Physical review e*, 60(6):6519.
- Plerou, V., Gopikrishnan, P., Gabaix, X., and Stanley, H. E. (2004). On the origin of power-law fluctuations in stock prices. *Quantitative Finance*, 4(1):C11.
- R Core Team (2021). R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria.
- Reboredo, J. C. (2013). Is gold a safe haven or a hedge for the us dollar? implications for risk management. Journal of Banking and Finance, 37(8):2665–2676.
- Reboredo, J. C. and Ugolini, A. (2015). Systemic risk in European sovereign debt markets: A CoVaR-copula approach. Journal of International Money and Finance, 51:214–244.

Ryan, J. A. and Ulrich, J. M. (2022). xts: eXtensible Time Series. R package version 0.12.2.

- Segers, J., Sibuya, M., and Tsukahara, H. (2017). The empirical beta copula. *Journal of Multivariate Analysis*, 155:35–51.
- Sklar, A. (1959). Fonctions de répartition à n dimensions et leurs marges. Publ. inst. statist. univ. Paris, 8:229–231.
- Song, X. and Fang, T. (2022). Temperature shocks and bank systemic risk: Evidence from china. Finance Research Letters, page 103447.
- Sordo, M., Bello, A., and Suárez-Llorens, A. (2018). Stochastic orders and co-risk measures under positive dependence. *Insurance: Mathematics and Economics*, 78:105–113. Longevity risk and capital markets: The 2015–16 update.
- Tawn, J. A. (1988). Bivariate extreme value theory: models and estimation. *Biometrika*, 75(3):397–415.
- Torri, G., Giacometti, R., and Tichý, T. (2021). Network tail risk estimation in the European banking system. *Journal of Economic Dynamics and Control*, 127:104125.
- Wei, T. and Simko, V. (2021). R package 'corrplot': Visualization of a Correlation Matrix. (Version 0.92).
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., Grolemund, G., Hayes, A., Henry, L., Hester, J., Kuhn, M., Pedersen, T. L., Miller, E., Bache, S. M., Müller, K., Ooms, J., Robinson, D., Seidel, D. P., Spinu, V., Takahashi, K., Vaughan, D., Wilke, C., Woo, K., and Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43):1686.
- Wickham, H., François, R., Henry, L., and Müller, K. (2021). dplyr: A Grammar of Data Manipulation. R package version 1.0.7.
- Wickham, H. and Miller, E. (2021). haven: Import and Export 'SPSS', 'Stata' and 'SAS' Files. R package version 2.4.3.
- Yamai, Y. and Yoshiba, T. (2002). Comparative Analyses of Expected Shortfall and Value-at-Risk (3): Their Validity under Market Stress. Monetary and Economic Studies, Bank of Japan, 20(3):181–237.
- Zeileis, A. and Grothendieck, G. (2005). zoo: S3 infrastructure for regular and irregular time series. Journal of Statistical Software, 14(6):1–27.
- Zelenyuk, N. and Faff, R. (2022). Effects of incentive pay on systemic risk: evidence from ceo compensation and covar. *Empirical Economics*, pages 1–23.

8 Appendix

8.1 Theoretical Analysis: Δ -CoES under normality conditional on $X = \operatorname{VaR}_q(X)$

Just as Adrian and Brunnermeier (2016) we assume that the losses of the financial system and an institution i follow a bivariate normal distribution. Hence,

$$\begin{pmatrix} X_t^{\text{sys}} \\ X_t^i \end{pmatrix} \sim \mathcal{N}\left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \boldsymbol{\Sigma} \right)$$

with

$$\boldsymbol{\Sigma} = \begin{pmatrix} (\sigma_t^{\mathrm{sys}})^2 & \sigma_t^{\mathrm{sys}} \sigma_t^i \rho_t \\ \sigma_t^{\mathrm{sys}} \sigma_t^i \rho_t & (\sigma_t^i)^2 \end{pmatrix}.$$

Assuming a linear relationship between the two variables it follows that:

$$X_t^{\text{sys}} \mid X_t^i \sim \mathcal{N}\left(\frac{X_t^i \sigma_t^{\text{sys}} \rho_t}{\sigma_t^i}, (1 - \rho_t^2)(\sigma_t^{\text{sys}})^2\right).$$

From the results of Adrian and Brunnermeier (2016) it follows that:

$$\operatorname{CoVaR}_{\alpha,\beta}^{=,t} = \Phi^{-1}(\beta)\sqrt{1-\rho_t^2}\sigma_t^{\operatorname{sys}} + \Phi^{-1}(\alpha)\sigma_t^{\operatorname{sys}}\rho_t$$
(11)

with β the level of the CoVaR and α the level of the VaR of X_t^i . If $\alpha = \beta$ Then

$$\Delta - \text{CoVaR}^{=,\text{med},t}_{\beta} = \Phi^{-1}(\beta)\sigma_t^{\text{sys}}\rho_t, \qquad (12)$$

Similarly, using the ES formula from Norton et al. (2018) it follows that:

$$\Delta \text{-CoES}_{\alpha,\beta}^{=,t} = \Phi^{-1}(\beta)\sqrt{1-\rho_t^2}\sigma_t^{\text{sys}}\frac{\phi(\Phi^{-1}(\beta))}{\beta} + \Phi^{-1}(\alpha)\sigma_t^{\text{sys}}\rho_t.$$
 (13)

If $\alpha = \beta$ then

$$\Delta - \text{CoES}^{=,\text{med},t}_{\beta} = \Phi^{-1}(\beta)\sigma_t^{\text{sys}}\rho_t.$$
(14)

Therefore, under normality both systemic risk measures are equivalent. This is not surprising as the normal distribution is fully determined by its mean and variance and since we condition on an event of probability zero $(X_t^i = \operatorname{VaR}(X_t^i))$ the tail of X_t^i beyond this level is not taken into account. This leads to straightforward expressions for the CoVaR and CoES which are very similar. As the term that does differ drops out when computing the Δ measures we end up with equivalent results for both.

8.2 Theoretical Analysis: Δ -CoVaR Δ -CoES under a t-distribution conditional on $X = \mathbf{VaR}_{a}(X)$

Now we assume the losses of the system and institution i follow a bivariate generalized t-distribution with degrees of freedom ν . Hence,

$$\begin{pmatrix} X_t^{\text{sys}} \\ X_t^i \end{pmatrix} \sim T\left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \boldsymbol{\Sigma}, \nu \right)$$

with

$$\boldsymbol{\Sigma} = \begin{pmatrix} (\sigma_t^{\rm sys})^2 & \sigma_t^{\rm sys} \sigma_t^i \rho_t \\ \sigma_t^{\rm sys} \sigma_t^i \rho_t & (\sigma_t^i)^2 \end{pmatrix}.$$

Then applying the result of Ding (2016) we have that:

$$X_t^{\text{sys}} \mid X_t^i \sim T\left(\frac{X_t^i \sigma_t^{\text{sys}} \rho_t}{\sigma_t^i}, \frac{\nu + d_1}{\nu + 1} (1 - \rho_t^2) (\sigma_t^{\text{sys}})^2, \nu + 1\right)$$

with $d_1 = \left(\frac{X_t^i}{\sigma_t^i}\right)^2$. Therefore, the conditional distribution is also a generalized t-distribution. Now using similar reasoning as in Adrian and Brunnermeier (2016) we obtain that

$$S = \left(\frac{X_t^{\text{sys}} - X_t^i \sigma_t^{\text{sys}} \rho_t / \sigma_t^i}{\sqrt{\frac{\nu+d_1}{\nu+1} (1 - \rho_t^2) (\sigma_t^{\text{sys}})^2}}\right) \sim T(0, 1, \nu + 1).$$

Hence, $\mathbb{E}[S] = 0$, $\operatorname{Var}(S) = \frac{\nu+1}{\nu-1}$ as S follows a standardized t-distribution. The VaR of i is then $\operatorname{VaR}_{q,t}^i = \sigma_t^i \cdot T_{\nu}^{-1}(q)$ where $T_{\nu}^{-1}(q)$ is the inverse cdf of the standardized t-distribution with ν degrees of freedom. Setting $X_t^i = \operatorname{VaR}_{q,t}^i$, applying the definition of the CoVar and solving for the CoVaR we obtain

$$\text{CoVaR}_{\alpha,\beta}^{=,t} = T_{\nu+1}^{-1}(\beta) \sqrt{\frac{\nu+d_1}{\nu+1}(1-\rho_t^2)} \sigma_t^{\text{sys}} + T_{\nu}^{-1}(\alpha) \sigma_t^{\text{sys}} \rho_t.$$
(15)

With $d_1 = (T_{\nu}^{-1}(\beta))^2$. We can check the result by taking $\nu \to \infty$. As expected the result is equivalent to the CoVaR under normality. if $\alpha = \beta$. Then it follows that:

$$\Delta - \text{CoVaR}_{\beta}^{=,\text{med},t} = T_{\nu}^{-1}(\beta)\sigma_t^{\text{sys}}\rho_t.$$
(16)

Using the ES formula from Norton et al. (2018) we obtain

$$\operatorname{CoES}_{\alpha,\beta}^{=,t} = \tau_{\nu+1}(T_{\nu+1}^{-1}(\beta)) \left(\frac{\nu+1+T_{\nu+1}^{-1}(\beta)^2}{\nu(1-\beta)}\right) \sqrt{\frac{\nu+d_1}{\nu+1}(1-\rho_t^2)} \sigma_t^{\operatorname{sys}} + T_{\nu}^{-1}(\alpha) \sigma_t^{\operatorname{sys}} \rho_t$$
(17)

where $\tau_{\nu}(x)$ is the pdf of the standardized t-distribution. Again, taking $\nu \to \infty$ results in the CoES expression under normality. As before if $\alpha = \beta$ we then get that

$$\Delta - \text{CoES}^{=,\text{med},t}_{\beta} = T_{\nu}^{-1}(\beta)\sigma_t^{\text{sys}}\rho_t.$$
(18)

This result is interesting because with ν the kurtosis can be made arbitrarily large. It must be noted that all these results are only valid for $\nu + 1 > 2$. While this excludes a multivariate Cauchy distribution ($\nu = 1$) it encompasses distributions whose excess kurtosis can be made arbitrarily large (for a standardized tdistribution this is $\frac{6}{\nu-4}$ for $\nu > 4$ otherwise the kurtosis does not exist). Also, through T_{ν} some of the power-law tail of the t-distribution is captured. It must be noted that all these results hinge on a linear relationship (or at least approximately linear) between the losses of the financial system and an institution *i*. This result was not obtained in earlier work such as Mainik and Schaanning (2014) and again shows how conditioning on $X_t^i = \text{VaR}(X)$ leads to risk measures which fail to capture the tail. We conjecture this equivalence result can be further generalized to the family of elliptical distributions (except the Cauchy) as at least for the ES-based measures the structure seems to be known and similar across this whole family Landsman and Valdez (2003). Because elliptical distributions are popular in (joint) risk modelling McNeil et al. (2015) such a result would call even more into question the use of the conditioning on $X_t^i = \text{VaR}(X)$.

8.3 **Proof of ES and MES representation**

Proof. The claim is that:

$$\operatorname{CoES}_{\alpha,\beta}(Y \mid X) = \operatorname{ES}_{\omega}(Y) = \frac{1}{1-\omega} \int_{\omega}^{1} \operatorname{VaR}_{q}(Y) dq.$$

which reduces to proving that:

$$\frac{1}{1-\beta} \int_{\beta}^{1} \operatorname{CoVaR}_{\alpha,p}(Y \mid X) dp = \frac{1}{1-\omega} \int_{\omega}^{1} \operatorname{VaR}_{q}(Y) dq.$$

We can write this as, see definition 2.2 in Mainik and Schaanning (2014):

$$\frac{1}{1-\beta} \int_{\beta}^{1} F_{Y|X \ge \text{VaR}_{\alpha}(X)}^{-1}(p) dp = \frac{1}{1-\omega} \int_{\omega}^{1} F_{Y}^{-1}(q) dq$$

We will now apply a change of variables to the left-hand side where $q = \omega(\alpha, p, C)$ with $\omega(\alpha, p, C)$ the largest solution to $\bar{C}(\alpha, \omega) = (1-p)(1-\alpha)$. Then, the result of Bernardi et al. (2017) shows that $F_{Y|X \ge \text{VaR}_{\alpha}(X)}^{-1}(p) = F_Y^{-1}(q)$. Looking at the range of p we get for any $p \in [\beta, 1]$ that:

$$1 - \alpha - \omega(\alpha, p, C) + C(\alpha, \omega(\alpha, p, C)) = (1 - p)(1 - \alpha)$$

By definition we get that if $p = \beta$ then $q = \omega(\alpha, \beta, C)$. Now if p = 1 we get that:

$$1 - \alpha - \omega(\alpha, 1, C) + C(\alpha, \omega(\alpha, 1, C)) = 0$$

Therefore, $\omega(\alpha, 1, C)$ is the largest solution to $C(\alpha, \omega(\alpha, 1, C)) = \alpha + \omega(\alpha, 1, C) - 1$. According to the basic properties of copulas $\omega(\alpha, 1, C) = 1$ because then $C(\alpha, 1) = \alpha$ Nelsen (2007). Therefore q = 1. Because if $p = \beta$ then $q = \omega(\alpha, \beta, C)$ (for convenience shortened to ω) and the definition of the ES $\frac{1}{1-\omega}$ is obtained. \Box

Proof. For the MES this reduces to setting $\beta = 0$ in the proof above. However, here one must be aware of possible multiple solutions which when the rule to take the largest solution shows its utility.

8.4 Proofs of coherence, independence and invariance

We must show that for a bivariate random vector (X, Y) with copula $uv \leq C(u, v) \leq \min(u, v)$ for all $(u, v) \in (0, 1)^2$ the following holds:

 Δ -CoVaR_{α,β} $(Y \mid X) = 0 \iff X, Y$ are independent,

 Δ -CoES_{α,β} $(Y \mid X) = 0 \iff X, Y$ are independent,

 Δ -CoVaR_{α,β} $(Y \mid X)$ is maximal $\iff X, Y$ are comonotonic and

 Δ -CoES_{α,β} $(Y \mid X)$ is maximal $\iff X, Y$ are comonotonic.

Proof. First we prove the \Leftarrow of all equivalences. This is rather easy as for the first two equivalences by independence we have $\omega = \beta$ and the implication follows. For the third and fourth equivalences using the fact that the Δ-CoES and Δ-CoVaR are dependence consistent under these conditions Sordo et al. (2018); Dhaene et al. (2022) we obtain that under any copula $C(u, v) \leq \min(u, v)$ we get that $\omega \leq \alpha + \beta - \alpha\beta$ and it follows that CoVaR_{α,β}(Y | X) = VaR_ω(Y) ≤ VaR_{α+β-αβ}(Y) and CoES_{α,β}(Y | X) = ES_ω(Y) ≤ ES_{α+β-αβ}(Y). By the definition of the Δ-CoES and Δ-CoVaR it then also follows this upper bound holds for the Δ-CoES and Δ-CoVaR.

To prove the \implies for all equivalences by taking the contrapositive one gets implications that are easy to prove. For example, take X, Y are not comonotonic $\implies \Delta$ -CoES_{α,β} $(Y \mid X)$ is not maximal. We know that $\omega < \alpha + \beta - \alpha\beta$ and hence that CoES_{α,β} $(Y \mid X) = ES_{\omega}(Y) < ES_{\alpha+\beta-\alpha\beta}(Y)$ from which it follows that Δ -CoES does not attain its upper bound. As these contrapositives are true the original implications are true.

8.5 Proofs of tail sensitivity results

Proposition 2.4.1:

Proof. First, we use a result in Cirillo and Taleb (2016) to obtain an expression of $F_{(y)}$ from $F_{u}(y)$. This allows for VaR and ES computation for quantiles of Y past that of the threshold γ . This result states that:

$$F(y) = (1 - F(u))F_u(y) + F(u).$$

By definition of the threshold u one obtains $F(u) = \gamma$. Because the GPD is an approximation for finite u:

$$F(y) \approx (1-\gamma) \left(1 - \left(1 + \xi \frac{y - \operatorname{VaR}_{\gamma}(Y)}{s} \right)^{-1/\xi} \right) + \gamma.$$

Since it is assumed that u is sufficiently high for the GPD approximation to be accurate in the following expressions equalities are used. Setting $F(y) = \alpha$ and $y = \operatorname{VaR}_{\alpha}(Y)$ for some $1 > \alpha \ge \gamma$ and rearranging terms we obtain:

$$\frac{1-\alpha}{1-\gamma} = \left(1 + \xi \frac{\operatorname{VaR}_{\alpha}(Y) - \operatorname{VaR}_{\gamma}(Y)}{s}\right)^{-1/\xi}$$

Now, solving for $\operatorname{VaR}_{\alpha}(Y)$ we obtain an expression for the value-at-risk of Y with GPD tails beyond a given threshold.

$$\operatorname{VaR}_{\alpha}(Y) = \operatorname{VaR}_{\gamma}(Y) + s\left(\frac{\left(\frac{1-\alpha}{1-\gamma}\right)^{-\zeta} - 1}{\xi}\right).$$

If $\alpha = \gamma$ the expression simply reduces to $\operatorname{VaR}_{\gamma}(Y)$. This expression is nothing more than the normal expression for the VaR of a GPD but now adjusted for computing levels past the threshold. Because of this fact the expression from the ES follows simply from the expression of the ES of the GPD. Therefore,

$$\mathrm{ES}_{\alpha}(Y) = \mathrm{VaR}_{\gamma}(Y) + s\left(\frac{\left(\frac{1-\alpha}{1-\gamma}\right)^{-\xi}}{1-\xi} + \frac{\left(\frac{1-\alpha}{1-\gamma}\right)^{-\xi} - 1}{\xi}\right).$$

If $\alpha = \gamma$ the expression reduces to $\operatorname{VaR}_{\gamma}(Y) + s/(1-\xi)$. Both the VaR and ES expressions hold for any quantile $1 > \alpha \ge \gamma$. Now, using the representation results for CoVaR, CoES, Δ -CoVaR and Δ -CoES results in the claims of proposition 2.4.1.

For clarity, the relevant expressions are provided below:

$$\begin{aligned} \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) &= \operatorname{VaR}_{\omega}(Y) = \operatorname{VaR}_{\gamma}(Y) + s \left(\frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\xi} - 1}{\xi} \right), \\ \Delta - \operatorname{CoVaR}_{\alpha,\beta}(Y \mid X) &= s \left(\frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\xi} - \left(\frac{1-\beta}{1-\gamma}\right)^{-\xi}}{\xi} \right) \\ \operatorname{CoES}_{\alpha,\beta}(Y \mid X) &= \operatorname{ES}_{\omega}(Y) = \operatorname{VaR}_{\gamma}(Y) + s \left(\frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\xi} - \left(\frac{1-\omega}{1-\gamma}\right)^{-\xi} - 1}{1-\xi} + \frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\xi} - 1}{\xi} \right), \\ \Delta - \operatorname{CoES}_{\alpha,\beta}(Y \mid X) &= s \left(\frac{\left(\frac{1-\omega}{1-\gamma}\right)^{-\xi} - \left(\frac{1-\beta}{1-\gamma}\right)^{-\xi}}{\xi(1-\xi)} \right) \end{aligned}$$

Proposition 2.4.2:

Proof. Proving the bivariate case reduces to applying the EV copula result from De Haan and Resnick (1977); Pickands (1989) with a Gumbel copula and then applying the definition of $\omega(\alpha, \beta, C_{\theta})$ with C_{θ} the Gumbel copula to obtain the result. The results for the risk measures already follow from proposition 2.4.1.

8.6 Robustness proofs

Proposition 2.5.1:

Proof. By adapting the results of proposition 4.2 and corollary 4.4 Cont et al. (2010) to the P/L setting in this paper and applying the CoVaR / CoES representation results the result of the proposition is obtained. \Box

Proposition 2.5.2

Proof. By applying the result of proposition 2.5.1 and the definition of the Δ -CoES the result of the proposition is obtained.

8.7 List of institutions

Institution Ticker	Institution name	Classification
BAC	Bank of America	Depositories
BBT	BB& T	Depositories
BK	Bank of New York Mellon	Depositories
С	Citigroup	Depositories
CBH	Commerce Bancorp Inc	Depositories
CMA	Comerica Inc	Depositories
HBAN	Huntingdon Bancshares Inc	Depositories
HCBK	Hudson City Bancorp Inc	Depositories
$_{\rm JPM}$	JP Morgan Chase	Depositories
KEY	Keycorp New	Depositories
MI	Marshall Isley	Depositories
MTB	M&T Bank Corp	Depositories
NCC	National City Corp	Depositories
NTRS	Northern Trust Corp	Depositories
NYB	New York Community Bankcorp	Depositories
PBCT	People United Financial	Depositories
PNC	PNC Financial Services	Depositories
RF	Regions Financials	Depositories
SNV	Synovus Financial Corp	Depositories
SOV	Sovereign Bancorp	Depositories
STI	Suntrust Banks Inc	Depositories
STT	State Street Corp	Depositories
UB	Unionbancal Corp	Depositories
USB	US Bancorp Del	Depositories
WB	Wachovia	Depositories
WFC	Wells Fargo	Depositories
WM	Washington Mutual	Depositories
ZION	Zions Bancorp	Depositories
ACAS	American capital Strategies	Others
AMTD	Ameritrade Holding	Others
AXP	American Express	Others
BEN	Franklin Resources Inc	Others
BLK	Blackrock Inc	Others
COF	Capital One Financial	Others
EV	Eaton Vance Corp	Others
FNM	Federal National Mortgage Assn	Others
FRE	Federal Home Loan Mortgage	Others
JNS	Janus Cap Group Inc	Others
LM	Legg Mason Inc	Others
SEIC	Sei Investments Company	Others
SLM	SLM Corp	Others
CME	CME Group Inc	Others
ICE	Intercontinental Exchange Inc	Others
NDAQ	NASDAQ Inc	Others

Table 6: Table of financial institutions used for estimating the risk measures Part 1.

Institution Ticker	Institution Name	Classification	
AFL	AFLA Inc	Insurance	
AIG	American International Group	Insurance	
ALL	Allstate Corp	Insurance	
AON	AON Corp	Insurance	
CB	Chubb Corp	Insurance	
CFC	Countrywide Financial Corp	Insurance	
CINF	Cincinnati Financial Corp	Insurance	
CNA	Can Financial Corp	Insurance	
HIG	Hartford Financial Svcs Group	Insurance	
HUM	Humana Inc	Insurance	
L	Loews Corp	Insurance	
LNC	Lincoln national Corp	Insurance	
MBI	MBIA Inc	Insurance	
MET	Metlife Inc	Insurance	
MMC	MArsh and Mclennan Cos Inc	Insurance	
PGR	Progressive Corp OH	Insurance	
SAF	Safeco Corp	Insurance	
TMK	Torchmark Corp	Insurance	
TRV	Travelers Companies Inc	Insurance	
UNH	Untied Health Group	Insurance	
UNM	Unum Group	Insurance	
BSC	Bear Stearns	Broker-Dealers	
ETFC	E-Trade Financial	Broker-Dealers	
GS	Goldman Sachs	Broker-Dealers	
LEH	Lehman Brothers	Broker-Dealers	
MER	Merrill Lynch	Broker-Dealers	
MS	Morgan Stanley	Broker-Dealers	
SCHW	Charles Schawb Group	Broker-Dealers	
TROW	T Rowe Price	Broker-Dealers	

Table 7: Table of financial institutions used for estimating the risk measures Part 2.

8.8 Data Filtering procedure

The table below contains the filtering procedures and all variables of the dataset.

Variable	Filter applied on WRDS	Reason
PERMNO	Only PERMNOs from the Brunnermeier dataset	Consistency with said dataset
SIC	include 6000-6800 exclude all the rest	Same as Brunnermeier
Share code	include only if < 200	To exclude ADRs, SDIs, REITs etc.
returns	> -66	Excludes missing values.
Price (PRC)	> 0	To exclude zero and negative prices
Delist	< 200	To exclude inactive firms
Ticker	No restriction	None needed
date	31-12-1970 to 31-12-2020	Extend time span to maximum
firm name	No restriction	None needed
PERMCO	No restriction	None needed
Shares (SHROUT)	No restirction	None needed

Table 8: All variables obtained from CRSP and filters/restrictions.

As stated in Section 4 the returns data were further filtered to include only firms that have at least 260 weeks of returns data. Since the assumption is that trading weeks consist of 5 days this implies including

firms that have at least 1300 trading days of returns. This resulted in the sample size of firms decreasing to 1564 from 1688. None of the variables have been winsorized as this would eliminate the extreme events we are interested in. Also, due to discrepancies noticed between our dataset and that of Brunnermeier we also downloaded a version from CRSP without any restrictions and compared the SIC codes between the two datasets. From this it became apparent that the Brunnermeier datset contains firms whose SIC codes are not between 6000 and 6800. Before the filter on the amount of returns days this difference amounts to 135 firms while after the filter it has increased to 259 firms.

As noted in Section 4 Mastercard and Visa have been excluded. This applies to Paypal as well as its registered under the same SIC code (7389) as Visa and Mastercard. Hence, the three firms are excluded from the financial sector index. The exclusion could pose issues considering how representative said index is as the market capitalisation of all three firms are among the top 50 of the S&P 500 in terms of market capitalisation. However, as these firms mainly provide payment processing their systemic risk profile might be different from more traditional financial firms which tend to have interconnected claims against each other. We note though that according to Freixas and Rochet (2008) large value payment systems are given as one of the 4 sources of financial contagion.

n	Δ -CoVaR	Δ -CoES	ω	ξ
500	4.195	19.753	0.000000146	0.181
1000	2.245	14.957	0.000000041	0.082
2000	1.240	9.024	0.00000015	0.045
5000	0.513	3.936	0.000000005	0.020
10000	0.258	1.948	0.00000002	0.011
20000	0.131	0.991	0.000000001	0.006

8.9 Supplementary Tables and Figures

Table 9: MSE of the estimates from the simulation study



Figure 4: Unconditional ω estimates of daily losses between the 73 institutions.



Figure 5: ACF plots of the average Δ -CoVaR of JP Morgan Chase 5(a), the average Δ -CoES of JP Morgan Chase 5(b), the average Δ -CoVaR of Lehman Brothers 5(c) and the average Δ -CoES of Lehman Brothers 5(d). Note the quicker decay of the autocorrelations of the Δ -CoES.

8.10 Details of computer and R setup

Computer setup:

- HP Elitebook 2020
- CPU: AMD Ryzen 7 PRO 4750U with Radeon Graphics @ 1.70 GHz
- RAM: 32 GB
- OS: Windows 10 Enterprise 21H2 build: 19044.1466

Software setup:

- RStudio 2022.02.2+485 "Prairie Trillium" Release (8acbd38b0d4ca3c86c570cf4112a8180c48cc6fb, 2022-04-19) for Windows Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) QtWebEngine/5.12.8 Chrome/69.0.3497.128 Safari/537.36
- R version: 4.2.0 (22-04-2022) R Core Team (2021)

R packages:

• copula Hofert et al. (2022)

- parallel (part of base R) R Core Team (2021)
- foreach Microsoft and Weston (2022)
- xts Ryan and Ulrich (2022)
- zoo Zeileis and Grothendieck (2005)
- tidyverse Wickham et al. (2019)
- dplyr Wickham et al. (2021)
- xtable Dahl et al. (2019)
- haven Wickham and Miller (2021)
- corrplot Wei and Simko (2021)