

Autonomous Delivery of Multiple Packages Using Single Drone in Urban Airspace

SEUNGHYUN LEE, The University of Sydney, Australia

BABAR SHAHZAAD, The University of Sydney, Australia

BALSAM ALKOUZ, The University of Sydney, Australia

ABDALLAH LAKHDARI, The University of Sydney, Australia

ATHMAN BOUGUETTAYA, The University of Sydney, Australia

Current drone delivery solutions mainly focus on single package delivery using one drone. However, the recent developments in drone technology enable a drone to deliver multiple packages in a single trip. We use the nearest destination first strategy for the faster delivery of packages in a skyway network. This demonstration is a proof-of-concept prototype for the multi-package delivery in urban airspace following a skyway network. We deploy and test this multi-package drone delivery in an indoor testbed environment using a 3D model of Sydney CBD. Demo: <https://youtu.be/YTwsIfUvWPc>

CCS Concepts: • **Applied computing** → **Service-oriented architectures**; • **Computer systems organization** → **Robotic autonomy**.

Additional Key Words and Phrases: Drone Delivery; Skyway Network; Drone Service; Multi-Package Delivery; Nearest Destination First

ACM Reference Format:

Seunghyun Lee, Babar Shahzaad, Balsam Alkouz, Abdallah Lakhdari, and Athman Bouguettaya. 2022. Autonomous Delivery of Multiple Packages Using Single Drone in Urban Airspace. In . ACM, New York, NY, USA, 4 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 INTRODUCTION

Drones are becoming increasingly important for a wide range of commercial applications in urban areas [1]. Examples of these applications include public security, remote sensing, surveillance, photography, and delivery of goods [2]. The continual growth of e-commerce, especially during the COVID-19 pandemic, has revolutionized the way customers acquire goods and services [3]. The ubiquity of drones in the sky has prompted an increasing interest of several e-commerce companies such as UPS, Flytrex, and Amazon Prime Air to use drones for package delivery [4]. Several countries have used drones for safe and contactless deliveries during the pandemic lockdowns [5]. Drone delivery is highly desired in urban areas to reduce delivery time and traffic congestion on roads by utilizing urban airspace [6].

The recent developments in drone technology show that drones can carry *multiple packages* [7]. Therefore, a drone can serve more than one customer in one trip. For example, the Freefly Alta X¹ drone has a maximum payload capacity of up to 15.9 kg. The majority of Amazon’s delivery items (86%) are less than 2.27 kg [8]. In this respect, the drones from the company mentioned above can *deliver multiple items* from Amazon in a single trip. The added benefits of

¹<https://freeflysystems.com/alta-x/specs>

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2022 Association for Computing Machinery.

Manuscript submitted to ACM




Fig. 1. Multi-Package Delivery in a Skyway Network

using a single drone for multi-package delivery include reduced cost per delivery, reduced congestion in the sky, and reduced number of trips back to the depot.

Certain technological and regulatory challenges hinder the potential utilization of drones in urban airspace [9]. These challenges include the limited flying range, battery capacity, and flight regulations such as flying within line of sight and avoiding no-fly zones or restricted areas [10]. A skyway network enables the real-world deployment of drone delivery systems in urban airspace addressing the challenges mentioned above [11]. A *skyway network* is defined as a set of skyway *segments* that directly connect two nodes representing take-off and landing stations [12]. Take-off and landing stations (aka network nodes) are typically from and to building rooftops.

This paper focuses on the design and proof-of-concept demonstration of multi-package delivery using a single drone in one trip in urban airspace. Fig. 1 depicts the delivery of multiple packages using a single drone in a skyway network. We use the building rooftops as pickup and delivery locations for drones. Several approaches exist that focus on optimizing the drone-based multi-package delivery by proposing payload-mass-aware trajectory planning [13] and load-dependent flight speed-aware [14] drone delivery. In this demonstration, we use the Nearest Destination First (NDF) strategy, which delivers packages to the closest destination first.

2 DEMO SETUP

2.1 Indoor Testbed Environment

Having an outdoor test environment is fraught with risks because of government restrictions when using drones in urban areas [15]. We use a Crazyflie 2.1 nano-quadcopter drone by Bitcraze² in a 3D model of the Sydney CBD as an indoor testbed to mimic a skyway network (Fig. 2). We use a *Crazyflie* drone because it is safe and well suited for the indoor testbed due to its small size and robust nature. One HTC Vive base station is used that employs infrared laser technology to calculate the coordinates of the drone. We compute a path using the NDF strategy to perform drone-based deliveries from a given source to respective destinations.

²<https://www.bitcraze.io/products/crazyflie-2-1/>




Fig. 2. 3D Model of Sydney CBD




Fig. 3. Multi-Level Hanging Mechanism

2.2 Multi-Package Delivery Mechanism

We envision two different mechanisms for multi-package delivery using a single drone: (1) Using electromagnets and (2) Using multi-level hanging. The first mechanism uses electromagnets to lift and drop the packages at the same height. In this case, we can release the package by turning off the relevant electromagnet. However, the lightest electromagnet available on the market weighs more than the maximum payload capacity of the Crazyflie drone. Therefore, we use the multi-level hanging mechanism for delivering multiple packages. We use a string to hang packages at different levels. Each end of the string is tied to the middle of the drone's sides, forming a ring shape to maintain the drone's stability (Fig. 3). We tape around the string at three different levels allowing the string and tape to form a ladder shape which serves as a hanger for the package. A hook-shaped frame hanger with a clip is used as a package that weighs within the maximum payload capacity of the drone.

3 AUTONOMOUS NAVIGATION FOR MULTI-PACKAGE DRONE DELIVERY

We use the NDF strategy to navigate the drone autonomously for delivering multiple packages. The initial position of the drone is set to $(0, 0, 0)$ coordinates in the 3D coordinate system. The drone starts the delivery operation carrying three packages. These packages are hung at drones on different levels by a string. The order of package levels is reverse to that of release, which depends on the distance from the start node to its destination node under NDF strategy. For example, the package hanging at the top level is dropped to the final delivery target. We fly the drone at a height above the delivery target's total height (i.e., building rooftop) and the length of the string. This ensures that no package hits the building rooftop and drops on an undesired location. When the drone reaches a delivery target, it lowers to the extent that the package touches the building rooftop. A slight rebound from touching the building rooftop lets the package be released. The energy consumption of a drone is approximately linearly proportional to the payload weight attached to it [16]. Therefore, the delivery of packages results in a decrease in the energy consumption of a drone. We repeat this drone navigation process for all the delivery targets. After successfully delivering all the packages, the drone returns to the source location for the next delivery operation.

REFERENCES

- [1] Hazim Shakhatareh et al. Unmanned aerial vehicles (uavs): A survey on civil applications and key research challenges. *IEEE Access*, 7:48572–48634, 2019.
- [2] Syed Agha Hassnain Mohsan et al. Towards the unmanned aerial vehicles (uavs): A comprehensive review. *Drones*, 6(6):147, 2022.

- [3] Anupam Nanda, Yishuang Xu, and Fangchen Zhang. How would the covid-19 pandemic reshape retail real estate and high streets through acceleration of e-commerce and digitalization? *Journal of Urban Management*, 10(2):110–124, 2021.
- [4] Jean-Philippe Aurambout, Konstantinos Gkoumas, and Biagio Ciuffo. Last mile delivery by drones: an estimation of viable market potential and access to citizens across european cities. *European Transport Research Review*, 11(1):1–21, 2019.
- [5] Babar Shahzaad, Athman Bouguettaya, and Sajib Mistry. Robust composition of drone delivery services under uncertainty. In *2021 IEEE International Conference on Web Services (ICWS)*, pages 675–680. IEEE, 2021.
- [6] Balsam Alkouz et al. Service-based drone delivery. In *2021 IEEE 7th International Conference on Collaboration and Internet Computing (CIC)*, pages 68–76. IEEE, 2021.
- [7] Babar Shahzaad and Athman Bouguettaya. Service-oriented architecture for drone-based multi-package delivery. *arXiv preprint arXiv:2206.04544*, 2022.
- [8] Dane Bambrury. Drones: Designed for product delivery. *Design Management Review*, 26(1):40–48, July 2015.
- [9] Jermaine Janszen et al. Constraint-aware trajectory for drone delivery services. In *International Conference on Service-Oriented Computing*, pages 306–310. Springer, 2022.
- [10] Babar Shahzaad, Athman Bouguettaya, and Sajib Mistry. A game-theoretic drone-as-a-service composition for delivery. In *2020 IEEE International Conference on Web Services (ICWS)*, pages 449–453. IEEE, 2020.
- [11] Woojin Lee et al. Package delivery using autonomous drones in skyways. In *Adjunct Proceedings of the 2021 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2021 ACM International Symposium on Wearable Computers*, UbiComp '21, page 48–50, 2021.
- [12] Babar Shahzaad and Athman Bouguettaya. Top-k dynamic service composition in skyway networks. In *International Conference on Service-Oriented Computing*, pages 479–495. Springer, 2021.
- [13] Vasileios Tsoutsouras, Joseph Story, and Phillip Stanley-Marbell. Payload-mass-aware trajectory planning on multi-user autonomous unmanned aerial vehicles, 2020.
- [14] Yusuke Funabashi, Ittetsu Taniguchi, and Hiroyuki Tomiyama. Work-in-progress: Routing of delivery drones with load-dependent flight speed. In *2019 IEEE Real-Time Systems Symposium (RTSS)*, pages 520–523. IEEE, 2019.
- [15] Therese Jones. International commercial drone regulation and drone delivery services. Technical report, RAND Santa Monica, CA, USA, 2017.
- [16] Kevin Dorling et al. Vehicle routing problems for drone delivery. *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 47(1):70–85, 2016.