

AMC 12 atomic mass compilation data extrapolated for atomic masses of nuclei far from the valley of stability

K. Venkataramiah^{1,2}, Shreesha Rao D. S. ^{2,*}, and C. Scheidenberger¹

¹GSI Helmholtzzentrum für Schwerionenforschung GmbH, 64291, Darmstadt, Germany

²Department of Physics, Sri Sathya Sai Institute of Higher Learning, Prasanthinilayam, Anantapur, 515134, India.

*corresponding author: Shreesha Rao D. S. (shreeshaods@gmail.com)

ABSTRACT

The experimental mass data from the Atomic Mass Compilation - 2012 (AMC12) has been analyzed for two-neutron separation energies (S_{2n}), two-proton separation energies (S_{2p}), double-beta decay energies ($Q_{2\beta^-}$), and four-beta decay energies ($Q_{4\beta^-}$) and plotted against neutron number and mass number, respectively. A new weighted slope method of extrapolation, tested for known and new mass measurements, has been used to obtain the extrapolated mass values with better precision for more than 1100 nuclei far from the valley of stability, out of which more than 100 are being reported for the first time. A comparison has been made with five of the popular mass models with reference to experimental extrapolated masses from the present work and the Atomic Mass Evaluation 2016 (AME16). The extrapolated experimental atomic mass data will be very useful for both experimentalists and mass-model theoreticians, as well as in simulations of astrophysical r-processes.

Background & Summary

The fundamental characteristics of an atomic nucleus can be understood by knowing its mass. The atomic mass value determines the binding energy of the atom and allows us to establish the decay rates, reactions, and stability of the atom. The nucleosynthesis in stars has been studied in order to better understand the formation of elements as well as the abundance of some of the elements in the universe. The synthesis of a nucleus is influenced by environmental factors like temperature and neutron density as well as by the characteristics of the nuclides themselves. Understanding and modelling these astrophysical processes requires a precise knowledge of the constituent atomic masses. These astrophysical processes, however, take place far from the valley of stability, where experimental masses are not known, and no theoretical model exists that can precisely predict these atomic masses. Therefore, in the absence of any experimental atomic mass measurements in this region and reliable model-based extrapolations, precise local extrapolations of the available experimental atomic mass data would be of great help in arriving at the atomic masses of nuclei far from the valley of stability. Furthermore, atomic mass data from nuclei far from the valley of stability would shed light on the evolution of shell closures, nucleon-nucleon correlations, fundamental symmetries, and nuclear existence limits. They will also aid in the improvement of nuclear models.

Precise knowledge of nuclear masses in regions away from measured values is an important topic in nuclear physics¹, but many of these masses remain unknown. The values of the unknown nuclear masses are determined by theoretical calculations. However, there is a lack of agreement, and the majority of estimates disagree greatly with one another, particularly in the region of large neutron excess^{1,2}. The models and techniques to predict nuclear masses¹ can essentially be classified into global and local approximations.

Global models make use of all experimentally measured nuclear masses. Examples of these kinds of models are the liquid drop model³, the finite-range droplet model (FRDM 12), where the calculations are based on the finite-range droplet macroscopic, and the folded-Yukawa single-particle microscopic nuclear-structure model^{4,5}. The Duflo-Zuker model⁶ assumes the existence of a pseudo potential smooth enough to do Hartree-Fock variations and good enough to describe nuclear structure and construct mass formulas. The Hartree-Fock-Bogoliubov (HFB) mass models⁷, labeled as HFB-19, HFB-20, and HFB-21, use unconventional Skyrme forces containing density-dependent generalizations. In the infinite nuclear matter (INM) model⁸, the classical liquid drop is replaced by an INM sphere characterizing the interacting many-fermionic liquid and the model^{4,7,9} of many-body theory, which therefore takes into account the shell and the liquid-drop features non-perturbatively. KUTY¹⁰ is a nuclidic mass formula. This is a revised version of the mass formula constructed by Koura et al. and published in 2000¹¹. The WS4¹² is the most recent and improved version of the semi-empirical nuclear mass formula based on the macroscopic method together with the Skyrme energy-density functional, the surface diffuseness correction for unstable nuclei, and the radial basis

function (RBF) corrections. These global mass models can be regarded as one of the methods for determining the masses of experimentally not (yet) accessible nuclides.

Local interpolations or extrapolations of the experimental mass values have been tried as an alternative and more plausible way to reach the nuclides far from the valley of stability. The Isobaric Multiplet Mass Equation (IMME) is a powerful interpolation/extrapolation method for lighter nuclei. Mass values derived from IMME had been included in older mass evaluations and the recent high-precision mass measurements have sparked renewed interest in this technique^{13, 14}.

On the basis of the semi-empirical Bethe-Weizsäcker^{15, 16} mass formula, Way and Wood¹⁷ derived graphical presentations of nuclear decay data. Under the assumption that the atomic masses are smoothly varying functions of neutron number (N) and atomic number (Z), as in the semi-empirical mass formula, the lines were extrapolated to unmeasured nuclei. In 1966, Garvey and Kelson presented a relationship based on an independent particle model of the nucleus¹⁸:

$$M(N+2, Z-2) - M(N, Z) + M(N, Z-1) - M(N+1, Z-2) + M(N+1, Z) - M(N+2, Z-1) = 0 \quad (1)$$

This equation relates to six nuclides. With five known masses, a sixth unknown mass can be predicted¹⁹. These global mass formulas, however, will in general be too approximate to make predictions to a sufficient degree of accuracy.

Audi-Wapstra successfully employed a local extrapolation method²⁰ based on the systematics and smoothness of the mass surface and its derivatives. These mass measurements and extrapolations were provided as Atomic Mass Evaluations (AME) and have been regularly updated. An interactive graphical program was used to make estimates for unknown masses from the trends in the mass surfaces. However, this procedure encompasses a “subjective” component in the form of individual judgments.

In an attempt to provide extrapolated masses complementary to the extrapolations in AME, we have used an independent data set of mass values, namely the Atomic Mass Compilation 2012 (AMC12)²¹. There are numerous potential applications for the AMC12. Predicting accurate estimations of unknown, imperfectly known, or ambiguous masses; extrapolation toward the drip lines; and testing theoretical models are some of these key applications. Such an attempt has been made in this work. One of our aims in using an independent data set rather than AME mass compilations and a new extrapolation method is that the presence of two complementary, but independent sets of data would boost the confidence in using these extrapolated mass estimates. In addition to this, following the tradition of providing extrapolated masses of unknown masses for nuclides far from stability by the Atomic Mass Evaluations (AME), having published the Atomic Mass Compilation (AMC12), we wanted to provide extrapolated masses based on the AMC12 mass data as an extension of AMC12 work using a different extrapolation method.

We have carried out a point-to-point local extrapolation to systematically take into account the local variation in the trends that are observed in the derivative sheets. The local trend was quantified in terms of the value of the slopes connecting one isotope to the next. The extrapolated slope for the prediction was obtained by averaging the slopes of three of the immediate neighbors. A weighted average of the three slopes was used, with higher weightage placed on the slope closest to the one to be found. The extrapolated slope value was used to find the unknown value of the derivative. This extrapolation method was independently carried out on four derivative sheets. The error in the extrapolated derivative was calculated by considering the error in the value of the derivatives used for the individual extrapolations. Since our extrapolation method is based on systematic local extrapolation, the method is very effective in following local variations in trends present in the derivative sheets. The limitation of the method would be the one where there are conflicting slopes while averaging the three slopes (i.e., absence of trend). As can be observed from the derivative sheets (shown below), consistent trends are observed while plotting individual values. Hence, our method succeeds in accurately predicting the unknown mass values.

Methods

Plotting nuclear masses as a function of N and Z produces a surface in three dimensions. Due to pairing energy, this surface is separated into four sheets that run parallel in all directions²⁰. This regularity can also be observed in the derivative sheets. A derivative is any specified difference in the masses of two adjacent nuclei. Remarkably smooth trends can be observed in the derivative sheets and this regularity can be used for obtaining unknown masses of nuclides by extrapolation from the well-known mass values on the same derivative sheet. The derivative sheets have the advantage of displaying much smaller variations.

Analysis of experimental Atomic Mass data from AMC12.

The simple trends in the mass surfaces have been used to obtain unknown masses by observing the regularities in derivatives mentioned below. We consider four different mass-sheets: S_{2n} as a function of neutron number, S_{2p} as a function of proton number, $Q_{2\beta^-}$ as a function of mass number and, $Q_{4\beta^-}$ as a function of mass number.

1. The two-neutron separation energies versus N with lines connecting the isotopes of a given element.

2. The two-proton separation energies versus Z, with lines connecting the isotones.
3. The double-beta decay energies versus A, with lines connecting the isotopes.
4. The four-beta decay energies versus A, with lines connecting the isotopes.

Separation energies in MeV of particles or groups are obtained as the following combination of atomic masses from the AMC12 atomic mass data:

$$S_{2n} = -M(A, Z) + M(A - 2, Z) + 2(n). \quad (2)$$

$$S_{2p} = -M(A, Z) + M(A - 2, Z - 2) + 2(^1H). \quad (3)$$

$$Q_{2\beta^-} = M(A, Z) - M(A, Z + 2). \quad (4)$$

$$Q_{4\beta^-} = M(A, Z) - M(A, Z + 4). \quad (5)$$

Two representative mass surfaces are shown in Figs. 1 and 2, clearly showing the trends in the mass surface. The mass surfaces are calculated using the experimental mass values from the AMC12 mass compilation before extrapolation. Figure 1 shows a S_{2n} mass-sheet in which S_{2n} values are plotted as a function of neutron number from 60 to 85. Figure 2 shows a $Q_{2\beta^-}$ -mass-sheet in which $Q_{2\beta^-}$ values are plotted as a function of mass number from 32 to 65. The derivative values prior to extrapolation are represented by the filled circles in both graphs. These graphs were used for extrapolation of unknown masses. Precise estimates of unknown masses of nuclides far from the valley of stability have been obtained by extrapolation from well-known mass values on the same sheet.




Figure 1. A representative S_{2n} mass-sheet before extrapolation.

For example, the two-neutron separation energies, $S_{2n}(Z, A)$ have been computed from the ground state nuclear masses $M(Z, A)$ and $M(Z, A-2)$ from the AMC12 and the neutron mass. The evolution of S_{2n} as a function of neutron number shows the well-known regularities (see Fig. 1). For a given proton number, S_{2n} decreases smoothly as the neutron number increases. The curves of various isotopic chains are roughly parallel to each other. Similar calculations for S_{2p} , $Q_{2\beta^-}$, and $Q_{4\beta^-}$ were performed using the ground state atomic mass data from AMC12²¹ for the respective nuclides. The S_{2p} energies versus neutron number, $Q_{2\beta^-}$ energies versus mass number, and $Q_{4\beta^-}$ energies versus mass number have been plotted. The points of isotopic




Figure 2. A representative $Q_{2\beta^-}$ mass-sheet before extrapolation.

chains have been joined to show the roughly parallel nature of the lines in all cases. All the four sets of plots have been subjected to the extrapolation procedures described here under. In the plots, the experimental data calculated from AMC12 is shown as darkened circles, while the extrapolated data is shown as open circles. The plots in the case of S_{2n} are split into eight neutron-number regions consisting of $N = 0-25, 22-45, 42-65, 62-85, 82-105, 102-125, 122-145$, and $142-156$ and are shown in Figs. 3-10. Similarly, the plots of $Q_{2\beta^-}$ are also divided into nine mass-number (A) regions consisting of $A = 0-35, 32-65, 62-95, 92-125, 122-155, 152-185, 182-215, 212-245$, and $235-257$ and are shown in Figs. 11-19. Figures 3-19 are available through Figshare²². It is quite interesting to see the beauty and the consistency of the roughly parallel behavior even with respect to the extrapolated data points, thus showing the quality of the extrapolation method followed in the present work.

In order to estimate the unknown mass values, extrapolations were performed by independently following the trends in the four derivative sheets mentioned above. The value of the extrapolated derivative was then used to obtain the previously unknown mass value. It was observed that point-to-point extrapolation has to be taken into account in order to meticulously account for the local trends in the derivative sheets. In each of the sheets, trends from the three previous (or following) derivatives were used to estimate the value of the unknown derivative. To further improve the accuracy of the extrapolated derivative, it was ensured that the local trends were closely tracked by assigning a higher weightage on the trends from the closest neighbors to the derivative that was to be found. The details of the method used to find the extrapolated derivative and the error in the corresponding extrapolated mass value are provided here. The computational technique developed to obtain the extrapolated derivative is illustrated below with the S_{2n} derivatives as an example.

Extrapolation: The weighted slope method of computing the extrapolated S_{2n} values.

S_{2n_i} values in Table 1 represent the two-neutron separation energies, where we want to extrapolate to find the unknown two-neutron separation energy labeled $S_{2n_{10}}$. For a given nucleus, the table is listed as a function of the neutron number (N_j) and proton number (Z_j). To obtain the extrapolated S_{2n} value ($S_{2n_{20}}$ in this case) for a nuclide, we use the trend in the sheet by using the existing derivatives from the already known elements. We have considered point-to-point local extrapolation, in order to follow the trends in the derivative sheets very closely. In our method to obtain the extrapolated S_{2n} value for a nuclide, we used the trend in the sheet by using the already known slopes of the line joining the S_{2n} values for the next three nuclides.

We use the trend in the S_{2n} sheet by finding the slopes of the line joining the S_{2n} values for the neutron numbers N_2 and N_1 of (in this case) the next three elements. The slopes for these three known sets of values are calculated as

N\Z	Z _{j-1}	Z ₀	Z ₁	Z ₂	Z ₃	Z _{j+1}
N _{i-1}						
N ₁		S _{2n₁₀}	S _{2n₁₁}	S _{2n₁₂}	S _{2n₁₃}	
N ₂		S _{2n₂₀}	S _{2n₂₁}	S _{2n₂₂}	S _{2n₂₃}	
N _{i+1}						

Table 1. Representative S_{2n} derivative sheet.

$$m_1 = \frac{S_{2n_{21}} - S_{2n_{11}}}{N_2 - N_1}, \quad (6)$$

$$m_2 = \frac{S_{2n_{22}} - S_{2n_{12}}}{N_2 - N_1}, \quad (7)$$

$$m_3 = \frac{S_{2n_{23}} - S_{2n_{13}}}{N_2 - N_1}. \quad (8)$$

In order to follow the trend with improved accuracy, we have provided more weightage for the slope calculated from the S_{2n} values immediately next to the one we want to find, than for the slope of the others. As a result, the slope m was found as,

$$m = 0.5m_1 + 0.3m_2 + 0.2m_3. \quad (9)$$

Higher weightage is provided for m₁ so that trends in slopes closest to the nuclei have more influence than if the three slopes were provided with equal weightage. This makes sure that the local variation in the trend lines is followed closely. The c-intercept for the extrapolated value was obtained by substituting the slope, m to the already known S_{2n} value for the nuclide which is, S_{2n₂₀} and rearranging the following equation:

$$S_{2n_{10}} = mN_2 + c, \quad (10)$$

to get the c-intercept:

$$c = S_{2n_{10}} - mN_2. \quad (11)$$

Thus, we obtain the extrapolated S_{2n} value as,

$$S_{2n_{20}} = mN_1 + c. \quad (12)$$

A similar method has been extended to find the unknown S_{2n} value, depending on where in the sheet of derivatives the method has to be used. In all, this method of local extrapolation by weighted slopes has been used in three different forms, in addition to the way in which it is used above. The second case is similar to the one above, but the two-neutron separation energy that has to be found by extrapolation is S_{2n₂₃}, with all the other values in the above table known. For this, we again use the same weightage for slope, where the weightage progressively decreases for the slope that is away from the proton number for which the two-neutron separation energy has to be found. Once the weighted slope is found, the c-intercept is found using the known two-neutron separation energies of the next neutron number (S_{2n₁₃} in this case) and the slope. From the calculated slope and the c-intercept, we then find S_{2n₂₃}.

The other two cases are the ones where, for a given neutron number, the two-neutron separation energies of the nuclei with a proton number one higher and one lower are already known. In this case, we perform interpolation to find the two-neutron separation energy using a calculated slope. We first calculate the slope m₁ by using the two-neutron separation energies with a proton number one lower and with a neutron number the same as that of the nuclei for which the two-neutron separation energy has to be found, and the neutron number one higher. Similarly, we find the slope m₂ from the two nuclei with proton number one higher and the neutron number one lower, and with a neutron number the same as that of the nuclei for which the two-neutron separation energy has to be found. Then the c-intercept is found by using the average of these slopes and the two-neutron separation energy of the nuclei with the same proton number as that for the nuclei for which the two-neutron separation energy has to be found but with a neutron number one lower. Thus, we can interpolate to find the unknown two-neutron separation energy by knowing the slope and the c-intercept as before. The last case is the one that is similar to the one described above,

but we also know the two-neutron separation energies of the nuclei with a neutron number lower than the nuclei for which the two-neutron separation energy has to be found and the proton number is lower than, same as, and higher than the nuclide for which the two-neutron separation energy has to be found. That is, we know the two-neutron separation energy of all the nuclei that are around the one for which we need to interpolate. For this case, we not only find the two-neutron separation energy as we did for the previous case but also find the two-neutron separation energy by using the known values with a neutron number that is the same as, and one lower than, the nuclei for which the two-neutron separation energy has to be found. Then we take the average of the two interpolated two-neutron separation energies.

Similarly, we use these methods to extrapolate (and interpolate) the corresponding values in the S_{2p} , $Q_{2\beta^-}$, and $Q_{4\beta^-}$ sheets.

Calculation of errors.

The error in mass is a very important quantity to know the validity of the mass value that has been determined by extrapolation. The value of the extrapolated derivative relies on the previously known mass value from which the known derivatives were calculated. The error in the previously known mass value is used to obtain the error in the extrapolated derivatives. The steps involved in determining the error in the extrapolated mass value are described below.

The error in the extrapolated S_{2n} , for example, $S_{2n_{10}}$ is calculated from the method used for extrapolation, where we had

$$S_{2n_{10}} = mN_2 + (S_{2n_{20}} - mN_1) = m(N_2 - N_1) + S_{2n_{20}}, \quad (13)$$

and $|N_2 - N_1| = 1$.

The error in m , the slope, Δm is calculated using errors in already existing S_{2n} values, used for the calculation of the slope:

$$\Delta m = 0.5(\Delta S_{2n_{11}} + \Delta S_{2n_{21}}) + 0.3(\Delta S_{2n_{12}} + \Delta S_{2n_{22}}) + 0.2(\Delta S_{2n_{13}} + \Delta S_{2n_{23}}), \quad (14)$$

where, the error in the known S_{2n} value is ΔS_{2n} , is

$$\Delta S_{2n} = \Delta M(A, Z) + \Delta M(A - 2, Z) + 2\Delta M(n). \quad (15)$$

Where, ΔM 's, here represents the errors in the known mass values. Thus, the error in extrapolated S_{2n} , $\Delta S_{2n_{10}}$ is

$$\Delta S_{2n_{10}} = \Delta m + \Delta S_{2n_{20}}. \quad (16)$$

Where, the $\Delta S_{2n_{20}}$ is the error in the known derivative value. Then, the error in the extrapolated mass is given by

$$\Delta M_e(A, Z) = \Delta S_{2n_{10}} + \Delta M(A - 2, Z) + 2\Delta M(n). \quad (17)$$

The subscript e in $\Delta M_e(A, Z)$ denotes that it is the error in the *extrapolated* mass value. Similar calculations have been carried out with different methods of extrapolation, as described above, for each individual nuclide. The procedure has been then, applied for S_{2p} , $Q_{2\beta^-}$, and $Q_{4\beta^-}$ extrapolated data.

The extrapolated data of S_{2n} , S_{2p} , $Q_{2\beta^-}$, and $Q_{4\beta^-}$ were used to calculate the respective extrapolated mass values and thus mass excess values, as well as the uncertainties associated with them. We calculated the weighted average of all the available extrapolated mass excess values and the corresponding error for each nuclide using the standard formula for calculating the weighted averages. The data has been arranged in a tabular form in data set 2²², with mass number A, the name of the nuclide, the corresponding atomic number Z, and neutron number N in four consecutive columns. This is followed by the weighted average of extrapolated mass excess value and error designated as AMC12-ME, Error in the next two columns. The next two columns contain the extrapolated mass excess values and error corresponding to that from the AME16 mass evaluation data²³ designated as AME16-ME and Error.

In order to provide a comprehensive comparison, we have collected the theoretical mass model values from four popular mass models: the Duflo-Zuker model (DU-ZU)⁶, the finite-range droplet model (FRDM12)^{4,5}, the Hartree-Fock-Bogoliubov mean field model (HFB21)⁷, the infinite nuclear matter model (INM)⁸, the nuclidic mass formula composed of a gross term, an even-odd term and a shell term is as a revised version of the mass formula constructed by Koura et al. (KUTY)¹⁰ and published in 2000¹¹, and the most recent WS4 model by Wang et al.¹². These values corresponding to each nuclide are arranged in the next six columns in Table 2, designated as DU-ZU, HFB21, FRDM12, INM, KUTY, and WS4 respectively.

Data Records

All the data generated in the study is available at Figshare²². In the present work, more than 1100 experimental data-based mass predictions have been made, in most cases with reduced uncertainties when compared to AME16 data. In the majority of cases, our current data agrees with AME16 data, but with greater precision. More than 370 new masses near the driplines with

relatively low uncertainties where there has been no experimental mass data are being presented for the first time. We have mass predictions for more than 100 nuclides in the $1 \leq Z \leq 15$ region where there were only 50 reported values from AME16 data. The majority of the new data comes from highly neutron deficient nuclei in the lower mass range and highly neutron rich nuclides in the heavy mass range.

In data set 2²², we have presented our extrapolation data along with the only available exhaustive extrapolation data from AME16. As there is no way of testing our predictions, we tried to test for self-consistency in data set 3²², and in data set 4²² predictability by using the most recent experimental mass measurements. In data set 5²², we have considered a typical region of As, Se, Br, Kr, Rb, Sr, and Y to compare our results with two of the available extrapolations. In the same table, we have also compared our data with one of the most recent mass models, WS4. Four of the five considered models have been widely used for a relatively long time, but the INM model is relatively new and has not yet been tested for its predictive power. Thus, the present work is a real test of the predictive power of these models.

Explanations for the data set 2

A	Mass number
Nuclide	Nucleus
Z	Atomic number
N	Neutron number
AMC12 ME	Weighted average of the available extrapolated mass excess values.
Error	Error in weighted averaged mass excess.
AME16 ME	Extrapolated mass excess values from AME16.
Error	Error in extrapolated mass excess values from AME16.
DU-ZU	Mass excess values from the Duflo-Zuker mass model whereby assuming the existence of a pseudo potential smooth enough to do Hartree-Fock variations and good enough to describe nuclear structure, they construct mass formulas that rely on general scaling arguments and on a schematic reading of shell model calculations.
FRDM12	Mass excess values from the Finite Range Droplet Model where the calculations are based on the finite-range droplet macroscopic and the folded-Yukawa single-particle microscopic nuclear-structure models, which are completely specified with considerably improved treatment of deformation and fewer approximations.
HFB21	Mass excess values from the Hartree-Fock-Bogoliubov mean field model (HFB) mass model, labeled HFB-19, HFB-20, and HFB-21, with unconventional Skyrme forces containing t4 and t5 terms, i.e., density-dependent generalizations of the usual t1 and t2 terms, respectively.
INM	Mass excess values from the infinite nuclear matter model, in which the classical liquid drop is replaced by an INM sphere defining the interacting many-fermionic liquid.
KUTY	Mass excess values from the nuclidic mass formula composed of a gross term, an even-odd term and a shell term as a revised version of the mass formula constructed by Koura et al.
WS4	Mass excess values from the WS4 model, by Wang et al., an improved version of the macroscopic-microscopic mass formula together with the surface diffuseness correction for unstable nuclei, plus radial basis function (RBF) corrections are combined in the WS4 calculations.

Data set 2: Comparison of extrapolated mass excess values from AMC12, AME16, and mass model predictions.

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
8	H	1	7	58204	260								
9	H	1	8	68903	330								
10	H	1	9	79316	450								
11	H	1	10	92624	500								
12	H	1	11	104627	600								
13	H	1	12	118723	800								
11	He	2	9	59549	99			60371			62770		
12	He	2	10	69913	160			70470					
13	He	2	11	81776	350			82726					
14	He	2	12	93066	450			92088					
15	He	2	13	105356	600								
14	Li	3	11	68533	290			69144			69570		
15	Li	3	12	78868	450			79478					
16	Li	3	13	89414	700			87671					
15	Be	4	11	49916	300	49830*	170	51895		51540	50550		
17	Be	4	13	67291	350			68871		69520	69460		
18	Be	4	14	76103	500			74812		74970	78410		

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
19	Be	4	15	86207	600			85275			90090		
19	B	5	14	59420	240	59770*	530			57620	60610		
20	B	5	15	68502	500	68450	800			67510	70400		
21	B	5	16	78129	700	77330	900			71960			
22	B	5	17	86027	800								
23	B	5	18	98452	900								
21	C	6	15	46087	300	45640	600	46604		46570	47850		
22	C	6	16	53291	450	53610*	230	53941		50900	54980		
23	C	6	17	65074	560	64170	1000	64810		60450	65850		
24	C	6	18	71575	800			73708		65310	75010		
25	C	6	19	83172	900			85527			86990		
8	N	7	1	72039	200								
9	N	7	2	47551	300						47990		
24	N	7	17	46673	400	46940	400	47876		47260	48390		
25	N	7	18	55565	600	55980	500	56516		52550	56810		
26	N	7	19	66100	700			66186			67120		
27	N	7	20	73936	800			75792			76070		
28	N	7	21	84234	900			86455			87100		

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
9	O	8	1	95327	660								
10	O	8	2	61660	900			59358					
11	O	8	3	50700	360			48952					
27	O	8	19	44506	400	44670	500	46833	46170		45990	46050	44629
28	O	8	20	52350	400	52080	700	54135	52920		53710	53370	52194
29	O	8	21	65220	450			64979	63890			63890	63886
30	O	8	22	66777	800			73550	70760			72220	73234
11	F	9	2	75390	910								
12	F	9	3	65630	940			62313					
13	F	9	4	44760	860			45966				44350	
29	F	9	20	40385	300	40150*	530	39878	39210	37380	39200	40120	39319
30	F	9	21	49240	500	48110	600	48799	47970	47410	48810	49110	48977
31	F	9	22	55723	600	56140	550	57149	54490	53590	54410	56740	56741
32	F	9	23	61562	700			66318	64720	64570	64490	66250	66279
33	F	9	24	70251	800			74945	72310	71940	70860	74420	74912
13	Ne	10	3	85200	540			76738				85980	
14	Ne	10	4	57810	190			56981				58230	
15	Ne	10	5	40266	60	40220*	70	43608				41490	
32	Ne	10	22	37582	500	37000	500	38377	35190	37730	36350	38140	37075
33	Ne	10	23	45900	600	46000	600	47570	44620	47580	45320	47150	45998

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
34	Ne	10	24	51708	700	52840	510	54251	50790	53750	52300	53870	53006
35	Ne	10	25	60807	800			63380	61230	64350	61980	63550	63178
36	Ne	10	26	66102	900			69970	68770	71100	70250	71030	71856
15	Na	11	4	69270	600								
16	Na	11	5	52720	600			56022					
17	Na	11	6	35340	650	35170*	1000	37354			37060	35350	
34	Na	11	23	31630	630	31680*	600	33062	30900	32830	32270	33000	31360
35	Na	11	24	37906	350	38230	670	39461	36800	38300	37330	39200	37685
36	Na	11	25	46060	450	46300	680	46935	45620	47060	46270	47530	46405
37	Na	11	26	50246	600	53530	690	53424	52540	53550	52750	54480	53901
38	Na	11	27	59920	700			60537	60740	62930	64810	63540	63181
16	Mg	12	4	81170	500			84102					
17	Mg	12	5	66239	350			67511					
18	Mg	12	6	43190	160			46127			43600		
37	Mg	12	25	28479	450			29462	27890	29590	29030	29560	28561
38	Mg	12	26	33504	500	34070	500	34248	33030	34880	35060	35260	34497
39	Mg	12	27	42321	500	42280	510	41459	41140	43540	43970	43750	42950
40	Mg	12	28	46512	600	48350	500	46041	46340	50250	51760	49890	49712
19	Al	13	6	56014	150						56260		

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
20	Al	13	7	43294	100			43619				42570	
21	Al	13	8	26981	100	26990	600	27996	25550	28120	28790	25430	27031
22	Al	13	9	18023	100	18200	400	18684	17500	17570	19270	17150	18287
40	Al	13	27	27568	400	27590	400	26134	26420	28120	30050	27780	28945
41	Al	13	28	33386	600	33420	500	30575	31570	33630	35710	33290	34448
42	Al	13	29	40128	700	40100	600	38734	41480	41610	45980	41410	42366
21	Si	14	7	53120	150			52090					
22	Si	14	8	34946	90	33340	500	34341	32680	34050	36110	32050	33353
23	Si	14	9	24577	100	23700	500	24029	22930	22610	24750	22980	24006
43	Si	14	29	23250	450	23100	600	20622	23500	23140	26320	22480	23411
44	Si	14	30	28400	600	28510	600	26957	29220	28710	32020	28210	28866
45	Si	14	31	37700	700	37490	700	36223	38570	37390	41890	36710	37147
22	P	15	7	67958	200			64903					
23	P	15	8	50734	100			46806	44280	46610		44460	44362
24	P	15	9	34890	890	33320	500	34654	33410	32830		32740	33884
25	P	15	10	20715	70	19740	400	20800	18970	20730	21080	19360	20449
26	P	15	11	10593	50	10970	200	11758	11270	13080	12330	10790	11224
45	P	15	30	15100	500	15600	500	14340	16740	14880	16770	15610	15548
46	P	15	31	22890	600	22970	700	22185	24560	22840	25000	23100	22751
47	P	15	32	28700	700	29710	800	29355	30820	28470	30540	29190	28922

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4

25	S	16	9	45534	300			44410	42360	42220			42339
26	S	16	10	28410	290	27080	600	28636	25720	27590		26550	27387
27	S	16	11	17893	242	17030	400	18581	17200	20420	18850	17270	17316
46	S	16	30	-400	400	340	500	-380	1070	620	110	780	200
47	S	16	31	6940	600	7370	500	7355	8760	8130	7310	8040	7212
48	S	16	32	12900	700	12760	600	13057	13710	13030	12100	13140	12413
27	Cl	17	10	41754	350			41007	37820	40560		38750	40541
28	Cl	17	11	29459	200	27520	600	29282	26880	30260		27700	28581
29	Cl	17	12	13130	100	13160	190	15371	13640	15600	15310	14050	14508
30	Cl	17	13	4380	250	4440	200	5801	4870	6290	5160	4810	4826
48	Cl	17	31	-4250	500	-4280	500	-3525	-2330	-3660	-5280	-2970	-3965
49	Cl	17	32	1050	600	940	600	1887	2400	1130	-2040	1760	717
50	Cl	17	33	7892	700	7740	600	9110	9390	8420	6050	9160	8375
29	Ar	18	11	38240	270			38592	35610	38930			38394
30	Ar	18	12	21020	100	20930*	210	22974	20070	22430	23790	21290	22247
31	Ar	18	13	11558	100	11330*	200	12449	10640	12460	11800	11350	11756
48	Ar	18	30	-22627	100			-21889	-20990	-21760	-23690	-21560	-22645
49	Ar	18	31	-17258	150	-17190	400	-15648	-14910	-15990	-18450	-15680	-16832
50	Ar	18	32	-13891	150	-13330	500	-11553	-11240	-12240	-15830	-12010	-13327

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
51	Ar	18	33	-7543	600	-6690	600	-4488	-4610	-5460	-8500	-4870	-6020
52	Ar	18	34	-1146	600	-1280	600	-456	-430	-970	-3050	60	-581
31	K	19	12	33563	450			34768	31560	35800		32710	34657
32	K	19	13	20660	330	21100	400	22746	20610	23570		21010	22500
33	K	19	14	7069	200	7040	200	8283	7100	9660	8810	7290	7729
34	K	19	15	-1230	100	-1220	200	-68	-910	-350	-170	-620	-880
52	K	19	33	-17174	160	-17140*	30	-14382	-13580	-16220	-16490	-15080	-16334
53	K	19	34	-12645	200	-12300*	110	-9745	-9760	-12130	-12070	-10420	-11412
54	K	19	35	-5190	490	-5000	600	-3258	-2750	-5280	-4110	-3780	-3965
33	Ca	20	13	30359	200			31307	28510	31270		29390	31739
34	Ca	20	14	14433	100	13850	300	15333	13410	16210	16690	13850	14980
35	Ca	20	15	4860	100	4790	200	6073	4780	6130	6330	5420	5557
53	Ca	20	33	-29554	150	-29390*	40	-25720	-24820	-26270	-27950	-26780	-27903
54	Ca	20	34	-24985	250	-25160*	50	-22305	-22120	-22650	-23530	-23120	-24125
55	Ca	20	35	-18291	400	-18350	300	-16001	-15710	-17120	-16990	-16650	-17142
56	Ca	20	36	-14307	500	-13900	400	-11879	-12130	-12560	-12470	-12560	-12580
57	Ca	20	37	-8240	600	-6870	400	-5041	-5090	-5870	-5600	-5770	-5561
58	Ca	20	38	-3461	700	-1920	500	-353	-960	-1410	-600	-1290	-522
35	Sc	21	14	28419	170			27247	24950	33750		25280	27621

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
36	Sc	21	15	17940	250	15350	300	16605	14790	16280		15370	16702
37	Sc	21	16	4259	160	3520	300	4122	2960	4780	4750	3570	4001
38	Sc	21	17	-3975	41	-4250	200	-3912	-5270	-2550	-3880	-4280	-4017
56	Sc	21	35	-24362	450	-24850*	590	-24425	-23630	-25770	-23470	-24770	-24727
57	Sc	21	36	-20490	500	-21000*	1300	-20627	-20240	-22660	-20010	-21050	-20839
58	Sc	21	37	-14320	720	-14880	400	-14943	-14420	-16230	-13320	-15230	-14882
59	Sc	21	38	-11495	800	-10300	400	-10514	-10650	-12810	-9780	-10960	-10273
60	Sc	21	39	-5215	900	-4050	500	-4434	-4340	-6020	-3190	-4720	-3907
37	Ti	22	15	24624	224			25323	22790	24110	27750	23840	25844
38	Ti	22	16	10898	96	10870	300	11484	9280	10950	13130	10380	11576
39	Ti	22	17	2248	45	2200	200	2617	1180	2030	3220	1840	2835
58	Ti	22	36	-31110	260	-31110	200	-31447	-31730	-33040	-31090	-32090	-31367
59	Ti	22	37	-25210	330	-25510	200	-25958	-26070	-27290	-25060	-26480	-25943
60	Ti	22	38	-21860	530	-22330	300	-22690	-23380	-24360	-21890	-23230	-22252
61	Ti	22	39	-16858	600	-16350	400	-16754	-17220	-17690	-15810	-17230	-16072
62	Ti	22	40	-13868	700	-12500	400	-13002	-13950	-14510	-12670	-13430	-11841
63	Ti	22	41	-9118	800	-5750	500	-6371	-7030	-7010	-6780	-6890	-55381
39	V	23	16	25060	750			22690	20320	22590		20860	22778
40	V	23	17	11170	610	12170	300	12607	10400	12340		10870	12742
41	V	23	18	300	400	320	200	408	-1060	340	1800	-1050	513

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
42	V	23	19	-7440	950	-7620	200	-7683	-9390	-7920	-7140	-9000	-7528
43	V	23	20	-18128	150	-17920*	40	-18284	-19480	-18220	-17970	-19040	-17861
62	V	23	39	-25412	140	-25480	300	-25635	-25730	-25580	-24390	-26470	-25155
63	V	23	40	-21700	270	-21890	400	-22137	-22630	-22520	-21590	-22990	-21518
64	V	23	41	-16220	250	-16320	400	-16570	-16720	-16330	-15980	-17540	-16076
65	V	23	42	-13271	500	-11780	500	-12074	-13070	-13460	-13080	-13410	-12047
40	Cr	24	16	31850	450			31393	28150	29970		29160	31217
41	Cr	24	17	20170	330			20610	17880	19120		18550	20576
42	Cr	24	18	6200	260	6730	400	7191	4960	5490	10400	5200	7048
64	Cr	24	40	-33150	320			-33545	-34350	-34790	-32790	-34410	-33697
65	Cr	24	41	-27589	400	-28220	300	-28101	-28630	-29280	-27510	-29240	-28354
66	Cr	24	42	-24760	400	-24720	400	-24703	-25960	-26450	-24540	-26290	-25164
67	Cr	24	43	-20780	500	-18680	400	-18832	-19960	-20540	-18360	-20530	-19323
68	Cr	24	44	-16593	600	-14800	500	-15159	-16580	-17110	-15120	-16790	-15473
41	Mn	25	16	44438	500			43606	40090	42660		41110	43783
42	Mn	25	17	29920	400			31591	28570	30610		29120	31729
43	Mn	25	18	17610	300			17669	15230	17360		15180	17587
44	Mn	25	19	7275	270	7030	500	7708	5720	6600		5440	7487
45	Mn	25	20	-4726	100	-5250	400	-4549	-6320	-4460	-2210	-6490	-4932
47	Mn	25	22	-22587	140	-22570	30	-21989	-23680	-22350	-22780	-23300	-22427

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
67	Mn	25	42	-33689	170	-33460	300	-33141	-34110	-34150	-33050	-34340	-33650
68	Mn	25	43	-28415	300	-28380*	400	-28285	-29000	-28840	-27600	-29640	-28669
69	Mn	25	44	-24809	400	-24770	400	-24811	-25760	-25910	-24610	-26530	-25279
70	Mn	25	45	-21121	500	-19500	500	-19810	-20510	-20400	-19050	-21240	-19908
71	Mn	25	46	-18399	600	-15570	500	-16088	-16590	-16860	-15640	-17140	-15940
42	Fe	26	16	52166	700			53357	49580	51810			54141
43	Fe	26	17	39462	600			40774	37660	38890			41376
44	Fe	26	18	24518	500			25613	22810	24520		23140	25724
69	Fe	26	43	-39030	370	-39030	400	-39156	-40080	-40500	-38340	-40070	-39412
70	Fe	26	44	-36345	240	-36510	400	-36713	-37710	-38320	-35890	-37810	-36923
71	Fe	26	45	-31380	400	-31430	400	-31825	-32490	-32900	-30230	-32920	-31999
72	Fe	26	46	-30241	400	-28430	500	-29149	-29790	-30220	-29120	-30230	-28908
73	Fe	26	47	-23771	500	-22900	500	-24135	-24250	-23960	-23960	-24700	-23511
74	Fe	26	48	-19456	600	-19590	600	-21213	-20920	-20710	-21420	-21140	-19789
75	Fe	26	49	-14544	700	-13640	600	-16211	-15320	-14050	-15270	-15380	-13533
44	Co	27	17	51210	600			52509	49960	51590			54481
45	Co	27	18	36368	500			36965	34750	36650		34650	37624
46	Co	27	19	24099	400			25243	23720	25260		22510	25211
47	Co	27	20	9958	218	10370	600	11409	9950	11440		8680	10721
48	Co	27	21	1747	400	1500	500	2236	830	1830	5950	-30	1907

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
49	Co	27	22	-9407	85	-9880	500	-9206	-10720	-9720	-7520	-10700	-9325
51	Co	27	24	-27273	110	-27340*	50	-27151	-28410	-27800	-27790	-27630	-27286
72	Co	27	45	-40387	200	-40200	400	-40652	-40770	-41260	-39410	-41220	-40365
73	Co	27	46	-37310	330	-37420	400	-38184	-38260	-39270	-37840	-38700	-37795
74	Co	27	47	-32934	390	-32820	500	-34144	-33650	-33960	-33330	-34310	-33234
75	Co	27	48	-29091	400	-29650	500	-31462	-30930	-31340	-30710	-31470	-30004
76	Co	27	49	-24863	500	-24510	600	-27364	-25920	-25750	-24780	-26590	-24974
77	Co	27	50	-22800	600	-21020	600	-24528	-22190	-20360	-21280	-23260	-21021
78	Co	27	51	-14448	700			-17655	-15140	-14790	-15010	-16380	-14242
45	Ni	28	17	58317	600			62618					65535
46	Ni	28	18	42348	500			45832	44430	45810			47099
47	Ni	28	19	32250	390			33587	32100	33980		31100	33968
49	Ni	28	21	8150	160	8200	600	8903	8120	8990		6940	8724
75	Ni	28	47	-44135	130	-44030	300	-45161	-44950	-44310	-43810	-45610	-44365
76	Ni	28	48	-41392	290	-41630	400	-43872	-42860	-42730	-41710	-43640	-42047
77	Ni	28	49	-36785	210	-36800	500	-39862	-37970	-37640	-36470	-39180	-37531
78	Ni	28	50	-34060	400	-33890	600	-38031	-35290	-34430	-33650	-36830	-34674
79	Ni	28	51	-27605	500	-27570	600	-31096	-28260	-28390	-27930	-29960	-28033
80	Ni	28	52	-22814	600	-22630	700	-26025	-23580	-23580	-24470	-25140	-22985
48	Cu	29	19	48804	800			46877	44700	45210		43730	46684

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
49	Cu	29	20	33258	700			31515	29920	30770		28120	30255
50	Cu	29	21	20945	600			20698	19600	19960		17870	19990
51	Cu	29	22	6887	500			7793	6400	7230		5720	7507
52	Cu	29	23	-2364	400	-2280	600	-1480	-2470	-1190	1220	-3190	-1664
53	Cu	29	24	-13563	270	-13270	500	-13131	-13980	-13610	-12300	-14110	-13137
55	Cu	29	26	-31820	115	-31640*	160	-31837	-31910	-31240	-31960	-31830	-31413
56	Cu	29	27	-38796	10			-38912	-38440	-37610	-38410	-38740	-38038
80	Cu	29	51	-36155	240	-36200	400	-39301	-36720	-37380	-36770	-37820	-36478
81	Cu	29	52	-31512	250	-31420	500	-34380	-32170	-32890	-34030	-33290	-31809
82	Cu	29	53	-25477	300	-25320	600	-27869	-25290	-26150	-28330	-26780	-25365
52	Zn	30	22	15270	400			17054	15090	14480		14250	16079
53	Zn	30	23	6320	340			7205	6390	7070	10980	4980	6446
55	Zn	30	25	-14742	170	-14570	400	-14032	-14270	-14050	-14070	-15260	-14527
82	Zn	30	52	-42345	20	-42314*	3	-44759	-42330	-42500	-44920	-43390	-42637
83	Zn	30	53	-36375	50	-36290	300	-38328	-35770	-36080	-39330	-37190	-36327
84	Zn	30	54	-31851	180	-31930	400	-33784	-31400	-31340	-35980	-32840	-31847
53	Ga	31	22	31748	600			30007	27990	28030	40330	26540	28346
54	Ga	31	23	19672	500			19183	17520	19910	25640	16150	17862
55	Ga	31	24	8350	400			6163	4660	4420	9130	3810	5081
56	Ga	31	25	-4229	300	-3390	500	-3354	-4470	-4130	-2580	-5420	-4309

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
57	Ga	31	26	-14265	200	-15010	400	-1527	-15400	-15660	-15870	-16620	-15530
58	Ga	31	27	-23665	170	-23540	300	-23706	-23360	-22920	-24340	-24790	-23656
59	Ga	31	28	-33627	100	-33760	170	-34715	-33730	-33280	-34550	-34780	-33811
60	Ga	31	29	-40321	100	-39590	200	-40061	-38740	-39400	-40230	-39990	-39290
84	Ga	31	53	-44034	100	-44090	200	-45679	-43210	-43740	-44810	-44360	-43930
85	Ga	31	54	-39832	30	-39850	300	-41288	-38930	-39800	-41170	-40190	-39732
86	Ga	31	55	-33721	400	-34080	400	-35277	-33090	-33510	-34620	-34080	-33392
87	Ga	31	56	-28836	500	-29250	500	-30323	-28680	-29420	-30790	-29440	-28314
58	Ge	32	26	-6807	500	-7080	500	-7292	-8370	-8840	-7390	-9170	-8329
59	Ge	32	27	-15818	200	-15870	400	-16294	-16090	-16190	-17190	-17620	-16543
60	Ge	32	28	-27635	200	-27090	300	-28055	-27200	-27200	-28400	-28830	-27804
62	Ge	32	30	-42635	130	-41740	140	-42583	-40990	-42570	-43450	-42060	-42316
87	Ge	32	55	-43826	150	-44080	300	-44924	-43220	-43690	-44990	-43690	-43272
88	Ge	32	56	-40310	300	-40140	400	-40903	-39390	-39730	-40810	-39970	-39308
89	Ge	32	57	-33531	500	-33730	400	-34513	-32900	-33380	-33950	-33760	-32557
90	Ge	32	58	-29496	600	-29220	500	-29996	-28680	-29280	-29400	-29520	-27658
59	As	33	26	6084	500			4319	2950	2520	5180	37844	3287
60	As	33	27	-4281	400	-5470	400	-5487	-5880	-5800	-6120	-7450	-6119
61	As	33	28	-14752	300	-16900	300	-17694	-16920	-17220	-18050	-18800	-17383
62	As	33	29	-24988	200	-24320	300	-24488	-23870	-24280	-26110	-25320	-24212

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
63	As	33	30	-33570	170	-33500	200	-33522	-32850	-33580	-35410	-33560	-33348
64	As	33	31	-40488	110	-39530	200	-38968	-38480	-39020	-40690	-39010	-38791
88	As	33	55	-50514	50	-50720	200	-51547	-49870	-50280	-50770	-50310	-50428
89	As	33	56	-46556	70	-46800	300	-47680	-46220	-46860	-47240	-46740	-46473
90	As	33	57	-40938	250	-41330	400	-42165	-40550	-41200	-41070	-41250	-40718
91	As	33	58	-37047	300	-36900	400	-37771	-36580	-37540	-37110	-37300	-36173
92	As	33	59	-30743	400	-30980	500	-31850	-30360	-31130	-30680	-31510	-29818
93	As	33	60	-26096	500			-26973	-26050	-27240	-26530	-27180	-24728
94	As	33	61	-18428	600			-20682	-19790	-20740	-19930	-20930	-18027
63	Se	34	29	-17800	400			-17004	-16820	-17820	-19500	-17810	-16803
64	Se	34	30	-26235	360	-26700	500	-26850	-26550	-27350	-30060	-27260	-26761
65	Se	34	31	-32823	250	-33020	300	-32899	-32480	-33400	-36210	-33040	-32878
91	Se	34	57	-50426	140			-51104	-49790	-50190	-49930	-50190	-50307
92	Se	34	58	-46573	170	-46720	400	-47595	-46470	-46910	-46340	-46970	-46620
93	Se	34	59	-40570	280	-40720	400	-41735	-40810	-40980	-40200	-41320	-40542
94	Se	34	60	-36971	350	-36800	500	-37759	-37040	-37550	-36500	-37960	-36304
95	Se	34	61	-29589	450	-30460	500	-31501	-31020	-31390	-30730	-32080	-29803
96	Se	34	62	-25290	550			-27094	-27030	-27310	-26680	-28120	-24956
66	Br	35	31	-24040	300			-23343	-23820	-23390	-27970	-24820	-22944
67	Br	35	32	-32180	200	-32790	400	-32438	-32580	-32660	-36280	-32950	-32279

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
68	Br	35	33	-39782	122	-38790	260	-38017	-38440	-38530	-40770	-38870	-38133
94	Br	35	59	-46543	150	-46800	500	-48702	-47600	-47650	-48040	-48230	-47686
95	Br	35	60	-43798	250	-43770	300	-44849	-44300	-44650	-44710	-44940	-43846
96	Br	35	61	-38621	270	-38160	300	-39437	-39020	-39000	-39510	-39910	-38132
97	Br	35	62	-33616	400	-34060	400	-35125	-35130	-35340	-35720	-36220	-33527
98	Br	35	63	-28590	500	-28250	400	-29359	-29170	-28080	-29830	-30600	-27428
99	Br	35	64	-25264	600			-24621	-24780		-25460	-26320	-22396
67	Kr	36	31	-19080	400			-15902	-16570	-17050	-21510	-16940	-15204
68	Kr	36	32	-26700	300			-25734	-26290	-26890	-30540	-26600	-25076
69	Kr	36	33	-32680	180	-32440	400	-31914	-32350	-33130	-35790	-32760	-31764
98	Kr	36	62	-44588	200	-44310	300	-45190	-45560	-44930	-44780	-46090	-44013
99	Kr	36	63	-38948	300	-38760	400	-39463	-39960	-39040	-39230	-40740	-38132
100	Kr	36	64	-35730	300	-35050	400	-35593	-36220	-35540	-35710	-37220	-34153
69	Rb	37	32	-13179	600			-15534	-16130	-16600	-21590	-16890	-14682
70	Rb	37	33	-23390	500			-22409	-23340	-23290	-27480	-24010	-21971
71	Rb	37	34	-31576	270	-32060	400	-31618	-32360	-32630	-35270	-32910	-31931
72	Rb	37	35	-39480	79	-38330	500	-37423	-38380	-38000	-40040	-39310	-37957
100	Rb	37	63	-46150	150			-46738	-47280	-45350	-46460	-47880	-46143
101	Rb	37	64	-42920	190	-42550	200	-42964	-43790	-42790	-43530	-44540	-42445
102	Rb	37	65	-37830	250	-37710	300	-37701	-38530	-36550	-38040	-39420	-36852

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
103	Rb	37	66	-32983	350	-33610	400	-33514	-34640	-33020	-34530	-35550	-32348
71	Sr	38	33	-17780	600			-15026	-15940	-16430	-20690	-16670	-14545
72	Sr	38	34	-24174	400			-24932	-25870	-26200	-29290	-26540	-25086
73	Sr	38	35	-31850	250	-31950	400	-31307	-31940	-32040	-34650	-33130	-31816
103	Sr	38	65	-47308	120	-47420	200	-47149	-48180	-46300	-47800	-48850	-47053
104	Sr	38	66	-44159	160	-44110	300	-43789	-45020	-42950	-44840	-45660	-43382
105	Sr	38	67	-38780	360	-38610	500	-38225	-39510	-37380	-39380	-40110	-37571
106	Sr	38	68	-33946	1500	-34790	600	-34485	-36070	-33660	-35580	-36420	-33491
73	Y	39	34	-13609	700			-14830	-15810	-16110	-19780	-16900	-14885
74	Y	39	35	-24317	600			-21863	-23060	-22280	-25950	-24290	-22038
75	Y	39	36	-31981	500	-31820	300	-31243	-32460	-30700	-34600	-33460	-31605
76	Y	39	37	-41162	400	-38480	300	-37313	-38870	-36770	-40090	-39970	-37819
77	Y	39	38	-48276	300	-46440	200	-45844	-47140	-45290	-47820	-48030	-46756
78	Y	39	39	-52595	240	-52170	300	-51066	-51940	-49620	-52400	-53120	-51714
104	Y	39	65	-54047	70	-54060	400	-53812	-54600	-53160	-54470	-55360	-53670
105	Y	39	66	-51248	140			-50550	-51560	-50230	-51910	-52350	-50166
106	Y	39	67	-45756	180	-46050	500	-45768	-46720	-45090	-46930	-47470	-45187
107	Y	39	68	-41500	350	-42360	500	-42101	-43360	-41740	-43180	-43920	-41228
108	Y	39	69	-35318	450	-37300	600	-37004	-38220	-36240	-37420	-38510	-35672

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
76	Zr	40	36	-25659	1500			-24581	-25750	-25710	-28980	-26840	-24649
77	Zr	40	37	-34662	1300	-32040	400	-31194	-32330	-30580	-35240	-33450	-31359
78	Zr	40	38	-45000	1100	-40850	400	-40326	-41480	-40380	-43640	-42470	-41080
79	Zr	40	39	-49127	850	-46770	300	-46115	-46880	-45710	-48440	-48090	-47100
82	Zr	40	42	-63818	40			-63670	-63230	-64140	-63890	-64800	-63768
107	Zr	40	67	-53657	200			-54603	-55200	-53360	-55110	-56260	-53852
108	Zr	40	68	-50645	240	-51350	400	-51728	-52460	-50810	-51970	-53380	-50625
109	Zr	40	69	-45068	585	-46190	500	-46656	-47420	-45250	-46680	-48000	-45243
110	Zr	40	70	-41118	600	-42890	600	-43407	-44040	-42340	-43280	-44570	-41491
111	Zr	40	71	-35405	700	-37560	700	-38154	-38110	-36540	-37020	-38780	-35617
77	Nb	41	36	-15548	1000			-14254	-15330	-14810	-19480	-17010	-14083
78	Nb	41	37	-27938	6500			-21503	-22790	-20650	-27050	-24380	-21617
79	Nb	41	38	-36863	2700	-31650	500	-31097	-32170	-31220	-36480	-33480	-31515
80	Nb	41	39	-41730	1100	-38420	400	-37459	-38480	-36330	-41830	-39990	-38325
81	Nb	41	40	-49362	600	-46360	400	-46265	-46270	-45350	-49020	-48120	-46784
82	Nb	41	41	-51868	250	-52090	300	-51577	-50830	-50260	-53300	-53160	-51798
84	Nb	41	43	-61181	50			-60974	-60960	-60560	-61800	-62410	-61049
110	Nb	41	69	-52017	180			-53461	-53400	-51920	-52630	-54750	-51853
111	Nb	41	70	-48729	240	-48880	300	-50275	-50200	-49280	-49690	-51420	-48440
112	Nb	41	71	-43968	240	-44270	300	-45832	-45010	-43960	-44660	-46250	-43333
113	Nb	41	72	-39448	350	-40510	400	-42041	-41180	-40870	-41300	-42620	-39443

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
114	Nb	41	73	-34389	400	-35390	500	-36946	-35670	-35120	-35640	-37260	-34023
82	Mo	42	40	-44630	470	-40370	400	-40101	-40070	-40860	-45130	-42150	-40755
83	Mo	42	41	-47604	600	-46340	400	-45937	-45280	-45780	-49490	-47780	-46556
84	Mo	42	42	-54416	61	-54170	300	-53940	-53470	-54090	-56180	-55610	-54343
112	Mo	42	70	-57589	60	-57460	200	-58649	-58410	-57870	-58300	-60220	-57491
113	Mo	42	71	-53490	210	-52490	300	-54213	-53420	-52740	-53480	-55130	-52620
114	Mo	42	72	-49640	260	-49810	300	-51191	-50440	-50270	-50560	-52120	-49479
115	Mo	42	73	-44112	300	-44750	400	-46106	-45510	-44960	-45270	-46820	-44199
116	Mo	42	74	-40929	350	-41500	500	-42889	-42380	-42030	-41990	-43590	-40695
83	Tc	43	40	-37788	1000	-31320	500	-30612	-30960	-31020	-37880	-32870	-30924
84	Tc	43	41	-40259	500	-37700	400	-36972	-37270	-36830	-42800	-39360	-37431
85	Tc	43	42	-46669	300	-45850	400	-45438	-45600	-45620	-49640	-47470	-45877
86	Tc	43	43	-51547	120	-51570	300	-50750	-50780	-51280	-54010	-52800	-51218
115	Tc	43	72	-56149	53			-56975	-56450	-56100	-56900	-58400	-55867
116	Tc	43	73	-51288	100	-51460	300	-52624	-52060	-51340	-52080	-53710	-51370
117	Tc	43	74	-48138	83	-48380	400	-49467	-49060	-48590	-49120	-50510	-47974
118	Tc	43	75	-43068	400	-43790	400	-44973	-44370	-43560	-43860	-45580	-43316
119	Tc	43	76	-39833	500	-40370	500	-41606	-41290	-41000	-40530	-42260	-39729
120	Tc	43	77	-33939	600	-35520	500	-36974	-36620	-35990	-34980	-37240	-34677

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
87	Ru	44	43	-45750	400	-45520	400	-45085	-45380	-45740	-50490	-47300	-45647
88	Ru	44	44	-54410	110	-54340	300	-53427	-53360	-54440	-57160	-55550	-53980
89	Ru	44	45	-58123	88	-58260	300	-57480	-57430	-58300	-60320	-59510	-58251
118	Ru	44	74	-57360	180	-57260	200	-58028	-57780	-57530	-57560	-59360	-56808
119	Ru	44	75	-52504	200	-52560	300	-53555	-53310	-52600	-52810	-54460	-52434
120	Ru	44	76	-50060	280	-50010	400	-50944	-50690	-50260	-50130	-51750	-49493
121	Ru	44	77	-44159	300	-45050	400	-46312	-45870	-45550	-45210	-46740	-44594
122	Ru	44	78	-41315	400	-42150	500	-43508	-43000	-42900	-42310	-43770	-41191
88	Rh	45	43	-39590	300	-36860	400	-36153	-36980	-36760	-43590	-39020	-36942
89	Rh	45	44	-45877	200	-45860	360	-44747	-45210	-46040	-50470	-47440	-45970
90	Rh	45	45	-51906	165	-51700	300	-50649	-50650	-51040	-54840	-53100	-51687
91	Rh	45	46	-58581	25	-58570	300	-57711	-58430	-59000	-60530	-59690	-58818
120	Rh	45	75	-58765	45	-58820	200	-59524	-59080	-58740	-58730	-60690	-58629
121	Rh	45	76	-56268	110			-56984	-56590	-56720	-56320	-58050	-55859
122	Rh	45	77	-52030	120	-52080	300	-53076	-52410	-52240	-52350	-53590	-51650
123	Rh	45	78	-48812	300	-49360	400	-50323	-49710	-49790	-49990	-50730	-48729
124	Rh	45	79	-44313	400	-44890	400	-46269	-45440	-45320	-45970	-46220	-44385
125	Rh	45	80	-41155	500	-42000	500	-43306	-42830	-42820	42350	-43260	-41249
126	Rh	45	81	-36680	650	-37300	500	-39106	-38670	-38560	-36380	-38850	-36789
127	Rh	45	82	-32204	750	-34030	600	-35935	-35830	-35120	-31320	-35910	-33032

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
90	Pd	46	44	-42068	300	-39710	400	-38757	-39750	-40500	-46350	-41260	-40067
91	Pd	46	45	-46060	300	-45930	400	-44968	-45660	-46240	-50850	-47360	-46392
92	Pd	46	46	-54843	80	-54580	300	-53662	-54450	-55130	-57760	-55740	-55071
93	Pd	46	47	-59070	300	-59000	300	-58167	-59070	-59140	-62670	-59730	-59454
124	Pd	46	78	-59372	260	-58390	300	-59107	-58650	-58950	-59160	-59610	-58036
125	Pd	46	79	-53970	370	-54120	400	-55069	-54650	-54560	-54820	-55150	-53951
126	Pd	46	80	-51640	400	-51860	400	-52854	-52860	-52550	-52190	-52770	-51406
127	Pd	46	81	-46842	500	-47180	500	-48653	-48600	-48590	-46950	-48440	-47148
128	Pd	46	82	-43494	600	-44490	500	-46239	-46210	-45320	-43210	-46110	-43937
129	Pd	46	83	-36634	700	-37610	600	-39544	-39420		-36720	-39310	-37379
93	Ag	47	46	-46236	500	-46270	400	-45214	-46470	-46550	-51380	-47270	-46842
94	Ag	47	47	-52350	170	-52410	400	-51316	-52230	-51850	-56070	-53100	-52714
95	Ag	47	48	-58737	140	-59600	300	-58793	-60060	-59670	-61760	-59820	-60080
126	Ag	47	79	-60683	200	-60680	200	-61321	-61020	-61070	-62290	-61530	-60727
127	Ag	47	80	-58367	200	-58440	200	-59172	-59130	-59200	-60120	-59210	-58444
128	Ag	47	81	-54643	300	-54620	300	-55691	-55400	-55860	-55410	-55450	-54770
129	Ag	47	82	-51474	400	-51980	400	-53326	-53150	-53150	-52090	-53200	-51750
130	Ag	47	83	-45275	475	-456700	500	-47259	-46950	-47280	-46100	-46970	-45786
131	Ag	47	84	-38815	550	-40380	500	-42195	-42010	-41810	-41510	-42170	-40541
132	Ag	47	85	-32121	600	-33790	500	-35870	-35170	-35570	-34470	-35770	-34048

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
95	Cd	48	47	-48340	400	-46630	400	-45633	-46800	-46590	-51070	-47090	-47306
96	Cd	48	48	-55692	400	-55570	400	-54695	-55920	-55370	-57060	-55700	-56102
97	Cd	48	49	-60484	260	-60450	300	-59658	-60700	-60840	-60930	-60240	-60936
129	Cd	48	81	-63032	83			-64001	-64220	-64630	-63920	-63900	-63646
131	Cd	48	83	-55200	150			-56208	-56360	-56710	-56210	-56040	-55385
132	Cd	48	84	-49790	170	-50260	200	-51779	-52020	-51350	-52380	-51780	-50684
133	Cd	48	85	-43230	200	-43920	300	-45352	-45170	-45350	-45840	-45360	-44204
134	Cd	48	86	-37249	260	-38920	400	-40633	-40310		-40630	-40850	-39410
96	In	49	47	-41667	2500	-37890	500	-36788	-39110	-37940	-43270	-38590	-38634
97	In	49	48	-48300	900	-47190	400	-46291	-48330	-47420	-49940	-47350	-47973
98	In	49	49	-54061	500	-53900	300	-52809	-54260	-54040	-55420	-53720	-54200
99	In	49	50	-61420	190	-61380	300	-60714	-62010	-61150	-61230	-61080	-61450
101	In	49	52	-68610	200	-68610	200	-68060	-69730	-68810	-68440	-68430	-68765
133	In	49	84	-58374	53	-57460	200	-58175	-58220	-58460	-59730	-58330	-58010
134	In	49	85	-51579	93	-51660	300	-52350	-51950	-53350	-53340	-52340	-51874
135	In	49	86	-46338	100	-46530	400	-47569	-47110	-48880	-48530	-47800	-47097
136	In	49	87	-39163	400	-40510	400	-41510	-40640	-42330	-41500	-41600	-40843
137	In	49	88	-34089	500	-35040	500	-36444	-35540	-37410	-36230	-36780	-35761
97	Sn	50	47	-35059	1000			-30106	-32230	-30240	-37340	-31790	-31544
98	Sn	50	48	-47290	960			-40128	-42260	-39840	-44540	-41290	-41594

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
99	Sn	50	49	-48700	850	-47940	500	-47143	-48530	-47880	-48900	-47900	-48332
136	Sn	50	86	-55930	200	-55900	300	-56403	-56130	-57280	-56880	-56700	-56188
137	Sn	50	87	-49732	200	-49790	400	-50248	-49650	-50730	-50100	-50530	-49955
138	Sn	50	88	-44918	450	-44860	500	-45812	-45110	-46400	-45110	-46270	-45498
139	Sn	50	89	-38042	400	-38440	500	-39427	-38320	-39570	-37880	-39900	-39225
101	Sb	51	50	-47123	600			-45665	-46480	-45840	-47810	-46470	-46784
102	Sb	51	51	-50839	400			-50034	-50750	-50060	-52790	-50630	-51177
103	Sb	51	52	-56267	100	-56180	300	-55719	-56570	-56120	-57540	-56170	-56627
138	Sb	51	87	-54231	145			-54765	-54090	-55310	-54710	-54710	-54493
139	Sb	51	88	-49764	160	-49790	400	-50394	-49760	-51160	-49950	-50500	-50126
140	Sb	51	89	-43689	380	-43940	600	-44724	-43640	-45050	-43330	-44580	-44356
141	Sb	51	90	-39171	490	-39110	500	-40076	-39020	-40370	-38680	-40070	-39769
142	Sb	51	91	-33328	600			-34186	-32740	-33650	-32040	-33960	-33409
143	Sb	51	92	-27121	900			-29268	-27990	-29000	-26910	-29180	-28150
102	Te	52	50	-39810	520			-36879	-37840	-37520	-41480	-38150	-38271
103	Te	52	51	-43260	310			-41744	-42540	-42330	-45750	-42690	-43118
104	Te	52	52	-49300	170			-48930	-49360	-49320	-51800	-49650	-49831
141	Te	52	89	-50500	110	-50490	400	-51210	-50190	-50880	-50330	-50980	-50692
142	Te	52	90	-46310	240	-46370	500	-47279	-46360	-46770	-46230	-47080	-46630
143	Te	52	91	-40270	410	-40280	500	-41396	-40190	-40790	-39980	-41060	-40535

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
144	Te	52	92	-35462	550			-37200	-36120	-36840	-35480	-36930	-35935
103	I	53	50	-29911	1200			-24948	-25770	-25330	-31720	-26890	-26398
104	I	53	51	-33799	800			-30311	-31770	-31080	-36400	-32100	-31881
105	I	53	52	-39930	320			-37929	-38160	-38530	-42560	-39110	-39090
106	I	53	53	-43251	180			-42568	-42310	-42610	-45860	-43550	-43333
107	I	53	54	-49505	110	-49530	300	-48539	-48400	-49600	-50200	-49300	-49291
114	I	53	61	-72647	150	-72800	150	-72135	-72670	-72920	-73080	-72140	-72744
143	I	53	90	-50900	150	-50630	200	-51362	-50480	-51670	-51050	-51440	-50761
144	I	53	91	-45333	190	-45280	400	-46163	-45100	-45760	-45340	-45990	-45227
145	I	53	92	-41140	220	-40940	500	-42006	-41290	-42660	-41170	-41940	-40873
106	Xe	54	52	-32570	780			-29053	-29190	-30250	-35810	-30550	-30456
107	Xe	54	53	-36100	510			-34163	-34050	-35100	-38110	-35400	-35274
108	Xe	54	54	-42710	360			-41580	-41150	-42700	-42730	-42600	-42331
147	Xe	54	93	-42377	200	-42360	200	-43244	-43010	-43490	-42410	-43590	-42409
148	Xe	54	94	-38970	300	-38600	300	-39499	-39430	-40170	-38700	-39940	-38550
149	Xe	54	95	-33050	500			-33830	-33880	-34650	-32650	-34380	-32817
108	Cs	55	53	-25384	1200			-22664	-23190	-23770	-27670	-24600	-23964
109	Cs	55	54	-32780	640			-30491	-30680	-32040	-33750	-32000	-31627
110	Cs	55	55	-36881	390			-35387	-36040	-36480	-37670	-36830	-36374

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
111	Cs	55	56	-42841	200	-42820	200	-41627	-42400	-43520	-43330	-42910	-42950
115	Cs	55	60	-59630	110	-59700	100	-58543	-59450	-60560	-59790	-59230	-59664
116	Cs	55	61	-62290	130	-62040	100	-60959	-62200	-62590	-62240	-61900	-62116
149	Cs	55	94	-43580	400	-43250	400	-43781	-43970	-44840	-43860	-44800	-43447
150	Cs	55	95	-38800	600	-38170	400	-38771	-39020	-39570	-38420	-39790	-38329
151	Cs	55	96	-37147	800	-34230	500	-34772	-35140	-36230	-34960	-36010	-34254
111	Ba	56	55	-29320	300			-26856	-27800	-28650	-30620	-28620	-28332
112	Ba	56	56	-36100	300			-34489	-35190	-36440	-36830	-36110	-35890
113	Ba	56	57	-39580	250			-38264	-39130	-40070	-40230	-39920	-39806
115	Ba	56	59	-49070	240	-49020	200	-47568	-48620	-50290	-49190	-49040	-49036
116	Ba	56	60	-54598	220	-54580	200	-53054	-54340	-55800	-54420	-54490	-54557
118	Ba	56	62	-62301	180	-62350	200	-60735	-62250	-63170	-62120	-62110	-62308
149	Ba	56	93	-53160	150			-52963	-53530	-53470	-53140	-54420	-53069
150	Ba	56	94	-50170	210	-49900	300	-49911	-50540	-50680	-50220	-51420	-50124
151	Ba	56	95	-44886	400	-44940	400	-44902	-45630	-45780	-45240	-46410	-45157
152	Ba	56	96	-42057	900	-41710	400	-41567	-42340	-42690	-42140	-43190	-41630
112	La	57	55	-19622	1000			-15273	-16890	-17200	-20560	-17710	-16779
113	La	57	56	-26112	900			-23298	-24590	-25290	-26860	-25500	-24919
114	La	57	57	-30374	800			-28434	-29480	-29700	-31340	-30780	-29897
115	La	57	58	-36613	500			-34922	-36210	-36710	-37150	-37270	-36425

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
116	La	57	59	-40609	400	-40650	310	-38592	-40540	-41300	-40770	-41320	-40495
118	La	57	61	-49554	400	-49560	300	-47648	-50070	-50420	-49570	-50190	-49966
119	La	57	62	-54974	350	-54790	300	-52950	-55150	-55890	-55070	-55150	-55246
120	La	57	63	-57746	250	-57570	300	-55659	-58000	-58040	-57880	-57970	-57763
121	La	57	64	-62051	125	-62190	300	-60410	-62330	-63050	-62490	-62330	-62293
122	La	57	65	-64465	94	-64540	300	-62669	-64760	-65020	-64700	-64570	-64564
123	La	57	66	-68627	130	-68650	200	-66889	-68770	-69220	-68750	-68300	-68654
150	La	57	93	-56211	160			-56017	-56970	-56680	-56510	-57670	-56299
152	La	57	95	240	300	-49290	300	-48633	-49700	-49460	-49600	-59430	-49214
153	La	57	96	-45928	300	-46060	300	-45329	-46540	-46860	-46750	-47430	-45952
154	La	57	97	-41391	400	-41530	300	-40699	-41950	-42070	-41740	-42560	-41182
								-19761	-21270	-21750	-23200	-22560	-21302
115	Ce	58	57	-22732	1000			-27595	-29110	-29560	-30000	-30580	-29402
116	Ce	58	58	-29903	900			-31638	-33690	-34590	-33930	-34690	-33546
117	Ce	58	59	-34158	800			-37944	-40430	-41190	-40060	-41010	-40353
118	Ce	58	60	-41024	700			-41462	-44160	-44890	-43820	-44510	-44123
119	Ce	58	61	-44112	600	-43940	500	-47202	-49920	-50620	-49550	-50100	-50113
120	Ce	58	62	-50219	500	-49600	500	-50222	-52940	-53240	-52850	-53010	-52771
121	Ce	58	63	-52966	330	-52690	400	-55421	-58000	-58460	-57920	-57990	-57995
122	Ce	58	64	-57678	200	-57870	400	-57961	-60470	-60800	-60520	-60300	-60366
123	Ce	58	65	-60660	180	-60290	300	-62639	-64970	-65260	-64900	-64630	-64977
124	Ce	58	66	-65012	150	-64920	300						

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
125	Ce	58	67	-66741	75	-66660	200	-64715	-66890	-67230	-66820	-66330	-66774
152	Ce	58	94	-58956	200	-58980	200	-58075	-59490	-58990	-59210	-59880	-59177
153	Ce	58	95	-54942	100	-54910	200	-53826	-55270	-54630	-55120	-55860	-54879
154	Ce	58	96	-52310	200	-52220	200	-51230	-52660	-52360	-52660	-53370	-52226
155	Ce	58	97	-47544	300	-47780	300	-46640	-48170	-47890	-48040	-48590	-47587
156	Ce	58	98	-43999	400	-44820	300	-43682	-45190	-44980	-45420	-45780	-44460
120	Pr	59	61	-35851	600			-32286	-36030	-35860	-34910	-36430	-35635
122	Pr	59	63	-45164	500	-44780	500	-42066	-45670	-45540	-45240	-45680	-45090
123	Pr	59	64	-51210	350	-50230	400	-47730	-50720	-50870	-50630	-50740	-50504
124	Pr	59	65	-53732	200	-53150	400	-50775	-53880	-53470	-53620	-53650	-53486
125	Pr	59	66	-57908	130	-57940	300	-55805	-58360	-58180	-58410	-58050	-58233
126	Pr	59	67	-60460	160	-60320	200	-58318	-60860	-60530	-60730	-60330	-60532
127	Pr	59	68	-64533	86	-64540	200	-62743	-64800	-65040	-64730	-64090	-64637
156	Pr	59	97	-51559	110	-51570	200	-50423	-51710	-50990	-51800	-52130	-51447
157	Pr	59	98	-48480	180	-48540	300	-47525	-48810	-48350	-49420	-49270	-48461
158	Pr	59	99	-44270	270	-44330	300	-43243	-44520	-44010	-44990	-44810	-44005
127	Nd	60	67	-56280	250	-55540	300	-53878	-56120	-56160	-56270	-55740	-55973
128	Nd	60	68	-60830	140	-60310	200	-58744	-60650	-60690	-60490	-60070	-60533
129	Nd	60	69	-62458	89	-62320	200	-60990	-62670	-62340	-62470	-61800	-62431
158	Nd	60	98	-54090	130	-54060	200	-53101	-54400	-53640	-54610	-54510	-54113

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
159	Nd	60	99	-49766	89	-49810	300	-48841	-50140	-49460	-50420	-50230	-49736
160	Nd	60	100	-47132	100	-47130	300	-46201	-47390	-46670	-48070	-47500	-46923
129	Pm	61	68	-53422	330	-52880	300	-51655	-53550	-53830	-53980	-53230	-53219
130	Pm	61	69	-55816	230	-55400	200	-54319	-56160	-55780	-56140	-55530	-55607
131	Pm	61	70	-59850	160	-59660	200	-58873	-60160	-60720	-60040	-59300	-59790
132	Pm	61	71	-61674	120	-61630	150	-60181	-62170	-61970	-61800	-61510	-61696
160	Pm	61	99	-52925	41	-53000	200	-51976	-53070	-52270	-53060	-52850	-52663
161	Pm	61	100	-50302	50	-50240	300	-49381	-50410	-49730	-50700	-50500	-49960
162	Pm	61	101	-46480	100	-46370	300	-45378	-46460	-45470	-46200	-46330	-45862
130	Sm	62	68	-47975	500	-47510	400	-46469	-47990	-48370	-48990	-48270	-47807
131	Sm	62	69	-50337	400	-50130	400	-49390	-50750	-50650	-51310	-50650	-50420
132	Sm	62	70	-55490	360	-55080	300	-54360	-55350	-55580	-55310	-55020	-55148
133	Sm	62	71	-57230	250	-57230	300	-55562	-57450	-57570	-57340	-56800	-57178
134	Sm	62	72	-61316	160	-61380	200	-59864	-61400	-61590	-61130	-61030	-61283
162	Sm	62	100	-54590	170	-54530	200	-54281	-55030	-54240	-54950	-54810	-54737
163	Sm	62	101	-50640	200	-50720	300	-50287	-51070	-49920	-50420	-50960	-50698
164	Sm	62	102	-48320	400	-48100	300	-47907	-48580	-47790	-47480	-48610	-48163
130	Eu	63	67	-33934	300	-33680	500	-32319	-34330	-34850	-36260	-35340	-33846
131	Eu	63	68	-39355	300	-39270	400	-38227	-39740	-40290	-41130	-40440	-39382

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
132	Eu	63	69	-43120	250	-42200	400	-41543	-43120	-42980	-44170	-43420	-42488
133	Eu	63	70	-47631	400	-47240	300	-46801	-47870	-47710	-48300	-47860	-47432
134	Eu	63	71	-49950	300	-49930	300	-48151	-50490	-50380	-50420	-50210	-49941
135	Eu	63	72	-54100	150	-54150	200	-52724	-54510	-54700	-54370	-54070	-54252
136	Eu	63	73	-56260	140	-56240	200	-54994	-56680	-56390	-56360	-56300	-56279
137	Eu	63	74	-60064	65			-59174	-60410	-60530	-60230	-60030	-60147
166	Eu	63	103	-47101	400	-47210	360	-46627	-47010	-46180	-45490	-46860	-46527
167	Eu	63	104	-43852	500	-44010	400	-43885	-44040	-43660	-42770	-44150	-43531
168	Eu	63	105	-39600	600	-39740	500	-39765	-39670	-38980	-37960	-39790	-38883
135	Gd	64	71	-44325	250	-44390	400	-42557	-44730	-45190	-44790	-44950	-44406
136	Gd	64	72	-49241	240	-49090	300	-47544	-49360	-49840	-48820	-49380	-49214
137	Gd	64	73	-51208	220	-51210	300	-50048	-51670	-51820	-51180	-51320	-51271
138	Gd	64	74	-55760	130	-55800	200	-54649	-55930	-56190	-55410	-55500	-55557
139	Gd	64	75	-57580	130	-57630	200	-56810	-57740	-57230	-57420	-57310	-57471
164	Gd	64	100	-59680	160	-59770	100	-59787	-60010	-59330	-59920	-59660	-60112
165	Gd	64	101	-56440	280	-56450	120	-56385	-56650	-55580	-56310	-56230	-56525
166	Gd	64	102	-54400	320	-54530	200	-54610	-54820	-54130	-54310	-54620	-54725
167	Gd	64	103	-50801	400	-50810	300	-50836	-50970	-50410	-50310	-50710	-50758
168	Gd	64	104	-48700	600	-48360	400	-48669	-48640	-48120	-47940	-48670	-48356
169	Gd	64	105	-44084	700	-44150	500	-44534	-44400	-43660	-43400	-44480	-43829

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
136	Tb	65	71	-36246	800	-36130	500	-34154	-36880	-36720	-36060	-37320	-36142
137	Tb	65	72	-40863	700	-40970	400	-39432	-41610	-42050	-40620	-41840	-41117
138	Tb	65	73	-43634	500	-43670	300	-42336	-44400	-44130	-43390	-44330	-43685
139	Tb	65	74	-48133	240	-48130	300	-47204	-48750	-48360	-48090	-48340	-48159
165	Tb	65	100	-60812	180	-60570	100	-60432	-60530	-59890	-60810	-60070	-60488
167	Tb	65	102	-55946	94	-55930	200	-55843	-55930	-55280	-55980	-55720	-55851
168	Tb	65	103	-52689	180	-52720	300	-52616	-52690	-52050	-52410	-52300	-52527
169	Tb	65	104	-50296	360	-50330	300	-50476	-50450	-50090	-50320	-50350	-50298
170	Tb	65	105	-46955	500	-46720	400	-46892	-46770	-46090	-46180	-46570	-46412
171	Tb	65	106	-43841	600	-44030	500	-44355	-44050	-44030	-43450	-44090	-43602
137	Dy	66	71	-30653	1000			-27602	-30230	-30600	-28860	-31030	-29555
138	Dy	66	72	-35010	900	-34930	500	-33274	-35560	-36120	-34020	-36100	-35066
139	Dy	66	73	-37903	800	-37640	500	-36433	-38470	-38720	-37280	-38650	-37776
140	Dy	66	74	-42687	700	-42830	400	-41705	-43290	-43600	-42250	-43210	-42783
141	Dy	66	75	-45482	400	-45380	300	-44506	-45800	-45600	-45050	-45320	-45248
170	Dy	66	104	-53665	150	-53660	200	-53987	-53860	-53370	-53740	-53620	-53970
171	Dy	66	105	-50195	300	-50190	300	-50402	-50200	-49590	-50040	-49940	-50126
172	Dy	66	106	-48030	700	-48010	300	-48419	-48180	-47880	-47830	-48040	-47972
173	Dy	66	107	-43564	800	-43940	400	-44471	-44310	-43900	-43450	-43940	-43801
137	Ho	67	70	-16883	5500			-15907	-17470	-18040	-14930	-18700	-16333

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
138	Ho	67	71	-20300	3200			-18223	-21470	-21440	-19110	-22380	-20187
139	Ho	67	72	-25800	1700			-24206	-26870	-27320	-24820	-27540	-25877
142	Ho	67	75	-36760	550	-37250	400	-36499	-38280	-37770	-37220	-37900	-37327
143	Ho	67	76	-41850	260	-42050	300	-41636	-42630	-42450	-42330	-42050	-42229
172	Ho	67	105	-51478	280	-51480	200	-51501	-51540	-50910	-51340	-51040	-51286
173	Ho	67	106	-49393	280	-49350	300	-49544	-49550	-49370	-49490	-49130	-49268
174	Ho	67	107	-45663	400	-45690	300	-46130	-46170	-45910	-45540	-45590	-45696
175	Ho	67	108	-43340	500	-43200	400	-43770	-43840	-43830	-43200	-43310	-43201
141	Er	68	73	-22400	700			-20898	-23170	-23250	-21490	-23950	-22084
142	Er	68	74	-27530	600	-28030	500	-26845	-28600	-28990	-27320	-29130	-27838
143	Er	68	75	-31428	500	-31260	400	-30291	-31830	-31770	-31210	-31800	-30992
144	Er	68	76	-36617	400	-36610	200	-35825	-36870	-36950	-36470	-36500	-36372
145	Er	68	77	-39260	190	-39240	200	-38898	-39360	-39770	-39570	-39210	-38970
173	Er	68	105	-53663	46	-53650	200	-53792	-53820	-53240	-53630	-53470	-53890
174	Er	68	106	-51990	100	-51950	300	-52367	-52400	-52050	-52190	-52090	-52304
175	Er	68	107	-48700	120	-48650	400	-48954	-49200	-48710	-48770	-48530	-48497
176	Er	68	108	-46695	165	-46630	400	-47140	-47340	-46980	-47000	-46720	-46838
141	Tm	69	72	-9700	700			-7068	-10030	-10090		-11140	-8627
142	Tm	69	73	-12200	600			-11249	-14060	-13850	-11860	-14910	-12479
143	Tm	69	74	-18510	500			-17502	-19610	-19480	-18130	-20170	-18436

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
149	Tm	69	80	-43817	270	-43880	200	-44024	-43910	-43490	-46090	-43970	-44206
150	Tm	69	81	-46586	140	-46490	200	-46741	-46560	-46020	-47420	-46970	-46764
177	Tm	69	108	-47408	97	-47470	300	-47602	-48150	-47430	-47750	-46410	-47513
178	Tm	69	109	-44314	120	-44120	400	-44351	-44890	-44060	-44270	-43990	-44149
179	Tm	69	110	-41952	190	-41600	500	-42177	-42660	-42050	-42130	-41820	-41900
180	Tm	69	111	-38972	400	-37920	500	-38583	-38950	-38280	-37800	-38050	-38207
181	Tm	69	112	-35877	600	-35170	600	-36029	-36420	-35810	-34550	-35600	-35503
182	Tm	69	113	-31805	700			-32526	-32590	-31640	-29580	-31550	-31482
183	Tm	69	114	-28813	800			-29852	-29680	-28990	-26540	-28870	-28468
147	Yb	70	77	-24825	500			-24097	-24570	-25090	-26220	-24970	-24082
148	Yb	70	78	-30237	470	-30330	400	-29874	-29940	-30480	-32690	-30290	-29908
149	Yb	70	79	-33196	400	-33200	300	-33199	-33300	-33240	-36050	-33250	-33337
150	Yb	70	80	-38762	300	-38640	400	-38547	-38450	-38420	-40550	-38500	-38726
153	Yb	70	83	-47074	69	-47210	200	-47386	-47300	-46590	-46780	-47500	-47031
179	Yb	70	109	-46647	45	-46540	200	-46514	-47260	-46730	-46380	-46460	-46631
180	Yb	70	110	-44758	140	-44600	300	-44869	-45460	-44910	-44570	-44800	-45034
181	Yb	70	111	-41481	150	-41090	300	-41272	-42000	-41520	-40630	-41080	-41256
182	Yb	70	112	-39024	250	-38820	400	-39257	-39900	-39230	-38110	-39070	-39154
183	Yb	70	113	-35199	400	-35100	400	-35962	-36130	-35350	-33930	-34990	-35037
184	Yb	70	114	-32668	500	-32540	500	-33839	-33760	-32920	-31350	-32790	-32674
185	Yb	70	115	-27835	600	-28500	500	-29907	-29600	-28000	-26800	-28680	-28405

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4

147	Lu	71	76	-7473	600			-10915	-11900		-13170	-12610	-11098
148	Lu	71	77	-14700	500			-14936	-15680	-15810	-19520	-16350	-14928
149	Lu	71	78	-21710	400			-20928	-21130	-21300	-25820	-21660	-20894
152	Lu	71	81	-33648	250	-33420	200	-33331	-33510	-33420	-34670	-33940	-33550
154	Lu	71	83	-39780	79	-39720	200	-39851	-40140	-39440	-39670	-40470	-39896
182	Lu	71	111	-41790	120	-41880	200	-41870	-42520	-42060	-41450	-41800	-41585
184	Lu	71	113	-36560	110	-36410	300	-37749	-37400	-36430	-35600	-36160	-36060
185	Lu	71	114	-33820	150	-33890	300	-35596	-35040	-34310	-33300	-34020	-33702
186	Lu	71	115	-30462	240	-30210	400	-32147	-31400	-29160	-29080	-30370	-30093
187	Lu	71	116	-27124	400	-27580	400	-29800	-28706	-27190	-26260	-28230	-27489
188	Lu	71	117	-22974	600	-23790	500	-26188	-24860	-23450	-21670	-24410	-23358
149	Hf	72	77	-9186	700			-7238	-7670		-12910	-9120	-7323
150	Hf	72	78	-14344	600			-13612	-13920	-14830	-19230	-14910	-13920
151	Hf	72	79	-17488	500			-17503	-17690	-17350	-21890	-18320	-17925
152	Hf	72	80	-25700	500			-23430	-23670	-23970	-26210	-24050	-24027
153	Hf	72	81	-27657	420	-27300	300	-26908	-27240	-27750	-28410	-27720	-27209
154	Hf	72	82	-32737	400	-32670	300	-32380	-32790	-33120	-32360	-33630	-32612
155	Hf	72	83	-34205	310	-34170	300	-34001	-34480	-33850	-34010	-34820	-34243
157	Hf	72	85	-38802	110	-38900	200	-38917	-38520	-38620	-38820	-39310	-38758
187	Hf	72	115	-32816	86	-32820	300	-34718	-34220	-32300	-32420	-33370	-32960

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
188	Hf	72	116	-30839	130	-30880	300	-32915	-32090	-30570	-30090	-31670	-30952
189	Hf	72	117	-27005	110	-27160	300	-29295	-28360	-27130	-26020	-27920	-26957
190	Hf	72	118	-24513	220	-25030	400	-27294	-25960	-25000	-23810	-26040	-24707
152	Ta	73	79	-13900	700			-7810	-8560	-8300	-12540	-9410	-8414
153	Ta	73	80	-18000	600			-14028	-14610	-15020	-17500	-15120	-14626
154	Ta	73	81	-18820	300			-17894	-18780	-16120	-19940	-19300	-18463
158	Ta	73	85	-31190	130	-31170	200	-31046	-31240	-30980	-31430	-32070	-31360
189	Ta	73	116	-31870	70	-31830	200	-33299	-32900	-31330	-31680	-32430	-31775
190	Ta	73	117	-28297	150	-28510	200	-30210	-29470	-28100	-27990	-29170	-28443
191	Ta	73	118	-26430	175	-26490	300	-28229	-27410	-26290	-25830	-27280	-26160
192	Ta	73	119	-22467	400	-23060	400	-24964	-23560	-22810	-22310	-23700	-23068
193	Ta	73	120	-19837	500	-20870	400	-22763	-21140	-21030	-20320	-21570	-20957
156	W	74	82	-17790	500			-16862	-17780	-18060	-17270	-18750	-17484
157	W	74	83	-19980	400	-19470	400	-18984	-20040	-19630	-19560	-20560	-19741
158	W	74	84	-23947	300	-23630	300	-23129	-23670	-24250	-23470	-24530	-23780
159	W	74	85	-25392	300	-25300	300	-24927	-25150	-25300	-25460	-26200	-25453
161	W	74	87	-30530	140	-30560	200	-30203	-30130	-29420	-30550	-31220	-30482
192	W	74	118	-29719	90	-29650	200	-30929	-30430	-29260	-29110	-30260	-29500
193	W	74	119	-26260	120	-26290	200	-27667	-26740	-25880	-25820	-26690	-26132
194	W	74	120	-24340	180	-24530	300	-26014	-24650	-24650	-24090	-24980	-24596

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
195	W	74	121	-20147	300	-21010	300	-22556	-21240	-20790	-20450	-21270	-20783
196	W	74	122	-18375	400	-18880	400	-20679	-19320	-19110	-18180	-19690	-18631
156	Re	75	81	-3600	600			-930	-2350	-660	-3920	-3110	-1982
157	Re	75	82	-8200	400			-7371	-8390	-8190	-8440	-9620	-8211
158	Re	75	83	-10610	300			-9795	-11000	-9360	-10830	-11940	-10817
162	Re	75	87	-22510	190	-22500	200	-22043	-22510	-22300	-22840	-23680	-22660
167	Re	75	92	-34839	90	-34830	40	-34627	-35000	-34700	-34940	-35330	-34845
194	Re	75	119	-27250	50	-27240	200	-28184	-27620	-26600	-27220	-27490	-27096
195	Re	75	120	-25465	77	-25580	300	-26564	-25480	-25470	-25650	-25770	-25596
196	Re	75	121	-22453	150	-22540	300	-23642	-22570	-22290	-22250	-22460	-22351
197	Re	75	122	-20275	250	-20500	300	-21790	-20770	-20740	-20340	-20920	-20226
198	Re	75	123	-16671	400	-17140	400	-18666	-17790	-17120	-16540	-17790	-16982
199	Re	75	124	-14542	400	-14860	400	-16569	-15730	-14920	-14290	-16010	-14684
158	Os	76	82	-2995	800			173		-950	-1110	-2370	-840
159	Os	76	83	-5149	600			-2424	-3940	-2410	-3880	-4720	-3635
160	Os	76	84	-8166	375			-7067	-8340	-7370	-8130	-9260	-8201
162	Os	76	86	-14623	300	-14440	300	-13640	-14110	-15000	-14460	-15600	-14563
163	Os	76	87	-16314	200	-16190	300	-15608	-15990	-16520	-16560	-17480	-16389
165	Os	76	89	-21764	200	-21800	200	-21230	-21440	-20520	-21800	-22750	-21848
197	Os	76	121	-25166	100	-25310	200	-25958	-25290	-24870	-25120	-24990	-25142

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
198	Os	76	122	-23816	85	-23840	200	-24653	-23990	-23560	-23490	-23880	-23498
199	Os	76	123	-20230	150	-20480	200	-21539	-20990	-19530	-19970	-20780	-20332
200	Os	76	124	-18675	225	-18780	300	-19998	-19400	-18190	-14330	-19590	-18590
161	Ir	77	84	1900	900			2710		1750	1010	70	1479
162	Ir	77	85	-600	400			142	-1720	-1300	-1480	-2580	-1028
163	Ir	77	86	-4710	400			-4340	-5690	-6210	-5970	-6810	-5397
198	Ir	77	121	-25788	58	-25820	200	-26096	-25780	-25380	-25760	-25310	-25601
200	Ir	77	123	-21638	74	-21610	200	-22259	-21980	-20670	-21300	-21550	-21487
201	Ir	77	124	-19893	88	-19900	200	-20757	-20440	-19580	-19540	-20320	-19816
202	Ir	77	125	-16690	260	-16780	300	-17966	-17320	-17040	-16000	-17450	-16657
203	Ir	77	126	-13676	350	-14690	400	-16208	-15260	-15060	-13990	-15760	-14408
204	Ir	77	127	-8760	400	-9690	400	-11211	-10330	-10030	-9810	-10660	-9606
205	Ir	77	128	-4959	500	-5960	500	-7285	-6650	-6690	-7210	-6980	-5634
164	Pt	78	86	1363	500			3069		1170	1190	340	1918
165	Pt	78	87	-500	400			-638	-490	-610	-1240	-2000	-384
166	Pt	78	88	-4864	300	-4730	300	-3803	-4680	-5280	-5120	-6160	-4785
167	Pt	78	89	-6660	260	-6610	300	-5940	-6380	-7080	-7140	-8070	-6846
203	Pt	78	125	-19647	140	-19630	200	-20489	-19980	-19570	-19000	-19920	-19599
204	Pt	78	126	-17990	280	-17920	200	-19289	-18330	-17890	-16950	-18640	-17807
205	Pt	78	127	-12437	200	-12970	300	-14180	-13440	-13080	-12910	-13570	-12897

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
206	Pt	78	128	-8858	300	-9630	300	-10691	-10150	-10010	-10500	-10320	-9421
207	Pt	78	129	-3284	400	-4540	400	-5498	-4800	-4070	-6050	-5200	-4242
208	Pt	78	130	138	500	-990	400	-1904	-1060	-450	-3910	-1850	-678
209	Pt	78	131	5263	700			3379	4540	4270	1020	3430	4566
210	Pt	78	132	9482	800			7084	8190	8070	3850	6950	8384
167	Au	79	88	5080	600			5850	4260	4060	3740	3060	4731
168	Au	79	89	2510	440			3416	1960	1910	1560	740	2380
169	Au	79	90	-1726	240	-1790	300	-872	-1960	-2480	-2310	-3060	-1764
204	Au	79	125	-20700	120	-20650	200	-20866	-20500	-20280	-20010	-20230	-20305
205	Au	79	126	-18678	190	-18770	200	-19721	-18880	-18790	-18000	-18980	-18514
206	Au	79	127	-14150	110	-14220	300	-15019	-14410	-13750	-14780	-14280	-14117
207	Au	79	128	-10617	100	-10810	300	-11439	-11150	-10920	-12430	-11030	-10588
208	Au	79	129	-5557	170	-6100	300	-6666	-6090	-5600	-8090	-6280	-5889
209	Au	79	130	-2148	300	-2540	400	-2978	-2480	-2550	-4860	-2850	-2251
210	Au	79	131	2626	400	2330	400	1873	2700	2460	-10	1960	2483
211	Au	79	132	6691	600			5674	6470	6410	2720	5460	6395
168	Hg	80	88	12200	800			13646		12380	11260	10490	12246
169	Hg	80	89	10240	640			11060		10100	8850	8230	9764
170	Hg	80	90	5440	420			6472	5370	5290	4970	3980	5361
209	Hg	80	129	-8620	210	-8640	150	-9011	-8570	-8670	-10050	-8590	-8684

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
210	Hg	80	130	-5246	66	-5370	200	-5746	-5400	-5900	-7920	-5550	-5565
211	Hg	80	131	-627	150	-620	200	-781	-250	-820	-3150	-610	-588
212	Hg	80	132	3179	200	2760	300	2584	3120	2560	320	2580	2801
213	Hg	80	133	8451	200	7670	300	7634	8420	7360	5280	7610	7936
214	Hg	80	134	11996	300	11180	400	11105	11820	11190	8750	10970	11547
215	Hg	80	135	17317	400	16210	400	16246	17300	16720	14060	16150	16973
171	Tl	81	90	15069	700			16522		15590	14120	13440	15365
172	Tl	81	91	13071	500			13928		13290	11810	10990	12740
173	Tl	81	92	8670	360			9483	8640	8960	7860	6980	8424
174	Tl	81	93	6610	260			7152	6370	6900	5750	4840	6173
175	Tl	81	94	2530	130			3024	2500	3210	2030	1160	2282
212	Tl	81	131	-1493	95	-1550	200	-1296	-1040	-1940	-2450	-1010	-1442
214	Tl	81	133	-6550	51	6470	200	6792	7200	5890	5530	6950	6557
215	Tl	81	134	9996	110	9910	300	10357	10680	9290	8950	10300	10188
216	Tl	81	135	14898	130	14720	300	15066	15700	14150	13910	15120	14969
217	Tl	81	136	18766	286	18310	400	18746	19280	17880	17620	18580	18841
218	Tl	81	137	23922	350	23180	400	23541	24320	22770	23330	23500	24088
219	Tl	81	138	27708	500			27343	28010	26720	27900	26940	28173
173	Pb	82	91	21326	600			22005		22140	19370	18520	20882
174	Pb	82	92	15990	500			17266		16540	15320	14070	16152

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
175	Pb	82	93	14360	390			14792	14320	14300	13030	11870	13827
176	Pb	82	94	9650	200			10353	9980	10490	9210	7700	9594
177	Pb	82	95	7760	120			8148	8000	8070	7150	5760	7515
215	Pb	82	133	4374	43	4342*	50	4821	5330	3990	4780	4870	4238
216	Pb	82	134	7496	71	7480	200	7962	8410	7570	7850	7820	7415
217	Pb	82	135	12250	100	12240	300	12784	13290	12060	12600	12640	12180
218	Pb	82	136	15599	100	15450	300	16027	16490	15940	15810	15690	15517
219	Pb	82	137	20600	200	20280	400	20937	21570	19910	21940	20610	20749
220	Pb	82	138	23963	300	23670	400	24288	24840	23610	25670	23780	24497
221	Pb	82	139	27709	400			29293	30050	29390	31080	28680	29810
174	Bi	83	91	32297	800			34015		33310	28980	30190	
175	Bi	83	92	26917	700			29005		28540	24660	25700	27747
176	Bi	83	93	24377	600			26157		26520	22480	23020	25028
177	Bi	83	94	20142	500			21469		20050	18360	18790	20695
178	Bi	83	95	17829	400			18889	18480	17650	16200	16370	18302
179	Bi	83	96	13466	280			14523	14460	13440	12400	12420	14213
180	Bi	83	97	11490	190			12213	12280	11010	10350	10260	11873
181	Bi	83	98	7730	210			8170	8550	7080	6710	6620	8179
182	Bi	83	99	6130	170			6133	6380	4880	5000	4750	6116
183	Bi	83	100	2100	110			2416	2840	1280	1720	1430	2709
185	Bi	83	102	-2202	100	-2240	80	-2728	-2040	-3540	-2500	-3040	-2075

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
219	Bi	83	136	16272	41	16280	200	16897	17080	16020	16540	16300	16464
220	Bi	83	137	20874	64	20820	300	21265	21520	20370	21550	20570	21059
221	Bi	83	138	24103	95	24100	300	24597	24790	24090	25570	23380	24685
222	Bi	83	139	28892	160	28730	300	29061	29500	28380	30670	27830	29211
223	Bi	83	140	31916	300	32140	400	32523	32910	31220	33790	30820	32760
224	Bi	83	141	36680	400	36830	400	37090	37430	35630	38610	35400	37403
225	Bi	83	142	39785	500			40691	40850	38640	42160	38580	41035
226	Bi	83	143	44410	600			45372	45540	43050	47200	43270	45748
								27923		25890	23810	25380	27021
179	Po	84	95	25761	900			23183		21310	19940	20950	22323
180	Po	84	96	21028	900			20675	20670	18970	17680	18600	19992
181	Po	84	97	18966	800			16257	16090	14600	13930	14390	15766
182	Po	84	98	14640	700			14043	13690	12270	12010	12330	13676
183	Po	84	99	12721	550			9950	9660	8620	8560	8460	9745
184	Po	84	100	9080	390			8035	7790	7310	7090	6870	7978
185	Po	84	101	7890	260			4270	4280	3190	4180	3370	4335
186	Po	84	102	4000	120			27649	27730	26440	28230	25720	27146
223	Po	84	139	27093	77	27080	200	30571	30560	29410	31250	28320	30159
224	Po	84	140	29979	97	29910	200	35155	35020	33620	35870	32910	34693
225	Po	84	141	34658	150	34530	300	38215	38070	36470	39120	35720	3775
226	Po	84	142	37162	230	37550	400	42926	42730	40700	43950	40430	42425
227	Po	84	143	41682	400	42280	400						

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
228	Po	84	144	44779	500			46132	45660	43770	47330	43450	45728
181	At	85	96	31620	1000			34448		31680	29620	31070	33276
182	At	85	97	29120	900			31581		28820	27250	28230	30488
183	At	85	98	24799	800			26946		24150	23280	23960	26041
184	At	85	99	22518	700			24371	23040	21200	21140	21510	23579
185	At	85	100	18304	600			20081	18970	17530	17320	17640	19453
186	At	85	101	17095	500			17804	16660	15820	15990	15530	17229
187	At	85	102	12744	350			13862	13100	11720	13040	12110	13598
188	At	85	103	11950	200			11888	11270	10050	11320	10350	11661
189	At	85	104	8410	145			8301	8170	6950	8020	7210	8407
190	At	85	105	7040	100			6638	6770	5310	6530	5890	6799
192	At	85	107	2820	100	2926*	28	2069	2520	2050	2380	2220	2695
225	At	85	140	30460	50	30400	300	30619	30680	29160	30790	28450	30294
226	At	85	141	34629	75	34610	300	34916	34710	33200	35160	32560	34272
227	At	85	142	37399	90	37480	300	38252	37720	35810	38070	35410	37316
228	At	85	143	41455	170	41680	400	42483	42760	39860	42540	39700	41474
229	At	85	144	44424	290	44820	400	45703	44810	42760	45450	42760	44740
230	At	85	145	48749	325			50028	49150	47360	50260	47200	49158
231	At	85	146	51964	500			53418	52410	50210	53370	50460	52672
187	Rn	86	101	24232	600			25938	24220	23750	23200	22940	25173

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
188	Rn	86	102	19630	500			21635	20210	19570	19760	19010	21029
189	Rn	86	103	18582	415			19512	18330	17510	18690	17330	19094
190	Rn	86	104	14970	320			15561	14800	14010	15020	13750	15396
191	Rn	86	105	13720	220			13767	13410	12500	13310	12450	13750
192	Rn	86	106	10100	140			10176	10250	9360	10160	9380	10287
230	Rn	86	144	42043	57	42050	200	43340	42410	40940	42930	40380	42159
231	Rn	86	145	46449	82	46450	300	47942	46630	45450	47270	44820	46553
232	Rn	86	146	49500	200			50810	49510	48320	49900	47700	49537
233	Rn	86	147	53951	420			55328	53890	52410	54340	52330	54232
190	Fr	87	103	28527	600			29514	27460	26630	26560	26390	28715
191	Fr	87	104	24849	500			25395	23860	23050	23090	22810	24814
192	Fr	87	105	22879	400			23250	21990	21160	21460	21070	22738
193	Fr	87	106	19391	340			19509	18820	17640	18350	17940	19141
194	Fr	87	107	17497	350			17700	17380	16790	16970	16530	17480
195	Fr	87	108	14539	200			14345	14560	13510	14090	13750	14435
196	Fr	87	109	13370	240			12883	13120	12390	12860	12740	12992
197	Fr	87	110	10440	140	10250*	50	9922	10320	9680	10130	10230	10282
232	Fr	87	145	46103	53	46073*	14	47181	46170	45190	46620	44580	46030
233	Fr	87	146	48893	82	48920*	20	50428	49110	47680	49350	47440	49062
234	Fr	87	147	53280	120			54756	53140	51660	53640	51730	53266

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
194	Ra	88	106	26272	700			27042	26020	25310	25280	24820	26196
195	Ra	88	107	24711	600			25108	24610	23700	23900	23530	24502
196	Ra	88	108	21092	500			21400	21290	20460	20730	20330	21023
197	Ra	88	109	20046	400			19830	20240	19330	19430	19270	19685
198	Ra	88	110	16500	350			16514	17100	16130	16590	16450	16568
199	Ra	88	111	15680	220			15318	15960	14890	15520	15400	15512
200	Ra	88	112	12640	130			12406	13080	12710	12850	12460	12664
201	Ra	88	113	11952	92	11937*	20	11083	12250	11680	11870	11640	11820
235	Ra	88	147	51126	71	51130	300	52392	51080	50280	51490	49900	51203
236	Ra	88	148	54050	140			55358	53830	53050	54080	52570	54014
237	Ra	88	149	58380	290			59854	58080	57270	58220	57110	58577
196	Ac	89	107	34036	700			34858	33720	32940	32530	32540	33943
197	Ac	89	108	30949	600			31006	30470	29540	29350	29330	30400
198	Ac	89	109	28972	600			29094	28940	27740	27960	27880	28744
199	Ac	89	110	25796	500			25652	26010	24880	25050	25050	25525
200	Ac	89	111	24516	500			24113	24450	23630	23860	23540	24123
201	Ac	89	112	21380	440			21090	21640	20880	21070	20620	21179
202	Ac	89	113	20474	315			19342	20340	19680	19930	19460	20024
203	Ac	89	114	17680	150			16779	17780	17430	17360	16890	17419
204	Ac	89	115	16680	160			15948	16820	16250	16430	15920	16354
205	Ac	89	116	14200	110	14110*	50	13630	14460	14020	13970	13540	13973

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
237	Ac	89	148	54134	93	54020	400	55023	53870	53160	53870	52790	54039
238	Ac	89	149	58320	100			59167	57750	57220	57820	56990	58139
239	Ac	89	150	61830	200			62394	60740	59990	60520	59900	61313
202	Th	90	112	27882	800			27996	28570	27420	28200	27130	27926
203	Th	90	113	27054	700			26086	27210	26230	26870	26010	26739
204	Th	90	114	23856	600			23181	24270	23650	24110	23060	23788
205	Th	90	115	22987	300			22284	23250	23010	23050	22180	22771
206	Th	90	116	20019	230			19623	20620	20300	20440	19450	20066
207	Th	90	117	19495	160			18956	19700	19900	19520	18850	19283
238	Th	90	148	52491	82	52530	280	53115	52340	52180	52480	51450	52428
239	Th	90	149	56298	140	56450	400	57287	56200	56090	56390	55590	56637
240	Th	90	150	59640	180			60013	58810	58610	58940	58090	59307
205	Pa	91	114	33148	700			32107	33030	32220	33130	31720	32680
206	Pa	91	115	31880	600			30879	31620	31090	31730	30520	31378
207	Pa	91	116	28824	500			28133	28970	28430	28980	27870	28551
208	Pa	91	117	27966	400			27134	27810	28180	27900	26880	27437
209	Pa	91	118	25160	230			24663	25190	25320	25280	24520	25143
210	Pa	91	119	24480	200			23907	24270	24890	24380	23680	24200
211	Pa	91	120	22100	160			21725	21950	22310	22100	21500	21877
222	Pa	91	131	22127	92	22160	70	21709	21570	23050	21950	21300	22020

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
239	Pa	91	148	53390	110	53340	200	53805	53210	53270	53130	52570	53271
240	Pa	91	149	56796	170	56910	200	57493	56710	57050	56910	56330	56972
241	Pa	91	150	59630	540	59640	300	60233	59300	59330	59360	58850	59715
242	Pa	91	151	63647	700			64160	63050	63400	63470	62840	63669
243	Pa	91	152	66607	800			67165	65980	66010	66250	65690	66728
209	U	92	117	34420	800			33818	34640	34700	35250	33600	34291
210	U	92	118	31062	700			31013	31650	31720	32340	30750	31450
211	U	92	119	30724	600			30208	30610	31110	31240	30010	30669
212	U	92	120	27656	500			27691	27990	28600	28710	27460	27927
213	U	92	121	27201	400			27161	27310	28020	28040	27030	27605
214	U	92	122	25290	200			24946	25060	25760	26020	24700	25507
215	U	92	123	24260	150	24920*	90	24705	24580	25660	25720	24290	25212
216	U	92	124	22020	140	23066*	28	22809	22740	23620	23640	21810	23118
217	U	92	125	22713	55	22970	70	22873	22840	23680	23680	21530	23485
220	U	92	128	22838	150	22930	100	22926	22930	23340	23270	21610	23082
221	U	92	129	24468	150	24520*	50	24704	24240	25500	24680	23440	24546
222	U	92	130	24350	120	24270*	50	24357	24030	25200	24550	23360	24321
241	U	92	149	56153	130	56200	200	56631	55990	56640	56280	55810	56250
242	U	92	150	58597	270	58620	200	58888	58270	58880	58580	57950	58420
243	U	92	151	62360	300	62360	300	62851	61980	62850	62470	61940	62489
244	U	92	152	65080	400			65373	64530	64960	65070	64380	65102

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4

211	Np	93	118	40216	700			39859	40450	40430	41420	39500	40283
212	Np	93	119	39537	700			38730	39090	39730	39960	38380	39215
213	Np	93	120	36387	600			36145	36510	36610	37100	35870	36435
214	Np	93	121	35693	600			35289	35480	35810	36140	35110	35717
215	Np	93	122	33377	500			33022	33190	33640	33800	32800	33691
216	Np	93	123	32967	500			32455	32350	33170	33520	31990	32979
217	Np	93	124	30863	450			30522	30560	31090	31370	29570	31019
218	Np	93	125	30380	450			30259	30350	31390	31020	28820	30933
219	Np	93	126	29469	400	29460*	90	28675	28880	29700	29650	26870	29316
220	Np	93	127	30526	300	30310	200	29914	29990	31080	30410	28350	30407
221	Np	93	128	29702	200	29850	200	29764	29650	30100	29810	28320	29936
222	Np	93	129	30960	200	31020	200	31114	30510	31850	31020	29740	30934
223	Np	93	130	31020	170	30600	200	30812	30240	31170	30720	29640	30679
224	Np	93	131	31800	110	31880	200	31526	31270	32510	31870	30960	31781
226	Np	93	133	32490	180	32780	90	32038	32370	33220	32680	32130	32774
232	Np	93	139	37311	57	37360	100	37322	37730	38250	37440	37170	37492
243	Np	93	150	59880	110	59880	30	60122	59580	60040	59720	59530	59864
244	Np	93	151	63147	150	63200	300	63618	62880	63730	63440	63150	63442
245	Np	93	152	65930	190	65890	300	66161	65450	65970	65810	65600	66063
246	Np	93	153	69820	175			69905	69380	69730	69840	69460	69942
247	Np	93	154	72776	275			72721	72310	72510	72400	72110	72938

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
248	Np	93	155	76829	470			76484	76580	76060	76580	76260	77143
215	Pu	94	121	41946	900			41940	42210	42870	43780	41830	42502
216	Pu	94	122	39395	800			39344	39520	40320	41270	39110	40011
217	Pu	94	123	38945	800			38743	38660	39980	40300	38330	39376
218	Pu	94	124	36570	700			36479	36460	37510	37580	35590	37016
219	Pu	94	125	35955	600			36197	36190	37620	36710	34830	37084
220	Pu	94	126	34975	500			34282	34330	35770	35270	32470	35034
221	Pu	94	127	35805	400			35428	35400	38060	35880	33940	36015
222	Pu	94	128	34607	400			34855	34690	35450	35020	33410	35025
223	Pu	94	129	36228	300			36124	35580	37280	36040	34720	36094
224	Pu	94	130	34998	300			35577	34920	36430	35750	34190	35299
225	Pu	94	131	36760	240			36186	35950	36930	36710	35490	36343
226	Pu	94	132	35900	150			35213	35490	36760	36050	34940	35657
227	Pu	94	133	36860	84	36770	100	36142	36560	37270	36910	36200	36824
247	Pu	94	153	69088	68	69110	200	69174	68780	68880	69240	69060	69403
248	Pu	94	154	71800	130			71524	71340	71450	71670	71370	71876
249	Pu	94	155	75880	240			75564	75520	75260	75650	75450	76122
226	Am	95	131	42967	700			43003	42540	43520	43030	42050	42953
227	Am	95	132	42313	600			41914	42010	43010	42500	41450	42174
228	Am	95	133	42958	500			42398	42770	43160	42980	42350	42859

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
229	Am	95	134	42101	400	42150*	90	41657	42240	42780	42130	41840	42148
230	Am	95	135	42782	150	42930	130	42453	43000	43210	42940	42780	42888
231	Am	95	136	42341	150	42410	300	42053	42620	43230	42310	42370	42440
232	Am	95	137	43220	150	43340	300	43154	43670	44090	43400	43540	43480
234	Am	95	139	44455	110	44460	160	44488	44820	45280	44540	44870	44649
237	Am	95	142	46616	93	46570	60	44750	47040	47380	46570	47120	46780
247	Am	95	152	67188	55	67150	100	67178	66600	67230	66970	67130	67171
248	Am	95	153	70594	56	70560	200	70511	70200	70490	70590	70710	70628
249	Am	95	154	73213	92	73100	300	72887	72720	72680	72850	72880	73194
250	Am	95	155	76873	100			76476	76570	76510	76740	76730	76981
251	Am	95	156	79665	150			78931	79410	79140	79270	79290	79758
228	Cm	96	132	47412	700			46944	47150	47780	47690	46300	46934
229	Cm	96	133	48173	600			47337	47770	47740	47970	47250	47529
230	Cm	96	134	46650	460			46155	46640	47090	46830	46170	46444
231	Cm	96	135	47058	300			46873	47370	47620	47360	47100	47199
232	Cm	96	136	46359	180	46310	200	46031	46620	46800	46530	46300	46334
235	Cm	96	139	47989	80	48030	200	47906	48390	48160	48090	48400	48107
252	Cm	96	156	79031	65	79060	300	78456	78850	78960	79060	78890	79093
253	Cm	96	157	83798	140			81913	82210	82540	82970	82910	83098
254	Cm	96	158	86515	245			83958	85230	85010	85590	85320	85641

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
231	Bk	97	134	53720	900			53149	53240	53400	53170	52930	53320
232	Bk	97	135	53909	800			53443	53660	53500	53560	53430	53677
233	Bk	97	136	52803	700			52512	52830	52960	52620	52660	52785
234	Bk	97	137	53156	500	53460	140	53123	53460	53530	53330	53470	53323
235	Bk	97	138	52500	450	52700	400	52538	52910	53110	52660	52460	52776
236	Bk	97	139	53370	400	53540	400	53458	53760	53550	53630	53990	53653
237	Bk	97	140	53180	200	53190	220	53211	53430	53500	53190	53720	53390
238	Bk	97	141	54180	190	54220	260	54436	54600	54510	54380	55030	54447
239	Bk	97	142	54250	180	54250	210	54521	54520	54790	54250	55050	54412
240	Bk	97	143	55654	150	55660	150	56044	55870	56400	55800	56640	55931
241	Bk	97	144	56051	35	56030	200	56453	56260	56510	56040	56910	56347
242	Bk	97	145	57723	55	57730	200	58268	57990	58180	57970	58780	58107
248	Bk	97	151	68159	55	68080	70	68524	67740	68410	68260	68990	68248
252	Bk	97	155	78495	70	78540	200	78237	78210	78200	78530	78990	78595
253	Bk	97	156	80945	90	80930	360	80454	80590	80570	80760	81080	80991
254	Bk	97	157	85394	100	84390	300	83472	84130	83860	84550	84650	84564
235	Cf	98	137	58320	700			57897	58330	58300	58200	58170	58200
236	Cf	98	138	57107	600			56890	57380	57580	57350	57250	57171
237	Cf	98	139	58000	500	57940*	90	57757	58180	58120	58100	58300	58015
238	Cf	98	140	57291	400	57280	300	57085	57460	57750	57510	57650	57311
239	Cf	98	141	58335	250	58270	210	58268	58440	58530	58500	58970	58454

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
241	Cf	98	143	59310	100	59330	170	59419	59370	59920	59400	60160	59509
243	Cf	98	145	60989	70	60990	110	61195	61050	61260	61080	61890	61219
255	Cf	98	157	85035	75	84810	200	83905	84520	84360	84980	85240	84984
256	Cf	98	158	87585	140	87040	310	85545	86650	86920	87190	87220	87141
257	Cf	98	159	91307	250			88886	90230	90650	91040	91070	90823
236	Es	99	137	65202	800			64819	64950	65290	65100	64870	65127
237	Es	99	138	63899	700			63734	63900	64420	64020	63920	64086
238	Es	99	139	64284	600			64194	64370	64930	64690	64590	64581
239	Es	99	140	63734	500	63560	300	63457	63490	64080	63900	63960	63823
240	Es	99	141	64247	400	64200	400	64231	64160	64650	64730	64900	64445
241	Es	99	142	63772	300	63860	230	63835	63680	64460	64170	64510	63964
244	Es	99	145	66105	80	66030	180	66236	65900	66500	66250	67070	66382
245	Es	99	146	66372	45	66370	200	66501	66140	66800	66310	67230	66648
246	Es	99	147	67919	54	67900	220	68179	67630	68590	68010	68960	68181
248	Es	99	149	70280	140	70300	50	70733	70010	71010	70360	71450	70507
249	Es	99	150	71100	100	71180	30	71634	70810	71840	71050	72450	71286
250	Es	99	151	73256	70	73230	100	73887	72890	74140	73420	74550	73453
256	Es	99	157	87751	90	87190	100	86330	86850	87020	87320	87910	87323
257	Es	99	158	89756	110	89400	410	87998	88960	89030	89360	89890	89457
244	Fm	100	144	68885	300	68970	200	68715	68660	69220	69280	69530	69093

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4
245	Fm	100	145	70320	170	70190	200	70074	69880	70240	70420	70970	70472
244	Md	101	143	75810	380			74585	75520	76040	76370	76380	76230
245	Md	101	144	75380	290	75270	310	75065	75030	75570	75640	75900	75799
248	Md	101	147	77150	150	77150	240	77109	76760	77060	77330	78080	77576
254	Md	101	153	83447	100	83450	100	85156	83180	83690	83720	84930	83705
248	No	102	146	80664	500	80620	220	80178	80290	80710	81180	81120	81193
249	No	102	147	81789	350	81780	280	81425	81340	81660	82160	82450	82305
250	No	102	148	81550	170	81560	200	81170	81020	81300	81720	82120	81728
258	No	102	156	91420	70	91480	100	90770	91010	91210	91450	92390	91240
249	Lr	103	146	87700	800			86987	86990	87090	87860	87920	88218
250	Lr	103	147	88190	450			87851	87670	87600	88480	88880	88874
251	Lr	103	148	87884	210	87730	300	87564	87250	87450	88140	88520	88384
258	Lr	103	155	94676	100	94780	100	94801	94250	94440	94870	96100	94894
259	Lr	103	156	95709	150	95850	70	95345	95380	95540	95810	97030	96004
252	Rf	104	148	93180	400			92383	92320	92610	92980	93360	93170
254	Rf	104	150	93189	160	93200	280	93190	92570	93080	93510	94130	93199
259	Rf	104	155	98291	400	98360	70	98196	97890	98180	98590	99660	98442
260	Rf	104	156	98872	600	99150	200	98337	98570	98780	99310	100190	98942

A	Nuclide	Z	N	AMC12 extrapolated		AME16 extrapolated		Mass model predictions					
				M.E. (keV)	Error	M.E. (keV)	Error	DU-ZU	FRDM12	HFB21	INM	KTUY	WS4

253	Db	105	148	99868	700			99662	99310	99670	99810	100600	100426
254	Db	105	149	100620	500			100443	99790	100450	100270	101460	100825
255	Db	105	150	99752	300	99590	360	100068	99080	99720	100140	101000	100117

Data set 2, titled “comparison of extrapolated mass excess values from AMC12, AME16, and mass model predictions”, is also available through Figshare²². The starred (*) M.E. values in the AME16 extrapolated column are the newly measured data reported by AME16 evaluators and are also used in our present work for confirmation of the efficacy of the present extrapolation method in data set 4.

Explanation for data set 3

A	Mass number
Z	Atomic number
N	Neutron number
Nuclide	Nucleus
Known	Calculated S_{2n} value from the AMC12 mass compilation.
Error	Error in the calculated S_{2n} value.
Extrapolated	The present S_{2n} value extrapolated from the AMC12 mass surface, assuming that it is unknown, using the present weighted slope method.
Error	The error in the extrapolated S_{2n} value.
Deviation	Difference between the known S_{2n} value and extrapolated S_{2n} value.

Data set 3: Comparison of extrapolated S_{2n} values from AMC12 with the known S_{2n} values.

A	Z	N	Nuclide	S_{2n} values in keV				Deviation (keV)
				Known	Error	Extrapolated	Error	
114	43	71	Tc	93270.78	19.94	93333.28	78.38	-62.5
92	44	48	Ru	25562.18	6.43	25486.27	29.59	75.91
98	47	51	Ag	24624.82	312.05	24695.01	353.69	-70.19
135	61	74	Pm	20713.47	109.92	20749.89	259.98	-36.41
161	62	99	Sm	10605.83	21.43	10569.14	96.25	36.69
169	66	103	Dy	11803.73	357.69	11779.67	356.82	24.06
175	68	96	Er	15745.26	5.96	15741.65	35.77	3.61
189	79	110	Au	16720.16	44.71	16718.39	117.79	1.77
178	81	97	Tl	21480.09	204.93	21405.41	173.11	74.69
190	81	109	Tl	18122.99	80.11	18108.88	100.93	14.11
205	85	120	At	16952.1	27.01	16963.82	133.07	-11.71
224	85	139	At	93874.39	56.82	93969.97	58.05	-95.58
220	88	132	Ra	12520.52	20.21	12548.95	100.63	-28.43
208	89	119	Ac	18893.34	129.48	18838.3	243.33	55.03
237	90	147	Th	10221.13	74.52	10164.59	58.98	56.53

Data set 3, titled “comparison of extrapolated S_{2n} values from AMC12 with the known S_{2n} values”, is also available through Figshare²².

Explanation for data set 4

A	Mass number
Nuclide	Nucleus
Z	Atomic number
N	Neutron number
E.D.-Present	Extrapolated data using the present extrapolation method.
E.D.-AME12	Extrapolated data from AME12.
New Data	New experimental data: data not included in AMC12 but reported in AME16 and the most recent (2020) compilation of Kroll et al.
M.E.	Mass excess value in keV.
Error	Error in mass excess value.
WS4-M.E.	Mass excess from WS4.
Δ ME	The difference between mass excess data.
Present	The difference between the present extrapolation and the new measurement.
AME12	The difference between the AME16 extrapolation and the new measurement.
WS4	The difference between the value from WS4 and the new measurement.
Ref.	References for the new measurement.

Data set 4: Comparison of the present extrapolated mass excess values with new measurements and AME12 extrapolations.

A	Nuclide	Z	N	E.D.- Present (keV)		E.D.-AME12 (keV)		New Data (keV)		WS4-M.E. (keV)	ΔME (keV)			Ref.
				M.E.	Error	M.E.	Error	M.E.	Error		Present	AME12	WS4	
15	Be	4	11	49916	300	49760	400	49830	170		86	-70		23
19	B	5	14	59420	240	58780	400	59770	530		-350	-990		23
22	C	6	16	53291	450			53610	230		-319			23
29	F	9	20	40385	300	39630	500	40150	530	39319	235	-520	-831	23
15	Ne	10	5	40266	60			40220	70		46			23
17	Na	11	6	35340	650			35170	1000		170			23
34	Na	11	23	31630	630	31290	500	31680	600	31360	-50	-390	-320	23
27	S	16	11	17893	242	17030	400	17678	77	17316	215	-648	-362	26
30	Ar	18	12	21020	100	21490	500	20930	210	22247	90	560	1317	23
31	Ar	18	13	11558	100	11290	210	11330	200	11756	228	-40	426	23
48	Ar	18	30	-22627	100	-22440	300	-22330	120	-22645	-297	-110	-315	19
52	K	19	33	-17174	160	-16540	400	-17140	30	-16334	-34	600	806	23
53	K	19	34	-12645	200	-11680	500	-12300	110	-11412	-345	620	888	23
53	Ca	20	33	-29554	150	-28460	400	-29390	40	-27903	-164	930	1487	23
54	Ca	20	34	-24985	250	-24780	500	-25160	50	-24125	175	380	1035	23
55	Ca	20	35	-18291	400			-18650	160	-17142	359		1508	19
56	Ca	20	36	-14307	500			-13510	250	-12580	-797		930	19
57	Ca	20	37	-8240	600			-7370	990	-5561	-870		1809	19
56	Sc	21	35	-24362	450	-24730	400	-24850	590	-24727	488	120	123	23
57	Sc	21	36	-20490	500	-20710	500	-21000	1300	-20839	510	290	161	23

A	Nuclide	Z	N	E.D.- Present (keV)		E.D.-AME12 (keV)		New Data (keV)		WS4-M.E. (keV)	ΔME (keV)			Ref.
				M.E.	Error	M.E.	Error	M.E.	Error		Present	AME12	WS4	
43	V	23	20	-18128	150			-17920	40	-17861	-208		59	23
64	Cr	24	40	-33150	320	-33460	300	-33480	440	-33697	330	20	-217	27
68	Mn	25	43	-28415	300			-28380	400	-28669	-35		-289	23
51	Co	27	24	-27273	110			-27340	50	-27286	67		54	23
55	Cu	29	26	-31820	115			-31640	160	-31413	-180		227	23
56	Cu	29	27	-38796	10	-38240	200	-38643	14	-38038	-153	403	605	28
82	Zn	30	52	-42345	20	-42610	300	-42314	3	-42637	-31	-296	-323	23
84	Ga	31	53	-44034	100			-44094	30	-43930	60		164	29
85	Ga	31	54	-39832	30			-39744	37	-39732	-88		12	29
91	Se	34	57	-50426	140	-50340	500	-50580	173	-50307	154	240	273	30
94	Br	35	59	-46543	150			-46800	400	-47686	257		-886	30
100	Rb	37	63	-46150	150	-46550	200	-46290	19	-46143	140	-260	147	31
101	Rb	37	64	-42920	190			-42558	28	-42445	-362		113	31
102	Rb	37	65	-37830	250			-37253	83	-36852	-577		401	31
105	Y	39	66	-51248	140	-50820	500	-51270	535	-50166	22	450	1104	30
82	Zr	40	42	-63818	40	-63940	200	-63631	11	-63768	-187	-309	-137	32
107	Zr	40	67	-53657	200	-54270	300	-54380	449	-53852	723	110	528	30
84	Nb	41	43	-61181	50	-61020	300	-61194	25	-61049	13	174	145	33
110	Nb	41	69	-52017	180	-52140	200	-52310	335	-51853	293	170	457	30
113	Mo	42	71	-53490	210			-53390	314	-52620	-100		770	30
115	Tc	43	72	-56149	53	-55910	200	-56320	316	-55867	171	410	453	30
89	Ru	44	45	-58123	88			-58372	21	-58251	249		121	33

A	Nuclide	Z	N	E.D.- Present (keV)		E.D.-AME12 (keV)		New Data (keV)		WS4-M.E. (keV)	ΔME (keV)			Ref.
				M.E.	Error	M.E.	Error	M.E.	Error		Present	AME12	WS4	
118	Ru	44	74	-57360	180			-57640	183	-56808	280		832	30
121	Rh	45	76	-56268	110	-56430	300	-56250	248	-55859	-18	-180	391	30
124	Pd	46	78	-59372	260			-60190	372	-58036	818		2154	30
126	Ag	47	79	-60683	200			-61410	306	-60727	727		683	30
129	Cd	48	81	-63032	83	-63510	200	-62779	56	-63646	-253	-731	-867	34
131	Cd	48	83	-55200	150	-55330	200	-55167	31	-55385	-33	-163	-218	34
132	Cd	48	84	-49790	170			-50386	110	-50684	596		-298	34
101	In	49	52	-68610	200			-68550	14	-68765	-60		-215	35
138	Sb	51	87	-54231	145	-54540	300	-54220	426	-54493	-11	-320	-273	30
143	I	53	90	-50900	150			-50160	461	-50761	-740		-601	30
149	Ba	56	93	-53160	150	-53020	200	-53120	175	-53069	-40	100	51	30
150	Ba	56	94	-51170	210			-51520	346	-50124	350		1396	30
150	La	57	93	-56211	160	-56380	200	-56130	174	-56299	-81	-250	-169	30
154	Ce	58	96	-52310	200			-52540	577	-52226	230		314	30
158	Nd	60	98	-54090	130			-53897	37	-54113	-193		-216	36
159	Nd	60	99	-49766	89			-49724	30	-49736	-42		-12	37
160	Nd	60	100	-47132	100			-46725	47	-46923	-407		-198	37
160	Pm	61	99	-52925	41	-53000	300	-52851	16	-52663	-74	-149	188	36
161	Pm	61	100	-50302	50			-50107	593	-49960	-195		147	38
162	Sm	62	100	-54590	170			-54381	5	-54737	-209		-356	36
163	Sm	62	101	-50640	200			-50600	73	-50698	-40		-98	36
164	Sm	62	102	-48320	400			-47925	40	-48163	-395		-238	37

A	Nuclide	Z	N	E.D.- Present (keV)		E.D.-AME12 (keV)		New Data (keV)		WS4-M.E. (keV)	ΔME (keV)			Ref.
				M.E.	Error	M.E.	Error	M.E.	Error		Present	AME12	WS4	
137	Eu	63	74	-60065	65	-60120	200	-60145	5	-60147	80	25	-2	38
164	Gd	64	100	-59680	160			-59694	3	-60112	14		-418	36
165	Gd	64	101	-56440	280			-56522	4	-56525	82		-3	36
166	Gd	64	102	-54400	320			-54387	143	-54725	-13		-338	36
167	Gd	64	103	-50801	400			-50783	123	-50758	-18		25	38
165	Tb	65	100	-60812	180			-60595	39	-60488	-217		107	38
167	Tb	65	102	-55946	94			-55884	38	-55851	-62		33	38
168	Tb	65	103	-52689	180			-52781	41	-52527	92		254	38
215	Pb	82	133	4374	43	4420	100	4340	50	4238	34	80	-102	23
192	At	85	107	2820	100			2926	28	2695	-106		-231	23
197	Fr	87	110	10440	140			10250	50	10282	190		32	23
232	Fr	87	145	46103	53	45990	160	46073	14	46030	30	-83	-43	23
233	Fr	87	146	48893	82	49030	300	48920	20	49062	-27	110	142	23
201	Ra	88	113	11952	92	11840	110	11937	20	11820	15	-97	-117	23
205	Ac	89	116	14200	110			14110	50	13973	90		-137	23
215	U	92	123	24860	150			24920	90	25212	-60		292	23
216	U	92	124	23020	140			23066	28	23118	-46		52	23
221	U	92	129	24468	150	24480	100	24520	50	24546	-52	-40	26	23
222	U	92	130	24350	120	24220	100	24270	50	24321	80	-50	51	23
219	Np	93	126	29469	400			29460	90	29316	9		-144	23
229	Am	95	134	42101	400			42150	90	42148	-49		-2	23
237	Cf	98	139	58000	500			57940	90	58015	60		75	23

A	Nuclide	Z	N	E.D.- Present (keV)		E.D.-AME12 (keV)		New Data (keV)		WS4-M.E. (keV)	ΔME (keV)			Ref.
				M.E.	Error	M.E.	Error	M.E.	Error		Present	AME12	WS4	

246	Es	99	147	67919	54			67812	109	68181	107		369	39
-----	----	----	-----	--------------	-----------	--	--	-------	-----	-------	-----	--	-----	--------------------

Data set 4, titled “comparison of the present extrapolated mass excess values with new measurements and AME12 extrapolations”, is also available through Figshare²².

Explanation for data set 5

A	Mass number
Z	Atomic number
N	Neutron number
Nuclide	Nucleus
WS4	The mass excess predictions of the most recent and improved version of the semi-empirical nuclear mass formula, based on the macroscopic method with the Skyrme energy-density functional, together with the surface diffuseness correction for unstable nuclei and the RBF corrections.
P.W.	Extrapolated mass excess values of the present work using the weighted slope average method.
AME16	Extrapolated mass excess values from the AME16 mass evaluation.
G.K.	Extrapolated mass excess values calculated using the Garvey-Kelson relations.
Δ_{PW-WS4}	Deviation of the present work from the WS4 mass model predictions.
Δ_{PW-AME}	Deviation of the present work from the AME16 extrapolations.
$\Delta_{PW-G.K.}$	Deviation of the present work from the Garvey-Kelson relations.

Data set 5: Comparison of the present extrapolated mass excess values with the corresponding values from two other extrapolation methods and the most recent theoretical mass model values.

A	Z	N	Nuclide	Mass Excess (keV)				Deviations (keV)		
				WS4	P.W.	AME16	G.K.	$\Delta_{\text{PW-WS4}}$	$\Delta_{\text{PW-AME}}$	$\Delta_{\text{PW-G.K.}}$
84	31	53	Ga	-43930	-44034 100	-44090	-44069	-104	56	35
85	31	54	Ga	-39732	-39832 30	-39850	-39908	-100	18	76
86	31	55	Ga	-33392	-33721 400	-34080	-33961	-329	359	240
87	31	56	Ga	-28314	-28836 500	-29250	-29345	-522	414	509
87	32	55	Ge	-43272	-43826 150	-44080	-43832	-554	254	6
88	32	56	Ge	-40055	-40310 300	-40140	-40021	-255	-170	-289
89	32	57	Ge	-33557	-33531 500	-33730	-33526	26	199	-5
90	32	58	Ge	-28658	-29496 600	-29220	-29037	-838	-276	-459
88	33	55	As	-50428	-50514 50	-50720	-50626	-86	206	112
89	33	56	As	-46473	-46556 70	-46800	-46816	-83	244	260
90	33	57	As	-40718	-40938 250	-41330	-40955	-220	392	17
91	33	58	As	-36173	-37047 300	-36900	-36763	-874	-147	-284
92	33	59	As	-29818	-30743 400	-30980	-30739	-925	237	-4
93	33	60	As	-26728	-26096 500		-26145	632		49
94	33	61	As	-18027	-18428 600		-19683	-401		1255
91	34	57	Se	-50307	-50426 140	-50580	-50238	-119	154	-188
92	34	58	Se	-46620	-46573 170	-46720	-46734	47	147	161
93	34	59	Se	-40542	-40570 280	-40720	-40951	-28	150	381
94	34	60	Se	-36304	-36971 350	-36800	-37104	-667	-171	133

A	Z	N	Nuclide	Mass Excess (keV)				Deviations (keV)		
				WS4	P.W.	AME16	G.K.	$\Delta_{\text{PW-WS4}}$	$\Delta_{\text{PW-AME}}$	$\Delta_{\text{PW-G.K.}}$
95	34	61	Se	-29803	-29589 450	-30460	-30761	214	871	1172
96	34	62	Se	-24956	-25290 550		-25873	-334		583
94	35	59	Br	-47686	-47543 150	-47400	-47662	143	-143	119
95	35	60	Br	-43846	-43798 250	-43770	-43934	48	-28	136
96	35	61	Br	-38132	-38621 270	-38160	-38240	-489	-461	-381
97	35	62	Br	-33527	-33616 400	-34060	-33386	-89	444	-230
98	35	63	Br	-28879	-28590 500	-28250	-27987	289	-340	-603
99	35	64	Br	-23962	-23264 600		-23569	698		305
98	36	62	Kr	-44013	-44588 200	-44310	-44025	-575	-278	-563
99	36	63	Kr	-38132	-38948 300	-38760	-38913	-816	-188	-35
100	36	64	Kr	-35470	-35730 300	-35050	-34921	-260	-680	-809
100	37	63	Rb	-46143	-46150 150	-46247	-46524	-7	97	374
101	37	64	Rb	-42445	-42920 190	-42550	-42948	-475	-370	28
102	37	65	Rb	-36852	-37830 250	-37710	-37402	-978	-120	-428
103	37	66	Rb	-32348	-32983 350	-33610	-32348	-635	627	-635
103	38	65	Sr	-47053	-47308 120	-47420	-47299	-255	112	-9
104	39	65	Y	-53670	-54047 70	-54060	-54021	-377	13	-26

Data set 5, titled “comparison of the present extrapolated mass excess values with the corresponding values from two other extrapolation methods and the most recent theoretical mass model values”, is also available through Figshare²².

Technical Validation

In order to test the efficacy of the present method, we tried to extrapolate for the S_{2n} values of a few known nuclides and compared them with the actual derived values from AMC12 and shown in Table 3. It can be seen that our extrapolation method accurately reproduces the original data. Also, we tried to find how our present extrapolations work in terms of predictability by comparing them with the most recent²⁴ new mass measurements, which were not included in AMC12²¹, here we have also used extrapolated data from AME12²⁵ for comparisons. Table 4 shows how our predicted masses compare well with the newly measured ones^{26–39}, which were not included in our evaluations but were extrapolated. These two tables confirm the beauty and efficacy of the new method of extrapolation.

In order to thoroughly evaluate our model, we have run an example test by specifically taking only a subset of known values for As, Se, Br, Kr, Rb, Sr, and Y nuclides for which predictions exist from Garvey and Kelson’s global mass formula and the AME16 extrapolations, as well as the most recent WS4 mass model predictions. In Table 5, we compare our model predictions with these three predictions. Our predictions very well agree with all three extrapolations within our uncertainties.

While the Isobaric Multiplet Mass Equation (IMME) is a powerful interpolation/extrapolation instrument only in the case of lighter nuclei, Garvey and Kelson’s global mass formulas will in general be too approximate to make predictions to a sufficient degree of accuracy, and the interactive graphical procedure developed by Audi and Wapstra encompasses a “subjective” component in the form of individual judgments. Even though we do not claim superiority of our present local extrapolation method, it is emphasized that the present local extrapolation method does not suffer from the limitations of the earlier methods. From the success of our extrapolation method in predicting the unknown mass values, which can be seen from the comparison with other models, the present method of using weighted slopes to compute S_{2n} values can be said to be an effective method to obtain dependable estimates of unknown, poorly known, or questionable masses, and it also does not depend on any personal judgment.

Usage Notes

An attempt has been made to improve the efficacy of local extrapolations of experimental mass data through a simple weighted slope method. The predictive power is remarkably encouraging, as can be seen from the comparison with very recent new mass measurements, where the deviations are well within the experimental uncertainties in most cases. Our extrapolations, in the majority of cases, show very good improvement over the earlier extrapolations.

As can be seen from data set 2²², where we have presented our experimental extrapolation data with the only available exhaustive extrapolation data of AME16, our method could predict further away from stability in some cases, and for the majority of the nuclei, the accuracy of our data is either better or comparable. The self-consistency of our method of extrapolation is well tested in data set 3²² and in data set 4²², where we compared our data with the most recent experimental results available, demonstrating the predictability well within the experimental uncertainties. A humble attempt is made in data set 5²², where we have considered a typical region of As, Se, Br, Kr, Rb, Sr, and Y and compared our predictions with two available extrapolations and one of the most recent mass models, WS4, we can see the deviations are well within the uncertainties. In our data set 2²² we have included our extrapolated data, AME16 extrapolated data and the mass model predictions for each nuclide so that the experimentalists can have the full information at hand in one place. This would provide an opportunity for the theoreticians to look for new systematics and trends in different regions of interest and accordingly improve the calculations, while the experimentalists can plan new measurements. Interestingly, with our limited analysis of the comparison with mass model predictions, the most recent WS4 calculations together with the surface diffuseness correction for unstable nuclei and the RBF corrections show very good agreement within the experimental measurements, better than the HFB and Duflo-Zuker formulas. Thus, the extrapolated experimental data of masses can be useful for assessing the impact of current and future experiments in the context of model developments. Additionally, it is anticipated to have an impact on research in fields where experiments are currently not viable, including in simulations of the astrophysical r-process.

Code availability

The extrapolation can be performed by a straightforward implementation of the equations provided in the methods section. To aid the implementation of the equations, an example extrapolation is provided in spreadsheet (.xlsx) format in Figshare²². The illustration depicts the extrapolation method to obtain the $S_{2n,10}$ value in Table 1, and the extrapolated S_{2n} value can then be used to obtain the corresponding unknown mass value. The S_{2n} energies versus neutron number, and the $Q_{2\beta^-}$ energies versus mass number after extrapolation are shown in Figs 3–19 below, and are also available through Figshare²². In the plots, the experimental data calculated from AMC12 is shown as darkened circles, while the extrapolated data is shown as open circles.




Fig. 3: Two neutron separation energies $N= 0$ to 25. Open circles represent the extrapolated nuclides.




Fig. 4: Two neutron separation energies $N=22$ to 45 . Open circles represent the extrapolated nuclides.




Fig. 5: Two neutron separation energies $N= 42$ to 65 . Open circles represent the extrapolated nuclides.




Fig. 6: Two neutron separation energies N= 62 to 85. Open circles represent the extrapolated nuclides.




Fig. 7: Two neutron separation energies N= 82 to 105. Open circles represent the extrapolated nuclides.




Fig. 8: Two neutron separation energies $N = 102$ to 125 . Open circles represent the extrapolated nuclides.




Fig. 9: Two neutron separation energies $N = 122$ to 145 . Open circles represent the extrapolated nuclides.




Fig. 10: Two neutron separation energies $N=142$ to 156 . Open circles represent the extrapolated nuclides.




Fig. 11: Double β -decay energies $A = 2$ to 35 . Open circles represent the extrapolated nuclides.




Fig. 12: Double β -decay energies $A = 32$ to 65 . Open circles represent the extrapolated nuclides.




Fig. 13: Double β -decay energies $A = 62$ to 95 . Open circles represent the extrapolated nuclides.




Fig. 14: Double β -decay energies $A=92$ to 125 . Open circles represent the extrapolated nuclides.




Fig. 15: Double β -decay energies $A = 122$ to 155 . Open circles represent the extrapolated nuclides.




Fig. 16: Double β -decay energies $A = 152$ to 185 . Open circles represent the extrapolated nuclides.




Fig. 17: Double β-decay energies A= 182 to 215. Open circles represent the extrapolated nuclides.




Fig. 18: Double β -decay energies $A = 212$ to 245 . Open circles represent the extrapolated nuclides.




Fig. 19: Double β -decay energies $A=235$ to 257 . Open circles represent the extrapolated nuclides.

References

1. Lunney, D., Pearson, J. M. & Thibault, C. Recent trends in the determination of nuclear masses. *Reviews of Modern Physics* **75**.3, 1021–1082, [10.1103/RevModPhys.75.1021](https://doi.org/10.1103/RevModPhys.75.1021) (2003).
2. Blaum, K. High-accuracy mass spectrometry with stored ions. *Physics Reports* **425**.1, 1–78, [10.1016/j.physrep.2005.10.011](https://doi.org/10.1016/j.physrep.2005.10.011) (2006).
3. Myers, W. D. & Swiatecki, W. J. Nuclear properties according to the Thomas-Fermi model. *Nuclear Physics A* **601**.2, 141–167, [10.1016/0375-9474\(95\)00509-9](https://doi.org/10.1016/0375-9474(95)00509-9) (1996).
4. Möller, P., Sierk, A. J., Ichikawa, T. & Sagawa, H. Nuclear ground-state masses and deformations: FRDM(2012). *Atomic Data and Nuclear Data Tables* **109**-**110**, 1–204, [10.1016/j.adt.2015.10.002](https://doi.org/10.1016/j.adt.2015.10.002) (2016).
5. Moller, P., Nix, J. R., Myers, W. D. & Swiatecki, W. J. Nuclear ground-state masses and deformations. *Atomic Data and Nuclear Data Tables* **59**.2, 185–381, [10.1006/adnd.1995.1002](https://doi.org/10.1006/adnd.1995.1002) (1995).
6. Duflo, J. & Zuker, A. P. Microscopic mass formulas. *Physical Review C* **52**.1, R23–R27, [10.1103/PhysRevC.52.R23](https://doi.org/10.1103/PhysRevC.52.R23) (1995).
7. Goriely, S., Chamel, N. & Pearson, J. M. Further explorations of Skyrme-Hartree-Fock-Bogoliubov mass formulas. XII. Stiffness and stability of neutron-star matter. *Physical Review C* **82**.3, 035804, [10.1103/PhysRevC.82.035804](https://doi.org/10.1103/PhysRevC.82.035804) (2010).
8. Nayak, R. & Satpathy, L. Mass predictions of atomic nuclei in the infinite nuclear matter model. *Atomic Data and Nuclear Data Tables* **98**.4, 616–719, [10.1016/j.adt.2011.12.003](https://doi.org/10.1016/j.adt.2011.12.003) (2012).
9. Satpathy, L. & Nayak, R. Generalized Hugenholtz-Van Hove Theorem and a New Mass Relation for Finite Nuclei. *Physical Review Letters* **51**.14, 1243–1246, [10.1103/PhysRevLett.51.1243](https://doi.org/10.1103/PhysRevLett.51.1243) (1983).
10. Koura, H., Tachibana, T., Uno, M. & Yamada, M. Nuclidic mass formula on a spherical basis with an improved even-odd term. *Progress of Theoretical Physics* **113**.2, 305–325, [10.1143/PTP.113.305](https://doi.org/10.1143/PTP.113.305) (2005).
11. Koura, H., Uno, M., Tachibana, T. & Yamada, M. Nuclear mass formula with shell energies calculated by a new method. *Nuclear Physics A* **674**.1, 47–76, [10.1016/S0375-9474\(00\)00155-X](https://doi.org/10.1016/S0375-9474(00)00155-X) (2000).
12. Wang, N., Liu, M., Wu, X. & Meng, J. Surface diffuseness correction in global mass formula. *Physics Letters B* **734**, 215–219, [10.1016/j.physletb.2014.05.049](https://doi.org/10.1016/j.physletb.2014.05.049) (2014).
13. Lam, Y. H., Blank, B., Smirnova, N. A., Bueb, J. B. & Antony, M. S. The isobaric multiplet mass equation for $A \leq 71$ revisited. *Atomic Data and Nuclear Data Tables* **99**.6, 680–703, [10.1016/j.adt.2012.11.002](https://doi.org/10.1016/j.adt.2012.11.002) (2013).
14. MacCormick, M. & Audi, G. Evaluated experimental isobaric analogue states from $T=1/2$ to $T=3$ and associated IMME coefficients. *Nuclear Physics A* **925**, 61–95, [10.1016/j.nuclphysa.2014.01.007](https://doi.org/10.1016/j.nuclphysa.2014.01.007) (2014).
15. Way, K. & Wood, M. A β -decay energy systematics. *Physical Review* **94**.1, 119–128, [10.1103/PhysRev.94.119](https://doi.org/10.1103/PhysRev.94.119) (1954).
16. Von Weizsäcker, C. F. v. Zur theorie der kernmassen. *Zeitschrift für Physik* **96**, 431–458 (1935).
17. Bethe, H. A. & Bacher, R. F. Nuclear Physics A. Stationary States of Nuclei. *Reviews of Modern Physics* **8**.2, 82–229, [10.1103/RevModPhys.8.82](https://doi.org/10.1103/RevModPhys.8.82) (1936).
18. Garvey, G. T. & Kelson, I. New nuclidic mass relationship. *Physical Review Letters* **16**.5, 197–200, [10.1103/PhysRevLett.16.197](https://doi.org/10.1103/PhysRevLett.16.197) (1966).
19. Michimasa, S. et al. Magic nature of neutrons in ^{54}Ca : First mass measurements of $^{55-57}\text{Ca}$. *Physical Review Letters* **121**.2, 022506, [10.1103/PhysRevLett.121.022506](https://doi.org/10.1103/PhysRevLett.121.022506) (2018).
20. Wapstra, A. H. & Gove, N. B. Part I. Atomic mass table. *Atomic Data and Nuclear Data Tables* **9**.4, 267–301, [10.1016/S0092-640X\(09\)80001-6](https://doi.org/10.1016/S0092-640X(09)80001-6) (1971).
21. Pfeiffer, B., Venkataramiah, K., Czok, U. & Scheidenberger, C. Atomic mass compilation 2012. *Atomic Data and Nuclear Data Tables* **100**.2, 403–535, [10.1016/j.adt.2013.06.002](https://doi.org/10.1016/j.adt.2013.06.002) (2014).
22. Venkataramiah, K., Rao D. S., S. & Scheidenberger, C. AMC 12 atomic mass compilation data extrapolated for atomic masses of nuclei far from the valley of stability. *Figshare*, [10.6084/m9.figshare.c.5640763.v1](https://doi.org/10.6084/m9.figshare.c.5640763.v1) (2022).
23. Wang, M. et al. The AME2016 atomic mass evaluation (II). tables, graphs and references. *Chinese Physics C* **41**.3, 030003, [10.1088/1674-1137/41/3/030003](https://doi.org/10.1088/1674-1137/41/3/030003) (2017).
24. Kroll, L., Singh, B. & Chen, A. A. Compilation of recent atomic mass measurements and deduced quantities. *Atomic Data and Nuclear Data Tables* **133**-**134**, 101336, [10.1016/j.adt.2020.101336](https://doi.org/10.1016/j.adt.2020.101336) (2020).

25. Wang, M. *et al.* The Ame2012 atomic mass evaluation. *Chinese Physics C* **36**.12, 1603–2014, [10.1088/1674-1137/36/12/003](https://doi.org/10.1088/1674-1137/36/12/003) (2012).
26. Sun, L. J. *et al.* β -decay spectroscopy of ^{27}S . *Physical Review C* **99**.6, 064312, [10.1103/PhysRevC.99.064312](https://doi.org/10.1103/PhysRevC.99.064312) (2019).
27. Meisel, Z. *et al.* Time-of-flight mass measurements of neutron-rich chromium isotopes up to $N = 40$ and implications for the accreted neutron star crust. *Physical Review C* **93**.3, 035805, [10.1103/PhysRevC.93.035805](https://doi.org/10.1103/PhysRevC.93.035805) (2016).
28. Zhang, Y. H. *et al.* Isochronous mass measurements of $T_z = -1$ fp -shell nuclei from projectile fragmentation of ^{58}Ni . *Physical Review C* **98**.1, 014319, [10.1103/PhysRevC.98.014319](https://doi.org/10.1103/PhysRevC.98.014319) (2018).
29. Reiter, M. P. *et al.* Mass measurements of neutron-rich gallium isotopes refine production of nuclei of the first r -process abundance peak in neutron-star merger calculations. *Physical Review C* **101**.2, 025803, [10.1103/PhysRevC.101.025803](https://doi.org/10.1103/PhysRevC.101.025803) (2020).
30. Knöbel, R. *et al.* New results from isochronous mass measurements of neutron-rich uranium fission fragments with the FRS-ESR-facility at GSI. *The European Physical Journal A* **52**.5, 1–11 (2016).
31. de Roubin, A. *et al.* Nuclear deformation in the $A \approx 100$ region: Comparison between new masses and mean-field predictions. *Physical Review C* **96**.1, 014310, [10.1103/PhysRevC.96.014310](https://doi.org/10.1103/PhysRevC.96.014310) (2017).
32. Xing, Y. M. *et al.* Mass measurements of neutron-deficient Y, Zr, and Nb isotopes and their impact on rp and vp nucleosynthesis processes. *Physics Letters B* **781**, 358–363, [10.1016/j.physletb.2018.04.009](https://doi.org/10.1016/j.physletb.2018.04.009) (2018).
33. Vilén, M. *et al.* High-precision mass measurements and production of neutron-deficient isotopes using heavy-ion beams at IGISOL. *Physical Review C* **100**.5, 054333, [10.1103/PhysRevC.100.054333](https://doi.org/10.1103/PhysRevC.100.054333) (2019).
34. Manea, V. *et al.* First Glimpse of the $N = 82$ Shell Closure below $Z = 50$ from Masses of Neutron-Rich Cadmium Isotopes and Isomers. *Physical Review Letters* **124**.9, 092502, [10.1103/PhysRevLett.124.092502](https://doi.org/10.1103/PhysRevLett.124.092502) (2020).
35. Xu, X. *et al.* Masses of ground and isomeric states of ^{101}In and configuration-dependent shell evolution in odd- A indium isotopes. *Physical Review C* **100**.5, 051303, [10.1103/PhysRevC.100.051303](https://doi.org/10.1103/PhysRevC.100.051303) (2019).
36. Vilén, M. *et al.* Precision Mass Measurements on Neutron-Rich Rare-Earth Isotopes at JYFLTRAP: Reduced Neutron Pairing and Implications for r -Process Calculations. *Physical Review Letters* **120**.26, 262701, [10.1103/PhysRevLett.120.262701](https://doi.org/10.1103/PhysRevLett.120.262701) (2018).
37. Orford, R. *et al.* Precision Mass Measurements of Neutron-Rich Neodymium and Samarium Isotopes and Their Role in Understanding Rare-Earth Peak Formation. *Physical Review Letters* **120**.26, 262702, [10.1103/PhysRevLett.120.262702](https://doi.org/10.1103/PhysRevLett.120.262702) (2018).
38. Vilen, M. *et al.* Exploring the mass surface near the rare-earth abundance peak via precision mass measurements at JYFLTRAP. *Physical Review C* **101**.3, 034312, [10.1103/PhysRevC.101.034312](https://doi.org/10.1103/PhysRevC.101.034312) (2020).
39. Ito, Y. *et al.* First Direct Mass Measurements of Nuclides around $Z = 100$ with a Multireflection Time-of-Flight Mass Spectrograph. *Physical Review Letters* **120**.15, 152501, [10.1103/PhysRevLett.120.152501](https://doi.org/10.1103/PhysRevLett.120.152501) (2018).

Author contributions

K.V. envisioned the extrapolation of new mass values. K.V. and S.C. directed the extrapolation of new mass values. S.R.D.S. developed the extrapolation method, performed the extrapolation, and verified all the data. K.V. performed the weighted averages of mass excess from the four extrapolations and compared the data with other mass models. All authors participated in planning, drafting, and revising the manuscript.

Competing interests

The authors declare no competing interests.

Additional information

Correspondence and requests for materials should be addressed to S.R.D.S.

© The Author(s) 2022