

δ -INVARIANT OF DU VAL DEL PEZZO SURFACES OF DEGREE ≥ 4

ELENA DENISOVA

ABSTRACT. In this article, we compute δ -invariant of Du Val del Pezzo surfaces of degree ≥ 4 .

1. INTRODUCTION

It is known that a smooth Fano variety admits a Kähler–Einstein metric if and only if it is K -polystable. For two-dimensional Fano varieties (del Pezzo surfaces) Tian and Yau proved that a smooth del Pezzo surface is K -polystable if and only if it is not a blow up of \mathbb{P}^2 in one or two points (see [14, 13]). A lot of research was done for threefolds (see [1, 3, 4, 5, 7, 9, 10, 11, 12, 15, 6]). However, not everything is known and often the problem can be reduced to computing δ -invariant of (possibly singular) del Pezzo surfaces (see [3, 5, 6] etc). δ -invariants of smooth del Pezzo surfaces have been computed in [3]. In this article, we compute δ -invariants of Du Val del Pezzo surfaces of degree ≥ 4 . More precisely we prove that

MAIN THEOREM. Let X be the Du Val del Pezzo surface of degree ≥ 4 . Then the δ -invariant of X is uniquely determined by the degree of X , the number of lines on X , and the type of singularities on X which is given in the following table:

K_X^2	# lines	Sing(X)	$\delta(X)$
8	0	A_1	$\frac{3}{4}$
7	2	A_1	$\frac{21}{31}$
6	3	A_1	$\frac{3}{4}$
6	4	A_1	$\frac{9}{11}$
6	2	$2A_1$	$\frac{9}{14}$
6	2	A_2	$\frac{3}{5}$
6	1	$A_1 + A_2$	$\frac{1}{2}$
5	7	A_1	$\frac{15}{17}$
5	5	$2A_1$	$\frac{15}{19}$
5	3	$A_1 + A_2$	$\frac{15}{23}$
5	2	A_3	$\frac{5}{9}$
5	4	A_2	$\frac{5}{7}$
5	1	A_4	$\frac{3}{7}$

K_X^2	# lines	Sing(X)	$\delta(X)$
4	12	A_1	1
4	9	$2A_1$	1
4	8	$2A_1$	1
4	8	A_2	$\frac{6}{7}$
4	6	$3A_1$	1
4	6	$A_1 + A_2$	$\frac{6}{7}$
4	5	A_3	$\frac{3}{4}$
4	4	A_3	$\frac{3}{4}$
4	4	$4A_1$	1
4	4	$2A_1 + A_2$	$\frac{6}{7}$
4	3	$A_1 + A_3$	$\frac{3}{4}$
4	3	A_4	$\frac{6}{11}$
4	2	D_4	$\frac{1}{2}$
4	2	$2A_1 + A_3$	$\frac{3}{4}$
4	1	D_5	$\frac{3}{8}$

For du Val del Pezzo surfaces of degree ≥ 5 this result has been recently independently proved in [2]. We plan to compute δ -invariants of Du Val del Pezzo surfaces of degrees 1, 2, 3 in future works.

Acknowledgments: I am grateful to my supervisor Professor Ivan Cheltsov for the introduction to the topic and continuous support.

2. PROOF OF MAIN THEOREM VIA KENTO FUJITA'S FORMULAS

Let X be a Du Val del Pezzo surface, let S be a minimal resolution of X . Let $f: \tilde{X} \rightarrow X$ be a birational morphism, let E be a prime divisor in \tilde{X} . We say that E is a prime divisor *over* X . If E is f -exceptional, we say that E is an exceptional invariant prime divisor *over* X . We will denote the subvariety $f(E)$ by $C_X(E)$. Let

$$S_X(E) = \frac{1}{(-K_X)^2} \int_0^\tau \text{vol}(f^*(-K_X) - vE) dv,$$

where $\tau = \tau(E)$ is the pseudo-effective threshold of E with respect to $-K_X$, i.e. we have

$$\tau(E) = \sup \left\{ v \in \mathbb{Q}_{>0} \mid f^*(-K_X) - vE \text{ is pseudo-effective} \right\}.$$

Let

$$A_X(E) = 1 + \text{ord}_E(K_{\tilde{X}} - f^*(K_X)).$$

Let Q be a point in X . We can define a local δ -invariant now

$$\delta_Q(X) = \inf_{\substack{E/X \\ Q \in C_X(E)}} \frac{A_X(E)}{S_X(E)},$$

where the infimum runs over all prime divisors E over the surface X such that $Q \in C_X(E)$. Moreover a global δ -invariant is given by:

$$\delta(X) = \inf_{Q \in X} \delta_Q(X)$$

Similarly, for the surface S and a point P on S we define:

$$\delta_P(S) = \inf_{\substack{F/S \\ P \in C_S(F)}} \frac{A_S(F)}{S_S(F)} \text{ and } \delta(S) = \inf_{P \in S} \delta_P(S)$$

where $S_S(F)$ and $A_S(F)$ are defined as $S_X(E)$ and $A_X(E)$ above. Note that it is clear that

$$\delta(X) = \delta(S) \text{ and } \delta_Q(X) = \inf_{P: Q=f(P)} \delta_P(S)$$

There are several results that can help us to estimate δ -invariants. Let C be a smooth curve on S containing P . Set

$$\tau(C) = \sup \left\{ v \in \mathbb{R}_{\geq 0} \mid \text{the divisor } -K_S - vC \text{ is pseudo-effective} \right\}.$$

For $v \in [0, \tau]$, let $P(v)$ be the positive part of the Zariski decomposition of the divisor $-K_S - vC$, and let $N(v)$ be its negative part. Then we set

$$S(W_{\bullet, \bullet}^C; P) = \frac{2}{K_S^2} \int_0^{\tau(C)} h(v) dv,$$

where

$$h(v) = (P(v) \cdot C) \times (N(v) \cdot C)_P + \frac{(P(v) \cdot C)^2}{2}.$$

It follows from [3, Theorem 1.7.1] that:

$$(2.1) \quad \delta_P(S) \geq \min \left\{ \frac{1}{S_S(C)}, \frac{1}{S(W_{\bullet, \bullet}^C, P)} \right\}.$$

Unfortunately, using this approach we do not always get a good estimation. In this case, we can try to apply the generalization of this method. Let $\pi: \widehat{S} \rightarrow S$ be a weighted blowup of the point P . Suppose, in addition, that \widehat{S} is a Mori Dream space Then

- the π -exceptional curve E_P such that $\pi(E_P) = P$ is smooth and isomorphic to \mathbb{P}^1 ,
- the log pair (\widehat{X}, E_P) has purely log terminal singularities.

Thus, the birational map π a plt blowup of a point P . Write

$$K_{E_P} + \Delta_{E_P} = (K_{\widehat{S}} + E_P)|_{E_P},$$

where Δ_{E_P} is an effective \mathbb{Q} -divisor on E_P known as the different of the log pair (\widehat{S}, E_P) . Note that the log pair (E_P, Δ_{E_P}) has at most Kawamata log terminal singularities, and the divisor $-(K_{E_P} + \Delta_{E_P})$ is $\pi|_{E_P}$ -ample.

Let O be a point on E_P . Set

$$\tau(E_P) = \sup \left\{ v \in \mathbb{R}_{\geq 0} \mid \text{the divisor } \pi^*(-K_S) - vE_P \text{ is pseudo-effective} \right\}.$$

For $v \in [0, \tau]$, let $\widehat{P}(v)$ be the positive part of the Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$, and let $\widehat{N}(v)$ be its negative part. Then we set

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{K_{\widehat{S}}^2} \int_0^{\tau(E_P)} \widehat{h}(v) dv,$$

where

$$\widehat{h}(v) = (\widehat{P}(v) \cdot E_P) \times (\widehat{N}(v) \cdot E_P)_O + \frac{(\widehat{P}(v) \cdot E_P)^2}{2}.$$

Let

$$A_{E_P, \Delta_{E_P}}(O) = 1 - \text{ord}_{\Delta_{E_P}}(O),$$

It follows from [3, Theorem 1.7.9] and [3, Corollary 1.7.12] that

$$(2.2) \quad \delta_P(S) \geq \min \left\{ \frac{A_S(E_P)}{S_S(E_P)}, \inf_{O \in E_P} \frac{A_{E_P, \Delta_{E_P}}(O)}{S(W_{\bullet, \bullet}^{E_P}; O)} \right\},$$

where the infimum is taken over all points $O \in E_P$.

We will apply 2.1 and 2.2 to all minimal resolutions S such that $K_S^2 \geq 4$ in order to prove Main Theorem. The classification of these S was given in [8]. For consistency, we will also deal with the case when X is smooth (so $S = X$).

3. DEL PEZZO SURFACES OF DEGREES 7,8

3.1. Smooth del Pezzo surface of degree 8 isomorphic to \mathbb{F}_1 . Let S be a smooth del Pezzo surface of degree 8 which is isomorphic to \mathbb{F}_1 then we have:

$$\delta_P(S) = \begin{cases} \frac{6}{7} & \text{if } P \in E_1, \\ \frac{12}{13}, & \text{otherwise.} \end{cases}$$

Where E_1 is the unique (-1) curve on S .

Proof. Suppose f is a fiber of natural projection on \mathbb{P}^1 , s is the unique (-1) -curve. In this case $\overline{NE(S)} = \langle s, f \rangle$.

1). Suppose $P \in s$. The Zariski Decomposition of the divisor $-K_S - vs$ is given by:

$$P(v) = -K_S - vs \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2 - v)(4 + v) \text{ and } P(v) \cdot s = 1 + v \text{ for } v \in [0, 2]$$

Thus,

$$S_S(s) = \frac{1}{8} \int_0^2 (2 - v)(4 + v) dv = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$. Note that

$$h(v) = (1 + v)^2/2 \text{ for } v \in [0, 2]$$

Thus,

$$S(W_{\bullet, \bullet}^s; P) = \frac{2}{8} \int_0^2 (1 + v)^2/2 dv = \frac{13}{12} < \frac{7}{6}$$

Thus, $\delta_P(S) = \frac{6}{7}$.

2). Suppose $P \in f \setminus s$. The Zariski Decomposition of the divisor $-K_S - vf$ is given by:

$$P(v) = \begin{cases} -K_S - vf & \text{for } v \in [0, 1] \\ -K_S - vf - (v - 1)s & \text{for } v \in [1, 3] \end{cases} \quad \text{and } N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v - 1)s & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 8 - 4v & \text{for } v \in [0, 1] \\ (3 - v)^2 & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot f = \begin{cases} 2 & \text{for } v \in [0, 1] \\ 3 - v & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(f) = \frac{1}{8} \left(\int_0^1 8 - 4v dv + \int_2^3 (3 - v)^2 dv \right) = \frac{13}{12}$$

Thus, $\delta_P(S) \leq \frac{12}{13}$. Note that if $P \in f \setminus s$

$$h(v) = \begin{cases} 2 & \text{for } v \in [0, 1] \\ (3 - v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S(W_{\bullet, \bullet}^f; P) = \frac{2}{8} \left(\int_0^1 2 dv + \int_1^3 (3 - v)^2/2 dv \right) = \frac{5}{6} < \frac{13}{12}$$

Thus, $\delta_P(S) = \frac{12}{13}$. □

3.2. Smooth del Pezzo surface of degree 8 isomorphic to $\mathbb{P}^1 \times \mathbb{P}^1$. Let S be a smooth del Pezzo surface of degree 8 which is isomorphic to $\mathbb{P}^1 \times \mathbb{P}^1$ then we have:

$$\delta_P(S) = 1 \text{ for } P \in S$$

Proof. We have $\overline{NE(S)} = \langle L_1, L_2 \rangle$ where L_1, L_2 are two different rulings. Suppose $P \in L_1$. The Zariski Decomposition of the divisor $-K_S - vL_1$ is given by:

$$P(v) = -K_S - vL_1 \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = 4(2 - v) \text{ and } P(v) \cdot L_1 = 2 \text{ for } v \in [0, 2]$$

Thus,

$$S_S(L_1) = \frac{1}{8} \int_0^2 4(2 - v)dv = 1$$

Thus, $\delta_P(S) \leq 1$. Note that

$$h(v) = 2 \text{ for } v \in [0, 2]$$

Thus,

$$S(W_{\bullet, \bullet}^{L_1}; P) = \frac{2}{8} \int_0^2 2dv = 1$$

Thus, $\delta_P(S) = 1$. □

3.3. A del Pezzo surface of degree 8 with A_1 singularity and 0 lines. Let S be a weak del Pezzo surface of degree 8 isomorphic to \mathbb{F}_2 then we have:

$$\delta_P(S) = \frac{3}{4} \text{ for } P \in S$$

Proof. Suppose f is a fiber of natural projection on \mathbb{P}^1 , s is the unique (-2) -curve. In this case $\overline{NE(S)} = \langle s, f \rangle$.

Suppose $P \in f$. The Zariski Decomposition of the divisor $-K_S - vf$ is given by:

$$P(v) = -K_S - vf - (v/2)s \text{ and } N(v) = (v/2)s \text{ for } v \in [0, 4]$$

Moreover,

$$(P(v))^2 = (4 - v)^2/2 \text{ and } P(v) \cdot f = 2 - v/2 \text{ for } v \in [0, 4]$$

Thus,

$$S_S(f) = \frac{1}{8} \int_0^4 (4 - v)^2/2dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$. Note that

- if $P \in f \setminus s$

$$h(v) = (2 - v/2)^2/2 \text{ for } v \in [0, 4]$$

- if $P \in f \cap s$

$$h(v) = (v/2)(2 - v/2) + (2 - v/2)^2/2 \text{ for } v \in [0, 4]$$

Thus,

$$S(W_{\bullet, \bullet}^f; P) \leq \frac{2}{8} \int_0^4 (v/2)(2 - v/2) + (2 - v/2)^2/2dv = \frac{4}{3}$$

Thus, $\delta_P(S) = \frac{3}{4}$ for $P \in S$. □

3.4. Smooth del Pezzo surface of degree 7. Let S be a smooth del Pezzo surface of degree 7 then it can be obtained by blowing up \mathbb{P}^2 at two points P_1, P_2 . Let E_1, E_2 be the exceptional curves of this blowup that are mapped to the points P_1, P_2 respectively. We denote by L_{12} the proper transform on dP_7 of the line in \mathbb{P}^2 that passes through the points P_1 and P_2 . On S we have:

$$\delta_P(S) = \begin{cases} \frac{21}{25} & \text{if } P \in L_{12}, \\ \frac{21}{23} & \text{if } P \in E_1 \cup E_2, \\ \frac{21}{19}, & \text{otherwise} \end{cases}$$

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, L_{12} \rangle$.

1). Suppose $P \in L_{12}$. The Zariski Decomposition of the divisor $-K_S - vL_{12}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{12} & \text{for } v \in [0, 1] \\ -K_S - vL_{12} - (v-1)(E_1 + E_2) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(E_1 + E_2) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 7 & \text{for } v \in [0, 1] \\ (3-v)^2 & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_{12} = \begin{cases} 1+v & \text{for } v \in [0, 1] \\ 3-v & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(L_{12}) = \frac{1}{7} \left(\int_0^1 -v^2 - 2v + 7 dv + \int_1^3 (3-v)^2 dv \right) = \frac{25}{21}$$

Thus, $\delta_P(S) \leq \frac{21}{25}$ for $P \in L_{12}$. Note that we have:

- if $P \in L_{12} \setminus (E_1 \cup E_2)$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in P \in L_{12} \cap (E_1 \cup E_2)$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

- if $P \in L_{12} \setminus (E_1 \cup E_2)$

$$S(W_{\bullet, \bullet}^{L_{12}}; P) = \frac{2}{7} \left(\int_0^1 (1+v)^2/2 dv + \int_1^3 (3-v)^2/2 dv \right) = \frac{5}{7} \leq \frac{25}{21}$$

- $P \in L_{12} \cap (E_1 \cup E_2)$

$$S(W_{\bullet, \bullet}^{L_{12}}; P) = \frac{2}{7} \left(\int_0^1 (1+v)^2/2 dv + \int_1^3 (v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{23}{21} \leq \frac{25}{21}$$

Thus $\delta_P(S) = \frac{21}{25}$ if $P \in L_{12}$.

2). Suppose $P \in E_1$ (or E_2). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)L_{12} & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)L_{12} & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 7 & \text{for } v \in [0, 1] \\ 4(2-v) & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1+v & \text{for } v \in [0, 1] \\ 2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{7} \left(\int_0^1 -v^2 - 2v + 7dv + \int_1^2 4(2-v)dv \right) = \frac{23}{21}$$

Thus, $\delta_P(S) \leq \frac{21}{23}$ for $P \in E_1$ (from symmetry we also have $\delta_P(S) \leq \frac{21}{23}$ for $P \in E_2$). Note that if $P \in E_1 \setminus L_{12}$ we have

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ 2 & \text{for } v \in [1, 2] \end{cases}$$


Moreover if $P \in E_1 \setminus L_{12}$

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{7} \left(\int_0^1 (1+v)^2/2dv + \int_1^2 2dv \right) = \frac{19}{21} \leq \frac{23}{21}$$

Thus $\delta_P(S) = \frac{21}{23}$ if $P \in (E_1 \cup E_2) \setminus L_{12}$.

3). Suppose $P \notin L_{12} \cup E_1 \cup E_2$. Consider a blowup $\pi : \tilde{S} \rightarrow S$ at point P with the exceptional divisor E_P . Suppose $\tilde{L}_{12}, \tilde{E}_1, \tilde{E}_2$ are strict transforms of L_{12}, E_1, E_2 respectively and L_{1P}, L_{2P} are new (-1) curves. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{L}_{12}, E_P, L_{1P}, L_{2P} \rangle$ with the intersections given by:

- $\tilde{E}_1 \cdot \tilde{L}_{12} = 1,$
- $\tilde{E}_1 \cdot L_{1P} = 1,$
- $\tilde{E}_1 \cdot L_{2P} = 0,$
- $\tilde{E}_1 \cdot \tilde{E}_2 = 0,$
- $\tilde{E}_1 \cdot E_P = 0,$
- $\tilde{E}_1 \cdot \tilde{L}_{12} = 1,$
- $\tilde{E}_2 \cdot L_{1P} = 0,$
- $\tilde{E}_2 \cdot L_{2P} = 1,$
- $\tilde{E}_2 \cdot E_P = 0,$
- $\tilde{E}_P \cdot \tilde{L}_{12} = 0,$
- $\tilde{E}_P \cdot L_{1P} = 1,$
- $\tilde{E}_P \cdot L_{2P} = 1,$
- $\tilde{L}_{12} \cdot L_{1P} = 0,$
- $\tilde{L}_{12} \cdot L_{2P} = 0,$
- $L_{1P} \cdot L_{2P} = 0,$
- $\tilde{E}_1^2 = \tilde{E}_2^2 = \tilde{E}_1^2 = -1,$
- $L_{1P}^2 = L_{2P}^2 = E_P^2 = -1.$



The Zariski Decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{for } v \in [0, 2] \\ \pi^*(-K_S) - vE_P - (v-2)(L_{1P} + L_{2P}) & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 2] \\ (v-2)(L_{1P} + L_{2P}) & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 7 - v^2 & \text{for } v \in [0, 2] \\ (3 - v)(5 - v) & \text{for } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{for } v \in [0, 2] \\ 4 - v & \text{for } v \in [2, 3] \end{cases}$$

Thus,

$$S_S(E_P) = \frac{1}{7} \left(\int_0^2 7 - v^2 dv + \int_2^3 (3 - v)(5 - v) dv \right) = \frac{38}{21}$$

Thus, $\delta_P(S) \leq \frac{2}{38/21} = \frac{21}{19}$. Note that

- if $O \in E_P \setminus (L_{1P} \cup L_{2P})$ then

$$h(v) = \begin{cases} v^2/2 & \text{for } v \in [0, 2] \\ (4 - v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap (L_{1P} \cup L_{2P})$ then

$$h(v) = \begin{cases} v^2/2 & \text{for } v \in [0, 2] \\ (v - 2)(4 - v) + (4 - v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

So we have,

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{7} \left(\int_0^2 v^2/2 dv + \int_1^2 (v - 2)(4 - v) + (4 - v)^2/2 dv \right) = \frac{19}{21} \leq \frac{38}{21}$$

Thus $\delta_P(S) = \frac{19}{21}$ if $P \notin E_1 \cup E_2 \cup L_{12}$. □

3.5. Del Pezzo surface of degree 7 with A_1 singularity and 2 lines. Let S be a weak del Pezzo surface of degree 7 which can be obtained by blowing up \mathbb{P}^2 at point P_1 , and then blowing up a point P_2 on the exceptional divisor on the first blowup and L_2 is the third negative curve. We have:

$$\delta_P(S) = \begin{cases} \frac{21}{31} & \text{if } P \in E_2, \\ \frac{7}{9} & \text{if } P \in E_1 \setminus E_2, \\ \frac{21}{25} & \text{if } P \in L_2 \setminus E_2, \\ \geq \frac{21}{23}, & \text{otherwise} \end{cases} \quad \begin{array}{c|c} & E_1 \\ \hline & (-2) \\ E_2 & (-1) \\ \hline & L_2 \\ & (-1) \end{array}$$

Proof. E_2 and L_2 are (-1) -curves, E_1 is a (-2) -curve. We have $\overline{NE}(S) = \langle E_1, E_2, L_2 \rangle$.

1). Suppose $P \in L_2$. The Zariski Decomposition of the divisor $-K_S - vL_2$ is given by:

$$P(v) = \begin{cases} -K_S - vL_2 & \text{for } v \in [0, 1] \\ -K_S - vL_2 - (v - 1)(E_1 + 2E_2) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v - 1)(E_1 + 2E_2) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 7 & \text{for } v \in [0, 1] \\ (3 - v)^2 & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_2 = \begin{cases} 1 + v & \text{for } v \in [0, 1] \\ 3 - v & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(L_2) = \frac{1}{7} \left(\int_0^1 -v^2 - 2v + 7dv + \int_1^3 (3-v)^2 dv \right) = \frac{25}{21}$$

Thus, $\delta_P(S) \leq \frac{21}{25}$ for $P \in L_2$. Note that we have:

- if $P \in L_2 \setminus E_2$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in L_2 \cap E_2$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ 2(v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

- if $P \in L_2 \setminus (E_1 \cup E_2)$

$$S(W_{\bullet, \bullet}^{L_2}; P) = \frac{2}{7} \left(\int_0^1 (1+v)^2/2 dv + \int_1^3 (3-v)^2/2 dv \right) = \frac{5}{7} \leq \frac{25}{21}$$

- $P \in L_2 \cap E_2$

$$S(W_{\bullet, \bullet}^{L_2}; P) = \frac{2}{7} \left(\int_0^1 (1+v)^2/2 dv + \int_1^3 2(v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{31}{21}$$

Thus $\delta_P(S) = \frac{21}{25}$ if $P \in L_2 \setminus E_2$.

2). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)E_2 & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)E_2 & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 7 - 2v^2 & \text{for } v \in [0, 1] \\ (2-v)(4+v) & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ v+1 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{7} \left(\int_0^1 7 - 2v^2 dv + \int_1^2 (2-v)(4+v) dv \right) = \frac{9}{7}$$

Thus, $\delta_P(S) \leq \frac{7}{9}$ for $P \in E_1$. Note that

- if $P \in E_1 \setminus E_2$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (v+1)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap E_2$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (v-1)(v+1) + (v+1)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

Moreover if

- if $P \in E_1 \setminus E_2$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{7} \left(\int_0^1 2v^2 dv + \int_1^2 (v+1)^2/2 dv \right) = \frac{23}{21} \leq \frac{9}{7}$$

- if $P \in E_1 \cap E_2$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{7} \left(\int_0^1 2v^2 dv + \int_1^2 (v-1)(v+1) + (v+1)^2/2 dv \right) = \frac{31}{21}$$

Thus $\delta_P(S) = \frac{7}{9}$ if $P \in E_1 \setminus E_2$.

3). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)E_1 & \text{for } v \in [0, 1] \\ -K_S - vE_2 - (v/2)E_1 - (v-1)L_2 & \text{for } v \in [1, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 & \text{for } v \in [0, 1] \\ (v/2)E_1 + (v-1)L_2 & \text{for } v \in [1, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -1/2v^2 - 2v + 7 & \text{for } v \in [0, 1] \\ (4-v)^2/2 & \text{for } v \in [1, 4] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 1 + v/2 & \text{for } v \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 4] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{7} \left(\int_0^1 -1/2v^2 - 2v + 7 dv + \int_1^2 (4-v)^2/2 dv \right) = \frac{31}{21}$$

Thus, $\delta_P(S) \leq \frac{21}{31}$ for $P \in E_2$. Note that if $P \in E_2 \setminus (E_1 \cup L_2)$ then

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 4] \end{cases}$$

Moreover

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{7} \left(\int_0^1 (1 + v/2)^2/2 dv + \int_1^2 (2 - v/2)^2/2 dv \right) = \frac{23}{42} \leq \frac{31}{21}$$

Thus $\delta_P(S) = \frac{21}{31}$ if $P \in E_2$.

4). Suppose $P \notin E_1 \cup E_2 \cup L_2$. Consider a blowup $\pi : \tilde{S} \rightarrow S$ at point P with the exceptional divisor \tilde{E}_P . Suppose $\tilde{L}_2, \tilde{E}_1, \tilde{E}_2$ are strict transforms of L_2, E_1, E_2 respectively and L_{1P} is a new (-1) -curve. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{L}_2, E_P, L_{1P} \rangle$ with the intersections given by:

- $\tilde{E}_1 \cdot \tilde{L}_2 = 0$,
- $\tilde{E}_1 \cdot L_{1P} = 1$,
- $\tilde{E}_1 \cdot E_2 = 0$,
- $\tilde{E}_1 \cdot E_P = 0$,
- $\tilde{E}_2 \cdot \tilde{L}_2 = 1$,
- $\tilde{E}_2 \cdot L_{1P} = 0$,
- $\tilde{E}_2 \cdot E_P = 0$,
- $\tilde{E}_1 \cdot \tilde{L}_2 = 0$,
- $\tilde{E}_P \cdot \tilde{L}_2 = 0$,
- $\tilde{E}_P \cdot L_2 = 0$,
- $\tilde{E}_P \cdot L_{1P} = 1$,
- $\tilde{L}_2 \cdot L_{1P} = 0$,
- $\tilde{E}_1^2 = -2$,
- $\tilde{E}_2^2 = \tilde{L}_2^2 = -1$,
- $L_{1P}^2 = E_P^2 = -1$.

	\tilde{E}_1	
	(−2)	
\tilde{E}_2	(−1)	\tilde{L}_{1P}
	\tilde{L}_2	(−1)
	(−1)	E_P
		(−1)

The Zariski Decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{for } v \in [0, 2] \\ \pi^*(-K_S) - vE_P - (v-2)(2L_{1P} + E_1) & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 2] \\ (v-2)(2L_{1P} + \tilde{E}_1) & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 7 - v^2 & \text{for } v \in [0, 2] \\ (3-v)(5-v) & \text{for } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{for } v \in [0, 2] \\ 4 - v & \text{for } v \in [2, 3] \end{cases}$$

Thus,

$$S_S(E_P) = \frac{1}{7} \left(\int_0^2 7 - v^2 dv + \int_2^3 (3-v)(5-v) dv \right) = \frac{38}{21}$$

Thus, $\delta_P(S) \leq \frac{2}{38/21} = \frac{21}{19}$. Note that

- if $O \in E_P \setminus L_{1P}$ then

$$h(v) = \begin{cases} v^2/2 & \text{for } v \in [0, 2] \\ (4-v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap L_{1P}$ then

$$h(v) = \begin{cases} v^2/2 & \text{for } v \in [0, 2] \\ 2(v-2)(4-v) + (4-v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

So we have,

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{7} \left(\int_0^2 v^2/2 dv + \int_1^2 2(v-2)(4-v) + (4-v)^2/2 dv \right) = \frac{23}{21} > \frac{19}{21}$$

Thus $\frac{21}{23} \leq \delta_P(S) \leq \frac{21}{19}$ if $P \notin E_1 \cup E_2 \cup L_2$. □

3.6. **Summary of results for degrees 7 and 8.** The local δ -invariants of Weak del Pezzo surfaces of degrees 7 and 8 are given in the following table:

S	Curves on S	(-2) -curves	K_S^2	$\delta_P(S)$
$dP_8 = \mathbb{F}_1$	$\overline{\mathbf{s}}$ (-1)	\emptyset	8	$\begin{cases} \frac{6}{7} & \text{if } P \in s, \\ \frac{12}{13}, & \text{otherwise.} \end{cases}$
$\mathbb{P}^1 \times \mathbb{P}^1$	L_1 (0) L_2 (0)	\emptyset	8	1
\mathbb{F}_2	$\overline{\mathbf{s}}$ (-2)	A_1	8	$\frac{3}{4}$
dP_7	E_1 (-1) E_2 (-1) L_{12} (-1)	\emptyset	7	$\begin{cases} \frac{21}{25} & \text{if } P \in L_{12}, \\ \frac{21}{23} & \text{if } P \in E_1 \cup E_2, \\ \frac{21}{19}, & \text{otherwise} \end{cases}$
Weak dP_7	E_1 E_2 (-1) L_2 (-1)	A_1	7	$\begin{cases} \frac{21}{31} & \text{if } P \in E_2, \\ \frac{7}{9} & \text{if } P \in E_1 \setminus E_2, \\ \frac{21}{25} & \text{if } P \in L_2 \setminus E_2, \\ \geq \frac{21}{23}, & \text{otherwise} \end{cases}$

TABLE 3. Weak del Pezzo surfaces of degrees 7 and 8

Which proves that δ -invariants of weak del Pezzo surfaces of degrees 7 and 8 are given by the following table:

S	Curves on S	(-2) -curves	K_S^2	$\delta_P(S)$
$dP_8 = \mathbb{F}_1$	\mathbf{s} <hr style="width: 100%;"/> (-1)	\emptyset	8	$\frac{6}{7}$
$\mathbb{P}^1 \times \mathbb{P}^1$	L_1 (0) <hr style="width: 50%; margin: 0 auto;"/> L_2 <hr style="width: 50%; margin: 0 auto;"/> (0)	\emptyset	8	1
\mathbb{F}_2	\mathbf{s} <hr style="width: 100%;"/> (-2)	A_1	8	$\frac{3}{4}$
dP_7	E_1 (-1) E_2 (-1) <hr style="width: 80%; margin: 0 auto;"/> L_{12} (-1)	\emptyset	7	$\frac{21}{25}$
Weak dP_7	<hr style="width: 80%; margin: 0 auto;"/> E_1 (-2) E_2 (-1) <hr style="width: 80%; margin: 0 auto;"/> L_2 (-1)	A_1	7	$\frac{21}{31}$

TABLE 4. Weak del Pezzo surfaces of degrees 7 and 8

This immediately proves Main Theorem for Du Val del Pezzo surfaces of degrees 7 and 8.

4. DEL PEZZO SURFACES OF DEGREE 6

4.1. Smooth del Pezzo surface of degree 6. Let S be a smooth del Pezzo surface of degree 6. It can be obtained by blowing up \mathbb{P}^2 at three points P_1, P_2, P_3 such that no three of them are contained in one line. Let E_1, E_2, E_3 be the exceptional curves of this blowup that are mapped to the points $P_1, P_2,$ and P_3 respectively. For every $1 \leq i < j \leq 3$, we denote by L_i the proper transform on S of the line in \mathbb{P}^2 that passes through the points P_j and P_k such that $j, k \neq i$. Then $E_1, E_2, E_3, L_1, L_2, L_3$ are all (-1) -curves in the surface S , then we have

$$\delta_P(S) = \begin{cases} 1 & \text{if } P \in E_1 \cup E_2 \cup E_3 \cup L_1 \cup L_2 \cup L_3, \\ \frac{6}{5}, & \text{otherwise} \end{cases}$$

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, L_1, L_2, L_3 \rangle$.

1). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(L_2 + L_3) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ (v-1)(L_2 + L_3) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 6 & \text{if } v \in [0, 1] \\ (2-v)(4-v) & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} v + 1 & \text{if } v \in [0, 1] \\ 3 - v & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{6} \left(\int_0^1 -v^2 - 2v + 6 dv + \int_1^2 (2-v)(4-v) dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (L_2 \cup L_3)$:

$$h(v) = \begin{cases} (v+1)^2/2 & \text{if } v \in [0, 1] \\ (3-v)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap (L_2 \cup L_3)$:

$$h(v) = \begin{cases} (v+1)^2/2 & \text{if } v \in [0, 1] \\ (v-1)(3-v) + (3-v)^2/2 & \text{if } v \in [1, 2] \end{cases}$$


Thus:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{6} \left(\int_0^1 \frac{(v+1)^2}{2} dv + \int_1^2 (v-1)(3-v) + \frac{(3-v)^2}{2} dv \right) = 1$$

We get that $\delta_P(S) = 1$ for $P \in E_1$ (similarly for $P \in E_1 \cup E_2 \cup E_3 \cup L_1 \cup L_2 \cup L_3$).

2). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup L_1 \cup L_2 \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose \tilde{L}_i, \tilde{E}_i are strict transforms of L_i, E_i for $i \in \{1, 2, 3\}$ respectively and L'_i for $i \in \{1, 2, 3\}$ are new (-1) -curves. Then $\overline{NE(\tilde{S})} = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{L}_1, \tilde{L}_2, \tilde{L}_3, L'_1, L'_2, L'_3, E_P \rangle$ with the intersections given by:

- $\tilde{E}_i \cdot \tilde{L}_j = \begin{cases} 1 & \text{if } i \neq j, \\ 0 & \text{if } i = j \end{cases}$ for $i, j \in \{1, 2, 3\}$,
- $\tilde{E}_i \cdot L'_j = \begin{cases} 1 & \text{if } i = j, \\ 0 & \text{if } i \neq j \end{cases}$ for $i, j \in \{1, 2, 3\}$,
- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j$ for $i, j \in \{1, 2, 3\}$,
- $\tilde{E}_i \cdot E_P = 0$ for $i \in \{1, 2, 3\}$,
- $E_P \cdot \tilde{L}_i = 0$ for $i \in \{1, 2, 3\}$,
- $E_P \cdot L'_i = 1$ for $j \in \{1, 2, 3\}$,
- $\tilde{L}_i \cdot \tilde{L}_j = 0$ if $i \neq j$ for $i, j \in \{1, 2, 3\}$,
- $\tilde{L}_i \cdot L'_j = \begin{cases} 1 & \text{if } i = j, \\ 0 & \text{if } i \neq j \end{cases}$ for $i, j \in \{1, 2, 3\}$,
- $L'_i \cdot L'_j = 0$ if $i \neq j$ for $i, j \in \{1, 2, 3\}$,
- $\tilde{E}_i^2 = E_P^2 = \tilde{L}_i = L'_i = -1$ for $i \in \{1, 2, 3\}$.



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(L'_1 + L'_2 + L'_3) & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 2], \\ (v-2)(L'_1 + L'_2 + L'_3) & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - v^2 & \text{if } v \in [0, 2], \\ 2(3-v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and} \quad P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 2], \\ 2(3-v) & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{6} \left(\int_0^2 6 - v^2 dv + \int_2^3 2(3-v)^2 dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{5/3} = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_1 \cup L_2 \cup L_3$. Moreover,

- If $O \in E_P \setminus (L'_1 \cup L'_2 \cup L'_3)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3-v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap (L'_1 \cup L'_2 \cup L'_3)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3-v)(v-2) + 2(3-v)^2 & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{6} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^3 2(v-2)(3-v) + 2(3-v)^2 dv \right) = \frac{7}{9} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_1 \cup L_2 \cup L_3$. □

4.2. Del Pezzo surface of degree 6 with A_1 singularity and 3 lines. Let S be a weak del Pezzo surface of degree 6 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and P_3 which belong to the same line. We have:

$$\delta_P(S) = \begin{cases} \frac{3}{4} & \text{if } P \in L_{123}, \\ \frac{9}{10} & \text{if } P \in (E_1 \cup E_2 \cup E_3) \setminus L_{123}, \\ \frac{6}{5}, & \text{otherwise} \end{cases}$$

	E_2	(-1)		(-2)
				L_{123}
E_1	(-1)		E_3	(-1)

where E_1, E_2, E_3 are exceptional divisors and L_{123} is a (-2) -curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, L_{123} \rangle$.

1). Suppose $P \in L_{123}$. The Zariski Decomposition of the divisor $-K_S - vL_{123}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{123} & \text{for } v \in [0, 1] \\ -K_S - vL_{123} - (v-1)(E_1 + E_2 + E_3) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(E_1 + E_2 + E_3) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 2(3-v^2) & \text{for } v \in [0, 1] \\ (3-v)^2 & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_{123} = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 3-v & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(L_{123}) = \frac{1}{6} \left(\int_0^1 2(3-v^2)dv + \int_1^3 (3-v)^2 dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in L_{123}$. Note that we have:

- if $P \in L_{123} \setminus (E_1 \cup E_2 \cup E_3)$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in L_{123} \cap (E_1 \cup E_2 \cup E_3)$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

So we have

$$S(W_{\bullet, \bullet}^{L_{123}}; P) \leq \frac{2}{6} \left(\int_0^1 2v^2 dv + \int_1^3 (v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{10}{9} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in L_{123}$.

2). Suppose $P \in E_1$ (or E_2 , or E_3). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - (v/2)L_{123} \quad \text{and} \quad N(v) = (v/2)L_{123} \quad \text{for } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = \frac{(2-v)(6+v)}{2} \text{ and } P(v) \cdot E_1 = 1 + v/2 \text{ for } v \in [0, 2]$$

Thus,

$$S_S(E_1) = \frac{1}{6} \left(\int_0^2 \frac{(2-v)(6+v)}{2} dv \right) = \frac{10}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{10}$ for $P \in E_1$ (from symmetry we also have $\delta_P(S) \leq \frac{9}{10}$ for $P \in E_2 \cup E_3$). Note that if $P \in E_1 \setminus L_{123}$ we have

$$h(v) = (1 + v/2)^2/2 \text{ for } v \in [0, 2]$$


Moreover if $P \in E_1 \setminus L_{123}$

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{6} \left(\int_0^2 \frac{(1 + v/2)^2}{2} dv \right) = \frac{7}{9} \leq \frac{10}{9}$$

Thus $\delta_P(S) = \frac{9}{10}$ if $P \in (E_1 \cup E_2 \cup E_3) \setminus L_{123}$.

2). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup L_{123}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{123}, \tilde{E}_i$ are strict transforms of L_{123}, E_i for $i \in \{1, 2, 3\}$ respectively and L_i for $i \in \{1, 2, 3\}$ are new (-1) -curves. Then $\overline{NE(\tilde{S})} = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{L}_{123}, L_1, L_2, L_3, E_P \rangle$ with the intersections given by:

- $\tilde{E}_i \cdot L_j = \begin{cases} 1 & \text{if } i = j, \\ 0 & \text{if } i \neq j \end{cases}$ for $i, j \in \{1, 2, 3\}$,
- $\tilde{E}_i \cdot E_P = 0$ for $i \in \{1, 2, 3\}$,
- $\tilde{E}_i \cdot \tilde{L}_{123} = 0$ for $i \in \{1, 2, 3\}$
- $E_P \cdot L_i = 1$ for $i \in \{1, 2, 3\}$,
- $E_P \cdot \tilde{L}_{123} = 0$,
- $L_i \cdot L_j = 0$ for $i, j \in \{1, 2, 3\}$,
- $L_i \cdot \tilde{L}_{123} = 0$ for $i \in \{1, 2, 3\}$,
- $L_{123}^2 = -2$,
- $L_i^2 = \tilde{E}_i^2 = E_P^2 = -1$ for $i \in \{1, 2, 3\}$.



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(L_1 + L_2 + L_3) & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 2], \\ (v-2)(L_1 + L_2 + L_3) & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - v^2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases} \text{ and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 2], \\ 2(3 - v) & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{6} \left(\int_0^2 6 - v^2 dv + \int_2^3 2(3-v)^2 dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{5/3} = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_{123}$. Moreover,

- If $O \in E_P \setminus (L_1 \cup L_2 \cup L_3)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3-v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap (L_1 \cup L_2 \cup L_3)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3-v)(v-2) + 2(3-v)^2 & \text{if } v \in [2, 3] \end{cases}$$


Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{6} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^3 2(v-2)(3-v) + 2(3-v)^2 dv \right) = \frac{7}{9} < \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_{123}$. \square

4.3. Del Pezzo surface of degree 6 with A_1 singularity and 4 lines. Let S be a weak del Pezzo surface of degree 6 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and after that blowing up a point which belongs to the exceptional divisor corresponding to P_1 and which does not belong to the strict transform of the line connecting P_1 and P_2 . We have:

$$\delta_P(S) = \begin{cases} \frac{9}{11} & \text{if } P \in E_1 \cup E_3 \cup L_{12}, \\ 1 & \text{if } P \in (L_2 \cup E_2) \setminus (E_3 \cup L_{12}), \\ \geq \frac{9}{8}, & \text{otherwise} \end{cases}$$



where E_1, E_2 and E_3 are negative curves coming from the exceptional divisors corresponding to P_1, P_2 and P_3 respectively, L_{12} is a strict transform of the line through P_1 and P_2 and L_3 is the last negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, L_{12}, L_3 \rangle$

1). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(L_{12} + E_3) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ (v-1)(L_{12} + E_3) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - 2v^2 & \text{if } v \in [0, 1] \\ 8 - 4v & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{if } v \in [0, 1] \\ 2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{6} \left(\int_0^1 6 - 2v^2 dv + \int_1^2 8 - 4v dv \right) = \frac{11}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{11}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (L_{12} \cup E_3)$:

$$h(v) = \begin{cases} 2v^2 & \text{if } v \in [0, 1] \\ 2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap (L_{12} \cup E_3)$:

$$h(v) = \begin{cases} 2v^2 & \text{if } v \in [0, 1] \\ 2(v-1) + 2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{6} \left(\int_0^1 2v^2 dv + \int_1^2 2(v-1) + 2 dv \right) = \frac{11}{9}$$

We get that $\delta_P(S) = \frac{9}{11}$ for $P \in E_1$

2). Suppose $P \in E_3$ (or L_{12}). The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)E_1 & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v/2)E_1 - (v-1)L_3 & \text{if } v \in [1, 2] \\ -K_S - vE_3 - (v-1)(E_1 + L_3) - (v-2)L_{12} & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 & \text{if } v \in [0, 1] \\ (v/2)E_1 + (v-1)L_3 & \text{if } v \in [1, 2] \\ (v-1)(E_1 + L_3) + (v-2)L_{12} & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} (2-v)(6+v)/2 & \text{if } v \in [0, 1] \\ (1/2)v^2 - 4v + 7 & \text{if } v \in [1, 2] \\ (3-v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 2 - v/2 & \text{if } v \in [1, 2] \\ 3 - v & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{6} \left(\int_0^1 \frac{(2-v)(6+v)}{2} dv + \int_1^2 (1/2)v^2 - 4v + 7 dv + \int_2^3 (3-v)^2 dv \right) = \frac{11}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{11}$ for $P \in E_3$ (or L_{12}). Moreover,

- If $P \in E_3 \setminus (L_3 \cup E_1)$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{if } v \in [1, 2] \\ (3 - v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- If $P \in E_3 \cap L_3$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (v - 1)(2 - v/2) + (2 - v/2)^2/2 & \text{if } v \in [1, 2] \\ (v - 1)(3 - v) + (3 - v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

Thus for $P \in E_3 \setminus E_1$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{6} \left(\int_0^1 (1 + v/2)^2/2 dv + \int_1^2 (v - 1)(2 - v/2) + (2 - v/2)^2/2 dv + \int_2^3 (v - 1)(3 - v) + (3 - v)^2/2 dv \right) = 1 \leq \frac{11}{9}$$

We get that $\delta_P(S) = \frac{9}{11}$ for $P \in E_3$ (or L_{12}).

3). Suppose $P \in E_2$ (or L_3). The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 & \text{if } v \in [0, 1] \\ -K_S - vE_2 - (v - 1)(2L_{12} + E_1) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ (v - 1)(2L_{12} + E_1) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 6 & \text{if } v \in [0, 1] \\ (2 - v)(4 - v) & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 1 + v & \text{if } v \in [0, 1] \\ 3 - v & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_2) = \frac{1}{6} \left(\int_0^1 -v^2 - 2v + 6 dv + \int_1^2 (2 - v)(4 - v) dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_2$. Moreover, if $P \in E_2 \setminus L_{12}$:

$$h(v) = \begin{cases} (1 + v)^2/2 & \text{if } v \in [0, 1] \\ (3 - v)^2/2 & \text{if } v \in [1, 2] \end{cases}$$


Thus for $P \in E_2 \setminus L_{12}$:

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{6} \left(\int_0^1 (1 + v)^2/2 dv + \int_1^2 (3 - v)^2/2 dv \right) = \frac{7}{9} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in E_2$ (or L_3).

4). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup L_3 \cup L_{12}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{12}, \tilde{L}_3, \tilde{E}_i$ are strict transforms of L_{12}, L_3, E_i for $i \in \{1, 2, 3\}$ respectively and L_{iP} for $i \in \{1, 2\}$ are new (-1) -curves. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{L}_{12}, \tilde{L}_3, L_{1P}, L_{2P}, E_P \rangle$. Suppose $i \in \{1, 2, 3\}, j \in \{1, 2\}$ and the intersections are given by:

- $\tilde{E}_1 \cdot \tilde{E}_2 = 0,$
- $\tilde{E}_1 \cdot \tilde{E}_3 = 1,$
- $\tilde{E}_2 \cdot \tilde{E}_3 = 0,$
- $\tilde{E}_i \cdot L_{jP} = \begin{cases} 1 & \text{if } i = j, \\ 0 & \text{if } i \neq j \end{cases}$
- $\tilde{E}_i \cdot E_P = 0,$
- $\tilde{E}_i \cdot \tilde{L}_{12} = \begin{cases} 1 & \text{if } i \in \{1, 2\}, \\ 0 & \text{if } i = 3, \end{cases}$
- $\tilde{E}_i \cdot \tilde{L}_3 = \begin{cases} 1 & \text{if } i = 3, \\ 0 & \text{if } i \in \{1, 2\}, \end{cases}$
- $\tilde{L}_{12} \cdot \tilde{L}_3 = 0,$
- $\tilde{L}_3 \cdot L_{1P} = 0,$
- $L_{iP} \cdot E_P = 1,$
- $\tilde{E}_1^2 = -2,$
- $\tilde{E}_2^2 = \tilde{E}_3^2 = \tilde{L}_{12}^2 = \tilde{L}_3^2 = L_{iP}^2 = -1,$
- $\tilde{L}_{12} \cdot L_{jP} = 0,$
- $\tilde{L}_3 \cdot L_{2P} = 1,$
- $\tilde{E}_2^2 = \tilde{E}_3^2 = \tilde{L}_{12}^2 = \tilde{L}_3^2 = L_{iP}^2 = -1,$
- $\tilde{L}_{12} \cdot E_P = 0,$
- $\tilde{L}_3 \cdot E_P = 0,$



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(2L_{1P} + L_{2P} + \tilde{E}_1) & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 2], \\ (v-2)(2L_{1P} + L_{2P} + \tilde{E}_1) & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - v^2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 2], \\ 2(3 - v) & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{6} \left(\int_0^2 6 - v^2 dv + \int_2^3 2(3 - v)^2 dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{5/3} = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_{123}$. Moreover,

- If $O \in E_P \setminus (L_1 \cup L_2 \cup L_3)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap L_{2P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3 - v)(v - 2) + 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:


$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 4(3 - v)(v - 2) + 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{6} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^3 4(v-2)(3-v) + 2(3-v)^2 dv \right) = \frac{8}{9} > \frac{5}{6}$$

We get that $\delta_P(S) \geq \frac{9}{8}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_{123}$. \square

4.4. Del Pezzo surface of degree 6 with two A_1 singularities and 2 lines. Let S be a weak del Pezzo surface of degree 6 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and after that blowing up P_3 which is the intersection of the exceptional divisor corresponding to P_1 and the strict transform of the line connecting P_1 and P_2 . We have:

$$\delta_P(S) = \begin{cases} \frac{9}{14} & \text{if } P \in E_3, \\ \frac{3}{4} & \text{if } P \in L_{23} \setminus E_3, \\ \frac{9}{11} & \text{if } P \in E_1 \setminus E_3, \\ \frac{9}{10} & \text{if } P \in E_2 \setminus L_{23}, \\ \geq \frac{9}{8}, & \text{otherwise} \end{cases}$$


where E_1, E_2 and E_3 are negative curves coming from the exceptional divisors corresponding to P_1, P_2 and P_3 respectively, and L_{23} is a strict transform of the line through P_1 and P_2 .

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, L_{23} \rangle$.

1). Suppose $P \in E_3$. The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)(E_1 + L_{23}) & \text{if } v \in [0, 2] \\ -K_S - vE_3 - (v/2)E_1 - (v-1)L_{23} - (v-2)E_2 & \text{if } v \in [2, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)(E_1 + L_{23}) & \text{if } v \in [0, 2] \\ (v/2)E_1 + (v-1)L_{23} + (v-2)E_2 & \text{if } v \in [2, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 2(3-v) & \text{if } v \in [0, 2] \\ (v-4)^2/2 & \text{if } v \in [2, 4] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 1 & \text{if } v \in [0, 2] \\ 2 - v/2 & \text{if } v \in [2, 4] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{6} \left(\int_0^2 2(3-v) dv + \int_2^4 \frac{(v-4)^2}{2} dv \right) = \frac{14}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{14}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (L_{23} \cup E_1)$:

$$h(v) = \begin{cases} 1/2 & \text{if } v \in [0, 2] \\ (2 - v/2)^2/2 & \text{if } v \in [2, 4] \end{cases}$$

- If $P \in E_3 \cap E_1$:

$$h(v) = \begin{cases} v/2 + 1/2 & \text{if } v \in [0, 2] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{if } v \in [2, 4] \end{cases}$$

- If $P \in E_3 \cap L_{23}$:

$$h(v) = \begin{cases} v/2 + 1/2 & \text{if } v \in [0, 2] \\ (v-1)(2-v/2) + (2-v/2)^2/2 & \text{if } v \in [2, 4] \end{cases}$$

Thus:

- If $P \in E_3 \setminus (L_{23} \cup E_1)$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{6} \left(\int_0^2 1/2 dv + \int_2^4 (2-v/2)^2/2 dv \right) = \frac{4}{9} \leq \frac{14}{9}$$

- If $P \in E_3 \cap E_1$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{6} \left(\int_0^2 v/2 + 1/2 dv + \int_2^4 (v/2)(2-v/2) + (2-v/2)^2/2 dv \right) = \frac{11}{9} \leq \frac{14}{9}$$

- If $P \in E_3 \cap L_{23}$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{6} \left(\int_0^2 v/2 + 1/2 dv + \int_2^4 (v-1)(2-v/2) + (2-v/2)^2/2 dv \right) = \frac{4}{3} \leq \frac{14}{9}$$

We get that $\delta_P(S) = \frac{9}{14}$ for $P \in E_3$

2). Suppose $P \in L_{23}$. The Zariski Decomposition of the divisor $-K_S - vL_{23}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{23} & \text{for } v \in [0, 1] \\ -K_S - vL_{23} - (v-1)(E_1 + E_2 + 2E_3) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(E_1 + E_2 + 2E_3) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 2(3-v^2) & \text{for } v \in [0, 1] \\ (3-v)^2 & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_{23} = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 3-v & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(L_{23}) = \frac{1}{6} \left(\int_0^1 2(3-v^2) dv + \int_1^3 (3-v)^2 dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in L_{23}$. Note that we have:

- if $P \in L_{23} \setminus (E_2 \cup E_3)$

$$h(v) = \begin{cases} 2v^2 & \text{for } 2v^2 \in [0, 1] \\ (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in L_{23} \cap E_2$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

So we have

$$S(W_{\bullet, \bullet}^{L_{23}}; P) \leq \frac{2}{6} \left(\int_0^1 2v^2 dv + \int_1^3 (v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{10}{9} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in L_{23}$.

3). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(2E_3 + L_{23}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(2E_3 + L_{23}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 2(3-v^2) & \text{for } v \in [0, 1] \\ 4(2-v) & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{6} \left(\int_0^1 2(3-v^2) dv + \int_1^2 4(2-v) dv \right) = \frac{11}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{11}$ for $P \in E_1$. Note that if $P \in E_1 \setminus E_3$:

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2 & \text{for } v \in [1, 2] \end{cases}$$

So we have

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{6} \left(\int_0^1 2v^2 dv + \int_1^3 (v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{8}{9} \leq \frac{11}{9}$$

Thus $\delta_P(S) = \frac{9}{11}$ if $P \in E_1 \setminus E_3$.

4). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = -K_S - vE_2 - (v/2)L_{23} \quad \text{and } N(v) = (v/2)L_{23} \quad \text{for } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = \frac{(2-v)(6+v)}{2} \quad \text{and } P(v) \cdot E_2 = 1 + v/2 \quad \text{for } v \in [0, 2]$$

Thus,

$$S_S(E_2) = \frac{1}{6} \left(\int_0^2 \frac{(2-v)(6+v)}{2} dv \right) = \frac{10}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{10}$ for $P \in E_2$. Note that if $P \in E_2 \setminus L_{23}$ we have

$$h(v) = (1 + v/2)^2/2 \quad \text{for } v \in [0, 2]$$

Moreover if $P \in E_2 \setminus L_{23}$


$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{6} \left(\int_0^2 \frac{(1 + v/2)^2}{2} dv \right) = \frac{7}{9} \leq \frac{10}{9}$$

Thus $\delta_P(S) = \frac{9}{10}$ if $P \in E_2 \setminus L_{23}$.

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup L_{23}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional

divisor E_P . Suppose $\tilde{L}_{23}, \tilde{E}_i$ are strict transforms of L_{23}, E_i for $i \in \{1, 2, 3\}$ respectively and L_{1P} and L_{2P} are new (-1) -curves. Then $\overline{NE(\tilde{S})} = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{L}_{23}, L_{1P}, L_{2P}, E_P \rangle$ with the intersections given by:

- $\tilde{E}_i \cdot \tilde{L}_{23} = \begin{cases} 1 & \text{if } i \in \{1, 2\} \\ 0 & \text{if } i = 3 \end{cases}$,
- $\tilde{E}_1 \cdot \tilde{E}_2 = 0$,
- $\tilde{E}_1 \cdot \tilde{E}_3 = 1$,
- $\tilde{E}_2 \cdot \tilde{E}_3 = 0$,
- $\tilde{E}_i \cdot L_{jP} = \begin{cases} 1 & \text{if } i = j \\ 0 & \text{if } i \neq j \end{cases}$
for $i \in \{1, 2, 3\}, j \in \{1, 2\}$,
- $\tilde{E}_i \cdot E_P = 0$ for $i \in \{1..3\}, j \in \{1, 2\}$,
- $E_P \cdot \tilde{L}_{23} = 0$,
- $E_P \cdot L_{iP} = 0$ for $i \in \{1, 2\}$,
- $L_{1P} \cdot L_{2P} = 0$,
- $L_{iP} \cdot \tilde{L}_{23} = 0$ for $i \in \{1, 2\}$,
- $\tilde{E}_1 = \tilde{L}_{23}^2 = -2$,
- $\tilde{E}_3^2 = \tilde{E}_2^2 = L_{1P}^2 = L_{2P}^2 = E_P^2 = -1$.



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(2L_{1P} + L_{2P} + \tilde{E}_1) & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 2], \\ (v-2)(2L_{1P} + L_{2P} + \tilde{E}_1) & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - v^2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and} \quad P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 2], \\ 2(3 - v) & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{6} \left(\int_0^2 6 - v^2 dv + \int_2^3 2(3 - v)^2 dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{5/3} = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_{23}$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P} \cup E_1)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap L_{2P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3 - v)(v - 2) + 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 4(3-v)(v-2) + 2(3-v)^2 & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{6} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^3 4(v-2)(3-v) + 2(3-v)^2 dv \right) = \frac{8}{9} > \frac{5}{6}$$

We get that $\delta_P(S) \geq \frac{9}{8}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_{23}$. \square

4.5. Del Pezzo surface of degree 6 with A_2 singularity and 2 lines. Let S be a weak del Pezzo surface of degree 6 which can be obtained by blowing up \mathbb{P}^2 at a point P_1 , then blowing up at the point P_2 on the exceptional divisor, and then blowing up at the point P_3 on the exceptional divisor corresponding to P_2 which does not lie on other negative curves. Then we have

$$\delta_P(S) = \begin{cases} \frac{3}{5} & \text{if } P \in E_2, \\ \frac{3}{4} & \text{if } P \in E_1 \setminus E_2, \\ \frac{4}{5} & \text{if } P \in (L_1 \cup E_3) \setminus E_2, \\ \geq 1, & \text{otherwise} \end{cases}$$

where E_1 , E_2 and E_3 are negative curves coming from the exceptional divisors corresponding to P_1 , P_2 and P_3 respectively, and L_2 is the other negative curve.

Proof. We have $\overline{NE}(S) = \langle E_1, E_2, E_3, L_2 \rangle$.

1). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)E_1 & \text{for } v \in [0, 1] \\ -K_S - vE_2 - (v/2)E_1 - (v-1)(E_3 + L_2) & \text{for } v \in [1, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 & \text{for } v \in [0, 1] \\ (v/2)E_1 + (v-1)(E_3 + L_2) & \text{for } v \in [1, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 3(2-v)(2+v)/2 & \text{for } v \in [0, 1] \\ (4-v)^2/2 & \text{for } v \in [1, 4] \end{cases} \quad \text{and} \quad P(v) \cdot E_2 = \begin{cases} 3v/2 & \text{for } v \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 4] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{6} \left(\int_0^1 \frac{3(2-v)(2+v)}{2} dv + \int_1^4 \frac{(4-v)^2}{2} dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{5}$ for $P \in E_2$. Note that if

- $P \in E_2 \setminus (E_1 \cup E_3 \cup L_2)$:

$$h(v) = \begin{cases} 9v^2/8 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 4] \end{cases}$$

- $P \in E_2 \cap (E_3 \cup L_2)$:

$$h(v) = \begin{cases} 9v^2/8 & \text{for } v \in [0, 1] \\ (v-1)(2-v/2) + (2-v/2)^2/2 & \text{for } v \in [1, 4] \end{cases}$$

- $P \in E_2 \cap E_1$:

$$h(v) = \begin{cases} (v/2)(3v/2) + 9v^2/8 & \text{for } v \in [0, 1] \\ (v/2)(2-v/2) + (2-v/2)^2/2 & \text{for } v \in [1, 4] \end{cases}$$

So we have

- $P \in E_2 \setminus (E_1 \cup E_3 \cup L_2)$:

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{6} \left(\int_0^1 9v^2/8 dv + \int_1^4 (2-v/2)^2/2 dv \right) = \frac{1}{2} \leq \frac{5}{3}$$

- $P \in E_2 \cap (E_3 \cup L_2)$:

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{6} \left(\int_0^1 9v^2/8 dv + \int_1^4 (v-1)(2-v/2) + (2-v/2)^2/2 dv \right) = \frac{5}{4} \leq \frac{5}{3}$$

- $P \in E_2 \cap E_1$:

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{6} \left(\int_0^1 (v/2)(3v/2) + 9v^2/8 dv + \int_1^4 (v/2)(2-v/2) + (2-v/2)^2/2 dv \right) = \frac{4}{3} \leq \frac{5}{3}$$

Thus $\delta_P(S) = \frac{3}{5}$ if $P \in E_2$.

2). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - (v/2)E_2 \text{ and } N(v) = (v/2)E_2 \text{ for } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = \frac{3(2-v)(6+v)}{2} \text{ and } P(v) \cdot E_1 = 3v/2 \text{ for } v \in [0, 2]$$

Thus,

$$S_S(E_1) = \frac{1}{6} \left(\int_0^2 \frac{3(2-v)(6+v)}{2} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_1$. Note that if $P \in E_1 \setminus E_2$ we have

$$h(v) = 9v^2/8 \text{ for } v \in [0, 2]$$

Moreover if $P \in E_1 \setminus E_2$

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{6} \left(\int_0^2 9v^2/8 dv \right) = \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in E_1 \setminus E_2$.

3). Suppose $P \in E_3$ (or L_2). The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/3)(E_1 + 2E_2) & \text{if } v \in [0, 3/2] \\ -K_S - vE_3 - (v-1)(E_1 + 2E_2) - (2v-3)L_2 & \text{if } v \in [3/2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(E_1 + 2E_2) & \text{if } v \in [0, 3/2] \\ (v-1)(E_1 + 2E_2) + (2v-3)L_2 & \text{if } v \in [3/2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -(1/3)v^2 - 2v + 6 & \text{if } v \in [0, 3/2] \\ (3-v)^2 & \text{if } v \in [3/2, 3] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 1 + v/3 & \text{if } v \in [0, 3/2] \\ 3 - v & \text{if } v \in [3/2, 3] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{6} \left(\int_0^{3/2} -(1/3)v^2 - 2v + 6 dv + \int_{3/2}^3 (3-v)^2 dv \right) = \frac{5}{4}$$

Thus, $\delta_P(S) \leq \frac{4}{5}$ for $P \in E_3$. Moreover, if $P \in E_3 \setminus E_2$:

$$h(v) = \begin{cases} (1 + v/3)^2/2 & \text{if } v \in [0, 3/2] \\ (3-v)^2/2 & \text{if } v \in [3/2, 3] \end{cases}$$


Thus for $P \in E_3 \setminus E_2$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{6} \left(\int_0^{3/2} \frac{(1 + v/3)^2}{2} dv + \int_{3/2}^3 \frac{(3-v)^2}{2} dv \right) = \frac{7}{12} \leq \frac{5}{4}$$

We get that $\delta_P(S) = \frac{4}{5}$ for $P \in E_3 \setminus E_2$ (or $L_2 \setminus E_2$).

4). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup L_2$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose \tilde{L}_2, \tilde{E}_i are strict transforms of L_2, E_i for $i \in \{1, 2, 3\}$ respectively and L_{1P} is a new (-1) -curve. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{L}_2, L_{1P}, E_P \rangle$ with the intersections given by:

- $\tilde{E}_1 \cdot \tilde{E}_2 = 1,$
- $\tilde{E}_1 \cdot \tilde{E}_3 = 0,$
- $\tilde{E}_1 \cdot \tilde{L}_2 = 0,$
- $\tilde{E}_1 \cdot E_P = 0,$
- $\tilde{E}_1 \cdot L_{1P} = 1,$
- $\tilde{E}_2 \cdot \tilde{E}_3 = 1,$
- $\tilde{E}_2 \cdot \tilde{L}_2 = 1,$
- $\tilde{E}_2 \cdot E_P = 0,$
- $\tilde{E}_2 \cdot L_{1P} = 0,$
- $\tilde{E}_3 \cdot \tilde{L}_2 = 0,$
- $\tilde{E}_3 \cdot E_P = 0,$
- $\tilde{E}_3 \cdot L_{1P} = 0,$
- $\tilde{L}_2 \cdot E_P = 0,$
- $\tilde{L}_2 \cdot L_{1P} = 0,$
- $E_P \cdot L_{1P} = 1,$
- $\tilde{E}_1^2 = \tilde{E}_2^2 = -2,$
- $\tilde{E}_3^2 = E_P^2 = \tilde{L}_2^2 =$
- $L_{1P}^2 = -1.$



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(2\tilde{E}_1 + \tilde{E}_2 + 3L_{1P}) & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 2], \\ (v-2)(2\tilde{E}_1 + \tilde{E}_2 + 3L_{1P}) & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - v^2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 2], \\ 2(3 - v) & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{6} \left(\int_0^2 6 - v^2 dv + \int_2^3 2(3 - v)^2 dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{5/3} = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_2$. Moreover,

- If $O \in E_P \setminus L_{1P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 6(3 - v)(v - 2) + 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{6} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^3 6(v - 2)(3 - v) + 2(3 - v)^2 dv \right) = 1 > \frac{5}{6}$$

We get that $\delta_P(S) \geq 1$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_2$. □

4.6. Del Pezzo surface of degree 6 with A_1 and A_2 singularities and 1 line. Let S be a weak del Pezzo surface of degree 6 which can be obtained by blowing up \mathbb{P}^2 at point P_1 , after that blowing up a point P_2 which belongs to the exceptional divisor and after that blowing up P_3 which is the intersection of two negative curves. We have:

$$\delta_P(S) = \begin{cases} \frac{1}{2} & \text{if } P \in E_3, \\ \frac{3}{5} & \text{if } P \in E_2 \setminus E_3, \\ \frac{3}{4} & \text{if } P \in (E_1 \cup L_3) \setminus (E_2 \cup E_3), \\ \geq 1, & \text{otherwise} \end{cases} \quad \begin{array}{c} \text{X} \\ \diagdown \quad \diagup \\ E_1 \quad E_3 \\ \diagup \quad \diagdown \\ E_2 \quad L_3 \\ \text{X} \end{array}$$

(Note: In the diagram, E_1 and L_3 are labeled with (-2) , E_2 with (-2) , and E_3 with (-1) .)

where E_1 , E_2 and E_3 are negative curves coming from the exceptional divisors corresponding to P_1 , P_2 and P_3 respectively, and L_3 is the other negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, L_3 \rangle$

1). Suppose $P \in E_3$. The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = -K_S - vE_3 - (v/2)L_3 - (v/3)(E_1 + 2E_2) \quad \text{and} \quad N(v) = (v/2)L_3 + (v/3)(E_1 + 2E_2) \quad \text{for } v \in [0, 6]$$

Moreover,

$$(P(v))^2 = \frac{(6 - v)^2}{2} \quad \text{and} \quad P(v) \cdot E_3 = 1 - v/6 \quad \text{for } v \in [0, 6]$$

Thus,

$$S_S(E_3) = \frac{1}{6} \left(\int_0^6 \frac{(6 - v)^2}{2} dv \right) = 2$$

Thus, $\delta_P(S) \leq \frac{1}{2}$ for $P \in E_3$. Note that

- if $P \in E_3 \setminus (E_2 \cup L_3)$ then

$$h(v) = (1 - v/6)^2/2 \text{ for } v \in [0, 6]$$

- if $P \in E_3 \cap L_3$ then

$$h(v) = (v/2)(1 - v/6) + (1 - v/6)^2/2 \text{ for } v \in [0, 6]$$

- if $P \in E_3 \cap E_2$ then

$$h(v) = (2v/3)(1 - v/6) + (1 - v/6)^2/2 \text{ for } v \in [0, 6]$$

Moreover if $P \in E_3$

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{6} \left(\int_0^6 (2v/3)(1 - v/6) + \frac{(1 - v/6)^2}{2} dv \right) = \frac{5}{3} \leq 2$$

Thus $\delta_P(S) = \frac{1}{2}$ if $P \in E_3$.

2). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)E_1 & \text{for } v \in [0, 1] \\ -K_S - vE_2 - (v/2)E_1 - (v-1)(2E_3 + L_3) & \text{for } v \in [1, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 & \text{for } v \in [0, 1] \\ (v/2)E_1 + (v-1)(2E_3 + L_3) & \text{for } v \in [1, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 3(2-v)(2+v)/2 & \text{for } v \in [0, 1] \\ (4-v)^2/2 & \text{for } v \in [1, 4] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 3v/2 & \text{for } v \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 4] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{6} \left(\int_0^1 \frac{3(2-v)(2+v)}{2} dv + \int_1^4 \frac{(4-v)^2}{2} dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{5}$ for $P \in E_2$. Note that if

- $P \in E_2 \setminus (E_1 \cup E_3)$:

$$h(v) = \begin{cases} 9v^2/8 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 4] \end{cases}$$

- $P \in E_2 \cap E_1$:

$$h(v) = \begin{cases} (v/2)(3v/2) + 9v^2/8 & \text{for } v \in [0, 1] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 4] \end{cases}$$

So for $P \in E_2 \setminus E_3$ we have

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{6} \left(\int_0^1 (v/2)(3v/2) + 9v^2/8 dv + \int_1^4 (v-1)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv \right) = \frac{4}{3} \leq \frac{5}{3}$$

Thus $\delta_P(S) = \frac{3}{5}$ if $P \in E_2$.

3). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - (v/2)E_2 \text{ and } N(v) = (v/2)E_2 \text{ for } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = \frac{(2-v)(2+v)}{2} \text{ and } P(v) \cdot E_1 = 3v/2 \text{ for } v \in [0, 2]$$

Thus,

$$S_S(E_1) = \frac{1}{6} \left(\int_0^2 \frac{(2-v)(2+v)}{2} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_1$. Note that if $P \in E_1 \setminus E_2$ then

$$h(v) = 9v^2/8 \text{ for } v \in [0, 2]$$

Moreover for these P

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{6} \left(\int_0^2 9v^2/8 dv \right) = 1 \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in E_1 \setminus E_2$.

4). Suppose $P \in L_3$. The Zariski Decomposition of the divisor $-K_S - vL_3$ is given by:

$$P(v) = \begin{cases} -K_S - vL_3 & \text{for } v \in [0, 1] \\ -K_S - vL_3 - (v-1)(E_1 + 2E_2 + 3E_3) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(E_1 + 2E_2 + 3E_3) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 2(3-v^2) & \text{for } v \in [0, 1] \\ (3-v)^2 & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_3 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 3-v & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(L_3) = \frac{1}{6} \left(\int_0^1 2(3-v^2) dv + \int_1^3 (3-v)^2 dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in L_3$. Note that if $P \in L_3 \setminus E_3$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (3-v)^2/2 & \text{for } v \in [1, 3] \end{cases}$$


So we have

$$S(W_{\bullet, \bullet}^{L_3}; P) \leq \frac{2}{6} \left(\int_0^1 2v^2 dv + \int_1^3 (3-v)^2/2 dv \right) = \frac{2}{3} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in L_3 \setminus E_3$.

4). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose \tilde{L}_3, \tilde{E}_i are strict transforms of L_3, E_i for $i \in \{1, 2, 3\}$ respectively and L_{1P} is a new (-1) -curve. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{L}_2, L_{1P}, E_P \rangle$ with the intersections given by:

- $\tilde{E}_1 \cdot \tilde{E}_2 = 1,$
- $\tilde{E}_1 \cdot \tilde{E}_3 = 0,$
- $\tilde{E}_1 \cdot \tilde{L}_3 = 0,$
- $\tilde{E}_1 \cdot E_P = 0,$
- $\tilde{E}_1 \cdot L_{1P} = 1,$
- $\tilde{E}_2 \cdot \tilde{E}_3 = 1,$
- $\tilde{E}_2 \cdot \tilde{L}_3 = 0,$
- $\tilde{E}_2 \cdot E_P = 0,$
- $\tilde{E}_2 \cdot L_{1P} = 0,$
- $\tilde{E}_3 \cdot \tilde{L}_3 = 1,$
- $\tilde{E}_3 \cdot E_P = 0,$
- $\tilde{E}_3 \cdot L_{1P} = 0,$
- $\tilde{L}_3 \cdot E_P = 0,$
- $\tilde{L}_3 \cdot L_{1P} = 0,$
- $E_P \cdot L_{1P} = 1,$
- $\tilde{E}_1^2 = \tilde{E}_2^2 = \tilde{L}_3^2 = -2,$
- $\tilde{E}_3^2 = E_P^2 = L_{1P}^2 = -1.$



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(2\tilde{E}_1 + \tilde{E}_2 + 3L_{1P}) & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 2], \\ (v-2)(2\tilde{E}_1 + \tilde{E}_2 + 3L_{1P}) & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 6 - v^2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 2], \\ 2(3 - v) & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{6} \left(\int_0^2 6 - v^2 dv + \int_2^3 2(3 - v)^2 dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{5/3} = \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_3$. Moreover,

- If $O \in E_P \setminus L_{1P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 2], \\ 6(3 - v)(v - 2) + 2(3 - v)^2 & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{6} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^3 6(v-2)(3-v) + 2(3-v)^2 dv \right) = 1 > \frac{5}{6}$$

We get that $\delta_P(S) \geq 1$ for $P \notin E_1 \cup E_2 \cup E_3 \cup L_3$. □

4.7. Summary of results for degree 6. The local δ -invariants of Weak del Pezzo surfaces of degree 6 are given by the following table:

S	Curves on S , $K_S^2 = 6$	(-2) -curves	$\delta_P(S)$
dP_6		\emptyset	$\begin{cases} 1 & \text{if } P \in (-1)\text{-curve,} \\ \frac{6}{5}, & \text{otherwise.} \end{cases}$
Weak dP_6		A_1	$\begin{cases} \frac{3}{4} & \text{if } P \in L_{123}, \\ \frac{9}{10} & \text{if } P \in (E_1 \cup E_2 \cup E_3) \setminus L_{123}, \\ \frac{6}{5}, & \text{otherwise} \end{cases}$
Weak dP_6		A_1	$\begin{cases} \frac{9}{11} & \text{if } P \in E_1 \cup E_3 \cup L_{12}, \\ 1 & \text{if } P \in (L_2 \cup E_2) \setminus (E_3 \cup L_{12}), \\ \geq \frac{9}{8}, & \text{otherwise} \end{cases}$
Weak dP_6		$2A_1$	$\begin{cases} \frac{9}{14} & \text{if } P \in E_3, \\ \frac{3}{4} & \text{if } P \in L_{23} \setminus E_3, \\ \frac{9}{11} & \text{if } P \in E_1 \setminus E_3, \\ \frac{9}{10} & \text{if } P \in E_2 \setminus L_{23}, \\ \geq \frac{9}{8}, & \text{otherwise} \end{cases}$
Weak dP_6		A_2	$\begin{cases} \frac{3}{5} & \text{if } P \in E_2, \\ \frac{3}{4} & \text{if } P \in E_1 \setminus E_2, \\ \frac{4}{5} & \text{if } P \in (L_1 \cup E_3) \setminus E_2, \\ \geq 1, & \text{otherwise} \end{cases}$

S	Curves on S , $K_S^2 = 6$	(-2) -curves	$\delta_P(S)$
Weak dP_6		$A_1 + A_2$	$\begin{cases} \frac{1}{2} & \text{if } P \in E_3, \\ \frac{3}{5} & \text{if } P \in E_2 \setminus E_3, \\ \frac{3}{4} & \text{if } P \in (E_1 \cup L_3) \setminus (E_2 \cup E_3), \\ \geq 1, & \text{otherwise} \end{cases}$

Table 5: Weak del Pezzo surfaces of degree 6

Which proves that the δ -invariants of weak del Pezzo surfaces of degree 6 are given in the following table:

S	Curves on S , $K_S^2 = 6$	(-2) -curves	$\delta(S)$
dP_6		\emptyset	1
Weak dP_6		A_1	$\frac{3}{4}$
Weak dP_6		A_1	$\frac{9}{11}$
Weak dP_6		$2A_1$	$\frac{9}{14}$

S	Curves on S , $K_S^2 = 6$	(-2) -curves	$\delta(S)$
Weak dP_6		A_2	$\frac{3}{5}$
Weak dP_6		$A_1 + A_2$	$\frac{1}{2}$

Table 6: Weak del Pezzo surfaces of degree 6

This immediately proves Main Theorem for Du Val del Pezzo surfaces of degree 6.

5. DEL PEZZO SURFACES OF DEGREE 5

5.1. Smooth del Pezzo surface of degree 5. Let S be a smooth del Pezzo surface of degree 5. It can be obtained by blowing up \mathbb{P}^2 at four points P_1, P_2, P_3, P_4 such that no three of them are contained in one line. Let E_1, E_2, E_3 and E_4 be the exceptional curves of this blow up that are mapped to the points P_1, P_2, P_3 and P_4 , respectively. For every $1 \leq i < j \leq 4$, we denote by L_{ij} the proper transform on S of the line in \mathbb{P}^2 that passes through the points P_i and P_j . Then $E_1, E_2, E_3, E_4, L_{12}, L_{13}, L_{14}, L_{23}, L_{24}, L_{34}$ are all (-1) -curves in the surface S . On S we have

$$\delta_P(S) = \begin{cases} \frac{15}{13} & \text{if } P \in (-1)\text{-curve,} \\ \frac{4}{3}, & \text{otherwise.} \end{cases}$$

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, L_{12}, L_{13}, L_{14}, L_{23}, L_{24}, L_{34} \rangle$.

1). Suppose $P \in E_1$. The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1, & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v - 1)(L_{12} + L_{13} + L_{14}), & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 1] \\ (v - 1)(L_{12} + L_{13} + L_{14}), & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 5, & \text{if } v \in [0, 1] \\ 2(2 - v)^2, & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} v + 1, & \text{if } v \in [0, 1] \\ 2(2 - v), & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{5} \left(\int_0^1 -v^2 - 2v + 5dv + \int_1^2 2(2-v)^2 dv \right) = \frac{15}{13}$$

Thus, $\delta_P(S) \leq \frac{15}{13}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (L_{12} \cup L_{13} \cup L_{14})$:

$$h(v) = \begin{cases} (v+1)^2/2, & \text{if } v \in [0, 1] \\ 2(2-v)^2, & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap (L_{12} \cup L_{13} \cup L_{14})$:

$$h(v) = \begin{cases} (v+1)^2/2, & \text{if } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2, & \text{if } v \in [1, 2] \end{cases}$$


Thus:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{5} \left(\int_0^1 \frac{(v+1)^2}{2} dv + \int_1^2 2(v-1)(2-v) + 2(2-v)^2 dv \right) = \frac{15}{13}$$

We get that $\delta_P(S) = \frac{15}{13}$ for $P \in E_1$ (similarly for $P \in E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{23} \cup L_{24} \cup L_{34}$).

2). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{23} \cup L_{24} \cup L_{34}$. Consider the blowup $\pi : \tilde{S}_5 \rightarrow S$ of S at P . Suppose $L_{1P}, L_{2P}, L_{3P}, L_{4P}, Q$ are new (-1) -curves. For $i, j, k, l \in \{1, \dots, 4\}$ we have

- $\tilde{E}_i \cdot \tilde{E}_j = 0$ for $i \neq j$,
- $\tilde{E}_i \cdot \tilde{L}_{jk} = \begin{cases} 1, & \text{if } i \in \{j, k\}, \\ 0 & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot E_P = 0$,
- $\tilde{E}_i \cdot L_{jP} = \begin{cases} 1, & \text{if } i = j, \\ 0 & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot Q = 1$,
- $\tilde{L}_{ij} \cdot L_{kP} = \begin{cases} 1, & \text{if } k \notin \{i, j\}, \\ 0 & \text{otherwise,} \end{cases}$
- $\tilde{L}_{ij} \cdot E_P = 0$,
- $\tilde{L}_{ij} \cdot Q = 0$,
- $L_{iP} \cdot E_P = 1$,
- $L_{iP} \cdot Q = 0$,
- $E_P \cdot Q = 1$,



- $\tilde{L}_{ij} \cdot \tilde{L}_{kl} = \begin{cases} 1, & \text{if } \{i, j\} \cap \{k, l\} = \emptyset, \\ 0 & \text{otherwise,} \end{cases}$
- $\tilde{E}_i^2 = E_P^2 = \tilde{L}_{ij}^2 = L_{iP}^2 = Q^2$.

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(L_{1P} + L_{2P} + L_{3P} + L_{4P} + Q), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v - 2)(L_{1P} + L_{2P} + L_{3P} + L_{4P} + Q), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 5 - v^2 dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{23} \cup L_{24} \cup L_{34}$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P} \cup L_{3P} \cup L_{4P} \cup Q)$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap (L_{1P} \cup L_{2P} \cup L_{3P} \cup L_{4P} \cup Q)$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$


Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 2(v - 1)(5 - 2v) + 2(5 - 2v)^2 dv \right) = \frac{7}{10} \leq \frac{3}{4}$$

We get that $\delta_P(S) = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{23} \cup L_{24} \cup L_{34}$. \square

5.2. Del Pezzo surface of degree 5 with A_1 singularity and 7 lines. Let S be a weak del Pezzo surface of degree 5 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and P_3 which belong to the same line and a point P_4 which does not belong to it. We have:

$$\delta_P(S) = \begin{cases} \frac{15}{17} & \text{if } P \in L_{123}, \\ 1 & \text{if } P \in (E_1 \cup E_2 \cup E_3) \setminus L_{123}, \\ \frac{15}{13} & \text{if } P \in L_1 \cup L_2 \cup L_3 \cup E_4, \\ \frac{4}{3}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4 are exceptional divisors corresponding to P_1, P_2, P_3, P_4 respectively, L_{123} is a strict transform of the line passing through P_1, P_2 and P_3 , L_i are strict transforms of the lines passing through P_i and P_4 for $i \in \{1, 2, 3\}$.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, L_{123}, L_1, L_2, L_3 \rangle$.

1). Suppose $P \in L_{123}$. The Zariski Decomposition of the divisor $-K_S - vL_{123}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{123} & \text{for } v \in [0, 1] \\ -K_S - vL_{123} - (v-1)(E_1 + E_2 + E_3) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(E_1 + E_2 + E_3) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 2v^2 & \text{for } v \in [0, 1] \\ (2-v)(4-v) & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot L_{123} = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 3 - v & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_{123}) = \frac{1}{5} \left(\int_0^1 5 - 2v^2 dv + \int_1^2 (2-v)(4-v) dv \right) = \frac{17}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{17}$ for $P \in L_{123}$. Note that we have:

- if $P \in L_{123} \setminus (E_1 \cup E_2 \cup E_3)$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (3-v)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in L_{123} \cap (E_1 \cup E_2 \cup E_3)$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So we have

$$S(W_{\bullet, \bullet}^{L_{123}}; P) \leq \frac{2}{5} \left(\int_0^1 2v^2 dv + \int_1^2 (v-1)(3-v) + (3-v)^2/2 dv \right) = 1 \leq \frac{17}{15}$$

Thus $\delta_P(S) = \frac{15}{17}$ if $P \in L_{123}$.

2). Suppose $P \in E_1$ (or E_2 , or E_3). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - (v/2)L_{123} & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v/2)L_{123} - (v-1)L_1 & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{123} & \text{for } v \in [0, 1] \\ (v/2)L_{123} + (v-1)L_1 & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 5 & \text{for } v \in [0, 1] \\ \frac{(2-v)(6+v)}{2} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1 + v/2 & \text{for } v \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{6} \left(\int_0^1 -(1/2)v^2 - 2v + 5 dv + \int_1^2 \frac{(2-v)(6+v)}{2} dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$ (from symmetry we also have $\delta_P(S) \leq 1$ for $P \in E_2 \cup E_3$). Note that

- if $P \in E_1 \setminus (L_{123} \cup L_1)$ then

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap L_1$ then

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{for } v \in [0, 1] \\ (v - 1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{5} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 (v - 1)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv \right) = 1$$

Thus $\delta_P(S) = 1$ if $P \in (E_1 \cup E_2 \cup E_3) \setminus L_{123}$.

3). Suppose $P \in L_1$ (or L_2 , or L_3). The Zariski Decomposition of the divisor $-K_S - vL_1$ is given by:

$$P(v) = \begin{cases} -K_S - vL_1 & \text{for } v \in [0, 1] \\ -K_S - vL_1 - (v - 1)(2E_1 + E_4 + L_{123}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$\begin{cases} N(v) = 0 & \text{for } v \in [0, 1] \\ (2E_1 + E_4 + L_{123}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 5 & \text{for } v \in [0, 1] \\ 2(v - 2)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot L_1 = \begin{cases} 1 + v & \text{for } v \in [0, 1] \\ 2(2 - v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_1) = \frac{1}{5} \left(\int_0^1 -v^2 - 2v + 5 dv + \int_1^2 2(v - 2)^2 dv \right) = \frac{13}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{13}$ for $P \in L_1$ (from symmetry we also have $\delta_P(S) \leq \frac{15}{13}$ for $P \in L_2 \cup L_3$). Note that

- if $P \in L_1 \setminus (E_1 \cup E_4)$ then

$$h(v) = \begin{cases} (1 + v)^2/2 & \text{for } v \in [0, 1] \\ 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in L_1 \cap E_4$ then

$$h(v) = \begin{cases} (1 + v)^2/2 & \text{for } v \in [0, 1] \\ 2(v - 1)(2 - v) + 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases}$$

Moreover if $P \in L_1 \setminus E_1$

$$S(W_{\bullet, \bullet}^{L_1}; P) = \frac{2}{5} \left(\int_0^1 \frac{(1 + v)^2}{2} dv + \int_1^2 2(v - 1)(2 - v) + 2(2 - v)^2 dv \right) = \frac{13}{15}$$

Thus $\delta_P(S) = \frac{15}{13}$ if $P \in (L_1 \cup L_2 \cup L_3) \setminus (E_1 \cup E_2 \cup E_3)$.

3). Suppose $P \in E_4$. The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 & \text{for } v \in [0, 1] \\ -K_S - vE_4 - (v-1)(L_1 + L_2 + L_3) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (L_1 + L_2 + L_3) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 5 & \text{for } v \in [0, 1] \\ 2(v-2)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and} \quad P(v) \cdot E_4 = \begin{cases} 1 + v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{5} \left(\int_0^1 -v^2 - 2v + 5 dv + \int_1^2 2(v-2)^2 dv \right) = \frac{13}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{13}$ for $P \in E_4$. Note that if $P \in E_4 \setminus (L_1 \cup L_2 \cup L_3)$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$


so

$$S(W_{\bullet, \bullet}^{E_4}; P) = \frac{2}{5} \left(\int_0^1 \frac{(1+v)^2}{2} dv + \int_1^2 2(2-v)^2 dv \right) \leq \frac{13}{15}$$

Thus $\delta_P(S) = \frac{15}{13}$ if $P \in E_4 \setminus (L_1 \cup L_2 \cup L_3)$.

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{123} \cup L_1 \cup L_2 \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{123}, \tilde{L}_i, \tilde{E}_j$ are strict transforms of L_{123}, E_i for $i \in \{1, 2, 3\}, j \in \{1, 2, 3, 4\}$ respectively and L_{kP} for $k \in \{1, 2, 3, 4\}$ are new (-1) -curves. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{E}_4, \tilde{L}_{123}, \tilde{L}_1, \tilde{L}_2, \tilde{L}_3, \tilde{L}_4, L_{1P}, L_{2P}, L_{3P}, L_{4P}, E_P \rangle$. Suppose $i, j \in \{1, 2, 3, 4\}, k \in \{1, 2, 3\}$ then the intersections given by:

- $\tilde{L}_{123} \cdot \tilde{E}_i = \begin{cases} 1 & \text{if } i \neq 4, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{L}_{123} \cdot \tilde{L}_k = 0,$
- $\tilde{L}_{123} \cdot L_{iP} = \begin{cases} 1 & \text{if } i = 4, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{L}_{123} \cdot E_P = 0,$
- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j,$
- $\tilde{E}_i \cdot \tilde{L}_k = \begin{cases} 1 & \text{if } i \in \{k, 4\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot L_{jP} = \begin{cases} 1 & \text{if } i = j, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot E_P = 0,$
- $\tilde{L}_k \cdot L_{iP} = \begin{cases} 1 & \text{if } k \neq i, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{L}_k \cdot E_P = 0,$
- $L_{iP} \cdot E_P = 1.$
- $\tilde{L}_{123}^2 = -2,$
- $\tilde{E}_i^2 = \tilde{L}_k^2 = L_{iP}^2 = E_P^2 = -1.$



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v - 2)(L_{1P} + L_{2P} + L_{3P} + 2L_{4P} + \tilde{L}_{123}), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v - 2)(L_{1P} + L_{2P} + L_{3P} + 2L_{4P} + \tilde{L}_{123}), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 (5 - v^2) dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{123} \cup L_1 \cup L_2 \cup L_3$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P} \cup L_{3P} \cup L_{4P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap (L_{1P} \cup L_{2P} \cup L_{3P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{4P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 4(5-2v)(v-2) + 2(5-2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$


Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 4(v-1)(5-2v) + 2(5-2v)^2 dv \right) = \frac{11}{15} \leq \frac{3}{4}$$

We get that $\delta_P(S) = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{123} \cup L_1 \cup L_2 \cup L_3$. \square

5.3. Del Pezzo surface of degree 5 with two A_1 singularities and 5 lines. Let S be a weak del Pezzo surface of degree 5 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and P_3 which does not belong to the same line and after that blowing up a point P_4 which is the intersection of the exceptional divisor corresponding to P_1 and a strict transform of the line connecting P_1 and P_2 . We have:

$$\delta_P(S) = \begin{cases} \frac{15}{19} & \text{if } P \in E_4, \\ \frac{15}{17} & \text{if } P \in (E_1 \cup E_3) \setminus E_4, \\ 1 & \text{if } P \in (L_{13} \cup E_2) \setminus (E_1 \cup E_3), \\ \frac{15}{13} & \text{if } P \in (E_3 \cup L_{23}) \setminus (L_{13} \cup E_2), \\ \frac{4}{3}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4 respectively, L_{13}, L_{24}, L_{23} are coming from strict transforms of the lines connecting P_1 and P_3, P_1 and P_2, P_2 and P_3 respectively.

Proof. We have $\overline{NE}(S) = \langle E_1, E_2, E_3, E_4, L_{13}, L_{23}, L_{24} \rangle$.

1). Suppose $P \in E_4$. The Zariski decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - (v/2)(L_{24} + E_1), & \text{if } v \in [0, 2] \\ -K_S - vE_4 - (v-1)(L_{24} + E_1) - (v-2)(L_{13} + E_2), & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)(L_{24} + E_1), & \text{if } v \in [0, 2] \\ (v-1)(L_{24} + E_1) + (v-2)(L_{13} + E_2), & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5-2v, & \text{if } v \in [0, 2] \\ (3-v)^2, & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 1, & \text{if } v \in [0, 2] \\ 3-v, & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_4) = \frac{1}{5} \left(\int_0^2 5-2v dv + \int_2^3 (3-v)^2 dv \right) = \frac{19}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{19}$ for $P \in E_4$. Moreover,

- If $P \in E_4 \setminus (E_1 \cup L_{24})$:

$$h(v) = \begin{cases} 1/2, & \text{if } v \in [0, 2] \\ (3-v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

- If $P \in E_4 \cap (E_1 \cup L_{24})$:

$$h(v) = \begin{cases} (v/2) + 1/2, & \text{if } v \in [0, 2] \\ (v-1)(3-v) + (3-v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{5} \left(\int_0^2 \frac{1+v}{2} dv + \int_2^3 (v-1)(3-v) + \frac{(3-v)^2}{2} dv \right) = \frac{17}{15} \leq \frac{19}{15}$$

We get that $\delta_P(S) = \frac{15}{19}$ for $P \in E_4$.

2). Suppose $P \in E_1$ (or L_{24}). The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1, & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(L_{13} + L_{24} + 2E_4), & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 1] \\ (v-1)(L_{13} + L_{24} + 2E_4), & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 2v^2, & \text{if } v \in [0, 1] \\ (2-v)(4-v), & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v, & \text{if } v \in [0, 1] \\ 3-v, & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{5} \left(\int_0^1 5 - 2v^2 dv + \int_1^2 (2-v)(4-v) dv \right) = \frac{17}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{17}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (E_4 \cup L_{13})$:

$$h(v) = \begin{cases} 2v^2, & \text{if } v \in [0, 1] \\ (3-v)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap L_{13}$:

$$h(v) = \begin{cases} 2v^2, & \text{if } v \in [0, 1] \\ (v-1)(3-v) + (3-v)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

Thus for $P \in E_1 \setminus E_4$:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{5} \left(\int_0^1 2v^2 dv + \int_1^2 (v-1)(3-v) + \frac{(3-v)^2}{2} dv \right) = \frac{13}{15} \leq \frac{17}{15}$$

We get that $\delta_P(S) = \frac{15}{17}$ for $P \in E_1 \setminus E_4$ (or $P \in L_{24} \setminus E_2$).

3). Suppose $P \in E_2$ (or L_{13}). The Zariski decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)L_{24}, & \text{if } v \in [0, 1] \\ -K_S - vE_2 - (v-1)L_{23} - (v/2)L_{24}, & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{24}, & \text{if } v \in [0, 1] \\ (v-1)L_{23} + (v/2)L_{24}, & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 5, & \text{if } v \in [0, 1] \\ \frac{(2-v)(6-v)}{2}, & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 1 + v/2, & \text{if } v \in [0, 1] \\ 2 - v/2, & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_2) = \frac{1}{5} \left(\int_0^1 -v^2/2 - 2v + 5 dv + \int_1^2 \frac{(2-v)(6-v)}{2} dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_2$. Moreover,

- If $P \in E_2 \setminus (L_{23} \cup L_{24})$:

$$h(v) = \begin{cases} (1 + v/2)^2/2, & \text{if } v \in [0, 1] \\ (2 - v/2)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_2 \cap L_{23}$:

$$h(v) = \begin{cases} (1 + v/2)^2/2, & \text{if } v \in [0, 1] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

Thus for $P \in E_2 \setminus L_{24}$:

$$S(W_{\bullet, \bullet, \bullet}^{E_2}; P) \leq \frac{2}{5} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 (v-1)(2 - (v/2)) + \frac{(2 - v/2)^2}{2} dv \right) = \frac{13}{15} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in E_2 \setminus L_{24}$ (or $P \in L_{14} \setminus E_1$).

4). Suppose $P \in E_3$ (or L_{23}). The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3, & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v-1)(L_{23} + 2L_{13} + E_1), & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 1] \\ (v-1)(L_{23} + 2L_{13} + E_1), & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 5, & \text{if } v \in [0, 1] \\ 2(2 - v)^2, & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 1 + v, & \text{if } v \in [0, 1] \\ 2(2 - v), & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{5} \left(\int_0^1 -v^2 - 2v + 5 dv + \int_1^2 2(2 - v)^2 dv \right) = \frac{15}{13}$$

Thus, $\delta_P(S) \leq \frac{13}{15}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (L_{13} \cup L_{23})$:

$$h(v) = \begin{cases} (1+v)^2/2, & \text{if } v \in [0, 1] \\ 2(2-v)^2, & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_3 \cap L_{23}$:

$$h(v) = \begin{cases} (1+v)^2/2, & \text{if } v \in [0, 1] \\ 4(v-1)(2-v) + 2(2-v)^2, & \text{if } v \in [1, 2] \end{cases}$$


Thus for $P \in E_3 \setminus L_{14}$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{5} \left(\int_0^1 \frac{(1+v)^2}{2} dv + \int_1^2 2(v-1)(2-v) + 2(2-v)^2 dv \right) = \frac{13}{15}$$

We get that $\delta_P(S) = \frac{15}{13}$ for $P \in E_3 \setminus L_{14}$ (or $P \in L_{23} \setminus E_2$).

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{13} \cup L_{23} \cup L_{24}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{13}, \tilde{L}_{23}, L_{24}, \tilde{E}_i$ are strict transforms of $L_{13}, L_{23}, L_{24}, E_i$ for $i \in \{1, 2, 3, 4\}$ respectively and L_{jP} for $j \in \{1, 2, 3\}$ are new (-1) -curves. Then $NE(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{E}_4, \tilde{L}_{13}, \tilde{L}_{23}, \tilde{L}_{24}, L_{1P}, L_{2P}, L_{3P}, E_P \rangle$. Suppose $i, j, k \in \{1, 2, 3, 4\}$ then the intersections given by:

- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j$,
- $\tilde{E}_i \cdot \tilde{L}_{jk} = \begin{cases} 1 & \text{if } i \in \{j, k\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot L_{jP} = \begin{cases} 1 & \text{if } i = j, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot E_P = 0$,
- $\tilde{L}_{ij} \cdot L_{kP} = \begin{cases} 1 & \text{if } k \notin \{i, j\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{L}_{ij} \cdot E_P = 0$,
- $L_{iP} \cdot E_P = 1$,
- $\tilde{L}_{13} \cdot \tilde{L}_{23} = 0$,
- $\tilde{L}_{13} \cdot \tilde{L}_{24} = 0$,
- $\tilde{L}_{23} \cdot \tilde{L}_{24} = 0$,
- $\tilde{E}_1^2 = \tilde{L}_{24}^2 = -2$,
- $\tilde{E}_2^2 = \tilde{E}_3^2 = \tilde{E}_4^2 = E_P^2 = -1$,
- $\tilde{L}_{ij}^2 = L_{iP}^2 = -1$.



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(2L_{1P} + L_{2P} + 2L_{3P} + E_1), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v-2)(2L_{1P} + L_{2P} + 2L_{3P} + E_1), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 5 - v^2 dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{13} \cup L_{23} \cup L_{24}$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P} \cup L_{3P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{2P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap (L_{1P} \cup L_{3P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 4(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$


Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 4(v - 1)(5 - 2v) + 2(5 - 2v)^2 dv \right) = \frac{11}{15} \leq \frac{3}{4}$$

We get that $\delta_P(S) = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{13} \cup L_{23} \cup L_{24}$. \square

5.4. Del Pezzo surface of degree 5 with A_1 and A_2 singularities and 3 lines. Let S be a weak del Pezzo surface of degree 5 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and after that blowing up a point P_3 which belongs to the exceptional divisor corresponding to P_1 but is not the intersection of this divisor and a strict transform of the line passing through P_1 and P_2 , and P_4 which is the intersection of the exceptional divisor corresponding to P_2 and a strict transform of the line connecting P_1 and P_2 . We have:

$$\delta_P(S) = \begin{cases} \frac{15}{23} & \text{if } P \in E_4, \\ \frac{5}{7} & \text{if } P \in L_{14} \setminus E_4, \\ \frac{15}{19} & \text{if } P \in E_1 \setminus L_{14}, \\ \frac{15}{17} & \text{if } P \in (E_2 \cup E_3) \setminus (E_1 \cup E_4), \\ \frac{15}{13} & \text{if } P \in L_3 \setminus E_3, \\ \geq \frac{30}{23}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4 respectively, L_{14} is coming from strict transforms of the line connecting P_1 and P_2 and L_3 is the other negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, L_{14}, L_3 \rangle$.

1). Suppose $P \in E_4$. The Zariski decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - (v/3)(2L_{14} + E_1) - (v/2)E_2, & \text{if } v \in [0, 3] \\ -K_S - vE_4 - (v-1)L_{14} - (v-2)E_1 - (v/2)E_2 - (v-3)E_3, & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(2L_{14} + E_1) + (v/2)E_2, & \text{if } v \in [0, 3] \\ (v-1)L_{14} + (v-2)E_1 + (v/2)E_2 + (v-3)E_3, & \text{if } v \in [3, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} v^2/6 - 2v + 5, & \text{if } v \in [0, 2] \\ (4-v)^2/2, & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 1 - v/6, & \text{if } v \in [0, 3] \\ 2 - v/2, & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(E_4) = \frac{1}{5} \left(\int_0^3 v^2/6 - 2v + 5 dv + \int_3^4 \frac{(4-v)^2}{2} dv \right) = \frac{23}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{23}$ for $P \in E_4$. Moreover,

- If $P \in E_4 \setminus (E_2 \cup L_{14})$:

$$h(v) = \begin{cases} (1 - v/6)^2/2, & \text{if } v \in [0, 3] \\ (2 - v/2)^2/2, & \text{if } v \in [3, 4] \end{cases}$$

- If $P \in E_4 \cap E_2$:

$$h(v) = \begin{cases} (v/2)(1 - v/6) + (1 - v/6)^2/2, & \text{if } v \in [0, 3] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [3, 4] \end{cases}$$

- If $P \in E_4 \cap L_{14}$:

$$h(v) = \begin{cases} (2v/3)(1 - v/6) + (1 - v/6)^2/2, & \text{if } v \in [0, 3] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [3, 4] \end{cases}$$

Thus:

- If $P \in E_4 \setminus (E_2 \cup L_{14})$:

$$S(W_{\bullet, \bullet, \bullet}^{E_4}; P) = \frac{2}{5} \left(\int_0^3 \frac{(1 - v/6)^2}{2} dv + \int_3^4 \frac{(2 - v/2)^2}{2} dv \right) = \frac{11}{30} \leq \frac{23}{15}$$

- If $P \in E_4 \cap E_2$:

$$S(W_{\bullet, \bullet, \bullet}^{E_4}; P) = \frac{2}{5} \left(\int_0^3 (v/2)(1 - v/6) + \frac{(1 - v/6)^2}{2} dv + \int_3^4 (v/2)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv \right) = \frac{17}{15} \leq \frac{23}{15}$$

- If $P \in E_4 \cap L_{14}$:

$$S(W_{\bullet, \bullet, \bullet}^{E_4}; P) = \frac{2}{5} \left(\int_0^3 (2v/3)(1 - v/6) + \frac{(1 - v/6)^2}{2} dv + \int_3^4 (v-1)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv \right) = \frac{7}{5} \leq \frac{23}{15}$$

We get that $\delta_P(S) = \frac{15}{23}$ for $P \in E_4$.

2). Suppose $P \in L_{14}$. The Zariski decomposition of the divisor $-K_S - vL_{14}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{14} - (v/2)E_1, & \text{if } v \in [0, 1] \\ -K_S - vL_{14} - (v/2)E_1 - (v-1)(E_2 + 2E_4), & \text{if } v \in [1, 2] \\ -K_S - vL_{14} - (v-1)(E_1 + E_2 + 2E_4) - (v-2)E_3, & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1, & \text{if } v \in [0, 1] \\ (v/2)E_1 + (v-1)(E_2 + 2E_4), & \text{if } v \in [1, 2] \\ (v-1)(E_1 + E_2 + 2E_4) + (v-2)E_3, & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 3v^2/2, & \text{if } v \in [0, 1] \\ v^2/2 - 4v + 7, & \text{if } v \in [1, 2] \\ (3-v)^2, & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot L_{14} = \begin{cases} 3v/2, & \text{if } v \in [0, 1] \\ 2 - v/2, & \text{if } v \in [1, 2] \\ 3 - v, & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(L_{14}) = \frac{1}{5} \left(\int_0^1 5 - 3v^2/2 dv + \int_1^2 v^2/2 - 4v + 7 dv + \int_2^3 (3-v)^2 dv \right) = \frac{7}{5}$$

Thus, $\delta_P(S) \leq \frac{5}{7}$ for $P \in L_{14}$. Moreover,

- If $P \in L_{14} \setminus (E_1 \cup E_4)$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (2 - v/2)^2/2, & \text{if } v \in [1, 2] \\ (3 - v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

- If $P \in L_{14} \cap E_1$:

$$h(v) = \begin{cases} (v/2)(3v/2) + 9v^2/8, & \text{if } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [1, 2] \\ (v/2)(3 - v) + (3 - v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{L_{14}}; P) \leq \frac{2}{5} \left(\int_0^1 (v/2)(3v/2) + 9v^2/8 dv + \int_1^2 (v/2)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv + \int_2^3 (v/2)(3 - v) + \frac{(3 - v)^2}{2} dv \right) = \frac{8}{15} \leq \frac{7}{5}$$

We get that $\delta_P(S) = \frac{5}{7}$ for $P \in L_{14} \setminus E_4$.

3). Suppose $P \in E_1$. The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - (v/2)L_{14}, & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v/2)L_{14} - (v-1)E_3, & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{14}, & \text{if } v \in [0, 1] \\ (v/2)L_{14} + (v-1)E_3, & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 3v^2/2, & \text{if } v \in [0, 1] \\ \frac{(2-v)(6+2)}{2}, & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 3v/2, & \text{if } v \in [0, 1] \\ 1 + v/2, & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{5} \left(\int_0^1 5 - 3v^2/2 dv + \int_1^3 \frac{(2-v)(6+2)}{2} dv \right) = \frac{19}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{19}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (E_3 \cup L_{14})$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (1 + v/2)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap E_3$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (v-1)(1+v/2) + (1+v/2)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

Thus for $P \in E_1 \setminus L_{14}$:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{5} \left(\int_0^1 9v^2/8 dv + \int_1^2 (v-1)(1+v/2) + \frac{(1+v/2)^2}{2} dv \right) = \frac{17}{15} \leq \frac{19}{15}$$

We get that $\delta_P(S) = \frac{15}{19}$ for $P \in E_1 \setminus L_{14}$.

4). Suppose $P \in E_2$. The Zariski decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2, & \text{if } v \in [0, 1] \\ -K_S - vE_2 - (v-1)(E_1 + 3E_4 + 2L_{14}), & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 1] \\ (v-1)(E_1 + 3E_4 + 2L_{14}), & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 2v^2, & \text{if } v \in [0, 1] \\ (2-v)(4-v), & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 2v, & \text{if } v \in [0, 1] \\ 3-v, & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_2) = \frac{1}{5} \left(\int_0^1 5 - 2v^2 dv + \int_1^2 (2-v)(4-v) dv \right) = \frac{17}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{17}$ for $P \in E_2$. Moreover if $P \in E_2 \setminus E_4$:

$$h(v) = \begin{cases} 2v^2, & \text{if } v \in [0, 1] \\ (3-v)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

Thus for $P \in E_2 \setminus E_4$:

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{5} \left(\int_0^1 2v^2 dv + \int_1^2 \frac{(3-v)^2}{2} dv \right) = \frac{11}{15} \leq \frac{17}{15}$$

We get that $\delta_P(S) = \frac{15}{17}$ for $P \in E_2 \setminus E_4$.

5). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/3)(2E_1 + L_{14}), & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v/3)(2E_1 + L_{14}) - (v-1)L_3, & \text{if } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(2E_1 + L_{14}), & \text{if } v \in [0, 1] \\ (v/3)(2E_1 + L_{14}) + (v-1)L_3, & \text{if } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/3 - 2v + 5, & \text{if } v \in [0, 1] \\ 2(3-v)^2/3, & \text{if } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 1 + v/3, & \text{if } v \in [0, 1] \\ 2 - 2v/3, & \text{if } v \in [1, 3] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{5} \left(\int_0^1 -v^2/3 - 2v + 5dv + \int_1^3 \frac{2(3-v)^2}{3} dv \right) = \frac{17}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{17}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (E_1 \cup L_3)$:

$$h(v) = \begin{cases} (1 + v/3)^2/2, & \text{if } v \in [0, 1] \\ (2 - 2v/3)^2/2, & \text{if } v \in [1, 3] \end{cases}$$

- If $P \in E_3 \cap L_3$:

$$h(v) = \begin{cases} (1 + v/3)^2/2, & \text{if } v \in [0, 1] \\ (v-1)(2 - 2v/3) + (2 - 2v/3)^2/2, & \text{if } v \in [1, 3] \end{cases}$$

Thus for $P \in E_3 \setminus E_1$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{5} \left(\int_0^1 \frac{(1 + v/3)^2}{2} dv + \int_1^3 (v-1)(2 - 2v/3) + \frac{(2 - 2v/3)^2}{2} dv \right) = \frac{13}{15} \leq \frac{17}{15}$$

We get that $\delta_P(S) = \frac{15}{17}$ for $P \in E_3 \setminus E_1$.

6). Suppose $P \in L_3$. The Zariski Decomposition of the divisor $-K_S - vL_3$ is given by:

$$P(v) = \begin{cases} -K_S - vL_3 & \text{for } v \in [0, 1] \\ -K_S - vL_3 - (v-1)(L_{14} + 2E_1 + 3E_3) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (L_{14} + 2E_1 + 3E_3) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 5 & \text{for } v \in [0, 1] \\ 2(v-2)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot L_3 = \begin{cases} 1 + v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_3) = \frac{1}{5} \left(\int_0^1 -v^2 - 2v + 5dv + \int_1^2 2(v-2)^2 dv \right) = \frac{13}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{13}$ for $P \in L_3$. Note that if $P \in L_3 \setminus E_3$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$


So

$$S(W_{\bullet, \bullet}^{L_3}; P) = \frac{2}{5} \left(\int_0^1 \frac{(1+v)^2}{2} dv + \int_1^2 2(2-v)^2 dv \right) = \frac{11}{15} \leq \frac{13}{15}$$

Thus $\delta_P(S) = \frac{15}{13}$ if $P \in L_3 \setminus E_3$.

7). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{14} \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{14}, \tilde{L}_3, \tilde{E}_i$ are strict transforms of L_{14}, L_3, E_i for $i \in \{1, 2, 3, 4\}$ respectively and L_{jP} for $j \in \{1, 2\}$ are new (-1) -curves. Then $\overline{NE}(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{E}_4, \tilde{L}_{14}, \tilde{L}_3, L_{1P}, L_{2P}, E_P \rangle$. Suppose $i, j \in \{1, 2, 3, 4\}, k \in \{1, 2\}$ then the intersections given by:

- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j$,
- $\tilde{E}_i \cdot \tilde{L}_{14} = \begin{cases} 1 & \text{if } i \in \{1, 4\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot \tilde{L}_3 = \begin{cases} 1 & \text{if } i = 3, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot L_{kP} = \begin{cases} 1 & \text{if } i = k, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot E_P = 0$,
- $\tilde{L}_{14} \cdot L_{kP} = \begin{cases} 1 & \text{if } k \notin \{1, 4\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{L}_{14} \cdot E_P = 0$,
- $\tilde{L}_3 \cdot E_P = 0$,
- $\tilde{L}_3 \cdot L_{kP} = \begin{cases} 1 & \text{if } i = 2, \\ 0, & \text{if } i = 1, \end{cases}$
- $L_{kP} \cdot E_P = 1$,



- $\tilde{E}_1^2 = \tilde{E}_2^2 = \tilde{L}_{14}^2 = -2$,
- $\tilde{E}_3^2 = \tilde{E}_4^2 = E_P^2 = -1$,
- $\tilde{L}_{14}^2 = \tilde{L}_3^2 = L_{kP}^2 = -1$.

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(3L_{1P} + 2L_{2P} + 2E_1 + E_2 + L_{14}), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v-2)(3L_{1P} + 2L_{2P} + 2E_1 + E_2 + L_{14}), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 5 - v^2 dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{14} \cup L_3$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{2P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 4(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 6(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 6(v - 1)(5 - 2v) + 2(5 - 2v)^2 dv \right) = \frac{23}{30} > \frac{3}{4}$$

We get that $\delta_P(S) \geq \frac{30}{23}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{14} \cup L_3$. \square

5.5. Del Pezzo surface of degree 5 with A_3 singularity and 2 lines. Let S be a weak del Pezzo surface of degree 5 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and after that blowing up a point P_3 which is the intersection of the exceptional divisor corresponding to P_2 and a strict transform of the line connecting P_1 and P_2 and after that blowing up a point P_4 on the third exceptionally divisor which does not belong to (-2) -curves. We have:

$$\delta_P(S) = \begin{cases} \frac{5}{9} & \text{if } P \in E_3, \\ \frac{30}{43} & \text{if } P \in L_{13} \setminus E_3, \\ \frac{10}{13} & \text{if } P \in E_2 \setminus E_3, \\ \frac{15}{19} & \text{if } P \in E_4 \setminus E_3, \\ \frac{15}{16} & \text{if } P \in E_1 \setminus L_{13}, \\ \geq \frac{5}{4}, & \text{otherwise} \end{cases}$$

where E_1, E_2, E_3, E_4 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4 respectively, L_{13} is coming from strict transform of the line through P_1 and P_2 .

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, L_{13} \rangle$.

1). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)(L_{13} + E_2), & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v/2)(L_{13} + E_2) - (v-1)E_4, & \text{if } v \in [1, 2] \\ -K_S - vE_3 - (v-1)(L_{13} + E_4) - (v/2)E_2 - (v-2)E_1, & \text{if } v \in [2, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)(L_{13} + E_2), & \text{if } v \in [0, 1] \\ (v/2)(L_{13} + E_2) + (v-1)E_4, & \text{if } v \in [1, 2] \\ (v-1)(L_{13} + E_4) + (v/2)E_2 + (v-2)E_1, & \text{if } v \in [2, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 1] \\ 2(3 - v), & \text{if } v \in [1, 2] \\ \frac{(4-v)^2}{2}, & \text{if } v \in [2, 4] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} v, & \text{if } v \in [0, 1] \\ 1, & \text{if } v \in [1, 2] \\ 2 - v/2, & \text{if } v \in [2, 4] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{5} \left(\int_0^1 5 - v^2 + \int_1^2 2(3 - v)dv + \int_2^4 \frac{(4 - v)^2}{2} dv \right) = \frac{9}{5}$$

Thus, $\delta_P(S) \leq \frac{5}{9}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (L_{13} \cup E_2 \cup E_4)$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 1] \\ 1/2, & \text{if } v \in [1, 2] \\ (2 - v/2)^2/2, & \text{if } v \in [2, 4] \end{cases}$$

- If $P \in E_3 \cap L_{13}$:

$$h(v) = \begin{cases} v^2, & \text{if } v \in [0, 1] \\ (v+1)/2, & \text{if } v \in [1, 2] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [2, 4] \end{cases}$$

- If $P \in E_3 \cap E_2$:

$$h(v) = \begin{cases} v^2, & \text{if } v \in [0, 1] \\ (v+1)/2, & \text{if } v \in [1, 2] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [2, 4] \end{cases}$$

- If $P \in E_3 \cap E_4$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 1] \\ v - 1/2, & \text{if } v \in [1, 2] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [2, 4] \end{cases}$$

Thus:

- If $P \in E_3 \setminus (L_{13} \cup E_2 \cup E_4)$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 v^2/2 dv + \int_1^2 1/2 dv + \int_2^4 \frac{(2 - v/2)^2}{2} dv \right) = \frac{2}{5} \leq \frac{9}{5}$$

- If $P \in E_3 \cap L_{13}$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 v^2 dv + \int_1^2 \frac{(v+1)}{2} dv + \int_2^4 (v-1)(2-v/2) + \frac{(2-v/2)^2}{2} dv \right) = \frac{43}{30} \leq \frac{9}{5}$$

- If $P \in E_3 \cap E_2$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 v^2 dv + \int_1^2 \frac{(v+1)}{2} dv + \int_2^4 (v/2)(2-v/2) + \frac{(2-v/2)^2}{2} dv \right) = \frac{13}{10} \leq \frac{9}{5}$$

- If $P \in E_3 \cap E_4$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 1] \\ v - 1/2, & \text{if } v \in [1, 2] \\ (v-1)(2-v/2) + (2-v/2)^2/2, & \text{if } v \in [2, 4] \end{cases}$$

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 v^2/2 dv + \int_1^2 v - 1/2 dv + \int_2^4 (v-2)(2-v/2) + \frac{(2-v/2)^2}{2} dv \right) = \frac{19}{15} \leq \frac{9}{5}$$

We get that $\delta_P(S) = \frac{5}{9}$ for $P \in E_3$.

2). Suppose $P \in L_{13}$. The Zariski Decomposition of the divisor $-K_S - vL_{13}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{13} - (v/3)(E_2 + 2E_3) & \text{for } v \in [0, 1] \\ -K_S - vL_{13} - (v/3)(E_2 + 2E_3) - (v-1)E_1 & \text{for } v \in [1, 3/2] \\ -K_S - vL_{13} - (v-1)(E_1 + E_2 + 2E_3) - (2v-3)E_4 & \text{for } v \in [3/2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(E_2 + 2E_3) & \text{for } v \in [0, 1] \\ (v/3)(E_2 + 2E_3) + (v-1)E_1 & \text{for } v \in [1, 3/2] \\ (v-1)(E_1 + E_2 + 2E_3) + (2v-3)E_4 & \text{for } v \in [3/2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 4v^2/3 & \text{for } v \in [0, 1] \\ -v^2/3 - 2v + 6 & \text{for } v \in [1, 3/2] \\ (3-v)^2 & \text{for } v \in [3/2, 3] \end{cases} \quad \text{and } P(v) \cdot L_{13} = \begin{cases} 4v/3 & \text{for } v \in [0, 1] \\ 1 + v/3 & \text{for } v \in [1, 3/2] \\ 3 - v & \text{for } v \in [3/2, 3] \end{cases}$$

Thus,

$$S_S(L_{13}) = \frac{1}{5} \left(\int_0^1 5 - 4v^2/3 dv + \int_1^{3/2} -v^2/3 - 2v + 6 dv + \int_{3/2}^3 (3-v)^2 dv \right) = \frac{43}{30}$$

Thus, $\delta_P(S) \leq \frac{30}{43}$ for $P \in L_{13}$. Note that

- if $P \in L_{13} \setminus (E_1 \cup E_3)$

$$h(v) = \begin{cases} 8v^2/9 & \text{for } v \in [0, 1] \\ (1 + v/3)^2/2 & \text{for } v \in [1, 3/2] \\ (3 - v)^2/2 & \text{for } v \in [3/2, 3] \end{cases}$$

- if $P \in L_{13} \cap E_1$

$$h(v) = \begin{cases} 8v^2/9 & \text{for } v \in [0, 1] \\ (v - 1)(1 + v/3) + (1 + v/3)^2/2 & \text{for } v \in [1, 3/2] \\ (v - 1)(3 - v) + (3 - v)^2/2 & \text{for } v \in [3/2, 3] \end{cases}$$

So if $P \in L_{13} \setminus E_3$

$$\begin{aligned} S(W_{\bullet, \bullet}^{L_{13}}; P) &\leq \frac{2}{5} \left(\int_0^1 8v^2/9 dv + \int_1^{3/2} (v - 1)(1 + v/3) + \frac{(1 + v/3)^2}{2} dv + \right. \\ &\quad \left. + \int_{3/2}^2 (v - 1)(3 - v) + \frac{(3 - v)^2}{2} dv \right) = \frac{16}{15} \leq \frac{19}{15} \end{aligned}$$

Thus $\delta_P(S) = \frac{15}{19}$ if $P \in L_{13} \setminus E_3$.

3). Suppose $P \in E_2$. The Zariski decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/3)(L_{13} + 2E_3), & \text{if } v \in [0, 3/2] \\ -K_S - vE_2 - (v - 1)(L_{13} + 2E_3) - (2v - 3)E_4, & \text{if } v \in [3/2, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(L_{13} + 2E_3), & \text{if } v \in [0, 3/2] \\ (v - 1)(L_{13} + 2E_3) + (2v - 3)E_4, & \text{if } v \in [3/2, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 4v^2/3, & \text{if } v \in [0, 3/2] \\ 4(2 - v), & \text{if } v \in [3/2, 2] \end{cases} \quad \text{and} \quad P(v) \cdot E_2 = \begin{cases} 4v/3, & \text{if } v \in [0, 3/2] \\ 2, & \text{if } v \in [3/2, 2] \end{cases}$$

We have

$$S_S(E_2) = \frac{1}{5} \left(\int_0^{3/2} 5 - 4v^2/3 dv + \int_{3/2}^2 4(2 - v) dv \right) = \frac{13}{10}$$

Thus, $\delta_P(S) \leq \frac{10}{13}$ for $P \in E_2$. Moreover if $P \in E_2 \setminus E_3$:

$$h(v) = \begin{cases} 8v^2/9, & \text{if } v \in [0, 1] \\ 2, & \text{if } v \in [1, 2] \end{cases}$$

Thus for $P \in E_2 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{5} \left(\int_0^{3/2} 8v^2/9 dv + \int_{3/2}^2 2 dv \right) = \frac{4}{5} \leq \frac{13}{10}$$

We get that $\delta_P(S) = \frac{10}{13}$ for $P \in E_2 \setminus E_3$.

4). Suppose $P \in E_4$. The Zariski decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - (v/2)(L_{13} + E_2 + 2E_3), & \text{if } v \in [0, 2] \\ -K_S - vE_4 - (v - 1)(E_2 + 2E_3) - 2(v - 2)E_1 - (2v - 3)L_{13}, & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)(L_{13} + E_2 + 2E_3), & \text{if } v \in [0, 2] \\ (v-1)(E_2 + 2E_3) + 2(v-2)E_1 + (2v-3)L_{13}, & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 2v, & \text{if } v \in [0, 2] \\ (3 - v)^2, & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 1, & \text{if } v \in [0, 2] \\ 3 - v, & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_4) = \frac{1}{5} \left(\int_0^2 5 - 2v^2 dv + \int_{3/2}^2 (3 - v)^2 dv \right) = \frac{19}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{19}$ for $P \in E_4$. Moreover if $P \in E_4 \setminus E_3$:

$$h(v) = \begin{cases} 1/2, & \text{if } v \in [0, 2] \\ (3 - v)^2/2, & \text{if } v \in [2, 5/2] \end{cases}$$

Thus for $P \in E_2 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{5} \left(\int_0^2 1/2 dv + \int_2^3 \frac{(3 - v)^2}{2} dv \right) = \frac{7}{15} \leq \frac{19}{15}$$

We get that $\delta_P(S) = \frac{15}{19}$ for $P \in E_4 \setminus E_3$.

5). Suppose $P \in E_1$. The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - (v/4)(E_2 + 2E_3 + 3L_{13}), \quad \text{if } v \in [0, 2]$$

and

$$N(v) = (v/4)(E_2 + 2E_3 + 3L_{13}), \quad \text{if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = \frac{(2 - v)(10 + v)}{2} \quad \text{and } P(v) \cdot E_1 = 1 + v/4 \quad \text{if } v \in [0, 2]$$

We have

$$S_S(E_1) = \frac{1}{5} \left(\int_0^2 \frac{(2 - v)(10 + v)}{2} dv \right) = \frac{16}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{16}$ for $P \in E_1$. Moreover if $P \in E_1 \setminus L_{13}$:

$$h(v) = (1 + v/4)^2/2 \quad \text{if } v \in [0, 2]$$


Thus for $P \in E_1 \setminus L_{13}$:

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{5} \left(\int_0^2 \frac{(1 + v/4)^2}{2} dv \right) = \frac{19}{30} \leq \frac{16}{15}$$

We get that $\delta_P(S) = \frac{15}{16}$ for $P \in E_1 \setminus L_{13}$.

6). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{13}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{13}, \tilde{E}_i$ are strict transforms of L_{13}, E_i for $i \in \{1, 2, 3, 4\}$ respectively and L_{jP} for $j \in \{1, 2\}$ are new (-1) -curves. Then $\overline{NE(\tilde{S})} = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{E}_4, \tilde{L}_{14}, \tilde{L}_3, L_{1P}, L_{2P}, E_P \rangle$. Suppose $i, j \in \{1, 2, 3, 4\}, k \in \{1, 2\}$ then the intersections given by:

- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j$,
- $\tilde{E}_i \cdot \tilde{L}_{13} = \begin{cases} 1 & \text{if } i \in \{1, 3\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot L_{kP} = \begin{cases} 1 & \text{if } i = k, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot E_P = 0$,
- $\tilde{L}_{13} \cdot L_{kP} = 0$
- $\tilde{L}_{13} \cdot E_P = 0$,
- $L_{kP} \cdot E_P = 1$,
- $\tilde{L}_{13}^2 = \tilde{E}_2^2 = \tilde{E}_3^2 = -2$,
- $\tilde{E}_1^2 = \tilde{E}_4^2 = E_P^2 = L_{kP}^2 = -1$



The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(L_{13} + L_{1P} + 4L_{2P} + 2E_1 + 3E_2 + 2E_3), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v-2)(L_{13} + L_{1P} + 4L_{2P} + 2E_1 + 3E_2 + 2E_3), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 (5 - v^2) dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{13}$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{2P}$:


$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 8(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 8(v - 1)(5 - 2v) + 2(5 - 2v)^2 dv \right) = \frac{4}{5} > \frac{3}{4}$$

We get that $\delta_P(S) \geq \frac{5}{4}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{13}$. \square

5.6. Del Pezzo surface of degree 5 with A_2 singularity and 4 lines. Let S be a weak del Pezzo surface of degree 5 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and after that blowing up a point P_3 which belong to the exceptional divisor corresponding to P_1 and which is not the intersection of the exceptional divisor corresponding to P_1 and a strict transform of the line connecting P_1 and P_2 and after that blowing up a point P_4 on the third exceptional divisor which does not belong to (-2) -curves. We have:

$$\delta_P(S) = \begin{cases} \frac{5}{7} & \text{if } P \in E_3, \\ \frac{15}{19} & \text{if } P \in E_1 \setminus E_3, \\ \frac{15}{17} & \text{if } P \in L_{12} \setminus E_1, \\ \frac{30}{31} & \text{if } P \in (L_3 \cup E_4) \setminus L_{14}, \\ \frac{15}{13} & \text{if } P \in E_2 \setminus L_{12}, \\ \geq \frac{30}{23}, & \text{otherwise} \end{cases}$$


where E_1, E_2, E_3, E_4 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4 respectively, L_{12} is coming from strict transform of the line through P_1 and P_2 and L_3 is the other negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, L_{12}, L_3 \rangle$.

1). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)E_1, & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v/2)E_1 - (v-1)(L_3 + E_4), & \text{if } v \in [1, 2] \\ -K_S - vE_3 - (v-1)(L_3 + E_1 + E_4) - L_{12}, & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1, & \text{if } v \in [0, 1] \\ (v/2)E_1 + (v-1)(L_3 + E_4), & \text{if } v \in [1, 2] \\ (v-1)(L_3 + E_1 + E_4) + L_{12}, & \text{if } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 3v^2/2, & \text{if } v \in [0, 1] \\ v^2/2 - 4v + 7, & \text{if } v \in [1, 2] \\ (3-v)^2, & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 3v/2, & \text{if } v \in [0, 1] \\ 2 - v/2, & \text{if } v \in [1, 2] \\ 3 - v, & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{5} \left(\int_0^1 5 - 3v^2/2 dv + \int_1^2 v^2/2 - 4v + 7 dv + \int_2^3 (3-v)^2 dv \right) = \frac{7}{5}$$

Thus, $\delta_P(S) \leq \frac{5}{7}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (E_1 \cup E_3 \cup L_3)$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (2 - v/2)^2/2, & \text{if } v \in [1, 2] \\ (3 - v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

- If $P \in E_3 \cap E_1$:

$$h(v) = \begin{cases} (v/2)(3v/2) + 9v^2/8, & \text{if } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [1, 2] \\ (v - 1)(3 - v) + (3 - v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

- If $P \in E_3 \cap (E_4 \cup L_3)$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (v - 1)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [1, 2] \\ (v - 1)(3 - v) + (3 - v)^2/2, & \text{if } v \in [2, 3] \end{cases}$$

Thus

- if $P \in E_3 \setminus (E_1 \cup E_3 \cup L_3)$:

$$S(W_{\bullet, \bullet, \bullet}^{E_3}; P) \leq \frac{2}{5} \left(\int_0^1 9v^2/8 dv + \int_1^2 \frac{(2 - v/2)^2}{2} dv + \int_2^3 \frac{(3 - v)^2}{2} dv \right) = \frac{8}{15} \leq \frac{7}{5}$$

- If $P \in E_3 \cap E_1$:

$$S(W_{\bullet, \bullet, \bullet}^{E_3}; P) \leq \frac{2}{5} \left(\int_0^1 (v/2)(3v/2) + 9v^2/8 dv + \int_1^2 (v/2)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv + \int_2^3 (v - 1)(3 - v) + \frac{(3 - v)^2}{2} dv \right) = \frac{19}{15} \leq \frac{7}{5}$$

- If $P \in E_3 \cap (E_4 \cup L_3)$:

$$S(W_{\bullet, \bullet, \bullet}^{E_3}; P) \leq \frac{2}{5} \left(\int_0^1 9v^2/8 dv + \int_1^2 (v - 1)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv + \int_2^3 (v - 1)(3 - v) + \frac{(3 - v)^2}{2} dv \right) = \frac{31}{30} \leq \frac{7}{5}$$

We get that $\delta_P(S) = \frac{5}{7}$ for $P \in E_3$.

2). Suppose $P \in E_1$. The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - (v/2)E_3, & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v/2)E_3 - (v - 1)L_{12}, & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_3, & \text{if } v \in [0, 1] \\ (v/2)E_3 + (v - 1)L_{12}, & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 3v^2/2, & \text{if } v \in [0, 1] \\ \frac{(2-v)(6+v)}{2}, & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 3v/2, & \text{if } v \in [0, 1] \\ 1 + v/2, & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{5} \left(\int_0^1 5 - 3v^2/2 dv + \int_1^2 \frac{(2-v)(6+v)}{2} dv \right) = \frac{19}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{19}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (E_3 \cup L_{12})$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (1 + v/2)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap E_3$:

$$h(v) = \begin{cases} 9v^2/8, & \text{if } v \in [0, 1] \\ (v-1)(1+v/2) + (1+v/2)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

Thus if $P \in E_1 \setminus E_3$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{5} \left(\int_0^1 9v^2/8 dv + \int_1^2 (v-1)(1+v/2) + \frac{(1+v/2)^2}{2} dv \right) = \frac{17}{15} \leq \frac{19}{15}$$

We get that $\delta_P(S) = \frac{15}{19}$ for $P \in E_1 \setminus E_3$.

3). Suppose $P \in L_{12}$. The Zariski decomposition of the divisor $-K_S - vL_{12}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{12} - (v/3)(2E_1 + E_3), & \text{if } v \in [0, 1] \\ -K_S - vL_{12} - (v/3)(2E_1 + E_3) - (v-1)E_2, & \text{if } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(2E_1 + E_3), & \text{if } v \in [0, 1] \\ (v/3)(2E_1 + E_3) + (v-1)E_2, & \text{if } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/3 - 2v + 5, & \text{if } v \in [0, 1] \\ 2(3-v)^2/3, & \text{if } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_{12} = \begin{cases} 1 + v/3, & \text{if } v \in [0, 1] \\ 2 - 2v/3, & \text{if } v \in [1, 3] \end{cases}$$

We have

$$S_S(L_{12}) = \frac{1}{5} \left(\int_0^1 -v^2/3 - 2v + 5 dv + \int_1^3 \frac{2(3-v)^2}{3} dv \right) = \frac{17}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{17}$ for $P \in L_{12}$. Moreover,

- If $P \in L_{12} \setminus (E_1 \cup L_3)$:

$$h(v) = \begin{cases} (1 + v/3)^2/2, & \text{if } v \in [0, 1] \\ (2 - 2v/3)^2/2, & \text{if } v \in [1, 3] \end{cases}$$

- If $P \in L_{12} \cap E_2$:

$$h(v) = \begin{cases} (1 + v/3)^2/2, & \text{if } v \in [0, 1] \\ (v-1)(2 - 2v/3) + (2 - 2v/3)^2/2, & \text{if } v \in [1, 3] \end{cases}$$

Thus for $P \in L_{12} \setminus E_1$:

$$S(W_{\bullet, \bullet}^{L_{12}}; P) \leq \frac{2}{5} \left(\int_0^1 \frac{(1+v/3)^2}{2} dv + \int_1^3 (v-1)(2-2v/3) + \frac{(2-2v/3)^2}{2} dv \right) = \frac{13}{15} \leq \frac{17}{15}$$

We get that $\delta_P(S) = \frac{15}{17}$ for $P \in L_{12} \setminus E_1$.

4). Suppose $P \in E_4$ (or L_3). The Zariski decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - (v/3)(E_1 + 2E_3), & \text{if } v \in [0, 3/2] \\ -K_S - vE_4 - (v-1)(E_1 + 2E_3) - (2v-3)L_3, & \text{if } v \in [3/2, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/3)(E_1 + 2E_3), & \text{if } v \in [0, 3/2] \\ (v-1)(E_1 + 2E_3) + (2v-3)L_3, & \text{if } v \in [3/2, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/3 - 2v + 5, & \text{if } v \in [0, 3/2] \\ (2-v)(4-v), & \text{if } v \in [3/2, 2] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 1 + v/3, & \text{if } v \in [0, 3/2] \\ 3 - v, & \text{if } v \in [3/2, 2] \end{cases}$$

We have

$$S_S(E_4) = \frac{1}{5} \left(\int_0^{3/2} -v^2/3 - 2v + 5 dv + \int_{3/2}^2 (2-v)(4-v) dv \right) = \frac{31}{30}$$

Thus, $\delta_P(S) \leq \frac{30}{31}$ for $P \in E_4$. Moreover if $P \in E_4 \setminus E_3$:

$$h(v) = \begin{cases} (1+v/3)^2/2, & \text{if } v \in [0, 1] \\ (3-v)^2/2, & \text{if } v \in [1, 2] \end{cases}$$

Thus for $P \in E_4 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{5} \left(\int_0^{3/2} \frac{(1+v/3)^2}{2} dv + \int_{3/2}^2 \frac{(3-v)^2}{2} dv \right) = \frac{19}{30} \leq \frac{31}{30}$$

We get that $\delta_P(S) = \frac{30}{31}$ for $P \in E_4 \setminus E_3$ (or $L_3 \setminus E_3$).

5). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vL_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 & \text{for } v \in [0, 1] \\ -K_S - vE_2 - (v-1)(3L_{12} + 2E_1 + E_3) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (3L_{12} + 2E_1 + E_3) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2 - 2v + 5 & \text{for } v \in [0, 1] \\ 2(v-2)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 1 + v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{5} \left(\int_0^1 -v^2 - 2v + 5 dv + \int_1^2 2(v-2)^2 dv \right) = \frac{13}{15}$$

Thus, $\delta_P(S) \leq \frac{15}{13}$ for $P \in E_2$. Note that if $P \in E_2 \setminus L_{12}$

$$h(v) = \begin{cases} (1+v)^2/2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$


So

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{5} \left(\int_0^1 \frac{(1+v)^2}{2} dv + \int_1^2 2(2-v)^2 dv \right) = \frac{11}{15} \leq \frac{13}{15}$$

Thus $\delta_P(S) = \frac{15}{13}$ if $P \in E_2 \setminus L_{12}$.

6). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose $\tilde{L}_{12}, \tilde{L}_3, \tilde{E}_i$ are strict transforms of L_{12}, L_3, E_i for $i \in \{1, 2, 3, 4\}$ respectively and Q, L_{jP} for $j \in \{1, 2\}$ are new (-1) -curves. Then $\overline{NE}(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{E}_4, \tilde{L}_{12}, \tilde{L}_3, L_{1P}, L_{2P}, E_P \rangle$. Suppose $i, j \in \{1, 2, 3, 4\}, k \in \{1, 2\}$ then the intersections given by:

- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j$,
- $\tilde{E}_i \cdot \tilde{L}_{12} = \begin{cases} 1 & \text{if } i \in \{1, 2\}, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot L_{kP} = \begin{cases} 1 & \text{if } i = k, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot \tilde{L}_3 = \begin{cases} 1 & \text{if } i = 3, \\ 0, & \text{otherwise,} \end{cases}$



- $\tilde{E}_i \cdot E_P = 0$,
- $\tilde{L}_{12} \cdot L_{kP} = 0$
- $\tilde{L}_{12} \cdot E_P = 0$,
- $\tilde{L}_3 \cdot L_{1P} = 0$,
- $\tilde{L}_3 \cdot L_{2P} = 1$,
- $L_{kP} \cdot E_P = 1$,
- $\tilde{E}_1^2 = \tilde{E}_3^2 = -2$,
- $\tilde{E}_2^2 = \tilde{E}_4^2 = E_P^2 = L_{kP}^2 = \tilde{L}_{12} = \tilde{L}_3 = -1$.

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(3L_{1P} + L_{2P} + Q + 2E_1 + E_3), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v-2)(3L_{1P} + L_{2P} + Q + 2E_1 + E_3), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 5 - v^2 dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_3$. Moreover,

- If $O \in E_P \setminus (L_{1P} \cup L_{2P})$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{2P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:


$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 6(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 6(v - 1)(5 - 2v) + 2(5 - 2v)^2 dv \right) = \frac{23}{30} > \frac{3}{4}$$

We get that $\delta_P(S) \geq \frac{30}{23}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_{12} \cup L_3$. □

5.7. Del Pezzo surface of degree 5 with A_4 singularity and 1 line. Let S be a weak del Pezzo surface of degree 5 which can be obtained by blowing up \mathbb{P}^2 at point P_1 , after that blowing up a point P_2 which belong to the exceptional divisor corresponding to P_1 , fter that blowing up a point P_3 which belong to the exceptional divisor corresponding to P_2 and which is not on a (-2) -curve, after that blowing up a point P_4 which is the intersection of (-1) -curves. We have:

$$\delta_P(S) = \begin{cases} \frac{3}{7} & \text{if } P \in E_3, \\ \frac{6}{11} & \text{if } P \in E_2 \setminus E_3, \\ \frac{3}{5} & \text{if } P \in E_4 \setminus E_3, \\ \frac{9}{13} & \text{if } P \in L_3 \setminus E_3, \\ \frac{3}{4} & \text{if } P \in E_1 \setminus E_2, \\ \geq \frac{6}{5}, & \text{otherwise} \end{cases}$$


where E_1, E_2, E_3, E_4 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4 respectively, and L_3 is the other negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, L_3 \rangle$.

1). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)L_3 - (v/3)(E_1 + 2E_2), & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v/2)L_3 - (v/3)(E_1 + 2E_2) - (v - 1)E_4, & \text{if } v \in [1, 6] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_3 + (v/3)(E_1 + 2E_2), & \text{if } v \in [0, 1] \\ (v/2)L_3 + (v/3)(E_1 + 2E_2) + (v - 1)E_4, & \text{if } v \in [1, 6] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 5v^2/2, & \text{if } v \in [0, 1] \\ \frac{(6-v)^2}{2}, & \text{if } v \in [1, 6] \end{cases} \quad \text{and} \quad P(v) \cdot E_3 = \begin{cases} 5v/6, & \text{if } v \in [0, 1] \\ 1 - v/6, & \text{if } v \in [1, 6] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{5} \left(\int_0^1 5 - 5v^2/2 dv + \int_1^6 \frac{(6-v)^2}{2} dv \right) = \frac{7}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{7}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (E_2 \cup E_4 \cup L_3)$:

$$h(v) = \begin{cases} \frac{25}{72}v^2, & \text{if } v \in [0, 1] \\ (1 - v/6)^2/2, & \text{if } v \in [1, 6] \end{cases}$$

- If $P \in E_3 \cap E_1$:

$$h(v) = \begin{cases} \frac{65}{72}v^2, & \text{if } v \in [0, 1] \\ (v/3)(1 - v/6) + (1 - v/6)^2/2, & \text{if } v \in [1, 6] \end{cases}$$

- If $P \in E_3 \cap L_3$:

$$h(v) = \begin{cases} \frac{55}{72}v^2, & \text{if } v \in [0, 1] \\ (v/2)(1 - v/6) + (1 - v/6)^2/2, & \text{if } v \in [1, 6] \end{cases}$$

- If $P \in E_3 \cap E_4$:

$$h(v) = \begin{cases} \frac{25}{72}v^2, & \text{if } v \in [0, 1] \\ (v-1)(1 - v/6) + (1 - v/6)^2/2, & \text{if } v \in [1, 6] \end{cases}$$

Thus

- If $P \in E_3 \setminus (E_2 \cup E_4 \cup L_3)$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 \frac{25}{72}v^2 dv + \int_1^6 \frac{(1 - v/6)^2}{2} dv \right) = \frac{5}{18} \leq \frac{7}{3}$$

- If $P \in E_3 \cap E_2$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 \frac{65}{72}v^2 dv + \int_1^6 (2v/3)(1 - v/6) + \frac{(1 - v/6)^2}{2} dv \right) = \frac{11}{6} \leq \frac{7}{3}$$

- If $P \in E_3 \cap L_3$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 \frac{55}{72}v^2 dv + \int_1^6 (v/2)(1 - v/6) + \frac{(1 - v/6)^2}{2} dv \right) = \frac{13}{9} \leq \frac{7}{3}$$

- If $P \in E_3 \cap E_4$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^1 \frac{25}{72}v^2 dv + \int_1^6 (v-1)(1 - v/6) + \frac{(1 - v/6)^2}{2} dv \right) = \frac{5}{3} \leq \frac{7}{3}$$

We get that $\delta_P(S) = \frac{3}{7}$ for $P \in E_3$.

2). Suppose $P \in E_2$. The Zariski decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)E_1 - (v/3)(2E_3 + L_3), & \text{if } v \in [0, 3/2] \\ -K_S - vE_2 - (v/2)E_1 - (v-1)(2E_3 + L_3) - (2v-3)E_4, & \text{if } v \in [3/2, 4] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 + (v/3)(2E_3 + L_3), & \text{if } v \in [0, 3/2] \\ (v/2)E_1 + (v-1)(2E_3 + L_3) + (2v-3)E_4, & \text{if } v \in [3/2, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - 5v^2/2, & \text{if } v \in [0, 3/2] \\ \frac{(4-v)^2}{2}, & \text{if } v \in [3/2, 4] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 5v/6, & \text{if } v \in [0, 3/2] \\ 2 - v/2, & \text{if } v \in [3/2, 4] \end{cases}$$

We have

$$S_S(E_2) = \frac{1}{5} \left(\int_0^{3/2} 5 - 5v^2/2 dv + \int_{3/2}^4 \frac{(4-v)^2}{2} dv \right) = \frac{11}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{11}$ for $P \in E_2$. Moreover,

- If $P \in E_2 \setminus (E_1 \cup E_3)$:

$$h(v) = \begin{cases} \frac{25}{72}v^2, & \text{if } v \in [0, 1] \\ (2 - v/2)^2/2, & \text{if } v \in [1, 6] \end{cases}$$

- If $P \in E_2 \cap E_1$:

$$h(v) = \begin{cases} \frac{55}{72}v^2, & \text{if } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2, & \text{if } v \in [1, 6] \end{cases}$$

Thus $P \in E_2 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{5} \left(\int_0^{32} \frac{55}{72}v^2 dv + \int_{3/2}^4 (v/2)(2 - v/2) + \frac{(2 - v/2)^2}{2} dv \right) = \frac{4}{3} \leq \frac{11}{6}$$

We get that $\delta_P(S) = \frac{6}{11}$ for $P \in E_2 \setminus E_3$.

3). Suppose $P \in E_4$. The Zariski decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = -K_S - vE_4 - (v/5)(3L_3 + 2E_1 + 4E_2 + 6E_3), \text{ if } v \in [0, 5]$$

and

$$N(v) = (v/5)(3L_3 + 2E_1 + 4E_2 + 6E_3), \text{ if } v \in [0, 5]$$

Moreover,

$$(P(v))^2 = \frac{(5-v)^2}{2} \text{ and } P(v) \cdot E_4 = 1 - v/5 \text{ if } v \in [0, 5]$$

We have

$$S_S(E_4) = \frac{1}{5} \left(\int_0^4 \frac{(5-v)^2}{2} dv \right) = \frac{5}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{5}$ for $P \in E_4$. Moreover if $P \in E_4 \setminus E_3$:

$$h(v) = \frac{(1 - v/5)^2}{2} \text{ if } v \in [0, 5]$$

Thus for $P \in E_4 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_4}; P) = \frac{2}{5} \left(\int_0^5 \frac{(1 - v/5)^2}{2} dv \right) = \frac{1}{3} \leq \frac{5}{3}$$

We get that $\delta_P(S) = \frac{3}{5}$ for $P \in E_4 \setminus E_3$.

4). Suppose $P \in L_3$. The Zariski decomposition of the divisor $-K_S - vL_3$ is given by:

$$P(v) = \begin{cases} -K_S - vL_3 - (v/4)(E_1 + 2E_2 + 3E_3), & \text{if } v \in [0, 4/3] \\ -K_S - vL_3 - (v-1)(E_1 + 2E_2 + 3E_3) - (3v-4)E_4, & \text{if } v \in [4/3, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/4)(E_1 + 2E_2 + 3E_3), & \text{if } v \in [0, 4/3] \\ (v-1)(E_1 + 2E_2 + 3E_3) + (3v-4)E_4, & \text{if } v \in [4/3, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} \frac{5(2-v)(2+v)}{2}, & \text{if } v \in [0, 4/3] \\ (3-v)^2, & \text{if } v \in [4/3, 3] \end{cases} \quad \text{and } P(v) \cdot L_3 = \begin{cases} 5v/4, & \text{if } v \in [0, 4/3] \\ 3-v, & \text{if } v \in [4/3, 3] \end{cases}$$

We have

$$S_S(L_3) = \frac{1}{5} \left(\int_0^{4/3} \frac{5(2-v)(2+v)}{2} dv + \int_{4/3}^3 (3-v)^2 dv \right) = \frac{13}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{13}$ for $P \in L_3$. Moreover if $P \in L_3 \setminus E_3$:

$$h(v) = \begin{cases} \frac{25}{32}v^2, & \text{if } v \in [0, 4/3] \\ (3-v)^2/2, & \text{if } v \in [4/3, 3] \end{cases}$$

Thus if $P \in L_3 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{5} \left(\int_0^{4/3} \frac{25}{32}v^2 dv + \int_{4/3}^3 \frac{(3-v)^2}{2} dv \right) = \frac{5}{9} \leq \frac{13}{9}$$

We get that $\delta_P(S) = \frac{9}{13}$ for $P \in L_3 \setminus E_3$.

5). Suppose $P \in E_1$. The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - (v/4)(3E_2 + 2E_3 + L_3), \quad \text{if } v \in [0, 2]$$

and

$$N(v) = (v/4)(3E_2 + 2E_3 + L_3), \quad \text{if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = \frac{5(2-v)(2+v)}{2} \quad \text{and } P(v) \cdot E_1 = 5v/4 \quad \text{if } v \in [0, 2]$$

We have

$$S_S(E_1) = \frac{1}{5} \left(\int_0^2 \frac{5(2-v)(2+v)}{2} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_1$. Moreover if $P \in E_1 \setminus E_2$:

$$h(v) = \frac{25}{32}v^2 \quad \text{if } v \in [0, 2]$$


Thus for $P \in E_1 \setminus E_2$:

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{5} \left(\int_0^2 \frac{25}{32}v^2 dv \right) = \frac{5}{6} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_1 \setminus E_2$.

6). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Suppose \tilde{L}_3, \tilde{E}_i are strict transforms of L_3, E_i for $i \in \{1, 2, 3, 4\}$ respectively and L_{1P} is a new (-1) -curves. Then $\overline{NE}(\tilde{S}) = \langle \tilde{E}_1, \tilde{E}_2, \tilde{E}_3, \tilde{E}_4, \tilde{L}_3, L_{1P}, E_P \rangle$. Suppose $i, j \in \{1, 2, 3, 4\}$ then the intersections are given by:

- $\tilde{E}_i \cdot \tilde{E}_j = 0$ if $i \neq j$,
- $\tilde{E}_i \cdot L_{1P} = \begin{cases} 1 & \text{if } i = 1, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot \tilde{L}_3 = \begin{cases} 1 & \text{if } i = 3, \\ 0, & \text{otherwise,} \end{cases}$
- $\tilde{E}_i \cdot E_P = 0$,



$$\begin{aligned} \tilde{L}_3 \cdot L_{1P} &= 0, & \tilde{E}_1^2 = \tilde{E}_2^2 = \tilde{E}_3^2 = \tilde{L}_3^2 &= -2, \\ L_{1P} \cdot E_P &= 1, & \tilde{E}_4^2 = L_{1P}^2 = E_P^2 &= -1. \end{aligned}$$

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P, & \text{if } v \in [0, 2], \\ \pi^*(-K_S) - vE_P - (v-2)(5L_{1P} + 4E_1 + 3E_2 + 2E_3 + L_3), & \text{if } v \in [2, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} 0, & \text{if } v \in [0, 2], \\ (v-2)(5L_{1P} + 4E_1 + 3E_2 + 2E_3 + L_3), & \text{if } v \in [2, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 5 - v^2, & \text{if } v \in [0, 2], \\ (2v - 5)^2, & \text{if } v \in [2, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v, & \text{if } v \in [0, 2], \\ 2(5 - 2v), & \text{if } v \in [2, 5/2] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{5} \left(\int_0^2 (5 - v^2) dv + \int_2^{5/2} 2(2v - 5)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_3$. Moreover,

- If $O \in E_P \setminus L_{1P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

- If $O \in E_P \cap L_{1P}$:

$$h(v) = \begin{cases} v^2/2, & \text{if } v \in [0, 2], \\ 10(5 - 2v)(v - 2) + 2(5 - 2v)^2, & \text{if } v \in [2, 5/2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) \leq \frac{2}{5} \left(\int_0^2 \frac{v^2}{2} dv + \int_2^{5/2} 10(v-1)(5-2v) + 2(5-2v)^2 dv \right) = \frac{5}{6} > \frac{3}{4}$$

We get that $\delta_P(S) \geq \frac{6}{5}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup L_3$. □

5.8. Summary of results for degree 5. . The local δ -invariants of Weak del Pezzo surfaces of degree 5 are given in the following table:

S	Curves on S , $K_S^2 = 5$	(-2) -curves	$\delta_P(S)$
dP_5		\emptyset	$\begin{cases} \frac{15}{13} & \text{if } P \in (-1)\text{-curve,} \\ \frac{4}{3}, & \text{otherwise.} \end{cases}$
Weak dP_5		A_1	$\begin{cases} \frac{15}{17} & \text{if } P \in L_{123}, \\ 1 & \text{if } P \in (E_1 \cup E_2 \cup E_3) \setminus L_{123}, \\ \frac{15}{13} & \text{if } P \in L_1 \cup L_2 \cup L_3 \cup E_4, \\ \frac{4}{3}, & \text{otherwise} \end{cases}$
Weak dP_5		$2A_1$	$\begin{cases} \frac{15}{19} & \text{if } P \in E_4, \\ \frac{15}{17} & \text{if } P \in (E_1 \cup E_3) \setminus E_4, \\ 1 & \text{if } P \in (L_{13} \cup E_2) \setminus (E_1 \cup E_3), \\ \frac{15}{13} & \text{if } P \in (E_3 \cup L_{23}) \setminus (L_{13} \cup E_2), \\ \frac{4}{3}, & \text{otherwise} \end{cases}$

S	Curves on S , $K_S^2 = 5$	(-2) -curves	$\delta_P(S)$
Weak dP_5		$A_1 + A_2$	$\begin{cases} \frac{15}{23} & \text{if } P \in E_4, \\ \frac{5}{7} & \text{if } P \in L_{14} \setminus E_4, \\ \frac{15}{19} & \text{if } P \in E_1 \setminus L_{14}, \\ \frac{15}{17} & \text{if } P \in (E_2 \cup E_3) \setminus (E_1 \cup E_4), \\ \frac{15}{13} & \text{if } P \in L_3 \setminus E_3, \\ \geq \frac{30}{23}, & \text{otherwise} \end{cases}$
Weak dP_5		A_3	$\begin{cases} \frac{5}{9} & \text{if } P \in E_3, \\ \frac{30}{43} & \text{if } P \in L_{13} \setminus E_3, \\ \frac{10}{13} & \text{if } P \in E_2 \setminus E_3, \\ \frac{15}{19} & \text{if } P \in E_4 \setminus E_3, \\ \frac{15}{16} & \text{if } P \in E_1 \setminus L_{13}, \\ \geq \frac{5}{4}, & \text{otherwise} \end{cases}$
Weak dP_5		A_2	$\begin{cases} \frac{5}{7} & \text{if } P \in E_3, \\ \frac{15}{19} & \text{if } P \in E_1 \setminus E_3, \\ \frac{15}{17} & \text{if } P \in L_{12} \setminus E_1, \\ \frac{30}{31} & \text{if } P \in (L_3 \cup E_4) \setminus L_{14}, \\ \frac{15}{13} & \text{if } P \in E_2 \setminus L_{12}, \\ \geq \frac{30}{23}, & \text{otherwise} \end{cases}$
Weak dP_5		A_4	$\begin{cases} \frac{3}{7} & \text{if } P \in E_3, \\ \frac{6}{11} & \text{if } P \in E_2 \setminus E_3, \\ \frac{3}{5} & \text{if } P \in E_4 \setminus E_3, \\ \frac{9}{13} & \text{if } P \in L_3 \setminus E_3, \\ \frac{3}{4} & \text{if } P \in E_1 \setminus E_2, \\ \geq \frac{6}{5}, & \text{otherwise} \end{cases}$

Table 7: Weak del Pezzo surfaces of degree 5

Which proves that δ -invariants of weak del Pezzo surfaces of degree 5 are given in the following table:

S	Curves on S , $K_S^2 = 5$	(-2) -curves	$\delta(S)$
dP_5		\emptyset	$\frac{15}{13}$
Weak dP_5		A_1	$\frac{15}{17}$
Weak dP_5		$2A_1$	$\frac{15}{19}$

S	Curves on S , $K_S^2 = 5$	(-2) -curves	$\delta(S)$
Weak dP_5		$A_1 + A_2$	$\frac{15}{23}$
Weak dP_5		A_3	$\frac{5}{9}$
Weak dP_5		A_2	$\frac{5}{7}$
Weak dP_5		A_4	$\frac{3}{7}$


Table 8: Weak del Pezzo surfaces of degree 5

This immediately proves Main Theorem for Du Val del Pezzo surfaces of degree 5.

6. DEL PEZZO SURFACES OF DEGREE 4

6.1. Smooth del Pezzo surface of degree 4. Let S be a smooth del Pezzo surface of degree 4. It can be obtained by blowing up \mathbb{P}^2 at four points P_1, P_2, P_3, P_4, P_5 in general position. Let E_1, E_2, E_3, E_4 and E_5 be the exceptional curves of this blow up that are mapped to the points P_1, P_2, P_3, P_4 and P_5 , respectively. For every $1 \leq i < j \leq 5$, we denote by L_{ij} the proper transform on S of the line in \mathbb{P}^2 that passes through the points P_i and P_j . Q is the strict transform of a unique conic through these points. Then $E_1, E_2, E_3, E_4, E_5, L_{12}, L_{13}, L_{14}, L_{15}, L_{23}, L_{24}, L_{25}, L_{34}, L_{35}, L_{45}, Q$ are all (-1) -curves in the surface S . On S we have

$$\delta_P(S) = \begin{cases} \frac{4}{3} & \text{if } P \in \text{two } (-1)\text{-curves,} \\ \frac{18}{13} & \text{if } P \in \text{one } (-1)\text{-curve,} \\ \frac{3}{2}, & \text{otherwise.} \end{cases}$$



Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{12}, L_{13}, L_{14}, L_{15}, L_{23}, L_{24}, L_{25}, L_{34}, L_{35}, L_{45}, Q \rangle$.

1). Suppose $P \in Q$.

1.1) Suppose $P = E_1 \cap Q$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (3-v)E_P + \tilde{Q} + L_1 + \tilde{E}_1$ where \tilde{Q} is the strict transform of Q , \tilde{E}_1 is the strict transform of E_1 , L_1 is a strict transform of the line which is tangent at P_1 to the conic which contains P_1, P_2, P_3, P_4 and P_5 . The intersections are given by

	E_P	\tilde{Q}	\tilde{E}_1	L_1
E_P	-1	1	1	1
\tilde{Q}	1	-2	0	0
\tilde{E}_1	1	0	-2	0
L_1	1	0	0	-1

To get the Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ we only need to intersect it with E_P , L_{1P} and Q_1 so it is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 1] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_1 + Q) & \text{if } v \in [1, 2] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_1 + Q) - (v-2)L_1 & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{2}(\tilde{E}_1 + \tilde{Q}) & \text{if } v \in [1, 2] \\ \frac{(v-1)}{2}(\tilde{E}_1 + \tilde{Q}) + (v-2)L_1 & \text{if } v \in [2, 3] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} (2-v)(2+v) & \text{if } v \in [0, 1] \\ 5-2v & \text{if } v \in [1, 2] \\ (3-v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 1] \\ 1 & \text{if } v \in [1, 2] \\ 3-v & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{4} \left(\int_0^1 (2-v)(2+v)dv + \int_1^2 5-2v dv + \int_2^3 (3-v)^2 dv \right) = \frac{3}{2}$$

Thus $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$. Moreover,

- if $O \in E_P \setminus (L_1 \cup \tilde{Q} \cup \tilde{E}_1)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap (\tilde{Q} \cup \tilde{E}_1)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ v/2 & \text{if } v \in [1, 2] \\ (v-1)(3-v)/2 + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap L_1$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (v-2)(3-v) + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

Thus

- if $O \in E_P \setminus (L_1 \cup \tilde{Q} \cup \tilde{E}_1)$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 1/2 dv + \int_2^3 (3-v)^2/2 dv \right) = \frac{5}{12} \leq \frac{3}{4}$$

- if $O \in E_P \cap (\tilde{Q} \cup \tilde{E}_1)$:


$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 v/2 dv + \int_2^3 (v-1)(3-v)/2 + (3-v)^2/2 dv \right) = \frac{17}{24} \leq \frac{3}{4}$$

- if $O \in E_P \cap L_1$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 v/2dv + \int_2^3 (v-2)(3-v) + (3-v)^2/2dv \right) = \frac{1}{2} \leq \frac{3}{4}$$

Thus $\delta_P(S) = \frac{4}{3}$ for $E \cap Q$ (similar for any intersection of two (-1) -curves).

1.2) Suppose $P \in Q \setminus (E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5)$. Suppose L_P is a curve that is a strict transform of the line tangent to conic containing P_1, P_2, P_3, P_4 and P_5 at the projection of P on \mathbb{P}^2 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms Q, L_P , and E_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \bar{S} . Let $\bar{L}_P, \bar{Q}, \bar{E}$, and \bar{P} be the images of strict transforms of L_P, Q, E and E_P respectively. Note that \bar{P} is a point. We denote this weighed blowup by $\sigma: \bar{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q} + (4-v)\bar{E}$. The intersections are given by

	Q	E	L_P
Q	-3	1	0
E	1	-1/2	1
L_P	0	1	-1

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{Q} & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{Q} - (v-3)\bar{L}_P & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3}\bar{Q} & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3}\bar{Q} + (v-3)\bar{L}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4 - v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4 - v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4 - v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4 - v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{Q}$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v - 1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v - 1)/3 \cdot (5/6(4 - v)) + (5/6(4 - v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{L}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v - 3)(5/6(4 - v)) + (5/6(4 - v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4 - v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{Q}$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v - 1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v - 1)/3 \cdot (5/6(4 - v)) + \frac{(5/6(4 - v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in E_P \cap L_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v - 3)(5/6(4 - v)) + \frac{(5/6(4 - v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in Q \setminus (E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5)$ (similar for any point on (-1) -curve which is not the intersection of two (-1) -curves).
 2). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{15} \cup L_{23} \cup L_{24} \cup L_{25} \cup L_{34} \cup L_{35} \cup L_{45} \cup Q$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + Q_1 + L_{1P}$ where Q_1 is the strict transform of the conic passing through P_2, P_3, P_4, P_5 and the projection of P on \mathbb{P}^2 , L_{1P} is a strict transform of the line which passes through P_1 and the projection of P on \mathbb{P}^2 . The intersections are given by

	E_P	Q_1	L_{1P}
E_P	-1	1	1
Q_1	1	-1	1
L_{1P}	1	1	-1

To get the Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ we only need to intersect it with E_P, L_{1P} and Q_1 so it is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{15} \cup L_{23} \cup L_{24} \cup L_{25} \cup L_{34} \cup L_{35} \cup L_{45} \cup Q$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:


$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{12} \cup L_{13} \cup L_{14} \cup L_{15} \cup L_{23} \cup L_{24} \cup L_{25} \cup L_{34} \cup L_{35} \cup L_{45} \cup Q$. \square

6.2. Del Pezzo surface of degree 4 with A_1 singularity and 12 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2 and P_3 which belong to the same line and point P_4 and P_5 which does not belong to it such that no other 3 points lie on the same line. We have:

Suppose $\mathbf{E} := E_1 \cup E_2 \cup E_3 \cup L_{45}$,
 $\mathbf{F} := \{(-1)\text{-curves}\} \setminus \mathbf{E}$ then

$$\delta_P(S) = \begin{cases} 1 & \text{if } P \in L_{123}, \\ \frac{6}{5} & \text{if } P \in \mathbf{E} \setminus L_{123}, \\ \frac{4}{3} & \text{if } P \in \text{two curves in } \mathbf{F}, \\ \frac{18}{13} & \text{if } P \in \text{one curve in } \mathbf{F}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{123} is a strict transform of the line passing through P_1, P_2 and P_3 , L_{i4} are strict transforms of the lines passing through P_i and P_4 for $i \in \{1, 2, 3, 5\}$, L_{i5} are strict transforms of the lines passing through P_i and P_4 for $i \in \{1, 2, 3, 4\}$.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{123}, L_{14}, L_{15}, L_{24}, L_{25}, L_{34}, L_{35}, L_{25} \rangle$

1). Suppose $P \in L_{123}$. The Zariski Decomposition of the divisor $-K_S - vL_{123}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{123} & \text{for } v \in [0, 1] \\ -K_S - vL_{123} - (v-1)(E_1 + E_2 + E_3 + L_{45}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(E_1 + E_2 + E_3 + L_{45}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and} \quad P(v) \cdot L_{123} = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_{123}) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in L_{123}$. Note that we have:

- if $P \in L_{123} \setminus (E_1 \cup E_2 \cup E_3)$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in L_{123} \cap (E_1 \cup E_2 \cup E_3 \cup L_{45})$

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have

$$S(W_{\bullet, \bullet}^{L_{123}}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(v-1)(2-v) + 2(2-v)^2 dv \right) = \frac{5}{6} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in L_{123}$.

2). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - (v/2)L_{123} & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v/2)L_{123} - (v-1)(L_{14} + L_{15}) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{123} & \text{if } v \in [0, 1] \\ (v/2)L_{123} + (v-1)(L_{14} + L_{15}) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 4 & \text{if } v \in [0, 1] \\ \frac{3(2-v)^2}{2} & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 3 - 3v/2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 -v^2/2 - 2v + 4 dv + \int_1^2 \frac{3(2-v)^2}{2} dv \right) = \frac{5}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{5}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (L_{123} \cup L_{14} \cup L_{15})$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap (L_{14} \cup L_{15})$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)(3 - 3v/2) + (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 (v-1)(3 - 3v/2) + \frac{(3 - 3v/2)^2}{2} dv \right) = \frac{17}{24} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \in E_1 \setminus L_{123}$ (similarly for $P \in (E_1 \cup E_2 \cup E_3 \cup L_{45}) \setminus L_{123}$).

3). Suppose $P = E_4 \cap L_{14}$ (similar if P is the intersection of two (-1) -curves in $\{(-1)\text{-curves}\} \setminus \{E_1, E_2, E_3, L_{45}\}$). Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (3-v)E_P + \tilde{Q}_4 + \tilde{L}_{14} + \tilde{E}_4$ where \tilde{Q}_4 is the strict transform of Q_4 which is a conic on \mathbb{P}^2 which passes through P_2, P_3, P_4 and P_5 and tangent to the line passing through P_1 and P_4 , \tilde{E}_4 is the strict transform of E_4 , \tilde{L}_{14} is a strict transform of L_{14} . The intersections are given by

	E_P	\tilde{Q}_4	\tilde{E}_4	L_{14}
E_P	-1	1	1	1
\tilde{Q}_4	1	-2	0	0
\tilde{E}_4	1	0	-2	0
L_{14}	1	0	0	-1

To get the Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ we only need to intersect it with E_P , L_{14} and Q_1 so it is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 1] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{Q}_4) & \text{if } v \in [1, 2] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{Q}_4) - (v-2)\tilde{L}_{14} & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{Q}_4) & \text{if } v \in [1, 2] \\ \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{Q}_4) + (v-2)\tilde{L}_{14} & \text{if } v \in [2, 3] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} (2-v)(2+v) & \text{if } v \in [0, 1] \\ 5-2v & \text{if } v \in [1, 2] \\ (3-v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 1] \\ 1 & \text{if } v \in [1, 2] \\ 3-v & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{4} \left(\int_0^1 (2-v)(2+v)dv + \int_1^2 5-2v dv + \int_2^3 (3-v)^2 dv \right) = \frac{3}{2}$$

Thus $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$. Moreover,

- if $O \in E_P \setminus (\tilde{L}_{14} \cup \tilde{Q}_4 \cup \tilde{E}_4)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap (\tilde{Q}_4 \cup \tilde{E}_4)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ v/2 & \text{if } v \in [1, 2] \\ (v-1)(3-v)/2 + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap \tilde{L}_{14}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (v-2)(3-v) + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

Thus

- if $O \in E_P \setminus (\tilde{L}_{14} \cup \tilde{Q}_4 \cup \tilde{E}_4)$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 1/2dv + \int_2^3 (3-v)^2/2dv \right) = \frac{5}{12} \leq \frac{3}{4}$$

- if $O \in E_P \cap (\tilde{Q}_4 \cup \tilde{E}_4)$:


$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 v/2dv + \int_2^3 (v-1)(3-v)/2 + (3-v)^2/2dv \right) = \frac{17}{24} \leq \frac{3}{4}$$

- if $O \in E_P \cap \tilde{L}_{14}$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 v/2dv + \int_2^3 (v-2)(3-v) + (3-v)^2/2dv \right) = \frac{1}{2} \leq \frac{3}{4}$$

Thus $\delta_P(S) = \frac{4}{3}$ for $E_4 \cap L_{14}$ (similar for $P \in E_4 \cap (L_{14} \cup L_{24} \cup L_{34})$). We get the same results if P is the intersection of two (-1) -curves in $\{(-1)\text{-curves}\} \setminus \{E_1, E_2, E_3, L_{45}\}$.

4). Suppose $P \in L_{14} \setminus (L_{35} \cup L_{25} \cup E_4 \cup E_1)$ (same if P is in $\{(-1)\text{-curves}\} \setminus \{E_1, E_2, E_3, L_{45}\}$ and is not the intersection of two (-1) -curves). Suppose Q_P is a strict transform of a conic containing P_2, P_3, P_5 and is tangent to the line connecting P_1 and P_4 at the projection of P on \mathbb{P}^2 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms Q_P, L_{14} , and E_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \bar{S} . Let $\bar{L}_{14}, \bar{Q}_P, \bar{E}$, and \bar{P} be the images of strict transforms of L_{14}, Q_P, E and E_P respectively. Note that \bar{P} is a point. We denote this weighed blowup by $\sigma : \bar{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q} + (4-v)\bar{E}$. The intersections are given by

	Q_P	E	L_{14}
Q_P	-1	1	0
E	1	-1/2	1
L_{14}	0	1	-3

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_{14} & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_{14} - (v-3)\bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3}\bar{L}_{14} & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3}\bar{L}_{14} + (v-3)\bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4-v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4-v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4-v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{L}_{14}$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-1)/3 \cdot (5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-3)(5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q}_P \cup \bar{L}_{14})$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4-v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{L}_{14}$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v-1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-1)/3 \cdot (5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-3)(5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in L_{14} \setminus (L_{35} \cup L_{25} \cup E_4 \cup E_1)$ (same if P is in $\{(-1)\text{-curves}\} \setminus \{E_1, E_2, E_3, L_{45}\}$ and is not the intersection of two (-1) -curves).

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{14} \cup L_{15} \cup L_{24} \cup L_{25} \cup L_{34} \cup L_{35} \cup L_{45} \cup L_{123}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (1-v)E_P + \tilde{L}_{123} + \tilde{L}_{45} + \tilde{E}_1 + L_{1P}$ where L_{1P} is a strict transform of the line which passes through P_1 and the projection of P on \mathbb{P}^2 and $\tilde{L}_{123}, \tilde{L}_{45}, \tilde{E}_1$ are strict transforms of L_{123}, L_{45}, E_1 . The intersections are given by

	\tilde{L}_{123}	\tilde{L}_{45}	\tilde{E}_1	E_P	L_{1P}
\tilde{L}_{123}	-2	1	1	0	0
\tilde{L}_{45}	1	-1	0	0	1
\tilde{E}_1	1	0	-1	0	1
E_P	0	0	0	-1	1
L_{1P}	0	1	1	1	-1

To get the Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ we only need to intersect it with $E_P, L_{1P}, \tilde{L}_{123}, \tilde{L}_{45}, \tilde{E}_1$ so it is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{14} \cup L_{15} \cup L_{24} \cup L_{25} \cup L_{34} \cup L_{35} \cup L_{45} \cup L_{123}$. Moreover if $O \in E_P$:


$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{14} \cup L_{15} \cup L_{24} \cup L_{25} \cup L_{34} \cup L_{35} \cup L_{45} \cup L_{123}$. \square

6.3. Del Pezzo surface of degree 4 with two A_1 singularities and 9 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at point P_1, P_2, P_3 and P_4 in general position and after that blowing up a point P_5 which is the intersection of the exceptional divisor corresponding to P_1 and a strict transform of the line connecting P_1 and P_2 . We have:



Suppose

$$\mathbf{E} := E_2 \cup L_{13} \cup L_{14} \cup L_{34},$$

$$\mathbf{F} := (L_{23} \cap E_2) \cup (L_{24} \cap E_4),$$

$$\mathbf{G} := L_{23} \cup E_2 \cup L_{24} \cup E_4$$

$$\delta_P(S) = \begin{cases} 1 & \text{if } P \in E_1 \cup L_{25} \cup E_5, \\ \frac{6}{5} & \text{if } P \in \mathbf{E} \setminus (E_1 \cup L_{25}), \\ \frac{4}{3} & \text{if } P \in \mathbf{F}, \\ \frac{18}{13} & \text{if } P \in \mathbf{G} \setminus (\mathbf{E} \cup \mathbf{F}), \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$

where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, $L_{13}, L_{14}, L_{23}, L_{24}, L_{34}$ and L_{25} are coming from strict transforms of the lines connecting P_1 and P_3, P_1 and P_4, P_2 and P_3, P_2 and P_4, P_3 and P_4, P_1 and P_2 respectively.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{14}, L_{23}, L_{24}, L_{25}, L_{34} \rangle$.

1). Suppose $P \in E_1$ (or L_{25}). The Zariski Decomposition of the divisor $-K_S - vL_{123}$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(L_{13} + L_{14} + 2E_5 + L_{25}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(L_{13} + L_{14} + 2E_5 + L_{25}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and} \quad P(v) \cdot E_1 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 (4 - 2v^2) dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$. Note that we have:

- if $P \in E_1 \setminus (L_{13} \cup L_{14} \cup E_5 \cup L_{25})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap (L_{13} \cup L_{14} \cup L_{25})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap E_5$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have

- if $P \in E_1 \setminus (L_{13} \cup L_{14} \cup E_5 \cup L_{25})$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = \frac{2}{3} \leq 1$$

- if $P \in E_1 \cap (L_{13} \cup L_{14} \cup L_{25})$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(v-1)(2-v) + 2(2-v)^2 dv \right) = \frac{5}{6} \leq 1$$

- if $P \in E_1 \cap E_5$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 4(v-1)(2-v) + 2(2-v)^2 dv \right) = 1 \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_1$ (or L_{25}).

2). Suppose $P \in E_2$ (or $L_{13} \cup L_{14} \cup L_{34}$). The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)L_{25} & \text{if } v \in [0, 1] \\ -K_S - vE_2 - (v/2)L_{25} - (v-1)(L_{23} + L_{24}) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{25} & \text{if } v \in [0, 1] \\ (v/2)L_{25} + (v-1)(L_{23} + L_{24}) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 4 & \text{if } v \in [0, 1] \\ \frac{3(2-v)^2}{2} & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 3 - 3v/2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_2) = \frac{1}{4} \left(\int_0^1 -v^2/2 - 2v + 4 dv + \int_1^2 \frac{3(2-v)^2}{2} dv \right) = \frac{5}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{5}$ for $P \in E_2$. Moreover,

- If $P \in E_2 \setminus (L_{25} \cup L_{23} \cup L_{24})$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_2 \cap (L_{23} \cup L_{24})$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (v - 1)(3 - 3v/2) + (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 (v - 1)(3 - 3v/2) + \frac{(3 - 3v/2)^2}{2} dv \right) = \frac{17}{24} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \in E_2 \setminus L_{25}$ (or if $P \in (E_2 \cup L_{13} \cup L_{14} \cup L_{34}) \setminus (E_1 \cup L_{25})$).

3). Suppose $P = E_4 \cap L_{14}$ (similar if $P = E_3 \cap L_{23}$). Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (3 - v)E_P + \tilde{Q}_{14} + \tilde{L}_{24} + \tilde{E}_4$ where \tilde{Q}_{14} is the strict transform of Q_{14} which is a conic on \mathbb{P}^2 which passes through $P_1, P_3,$ and P_4 and is tangent to the line passing through P_1 and P_2 and the line passing through P_4 and P_2 , \tilde{E}_4 is the strict transform of E_4 , \tilde{L}_{24} is a strict transform of L_{24} . The intersections are given by

	E_P	\tilde{Q}_{14}	\tilde{E}_4	L_{24}
E_P	-1	1	1	1
\tilde{Q}_{14}	1	-1	0	0
\tilde{E}_4	1	0	-2	0
L_{24}	1	0	0	-2

To get the Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ we only need to intersect it with E_P, L_{1P} and Q_1 so it is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 1] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{24}) & \text{if } v \in [1, 2] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{24}) - (v-2)\tilde{Q}_{14} & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{24}) & \text{if } v \in [1, 2] \\ \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{24}) + (v-2)\tilde{Q}_{14} & \text{if } v \in [2, 3] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} (2 - v)(2 + v) & \text{if } v \in [0, 1] \\ 5 - 2v & \text{if } v \in [1, 2] \\ (3 - v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 1] \\ 1 & \text{if } v \in [1, 2] \\ 3 - v & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{4} \left(\int_0^1 (2 - v)(2 + v) dv + \int_1^2 5 - 2v dv + \int_2^3 (3 - v)^2 dv \right) = \frac{3}{2}$$

Thus $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$. Moreover,

- if $O \in E_P \setminus (\tilde{L}_{24} \cup \tilde{Q}_{14} \cup \tilde{E}_4)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (3 - v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap (\tilde{L}_{24} \cup \tilde{E}_4)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ v/2 & \text{if } v \in [1, 2] \\ (v-1)(3-v)/2 + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap \tilde{Q}_{14}$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (v-2)(3-v) + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

Thus

- if $O \in E_P \setminus (\tilde{L}_{14} \cup \tilde{Q}_4 \cup \tilde{E}_4)$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 1/2 dv + \int_2^3 (3-v)^2/2 dv \right) = \frac{5}{12} \leq \frac{3}{4}$$

- if $O \in E_P \cap (\tilde{Q}_4 \cup \tilde{E}_4)$:


$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 v/2 dv + \int_2^3 (v-1)(3-v)/2 + (3-v)^2/2 dv \right) = \frac{17}{24} \leq \frac{3}{4}$$

- if $O \in E_P \cap \tilde{L}_{14}$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 v/2 dv + \int_2^3 (v-2)(3-v) + (3-v)^2/2 dv \right) = \frac{1}{2} \leq \frac{3}{4}$$

Thus $\delta_P(S) = \frac{4}{3}$ for $E_4 \cap L_{24}$ (similar for $P = E_3 \cap L_{23}$).

4). Suppose $P \in L_{24} \setminus (E_4 \cup L_{13} \cup E_2)$ (same if P is in $L_{24} \cup L_{23} \cup E_3 \cup E_4 \setminus (L_{13} \cup L_{14} \cup L_{34} \cup E_2 \cup (L_{24} \cap E_4) \cup (L_{23} \cap E_3))$). Suppose Q_{1P} is a strict transform of a conic containing P_1, P_3 and the projection of P on \mathbb{P}^2 is tangent to the line connecting P_1 and P_2 is tangent to the line connection P_2 and P_4 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms Q_{1P}, L_{24} , and E_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \tilde{S} . Let $\tilde{L}_{24}, \tilde{Q}_{1P}, \tilde{E}$, and \tilde{P} be the images of strict transforms of L_{24}, Q_{1P}, E and E_P respectively. Note that \tilde{P} is a point. We denote this weighed blowup by $\sigma: \tilde{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q} + (4 - v)\bar{E}$. The intersections are given by

	Q_{1P}	E	L_{24}
Q_{1P}	-1	1	0
E	1	-1/2	1
L_{24}	0	1	-3

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_{24} & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_{24} - (v-3)\bar{Q}_{1P} & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3}\bar{L}_{14} & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3}\bar{L}_{14} + (v-3)\bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4 - v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4 - v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4 - v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{L}_{14}$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-1)/3 \cdot (5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-3)(5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q}_P \cup \bar{L}_{14})$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4-v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{L}_{14}$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v-1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-1)/3 \cdot (5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-3)(5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in L_{24} \setminus (E_4 \cup L_{13} \cup E_2)$ (same if P is in $L_{24} \cup L_{23} \cup E_3 \cup E_4 \setminus (L_{13} \cup L_{14} \cup L_{34} \cup E_2 \cup (L_{24} \cap E_4) \cup (L_{23} \cap E_3))$).
5). Suppose $P \in E_5$. The Zariski decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = -K_S - vE_5 - (v/2)(L_{25} + E_1), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(L_{25} + E_1), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = 4 - 2v \text{ and } P(v) \cdot E_5 = 1 \text{ if } v \in [0, 2]$$

We have

$$S_S(E_5) = \frac{1}{4} \left(\int_0^2 4 - 2vdv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_5$. Moreover if $P \in E_5 \setminus (L_{25} \cup E_1)$:

$$h(v) = 1/2 \text{ if } v \in [0, 2]$$

Thus for $P \in E_5 \setminus (L_{25} \cup E_1)$:

$$S(W_{\bullet, \bullet}^{E_5}; P) = \frac{2}{4} \left(\int_0^2 \frac{1}{2} dv \right) = \frac{1}{2} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in E_5 \setminus (L_{25} \cup E_1)$.

6). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{13} \cup L_{14} \cup L_{15} \cup L_{23} \cup L_{24} \cup L_{25} \cup L_{34}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{2P} + Q_1$ where Q_1 is the strict transform of the conic passing through P_1, P_3, P_4 and the projection of P on \mathbb{P}^2 and is tangent to the projection of the line L_{12} on \mathbb{P}^2 , L_{2P} is a strict transform of the line passing through P_2 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_1	L_{2P}
E_P	-1	1	1
Q_1	1	-1	1
L_{2P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v)dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{3}{2}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P .


□

6.4. Del Pezzo surface of degree 4 with two A_1 singularities and 8 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 which belong to the same line and P_4 which is not on this line and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 but does not belong to other negative curves. We have:

Suppose

$$\mathbf{E} := E_1 \cup E_2 \cup E_3 \cup E_5 \cup L_{14} \cup L_{24} \cup L_{34} \cup L_5,$$

$$\delta_P(S) = \begin{cases} 1 & \text{if } P \in E_4 \cup L_{123}, \\ \frac{6}{5} & \text{if } P \in \mathbf{E} \setminus (E_4 \cup L_{123}), \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{14}, L_{24}, L_{34} are coming from strict transforms of the lines connecting P_1 and P_4, P_2 and P_4, P_3 and P_4, L_{123} is a strict transform of the line containing P_1, P_2, P_3 and L_5 is the last negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{14}, L_{24}, L_{34}, L_5, L_{123} \rangle$

1). Suppose $P \in E_4$ (or L_{123}). The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 & \text{for } v \in [0, 1] \\ -K_S - vE_4 - (v-1)(L_{14} + L_{24} + L_{34} + E_5) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(L_{14} + L_{24} + L_{34} + E_5) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_4$. Note that we have:

- if $P \in E_4 \setminus (L_{14} \cup L_{24} \cup L_{34} \cup E_5)$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_4 \cap (L_{14} \cup L_{24} \cup L_{34} \cup E_5)$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_4$ then

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2-v)(v-1) + 2(2-v)^2 dv \right) = \frac{5}{6} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_4$ (or L_{123}).

2). Suppose $P \in E_1$ (or $E_2 \cup E_3 \cup E_5 \cup L_{14} \cup L_{24} \cup L_{34} \cup L_5$). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - (v/2)L_{123} & \text{if } v \in [0, 1] \\ -K_S - vE_1 - (v/2)L_{123} - (v-1)(2L_{14} + E_4) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{123} & \text{if } v \in [0, 1] \\ (v/2)L_{123} + (v-1)(2L_{14} + E_4) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 4 & \text{if } v \in [0, 1] \\ \frac{3(2-v)^2}{2} & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 3 - 3v/2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 -v^2/2 - 2v + 4 dv + \int_1^2 \frac{3(2-v)^2}{2} dv \right) = \frac{5}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{5}$ for $P \in E_1$. Moreover,

- If $P \in E_1 \setminus (L_{123} \cup L_{14} \cup E_4)$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_1 \cap L_{14}$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ 2(v-1)(3 - 3v/2) + (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 2(v-1)(3 - 3v/2) + \frac{(3 - 3v/2)^2}{2} dv \right) = \frac{5}{6} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \in E_1 \setminus L_{123}$ (similarly for $P \in (E_1 \cup E_2 \cup E_3 \cup E_5 \cup L_{14} \cup L_{24} \cup L_{34} \cup L_5) \setminus (L_{123} \cup E_4)$).

3). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{14} \cup L_{24} \cup L_{34} \cup L_5 \cup L_{123}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + Q_1$ where Q_1 is the strict transform of the conic passing through P_2, P_3, P_4 , and the projection of P on \mathbb{P}^2 and is tangent to a projection of a line L_5 on \mathbb{P}^2 , L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_1	L_{1P}
E_P	-1	1	1
Q_1	1	-1	1
L_{1P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.5. Del Pezzo surface of degree 4 with A_2 singularity and 8 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 which belong to the same line and P_4 which is not on this line and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_3 but does not belong to other negative curves. We have:

Suppose


$$\mathbf{E} := L_{123} \cup E_3,$$

$$\mathbf{F} := E_1 \cup E_2 \cup E_5 \cup L_{34},$$

$$\mathbf{G} := (E_4 \cup L_5) \cap (L_{14} \cup L_{24}),$$

$$\mathbf{H} := E_4 \cup L_{14} \cup L_{24} \cup L_5$$

$$\delta_P(S) = \begin{cases} \frac{6}{7} & \text{if } P \in \mathbf{E}, \\ \frac{8}{7} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{4}{3} & \text{if } P \in \mathbf{G}, \\ \frac{18}{13} & \text{if } P \in \mathbf{H} \setminus \mathbf{G}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{14}, L_{24}, L_{34} are coming from strict transforms of the lines connecting P_1 and P_4, P_2 and P_4, P_3 and P_4, L_{123} is a strict transform of the line containing P_1, P_2, P_3 and L_5 is the last negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{14}, L_{24}, L_{34}, L_5, L_{123} \rangle$.

1). Suppose $P \in E_3$ (or L_{123}). The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)L_{123} & \text{for } v \in [0, 1] \\ -K_S - vE_3 - (v/2)L_{123} - (v-1)(L_{34} + E_5) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{123} & \text{for } v \in [0, 1] \\ (v/2)L_{123} + (v-1)(L_{34} + E_5) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 3v^2/2 & \text{for } v \in [0, 1] \\ \frac{(v-2)(v-6)}{2} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 2v & \text{for } 3v/2 \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_3) = \frac{1}{4} \left(\int_0^1 4 - 3v^2/2 dv + \int_1^2 \frac{(v-2)(v-6)}{2} dv \right) = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$ for $P \in E_3$. Note that we have:

- if $P \in E_3 \setminus (L_{34} \cup E_5 \cup L_{123})$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_3 \cap (L_{34} \cup E_5)$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_3 \cap L_{123}$ then

$$h(v) = \begin{cases} (v/2)(3v/2) + (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_3$ then

- if $P \in E_3 \setminus (L_{34} \cup E_5 \cup L_{123})$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (2 - v/2)^2 dv \right) = \frac{7}{12} \leq \frac{7}{6}$$

- if $P \in E_3 \cap (L_{34} \cup E_5)$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (v-1)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{8} \leq \frac{7}{6}$$

- if $P \in E_3 \cap L_{123}$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{4} \left(\int_0^1 (v/2)(3v/2) + (3v/2)^2/2 dv + \int_1^2 (v/2)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{6} \leq \frac{7}{6}$$

Thus $\delta_P(S) = \frac{6}{7}$ if $P \in E_3$ (or L_{123}).

2). Suppose $P \in E_1$ (or $E_2 \cup E_5 \cup L_{34}$). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - v/3(2L_{123} + E_3) & \text{for } v \in [0, 1] \\ -K_S - vE_1 - v/3(2L_{123} + E_3) - (v-1)L_{14} & \text{for } v \in [1, 3/2] \\ -K_S - vE_1 - (v-1)(2L_{123} + E_3 + L_{14}) - (2v-3)E_2 & \text{for } v \in [3/2, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2L_{123} + E_3) & \text{for } v \in [0, 1] \\ v/3(2L_{123} + E_3) + (v-1)L_{14} & \text{for } v \in [1, 3/2] \\ (v-1)(2L_{123} + E_3 + L_{14}) + (2v-3)E_2 & \text{for } v \in [3/2, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/3 - 2v + 4 & \text{for } v \in [0, 1] \\ 5 + 2/3v^2 - 4v & \text{for } v \in [1, 3/2] \\ 2(v-2)^2 & \text{for } v \in [3/2, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1 + v/3 & \text{for } v \in [0, 1] \\ 2(1 - v/3) & \text{for } v \in [1, 3/2] \\ 4 - 2v & \text{for } v \in [3/2, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 -v^2/3 - 2v + 4dv + \int_1^{3/2} 5 + 2/3v^2 - 4v dv + \int_{3/2}^2 2(v-2)^2 dv \right) = \frac{7}{8}$$

Thus, $\delta_P(S) \leq \frac{8}{7}$ for $P \in E_1$. Note that we have:

- if $P \in E_1 \setminus (L_{123} \cup L_{14})$ then

$$h(v) = \begin{cases} (1 + v/3)^2/2 & \text{for } v \in [0, 1] \\ 2(1 - v/3)^2 & \text{for } v \in [1, 3/2] \\ 2(2 - v)^2 & \text{for } v \in [3/2, 2] \end{cases}$$

- if $P \in E_1 \cap L_{14}$ then

$$h(v) = \begin{cases} (1 + v/3)^2/2 & \text{for } v \in [0, 1] \\ 2(v-1)(1 - v/3) + 2(1 - v/3)^2 & \text{for } v \in [1, 3/2] \\ 2(v-1)(2 - v) + 2(2 - v)^2 & \text{for } v \in [3/2, 2] \end{cases}$$

So we have that if $P \in E_1 \setminus L_{123}$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/3)^2}{2} dv + \int_1^{3/2} 2(v-1)(1 - v/3) + 2(1 - v/3)^2 dv + \int_{3/2}^2 2(v-1)(2 - v) + 2(2 - v)^2 dv \right) = \frac{17}{24} \leq \frac{7}{8}$$

Thus $\delta_P(S) = \frac{8}{7}$ if $P \in E_1$ (or $E_2 \cup E_5 \cup L_{34}$).

3). Suppose $P = E_4 \cap L_{14}$ (similar if P is the intersection of two (-1) -curves in $\{E_4, L_{14}, L_{24}, L_5\}$). Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (3 - v)E_P + \tilde{Q}_4 + \tilde{L}_{14} + \tilde{E}_4$ where \tilde{Q}_4 is the strict transform of Q_4 which is a conic on \mathbb{P}^2 which passes through P_2, P_3, P_4 and tangent to the line passing through P_1 and P_4 and a projection of L_5 on \mathbb{P}^2 , \tilde{E}_4 is the strict transform of E_4 , \tilde{L}_{14} is a strict transform of L_{14} . The intersections are given by

	E_P	\tilde{Q}_{14}	\tilde{E}_4	L_{14}
E_P	-1	1	1	1
\tilde{Q}_4	1	-1	0	0
\tilde{E}_4	1	0	-2	0
L_{14}	1	0	0	-2

The Zariski decomposition is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 1] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{14}) & \text{if } v \in [1, 2] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{14}) - (v-2)\tilde{Q}_4 & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{14}) & \text{if } v \in [1, 2] \\ \frac{(v-1)}{2}(\tilde{E}_4 + \tilde{L}_{14}) + (v-2)\tilde{Q}_4 & \text{if } v \in [2, 3] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} (2-v)(2+v) & \text{if } v \in [0, 1] \\ 5-2v & \text{if } v \in [1, 2] \\ (3-v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 1] \\ 1 & \text{if } v \in [1, 2] \\ 3-v & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{4} \left(\int_0^1 (2-v)(2+v)dv + \int_1^2 5-2v dv + \int_2^3 (3-v)^2 dv \right) = \frac{3}{2}$$

Thus $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$. Moreover,

- if $O \in E_P \setminus (\tilde{L}_{14} \cup \tilde{Q}_4 \cup \tilde{E}_4)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap (\tilde{L}_{14} \cup \tilde{E}_4)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ v/2 & \text{if } v \in [1, 2] \\ (v-1)(3-v)/2 + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap \tilde{Q}_4$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (v-2)(3-v) + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

Thus

- if $O \in E_P \setminus (\tilde{L}_{14} \cup \tilde{Q}_4 \cup \tilde{E}_4)$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 1/2 dv + \int_2^3 (3-v)^2/2 dv \right) = \frac{5}{12} \leq \frac{3}{4}$$

- if $O \in E_P \cap (\tilde{Q}_4 \cup \tilde{E}_4)$:


$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 v/2 dv + \int_2^3 (v-1)(3-v)/2 + (3-v)^2/2 dv \right) = \frac{17}{24} \leq \frac{3}{4}$$

- if $O \in E_P \cap \tilde{L}_{14}$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 v/2dv + \int_2^3 (v-2)(3-v) + (3-v)^2/2dv \right) = \frac{1}{2} \leq \frac{3}{4}$$

Thus $\delta_P(S) = \frac{4}{3}$ for $E_4 \cap L_{14}$ (similar for $P \in \{E_4 \cap L_{14}, E_4 \cap L_{24}, L_{14} \cap L_5, L_{24} \cap L_5\}$).

4). Suppose $P \in L_{14} \setminus (E_1 \cup E_4 \cup L_5)$ (same if $P \in \{L_{14}, L_{24}, L_5, E_4\} \setminus \{E_1, E_2, E_5, L_{34}\}$). Suppose Q_P is a strict transform of a conic containing P_2, P_3 and the projection of P on \mathbb{P}^2 is tangent to the line connecting P_1 and P_4 at the projection of P on \mathbb{P}^2 and tangent to a projection of L_5 on \mathbb{P}^2 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms Q_P, L_{14} , and E_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \bar{S} . Let $\bar{L}_{14}, \bar{Q}_P, \bar{E}$, and \bar{P} be the images of strict transforms of L_{14}, Q_P, E and E_P respectively. Note that \bar{P} is a point. We denote this weighed blowup by $\sigma : \bar{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q}_P + (4-v)\bar{E}$. The intersections are given by

	Q_P	E	L_{14}
Q_P	-1	1	0
E	1	-1/2	1
L_{14}	0	1	-3

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_{14} & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_{14} - (v-3)\bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3} \bar{L}_{14} & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3} \bar{L}_{14} + (v-3) \bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4-v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4-v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4-v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{L}_{14}$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-1)/3 \cdot (5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-3)(5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q}_P \cup \bar{L}_{14})$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4-v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{L}_{14}$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v-1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-1)/3 \cdot (5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-3)(5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in L_{14} \setminus (E_1 \cup E_4 \cup L_5)$ (same if $P \in \{L_{14}, L_{24}, L_5, E_4\} \setminus \{E_1, E_2, E_5, L_{34}\}$).

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{14} \cup L_{24} \cup L_{34} \cup L_5 \cup L_{123}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + Q_1$ where Q_1 is the strict transform of the conic passing through P_2, P_3, P_4 , and the projection of P on \mathbb{P}^2 and is tangent to a projection of a line L_5 on \mathbb{P}^2 , L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_1	L_{1P}
E_P	-1	1	1
Q_1	1	-1	1
L_{1P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:


$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.6. Del Pezzo surface of degree 4 with tree A_1 singularities and 6 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 in general position and after that blowing up a point P_4 which is the intersection of the exceptional divisor corresponding to P_1 and the strict transform of a line connecting P_1 and P_2 and a point P_5 which belongs to the exceptional divisor corresponding to P_3 and does not belong to other negative curves. We have:



Suppose

$$\mathbf{E} := E_1 \cup E_3 \cup E_4 \cup L_{13} \cup L_{24},$$

$$\mathbf{F} := E_2 \cup E_5 \cup L_5 \cup L_{23}$$

$$\delta_P(S) = \begin{cases} 1 & \text{if } P \in \mathbf{E}, \\ \frac{6}{5} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$

where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{24}, L_{13}, L_{23} are coming from strict transforms of the lines connecting P_1 and P_2, P_1 and P_3, P_2 and P_3 , and P_5 is the last negative curve.

Proof. We have $\overline{NE}(S) = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{23}, L_{24}, L_5 \rangle$

1). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(2E_4 + 2L_{13} + L_{24} + E_3) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(2E_4 + 2L_{13} + L_{24} + E_3) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$. Note that we have:

- if $P \in E_1 \setminus (E_4 \cup L_{13})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap (E_4 \cup L_{13})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 4(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_1$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 4(2-v)(v-1) + 2(2-v)^2 dv \right) = 1 \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_1$.

2). Suppose $P \in E_3$ (or L_{24}). The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 & \text{for } v \in [0, 1] \\ -K_S - vE_3 - (v-1)(2L_{13} + L_{23} + E_1 + E_5) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(2L_{13} + L_{23} + E_1 + E_5) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_3) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_3$. Note that we have:

- if $P \in E_3 \setminus (E_5 \cup L_{13} \cup L_{23})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_3 \cap (E_5 \cup L_{23})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_3 \cap L_{13}$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 4(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_3$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 4(2-v)(v-1) + 2(2-v)^2 dv \right) = 1 \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_3$.

3). Suppose $P \in E_5$ (or $E_2 \cup E_5 \cup L_{23} \cup L_5$). The Zariski Decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = \begin{cases} -K_S - vE_5 - (v/2)E_3 & \text{if } v \in [0, 1] \\ -K_S - vE_5 - (v/2)E_3 - (v-1)(2L_5 + L_{24}) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_3 & \text{if } v \in [0, 1] \\ (v/2)E_3 + (v-1)(2L_5 + L_{24}) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 4 & \text{if } v \in [0, 1] \\ \frac{3(2-v)^2}{2} & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_5 = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 3 - 3v/2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_5) = \frac{1}{4} \left(\int_0^1 -v^2/2 - 2v + 4 dv + \int_1^2 \frac{3(2-v)^2}{2} dv \right) = \frac{5}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{5}$ for $P \in E_1$. Moreover,

- If $P \in E_5 \setminus (E_3 \cup L_5)$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_5 \cap L_5$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ 2(v-1)(3 - 3v/2) + (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 2(v-1)(3 - 3v/2) + \frac{(3 - 3v/2)^2}{2} dv \right) = \frac{5}{6} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \in E_5 \setminus E_3$ (similarly for $P \in (E_2 \cup E_5 \cup L_5 \cup L_{23}) \setminus (E_3 \cup L_{24})$). 4). Suppose $P \in E_4$ (or L_{13}). The Zariski decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = -K_S - vE_4 - (v/2)(L_{14} + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(L_{14} + E_1), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = 4 - 2v \text{ and } P(v) \cdot E_4 = 1 \text{ if } v \in [0, 2]$$

We have

$$S_S(E_4) = \frac{1}{4} \left(\int_0^2 4 - 2v dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_4$. Moreover if $P \in E_4 \setminus (L_{14} \cup E_1)$:

$$h(v) = 1/2 \text{ if } v \in [0, 2]$$

Thus for $P \in E_4 \setminus (L_{14} \cup E_1)$:

$$S(W_{\bullet, \bullet}^{E_4}; P) = \frac{2}{4} \left(\int_0^2 \frac{1}{2} dv \right) = \frac{1}{2} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in E_4 \setminus (L_{14} \cup E_1)$ (same for $L_{13} \setminus (E_3 \cup E_1)$).

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{13} \cup L_{23} \cup L_{24} \cup L_5$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{2P} + Q_P$ where Q_P is the strict transform of the conic passing through P_1, P_2 and the projection of P on \mathbb{P}^2 and is

tangent to the line passing through P_1 and P_2 and a projection of a line L_5 on \mathbb{P}^2 , L_{2P} is a strict transform of the line passing through P_2 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_P	L_{2P}
E_P	-1	1	1
Q_P	1	-1	1
L_{2P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2 - v)(2 + v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2 - v)(2 + v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$


We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.7. Del Pezzo surface of degree 4 with A_1 and A_2 singularities and 6 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 in general position and after that blowing up a point P_5 which is the intersection of the exceptional divisor corresponding to P_2 and the strict transform of a line connecting P_1 and P_2 and a point P_4 which belongs to the exceptional divisor corresponding to P_1 and does not belong to other negative curves. We have:

Suppose

$$\mathbf{E} := E_2 \cup E_4 \cup L_{13},$$

$$\delta_P(S) = \begin{cases} \frac{6}{7} & \text{if } P \in (L_{15} \cup E_1), \\ 1 & \text{if } P \in E_2 \setminus E_5, \\ \frac{8}{7} & \text{if } P \in (L_{13} \cup E_4) \setminus E_1 \\ \frac{6}{5} & \text{if } P \in L_{23} \setminus E_2, \\ \frac{18}{13} & \text{if } P \in (E_3 \cup L_4) \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{15}, L_{13}, L_{23} are coming from strict transforms of the lines connecting P_1 and P_2, P_1 and P_3, P_2 and P_3 , and L_4 is the last negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{15}, L_{23}, L_4 \rangle$.

1). Suppose $P \in L_{15}$. The Zariski Decomposition of the divisor $-K_S - vL_{15}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{15} - (v/2)E_1 & \text{for } v \in [0, 1] \\ -K_S - vL_{15} - (v/2)E_1 - (v-1)(2E_5 + E_2) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 & \text{for } v \in [0, 1] \\ (v/2)E_1 + (v-1)(2E_5 + E_2) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 3v^2/2 & \text{for } v \in [0, 1] \\ \frac{(v-2)(v-6)}{2} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot L_{15} = \begin{cases} 2v & \text{for } 3v/2 \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_{15}) = \frac{1}{4} \left(\int_0^1 4 - 3v^2/2 dv + \int_1^2 \frac{(v-2)(v-6)}{2} dv \right) = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$ for $P \in E_3$. Note that we have:

- if $P \in L_{15} \setminus (E_1 \cup E_5)$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in L_{15} \cap E_5$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in L_{15} \cap E_1$ then

$$h(v) = \begin{cases} (v/2)(3v/2) + (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in L_{15}$ then

- if $P \in L_{15} \setminus (E_1 \cup E_5)$ then

$$S(W_{\bullet, \bullet}^{L_{15}}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (2 - v/2)^2 dv \right) = \frac{7}{12} \leq \frac{7}{6}$$

- if $P \in L_{15} \cap E_5$ then

$$S(W_{\bullet, \bullet}^{L_{15}}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (v-1)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{8} \leq \frac{7}{6}$$

- if $P \in L_{15} \cap E_1$ then

$$S(W_{\bullet, \bullet}^{L_{15}}; P) = \frac{2}{4} \left(\int_0^1 (v/2)(3v/2) + (3v/2)^2/2 dv + \int_1^2 (v/2)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{6} \leq \frac{7}{6}$$

Thus $\delta_P(S) = \frac{6}{7}$ if $P \in E_1$.

2). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - (v/2)L_{15} & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v/2)L_{15} - (v-1)(L_{13} + E_4) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_1 & \text{for } v \in [0, 1] \\ (v/2)E_1 + (v-1)(L_{13} + E_4) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 3v^2/2 & \text{for } v \in [0, 1] \\ \frac{(v-2)(v-6)}{2} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{for } 3v/2 \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 4 - 3v^2/2 dv + \int_1^2 \frac{(v-2)(v-6)}{2} dv \right) = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$ for $P \in E_3$. Note that we have:

- if $P \in E_1 \setminus (L_{15} \cup L_{13} \cup E_4)$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap (L_{13} \cup E_4)$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap L_{15}$ then

$$h(v) = \begin{cases} (v/2)(3v/2) + (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_1$ then

- if $P \in E_1 \setminus (L_{15} \cup L_{13} \cup E_4)$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (2 - v/2)^2 dv \right) = \frac{7}{12} \leq \frac{7}{6}$$

- if $P \in E_1 \cap (L_{13} \cup E_4)$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (v - 1)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{8} \leq \frac{7}{6}$$

- if $P \in E_1 \cap L_{15}$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) = \frac{2}{4} \left(\int_0^1 (v/2)(3v/2) + (3v/2)^2/2 dv + \int_1^2 (v/2)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{6} \leq \frac{7}{6}$$

Thus $\delta_P(S) = \frac{6}{7}$ if $P \in E_1$.

3). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 & \text{for } v \in [0, 1] \\ -K_S - vE_2 - (v - 1)(L_{23} + 3E_5 + 2L_{15} + E_1) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v - 1)(L_{23} + 3E_5 + 2L_{15} + E_1) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2 - v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2 - v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_2$. Note that we have:

- if $P \in E_2 \setminus (E_5 \cup L_{23})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_2 \cap L_{23}$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v - 1)(2 - v) + 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_2 \setminus E_5$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2-v)(v-1) + 2(2-v)^2 dv \right) = \frac{5}{6} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_2 \setminus E_5$.

4). Suppose $P \in E_5$. The Zariski Decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = \begin{cases} -K_S - vE_5 - (v/2)E_2 - (v/3)(2L_{15} + E_1) & \text{for } v \in [0, 2] \\ -K_S - vE_5 - (v/3)(2L_{15} + E_1) - (v-1)E_2 - (v-2)L_{23} & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_2 + (v/3)(2L_{15} + E_1) & \text{for } v \in [0, 1] \\ (v/3)(2L_{15} + E_1) + (v-1)E_2 + (v-2)L_{23} & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} v^2/6 - 2v + 4 & \text{for } v \in [0, 2] \\ \frac{2(v-3)^2}{3} & \text{for } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_5 = \begin{cases} 2v & \text{for } 1 - v/6 \in [0, 2] \\ 2 - 2v/3 & \text{for } v \in [2, 3] \end{cases}$$

Thus,

$$S_S(E_5) = \frac{1}{4} \left(\int_0^2 v^2/6 - 2v + 4 dv + \int_2^3 \frac{2(v-3)^2}{3} dv \right) = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$ for $P \in E_5$. Note that we have that

- if $P \in E_5 \setminus (L_{15} \cup E_2)$ then

$$h(v) = \begin{cases} (1 - v/6)^2/2 & \text{for } v \in [0, 2] \\ (2 - 2v/3)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

- if $P \in E_5 \cap E_2$ then

$$h(v) = \begin{cases} (v/2)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [0, 2] \\ (v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

So

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^2 (v/2)(1 - v/6) + (1 - v/6)^2/2 dv + \int_2^3 (v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 dv \right) = \frac{89}{216} \leq \frac{7}{6}$$

Thus $\delta_P(S) = \frac{6}{7}$ if $P \in E_5 \setminus L_{15}$.

5). Suppose $P \in E_4$ (or L_{13}). The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/3(2E_1 + L_{15}) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - v/3(2E_1 + L_{15}) - (v-1)L_4 & \text{for } v \in [1, 3/2] \\ -K_S - vE_4 - (v-1)(2E_1 + L_{15} + L_4) - (2v-3)L_{13} & \text{for } v \in [3/2, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2E_1 + L_{15}) & \text{for } v \in [0, 1] \\ v/3(2E_1 + L_{15}) + (v-1)L_4 & \text{for } v \in [1, 3/2] \\ (v-1)(2E_1 + L_{15} + L_4) + (2v-3)L_{13} & \text{for } v \in [3/2, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/3 - 2v + 4 & \text{for } v \in [0, 1] \\ 5 + 2/3v^2 - 4v & \text{for } v \in [1, 3/2] \\ 2(v-2)^2 & \text{for } v \in [3/2, 2] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 1 + v/3 & \text{for } v \in [0, 1] \\ 2(1 - v/3) & \text{for } v \in [1, 3/2] \\ 4 - 2v & \text{for } v \in [3/2, 2] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 -v^2/3 - 2v + 4dv + \int_1^{3/2} 5 + 2/3v^2 - 4v dv + \int_{3/2}^2 2(v-2)^2 dv \right) = \frac{7}{8}$$

Thus, $\delta_P(S) \leq \frac{8}{7}$ for $P \in E_1$. Note that we have:

- if $P \in E_4 \setminus (E_1 \cup L_4)$ then

$$h(v) = \begin{cases} (1 + v/3)^2/2 & \text{for } v \in [0, 1] \\ 2(1 - v/3)^2 & \text{for } v \in [1, 3/2] \\ 2(2 - v)^2 & \text{for } v \in [3/2, 2] \end{cases}$$

- if $P \in E_4 \cap L_4$ then

$$h(v) = \begin{cases} (1 + v/3)^2/2 & \text{for } v \in [0, 1] \\ 2(v-1)(1 - v/3) + 2(1 - v/3)^2 & \text{for } v \in [1, 3/2] \\ 2(v-1)(2 - v) + 2(2 - v)^2 & \text{for } v \in [3/2, 2] \end{cases}$$

So we have that if $P \in E_4 \setminus E_1$ then

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/3)^2}{2} dv + \int_1^{3/2} 2(v-1)(1 - v/3) + 2(1 - v/3)^2 dv + \int_{3/2}^2 2(v-1)(2 - v) + 2(2 - v)^2 dv \right) = \frac{17}{24} \leq \frac{7}{8}$$

Thus $\delta_P(S) = \frac{8}{7}$ if $P \in E_4 \setminus E_1$ (or $L_{13} \setminus E_1$).

6). Suppose $P \in L_{23}$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{23} - (v/2)E_2 & \text{if } v \in [0, 1] \\ -K_S - vL_{23} - (v/2)E_2 - (v-1)(E_3 + L_4) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_2 & \text{if } v \in [0, 1] \\ (v/2)E_2 + (v-1)(E_3 + L_4) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 4 & \text{if } v \in [0, 1] \\ \frac{3(2-v)^2}{2} & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot L_{23} = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 3 - 3v/2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(L_{23}) = \frac{1}{4} \left(\int_0^1 -v^2/2 - 2v + 4dv + \int_1^2 \frac{3(2-v)^2}{2} dv \right) = \frac{5}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{5}$ for $P \in L_{23}$. Moreover,

- If $P \in L_{23} \setminus (E_2 \cup E_3 \cup L_4)$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in L_{23} \cap (E_3 \cup L_4)$:


$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (v - 1)(3 - 3v/2) + (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{L_{23}}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1 + v/2)^2}{2} dv + \int_1^2 2(v - 1)(3 - 3v/2) + \frac{(3 - 3v/2)^2}{2} dv \right) = \frac{17}{24} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \in L_{23} \setminus E_2$.

7). Suppose $P \in L_4 \setminus (E_4 \cup L_{23})$ (or $E_3 \setminus (L_{13} \cup L_{23})$). Suppose Q_P is a strict transform of a conic containing P_2, P_3 and the projection of P on \mathbb{P}^2 is tangent to the line connecting P_1 and P_2 and tangent to a projection of L_4 on \mathbb{P}^2 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms Q_P, L_4 , and E_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \bar{S} . Let $\bar{L}_4, \bar{Q}_P, \bar{E}$, and \bar{P} be the images of strict transforms of L_4, Q_P, E and E_P respectively. Note that \bar{P} is a point. We denote this weighed blowup by $\sigma : \bar{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q}_P + (4 - v)\bar{E}$. The intersections are given by

	Q_P	E	L_4
Q_P	-1	1	0
E	1	-1/2	1
L_4	0	1	-3

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_4 & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{L}_4 - (v-3)\bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3}\bar{L}_4 & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3}\bar{L}_4 + (v-3)\bar{Q}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4-v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4-v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4-v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_4)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{L}_4$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-1)/3 \cdot (5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-3)(5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q}_P \cup \bar{L}_4)$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4-v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{L}_4$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v-1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-1)/3 \cdot (5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in \bar{E} \cap \bar{Q}_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-3)(5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in L_4 \setminus (E_4 \cup L_{23})$ (or $E_3 \setminus (L_{13} \cup L_{23})$).

8). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{13} \cup L_{15} \cup L_{23} \cup L_4$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + \tilde{L}_{15} + L_{1P} + L_{3P} + \tilde{E}_1$ where L_{iP} is a strict transform of the line passing through P_i ($i \in \{1, 3\}$) and the projection of P on \mathbb{P}^2 and $\tilde{L}_{15}, \tilde{E}_1$ are a strict transforms of L_{15} and E_1 respectively. Then the intersections are given by

	E_P	\tilde{L}_{15}	L_{1P}	L_{3P}	\tilde{E}_1
E_P	-1	0	1	1	0
\tilde{L}_{15}	0	-2	0	1	1
L_{1P}	1	0	-1	0	1
L_{3P}	1	1	0	-1	0
E_1	0	1	1	0	-2

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □


6.8. Del Pezzo surface of degree 4 with A_3 singularity and 5 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2 , after that blowing up a point P_3 which belongs to the exceptional divisor corresponding to P_2 and no other negative curves, after that blowing up a point P_4 which belongs to the exceptional divisor corresponding to P_3 and no other negative curves, and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and no other negative curves. We have:

Suppose

$$\mathbf{E} := E_2 \cup E_4, \mathbf{F} := E_5 \cup L_{12},$$

$$\mathbf{G} := E_1 \cup Q$$

$$\delta_P(S) = \begin{cases} \frac{3}{4} & \text{if } P \in E_3, \\ \frac{24}{29} & \text{if } P \in \mathbf{E} \setminus E_3, \\ \frac{12}{11} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ 1 & \text{if } P \in L_3 \setminus E_3, \\ \frac{4}{3} & \text{if } P = E_1 \cap Q, \\ \frac{18}{13} & \text{if } P \in \mathbf{G} \setminus (\mathbf{F} \cup (E_1 \cap Q)), \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{12} is a (-1) -curve coming from a strict transform of a line connecting P_1 and P_2 , L_3 comes from a line on \mathbb{P}^2 and Q is a (-1) -curve which comes from a conic on \mathbb{P}^2 .

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{12}, L_3, Q \rangle$.

1). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = -K_S - vE_3 - (v/2)(E_2 + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(E_2 + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2 - v)(v + 2) \text{ and } P(v) \cdot E_3 = v \text{ if } v \in [0, 2]$$

We have

$$S_S(E_3) = \frac{1}{4} \left(\int_0^2 (2 - v)(v + 2) dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_3$. Moreover

- if $P \in E_3 \setminus (E_2 \cup E_4)$:

$$h(v) = v^2/2 \text{ if } v \in [0, 2]$$

- if $P \in E_3 \cap (E_2 \cup E_4)$:

$$h(v) = v/2 \cdot v + v^2/2 \text{ if } v \in [0, 2]$$

Thus for $P \in E_3$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 v/2 \cdot v + v^2/2 dv \right) = \frac{4}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_3$.

2). Suppose $P \in E_2$ (or E_4). The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - v/3(2E_3 + E_4) & \text{for } v \in [0, 1] \\ -K_S - vE_2 - v/3(2E_3 + E_4) - (v-1)L_{12} & \text{for } v \in [1, 3/2] \\ -K_S - vE_2 - (v-1)(2E_3 + E_4 + L_{12}) - (2v-3)L_3 & \text{for } v \in [3/2, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2E_3 + E_4) & \text{for } v \in [0, 1] \\ v/3(2E_3 + E_4) + (v-1)L_{12} & \text{for } v \in [1, 3/2] \\ (v-1)(2E_3 + E_4 + L_{12}) + (2v-3)L_3 & \text{for } v \in [3/2, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - (4v^2)/3 & \text{for } v \in [0, 1] \\ -v^2/3 - 2v + 5 & \text{for } v \in [1, 3/2] \\ (2-v)(4-v) & \text{for } v \in [3/2, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 4v/3 & \text{for } v \in [0, 1] \\ 1 + v/3 & \text{for } v \in [1, 3/2] \\ 3 - v & \text{for } v \in [3/2, 2] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{4} \left(\int_0^1 4 - (4v^2)/3 dv + \int_1^{3/2} -v^2/3 - 2v + 5 dv + \int_{3/2}^2 (2-v)(4-v) dv \right) = \frac{29}{24}$$

Thus, $\delta_P(S) \leq \frac{24}{29}$ for $P \in E_2$. Note that we have:

- if $P \in E_2 \setminus (E_3 \cup L_{12})$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (1 + v/3)^2/2 & \text{for } v \in [1, 3/2] \\ (3-v)^2/2 & \text{for } v \in [3/2, 2] \end{cases}$$

- if $P \in E_2 \cap L_{12}$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(1 + v/3) + (1 + v/3)^2/2 & \text{for } v \in [1, 3/2] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [3/2, 2] \end{cases}$$

So we have that if $P \in E_2 \setminus E_1$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 (4v/3)^2/2 dv + \int_1^{3/2} (v-1)(1 + v/3) + (1 + v/3)^2/2 dv + \int_{3/2}^2 (v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{11}{12} \leq \frac{29}{24}$$

Thus $\delta_P(S) = \frac{24}{29}$ if $P \in E_2 \setminus E_3$ (or $E_4 \setminus E_3$).

3). Suppose $P \in L_3$. The Zariski decomposition of the divisor $-K_S - vL_3$ is given by:

$$P(v) = -K_S - vL_3 - (v/2)(2E_3 + E_2 + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(2E_3 + E_2 + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = 4 - 2v \text{ and } P(v) \cdot L_3 = 1 \text{ if } v \in [0, 2]$$

We have

$$S_S(L_3) = \frac{1}{4} \left(\int_0^2 4 - 2v dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_5$. Moreover if $P \in L_3 \setminus E_3$:

$$h(v) = 1/2 \text{ if } v \in [0, 2]$$

Thus for $P \in L_3 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{L_3}; P) = \frac{2}{4} \left(\int_0^2 1/2 dv \right) = \frac{1}{2} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in L_3 \setminus E_3$.

4). Suppose $P \in E_5$. The Zariski Decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = \begin{cases} -K_S - vE_5 - v/4(3E_4 + 2E_3 + E_2) & \text{for } v \in [0, 1] \\ -K_S - vE_5 - v/4(3E_4 + 2E_3 + E_2) - (v-1)Q & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/4(3E_4 + 2E_3 + E_2) & \text{for } v \in [0, 1] \\ v/4(3E_4 + 2E_3 + E_2) + (v-1)Q & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/4 - 2v + 4 & \text{for } v \in [0, 1] \\ \frac{(2-v)(10-3v)}{4} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_5 = \begin{cases} 2v & \text{for } 1 + v/4 \in [0, 1] \\ 2 - 3v/4 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_5) = \frac{1}{4} \left(\int_0^1 -v^2/4 - 2v + 4 dv + \int_1^2 \frac{(2-v)(10-3v)}{4} dv \right) = \frac{11}{12}$$

Thus, $\delta_P(S) \leq \frac{12}{11}$ for $P \in E_5$. Note that we have that

- if $P \in E_5 \setminus (E_4 \cup Q)$ then

$$h(v) = \begin{cases} (1 + v/4)^2/2 & \text{for } v \in [0, 1] \\ (2 - 3v/4)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_5 \cap Q$ then

$$h(v) = \begin{cases} (1 + v/4)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(2 - 3v/4) + (2 - 3v/4)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So for $P \in E_5 \setminus E_4$

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^1 (1 + v/4)^2/2 + \int_1^2 (v-1)(2 - 3v/4) + (2 - 3v/4)^2/2 dv \right) = \frac{17}{24} \leq \frac{11}{12}$$

Thus $\delta_P(S) = \frac{12}{11}$ if $P \in E_5 \setminus E_4$ (same for $L_{12} \setminus E_2$).

5). Suppose $P = E_1 \cap Q$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (3-v)E_P + \tilde{Q} + L_1 + \tilde{E}_4$ where \tilde{Q}_1 is the strict transform of Q , \tilde{E}_1 is the strict transform of E_1 , L_1 is a strict transform of the line which is tangent to the projection of Q on \mathbb{P}^2 at P_1 . The intersections are given by

	E_P	\tilde{Q}	\tilde{E}_1	L_1
E_P	-1	1	1	1
\tilde{Q}	1	-2	0	0
\tilde{E}_1	1	0	-2	0
L_1	1	0	0	-1

The Zariski decomposition is given by:

$$P(v) = \begin{cases} \pi^*(-K_S) - vE_P & \text{if } v \in [0, 1] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_1 + \tilde{Q}) & \text{if } v \in [1, 2] \\ \pi^*(-K_S) - vE_P - \frac{(v-1)}{2}(\tilde{E}_1 + \tilde{Q}) - (v-2)L_1 & \text{if } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{2}(\tilde{E}_1 + \tilde{Q}) & \text{if } v \in [1, 2] \\ \frac{(v-1)}{2}(\tilde{E}_1 + \tilde{Q}) + (v-2)L_1 & \text{if } v \in [2, 3] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} (2-v)(2+v) & \text{if } v \in [0, 1] \\ 5-2v & \text{if } v \in [1, 2] \\ (3-v)^2 & \text{if } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v & \text{if } v \in [0, 1] \\ 1 & \text{if } v \in [1, 2] \\ 3-v & \text{if } v \in [2, 3] \end{cases}$$

We have

$$S_S(E_P) = \frac{1}{4} \left(\int_0^1 (2-v)(2+v)dv + \int_1^2 5-2v dv + \int_2^3 (3-v)^2 dv \right) = \frac{3}{2}$$

Thus $\delta_P(S) \leq \frac{2}{3/2} = \frac{4}{3}$. Moreover,

- if $O \in E_P \setminus (L_1 \cup \tilde{Q} \cup \tilde{E}_1)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap (\tilde{Q} \cup \tilde{E}_1)$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ v/2 & \text{if } v \in [1, 2] \\ (v-1)(3-v)/2 + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

- if $O \in E_P \cap L_1$:

$$h(v) = \begin{cases} v^2/2 & \text{if } v \in [0, 1] \\ 1/2 & \text{if } v \in [1, 2] \\ (v-2)(3-v) + (3-v)^2/2 & \text{if } v \in [2, 3] \end{cases}$$

Thus

- if $O \in E_P \setminus (L_1 \cup \tilde{Q} \cup \tilde{E}_1)$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 1/2 dv + \int_2^3 (3-v)^2/2 dv \right) = \frac{5}{12} \leq \frac{3}{4}$$

- if $O \in E_P \cap (L_1 \cup \tilde{E}_1)$:


$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 v/2dv + \int_2^3 (v-1)(3-v)/2 + (3-v)^2/2dv \right) = \frac{17}{24} \leq \frac{3}{4}$$

- if $O \in E_P \cap \tilde{Q}$:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^1 v^2/2dv + \int_1^2 v/2dv + \int_2^3 (v-2)(3-v) + (3-v)^2/2dv \right) = \frac{1}{2} \leq \frac{3}{4}$$

Thus $\delta_P(S) = \frac{4}{3}$ for $E_1 \cap Q$.

6). Suppose $P \in Q \setminus (E_1 \cup E_5)$. Suppose L_P is a curve that is a strict transform of the line tangent to the projection of Q on \mathbb{P}^2 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms \bar{Q} , \bar{L}_P , and \bar{E}_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \bar{S} . Let \bar{L}_P , \bar{Q} , \bar{E} , and \bar{P} be the images of strict transforms of L_P , Q , E and E_P respectively. Note that \bar{P} is a point. We denote this weighed blowup by $\sigma : \bar{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q} + (4-v)\bar{E}$. The intersections are given by

	\bar{Q}	\bar{E}	\bar{L}_P
\bar{Q}	-3	1	0
\bar{E}	1	-1/2	1
\bar{L}_P	0	1	-1

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{Q} & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{Q} - (v-3)\bar{L}_P & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3}\bar{Q} & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3}\bar{Q} + (v-3)\bar{L}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4-v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4-v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4-v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{Q}$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-1)/3 \cdot (5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{L}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-3)(5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4-v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{Q}$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v-1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-1)/3 \cdot (5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in E_P \cap L_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-3)(5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in Q \setminus (E_1 \cup E_5)$ (similarly for $P \in E_1 \setminus (L_{12} \cup Q)$).

7). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_3 \cup Q$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + Q_P$ where Q_P is the strict transform of the conic passing through P_2 , and some of its strict transforms contains P_3, P_4 and P_5 , L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_P	L_{1P}
E_P	-1	1	1
Q_P	1	-1	1
L_{1P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □


6.9. Del Pezzo surface of degree 4 with A_3 singularity and 4 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 which belong to the same line, after that blowing up a point P_4 which belongs to the exceptional divisor corresponding to P_3 and no other negative curves, after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and no other negative curves. We have:

Suppose

$$\mathbf{E} := L_{123} \cup E_3 \cup E_4,$$

$$\mathbf{F} := E_1 \cup E_2 \cup E_5 \cup L_4$$

$$\delta_P(S) = \begin{cases} \frac{3}{4} & \text{if } P \in \mathbf{E}, \\ \frac{9}{8} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{123} is coming from a strict transform of a line connecting P_1, P_2 and P_3 , L_4 is the last negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{123}, L_4 \rangle$.

1). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = -K_S - vE_3 - (v/2)(L_{123} + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(L_{123} + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2-v)(v+2) \text{ and } P(v) \cdot E_3 = v \text{ if } v \in [0, 2]$$

We have

$$S_S(E_3) = \frac{1}{4} \left(\int_0^2 (2-v)(v+2) dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_3$. Moreover

- if $P \in E_3 \setminus (L_{123} \cup E_4)$:

$$h(v) = v^2/2 \text{ if } v \in [0, 2]$$

- if $P \in E_3 \cap (L_{123} \cup E_4)$:

$$h(v) = v/2 \cdot v + v^2/2 \text{ if } v \in [0, 2]$$

Thus for $P \in E_3$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 v/2 \cdot v + v^2/2 dv \right) = \frac{4}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_3$.

2). Suppose $P \in E_4$ (or L_{123}). The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/3(2E_3 + L_{123}) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - v/3(2E_3 + L_{123}) - (v-1)(E_5 + L_4) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2E_3 + L_{123}) & \text{for } v \in [0, 1] \\ v/3(2E_3 + L_{123}) + (v-1)(E_5 + L_4) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 4v^2/3 & \text{for } v \in [0, 1] \\ \frac{2(3-v)^2}{3} & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 4v/3 & \text{for } v \in [0, 1] \\ 2 - 2v/3 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 4 - 4v^2/3 dv + \int_1^3 \frac{2(3-v)^2}{3} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_4$. Note that we have that

- if $P \in E_4 \setminus (E_3 \cup E_5 \cup L_4)$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (2 - 2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in E_4 \cap (E_5 \cup L_4)$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(2-2v/3) + (2-2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

So for $P \in E_4 \setminus E_3$

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 (4v/3)^2/2 dv + \int_1^3 (v-1)(2-2v/3) + (2-2v/3)^2/2 dv \right) = \frac{8}{9} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in E_4 \setminus E_3$ (same for $L_{123} \setminus E_3$).

3). Suppose $P \in E_1$ (or E_2, E_5, L_4). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - v/4(3L_{123} + 2E_3 + E_4) & \text{for } v \in [0, 4/3] \\ -K_S - vE_1 - (v-1)(3L_{123} + 2E_3 + E_4) - (3v-4)E_2 & \text{for } v \in [4/3, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/4(3L_{123} + 2E_3 + E_4) & \text{for } v \in [0, 4/3] \\ (v-1)(3L_{123} + 2E_3 + E_4) + (3v-4)E_2 & \text{for } v \in [4/3, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/4 - 2v + 4 & \text{for } v \in [0, 4/3] \\ 2(v-2)^2 & \text{for } v \in [4/3, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1 + v/4 & \text{for } v \in [0, 4/3] \\ 2(2-v) & \text{for } v \in [4/3, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^{4/3} -v^2/4 - 2v + 4 dv + \int_{4/3}^2 2(v-2)^2 dv \right) = \frac{8}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{8}$ for $P \in E_1$. Note that we have that if $P \in E_1 \setminus L_{123}$ then

$$h(v) = \begin{cases} (1 + v/4)^2/2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 3] \end{cases}$$

So for $P \in E_1 \setminus L_{123}$

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^{4/3} (1 + v/4)^2/2 dv + \int_{4/3}^2 2(2-v)^2 dv \right) = \frac{5}{9} \leq \frac{8}{9}$$

Thus $\delta_P(S) = \frac{9}{8}$ if $P \in E_1 \setminus L_{123}$ (same for $(E_1 \cup E_2 \cup E_5 \cup L_4) \setminus (L_{123} \cup E_4)$).

4). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{123} \cup L_4$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + Q_P$ where Q_P is the strict transform of the conic passing through P_2, P_3 and some of it's strict transforms contains P_4

and P_5 , L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_P	L_{1P}
E_P	-1	1	1
Q_P	1	-1	1
L_{1P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2 - v)(2 + v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2 - v)(2 + v)dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$


Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.10. Del Pezzo surface of degree 4 with four A_1 singularities and 4 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 in general position, after that blowing up a point P_4 which belongs to the intersection of the exceptional divisor corresponding to P_1 and the strict transform of a line connecting P_1 and P_2 a point P_5 which belongs to the intersection of the exceptional divisor corresponding to P_3 and the strict transform of a line connecting P_2 and P_3 . We have:

Dual Graph



Suppose

$$\mathbf{E} := E_1 \cup E_3 \cup L_{13} \cup L_{24} \cup E_2 \cup E_4 \cup E_5 \cup L_{23}$$

$$\delta_P(S) = \begin{cases} 1 & \text{if } P \in \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$

where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to $P_1, P_2, P_3,$

P_4, P_5 respectively, and lines L_{13}, L_{24}, L_{25} are coming from strict transform of a line connecting P_1 and P_3 , a line connecting P_1 and P_2 , a line connecting P_2 and P_3 respectively.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{24}, L_{25} \rangle$.

1). Suppose $P \in E_1$ (or E_3, L_{13}, L_{24}). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(2E_4 + 2L_{13} + L_{24} + E_3) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(2E_4 + 2L_{13} + L_{24} + E_3) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$. Note that we have:

- if $P \in E_1 \setminus (E_4 \cup L_{13})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap (E_4 \cup L_{13})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_1$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2-v)(v-1) + 2(2-v)^2 dv \right) = \frac{5}{6} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_1$.

2). Suppose $P \in E_5$ (or E_2, E_4, L_{13}). The Zariski decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = -K_S - vE_5 - (v/2)(L_{25} + E_3), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(L_{25} + E_3), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = 4 - 2v \text{ and } P(v) \cdot E_5 = 1 \text{ if } v \in [0, 2]$$

We have

$$S_S(E_5) = \frac{1}{4} \left(\int_0^2 4 - 2v dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_5$. Moreover if $P \in E_5 \setminus (L_{25} \cup E_3)$:

$$h(v) = 1/2 \text{ if } v \in [0, 2]$$

Thus for $P \in E_5 \setminus (L_{25} \cup E_3)$:

$$S(W_{\bullet, \bullet}^{E_4}; P) = \frac{2}{4} \left(\int_0^2 \frac{1}{2} dv \right) = \frac{1}{2} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in E_5 \setminus (L_{25} \cup E_1)$.

3). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{13} \cup L_{24} \cup L_{25}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{2P} + Q_P$ where Q_P is the strict transform of the conic passing through P_1, P_3 and is tangent to the projections of L_{24} and L_{25} on \mathbb{P}^2 , L_{2P} is a strict transform of the line passing through P_2 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_P	L_{2P}
E_P	-1	1	1
Q_P	1	-1	1
L_{2P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □


6.11. Del Pezzo surface of degree 4 with two A_1 and A_2 singularities and 4 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 in general position, after that blowing up a point P_4 which belongs to the intersection of the exceptional divisor corresponding to P_1 and the strict transform of a line connecting P_1 and P_2 a point P_5 which belongs to the intersection of the exceptional divisor corresponding to P_2 and the strict transform of a line connecting P_2 and P_3 . We have:

Suppose

$$\mathbf{E} := E_2 \cup L_{24} \cup E_4 \cup E_5,$$

$$\mathbf{F} := L_{35} \cup E_1, \mathbf{G} := E_3 \cup L_{13}$$

$$\delta_P(S) = \begin{cases} \frac{6}{7} & \text{if } P \in \mathbf{E}, \\ 1 & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{6}{5} & \text{if } P \in \mathbf{G} \setminus \mathbf{F}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, and lines L_{13}, L_{24}, L_{35} are coming from strict transform of a line connecting P_1 and P_3 , a line connecting P_1 and P_2 , a line connecting P_2 and P_3 respectively.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13}, L_{24}, L_{35} \rangle$.

1). Suppose $P \in E_2$ (or L_{24}). The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - (v/2)L_{24} & \text{for } v \in [0, 1] \\ -K_S - vE_3 - (v/2)L_{24} - (v-1)(2E_5 + L_{35}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{24} & \text{for } v \in [0, 1] \\ (v/2)L_{24} + (v-1)(2E_5 + L_{35}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 3v^2/2 & \text{for } v \in [0, 1] \\ \frac{(v-2)(v-6)}{2} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 2v & \text{for } 3v/2 \in [0, 1] \\ 2 - v/2 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{4} \left(\int_0^1 4 - 3v^2/2 dv + \int_1^2 \frac{(v-2)(v-6)}{2} dv \right) = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$ for $P \in E_2$. Note that we have:

- if $P \in E_2 \setminus (L_{24} \cup E_5)$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_2 \cap E_5$ then

$$h(v) = \begin{cases} (3v/2)^2/2 & \text{for } v \in [0, 1] \\ 2(v-1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_3 \cap L_{24}$ then

$$h(v) = \begin{cases} (v/2)(3v/2) + (3v/2)^2/2 & \text{for } v \in [0, 1] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_2$ then

- if $P \in E_2 \setminus (L_{24} \cup E_5)$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 (2 - v/2)^2 dv \right) = \frac{7}{12} \leq \frac{7}{6}$$

- if $P \in E_2 \cap E_5$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{4} \left(\int_0^1 (3v/2)^2/2 dv + \int_1^2 2(v-1)(2-v/2) + (2-v/2)^2 dv \right) = \frac{7}{6} \leq \frac{7}{6}$$

- if $P \in E_2 \cap L_{24}$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) = \frac{2}{4} \left(\int_0^1 (v/2)(3v/2) + (3v/2)^2/2 dv + \int_1^2 (v/2)(2 - v/2) + (2 - v/2)^2 dv \right) = \frac{7}{6} \leq \frac{7}{6}$$

Thus $\delta_P(S) = \frac{6}{7}$ if $P \in E_2$ (or L_{24}).

2). Suppose $P \in E_1$ (or L_{35}). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 & \text{for } v \in [0, 1] \\ -K_S - vE_1 - (v-1)(3E_4 + L_{24} + E_2 + L_{13}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v-1)(3E_4 + L_{24} + E_2 + L_{13}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2-v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$. Note that we have:

- if $P \in E_1 \setminus (E_4 \cup L_{13})$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_1 \cap L_{13}$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(v-1)(2-v) + 2(2-v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that if $P \in E_1 \setminus E_4$ then

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2-v)(v-1) + 2(2-v)^2 dv \right) = \frac{5}{6} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in E_1$ (same for $L_{35} \setminus E_3$).

3). Suppose $P \in E_4$ (or E_5). The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - (v/2)E_1 - (v/3)(2L_{24} + E_2) & \text{for } v \in [0, 2] \\ -K_S - vE_4 - (v/3)(2L_{24} + E_2) - (v-1)E_1 - (v-2)L_{13} & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)E_2 + (v/3)(2L_{24} + E_2) & \text{for } v \in [0, 1] \\ (v/3)(2L_{24} + E_2) + (v-1)E_1 + (v-2)L_{13} & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} v^2/6 - 2v + 4 & \text{for } v \in [0, 2] \\ \frac{2(v-3)^2}{3} & \text{for } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 2v & \text{for } 1 - v/6 \in [0, 2] \\ 2 - 2v/3 & \text{for } v \in [2, 3] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^2 v^2/6 - 2v + 4 dv + \int_2^3 \frac{2(v-3)^2}{3} dv \right) = \frac{7}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{7}$ for $P \in E_4$. Note that we have that

- if $P \in E_4 \setminus (L_{24} \cup E_1)$ then

$$h(v) = \begin{cases} (1 - v/6)^2/2 & \text{for } v \in [0, 2] \\ (2 - 2v/3)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

- if $P \in E_4 \cap E_1$ then

$$h(v) = \begin{cases} (v/2)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [0, 2] \\ (v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

So

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^2 (v/2)(1 - v/6) + (1 - v/6)^2/2 dv + \int_2^3 (v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 dv \right) = \frac{89}{216} \leq \frac{7}{6}$$

Thus $\delta_P(S) = \frac{6}{7}$ if $P \in E_4 \setminus L_{24}$.

4). Suppose $P \in E_3$ (or L_{13}). The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - (v/2)L_{35} & \text{if } v \in [0, 1] \\ -K_S - vE_3 - (v/2)L_{35} - (v-1)(2L_{13} + E_1) & \text{if } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} (v/2)L_{35} & \text{if } v \in [0, 1] \\ (v/2)L_{35} + (v-1)(2L_{13} + E_1) & \text{if } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/2 - 2v + 4 & \text{if } v \in [0, 1] \\ \frac{3(2-v)^2}{2} & \text{if } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} 1 + v/2 & \text{if } v \in [0, 1] \\ 3 - 3v/2 & \text{if } v \in [1, 2] \end{cases}$$

We have

$$S_S(E_3) = \frac{1}{4} \left(\int_0^1 -v^2/2 - 2v + 4 dv + \int_1^2 \frac{3(2-v)^2}{2} dv \right) = \frac{5}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{5}$ for $P \in E_3$. Moreover,

- If $P \in E_3 \setminus (L_{35} \cup L_{13})$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ (3 - 3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

- If $P \in E_3 \cap L_{13}$:

$$h(v) = \begin{cases} (1 + v/2)^2/2 & \text{if } v \in [0, 1] \\ 2(v-1)(3-3v/2) + (3-3v/2)^2/2 & \text{if } v \in [1, 2] \end{cases}$$

Thus:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^1 \frac{(1+v/2)^2}{2} dv + \int_1^2 2(v-1)(3-3v/2) + \frac{(3-3v/2)^2}{2} dv \right) = \frac{5}{6} \leq \frac{5}{6}$$

We get that $\delta_P(S) = \frac{6}{5}$ for $P \in E_3 \setminus L_{35}$ (or if $P \in L_{13} \setminus E_1$).

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{13} \cup L_{24} \cup L_{35}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + \tilde{L}_{35} + 2L_{1P} + \tilde{E}_1$ where L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 and $\tilde{L}_{35}, \tilde{E}_1$ are a strict transforms of L_{35} and E_1 respectively. Then the intersections are given by

	E_P	\tilde{L}_{35}	L_{1P}	\tilde{E}_1
E_P	-1	0	1	0
\tilde{L}_{35}	0	-2	0	0
L_{1P}	1	1	-1	1
E_1	0	0	1	-2

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \quad \text{and } N(v) = 0 \quad \text{for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \quad \text{and } P(v) \cdot E_P = v \quad \text{for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \quad \text{if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$


We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.12. Del Pezzo surface of degree 4 with A_1 and A_3 singularities and 3 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1, P_2, P_3 which belong to the same line, after that blowing up a point P_4 which belongs to the exceptional divisor corresponding to P_3 and no other negative curves after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and a (-1) -curve. We have:

Suppose

$$\mathbf{E} := L_{123} \cup E_3 \cup E_4 \cup E_5$$

$$\delta_P(S) = \begin{cases} \frac{3}{4} & \text{if } P \in \mathbf{E}, \\ 1 & \text{if } P \in L_5 \setminus E_5, \\ \frac{9}{8} & \text{if } P \in (E_1 \cup E_2) \setminus L_{123}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{123} is coming from a strict transform of a line connecting P_1, P_2 and P_3 , L_5 is the last negative curve.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{123}, L_5 \rangle$.

1). Suppose $P \in E_3$. The Zariski decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = -K_S - vE_3 - (v/2)(L_{123} + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(L_{123} + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2 - v)(v + 2) \text{ and } P(v) \cdot E_3 = v \text{ if } v \in [0, 2]$$

We have

$$S_S(E_3) = \frac{1}{4} \left(\int_0^2 (2 - v)(v + 2) dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_3$. Moreover

- if $P \in E_3 \setminus (L_{123} \cup E_4)$:

$$h(v) = v^2/2 \text{ if } v \in [0, 2]$$

- if $P \in E_3 \cap (L_{123} \cup E_4)$:

$$h(v) = v/2 \cdot v + v^2/2 \text{ if } v \in [0, 2]$$

Thus for $P \in E_3$:

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 v/2 \cdot v + v^2/2 dv \right) = \frac{4}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_3$.

2). Suppose $P \in E_4$. The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/3(2E_3 + L_{123}) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - v/3(2E_3 + L_{123}) - (v - 1)(2E_5 + L_5) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2E_3 + L_{123}) & \text{for } v \in [0, 1] \\ v/3(2E_3 + L_{123}) + (v-1)(2E_5 + L_5) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 4v^2/3 & \text{for } v \in [0, 1] \\ \frac{2(3-v)^2}{3} & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 4v/3 & \text{for } v \in [0, 1] \\ 2 - 2v/3 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 4 - 4v^2/3 dv + \int_1^3 \frac{2(3-v)^2}{3} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_4$. Note that we have that

- if $P \in E_4 \setminus (E_3 \cup E_5)$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (2 - 2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in E_4 \cap E_5$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ 2(v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

So for $P \in E_4 \setminus E_3$

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 (4v/3)^2/2 dv + \int_1^3 2(v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 dv \right) = \frac{4}{3} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in E_4 \setminus E_3$.

3). Suppose $P \in L_{123}$. The Zariski Decomposition of the divisor $-K_S - vL_{123}$ is given by:

$$P(v) = \begin{cases} -K_S - vL_{123} - v/3(2E_3 + E_4) & \text{for } v \in [0, 1] \\ -K_S - vL_{123} - v/3(2E_3 + E_4) - (v-1)(E_1 + E_2) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2E_3 + E_4) & \text{for } v \in [0, 1] \\ v/3(2E_3 + E_4) + (v-1)(E_1 + E_2) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 4v^2/3 & \text{for } v \in [0, 1] \\ \frac{2(3-v)^2}{3} & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot L_{123} = \begin{cases} 4v/3 & \text{for } v \in [0, 1] \\ 2 - 2v/3 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(L_{123}) = \frac{1}{4} \left(\int_0^1 4 - 4v^2/3 dv + \int_1^3 \frac{2(3-v)^2}{3} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in L_{123}$. Note that we have that

- if $P \in L_{123} \setminus (E_3 \cup E_1 \cup E_2)$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (2 - 2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in L_{123} \cap (E_1 \cup E_2)$ then

$$h(v) = \begin{cases} (4v/3)^2/2 \text{ for } v \in [0, 1] \\ (v-1)(2-2v/3) + (2-2v/3)^2/2 \text{ for } v \in [1, 3] \end{cases}$$

So for $P \in L_{123} \setminus E_3$

$$S(W_{\bullet, \bullet}^{L_{123}}; P) \leq \frac{2}{4} \left(\int_0^1 (4v/3)^2/2 dv + \int_1^3 (v-1)(2-2v/3) + (2-2v/3)^2/2 dv \right) = \frac{8}{9} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in L_{123} \setminus E_3$.

4). Suppose $P \in L_5$. The Zariski Decomposition of the divisor $-K_S - vL_5$ is given by:

$$P(v) = \begin{cases} -K_S - vL_5 \text{ for } v \in [0, 1] \\ -K_S - vL_5 - (v-1)(4E_5 + 3E_4 + 2E_3 + L_{123}) \text{ for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 \text{ for } v \in [0, 1] \\ (v-1)(4E_5 + 3E_4 + 2E_3 + L_{123}) \text{ for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 \text{ for } v \in [0, 1] \\ 2(2-v)^2 \text{ for } v \in [1, 2] \end{cases} \quad \text{and} \quad P(v) \cdot L_5 = \begin{cases} 2v \text{ for } v \in [0, 1] \\ 2(2-v) \text{ for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_5) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in L_5$. Note that we have $P \in L_5 \setminus E_5$ then

$$h(v) = \begin{cases} 2v^2 \text{ for } v \in [0, 1] \\ 2(2-v)^2 \text{ for } v \in [1, 2] \end{cases}$$

So we have that

$$S(W_{\bullet, \bullet}^{L_5}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2-v)^2 dv \right) = \frac{2}{3} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in L_5 \setminus E_5$.

5). Suppose $P \in E_5$. The Zariski decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = -K_S - vE_5 - (v/2)L_5 - v/4(3E_4 + 2E_3 + L_{123}), \text{ if } v \in [0, 4]$$

and

$$N(v) = (v/2)L_5 + v/4(3E_4 + 2E_3 + L_{123}), \text{ if } v \in [0, 4]$$

Moreover,

$$(P(v))^2 = \frac{(v-4)^2}{4} \text{ and } P(v) \cdot E_5 = 1 - v/4 \text{ if } v \in [0, 4]$$

We have

$$S_S(E_5) = \frac{1}{4} \left(\int_0^4 (v-4)^2/4 dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_5$. Moreover

- if $P \in E_5 \setminus (L_5 \cup E_4)$:

$$h(v) = (1 - v/4)^2/2 \text{ if } v \in [0, 4]$$

- $P \in E_5 \cap L_5$:

$$h(v) = v/2(1 - v/4) + (1 - v/4)^2/2 \text{ if } v \in [0, 4]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^4 v/2(1 - v/4) + (1 - v/4)^2/2 dv \right) = 1 \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_5$.

6). Suppose $P \in E_1$ (or E_2). The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - v/4(3L_{123} + 2E_3 + E_4) & \text{for } v \in [0, 4/3] \\ -K_S - vE_1 - (v - 1)(3L_{123} + 2E_3 + E_4) - (3v - 4)E_2 & \text{for } v \in [4/3, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/4(3L_{123} + 2E_3 + E_4) & \text{for } v \in [0, 4/3] \\ (v - 1)(3L_{123} + 2E_3 + E_4) + (3v - 4)E_2 & \text{for } v \in [4/3, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/4 - 2v + 4 & \text{for } v \in [0, 4/3] \\ 2(v - 2)^2 & \text{for } v \in [4/3, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 1 + v/4 & \text{for } v \in [0, 4/3] \\ 2(2 - v) & \text{for } v \in [4/3, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^{4/3} -v^2/4 - 2v + 4 dv + \int_{4/3}^2 2(v - 2)^2 dv \right) = \frac{8}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{8}$ for $P \in E_1$. Note that we have that if $P \in E_1 \setminus L_{123}$ then

$$h(v) = \begin{cases} (1 + v/4)^2/2 & \text{for } v \in [0, 1] \\ 2(2 - v)^2 & \text{for } v \in [1, 3] \end{cases}$$

So for $P \in E_1 \setminus L_{123}$

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^{4/3} (1 + v/4)^2/2 dv + \int_{4/3}^2 2(2 - v)^2 dv \right) = \frac{5}{9} \leq \frac{8}{9}$$

Thus $\delta_P(S) = \frac{9}{8}$ if $P \in E_1 \setminus L_{123}$ (same for $(E_2 \setminus L_{123})$).

7). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_5$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2 - v)E_P + 2L_{3P} + \tilde{L}_{123} + 2\tilde{E}_3 + \tilde{E}_4$ where L_{3P} is a strict transform of the line passing through P_3 and the projection of P on \mathbb{P}^2 and $\tilde{L}_{123}, \tilde{E}_3, \tilde{E}_4$ are a strict transforms of L_{123}, E_3 and E_4 respectively. Then the intersections are given by

	E_P	\tilde{L}_{123}	E_3	E_4	L_{3P}
E_P	-1	0	0	0	1
\tilde{L}_{123}	0	-2	1	0	0
E_3	0	1	-2	1	1
E_4	0	0	1	-2	0
L_{3P}	1	0	1	0	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2 - v)(2 + v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2 - v)(2 + v)dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:


$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.13. Del Pezzo surface of degree 4 with A_4 singularity and 3 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at a point P_1 , after that blowing up a point P_2 which belongs to the exceptional divisor corresponding to P_1 , after that blowing up a point P_3 which belongs to the exceptional divisor corresponding to P_2 and no other negative curves, after that blowing up a point P_4 which belongs to the exceptional divisor corresponding to P_3 and no other negative curves, and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and no other negative curves. We have:

$$\delta_P(S) = \begin{cases} \frac{6}{11} & \text{if } P \in E_2, \\ \frac{24}{37} & \text{if } P \in E_3 \setminus E_2, \\ \frac{4}{5} & \text{if } P \in E_4 \setminus E_3, \\ \frac{24}{29} & \text{if } P \in L_2 \setminus E_2, \\ \frac{9}{11} & \text{if } P \in E_1 \setminus E_2, \\ \frac{24}{23} & \text{if } P \in E_5 \setminus E_4, \\ \frac{18}{13} & \text{if } P \in Q \setminus E_5, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$


Dual Graph

where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_2 is a (-1) -curve which comes from a line on \mathbb{P}^2 and Q is a (-1) -curve which comes from a conic on \mathbb{P}^2 .

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_2, Q \rangle$.

1). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - v/2E_1 - v/3(2E_3 + E_4) & \text{for } v \in [0, 1] \\ -K_S - vE_2 - v/2E_1 - v/3(2E_3 + E_4) - (v - 1)L_2 & \text{for } v \in [1, 3] \\ -K_S - vE_2 - v/2E_1 - (v - 1)(L_2 + E_3) - (v - 2)E_4 - (v - 3)E_5 & \text{for } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} v/2E_1 + v/3(2E_3 + E_4) & \text{for } v \in [0, 1] \\ v/2E_1 + v/3(2E_3 + E_4) + (v - 1)L_2 & \text{for } v \in [1, 3] \\ v/2E_1 + (v - 1)(L_2 + E_3) + (v - 2)E_4 - (v - 3)E_5 & \text{for } v \in [3, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 5v^2/6 & \text{for } v \in [0, 1] \\ v^2/6 - 2v + 5 & \text{for } v \in [1, 3] \\ \frac{(4-v)^2}{2} & \text{for } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} 5v/6 & \text{for } v \in [0, 1] \\ 1 - v/6 & \text{for } v \in [1, 3] \\ 2 - v/2 & \text{for } v \in [3, 4] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{4} \left(\int_0^1 4 - 5v^2/6 dv + \int_1^3 v^2/6 - 2v + 5 dv + \int_3^4 \frac{(4-v)^2}{2} dv \right) = \frac{11}{6}$$

Thus, $\delta_P(S) \leq \frac{6}{11}$ for $P \in E_2$. Note that we have that

- if $P \in E_2 \setminus (E_1 \cup E_3 \cup L_2)$ then

$$h(v) = \begin{cases} (5v/6)^2/2 & \text{for } v \in [0, 1] \\ (1 - v/6)^2/2 & \text{for } v \in [1, 3] \\ (2 - v/2)^2/2 & \text{for } v \in [3, 4] \end{cases}$$

- if $P \in E_2 \cap E_1$ then

$$h(v) = \begin{cases} (v/2)(5v/6) + (5v/6)^2/2 & \text{for } v \in [0, 1] \\ (v/2)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [1, 3] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [3, 4] \end{cases}$$

- if $P \in E_2 \cap E_3$ then

$$h(v) = \begin{cases} (2v/3)(5v/6) + (5v/6)^2/2 & \text{for } v \in [0, 1] \\ (2v/3)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [1, 3] \\ (v - 1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [3, 4] \end{cases}$$

- if $P \in E_2 \cap L_2$ then

$$h(v) = \begin{cases} (5v/6)^2/2 & \text{for } v \in [0, 1] \\ (v - 1)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [1, 3] \\ (v - 1)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [3, 4] \end{cases}$$

So

- if $P \in E_2 \setminus (E_1 \cup E_3 \cup L_2)$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 (5v/6)^2/2 dv + \int_1^3 (1 - v/6)^2/2 dv + \int_3^4 (2 - v/2)^2/2 dv \right) = \frac{11}{36} \leq \frac{11}{6}$$

- if $P \in E_2 \cap E_1$ then

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 (v/2)(5v/6) + (5v/6)^2/2 dv + \int_1^3 (v/2)(1 - v/6) + (1 - v/6)^2/2 dv + \int_3^4 (v/2)(2 - v/2) + (2 - v/2)^2/2 dv \right) = \frac{11}{9} \leq \frac{11}{6}$$

- if $P \in E_2 \cap E_3$ then

$$S(W_{\bullet, \bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 (2v/3)(5v/6) + (5v/6)^2/2dv + \int_1^3 (2v/3)(1-v/6) + (1-v/6)^2/2dv + \right. \\ \left. + \int_3^4 (v-2)(2-v/2) + (2-v/2)^2/2dv \right) = \frac{37}{24} \leq \frac{11}{6}$$

- if $P \in E_2 \cap L_2$ then

$$S(W_{\bullet, \bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^1 (5v/6)^2/2dv + \int_1^3 (v-1)(1-v/6) + (1-v/6)^2/2dv + \right. \\ \left. + \int_3^4 (v-1)(2-v/2) + (2-v/2)^2/2dv \right) = \frac{29}{24} \leq \frac{11}{6}$$

Thus $\delta_P(S) = \frac{6}{11}$ if $P \in E_2$.

2). Suppose $P \in E_3$. The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - v/2E_4 - v/3(2E_2 + E_1) & \text{for } v \in [0, 3/2] \\ -K_S - vE_3 - v/2E_4 - (v-1)(2E_2 + E_1) - (2v-3)L_2 & \text{for } v \in [3/2, 2] \\ -K_S - vE_3 - (v-1)(2E_2 + E_1 + E_4) - (2v-3)L_2 - (v-2)E_5 & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/2E_4 + v/3(2E_2 + E_1) & \text{for } v \in [0, 3/2] \\ v/2E_4 + (v-1)(2E_2 + E_1) + (2v-3)L_2 & \text{for } v \in [3/2, 2] \\ (v-1)(2E_2 + E_1 + E_4) + (2v-3)L_2 + (v-2)E_5 & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 5v^2/6 & \text{for } v \in [0, 3/2] \\ v^2/2 - 4v + 7 & \text{for } v \in [3/2, 2] \\ (3-v)^2 & \text{for } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_3 \begin{cases} 5v/6 & \text{for } v \in [0, 3/2] \\ 2 - v/2 & \text{for } v \in [3/2, 2] \\ 3 - v & \text{for } v \in [2, 3] \end{cases}$$

Thus,

$$S_S(E_3) = \frac{1}{4} \left(\int_0^{3/2} 4 - 5v^2/6dv + \int_{3/2}^2 v^2/2 - 4v + 7dv + \int_2^3 (3-v)^2dv \right) = \frac{37}{24}$$

Thus, $\delta_P(S) \leq \frac{24}{37}$ for $P \in E_3$. Note that we have that

- if $P \in E_3 \setminus (E_2 \cup E_4)$ then

$$h(v) = \begin{cases} (5v/6)^2/2 & \text{for } v \in [0, 3/2] \\ (2-v/2)^2/2 & \text{for } v \in [3/2, 2] \\ (3-v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

- if $P \in E_3 \cap E_4$ then

$$h(v) = \begin{cases} (v/2)(5v/6) + (5v/6)^2/2 & \text{for } v \in [0, 3/2] \\ (v/2)(5v/6) + (2-v/2)^2/2 & \text{for } v \in [3/2, 2] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

So if $P \in E_3 \setminus E_2$ then

$$\begin{aligned} S(W_{\bullet, \bullet}^{E_3}; P) &\leq \frac{2}{4} \left(\int_0^{3/2} (v/2)(5v/6) + (5v/6)^2/2 dv + \right. \\ &\quad \left. + \int_{3/2}^2 (v/2)(5v/6) + (2-v/2)^2/2 dv + \right. \\ &\quad \left. + \int_2^3 (v-1)(3-v) + (3-v)^2/2 dv \right) = \frac{13}{12} \leq \frac{37}{24} \end{aligned}$$

Thus $\delta_P(S) = \frac{24}{37}$ if $P \in E_3 \setminus E_2$.

3). Suppose $P \in E_1$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_1 - v/4(3E_2 + 2E_3 + E_4) & \text{for } v \in [0, 4/3] \\ -K_S - vE_1 - (v-1)(3E_2 + 2E_3 + E_4) - (3v-4)L_2 & \text{for } v \in [4/3, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/4(3E_2 + 2E_3 + E_4) & \text{for } v \in [0, 4/3] \\ (v-1)(3E_2 + 2E_3 + E_4) + (3v-4)L_2 & \text{for } v \in [4/3, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 5v^2/4 & \text{for } v \in [0, 4/3] \\ (2-v)(4-v) & \text{for } v \in [4/3, 2] \end{cases} \quad \text{and } P(v) \cdot E_1 = \begin{cases} 5v/4 & \text{for } v \in [0, 4/3] \\ 3-v & \text{for } v \in [4/3, 2] \end{cases}$$

Thus,

$$S_S(E_1) = \frac{1}{4} \left(\int_0^{4/3} 4 - 5v^2/4 dv + \int_{4/3}^2 (2-v)(4-v) dv \right) = \frac{11}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{11}$ for $P \in E_1$. Note that we have that if $P \in E_1 \setminus E_2$ then

$$h(v) = \begin{cases} (5v/4)^2/2 & \text{for } v \in [0, 4/3] \\ (3-v)^2/2 & \text{for } v \in [3/3, 2] \end{cases}$$

So for $P \in E_1 \setminus L_{123}$

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^{4/3} (5v/4)^2/2 dv + \int_{4/3}^2 (3-v)^2/2 dv \right) = \frac{11}{18} \leq \frac{11}{9}$$

Thus $\delta_P(S) = \frac{9}{11}$ if $P \in E_1 \setminus E_2$.

4). Suppose $P \in E_4$. The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/4(3E_3 + 2E_2 + E_1) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - (v-1)(3E_3 + 2E_2 + E_1) - (v-1)E_5 & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} v/4(3E_3 + 2E_2 + E_1) & \text{for } v \in [0, 1] \\ (v-1)(3E_3 + 2E_2 + E_1) + (3v-4)L_2 & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 5v^2/4 & \text{for } v \in [0, 1] \\ \frac{(v+10)(2-v)}{4} & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 5v/4 & \text{for } v \in [0, 1] \\ 1 + v/4 & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 4 - 5v^2/4 dv + \int_1^2 \frac{(v+10)(2-v)}{4} dv \right) = \frac{5}{4}$$

Thus, $\delta_P(S) \leq \frac{4}{5}$ for $P \in E_4$. Note that we have that

- if $P \in E_4 \setminus E_3$ then

$$h(v) = \begin{cases} (5v/4)^2/2 & \text{for } v \in [0, 1] \\ (1+v/4)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

- if $P \in E_4 \cap E_5$ then

$$h(v) = \begin{cases} (5v/4)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(1+v/4) + (1+v/4)^2/2 & \text{for } v \in [1, 2] \end{cases}$$

So for $P \in E_4 \setminus E_3$

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 (5v/4)^2/2 dv + \int_1^2 (v-1)(1+v/4) + (1+v/4)^2/2 dv \right) = \frac{23}{24} \leq \frac{5}{4}$$

Thus $\delta_P(S) = \frac{4}{5}$ if $P \in E_4 \setminus E_3$.

5). Suppose $P \in L_2$. The Zariski Decomposition of the divisor $-K_S - vL_2$ is given by:

$$P(v) = \begin{cases} -K_S - vL_2 - v/5(6E_2 + 3E_1 + 4E_3 + 2E_4) & \text{for } v \in [0, 5/2] \\ -K_S - vL_2 - (v-1)(2E_2 + E_1) - (2v-3)E_3 - 2(v-2)E_4 - (2v-5)E_5 & \text{for } v \in [5/2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/5(6E_2 + 3E_1 + 4E_3 + 2E_4) & \text{for } v \in [0, 5/2] \\ (v-1)(2E_2 + E_1) + (2v-3)E_3 + 2(v-2)E_4 + (2v-5)E_5 & \text{for } v \in [5/2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} v^2/5 - 2v + 4 & \text{for } v \in [0, 5/2] \\ (3-v)^2 & \text{for } v \in [5/2, 3] \end{cases} \quad \text{and } P(v) \cdot L_2 = \begin{cases} 1 - v/5 & \text{for } v \in [0, 5/2] \\ 3 - v & \text{for } v \in [5/2, 3] \end{cases}$$

Thus,

$$S_S(L_2) = \frac{1}{4} \left(\int_0^{5/2} v^2/5 - 2v + 4 dv + \int_{5/2}^3 (3-v)^2 dv \right) = \frac{29}{24}$$

Thus, $\delta_P(S) \leq \frac{24}{29}$ for $P \in L_2$. Note that if $P \in L_2 \setminus E_2$ then

$$h(v) = \begin{cases} (1-v/5)^2/2 & \text{for } v \in [0, 5/2] \\ (3-v)^2/2 & \text{for } v \in [5/2, 3] \end{cases}$$

So

$$S(W_{\bullet, \bullet}^{L_2}; P) \leq \frac{2}{4} \left(\int_0^{5/2} (1-v/5)^2/2 dv + \int_{5/2}^3 (3-v)^2/2 dv \right) = \frac{3}{8} \leq \frac{29}{24}$$

Thus $\delta_P(S) = \frac{24}{29}$ if $P \in L_2 \setminus E_2$.

6). Suppose $P \in E_5$. The Zariski Decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = \begin{cases} -K_S - vE_5 - v/5(4E_4 + 3E_3 + 2E_2 + E_1) & \text{for } v \in [0, 1] \\ -K_S - vE_5 - v/5(4E_4 + 3E_3 + 2E_2 + E_1) - (v-1)Q & \text{for } v \in [1, 5/2] \end{cases}$$

and

$$N(v) = \begin{cases} v/5(4E_4 + 3E_3 + 2E_2 + E_1) & \text{for } v \in [0, 1] \\ v/5(4E_4 + 3E_3 + 2E_2 + E_1) + (v-1)Q & \text{for } v \in [1, 5/2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} -v^2/5 - 2v + 4 & \text{for } v \in [0, 1] \\ \frac{(2v-5)^2}{5} & \text{for } v \in [1, 5/2] \end{cases} \quad \text{and } P(v) \cdot E_5 = \begin{cases} 1 + v/5 & \text{for } v \in [0, 1] \\ 2 - 4v/5 & \text{for } v \in [1, 5/2] \end{cases}$$

Thus,

$$S_S(E_5) = \frac{1}{4} \left(\int_0^1 -v^2/5 - 2v + 4 dv + \int_1^{5/2} \frac{(2v-5)^2}{5} dv \right) = \frac{23}{24}$$

Thus, $\delta_P(S) \leq \frac{24}{23}$ for $P \in E_5 \setminus E_4$. Note that we have that

- if $P \in E_5 \setminus (E_4 \cup Q)$ then

$$h(v) = \begin{cases} (1 + v/5)^2/2 & \text{for } v \in [0, 1] \\ (2 - 4v/5)^2/2 & \text{for } v \in [1, 5/2] \end{cases}$$

- if $P \in E_5 \cap Q$ then


$$h(v) = \begin{cases} (1 + v/5)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(2 - 4v/5) + (2 - 4v/5)^2/2 & \text{for } v \in [1, 5/2] \end{cases}$$

So for $P \in E_5 \setminus E_4$

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^1 (1 + v/5)^2/2 dv + \int_1^{5/2} (v-1)(2 - 4v/5) + (2 - 4v/5)^2/2 dv \right) = \frac{73}{120} \leq \frac{23}{24}$$

Thus $\delta_P(S) = \frac{24}{23}$ if $P \in E_5 \setminus E_4$.

7). Suppose $P \in Q \setminus E_5$. Suppose L_P is a curve that is a strict transform of the line tangent to the projection of Q on \mathbb{P}^2 . Consider the blowup of S at P with the exceptional divisor E_P . After that we blow up the point which is the intersection of strict transforms Q , L_P , and E_P with the exceptional divisor E , and contract a (-2) -curve. We call the resulting surface \bar{S} . Let \bar{L}_P , \bar{Q} , \bar{E} , and \bar{P} be the images of strict transforms of L_P , Q , E and E_P respectively. Note that \bar{P} is a point. We denote this weighed blowup by $\sigma : \bar{S} \rightarrow S$.



Then $\sigma^*(-K_S) - v\bar{E} \sim \bar{L}_P + \bar{Q} + (4 - v)\bar{E}$. The intersections are given by

	\bar{Q}	\bar{E}	\bar{L}_P
\bar{Q}	-3	1	0
\bar{E}	1	-1/2	1
\bar{L}_P	0	1	-1

To get the Zariski decomposition of the divisor $\sigma^*(-K_S) - v\bar{E}$ is given by:

$$P(v) = \begin{cases} \sigma^*(-K_S) - v\bar{E} & \text{if } v \in [0, 1] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{Q} & \text{if } v \in [1, 3] \\ \sigma^*(-K_S) - v\bar{E} - \frac{(v-1)}{3}\bar{Q} - (v-3)\bar{L}_P & \text{if } v \in [3, 4] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{if } v \in [0, 1] \\ \frac{(v-1)}{3}\bar{Q} & \text{if } v \in [1, 3] \\ \frac{(v-1)}{3}\bar{Q} + (v-3)\bar{L}_P & \text{if } v \in [3, 4] \end{cases}$$

Moreover

$$P(v)^2 = \begin{cases} 4 - v^2/2 & \text{if } v \in [0, 1] \\ -v^2/6 - 2v/3 + 13/3 & \text{if } v \in [1, 3] \\ 5/6(4 - v)^2 & \text{if } v \in [3, 4] \end{cases} \quad \text{and } P(v) \cdot E_P = \begin{cases} v/2 & \text{if } v \in [0, 1] \\ 1/3 + v/6 & \text{if } v \in [1, 3] \\ 5/6(4 - v) & \text{if } v \in [3, 4] \end{cases}$$

We have

$$S_S(\bar{E}) = \frac{1}{4} \left(\int_0^1 4 - v^2/2 dv + \int_1^3 -v^2/6 - 2v/3 + 13/3 dv + \int_3^4 5/6(4 - v)^2 dv \right) = \frac{13}{6}$$

Thus since $A_S(\bar{E}) = 3$ then $\delta_P(S) \leq \frac{3}{13/6} = \frac{18}{13}$. Moreover,

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O = \bar{E} \cap \bar{Q}$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (v-1)/3 \cdot (1/3 + v/6) + (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-1)/3 \cdot (5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

- if $O \in \bar{E} \cap \bar{L}_P$:

$$h(v) = \begin{cases} (v/2)^2/2 & \text{if } v \in [0, 1] \\ (1/3 + v/6)^2/2 & \text{if } v \in [1, 3] \\ (v-3)(5/6(4-v)) + (5/6(4-v))^2/2 & \text{if } v \in [3, 4] \end{cases}$$

Thus

- if $O \in \bar{E} \setminus (\bar{Q} \cup \bar{L}_P)$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 \frac{(5/6(4-v))^2}{2} dv \right) = \frac{11}{36}$$

- if $O = \bar{E} \cap \bar{Q}$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 (v-1)/3 \cdot (1/3 + v/6) + \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-1)/3 \cdot (5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{17}{24}$$

- if $O \in E_P \cap L_P$:

$$S(W_{\bullet, \bullet}^{\bar{E}}; O) = \frac{2}{4} \left(\int_0^1 \frac{(v/2)^2}{2} dv + \int_1^3 \frac{(1/3 + v/6)^2}{2} dv + \int_3^4 (v-3)(5/6(4-v)) + \frac{(5/6(4-v))^2}{2} dv \right) = \frac{3}{8}$$

Now, to get a lower bound for $\delta_P(S)$, we use Corollary 2.2 that gives

$$\delta_P(S) \geq \min \left\{ \frac{18}{13}, \inf_{O \in \bar{E}} \frac{A_{\bar{E}, \Delta_{\bar{E}}}(O)}{S(W_{\bullet, \bullet}^{\bar{E}}; O)} \right\},$$

where $\Delta_{\bar{E}} = \frac{1}{2}\theta(\bar{E})$. So $\delta_P(S) \geq \min \left\{ \frac{18}{13}, \frac{36}{11}, \frac{36}{22}, \frac{24}{17}, \frac{8}{3} \right\} = \frac{18}{13}$ thus $\delta_P(S) = \frac{18}{13}$ for $P \in Q \setminus E_5$.

8). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup Q$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + \tilde{Q}_P + 2\tilde{E}_1 + \tilde{E}_2 + \tilde{E}_3 + \tilde{E}_4$ where L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 , \tilde{E}_i are strict transforms of E_i (for $i \in \{1, 2, 3, 4\}$) respectively and \tilde{Q}_P is a strict transform of a conic which strict transforms contain P_j for $j \in \{1, 2, 3, 4\}$. Then the intersections are given by

	E_P	\tilde{Q}_P	E_1	E_2	E_3	E_4	L_{1P}
E_P	-1	1	0	0	0	0	1
\tilde{Q}_P	1	-1	0	0	0	1	0
E_1	0	0	-2	1	0	0	1
E_2	0	0	1	-2	1	0	0
E_3	0	0	0	1	-2	1	0
E_4	0	0	0	0	1	-2	0
L_{1P}	1	0	1	0	0	0	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2 - v)(2 + v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2 - v)(2 + v)dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □


6.14. Del Pezzo surface of degree 4 with D_4 singularity and 2 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1 and P_2 , after blowing up a point P_3 which belongs to the exceptional divisor corresponding to P_2 and a strict transform of a line connecting P_1 and P_2 , after that blowing up a point P_4 which belongs to the exceptional divisor corresponding to P_3 and no other negative curves, and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and no other negative curves. We have:

Suppose

$$\mathbf{E} := L_{13} \cup E_4, \mathbf{F} := E_1 \cup E_5$$

$$\delta_P(S) = \begin{cases} \frac{1}{2} & \text{if } P \in E_3, \\ \frac{2}{3} & \text{if } P \in \mathbf{E} \setminus E_3, \\ \frac{3}{4} & \text{if } P \in E_2 \setminus E_3, \\ 1 & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$

Dual Graph



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{13} is a strict transform of a line connecting P_1 and P_2 .

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{13} \rangle$.

1). Suppose $P \in E_3$. The Zariski Decomposition of the divisor $-K_S - vE_3$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - v/2(L_{13} + E_2 + E_4) & \text{for } v \in [0, 2] \\ -K_S - vE_3 - v/2E_2 - (v-1)(L_{13} + E_4) - (v-2)(E_1 + E_5) & \text{for } v \in [2, 4] \end{cases}$$

and

$$N(v) = \begin{cases} v/2(L_{13} + E_2 + E_4) & \text{for } v \in [0, 2] \\ v/2E_2 + (v-1)(L_{13} + E_4) + (v-2)(E_1 + E_5) & \text{for } v \in [2, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - v^2/2 & \text{for } v \in [0, 1] \\ \frac{(4-v)^2}{2} & \text{for } v \in [2, 4] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} v/2 & \text{for } v \in [0, 2] \\ 2 - v/2 & \text{for } v \in [2, 4] \end{cases}$$

Thus,

$$S_S(E_3) = \frac{1}{4} \left(\int_0^2 4 - v^2/2 dv + \int_2^4 \frac{(4-v)^2}{2} dv \right) = 2$$

Thus, $\delta_P(S) \leq \frac{1}{2}$ for $P \in E_3$. Note that we have that

- if $P \in E_3 \setminus (L_{13} \cup E_2 \cup E_4)$ then

$$h(v) = \begin{cases} (v/2)^2/2 & \text{for } v \in [0, 2] \\ (2 - v/2)^2/2 & \text{for } v \in [2, 4] \end{cases}$$

- if $P \in E_3 \cap E_2$ then

$$h(v) = \begin{cases} (v/2)^2 & \text{for } v \in [0, 2] \\ (2 - v/2)(v/2) + (2 - v/2)^2/2 & \text{for } v \in [2, 4] \end{cases}$$

- if $P \in E_3 \cap (L_{13} \cup E_4)$ then

$$h(v) = \begin{cases} (v/2)^2 & \text{for } v \in [0, 2] \\ (2 - v/2)(v-1) + (2 - v/2)^2/2 & \text{for } v \in [2, 4] \end{cases}$$

So

- if $P \in E_3 \setminus (L_{13} \cup E_2 \cup E_4)$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{4} \left(\int_0^2 (v/2)^2/2 dv + \int_2^4 (2 - v/2)^2/2 dv \right) = \frac{1}{3} \leq 2$$

- if $P \in E_3 \cap E_2$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{4} \left(\int_0^2 (v/2)^2 dv + \int_2^4 (v/2)(2 - v/2) + (2 - v/2)^2/2 dv \right) = \frac{3}{2} \leq 2$$

- if $P \in E_3 \cap (L_{13} \cup E_4)$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) = \frac{2}{4} \left(\int_0^2 (v/2)^2 dv + \int_2^4 (v/2)(2 - v/2) + (2 - v/2)^2/2 dv \right) = \frac{4}{3} \leq 2$$

Thus $\delta_P(S) = \frac{1}{2}$ if $P \in E_3$.

2). Suppose $P \in E_4$. The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/2(2E_3 + L_{13} + E_2) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - v/2(2E_3 + L_{13} + E_2) - (v-1)E_5 & \text{for } v \in [1, 2] \\ -K_S - vE_4 - (v-1)(2E_3 + E_2 + E_5) - (2v-3)L_{13} - 2(v-2)E_1 & \text{for } v \in [2, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/2(2E_3 + L_{13} + E_2) & \text{for } v \in [0, 1] \\ v/2(2E_3 + L_{13} + E_2) + (v-1)E_5 & \text{for } v \in [1, 2] \\ (v-1)(2E_3 + E_2 + E_5) + (2v-3)L_{13} + 2(v-2)E_1 & \text{for } v \in [2, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} (2-v)(2+v) & \text{for } v \in [0, 1] \\ 5-2v & \text{for } v \in [1, 2] \\ (3-v)^2 & \text{for } v \in [2, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} v & \text{for } v \in [0, 1] \\ 1 & \text{for } v \in [1, 2] \\ 3-v & \text{for } v \in [2, 3] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 (2-v)(2+v)dv + \int_1^2 5-2v dv + \int_2^3 (3-v)^2 dv \right) = \frac{3}{2}$$

Thus, $\delta_P(S) \leq \frac{2}{3}$ for $P \in E_4$. Note that we have that

- if $P \in E_4 \setminus (E_3 \cup E_5)$ then

$$h(v) = \begin{cases} v^2/2 & \text{for } v \in [0, 1] \\ 1/2 & \text{for } v \in [1, 2] \\ (3-v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

- if $P \in E_4 \cap E_3$ then

$$h(v) = \begin{cases} v^2/2 & \text{for } v \in [0, 1] \\ v + 1/2 & \text{for } v \in [1, 2] \\ (v-1)(3-v) + (3-v)^2/2 & \text{for } v \in [2, 3] \end{cases}$$

So if $P \in E_4 \setminus E_5$ then

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 v^2/2 dv + \int_1^2 v + 1/2 dv + \int_2^3 (v-1)(3-v) + (3-v)^2/2 dv \right) = 1 \leq \frac{3}{2}$$

Thus $\delta_P(S) = \frac{2}{3}$ if $P \in E_4 \setminus E_3$ (same for $L_{13} \setminus E_3$).

3). Suppose $P \in E_2$. The Zariski decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = -K_S - vE_2 - (v/2)(2E_3 + L_{13} + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(2E_3 + L_{13} + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_2 = v \text{ if } v \in [0, 2]$$

We have

$$S_S(E_2) = \frac{1}{4} \left(\int_0^2 (2-v)(2+v)dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_2$. Moreover if $P \in E_2 \setminus E_3$:

$$h(v) = v^2/2 \text{ if } v \in [0, 2]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^2 v^2/2dv \right) = \frac{2}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_2 \setminus E_3$.

4). Suppose $P \in E_1$ (or E_5). The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - (v/2)(2L_{13} + 2E_3 + E_2 + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(2L_{13} + 2E_3 + E_2 + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = 4 - 2v \text{ and } P(v) \cdot E_1 = 1 \text{ if } v \in [0, 2]$$

We have

$$S_S(E_1) = \frac{1}{4} \left(\int_0^2 4 - 2v dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in E_1$. Moreover if $P \in E_1 \setminus L_{13}$:

$$h(v) = 1/2 \text{ if } v \in [0, 2]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^2 1/2 dv \right) = \frac{1}{2} \leq 1$$

We get that $\delta_P(S) = 1$ for $P \in E_1 \setminus L_{13}$.

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{13}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + Q_P$ where Q_P is the strict transform of the conic passing through P_2 and the projection of P on \mathbb{P}^2 and and some of it's strict transforms passes through P_3, P_4 and P_5 , L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 . Then the intersections are given by

	E_P	Q_P	L_{1P}
E_P	-1	1	1
Q_P	1	-1	1
L_{1P}	1	1	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v)dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$


Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.15. Del Pezzo surface of degree 4 with two A_1 and A_3 singularities and 2 lines. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at points P_1 and P_2 , after blowing up a point P_3 which belongs to the exceptional divisor corresponding to P_1 and a strict transform of a line connecting P_1 and P_2 and a point P_4 which belongs to the exceptional divisor corresponding to P_2 and no other negative curves, and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and a (-1) -curve. We have:

Dual Graph



Suppose

$$\mathbf{E} := L_{23} \cup E_2 \cup E_3 \cup E_4 \cup E_5,$$

$$\mathbf{F} := E_1 \cup L_5$$

$$\delta_P(S) = \begin{cases} \frac{3}{4} & \text{if } P \in \mathbf{E}, \\ 1 & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$

where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, L_{23} is a strict transform of a line connecting P_1 and P_2 and L_5 is a negative curve which comes from a line.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_{23}, L_5 \rangle$.

1). Suppose $P \in E_2$. The Zariski decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = -K_S - vE_2 - (v/2)(L_{23} + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(L_{23} + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2 - v)(2 + v) \text{ and } P(v) \cdot E_2 = v \text{ if } v \in [0, 2]$$

We have

$$S_S(E_2) = \frac{1}{4} \left(\int_0^2 (2 - v)(2 + v) dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_2$. Moreover

- if $P \in E_2 \setminus (L_{23} \cup E_4)$:

$$h(v) = v^2/2 \text{ if } v \in [0, 2]$$

- if $P \in E_2 \cap (L_{23} \cup E_4)$:

$$h(v) = v^2 \text{ if } v \in [0, 2]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^2 v^2 dv \right) = \frac{4}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_2$.

2). Suppose $P \in E_4$ (or L_{23}). The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/3(2E_2 + L_{23}) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - v/3(2E_2 + L_{23}) - (v-1)(2E_5 + L_5) & \text{for } v \in [1, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/3(2E_2 + L_{23}) & \text{for } v \in [0, 1] \\ v/3(2E_2 + L_{23}) + (v-1)(2E_5 + L_5) & \text{for } v \in [1, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 4v^2/3 & \text{for } v \in [0, 1] \\ \frac{2(3-v)^2}{3} & \text{for } v \in [1, 3] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 4v/3 & \text{for } v \in [0, 1] \\ 2 - 2v/3 & \text{for } v \in [1, 3] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 4 - 4v^2/3 dv + \int_1^3 \frac{2(3-v)^2}{3} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_4$. Note that we have that

- if $P \in E_4 \setminus (E_2 \cup E_5)$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ (2 - 2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

- if $P \in E_4 \cap E_5$ then

$$h(v) = \begin{cases} (4v/3)^2/2 & \text{for } v \in [0, 1] \\ 2(v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 & \text{for } v \in [1, 3] \end{cases}$$

So for $P \in E_4 \setminus E_2$

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 (4v/3)^2/2 dv + \int_1^3 2(v-1)(2 - 2v/3) + (2 - 2v/3)^2/2 dv \right) = \frac{4}{3} \leq \frac{4}{3}$$

Thus $\delta_P(S) = \frac{3}{4}$ if $P \in E_4 \setminus E_2$ (same for $P \in L_{23} \setminus E_2$).

3). Suppose $P \in E_5$ (or E_3). The Zariski decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = -K_S - vE_5 - (v/2)L_5 - v/4(3E_4 + 2E_2 + L_{23}), \text{ if } v \in [0, 4]$$

and

$$N(v) = (v/2)L_5 + v/4(3E_4 + 2E_2 + L_{23}), \text{ if } v \in [0, 4]$$

Moreover,

$$(P(v))^2 = \frac{(v-4)^2}{4} \text{ and } P(v) \cdot E_5 = 1 - v/4 \text{ if } v \in [0, 4]$$

We have

$$S_S(E_5) = \frac{1}{4} \left(\int_0^4 (v-4)^2/4 dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_5$. Moreover

- if $P \in E_5 \setminus (L_5 \cup E_4)$:

$$h(v) = (1 - v/4)^2/2 \text{ if } v \in [0, 4]$$

- $P \in E_5 \cap L_5$:

$$h(v) = v/2(1 - v/4) + (1 - v/4)^2/2 \text{ if } v \in [0, 4]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^4 v/2(1 - v/4) + (1 - v/4)^2/2 dv \right) = 1 \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_5$ (or E_2).

4). Suppose $P \in L_5$ (or E_1). The Zariski Decomposition of the divisor $-K_S - vL_5$ is given by:

$$P(v) = \begin{cases} -K_S - vL_5 & \text{for } v \in [0, 1] \\ -K_S - vL_5 - (v - 1)(4E_5 + 3E_4 + 2E_2 + L_{23}) & \text{for } v \in [1, 2] \end{cases}$$

and

$$N(v) = \begin{cases} 0 & \text{for } v \in [0, 1] \\ (v - 1)(4E_5 + 3E_4 + 2E_2 + L_{23}) & \text{for } v \in [1, 2] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 2v^2 & \text{for } v \in [0, 1] \\ 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases} \quad \text{and } P(v) \cdot L_5 = \begin{cases} 2v & \text{for } v \in [0, 1] \\ 2(2 - v) & \text{for } v \in [1, 2] \end{cases}$$

Thus,

$$S_S(L_5) = \frac{1}{4} \left(\int_0^1 4 - 2v^2 dv + \int_1^2 2(2 - v)^2 dv \right) = 1$$

Thus, $\delta_P(S) \leq 1$ for $P \in L_5$. Note that we have $P \in L_5 \setminus E_5$ then

$$h(v) = \begin{cases} 2v^2 & \text{for } v \in [0, 1] \\ 2(2 - v)^2 & \text{for } v \in [1, 2] \end{cases}$$

So we have that

$$S(W_{\bullet, \bullet}^{L_5}; P) \leq \frac{2}{4} \left(\int_0^1 2v^2 dv + \int_1^2 2(2 - v)^2 dv \right) = \frac{2}{3} \leq 1$$

Thus $\delta_P(S) = 1$ if $P \in L_5 \setminus E_5$ (or $E_1 \setminus E_3$).

5). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_{23}$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2 - v)E_P + L_{1P} + Q_P + \tilde{E}_1$ where Q_P is the strict transform of the conic passing through P_1, P_2 , and some of its strict transforms contains P_3, P_4 and P_5 , L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 , \tilde{E}_1 is a strict transform of E_1 . Then the intersections are given by

	E_P	Q_P	L_{1P}	\tilde{E}_1
E_P	-1	1	1	0
Q_P	1	-1	0	1
L_{1P}	1	0	-1	1
\tilde{E}_1	0	1	1	-2

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \text{ and } N(v) = 0 \text{ for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2 - v)(2 + v) \text{ and } P(v) \cdot E_P = v \text{ for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2 - v)(2 + v)dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \text{ if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{3}{2}$$

We get that $\delta_P(S) = \frac{3}{2}$ for such P . □


6.16. Del Pezzo surface of degree 4 with D_5 singularity and 1 line. Let S be a weak del Pezzo surface of degree 4 which can be obtained by blowing up \mathbb{P}^2 at a point P_1 , after blowing up a point P_2 which belongs to the exceptional divisor corresponding to P_1 , after blowing up a point P_3 which belongs to the exceptional divisor corresponding to P_2 and a (-1) -curve, after blowing up a point P_4 which belongs to the exceptional divisor corresponding to P_3 and no other negative curves, and after that blowing up a point P_5 which belongs to the exceptional divisor corresponding to P_4 and no other negative curves. We have:

Suppose

$$\mathbf{E} := E_2 \cup E_4, \mathbf{F} := E_1 \cup E_5$$

$$\delta_P(S) = \begin{cases} \frac{3}{8} & \text{if } P \in E_3, \\ \frac{1}{2} & \text{if } P \in \mathbf{E} \setminus E_3, \\ \frac{9}{14} & \text{if } P \in L_3 \setminus E_3, \\ \frac{3}{4} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$$

Dual Graph



where E_1, E_2, E_3, E_4, E_5 are coming from the exceptional divisors corresponding to P_1, P_2, P_3, P_4, P_5 respectively, and L_3 is a negative curve which comes from a line.

Proof. We have $\overline{NE(S)} = \langle E_1, E_2, E_3, E_4, E_5, L_3 \rangle$.

1). Suppose $P \in E_3$. The Zariski Decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = \begin{cases} -K_S - vE_3 - v/6(4E_2 + 2E_1 + 3L_3 + 3E_4) & \text{for } v \in [0, 2] \\ -K_S - vE_3 - v/6(4E_2 + 2E_1 + 3L_3) - (v - 1)E_4 - (v - 2)E_5 & \text{for } v \in [2, 6] \end{cases}$$

and

$$N(v) = \begin{cases} v/6(4E_2 + 2E_1 + 3L_3 + 3E_4) & \text{for } v \in [0, 2] \\ v/6(4E_2 + 2E_1 + 3L_3) + (v - 1)E_4 + (v - 2)E_5 & \text{for } v \in [2, 6] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - v^2/3 & \text{for } v \in [0, 2] \\ \frac{(6-v)^2}{6} & \text{for } v \in [2, 6] \end{cases} \quad \text{and } P(v) \cdot E_3 = \begin{cases} v/3 & \text{for } v \in [0, 2] \\ 1 - v/6 & \text{for } v \in [2, 6] \end{cases}$$

Thus,

$$S_S(E_3) = \frac{1}{4} \left(\int_0^2 4 - v^2/3 dv + \int_2^6 \frac{(6-v)^2}{6} dv \right) = \frac{8}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{8}$ for $P \in E_3$. Note that

- if $P \in E_3 \setminus (E_2 \cup E_4 \cup L_3)$ then

$$h(v) = \begin{cases} (v/3)^2/2 & \text{for } v \in [0, 2] \\ (1 - v/6)^2/2 & \text{for } v \in [2, 6] \end{cases}$$

- if $P \in E_3 \cap E_2$ then

$$h(v) = \begin{cases} (2v/3)(v/3) + (v/3)^2/2 & \text{for } v \in [0, 2] \\ (2v/3)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [2, 6] \end{cases}$$

- if $P \in E_3 \cap E_4$ then

$$h(v) = \begin{cases} (v/2)(v/3) + (v/3)^2/2 & \text{for } v \in [0, 2] \\ (v-1)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [2, 6] \end{cases}$$

- if $P \in E_3 \cap L_3$ then

$$h(v) = \begin{cases} (v/2)(v/3) + (v/3)^2/2 & \text{for } v \in [0, 2] \\ (v/2)(1 - v/6) + (1 - v/6)^2/2 & \text{for } v \in [2, 6] \end{cases}$$

So we have

- if $P \in E_3 \setminus (E_2 \cup E_4 \cup L_3)$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 (v/3)^2/2 dv + \int_2^6 (1 - v/6)^2/2 dv \right) = \frac{2}{9} \leq \frac{8}{3}$$

- if $P \in E_3 \cap E_2$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 (2v/3)(v/3) + (v/3)^2/2 dv + \int_2^6 (2v/3)(1 - v/6) + (1 - v/6)^2/2 dv \right) = 2 \leq \frac{8}{3}$$

- if $P \in E_3 \cap E_4$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 (v/2)(v/3) + (v/3)^2/2 dv + \int_2^6 (v-1)(1 - v/6) + (1 - v/6)^2/2 dv \right) = 2 \leq \frac{8}{3}$$

- if $P \in E_3 \cap L_3$ then

$$S(W_{\bullet, \bullet}^{E_3}; P) \leq \frac{2}{4} \left(\int_0^2 (v/2)(v/3) + (v/3)^2/2 dv + \int_2^6 (v/2)(1 - v/6) + (1 - v/6)^2/2 dv \right) = \frac{14}{9} \leq \frac{8}{3}$$

Thus $\delta_P(S) = \frac{3}{8}$ if $P \in E_3$.

2). Suppose $P \in E_2$. The Zariski Decomposition of the divisor $-K_S - vE_2$ is given by:

$$P(v) = \begin{cases} -K_S - vE_2 - v/2(E_1 + 2E_3 + L_3 + E_4) & \text{for } v \in [0, 2] \\ -K_S - vE_2 - v/2E_1 - (v-1)(2E_3 + L_3) - (2v-3)E_4 - 2(v-2)E_5 & \text{for } v \in [2, 4] \end{cases}$$

and

$$N(v) = \begin{cases} v/2(E_1 + 2E_3 + L_3 + E_4) & \text{for } v \in [0, 2] \\ v/2E_1 + (v-1)(2E_3 + L_3) + (2v-3)E_4 + 2(v-2)E_5 & \text{for } v \in [2, 4] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - v^2/2 & \text{for } v \in [0, 2] \\ \frac{(4-v)^2}{2} & \text{for } v \in [2, 4] \end{cases} \quad \text{and } P(v) \cdot E_2 = \begin{cases} v/2 & \text{for } v \in [0, 2] \\ 2 - v/2 & \text{for } v \in [2, 4] \end{cases}$$

Thus,

$$S_S(E_2) = \frac{1}{4} \left(\int_0^2 4 - v^2/2 dv + \int_2^4 \frac{(4-v)^2}{2} dv \right) = 2$$

Thus, $\delta_P(S) \leq \frac{1}{2}$ for $P \in E_2$. Note that

- if $P \in E_2 \setminus (E_1 \cup E_3)$ then

$$h(v) = \begin{cases} (v/2)^2/2 & \text{for } v \in [0, 2] \\ (2 - v/2)^2/2 & \text{for } v \in [2, 4] \end{cases}$$

- if $P \in E_2 \cap E_1$ then

$$h(v) = \begin{cases} (v/2)^2 + (v/2)^2/2 & \text{for } v \in [0, 2] \\ (v/2)(2 - v/2) + (2 - v/2)^2/2 & \text{for } v \in [2, 4] \end{cases}$$

So we have that for $P \in E_2 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_2}; P) \leq \frac{2}{4} \left(\int_0^2 (v/2)^2 dv + \int_2^4 (2 - v/2)^2/2 dv \right) = \frac{4}{3} \leq 2$$

Thus $\delta_P(S) = \frac{1}{2}$ if $P \in E_2 \setminus E_3$.

3). Suppose $P \in E_4$. The Zariski Decomposition of the divisor $-K_S - vE_4$ is given by:

$$P(v) = \begin{cases} -K_S - vE_4 - v/5(6E_3 + 4E_2 + 3L_3 + 2E_1) & \text{for } v \in [0, 1] \\ -K_S - vE_4 - v/5(6E_3 + 4E_2 + 3L_3 + 2E_1) - (v-1)E_5 & \text{for } v \in [1, 5] \end{cases}$$

and

$$N(v) = \begin{cases} v/5(6E_3 + 4E_2 + 3L_3 + 2E_1) & \text{for } v \in [0, 1] \\ v/5(6E_3 + 4E_2 + 3L_3 + 2E_1) + (v-1)E_5 & \text{for } v \in [1, 5] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 4v^2/5 & \text{for } v \in [0, 1] \\ \frac{(5-v)^2}{5} & \text{for } v \in [1, 5] \end{cases} \quad \text{and } P(v) \cdot E_4 = \begin{cases} 4v/5 & \text{for } v \in [0, 1] \\ 1 - v/5 & \text{for } v \in [1, 5] \end{cases}$$

Thus,

$$S_S(E_4) = \frac{1}{4} \left(\int_0^1 4 - 4v^2/5 dv + \int_1^5 \frac{(5-v)^2}{5} dv \right) = 2$$

Thus, $\delta_P(S) \leq \frac{1}{2}$ for $P \in E_4$. Note that

- if $P \in E_4 \setminus (E_3 \cup E_5)$ then

$$h(v) = \begin{cases} (4v/5)^2/2 & \text{for } v \in [0, 1] \\ (1 - v/5)^2/2 & \text{for } v \in [1, 5] \end{cases}$$

- if $P \in E_4 \cap E_5$ then

$$h(v) = \begin{cases} (4v/5)^2/2 & \text{for } v \in [0, 1] \\ (v-1)(1 - v/5) + (1 - v/5)^2/2 & \text{for } v \in [1, 5] \end{cases}$$

So we have that for $P \in E_2 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{E_4}; P) \leq \frac{2}{4} \left(\int_0^1 (4v/5)^2/2dv + \int_1^5 (v-1)(1-v/5) + (1-v/5)^2/2dv \right) = \frac{4}{3} \leq 2$$

Thus $\delta_P(S) = \frac{1}{2}$ if $P \in E_4 \setminus E_3$.

4). Suppose $P \in E_1$. The Zariski decomposition of the divisor $-K_S - vE_1$ is given by:

$$P(v) = -K_S - vE_1 - v/2(2E_2 + 2E_3 + L_3 + E_4), \text{ if } v \in [0, 2]$$

and

$$N(v) = (v/2)(2E_2 + 2E_3 + L_3 + E_4), \text{ if } v \in [0, 2]$$

Moreover,

$$(P(v))^2 = (2-v)(2+v) \text{ and } P(v) \cdot E_1 = v \text{ if } v \in [0, 2]$$

We have

$$S_S(E_1) = \frac{1}{4} \left(\int_0^2 (2-v)(2+v)dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_1$. Moreover if $P \in E_1 \setminus E_2$:

$$h(v) = v^2/2 \text{ if } v \in [0, 2]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_1}; P) \leq \frac{2}{4} \left(\int_0^2 v^2/2dv \right) = \frac{2}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_1 \setminus E_2$.

5). Suppose $P \in E_5$. The Zariski decomposition of the divisor $-K_S - vE_5$ is given by:

$$P(v) = -K_S - vE_5 - v/4(5E_4 + 6E_3 + 4E_2 + 2E_1 + 3L_3), \text{ if } v \in [0, 4]$$

and

$$N(v) = (v/4)(5E_4 + 6E_3 + 4E_2 + 2E_1 + 3L_3), \text{ if } v \in [0, 4]$$

Moreover,

$$(P(v))^2 = \frac{(4-v)^2}{4} \text{ and } P(v) \cdot E_5 = v \text{ if } 1 - v/4 \in [0, 4]$$

We have

$$S_S(E_5) = \frac{1}{4} \left(\int_0^4 \frac{(4-v)^2}{4} dv \right) = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{3}{4}$ for $P \in E_5$. Moreover if $P \in E_5 \setminus E_4$:

$$h(v) = (1 - v/4)^2/2 \text{ if } v \in [0, 4]$$

So we have for such P :

$$S(W_{\bullet, \bullet}^{E_5}; P) \leq \frac{2}{4} \left(\int_0^4 (1 - v/4)^2/2dv \right) = \frac{1}{3} \leq \frac{4}{3}$$

We get that $\delta_P(S) = \frac{3}{4}$ for $P \in E_5 \setminus E_4$.

5). Suppose $P \in L_3$. The Zariski Decomposition of the divisor $-K_S - vL_3$ is given by:

$$P(v) = \begin{cases} -K_S - vL_3 - v/5(6E_3 + 4E_2 + 3E_4 + 2E_1) & \text{for } v \in [0, 5/3] \\ -K_S - vL_3 - (v-1)(3E_3 + 2E_2 + E_1) - (3v-4)E_4 - (3v-5)E_5 & \text{for } v \in [5/3, 3] \end{cases}$$

and

$$N(v) = \begin{cases} v/5(6E_3 + 4E_2 + 3E_4 + 2E_1) & \text{for } v \in [0, 5/3] \\ (v-1)(3E_3 + 2E_2 + E_1) + (3v-4)E_4 + (3v-5)E_5 & \text{for } v \in [5/3, 3] \end{cases}$$

Moreover,

$$(P(v))^2 = \begin{cases} 4 - 4v^2/5 & \text{for } v \in [0, 5/3] \\ (3-v)^2 & \text{for } v \in [5/3, 3] \end{cases} \quad \text{and } P(v) \cdot L_3 = \begin{cases} 4v/5 & \text{for } v \in [0, 1] \\ 3-v & \text{for } v \in [1, 5] \end{cases}$$

Thus,

$$S_S(L_3) = \frac{1}{4} \left(\int_0^{5/3} (4 - 4v^2/5) dv + \int_{5/3}^3 (3-v)^2 dv \right) = \frac{14}{9}$$

Thus, $\delta_P(S) \leq \frac{9}{14}$ for $P \in L_3$. Note that if $P \in L_3 \setminus E_3$ then

$$h(v) = \begin{cases} (4v/5)^2/2 & \text{for } v \in [0, 5/3] \\ (3-v)^2/2 & \text{for } v \in [5/3, 3] \end{cases}$$

So we have that for $P \in L_3 \setminus E_3$:

$$S(W_{\bullet, \bullet}^{L_3}; P) \leq \frac{2}{4} \left(\int_0^{5/3} (4v/5)^2/2 dv + \int_1^5 (3-v)^2/2 dv \right) = \frac{4}{9} \leq \frac{14}{9}$$

Thus $\delta_P(S) = \frac{9}{14}$ if $P \in L_3 \setminus E_3$.

6). Suppose $P \notin E_1 \cup E_2 \cup E_3 \cup E_4 \cup E_5 \cup L_3$. Consider the blowup $\pi : \tilde{S} \rightarrow S$ of S at P with the exceptional divisor E_P . Then $\pi^*(-K_S) - vE_P \sim (2-v)E_P + L_{1P} + \tilde{Q}_P + 2\tilde{E}_1 + \tilde{E}_2 + \tilde{E}_3 + \tilde{E}_4$ where L_{1P} is a strict transform of the line passing through P_1 and the projection of P on \mathbb{P}^2 , \tilde{E}_i are strict transforms of E_i (for $i \in \{1, 2, 3, 4\}$) respectively and \tilde{Q}_P is a strict transform of a conic which strict transforms contain P_j for $j \in \{1, 2, 3, 4\}$. Then the intersections are given by

	E_P	\tilde{Q}_P	E_1	E_2	E_3	E_4	L_{1P}
E_P	-1	1	0	0	0	0	1
\tilde{Q}_P	1	-1	0	0	0	1	0
E_1	0	0	-2	1	0	0	1
E_2	0	0	1	-2	1	0	0
E_3	0	0	0	1	-2	1	0
E_4	0	0	0	0	1	-2	0
L_{1P}	1	0	1	0	0	0	-1

The Zariski decomposition of the divisor $\pi^*(-K_S) - vE_P$ is given by:

$$P(v) = \pi^*(-K_S) - vE_P \quad \text{and } N(v) = 0 \quad \text{for } v \in [0, 2]$$

Moreover

$$P(v)^2 = (2-v)(2+v) \quad \text{and } P(v) \cdot E_P = v \quad \text{for } v \in [0, 2]$$

We have

$$S_S(E_P) = \frac{1}{4} \int_0^2 (2-v)(2+v) dv = \frac{4}{3}$$

Thus, $\delta_P(S) \leq \frac{2}{4/3} = \frac{3}{2}$. Moreover if $O \in E_P$:

$$h(v) = v^2/2, \quad \text{if } v \in [0, 2]$$

Thus:

$$S(W_{\bullet, \bullet}^{E_P}; O) = \frac{2}{4} \left(\int_0^2 \frac{v^2}{2} dv \right) = \frac{2}{3} \leq \frac{2}{3}$$





We get that $\delta_P(S) = \frac{3}{2}$ for such P . □

6.17. Summary of results for degree 4. . The local δ -invariants of Weak del Pezzo surfaces of degree 4 are given in the following table:

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta_P(S)$
dP_4		\emptyset	$\begin{cases} \frac{4}{3} & \text{if } P \in \text{two } (-1)\text{-curves,} \\ \frac{18}{13} & \text{if } P \in \text{one } (-1)\text{-curve,} \\ \frac{3}{2}, & \text{otherwise.} \end{cases}$
Weak dP_4		A_1	<p>Suppose $\mathbf{E} := E_1 \cup E_2 \cup E_3 \cup L_{45}$, $\mathbf{F} := \{(-1)\text{-curves}\} \setminus \mathbf{E}$</p> $\begin{cases} 1 & \text{if } P \in L_{123}, \\ \frac{6}{5} & \text{if } P \in \mathbf{E} \setminus L_{123}, \\ \frac{4}{3} & \text{if } P \in \text{two curves in } \mathbf{F}, \\ \frac{18}{13} & \text{if } P \in \text{one curve in } \mathbf{F}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta_P(S)$
Weak dP_4		$2A_1$	<p>Suppose</p> $\mathbf{E} := E_2 \cup L_{13} \cup L_{14} \cup L_{34},$ $\mathbf{F} := (L_{23} \cap E_2) \cup (L_{24} \cap E_4),$ $\mathbf{G} := L_{23} \cup E_2 \cup L_{24} \cup E_4$ $\begin{cases} 1 & \text{if } P \in E_1 \cup L_{25} \cup E_5, \\ \frac{6}{5} & \text{if } P \in \mathbf{E} \setminus (E_1 \cup L_{25}), \\ \frac{4}{3} & \text{if } P \in \mathbf{F}, \\ \frac{18}{13} & \text{if } P \in \mathbf{G} \setminus (\mathbf{E} \cup \mathbf{F}), \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4		$2A_1$	<p>Suppose</p> $\mathbf{E} := E_1 \cup E_2 \cup E_3 \cup E_5 \cup L_{14} \cup L_{24} \cup L_{34} \cup L_5,$ $\begin{cases} 1 & \text{if } P \in E_4 \cup L_{123}, \\ \frac{6}{5} & \text{if } P \in \mathbf{E} \setminus (E_4 \cup L_{123}), \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4		A_2	<p>Suppose</p> $\mathbf{E} := L_{123} \cup E_3,$ $\mathbf{F} := E_1 \cup E_2 \cup E_5 \cup L_{34},$ $\mathbf{G} := (E_4 \cup L_5) \cap (L_{14} \cup L_{24}),$ $\mathbf{H} := E_4 \cup L_{14} \cup L_{24} \cup L_5$ $\begin{cases} \frac{6}{7} & \text{if } P \in \mathbf{E}, \\ \frac{8}{7} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{4}{3} & \text{if } P \in \mathbf{G}, \\ \frac{18}{13} & \text{if } P \in \mathbf{H} \setminus \mathbf{G}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4		$3A_1$	<p>Suppose</p> $\mathbf{E} := E_1 \cup E_3 \cup E_4 \cup L_{13} \cup L_{24},$ $\mathbf{F} := E_2 \cup E_5 \cup L_5 \cup L_{23}$ $\begin{cases} 1 & \text{if } P \in \mathbf{E}, \\ \frac{6}{5} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$

S	Curves on S , $K_S^2 = 4$	(-2) -curves	$\delta_P(S)$
Weak dP_4		A_1A_2	<p>Suppose $\mathbf{E} := E_2 \cup E_4 \cup L_{13}$,</p> $\begin{cases} \frac{6}{7} & \text{if } P \in (L_{15} \cup E_1), \\ 1 & \text{if } P \in E_2 \setminus E_5, \\ \frac{8}{7} & \text{if } P \in (L_{13} \cup E_4) \setminus E_1, \\ \frac{6}{5} & \text{if } P \in L_{23} \setminus E_2, \\ \frac{18}{13} & \text{if } P \in (E_3 \cup L_4) \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4		A_3	<p>Suppose $\mathbf{E} := E_2 \cup E_4$, $\mathbf{F} := E_5 \cup L_{12}$, $\mathbf{G} := E_1 \cup Q$</p> $\begin{cases} \frac{3}{4} & \text{if } P \in E_3, \\ \frac{24}{29} & \text{if } P \in \mathbf{E} \setminus E_3, \\ \frac{12}{11} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ 1 & \text{if } P \in L_3 \setminus E_3, \\ \frac{4}{3} & \text{if } P = E_1 \cap Q, \\ \frac{18}{13} & \text{if } P \in \mathbf{G} \setminus (\mathbf{F} \cup (E_1 \cap Q)), \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4		A_3	<p>Suppose $\mathbf{E} := L_{123} \cup E_3 \cup E_4$, $\mathbf{F} := E_1 \cup E_2 \cup E_5 \cup L_4$</p> $\begin{cases} \frac{3}{4} & \text{if } P \in \mathbf{E}, \\ \frac{9}{8} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4		$4A_1$	<p>Suppose $\mathbf{E} := E_1 \cup E_3 \cup L_{13} \cup L_{24} \cup E_2 \cup E_4 \cup E_5 \cup L_{23}$</p> $\begin{cases} 1 & \text{if } P \in \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta_P(S)$
Weak dP_4	<p>Dual Graph</p> 	$2A_1A_2$	<p>Suppose $\mathbf{E} := E_2 \cup L_{24} \cup E_4 \cup E_5$, $\mathbf{F} := L_{35} \cup E_1$, $\mathbf{G} := E_3 \cup L_{13}$</p> $\begin{cases} \frac{6}{7} & \text{if } P \in \mathbf{E}, \\ 1 & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{6}{5} & \text{if } P \in \mathbf{G} \setminus \mathbf{F}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4	<p>Dual Graph</p> 	A_1A_3	<p>Suppose $\mathbf{E} := L_{123} \cup E_3 \cup E_4 \cup E_5$</p> $\begin{cases} \frac{3}{4} & \text{if } P \in \mathbf{E}, \\ 1 & \text{if } P \in L_5 \setminus E_5, \\ \frac{9}{8} & \text{if } P \in (E_1 \cup E_2) \setminus L_{123}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4	 <p>Dual Graph</p>	A_4	$\begin{cases} \frac{6}{11} & \text{if } P \in E_2, \\ \frac{24}{37} & \text{if } P \in E_3 \setminus E_2, \\ \frac{4}{5} & \text{if } P \in E_4 \setminus E_3, \\ \frac{24}{29} & \text{if } P \in L_2 \setminus E_2, \\ \frac{9}{11} & \text{if } P \in E_1 \setminus E_2, \\ \frac{24}{23} & \text{if } P \in E_5 \setminus E_4, \\ \frac{18}{13} & \text{if } P \in Q \setminus E_5, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4	<p>Dual Graph</p> 	D_4	<p>Suppose $\mathbf{E} := L_{13} \cup E_4$, $\mathbf{F} := E_1 \cup E_5$</p> $\begin{cases} \frac{1}{2} & \text{if } P \in E_3, \\ \frac{2}{3} & \text{if } P \in \mathbf{E} \setminus E_3, \\ \frac{3}{4} & \text{if } P \in E_2 \setminus E_3, \\ 1 & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$




S	Curves on S , $K_S^2 = 4$	(-2) -curves	$\delta_P(S)$
Weak dP_4	<p>Dual Graph</p> 	$2A_1A_3$	<p>Suppose</p> $\mathbf{E} := L_{23} \cup E_2 \cup E_3 \cup E_4 \cup E_5,$ $\mathbf{F} := E_1 \cup L_5$ $\begin{cases} \frac{3}{4} & \text{if } P \in \mathbf{E}, \\ 1 & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$
Weak dP_4	<p>Dual Graph</p> 	D_5	<p>Suppose</p> $\mathbf{E} := E_2 \cup E_4, \mathbf{F} := E_1 \cup E_5$ $\begin{cases} \frac{3}{8} & \text{if } P \in E_3, \\ \frac{1}{2} & \text{if } P \in \mathbf{E} \setminus E_3, \\ \frac{9}{14} & \text{if } P \in L_3 \setminus E_3, \\ \frac{3}{4} & \text{if } P \in \mathbf{F} \setminus \mathbf{E}, \\ \frac{3}{2}, & \text{otherwise} \end{cases}$





Table 9: Weak del Pezzo surfaces of degree 4

Which proves that δ -invariants of weak del Pezzo surfaces of degree 5 are given in the following table:

S	Curves on S , $K_S^2 = 4$	(-2) -curves	$\delta(S)$
dP_4	<p>Dual Graph</p> 	\emptyset	$\frac{4}{3}$

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta(S)$
Weak dP_4	<p>Dual Graph</p>	A_1	1
Weak dP_4	<p>Dual Graph</p>	$2A_1$	1
Weak dP_4	<p>Dual Graph</p>	$2A_1$	1

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta(S)$
Weak dP_4		A_2	$\frac{6}{7}$
Weak dP_4		$3A_1$	1
Weak dP_4		A_1A_2	$\frac{6}{7}$
Weak dP_4		A_3	$\frac{3}{4}$

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta(S)$
Weak dP_4	<p>Dual Graph</p> 	A_3	$\frac{3}{4}$
Weak dP_4	<p>Dual Graph</p> 	$4A_1$	1
Weak dP_4	<p>Dual Graph</p> 	$2A_1A_2$	$\frac{6}{7}$
Weak dP_4	<p>Dual Graph</p> 	A_1A_3	$\frac{3}{4}$

S	Curves on S , $K_S^2 = 4$	(-2) - curves	$\delta(S)$
Weak dP_4	<p>Dual Graph</p>	A_4	$\frac{6}{11}$
Weak dP_4	<p>Dual Graph</p>	D_4	$\frac{1}{2}$
Weak dP_4	<p>Dual Graph</p>	$2A_1A_3$	$\frac{3}{4}$
Weak dP_4	<p>Dual Graph</p>	D_5	$\frac{3}{8}$

Table 10: Weak del Pezzo surfaces of degree 4

This immediately proves Main Theorem for Du Val del Pezzo surfaces of degree 4.

CONTENTS

1. Introduction	1
2. Proof of Main Theorem via Kento Fujita's formulas	2
3. Del Pezzo surfaces of degrees 7,8	4
3.1. Smooth del Pezzo surface of degree 8 isomorphic to \mathbb{F}_1 .	4
3.2. Smooth del Pezzo surface of degree 8 isomorphic to $\mathbb{P}^1 \times \mathbb{P}^1$.	5
3.3. A del Pezzo surface of degree 8 with A_1 singularity and 0 lines.	5
3.4. Smooth del Pezzo surface of degree 7.	6
3.5. Del Pezzo surface of degree 7 with A_1 singularity and 2 lines.	8
3.6. Summary of results for degrees 7 and 8	12
4. Del Pezzo surfaces of degree 6	14
4.1. Smooth del Pezzo surface of degree 6.	14
4.2. Del Pezzo surface of degree 6 with A_1 singularity and 3 lines.	16
4.3. Del Pezzo surface of degree 6 with A_1 singularity and 4 lines.	18
4.4. Del Pezzo surface of degree 6 with two A_1 singularities and 2 lines.	22
4.5. Del Pezzo surface of degree 6 with A_2 singularity and 2 lines.	26
4.6. Del Pezzo surface of degree 6 with A_1 and A_2 singularities and 1 line.	29
4.7. Summary of results for degree 6	32
5. Del Pezzo surfaces of degree 5	35
5.1. Smooth del Pezzo surface of degree 5.	35
5.2. Del Pezzo surface of degree 5 with A_1 singularity and 7 lines.	37
5.3. Del Pezzo surface of degree 5 with two A_1 singularities and 5 lines.	42
5.4. Del Pezzo surface of degree 5 with A_1 and A_2 singularities and 3 lines.	46
5.5. Del Pezzo surface of degree 5 with A_3 singularity and 2 lines.	52
5.6. Del Pezzo surface of degree 5 with A_2 singularity and 4 lines.	58
5.7. Del Pezzo surface of degree 5 with A_4 singularity and 1 line.	63
5.8. Summary of results for degree 5	67
6. Del Pezzo surfaces of degree 4	72
6.1. Smooth del Pezzo surface of degree 4.	72
6.2. Del Pezzo surface of degree 4 with A_1 singularity and 12 lines.	76
6.3. Del Pezzo surface of degree 4 with two A_1 singularities and 9 lines.	83
6.4. Del Pezzo surface of degree 4 with two A_1 singularities and 8 lines.	90
6.5. Del Pezzo surface of degree 4 with A_2 singularity and 8 lines.	92
6.6. Del Pezzo surface of degree 4 with tree A_1 singularities and 6 lines.	98
6.7. Del Pezzo surface of degree 4 with A_1 and A_2 singularities and 6 lines.	102
6.8. Del Pezzo surface of degree 4 with A_3 singularity and 5 lines.	111
6.9. Del Pezzo surface of degree 4 with A_3 singularity and 4 lines.	117
6.10. Del Pezzo surface of degree 4 with four A_1 singularities and 4 lines.	120
6.11. Del Pezzo surface of degree 4 with two A_1 and A_2 singularities and 4 lines.	122
6.12. Del Pezzo surface of degree 4 with A_1 and A_3 singularities and 3 lines.	127
6.13. Del Pezzo surface of degree 4 with A_4 singularity and 3 lines.	131
6.14. Del Pezzo surface of degree 4 with D_4 singularity and 2 lines.	139
6.15. Del Pezzo surface of degree 4 with two A_1 and A_3 singularities and 2 lines.	143
6.16. Del Pezzo surface of degree 4 with D_5 singularity and 1 line.	146
6.17. Summary of results for degree 4	151
References	161

REFERENCES

- [1] H. Abban, Z. Zhuang, *Seshadri constants and K -stability of Fano manifolds*, Duke Mathematical Journal, to appear.
- [2] H. Akaike *Local delta invariants of weak del Pezzo surfaces with the anti-canonical degree ≥ 5* , arXiv:2304.09437
- [3] Carolina Araujo, Anna-Maria Castravet, Ivan Cheltsov, Kento Fujita, Anne-Sophie Kaloghiros, Jesus Martinez-Garcia, Constantin Shramov, Hendrik Suss, and Nivedita Viswanathan. *The Calabi problem for Fano threefolds.*, 2021
- [4] G. Belousov, K. Loginov, *K -stability of Fano threefolds of rank 4 and degree 24*, preprint, arXiv:2206.12208 (2022).
- [5] I. Cheltsov, E. Denisova, K. Fujita, *K -stable smooth Fano threefolds of Picard rank two*, preprint, arXiv:2210.14770
- [6] I. Cheltsov, K. Fujita, T. Kishimoto, T. Okada, *K -stable divisors in $\mathbb{P}^1 \times \mathbb{P}^1 \times \mathbb{P}^2$ of degree $(1, 1, 2)$* , Nagoya Mathematical Journal, to appear.
- [7] I. Cheltsov, J. Park, *K -stable Fano threefolds of rank 2 and degree 30*, European Journal of Mathematics **8** (2022), 834–852.
- [8] D. Coray, M. Tsfasman, *Arithmetic on singular Del Pezzo surfaces*, Proc. LMS **57** (1988), 25–87.
- [9] E. Denisova, *On K -stability of \mathbb{P}^3 blown up along the disjoint union of a twisted cubic curve and a line*, preprint, arXiv:2202.04421, 2022.
- [10] L. Giovenzana, T. Duarte Guerreiro, N. Viswanathan, *On K -stability of \mathbb{P}^3 blown up along a $(2, 3)$ complete intersection*, to appear on Arxiv soon.
- [11] Y. Liu, *K -stability of Fano threefolds of rank 2 and degree 14 as double covers*, Mathematische Zeitschrift, to appear.
- [12] J. Malbon, *K -stable Fano threefolds of rank 2 and degree 28*, to appear on Arxiv soon.
- [13] G. Tian, *On Calabi’s conjecture for complex surfaces with positive first Chern class*, Invent. Math. **101** (1990), 101–172.
- [14] G. Tian, S.-T. Yau, *Kähler–Einstein metrics on complex surfaces with $C_1 > 0$* , Commun. Math. Phys. **112**, (1987), 175–203.
- [15] C. Xu, Y. Liu, *K -stability of cubic threefolds*, Duke Mathematical Journal **168** (2019), 2029–2073.

Elena Denisova

School of Mathematics, The University of Edinburgh, Edinburgh EH9 3JZ, UK.

e.denisova@sms.ed.ac.uk