

Allying nanophotonic structures with two-dimensional van der Waals materials

Yuan Meng^{1,2 †}, Hongkun Zhong^{1 †}, Zhihao Xu^{3 †}, Tiantian He¹, Justin S. Kim³, Sangmoon Han³, Yijie Shen⁴, Mali Gong¹, Sang-Hoon Bae^{3,*}, Qirong Xiao^{1,*}

¹State Key Laboratory of Precision Measurement Technology and Instruments, Department of Precision Instrument, Tsinghua University, Beijing, China

²Present address: Department of Mechanical Engineering and Materials Science, Washington University in St. Louis, St. Louis, MO, USA

³Institute of Materials Science and Engineering, Washington University in St. Louis, St. Louis, MO, USA

⁴Optoelectronics Research Centre, University of Southampton, Southampton SO17 1BJ, United Kingdom

† Equal contribution. Emails: sbae22@wustl.edu, xiaoqirong@tsinghua.edu.cn

Abstract

The integration of two-dimensional (2D) materials with photonic structures has catalyzed a wide spectrum of optical and optoelectronic applications. Conventional nanophotonic structures generally lack efficient reconfigurability and multifunctionality. The atomically thin 2D van der Waals materials can thus infuse new functionality and reconfigurability to the well-established library of photonic structures such as integrated waveguides, optical fibers, photonic crystals, micro-cavities, and metasurface, to name a few. Thanks to the handiness of van der Waals interfaces, the 2D materials can be easily transferred and mixed with other prefabricated photonic templates with high degrees of freedom, and can act as the optical gain, modulation, sensing, or plasmonic media for diverse applications. Here we review recent advents on combining 2D materials to nanophotonic structures for new functionality development or performance enhancements. Challenges and emerging opportunities in integrating van der Waals building blocks beyond 2D materials are also discussed.

1. Introduction

The integration of functional materials to photonic structures¹ is essential for building high-performance integrated optoelectronic systems²⁻⁴ and an ideal platform for investigating nanophotonic phenomena⁵. The field of photonic integrated circuits⁶⁻⁸ and nanophotonics⁹⁻¹¹ has achieved vibrant progress for optical communications¹²⁻¹⁴, artificial intelligence¹⁵⁻¹⁷, quantum technology¹⁸⁻²⁰, imaging²¹⁻²⁴, sensing^{25,26}, and display²⁷⁻²⁹, to name a few. However, issues such as insufficient multifunctionality and reconfigurability still await further attention. To address these challenges, novel functional materials are required beyond conventional single silicon or silicon nitride photonics platform^{30,31} to infuse new functionalities or impart versatile reconfigurability to the currently established photonic nanostructures^{1,32,33}.

Two-dimensional (2D) materials are one of such candidates with promising optoelectronic attributes^{32,34-36}, and have attracted immense research interest over the past decades since the debut of graphene³⁷. Including graphene³⁸, transition-metal dichalcogenides (TMDs)³⁹, 2D carbides and nitrides (MXenes)⁴⁰⁻⁴², hexagonal boron nitride (h-BN)⁴³, and emergent candidates like quasi-2D halide perovskites⁴⁴⁻⁵², a big family of 2D materials are established, with a vast collection of available bandgap values⁵³. As naturally layered materials

with interlayer van der Waals interactions, these materials can be exfoliated into atomic monolayers to unveil extraordinary electronic and optoelectronic properties⁵⁴.

Conventional approaches to impart functional materials rely on heteroepitaxy, which encounters lattice-matching and process compatibility constraints^{55,56}, greatly limiting the possible material combos for heterogeneous integration in photonics. When the epilayer and substrate have different crystal structure or same crystal structure but with big lattice parameter distinction, poly-crystalline phase and defects tend to be generated above certain thickness with compromised material performance⁵⁷. In contrast, devoid of the one-to-one chemical bonding between the material layer and substrate, the 2D materials with signature van der Waals interfaces have made them very easy to transfer, mix, and integrate with other material platforms or prefabricated photonic architectures⁵⁸. As prime building blocks for van der Waals integration^{1,58-63}, the ultrathin and flexible nature of 2D materials also enable the transfer onto three-dimensional (3D) non-planar optical structures and permit wearable, implantable, and bio-compatible optical applications⁶⁴⁻⁷².

In this Perspectives, we outline recent advances in van der Waals materials-enabled nanophotonic applications^{1,73,74}. We highlight the intriguing outlook on combining 2D van der Waals materials and photonic structures for infusing novel device functionality and reconfigurability to conventional photonic structures and the emergent platform to investigate nanophotonic physics^{5,75-77}. Fundamental attributes of representative 2D materials and their coupling to exemplary optical structures, such as dielectric waveguides, optical fibers, photonic crystals, and metasurfaces^{14,78,79}, are cataloged. Furthermore, we also underline recent advents on the van der Waals integration of 3D freestanding nanomembranes. Awaiting challenges and exciting opportunities in this field are also discussed based on current perspectives.

2. Fundamentals for 2D photonics

Nanophotonic structures can be functionalized with diverse 2D materials depending on the base function of the optical architectures and the intrinsic attributes of the 2D materials^{1,75,80-84}. The valuable fundamental optoelectronic properties and practical considerations on engineering their optical physical coupling are discussed as the following⁸⁵.

2.1 2D material fundamentals

Frequently applied 2D van der Waals materials in nanophotonics are typically monolayer to few atomic layers in order to bespeak extraordinary attributes^{35,38}. Their outstanding properties along with the atomically clean and electronically keen vdW interfaces to build artificial vdW heterostructures^{58,86,87} and Moiré superlattices⁸⁸⁻⁹¹ have rapidly burgeoned as one of the prominent research directions in material science, photonics, and nanotechnology communities. The complementary metal-oxide semiconductor (CMOS)-compatibility and handiness for transfer have made them candidates for nanophotonic integration^{1,92}.

As a monolayer sheet comprised of carbon atoms in honeycomb-lattice, graphene is a zero-bandgap semimetal with beneficial low density of states³⁸, high carrier mobility⁹³, and tunable optical transitions⁹⁴. Its unique band structure also enables nonlinear optics^{95,96} and gate-tunable surface plasmon polaritons (SPPs)⁹⁷⁻⁹⁹, as long as applications for transparent electrodes¹⁰⁰⁻¹⁰³, sensors¹⁰⁴, and broadband optical modulation and photodetection¹⁰⁵.

In contrast to graphene that lacks an electronic bandgap, 2D semiconductors such as the black phosphorous with puckered atomic monolayers exhibit a broadly tunable bandgap from around 0.3 eV to 2.0 eV

depending on layer numbers from bulk to monolayer¹⁰⁶⁻¹⁰⁸. For TMD with general formula of MX_2 , where “M” represents transition-metal atom (such as Mo and W), and “X” stands for chalcogen atom (such as S, Se, or Te)³⁵, their bandgap changes from indirect to direct when exfoliating to monolayers⁵³. Therefore, these 2D semiconductors are ideal candidates to realize active optical applications, such as light sources, optical amplification, transistors, neuromorphic computing units, and photodetection¹⁰⁹⁻¹¹⁸. Moreover, a majority of 2D TMDs also possess alluring excitonic and polaritonic physical attributes that are worth studying^{90,119-123}.

h-BN is wide-bandgap ($\sim 6\text{eV}$) 2D material that was originally applied as the optimal substrate for graphene and can be used as insulating or encapsulation layers^{43,124}. It can provide dangling-bond-free interfaces for photonic van der Waals integration¹, possessing also hyperbolic phonon polaritons¹²⁵⁻¹²⁷, single-photon emission¹²⁸, and second-order nonlinearity¹²⁹.

Besides conventional 2D materials, 2D MXenes refer to a set of transition metal carbides, carbonitrides and nitrides with layered lattices bounded by van der Waals forces as emergent 2D candidates^{40,130-132}. With the general chemical formula of $M_{n+1}X_nT_x$ ($n = 1\sim 3$; transition metal “M” = Sc, Ti, Zr, Hf, V, Nb, Mo, and so on; “X” = carbon and/or nitrogen and “T_x” is the surface terminations like hydroxyl, oxygen, or fluorine⁴¹), they have useful optical applications for saturable absorbers, photodetectors, and modulators¹³³⁻¹³⁶.

Metal-halide perovskites are representative organic–inorganic hybrid perovskites that have attracted tremendous research interest over the past decade for their promising optoelectronic attributes¹³⁷ for applications in photovoltaics, lasers, LEDs, photodetectors, and nonlinear optics^{47,59,138-148}. They typically have corner-sharing BX_6 ⁴ octahedra, where “B” stands for a divalent metal cation like Pb^{2+} , Sn^{2+} or Ge^{2+} , and “X” denotes a monovalent halide anion¹⁴³. Inspired by advents in 2D materials community, recent study shows that these materials can be also made to molecularly thin versions like 2D materials¹⁴⁹. With varying dimensions and layer numbers n , quasi-2D metal-halide perovskites have different electronic properties, excitonic coupling strength, and varying degrees of quantum-and dielectric-confinement effects for integration with nanophotonic devices¹⁵⁰.

2.2 Photonic structures for coupling with 2D materials

In nanophotonics, judiciously designed optical structures are essential for a vast number of applications³². For instance, dielectric waveguides are the crucial building block in photonic integrated circuits^{6,14}. When 2D materials are transferred to a photonic waveguide or an optical fiber, it can evanescently couple with the guided electromagnetic modes inside to alter its effective mode index, light propagation, and dispersion¹.

Optical cavities can spatially confine light into small volumes¹⁵¹⁻¹⁵³ to boost light-matter interaction strength for nonlinear¹⁵³⁻¹⁵⁷, lasing¹⁵⁸, and sensing applications^{25,159,160} when integrated with 2D materials. The synergy of temporal accumulation and spatial confinement of photons can drastically enhance the efficiency of encapsulated 2D materials to the optical resonators.

Photonic crystals are periodic nanostructures with dimension features similar to light wavelength¹⁶¹. Under the periodic refractive index perturbations, photonic bandgap emerges¹⁶². They can also be applied as optical cavities for light enhancement and light guiding structure by intentionally introducing point and line defects respectively^{162,163}.

In contrast, metasurfaces are engineered optical scatterers array with subwavelength dimension that can achieve powerful control over the fundamental attributes of light^{28,113,164-177}, such as the phase, wavevector,

amplitude, and frequency¹⁷⁸⁻¹⁸⁵, with wide applications such as meta-lenses^{186,187}, high-efficiency holograms¹⁸⁸⁻¹⁹⁰, color display^{27,190-192}, ultrathin cloak¹⁹³⁻¹⁹⁵, healthcare sensors¹⁹⁶⁻¹⁹⁹, LiDAR²⁰⁰⁻²⁰², functional meta-waveguides^{14,203-222}, and nonlinear applications²²³⁻²²⁵, to name a few.

3. Applications on 2D photonics

Armed with the diverse 2D van der Waals materials building blocks and a large library of photonic structures, massive optical and optoelectronic applications can be prototyped. The recent adverts and opportunities are outlined below based on the primal photonic structures that coupled with 2D materials.

3.1 Optical waveguides

As the essential building block of photonic integrated circuit⁶, photonic waveguides are physical structures to guide the propagation of electromagnetic waves¹⁴. By transferring 2D materials such as graphene^{34,226}, the effective mode index of the underlying dielectric bus waveguide can be controlled via the structure engineering of the waveguide²²⁷, as well as via optical pumping²²⁸, electrical gating⁹⁴, strain²²⁹, or thermal tuning^{230,231} of the graphene monolayer for optical amplitude^{232,233} or phase modulators^{105,234}. The giant optical nonlinearity in graphene can also be harvested using graphene-laminated waveguide structures for gate-controlled optical nonlinearity^{95,235}. The graphene-integrated waveguides can be leveraged as broadband photodetectors for harvesting guided light signals as well^{81,93,109,236-238}. For other 2D materials such as TMD and black phosphorous, similar applications are also developed while with different operation wavelengths²³⁹⁻²⁴², and they can be more promising for active optical applications due to the varying bandgap values of these 2D materials^{35,53,121}.

Besides, graphene is also an excellent platform to exploit surface plasmon polaritons^{98,226,243}. Plasmonic graphene modulators may thus have much compact footprint and fast operation speed albeit higher optical loss²⁴⁴⁻²⁴⁶. Low-loss surface plasmons can be supported in graphene/h-BN heterostructures with favorable performance at terahertz regions^{97,247-253}. In contrast, other 2D materials such as TMD are more favorable to exploit nanophotonic polaritons and excitons²⁵⁴⁻²⁵⁶. Graphene and other 2D materials can also serve to add reconfigurability to control the coupling^{206,257,258} and dispersion²⁵⁹⁻²⁶¹ of the optical waveguides to permit chip-scale optical signal processing. Applications such as plasmonic sensors²⁶²⁻²⁶⁴, transformation optics²⁶⁵, nano-imaging^{96,266,267}, gain-modulated lasing applications^{268,269} can be prototyped as well.

3.2 Micro-cavities

Optical cavities with varying formats are ideal for optical applications that require optical field enhancement and/or strong light-matter interactions²⁷⁰. Photons can be confined into very small volumes by resonance and recirculation²⁷¹. For instance, Fabry-Perot microcavities fabricated by depositing Bragg reflectors, engineered photonic crystals, and whisper-gallery resonators such as micro-sphere, micro-toroid, and micro-ring resonators with varying quality (Q) factor from thousands to billions^{272,273}. The 2D materials such as TMD and black phosphorous can be transferred to or encapsulate into prefabricated optical cavities to harvest strong light enhancement for nano-lasers²⁷⁴⁻²⁷⁹, optical amplification^{280,281}, sensing^{71,282}, and photodetection²⁸³⁻²⁸⁵ to make most of the atomically thin semiconductor materials with optical gain²⁸⁶.

Another exemplary application direction of 2D materials-coupled optical cavities is nonlinear optics^{287,288}. Engineered giant light field enhancement and nonlinear field overlap, the nonlinear optical response in graphene, TMD, quasi-2D perovskites, black phosphorous, and so on can be boosted in the optical nanocavities²⁸⁹⁻²⁹³ for modulation²⁹⁴⁻²⁹⁶, switching^{297,298}, and harmonic generation²⁹⁹⁻³⁰¹, to name a few. Alternatively, the 2D material nano-sheets can also be directly patterned into nano-resonators, frequency conversion³⁰².

3.3 Metasurfaces

Metasurfaces with artificially engineered optical nanoantennas have showcased unprecedented degrees of freedom in controlling massive fundamental light attributes^{165,183}. By judiciously altering the material and structure design of the subwavelength nanostructures, the reflected or refracted electromagnetic wave can be flexibly tailored³⁰³⁻³⁰⁸. As a 2D counter part of metamaterials³⁰⁹⁻³¹¹, intriguing nanophotonic phenomena and applications can be hatched by combining the 2D nanomaterials^{312,313}.

The 2D materials as an ultrathin nano-sheet can be transferred on top of metasurface to permit electrically or optically reconfigurable or programmable meta-devices for direct polarization detectors³¹⁴, right routing⁷⁶, beam steering³¹⁵, lasing³¹⁶, and sensing³¹⁷⁻³¹⁹. The metasurface structure can also enable enhanced light-2D material applications for spontaneous control over harmonic signal generation and beam control^{169,320}. At the same time, the 2D materials can be also patterned into atomically thin metasurfaces for tunable planar optics³²¹⁻³²³, light sources^{324,325}, beam splitters³²⁶, and so on.

4. Outlook

Despite that high-quality 2D materials can be produced via mechanical exfoliation³⁷, they are typically small in size and can hardly meet future industrial practical applications^{105,327}. In terms of further commercialization of 2D-materials-based photonic and optoelectronic devices^{36,328}, wafer-scale scalable and reproducible 2D material growth and transfer are required^{329,330}. Considering the yield and quality, chemical vapor deposition (CVD)-based approaches may permit potentially higher throughput and lower cost compared to molecular beam epitaxy^{331,332}. Nevertheless, besides graphene, the direct CVD synthesis of continuous and uniform monolayer 2D materials such as TMD and h-BN is still challenging^{331,333-337}. To address this trade-off in monolayer controllability and large-scale film uniformity of high-quality 2D materials, geometrically confined 2D material growth with pre-defined growth pockets can be considered³³⁸. The ultimate goal might be the direct synthesis of high-quality 2D monolayers or 2D heterostructures, as a transfer-free method, on top of prefabricated photonic structures^{339,340}. For transfer of 2D materials, roll-to-roll scalable transfer³⁴¹⁻³⁴³ or robots-based precise automatic 2D flake transfer^{344,345} will be favorable for industrial production³⁶.

Recently, several emerging 2D materials with exotic attributes have further opportunities^{46,143,149}, such as 2D van der Waals materials with vanished interlayer coupling for scalable nonlinear optical applications³⁴⁶, quasi-2D perovskites with high crystallinity^{45,48,149}, and ferroelectricity and ferromagnetism in atomically thin van der Waals layered materials³⁴⁷⁻³⁵⁰. Confined growth-enabled large-scale integrated photonic devices³³⁸ is also promising for future industrialized 2D integrated photonic circuits^{14,339}.

Besides 2D materials that have minuscule thickness limiting their interaction length with electromagnetic waves¹, recent advances on remote epitaxy³⁵¹⁻³⁵³ and van der Waals epitaxy³⁵⁴⁻³⁵⁷ also permit various three-dimensional (3D) freestanding nanomembranes^{1,355,358-362}, as well as other 3D layer exfoliation techniques

by epitaxial chemical lift-off, mechanical exfoliation or laser lift-off^{1,85,363-369}. These thin films are also made ultrathin with artificially defined van der Waals interfaces for photonic van der Waals integration^{1,58,59}. These 3D nanomembranes can preserve their optical attributes almost independent from film thickness^{85,369} for versatile light-emitting³⁷⁰, sensing³⁷¹, smart embedded optoelectronic processors³⁷², light enhancement³⁷³⁻³⁷⁵, new integrated photonics platforms³⁷⁶, solar cells³⁷⁷, flexible LEDs^{378,379}, and other novel hetero-integrated devices^{85,380,381}. Nanomembranes mass production could be also enabled with reduced cost^{378,382-385}.

By combining the 2D and 3D van der Waals material building blocks, vast playgrounds also unfolds for 2D-materials-based photonic integrated circuits^{6,7,32,82,386}, exotic nanophotonic polaritons in hybrid heterostructures^{5,73,74}, flexible, wearable and implantable optoelectronic biosensors^{26,64,196,262}, and vertical 3D integrated circuitry and systems^{372,387-390}.

References

- 1 Meng, Y. *et al.* Photonic van der Waals integration from 2D materials to 3D nanomembranes. *Nature Reviews Materials*, doi: <https://doi.org/10.1038/s41578-023-00558-w> (2023).
- 2 Tran, M. *et al.* Extending the spectrum of fully integrated photonics. *Nature* **610**, 54–60 (2022).
- 3 Xiang, C. *et al.* High-performance lasers for fully integrated silicon nitride photonics. *Nature Communications* **12**, 6650, doi:10.1038/s41467-021-26804-9 (2021).
- 4 Davanco, M. *et al.* Heterogeneous integration for on-chip quantum photonic circuits with single quantum dot devices. *Nature Communications* **8**, 889, doi:10.1038/s41467-017-00987-6 (2017).
- 5 Zhang, Q. *et al.* Interface nano-optics with van der Waals polaritons. *Nature* **597**, 187-195 (2021).
- 6 Marpaung, D., Yao, J. & Capmany, J. Integrated microwave photonics. *Nature Photonics* **13**, 80-90 (2019).
- 7 Shu, H. *et al.* Microcomb-driven silicon photonic systems. *Nature* **605**, 457-463, doi:10.1038/s41586-022-04579-3 (2022).
- 8 Spencer, D. T. *et al.* An optical-frequency synthesizer using integrated photonics. *Nature* **557**, 81-85, doi:10.1038/s41586-018-0065-7 (2018).
- 9 Miroshnichenko, A. E., Flach, S. & Kivshar, Y. S. Fano resonances in nanoscale structures. *Reviews of Modern Physics* **82**, 2257-2298, doi:10.1103/RevModPhys.82.2257 (2010).
- 10 Chao, P., Strekha, B., Kuate Defo, R., Molesky, S. & Rodriguez, A. W. Physical limits in electromagnetism. *Nature Reviews Physics* **4**, 543-559, doi:10.1038/s42254-022-00468-w (2022).
- 11 Yang, Y. *et al.* A general theoretical and experimental framework for nanoscale electromagnetism. *Nature* **576**, 248-252, doi:10.1038/s41586-019-1803-1 (2019).
- 12 Sun, C. *et al.* Single-chip microprocessor that communicates directly using light. *Nature* **528**, 534-538, doi:10.1038/nature16454 (2015).
- 13 Atabaki, A. H. *et al.* Integrating photonics with silicon nanoelectronics for the next generation of systems on a chip. *Nature* **556**, 349-354, doi:10.1038/s41586-018-0028-z (2018).
- 14 Meng, Y. *et al.* Optical meta-waveguides for integrated photonics and beyond. *Light: Science & Applications* **10**, 235, doi:10.1038/s41377-021-00655-x (2021).
- 15 Shen, Y. *et al.* Deep learning with coherent nanophotonic circuits. *Nature Photonics* **11**, 441-446, doi:10.1038/nphoton.2017.93 (2017).
- 16 Wang, X., Xie, P., Chen, B. & Zhang, X. Chip-Based High-Dimensional Optical Neural Network. *Nano-Micro Letters* **14**, 221, doi:10.1007/s40820-022-00957-8 (2022).
- 17 Bogaerts, W. *et al.* Programmable photonic circuits. *Nature* **586**, 207-216 (2020).
- 18 Elshaari, A. W., Pernice, W., Srinivasan, K., Benson, O. & Zwiller, V. Hybrid integrated quantum photonic circuits. *Nature Photonics* **14**, 285-298 (2020).

- 19 Wang, J., Sciarrino, F., Laing, A. & Thompson, M. G. Integrated photonic quantum technologies. *Nature Photonics* **14**, 273-284, doi:10.1038/s41566-019-0532-1 (2020).
- 20 Zhong, H.-S. *et al.* Quantum computational advantage using photons. *Science* **370**, 1460-1463, doi:10.1126/science.abe8770 (2020).
- 21 Rogers, C. *et al.* A universal 3D imaging sensor on a silicon photonics platform. *Nature* **590**, 256-261, doi:10.1038/s41586-021-03259-y (2021).
- 22 Zhang, X., Kwon, K., Henriksson, J., Luo, J. & Wu, M. C. A large-scale microelectromechanical-systems-based silicon photonics LiDAR. *Nature* **603**, 253-258, doi:10.1038/s41586-022-04415-8 (2022).
- 23 Wu, J. *et al.* An integrated imaging sensor for aberration-corrected 3D photography. *Nature* **612**, 62-71, doi:10.1038/s41586-022-05306-8 (2022).
- 24 Zhao, F. *et al.* Synthetic aperture metalens. *Photon. Res.* **9**, 2388-2397, doi:10.1364/PRJ.440185 (2021).
- 25 Chen, W., Kaya Özdemir, Ş., Zhao, G., Wiersig, J. & Yang, L. Exceptional points enhance sensing in an optical microcavity. *Nature* **548**, 192-196, doi:10.1038/nature23281 (2017).
- 26 Altug, H., Oh, S.-H., Maier, S. A. & Homola, J. Advances and applications of nanophotonic biosensors. *Nature Nanotechnology* **17**, 5-16, doi:10.1038/s41565-021-01045-5 (2022).
- 27 Wang, H. *et al.* Coloured vortex beams with incoherent white light illumination. *Nature Nanotechnology* **18**, 264-272, doi:10.1038/s41565-023-01319-0 (2023).
- 28 Shen, Z. *et al.* Monocular metasurface camera for passive single-shot 4D imaging. *Nature Communications* **14**, 1035, doi:10.1038/s41467-023-36812-6 (2023).
- 29 He, C., Shen, Y. & Forbes, A. Towards higher-dimensional structured light. *Light: Science & Applications* **11**, 205, doi:10.1038/s41377-022-00897-3 (2022).
- 30 Reed, G. T., Mashanovich, G., Gardes, F. Y. & Thomson, D. Silicon optical modulators. *Nature Photonics* **4**, 518-526 (2010).
- 31 Moss, D. J., Morandotti, R., Gaeta, A. L. & Lipson, M. New CMOS-compatible platforms based on silicon nitride and Hydex for nonlinear optics. *Nature Photonics* **7**, 597-607, doi:10.1038/nphoton.2013.183 (2013).
- 32 Xia, F., Wang, H., Xiao, D., Dubey, M. & Ramasubramaniam, A. Two-dimensional material nanophotonics. *Nature Photonics* **8**, 899-907, doi:10.1038/nphoton.2014.271 (2014).
- 33 Baranov, D. G., Wersäll, M., Cuadra, J., Antosiewicz, T. J. & Shegai, T. Novel Nanostructures and Materials for Strong Light–Matter Interactions. *ACS Photonics* **5**, 24-42, doi:10.1021/acsp Photonics.7b00674 (2018).
- 34 Bonaccorso, F., Sun, Z., Hasan, T. & Ferrari, A. C. Graphene photonics and optoelectronics. *Nature Photonics* **4**, 611-622, doi:10.1038/nphoton.2010.186 (2010).
- 35 Manzeli, S., Ovchinnikov, D., Pasquier, D., Yazyev, O. V. & Kis, A. 2D transition metal dichalcogenides. *Nature Reviews Materials* **2**, 1-15 (2017).
- 36 Kong, W. *et al.* Path towards graphene commercialization from lab to market. *Nature Nanotechnology* **14**, 927-938, doi:10.1038/s41565-019-0555-2 (2019).
- 37 Geim, A. K. & Novoselov, K. S. The rise of graphene. *Nature Materials* **6**, 183-191 (2007).
- 38 Neto, A. C., Guinea, F., Peres, N. M., Novoselov, K. S. & Geim, A. K. The electronic properties of graphene. *Reviews of Modern Physics* **81**, 109 (2009).
- 39 Wang, Q. H., Kalantar-Zadeh, K., Kis, A., Coleman, J. N. & Strano, M. S. Electronics and optoelectronics of two-dimensional transition metal dichalcogenides. *Nature Nanotechnology* **7**, 699-712 (2012).
- 40 Wang, Y., Xu, Y., Hu, M., Ling, H. & Zhu, X. J. N. MXenes: Focus on optical and electronic properties and corresponding applications. *Nanophotonics* **9**, 1601-1620 (2020).
- 41 Anasori, B., Lukatskaya, M. R. & Gogotsi, Y. J. N. R. M. 2D metal carbides and nitrides (MXenes) for energy storage. *Nature Reviews Materials* **2**, 1-17 (2017).
- 42 Zhao, T. *et al.* Ultrathin MXene assemblies approach the intrinsic absorption limit in the 0.5–10 THz band. *Nature Photonics*, doi:10.1038/s41566-023-01197-x (2023).

- 43 Caldwell, J. D. *et al.* Photonics with hexagonal boron nitride. *Nature Reviews Materials* **4**, 552-567 (2019).
- 44 Dou, L. *et al.* Atomically thin two-dimensional organic-inorganic hybrid perovskites. *Science* **349**, 1518-1521 (2015).
- 45 Ji, D. *et al.* Freestanding crystalline oxide perovskites down to the monolayer limit. *Nature* **570**, 87-90, doi:10.1038/s41586-019-1255-7 (2019).
- 46 Ricciardulli, A. G., Yang, S., Smet, J. H. & Saliba, M. Emerging perovskite monolayers. *Nature Materials* **20**, 1325-1336 (2021).
- 47 Feng, J. *et al.* Single-crystalline layered metal-halide perovskite nanowires for ultrasensitive photodetectors. *Nature Electronics* **1**, 404-410 (2018).
- 48 Feng, J. *et al.* Crystallographically Aligned Perovskite Structures for High-Performance Polarization-Sensitive Photodetectors. *Advanced Materials* **29**, 1605993, doi:<https://doi.org/10.1002/adma.201605993> (2017).
- 49 Han, T.-H. *et al.* Perovskite-polymer composite cross-linker approach for highly-stable and efficient perovskite solar cells. *Nature Communications* **10**, 520, doi:10.1038/s41467-019-08455-z (2019).
- 50 Zhao, Y. *et al.* Suppressing ion migration in metal halide perovskite via interstitial doping with a trace amount of multivalent cations. *Nature Materials* **21**, 1396-1402, doi:10.1038/s41563-022-01390-3 (2022).
- 51 Zhao, Y. *et al.* Molecular Interaction Regulates the Performance and Longevity of Defect Passivation for Metal Halide Perovskite Solar Cells. *Journal of the American Chemical Society* **142**, 20071-20079, doi:10.1021/jacs.0c09560 (2020).
- 52 Chen, Y. *et al.* Compact spin-valley-locked perovskite emission. *Nature Materials*, doi:10.1038/s41563-023-01531-2 (2023).
- 53 Chaves, A. *et al.* Bandgap engineering of two-dimensional semiconductor materials. *npj 2D Materials and Applications* **4**, 29, doi:10.1038/s41699-020-00162-4 (2020).
- 54 Geim, A. K. & Grigorieva, I. V. Van der Waals heterostructures. *Nature* **499**, 419-425 (2013).
- 55 Hu, Y. *et al.* III/V-on-Si MQW lasers by using a novel photonic integration method of regrowth on a bonding template. *Light: Science & Applications* **8**, 93, doi:10.1038/s41377-019-0202-6 (2019).
- 56 Liang, D. & Bowers, J. E. Recent progress in heterogeneous III-V-on-silicon photonic integration. *Light: Advanced Manufacturing* **2**, 59-83 (2021).
- 57 Castellanos-Gomez, A. *et al.* Van der Waals heterostructures. *Nature Reviews Methods Primers* **2**, 58 (2022).
- 58 Liu, Y., Huang, Y. & Duan, X. Van der Waals integration before and beyond two-dimensional materials. *Nature* **567**, 323-333, doi:10.1038/s41586-019-1013-x (2019).
- 59 Yang, A. J. *et al.* Van der Waals integration of high- κ perovskite oxides and two-dimensional semiconductors. *Nature Electronics* **5**, 233-240 (2022).
- 60 Liu, C.-h., Zheng, J., Chen, Y., Fryett, T. & Majumdar, A. Van der Waals materials integrated nanophotonic devices [Invited]. *Optical Materials Express* **9**, 384-399, doi:10.1364/OME.9.000384 (2019).
- 61 Wang, H. *et al.* Van der Waals Integration Based on Two-Dimensional Materials for High-Performance Infrared Photodetectors. *Advanced Functional Materials* **31**, 2103106, doi:<https://doi.org/10.1002/adfm.202103106> (2021).
- 62 Flöry, N. *et al.* Waveguide-integrated van der Waals heterostructure photodetector at telecom wavelengths with high speed and high responsivity. *Nature Nanotechnology* **15**, 118-124, doi:10.1038/s41565-019-0602-z (2020).
- 63 Ling, H., Li, R. & Davoyan, A. R. All van der Waals Integrated Nanophotonics with Bulk Transition Metal Dichalcogenides. *ACS Photonics* **8**, 721-730, doi:10.1021/acsp Photonics.0c01964 (2021).

- 64 Oh, S.-H. *et al.* Nanophotonic biosensors harnessing van der Waals materials. *Nature communications* **12**, 1-18 (2021).
- 65 Qiao, Y. *et al.* Graphene-based wearable sensors. *Nanoscale* **11**, 18923-18945, doi:10.1039/C9NR05532K (2019).
- 66 Wan, H. *et al.* Multimodal Artificial Neurological Sensory–Memory System Based on Flexible Carbon Nanotube Synaptic Transistor. *ACS Nano* **15**, 14587-14597, doi:10.1021/acsnano.1c04298 (2021).
- 67 Bae, S.-H. *et al.* Graphene-based transparent strain sensor. *Carbon* **51**, 236-242, doi:<https://doi.org/10.1016/j.carbon.2012.08.048> (2013).
- 68 Lo, L.-W. *et al.* A Soft Sponge Sensor for Multimodal Sensing and Distinguishing of Pressure, Strain, and Temperature. *ACS Applied Materials & Interfaces* **14**, 9570-9578, doi:10.1021/acsam.1c21003 (2022).
- 69 Wan, H. *et al.* Flexible Carbon Nanotube Synaptic Transistor for Neurological Electronic Skin Applications. *ACS Nano* **14**, 10402-10412, doi:10.1021/acsnano.0c04259 (2020).
- 70 Lo, L.-W. *et al.* Stretchable Sponge Electrodes for Long-Term and Motion-Artifact-Tolerant Recording of High-Quality Electrophysiologic Signals. *ACS Nano* **16**, 11792-11801, doi:10.1021/acsnano.2c04962 (2022).
- 71 Hou, H.-L., Anichini, C., Samori, P., Criado, A. & Prato, M. 2D Van der Waals Heterostructures for Chemical Sensing. *Advanced Functional Materials* **32**, 2207065, doi:<https://doi.org/10.1002/adfm.202207065> (2022).
- 72 Rim, Y. S., Bae, S.-H., Chen, H., De Marco, N. & Yang, Y. Recent Progress in Materials and Devices toward Printable and Flexible Sensors. *Advanced Materials* **28**, 4415-4440, doi:<https://doi.org/10.1002/adma.201505118> (2016).
- 73 Dai, Z. *et al.* Artificial metaphotonics born naturally in two dimensions. *Chemical Reviews* **120**, 6197-6246 (2020).
- 74 Lin, H. *et al.* Engineering van der Waals materials for advanced metaphotonics. *Chemical Reviews* **122**, 15204-15355 (2022).
- 75 Bae, S.-H. *et al.* Unveiling the carrier transport mechanism in epitaxial graphene for forming wafer-scale, single-domain graphene. *Proceedings of the National Academy of Sciences* **114**, 4082-4086, doi:10.1073/pnas.1620176114 (2017).
- 76 Chen, Y. *et al.* Chirality-dependent unidirectional routing of WS₂ valley photons in a nanocircuit. *Nature Nanotechnology* **17**, 1178-1182, doi:10.1038/s41565-022-01217-x (2022).
- 77 Tao, S. *et al.* Anisotropic Fermat's principle for controlling hyperbolic van der Waals polaritons. *Photon. Res.* **10**, B14-B22, doi:10.1364/PRJ.463611 (2022).
- 78 Kim, J. *et al.* Scalable manufacturing of high-index atomic layer–polymer hybrid metasurfaces for metaphotonics in the visible. *Nature Materials* **22**, 474-481, doi:10.1038/s41563-023-01485-5 (2023).
- 79 Yang, Y. *et al.* Revisiting Optical Material Platforms for Efficient Linear and Nonlinear Dielectric Metasurfaces in the Ultraviolet, Visible, and Infrared. *ACS Photonics* **10**, 307-321, doi:10.1021/acsp Photonics.2c01341 (2023).
- 80 Chen, J.-h., Xiong, Y.-f., Xu, F. & Lu, Y.-q. Silica optical fiber integrated with two-dimensional materials: towards opto-electro-mechanical technology. *Light: Science & Applications* **10**, 78, doi:10.1038/s41377-021-00520-x (2021).
- 81 Sun, Z. & Chang, H. Graphene and Graphene-like Two-Dimensional Materials in Photodetection: Mechanisms and Methodology. *ACS Nano* **8**, 4133-4156, doi:10.1021/nn500508c (2014).
- 82 Wang, X. *et al.* Recent Advances in the Functional 2D Photonic and Optoelectronic Devices. *Advanced Optical Materials* **7**, 1801274, doi:<https://doi.org/10.1002/adom.201801274> (2019).
- 83 Fang, Y., Ge, Y., Wang, C. & Zhang, H. Mid-Infrared Photonics Using 2D Materials: Status and Challenges. *Laser & Photonics Reviews* **14**, 1900098, doi:<https://doi.org/10.1002/lpor.201900098> (2020).

- 84 Elbanna, A. *et al.* 2D Material Infrared Photonics and Plasmonics. *ACS Nano* **17**, 4134-4179, doi:10.1021/acsnano.2c10705 (2023).
- 85 Bae, S.-H. *et al.* Integration of bulk materials with two-dimensional materials for physical coupling and applications. *Nature Materials* **18**, 550-560, doi:10.1038/s41563-019-0335-2 (2019).
- 86 Liu, Y. *et al.* Van der Waals heterostructures and devices. *Nature Reviews Materials* **1**, 1-17 (2016).
- 87 Pham, P. V. *et al.* 2D Heterostructures for Ubiquitous Electronics and Optoelectronics: Principles, Opportunities, and Challenges. *Chemical Reviews* **122**, 6514-6613, doi:10.1021/acs.chemrev.1c00735 (2022).
- 88 Cao, Y. *et al.* Unconventional superconductivity in magic-angle graphene superlattices. *Nature* **556**, 43-50 (2018).
- 89 Regan, E. C. *et al.* Mott and generalized Wigner crystal states in WSe₂/WS₂ moiré superlattices. *Nature* **579**, 359-363 (2020).
- 90 Huang, D., Choi, J., Shih, C.-K. & Li, X. Excitons in semiconductor moiré superlattices. *Nature Nanotechnology* **17**, 227-238 (2022).
- 91 He, F. *et al.* Moiré Patterns in 2D Materials: A Review. *ACS Nano* **15**, 5944-5958, doi:10.1021/acsnano.0c10435 (2021).
- 92 Wu, Y. *et al.* Manipulating polaritons at the extreme scale in van der Waals materials. *Nature Reviews Physics* **4**, 578-594, doi:10.1038/s42254-022-00472-0 (2022).
- 93 Xia, F., Mueller, T., Lin, Y.-m., Valdes-Garcia, A. & Avouris, P. Ultrafast graphene photodetector. *Nature Nanotechnology* **4**, 839-843, doi:10.1038/nnano.2009.292 (2009).
- 94 Wang, F. *et al.* Gate-variable optical transitions in graphene. *Science* **320**, 206-209 (2008).
- 95 Jiang, T. *et al.* Gate-tunable third-order nonlinear optical response of massless Dirac fermions in graphene. *Nature Photonics* **12**, 430-436 (2018).
- 96 Jiang, T., Kravtsov, V., Tokman, M., Belyanin, A. & Raschke, M. B. Ultrafast coherent nonlinear nanooptics and nanoimaging of graphene. *Nature Nanotechnology* **14**, 838-843 (2019).
- 97 Woessner, A. *et al.* Highly confined low-loss plasmons in graphene–boron nitride heterostructures. *Nature Materials* **14**, 421-425 (2015).
- 98 Ju, L. *et al.* Graphene plasmonics for tunable terahertz metamaterials. *Nature Nanotechnology* **6**, 630-634 (2011).
- 99 Low, T. *et al.* Polaritons in layered two-dimensional materials. *Nature Materials* **16**, 182-194 (2017).
- 100 Kim, K. S. *et al.* Large-scale pattern growth of graphene films for stretchable transparent electrodes. *Nature* **457**, 706-710, doi:10.1038/nature07719 (2009).
- 101 Ni, G.-X. *et al.* Graphene–Ferroelectric Hybrid Structure for Flexible Transparent Electrodes. *ACS Nano* **6**, 3935-3942, doi:10.1021/nn3010137 (2012).
- 102 Ellmer, K. Past achievements and future challenges in the development of optically transparent electrodes. *Nature Photonics* **6**, 809-817, doi:10.1038/nphoton.2012.282 (2012).
- 103 Bae, S. *et al.* Roll-to-roll production of 30-inch graphene films for transparent electrodes. *Nature Nanotechnology* **5**, 574-578, doi:10.1038/nnano.2010.132 (2010).
- 104 Liu, Y., Dong, X. & Chen, P. Biological and chemical sensors based on graphene materials. *Chemical Society Reviews* **41**, 2283-2307 (2012).
- 105 Romagnoli, M. *et al.* Graphene-based integrated photonics for next-generation datacom and telecom. *Nature Reviews Materials* **3**, 392-414, doi:10.1038/s41578-018-0040-9 (2018).
- 106 Buscema, M., Groenendijk, D. J., Steele, G. A., van der Zant, H. S. J. & Castellanos-Gomez, A. Photovoltaic effect in few-layer black phosphorus PN junctions defined by local electrostatic gating. *Nature Communications* **5**, 4651, doi:10.1038/ncomms5651 (2014).
- 107 Xia, F., Wang, H., Hwang, J., Neto, A. & Yang, L. Black phosphorus and its isoelectronic materials. *Nature Reviews Physics* **1**, 306-317 (2019).

- 108 Kim, H. *et al.* Actively variable-spectrum optoelectronics with black phosphorus. *Nature* **596**, 232-237 (2021).
- 109 Koppens, F. *et al.* Photodetectors based on graphene, other two-dimensional materials and hybrid systems. *Nature Nanotechnology* **9**, 780-793 (2014).
- 110 Buscema, M. *et al.* Photocurrent generation with two-dimensional van der Waals semiconductors. *Chemical Society Reviews* **44**, 3691-3718, doi:10.1039/C5CS00106D (2015).
- 111 Miao, J. *et al.* Vertically Stacked and Self-Encapsulated van der Waals Heterojunction Diodes Using Two-Dimensional Layered Semiconductors. *ACS Nano* **11**, 10472-10479, doi:10.1021/acsnano.7b05755 (2017).
- 112 Miao, J. *et al.* Single Pixel Black Phosphorus Photodetector for Near-Infrared Imaging. *Small* **14**, 1702082, doi:<https://doi.org/10.1002/sml.201702082> (2018).
- 113 An, C. *et al.* The Opposite Anisotropic Piezoresistive Effect of ReS₂. *ACS Nano* **13**, 3310-3319, doi:10.1021/acsnano.8b09161 (2019).
- 114 Wang, F., Zhang, T., Xie, R., Wang, Z. & Hu, W. How to characterize figures of merit of two-dimensional photodetectors. *Nature Communications* **14**, 2224, doi:10.1038/s41467-023-37635-1 (2023).
- 115 Zhang, Z. *et al.* All-in-one two-dimensional retinomorphic hardware device for motion detection and recognition. *Nature Nanotechnology* **17**, 27-32, doi:10.1038/s41565-021-01003-1 (2022).
- 116 Xia, H. *et al.* Pristine PN junction toward atomic layer devices. *Light: Science & Applications* **11**, 170, doi:10.1038/s41377-022-00814-8 (2022).
- 117 Chen, H. *et al.* Logic gates based on neuristors made from two-dimensional materials. *Nature Electronics* **4**, 399-404, doi:10.1038/s41928-021-00591-z (2021).
- 118 Xie, R. *et al.* Spatial description theory of narrow-band single-carrier avalanche photodetectors. *Optics Express* **29**, 16432-16446, doi:10.1364/OE.418110 (2021).
- 119 He, K. *et al.* Tightly bound excitons in monolayer WSe₂. *Physical Review Letters* **113**, 026803 (2014).
- 120 Rivera, P. *et al.* Observation of long-lived interlayer excitons in monolayer MoSe₂-WSe₂ heterostructures. *Nature Communications* **6**, 6242 (2015).
- 121 Regan, E. C. *et al.* Emerging exciton physics in transition metal dichalcogenide heterobilayers. *Nature Reviews Materials*, 1-18 (2022).
- 122 Kumar, P. *et al.* Light-matter coupling in large-area van der Waals superlattices. *Nature Nanotechnology* **17**, 182-189, doi:10.1038/s41565-021-01023-x (2022).
- 123 Guo, X. *et al.* Polaritons in Van der Waals Heterostructures. *Advanced Materials* **n/a**, 2201856, doi:<https://doi.org/10.1002/adma.202201856> (2022).
- 124 Dai, S. *et al.* Graphene on hexagonal boron nitride as a tunable hyperbolic metamaterial. *Nature Nanotechnology* **10**, 682-686, doi:10.1038/nnano.2015.131 (2015).
- 125 Yoxall, E. *et al.* Direct observation of ultraslow hyperbolic polariton propagation with negative phase velocity. *Nature Photonics* **9**, 674-678 (2015).
- 126 Pons-Valencia, P. *et al.* Launching of hyperbolic phonon-polaritons in h-BN slabs by resonant metal plasmonic antennas. *Nature Communications* **10**, 3242, doi:10.1038/s41467-019-11143-7 (2019).
- 127 Li, N. *et al.* Direct observation of highly confined phonon polaritons in suspended monolayer hexagonal boron nitride. *Nature Materials* **20**, 43-48, doi:10.1038/s41563-020-0763-z (2021).
- 128 Tran, T. T., Bray, K., Ford, M. J., Toth, M. & Aharonovich, I. Quantum emission from hexagonal boron nitride monolayers. *Nature Nanotechnology* **11**, 37-41 (2016).
- 129 Kim, C.-J. *et al.* Stacking order dependent second harmonic generation and topological defects in h-BN bilayers. *Nano Letters* **13**, 5660-5665 (2013).
- 130 Shahzad, F., Iqbal, A., Kim, H. & Koo, C. M. J. A. M. 2D transition metal carbides (MXenes): applications as an electrically conducting material. *Advanced Materials* **32**, 2002159 (2020).

- 131 Liu, Z. *et al.* Integrating surface and interface engineering to improve optoelectronic performance and environmental stability of MXene-based heterojunction towards broadband photodetection. *Nano Research*, doi:10.1007/s12274-023-5495-3 (2023).
- 132 Liu, Z. *et al.* Ultratough Hydrogen-Bond-Bridged Phosphorene Films. *Advanced Materials* **34**, 2203332, doi:<https://doi.org/10.1002/adma.202203332> (2022).
- 133 Jhon, Y. I. *et al.* Metallic MXene saturable absorber for femtosecond mode-locked lasers. *Advanced Materials* **29**, 1702496 (2017).
- 134 Jiang, X. *et al.* Broadband nonlinear photonics in few-layer MXene Ti₃C₂T_x (T= F, O, or OH). *Laser & Photonics Reviews* **12**, 1700229 (2018).
- 135 Jiang, X. *et al.* Inkjet-printed MXene micro-scale devices for integrated broadband ultrafast photonics. *npj 2D Materials* **3**, 1-9 (2019).
- 136 Liu, Z. *et al.* Heterostructured MXene/Si photodiodes with sub-1-nm h-BN blocking layers for suppressing dark current. *IEEE Electron Device Letters* (2023).
- 137 Zhu, Z. *et al.* Room-temperature epitaxial welding of 3D and 2D perovskites. *Nature Materials* **21**, 1042-1049 (2022).
- 138 Zhai, Y. *et al.* Giant Rashba splitting in 2D organic-inorganic halide perovskites measured by transient spectroscopies. *Science Advances* **3**, e1700704 (2017).
- 139 Quan, L. N., García de Arquer, F. P., Sabatini, R. P. & Sargent, E. H. Perovskites for Light Emission. *Advanced Materials* **30**, 1801996, doi:<https://doi.org/10.1002/adma.201801996> (2018).
- 140 Gao, Y. *et al.* Molecular engineering of organic-inorganic hybrid perovskites quantum wells. *Nature Chemistry* **11**, 1151-1157 (2019).
- 141 Lu, H. *et al.* Spin-dependent charge transport through 2D chiral hybrid lead-iodide perovskites. *Science Advances* **5**, eaay0571 (2019).
- 142 Xu, J. *et al.* Halide perovskites for nonlinear optics. *Advanced Materials* **32**, 1806736 (2020).
- 143 Kim, J. Y., Lee, J.-W., Jung, H. S., Shin, H. & Park, N.-G. High-efficiency perovskite solar cells. *Chemical Reviews* **120**, 7867-7918 (2020).
- 144 Han, T. H. *et al.* Surface-2D/bulk-3D heterophased perovskite nanograins for long-term-stable light-emitting diodes. *Advanced Materials* **32**, 1905674 (2020).
- 145 Aubrey, M. L. *et al.* Directed assembly of layered perovskite heterostructures as single crystals. *Nature* **597**, 355-359 (2021).
- 146 Zhao, J. *et al.* High-Speed Fabrication of All-Inkjet-Printed Organometallic Halide Perovskite Light-Emitting Diodes on Elastic Substrates. *Advanced Materials* **33**, 2102095, doi:<https://doi.org/10.1002/adma.202102095> (2021).
- 147 Lee, J.-W. *et al.* The role of grain boundaries in perovskite solar cells. *Materials Today Energy* **7**, 149-160, doi:<https://doi.org/10.1016/j.mtener.2017.07.014> (2018).
- 148 Liu, Y. *et al.* Sellotape Exfoliated Layered Quasi-2D Perovskite Thin Film for Efficient Light-Emitting Diodes. *Advanced Optical Materials* **10**, 2200885, doi:<https://doi.org/10.1002/adom.202200885> (2022).
- 149 Leng, K., Fu, W., Liu, Y., Chhowalla, M. & Loh, K. P. From bulk to molecularly thin hybrid perovskites. *Nature Reviews Materials* **5**, 482-500 (2020).
- 150 Zhang, L. *et al.* High-performance quasi-2D perovskite light-emitting diodes: from materials to devices. *Light: Science & Applications* **10**, 1-26 (2021).
- 151 Lin, J. *et al.* Broadband Quasi-Phase-Matched Harmonic Generation in an On-Chip Monocrystalline Lithium Niobate Microdisk Resonator. *Physical Review Letters* **122**, 173903, doi:10.1103/PhysRevLett.122.173903 (2019).
- 152 Puckett, M. W. *et al.* 422 Million intrinsic quality factor planar integrated all-waveguide resonator with sub-MHz linewidth. *Nature Communications* **12**, 934, doi:10.1038/s41467-021-21205-4 (2021).
- 153 Shao, L. *et al.* Non-reciprocal transmission of microwave acoustic waves in nonlinear parity-time symmetric resonators. *Nature Electronics* **3**, 267-272 (2020).

- 154 Pelton, M. Modified spontaneous emission in nanophotonic structures. *Nature Photonics* **9**, 427-435, doi:10.1038/nphoton.2015.103 (2015).
- 155 Roy, A., Nehra, R., Langrock, C., Fejer, M. & Marandi, A. Non-equilibrium spectral phase transitions in coupled nonlinear optical resonators. *Nature Physics* **19**, 427-434, doi:10.1038/s41567-022-01874-8 (2023).
- 156 Mao, W. *et al.* Upper temperature limit and multi-channel effects in ellipsoidal lithium-niobate optical parametric oscillators. *Optics Express* **26**, 15268-15275, doi:10.1364/OE.26.015268 (2018).
- 157 Hao, Z. *et al.* Sum-frequency generation in on-chip lithium niobate microdisk resonators. *Photon. Res.* **5**, 623-628, doi:10.1364/PRJ.5.000623 (2017).
- 158 Hao, Z. *et al.* Second-harmonic generation using d33 in periodically poled lithium niobate microdisk resonators. *Photon. Res.* **8**, 311-317, doi:10.1364/PRJ.382535 (2020).
- 159 Zhu, J. *et al.* On-chip single nanoparticle detection and sizing by mode splitting in an ultrahigh-Q microresonator. *Nature Photonics* **4**, 46-49, doi:10.1038/nphoton.2009.237 (2010).
- 160 He, L., Özdemir, Ş. K., Zhu, J., Kim, W. & Yang, L. Detecting single viruses and nanoparticles using whispering gallery microlasers. *Nature Nanotechnology* **6**, 428-432, doi:10.1038/nnano.2011.99 (2011).
- 161 Joannopoulos, J. D., Villeneuve, P. R. & Fan, S. Photonic crystals: putting a new twist on light. *Nature* **386**, 143-149, doi:10.1038/386143a0 (1997).
- 162 Krauss, T. F., Rue, R. M. D. L. & Brand, S. Two-dimensional photonic-bandgap structures operating at near-infrared wavelengths. *Nature* **383**, 699-702, doi:10.1038/383699a0 (1996).
- 163 Faraon, A., Waks, E., Englund, D., Fushman, I. & Vučković, J. Efficient photonic crystal cavity-waveguide couplers. *Applied Physics Letters* **90**, 073102, doi:10.1063/1.2472534 (2007).
- 164 Yu, N. *et al.* Light Propagation with Phase Discontinuities: Generalized Laws of Reflection and Refraction. *Science* **334**, 333-337, doi:doi:10.1126/science.1210713 (2011).
- 165 Yu, N. & Capasso, F. Flat optics with designer metasurfaces. *Nature Materials* **13**, 139-150, doi:10.1038/nmat3839 (2014).
- 166 Neshev, D. N. & Miroshnichenko, A. E. Enabling smart vision with metasurfaces. *Nature Photonics* **17**, 26-35, doi:10.1038/s41566-022-01126-4 (2023).
- 167 Wang, S., Li, P. & Yan, J. Monolithically integrated polarization rotator and splitter with designed power ratio. *Optics Express* **31**, 14128-14139, doi:10.1364/OE.488419 (2023).
- 168 He, F. *et al.* Coherently switching the focusing characteristics of all-dielectric metalenses. *Optics Express* **30**, 27683-27693, doi:10.1364/OE.461264 (2022).
- 169 Hu, G. *et al.* Coherent steering of nonlinear chiral valley photons with a synthetic Au-WS₂ metasurface. *Nature Photonics* **13**, 467-472, doi:10.1038/s41566-019-0399-1 (2019).
- 170 Hu, G., Krasnok, A., Mazon, Y., Qiu, C.-W. & Alù, A. Moiré Hyperbolic Metasurfaces. *Nano Letters* **20**, 3217-3224, doi:10.1021/acs.nanolett.9b05319 (2020).
- 171 Sun, C. & Yan, J. A hybrid method to calculate optical torque: Application to a nano-dumbbell trapped by a metalens. *AIP Advances* **12**, 075024, doi:10.1063/5.0094665 (2022).
- 172 Wang, S., Wen, S., Deng, Z.-L., Li, X. & Yang, Y. Metasurface-Based Solid Poincaré Sphere Polarizer. *Physical Review Letters* **130**, 123801, doi:10.1103/PhysRevLett.130.123801 (2023).
- 173 Jia, W. *et al.* Intracavity spatiotemporal metasurfaces. *Advanced Photonics* **5**, 026002 (2023).
- 174 Ni, Y. *et al.* Computational spectropolarimetry with a tunable liquid crystal metasurface. *eLight* **2**, 23, doi:10.1186/s43593-022-00032-0 (2022).
- 175 Zhao, F. *et al.* Metalens-Assisted System for Underwater Imaging. *Laser & Photonics Reviews* **15**, 2100097, doi:<https://doi.org/10.1002/lpor.202100097> (2021).
- 176 Zhang, T. & Qiu, C.-W. Light walking in low-symmetry 2D materials. *Photonics Insights* **2**, C03-C03 (2023).
- 177 Zhao, B., Sun, L.-S. & Chen, J. Hybrid parity-time modulation phase and geometric phase in metasurfaces. *Optics Express* **28**, 28896-28905, doi:10.1364/OE.404350 (2020).

- 178 Ni, X., Emani, N. K., Kildishev, A. V., Boltasseva, A. & Shalaev, V. M. Broadband Light Bending
with Plasmonic Nanoantennas. *Science* **335**, 427-427, doi:10.1126/science.1214686 (2012).
- 179 Pan, W. *et al.* Efficiently Controlling near-Field Wavefronts via Designer Metasurfaces. *ACS
Photonics*, doi:10.1021/acsp Photonics.2c02009 (2023).
- 180 Chen, Y. *et al.* Efficient Meta-couplers Squeezing Propagating Light into On-Chip
Subwavelength Devices in a Controllable Way. *Nano Letters*, doi:10.1021/acs.nanolett.3c00310
(2023).
- 181 Shi, X. *et al.* All-dielectric orthogonal doublet cylindrical metalens in long-wave infrared regions.
Optics Express **29**, 3524-3532, doi:10.1364/OE.414001 (2021).
- 182 Sun, S. *et al.* Gradient-index meta-surfaces as a bridge linking propagating waves and surface
waves. *Nature Materials* **11**, 426-431, doi:10.1038/nmat3292 (2012).
- 183 Sun, S., He, Q., Hao, J., Xiao, S. & Zhou, L. Electromagnetic metasurfaces: physics and
applications. *Advances in Optics and Photonics* **11**, 380-479, doi:10.1364/AOP.11.000380 (2019).
- 184 Zhu, R. *et al.* Virtual metasurfaces: reshaping electromagnetic waves in distance. *Photon. Res.* **11**,
203-211, doi:10.1364/PRJ.475471 (2023).
- 185 Guo, X., Ding, Y., Duan, Y. & Ni, X. Nonreciprocal metasurface with space-time phase
modulation. *Light: Science & Applications* **8**, 123, doi:10.1038/s41377-019-0225-z (2019).
- 186 Baek, S. *et al.* High numerical aperture RGB achromatic metalens in the visible. *Photon. Res.* **10**,
B30-B39, doi:10.1364/PRJ.470004 (2022).
- 187 Yoon, G., Kim, K., Huh, D., Lee, H. & Rho, J. Single-step manufacturing of hierarchical
dielectric metalens in the visible. *Nature Communications* **11**, 2268, doi:10.1038/s41467-020-
16136-5 (2020).
- 188 Li, L. *et al.* Electromagnetic reprogrammable coding-metasurface holograms. *Nature
Communications* **8**, 197, doi:10.1038/s41467-017-00164-9 (2017).
- 189 Ni, X., Kildishev, A. V. & Shalaev, V. M. Metasurface holograms for visible light. *Nature
Communications* **4**, 2807, doi:10.1038/ncomms3807 (2013).
- 190 Song, M. *et al.* Versatile full-colour nanopainting enabled by a pixelated plasmonic metasurface.
Nature Nanotechnology **18**, 71-78, doi:10.1038/s41565-022-01256-4 (2023).
- 191 Kristensen, A. *et al.* Plasmonic colour generation. *Nature Reviews Materials* **2**, 16088,
doi:10.1038/natrevmats.2016.88 (2016).
- 192 Zhang, S. *et al.* Reversible electrical switching of nanostructural color pixels. *Nanophotonics*
(2023).
- 193 Ni, X., Wong, Z. J., Mrejen, M., Wang, Y. & Zhang, X. An ultrathin invisibility skin cloak for
visible light. *Science* **349**, 1310-1314, doi:10.1126/science.aac9411 (2015).
- 194 Xu, H.-X. *et al.* Polarization-insensitive 3D conformal-skin metasurface cloak. *Light: Science &
Applications* **10**, 75, doi:10.1038/s41377-021-00507-8 (2021).
- 195 Zhang, X. G. *et al.* Smart Doppler Cloak Operating in Broad Band and Full Polarizations.
Advanced Materials **33**, 2007966, doi:<https://doi.org/10.1002/adma.202007966> (2021).
- 196 Li, Z., Tian, X., Qiu, C.-W. & Ho, J. S. Metasurfaces for bioelectronics and healthcare. *Nature
Electronics* **4**, 382-391, doi:10.1038/s41928-021-00589-7 (2021).
- 197 Wang, R. *et al.* Electric Fano resonance-based terahertz metasensors. *Nanoscale* **13**, 18467-18472
(2021).
- 198 Wang, Y. *et al.* Wearable plasmonic-metasurface sensor for noninvasive and universal molecular
fingerprint detection on biointerfaces. *Science Advances* **7**, eabe4553,
doi:10.1126/sciadv.abe4553.
- 199 Kostarelos, K. Translating graphene and 2D materials into medicine. *Nature Reviews Materials* **1**,
16084, doi:10.1038/natrevmats.2016.84 (2016).
- 200 Kim, I. *et al.* Nanophotonics for light detection and ranging technology. *Nature Nanotechnology*
16, 508-524 (2021).
- 201 Ni, Y. *et al.* Metasurface for Structured Light Projection over 120° Field of View. *Nano Letters*
20, 6719-6724, doi:10.1021/acs.nanolett.0c02586 (2020).

- 202 Xie, Y.-Y. *et al.* Metasurface-integrated vertical cavity surface-emitting lasers for programmable
directional lasing emissions. *Nature Nanotechnology* **15**, 125-130, doi:10.1038/s41565-019-0611-
y (2020).
- 203 Li, Z. *et al.* Controlling propagation and coupling of waveguide modes using phase-gradient
metasurfaces. *Nature Nanotechnology* **12**, 675-683, doi:10.1038/nnano.2017.50 (2017).
- 204 Wang, R. *et al.* Conversion from terahertz-guided waves to surface waves with metasurface.
Optics Express **26**, 31233-31243, doi:10.1364/OE.26.031233 (2018).
- 205 Guo, X., Ding, Y., Chen, X., Duan, Y. & Ni, X. Molding free-space light with guided wave-
driven metasurfaces. *Science Advances* **6**, eabb4142, doi:10.1126/sciadv.abb4142.
- 206 Meng, Y. *et al.* Ultracompact graphene-assisted tunable waveguide couplers with high directivity
and mode selectivity. *Scientific Reports* **8**, 13362, doi:10.1038/s41598-018-31555-7 (2018).
- 207 Meng, Y. *et al.* Versatile on-chip light coupling and (de)multiplexing from arbitrary polarizations
to controlled waveguide modes using an integrated dielectric metasurface. *Photon. Res.* **8**, 564-
576, doi:10.1364/PRJ.384449 (2020).
- 208 He, T. *et al.* Guided mode meta-optics: metasurface-dressed waveguides for arbitrary mode
couplers and on-chip OAM emitters with a configurable topological charge. *Optics Express* **29**,
39406-39418, doi:10.1364/OE.443186 (2021).
- 209 Wang, R. *et al.* Broadband on-Chip Terahertz Asymmetric Waveguiding via Phase-Gradient
Metasurface. *ACS Photonics* **6**, 1774-1779, doi:10.1021/acsp Photonics.9b00524 (2019).
- 210 Ding, Y. *et al.* Metasurface-Dressed Two-Dimensional on-Chip Waveguide for Free-Space Light
Field Manipulation. *ACS Photonics* **9**, 398-404, doi:10.1021/acsp Photonics.1c01577 (2022).
- 211 Meng, Y. *et al.* Chip-integrated metasurface for versatile and multi-wavelength control of light
couplings with independent phase and arbitrary polarization. *Optics Express* **27**, 16425-16439,
doi:10.1364/OE.27.016425 (2019).
- 212 Yang, R. *et al.* Immersive Tuning the Guided Waves for Multifunctional On-Chip Metaoptics.
Laser & Photonics Reviews **16**, 2200127, doi:<https://doi.org/10.1002/lpor.202200127> (2022).
- 213 Luo, X. Multiscale Optical Field Manipulation via Planar Digital Optics. *ACS Photonics*,
doi:10.1021/acsp Photonics.2c01752 (2023).
- 214 Guo, Y. *et al.* Chip-Integrated Geometric Metasurface As a Novel Platform for Directional
Coupling and Polarization Sorting by Spin-Orbit Interaction. *IEEE Journal of Selected Topics in*
Quantum Electronics **24**, 1-7, doi:10.1109/JSTQE.2018.2814744 (2018).
- 215 Chang, K., Li, Z., Gu, Y., Liu, K. & Chen, K. Graphene-integrated waveguides: Properties,
preparation, and applications. *Nano Research* **15**, 9704-9726 (2022).
- 216 Malek, S. C., Overvig, A. C., Alù, A. & Yu, N. Multifunctional resonant wavefront-shaping meta-
optics based on multilayer and multi-perturbation nonlocal metasurfaces. *Light: Science &*
Applications **11**, 246, doi:10.1038/s41377-022-00905-6 (2022).
- 217 Sirmaci, Y. D. *et al.* All-Dielectric Huygens' Meta-Waveguides for Resonant Integrated
Photonics. *Laser & Photonics Reviews* **n/a**, 2200860, doi:<https://doi.org/10.1002/lpor.202200860>
(2023).
- 218 Chen, R. *et al.* Metasurface-Based Fiber-to-Chip Multiplexing Coupler. *Advanced Optical*
Materials **11**, 2202317, doi:<https://doi.org/10.1002/adom.202202317> (2023).
- 219 Zeng, Z., Lu, L., He, P., Liu, D. & Zhang, M. Demonstration of Dual-Mode Photonic Integrated
Circuit Based on Inverse-Designed Photonic Components. *IEEE Photonics Technology Letters*
33, 1289-1292 (2021).
- 220 Chang, W., Xu, S., Cheng, M., Liu, D. & Zhang, M. Inverse design of a single-step-etched
ultracompact silicon polarization rotator. *Optics Express* **28**, 28343-28351,
doi:10.1364/OE.399052 (2020).
- 221 Wang, K. *et al.* Inverse design of digital nanophotonic devices using the adjoint method. *Photon.*
Res. **8**, 528-533, doi:10.1364/PRJ.383887 (2020).
- 222 Yuan, Q. *et al.* Recent advanced applications of metasurfaces in multi-dimensions.
Nanophotonics (2023).

- 223 Kruk, S. S. *et al.* Asymmetric parametric generation of images with nonlinear dielectric
metasurfaces. *Nature Photonics* **16**, 561-565, doi:10.1038/s41566-022-01018-7 (2022).
- 224 Zhao, Y., Yang, Y. & Sun, H.-B. Nonlinear meta-optics towards applications. *PhotonIX* **2**, 3,
doi:10.1186/s43074-021-00025-1 (2021).
- 225 Li, G., Zhang, S. & Zentgraf, T. Nonlinear photonic metasurfaces. *Nature Reviews Materials* **2**,
17010, doi:10.1038/natrevmats.2017.10 (2017).
- 226 Grigorenko, A. N., Polini, M. & Novoselov, K. Graphene plasmonics. *Nature Photonics* **6**, 749-
758 (2012).
- 227 Meng, Y. *et al.* Waveguide engineering of graphene optoelectronics—modulators and polarizers.
IEEE Photonics Journal **10**, 6600217, doi:10.1109/JPHOT.2018.2789894 (2018).
- 228 Yu, L., Zheng, J., Xu, Y., Dai, D. & He, S. Local and Nonlocal Optically Induced Transparency
Effects in Graphene–Silicon Hybrid Nanophotonic Integrated Circuits. *ACS Nano* **8**, 11386-
11393, doi:10.1021/nn504377m (2014).
- 229 Peng, Z., Chen, X., Fan, Y., Srolovitz, D. J. & Lei, D. Strain engineering of 2D semiconductors
and graphene: from strain fields to band-structure tuning and photonic applications. *Light:
Science & Applications* **9**, 190, doi:10.1038/s41377-020-00421-5 (2020).
- 230 Yu, L., Yin, Y., Shi, Y., Dai, D. & He, S. Thermally tunable silicon photonic microdisk resonator
with transparent graphene nanoheaters. *Optica* **3**, 159-166, doi:10.1364/OPTICA.3.000159
(2016).
- 231 Liu, X., Zhang, G. & Zhang, Y.-W. Graphene-based thermal modulators. *Nano Research* **8**, 2755-
2762, doi:10.1007/s12274-015-0782-2 (2015).
- 232 Liu, M. *et al.* A graphene-based broadband optical modulator. *Nature* **474**, 64-67 (2011).
- 233 Liu, M., Yin, X. & Zhang, X. Double-Layer Graphene Optical Modulator. *Nano Letters* **12**, 1482-
1485, doi:10.1021/nl204202k (2012).
- 234 Sorianello, V. *et al.* Graphene–silicon phase modulators with gigahertz bandwidth. *Nature
Photonics* **12**, 40-44 (2018).
- 235 Vermeulen, N. *et al.* Graphene’s nonlinear-optical physics revealed through exponentially
growing self-phase modulation. *Nature Communications* **9**, 1-9 (2018).
- 236 Mueller, T., Xia, F. & Avouris, P. Graphene photodetectors for high-speed optical
communications. *Nature Photonics* **4**, 297-301, doi:10.1038/nphoton.2010.40 (2010).
- 237 Wang, X., Cheng, Z., Xu, K., Tsang, H. K. & Xu, J.-B. High-responsivity graphene/silicon-
heterostructure waveguide photodetectors. *Nature Photonics* **7**, 888-891,
doi:10.1038/nphoton.2013.241 (2013).
- 238 Goldstein, J. *et al.* Waveguide-integrated mid-infrared photodetection using graphene on a
scalable chalcogenide glass platform. *Nature Communications* **13**, 3915, doi:10.1038/s41467-
022-31607-7 (2022).
- 239 Datta, I. *et al.* Low-loss composite photonic platform based on 2D semiconductor monolayers.
Nature Photonics **14**, 256-262, doi:10.1038/s41566-020-0590-4 (2020).
- 240 Alaloul, M. *et al.* On-chip low-loss all-optical MoSe₂ modulator. *Optics Letters* **47**, 3640-3643,
doi:10.1364/OL.465171 (2022).
- 241 Yu, S., Wu, X., Wang, Y., Guo, X. & Tong, L. 2D materials for optical modulation: challenges and
opportunities. *Advanced Materials* **29**, 1606128 (2017).
- 242 Tan, T., Jiang, X., Wang, C., Yao, B. & Zhang, H. 2D Material Optoelectronics for Information
Functional Device Applications: Status and Challenges. *Advanced Science* **7**, 2000058,
doi:<https://doi.org/10.1002/adv.202000058> (2020).
- 243 Xiong, L. *et al.* Programmable Bloch polaritons in graphene. *Science Advances* **7**, eabe8087,
doi:10.1126/sciadv.abe8087 (2021).
- 244 Ono, M. *et al.* Ultrafast and energy-efficient all-optical switching with graphene-loaded deep-
subwavelength plasmonic waveguides. *Nature Photonics* **14**, 37-43 (2020).
- 245 Ansell, D. *et al.* Hybrid graphene plasmonic waveguide modulators. *Nature Communications* **6**,
8846, doi:10.1038/ncomms9846 (2015).

- 246 Xu, X. *et al.* Femtosecond laser writing of lithium niobate ferroelectric nanodomains. *Nature* **609**, 496-501, doi:10.1038/s41586-022-05042-z (2022).
- 247 Kim, J. T., Chung, K. H. & Choi, C.-G. Thermo-optic mode extinction modulator based on graphene plasmonic waveguide. *Optics Express* **21**, 15280-15286, doi:10.1364/OE.21.015280 (2013).
- 248 Toksumakov, A. N. *et al.* Anomalous optical response of graphene on hexagonal boron nitride substrates. *Communications Physics* **6**, 13, doi:10.1038/s42005-023-01129-9 (2023).
- 249 Constant, T. J., Hornett, S. M., Chang, D. E. & Hendry, E. All-optical generation of surface plasmons in graphene. *Nature Physics* **12**, 124-127, doi:10.1038/nphys3545 (2016).
- 250 Tu, N. H. *et al.* Active spatial control of terahertz plasmons in graphene. *Communications Materials* **1**, 7, doi:10.1038/s43246-019-0002-9 (2020).
- 251 Hu, H. *et al.* Active control of micrometer plasmon propagation in suspended graphene. *Nature Communications* **13**, 1465, doi:10.1038/s41467-022-28786-8 (2022).
- 252 Li, Y. *et al.* Nonlinear co-generation of graphene plasmons for optoelectronic logic operations. *Nature Communications* **13**, 3138, doi:10.1038/s41467-022-30901-8 (2022).
- 253 Yao, B. *et al.* Broadband gate-tunable terahertz plasmons in graphene heterostructures. *Nature Photonics* **12**, 22-28, doi:10.1038/s41566-017-0054-7 (2018).
- 254 Chen, Y. *et al.* Unipolar barrier photodetectors based on van der Waals heterostructures. *Nature Electronics* **4**, 357-363, doi:10.1038/s41928-021-00586-w (2021).
- 255 Tartakovskii, A. Excitons in 2D heterostructures. *Nature Reviews Physics* **2**, 8-9, doi:10.1038/s42254-019-0136-1 (2020).
- 256 Xiao, J., Zhao, M., Wang, Y. & Zhang, X. Excitons in atomically thin 2D semiconductors and their applications. **6**, 1309-1328, doi:10.1515/nanoph-2016-0160 (2017).
- 257 Sui, G., Wu, J., Zhang, Y., Yin, C. & Gao, X. Microcavity-integrated graphene waveguide: a reconfigurable electro-optical attenuator and switch. *Scientific Reports* **8**, 12445, doi:10.1038/s41598-018-30396-8 (2018).
- 258 Smirnova, D. A., Gorbach, A. V., Iorsh, I. V., Shadrivov, I. V. & Kivshar, Y. S. Nonlinear switching with a graphene coupler. *Physical Review B* **88**, 045443, doi:10.1103/PhysRevB.88.045443 (2013).
- 259 Zhou, H. *et al.* Enhanced four-wave mixing in graphene-silicon slow-light photonic crystal waveguides. *Applied Physics Letters* **105**, 091111, doi:10.1063/1.4894830 (2014).
- 260 Wu, J. *et al.* Graphene Oxide for Integrated Photonics and Flat Optics. *Advanced Materials* **33**, 2006415, doi:<https://doi.org/10.1002/adma.202006415> (2021).
- 261 Fan, Y. *et al.* Graphene Plasmonics: A Platform for 2D Optics. *Advanced Optical Materials* **7**, 1800537, doi:<https://doi.org/10.1002/adom.201800537> (2019).
- 262 Rodrigo, D. *et al.* Mid-infrared plasmonic biosensing with graphene. *Science* **349**, 165-168, doi:10.1126/science.aab2051 (2015).
- 263 Zhao, Y. & Zhu, Y. Graphene-based hybrid films for plasmonic sensing. *Nanoscale* **7**, 14561-14576 (2015).
- 264 Hong, Q. *et al.* Hybrid metal-graphene plasmonic sensor for multi-spectral sensing in both near- and mid-infrared ranges. *Optics Express* **27**, 35914-35924, doi:10.1364/OE.27.035914 (2019).
- 265 Vakil, A. & Engheta, N. Transformation Optics Using Graphene. *Science* **332**, 1291-1294, doi:10.1126/science.1202691 (2011).
- 266 Fei, Z. *et al.* Gate-tuning of graphene plasmons revealed by infrared nano-imaging. *Nature* **487**, 82-85 (2012).
- 267 Chen, J. *et al.* Optical nano-imaging of gate-tunable graphene plasmons. *Nature* **487**, 77-81, doi:10.1038/nature11254 (2012).
- 268 Chakraborty, S. *et al.* Gain modulation by graphene plasmons in aperiodic lattice lasers. *Science* **351**, 246-248, doi:10.1126/science.aad2930 (2016).
- 269 Lee, Y.-J. *et al.* Graphene Quantum Dot Vertical Cavity Surface-Emitting Lasers. *ACS Photonics* **6**, 2894-2901, doi:10.1021/acsp Photonics.9b00976 (2019).

- 270 Yokoyama, H. Physics and Device Applications of Optical Microcavities. *Science* **256**, 66-70,
doi:10.1126/science.256.5053.66 (1992).
- 271 Vahala, K. J. Optical microcavities. *Nature* **424**, 839-846, doi:10.1038/nature01939 (2003).
- 272 Liao, J. & Yang, L. Optical whispering-gallery mode barcodes for high-precision and wide-range
temperature measurements. *Light: Science & Applications* **10**, 32, doi:10.1038/s41377-021-
00472-2 (2021).
- 273 Min, B. *et al.* High-Q surface-plasmon-polariton whispering-gallery microcavity. *Nature* **457**,
455-458, doi:10.1038/nature07627 (2009).
- 274 Shang, J. *et al.* Room-temperature 2D semiconductor activated vertical-cavity surface-emitting
lasers. *Nature Communications* **8**, 543, doi:10.1038/s41467-017-00743-w (2017).
- 275 Jiang, Y., Chen, S., Zheng, W., Zheng, B. & Pan, A. Interlayer exciton formation, relaxation, and
transport in TMD van der Waals heterostructures. *Light: Science & Applications* **10**, 72,
doi:10.1038/s41377-021-00500-1 (2021).
- 276 Li, Y. *et al.* Room-temperature continuous-wave lasing from monolayer molybdenum ditelluride
integrated with a silicon nanobeam cavity. *Nature Nanotechnology* **12**, 987-992 (2017).
- 277 Du, W. *et al.* Nanolasers based on 2D materials. *Laser & Photonics Reviews* **14**, 2000271 (2020).
- 278 Wu, S. *et al.* Monolayer semiconductor nanocavity lasers with ultralow thresholds. *Nature* **520**,
69-72 (2015).
- 279 Liu, Y. *et al.* Room temperature nanocavity laser with interlayer excitons in 2D heterostructures.
Science Advances **5**, eaav4506, doi:10.1126/sciadv.aav4506 (2019).
- 280 Li, M. *et al.* Amplified Spontaneous Emission Based on 2D Ruddlesden–Popper Perovskites.
Advanced Functional Materials **28**, 1707006, doi:<https://doi.org/10.1002/adfm.201707006>
(2018).
- 281 Wang, X. *et al.* High Gain Submicrometer Optical Amplifier at Near-Infrared Communication
Band. *Physical Review Letters* **115**, 027403, doi:10.1103/PhysRevLett.115.027403 (2015).
- 282 Anichini, C. *et al.* Chemical sensing with 2D materials. *Chemical Society Reviews* **47**, 4860-4908
(2018).
- 283 Zha, J. *et al.* Infrared Photodetectors Based on 2D Materials and Nanophotonics. *Advanced
Functional Materials* **32**, 2111970, doi:<https://doi.org/10.1002/adfm.202111970> (2022).
- 284 Sefidmooye Azar, N. *et al.* Long-Wave Infrared Photodetectors Based on 2D Platinum Diselenide
atop Optical Cavity Substrates. *ACS Nano* **15**, 6573-6581, doi:10.1021/acsnano.0c09739 (2021).
- 285 Schuler, S. *et al.* High-responsivity graphene photodetectors integrated on silicon microring
resonators. *Nature Communications* **12**, 3733, doi:10.1038/s41467-021-23436-x (2021).
- 286 Wang, Z. *et al.* Excitonic complexes and optical gain in two-dimensional molybdenum ditelluride
well below the Mott transition. *Light: Science & Applications* **9**, 39, doi:10.1038/s41377-020-
0278-z (2020).
- 287 Autere, A. *et al.* Nonlinear Optics with 2D Layered Materials. *Advanced Materials* **30**, 1705963,
doi:<https://doi.org/10.1002/adma.201705963> (2018).
- 288 Fryett, T., Zhan, A. & Majumdar, A. Cavity nonlinear optics with layered materials. **7**, 355-370,
doi:doi:10.1515/nanoph-2017-0069 (2018).
- 289 Wen, X., Gong, Z. & Li, D. Nonlinear optics of two-dimensional transition metal
dichalcogenides. *InfoMat* **1**, 317-337, doi:<https://doi.org/10.1002/inf2.12024> (2019).
- 290 Liu, Z. *et al.* Unzipping of black phosphorus to form zigzag-phosphorene nanobelts. *Nature
Communications* **11**, 3917, doi:10.1038/s41467-020-17622-6 (2020).
- 291 Psilodimitrakopoulos, S. *et al.* Ultrahigh-resolution nonlinear optical imaging of the armchair
orientation in 2D transition metal dichalcogenides. *Light: Science & Applications* **7**, 18005-
18005, doi:10.1038/lsa.2018.5 (2018).
- 292 Lu, S. B. *et al.* Broadband nonlinear optical response in multi-layer black phosphorus: an
emerging infrared and mid-infrared optical material. *Optics Express* **23**, 11183-11194,
doi:10.1364/OE.23.011183 (2015).

- 293 Ren, T., Song, P., Chen, J. & Loh, K. P. Whisper Gallery Modes in Monolayer Tungsten
Disulfide-Hexagonal Boron Nitride Optical Cavity. *ACS Photonics* **5**, 353-358,
doi:10.1021/acsphotonics.7b01245 (2018).
- 294 Phare, C. T., Daniel Lee, Y.-H., Cardenas, J. & Lipson, M. Graphene electro-optic modulator with
30 GHz bandwidth. *Nature Photonics* **9**, 511-514, doi:10.1038/nphoton.2015.122 (2015).
- 295 Ding, Y. *et al.* Effective Electro-Optical Modulation with High Extinction Ratio by a Graphene–
Silicon Microring Resonator. *Nano Letters* **15**, 4393-4400, doi:10.1021/acs.nanolett.5b00630
(2015).
- 296 Hu, F. *et al.* Tunable extreme energy transfer of terahertz waves with graphene in a nested cavity.
Optics Express **29**, 34302-34313, doi:10.1364/OE.435044 (2021).
- 297 Hu, F., Jia, W., Meng, Y., Gong, M. & Yang, Y. High-contrast optical switching using an epsilon-
near-zero material coupled to a Bragg microcavity. *Optics Express* **27**, 26405-26414,
doi:10.1364/OE.27.026405 (2019).
- 298 Meng, Y., Lu, R., Shen, Y., Liu, Y. & Gong, M. Ultracompact graphene-assisted ring resonator
optical router. *Optics Communications* **405**, 73-79,
doi:<https://doi.org/10.1016/j.optcom.2017.07.084> (2017).
- 299 Khan, A. R. *et al.* Optical Harmonic Generation in 2D Materials. *Advanced Functional Materials*
32, 2105259, doi:<https://doi.org/10.1002/adfm.202105259> (2022).
- 300 Fryett, T. K. *et al.* Silicon photonic crystal cavity enhanced second-harmonic generation from
monolayer WSe₂. *2D Materials* **4**, 015031 (2016).
- 301 Shi, J. *et al.* Giant Enhancement and Directional Second Harmonic Emission from Monolayer
WS₂ on Silicon Substrate via Fabry-Pérot Micro-Cavity. *ACS Nano* **16**, 13933-13941,
doi:10.1021/acsnano.2c03033 (2022).
- 302 Song, Y. *et al.* Nonlinear Few-Layer MXene-Assisted All-Optical Wavelength Conversion at
Telecommunication Band. *Advanced Optical Materials* **7**, 1801777,
doi:<https://doi.org/10.1002/adom.201801777> (2019).
- 303 Mehmood, M. Q. *et al.* Visible-Frequency Metasurface for Structuring and Spatially Multiplexing
Optical Vortices. *Advanced Materials* **28**, 2533-2539,
doi:<https://doi.org/10.1002/adma.201504532> (2016).
- 304 Qin, F. *et al.* Hybrid bilayer plasmonic metasurface efficiently manipulates visible light. *Science
Advances* **2**, e1501168, doi:10.1126/sciadv.1501168 (2016).
- 305 Liu, S. *et al.* Light-Emitting Metasurfaces: Simultaneous Control of Spontaneous Emission and
Far-Field Radiation. *Nano Letters* **18**, 6906-6914, doi:10.1021/acs.nanolett.8b02808 (2018).
- 306 Lawrence, M. *et al.* Manifestation of \mathcal{PT} Symmetry Breaking in Polarization Space with
Terahertz Metasurfaces. *Physical Review Letters* **113**, 093901,
doi:10.1103/PhysRevLett.113.093901 (2014).
- 307 Lawrence, M. *et al.* High quality factor phase gradient metasurfaces. *Nature Nanotechnology* **15**,
956-961, doi:10.1038/s41565-020-0754-x (2020).
- 308 Hu, J., Lawrence, M. & Dionne, J. A. High Quality Factor Dielectric Metasurfaces for Ultraviolet
Circular Dichroism Spectroscopy. *ACS Photonics* **7**, 36-42, doi:10.1021/acsphotonics.9b01352
(2020).
- 309 Staude, I. & Schilling, J. Metamaterial-inspired silicon nanophotonics. *Nature Photonics* **11**, 274-
284, doi:10.1038/nphoton.2017.39 (2017).
- 310 Kadic, M., Milton, G. W., van Hecke, M. & Wegener, M. 3D metamaterials. *Nature Reviews
Physics* **1**, 198-210, doi:10.1038/s42254-018-0018-y (2019).
- 311 Zangeneh-Nejad, F., Sounas, D. L., Alù, A. & Fleury, R. Analogue computing with metamaterials.
Nature Reviews Materials **6**, 207-225, doi:10.1038/s41578-020-00243-2 (2021).
- 312 Hamm, J. M. & Hess, O. Two Two-Dimensional Materials Are Better than One. *Science* **340**,
1298-1299, doi:10.1126/science.1239501 (2013).

- 313 Camellini, A. *et al.* Evidence of Plasmon Enhanced Charge Transfer in Large-Area Hybrid Au–
MoS₂ Metasurface. *Advanced Optical Materials* **8**, 2000653,
doi:<https://doi.org/10.1002/adom.202000653> (2020).
- 314 Wei, J., Xu, C., Dong, B., Qiu, C.-W. & Lee, C. Mid-infrared semimetal polarization detectors
with configurable polarity transition. *Nature Photonics* **15**, 614-621 (2021).
- 315 Fu, X., Yang, F., Liu, C., Wu, X. & Cui, T. J. Terahertz Beam Steering Technologies: From
Phased Arrays to Field-Programmable Metasurfaces. *Advanced Optical Materials* **8**, 1900628,
doi:<https://doi.org/10.1002/adom.201900628> (2020).
- 316 Wang, J. *et al.* Saturable plasmonic metasurfaces for laser mode locking. *Light: Science &
Applications* **9**, 50, doi:10.1038/s41377-020-0291-2 (2020).
- 317 Qin, J. *et al.* Metasurface Micro/Nano-Optical Sensors: Principles and Applications. *ACS Nano*
16, 11598-11618, doi:10.1021/acsnano.2c03310 (2022).
- 318 Khan, S. A. *et al.* Optical sensing by metamaterials and metasurfaces: from physics to
biomolecule detection. *Advanced Optical Materials* **10**, 2200500 (2022).
- 319 Tabassum, S., Nayemuzzaman, S., Kala, M., Kumar Mishra, A. & Mishra, S. K. Metasurfaces for
sensing applications: Gas, bio and chemical. *Sensors* **22**, 6896 (2022).
- 320 Löchner, F. J. F. *et al.* Hybrid Dielectric Metasurfaces for Enhancing Second-Harmonic
Generation in Chemical Vapor Deposition Grown MoS₂ Monolayers. *ACS Photonics* **8**, 218-227,
doi:10.1021/acsp Photonics.0c01375 (2021).
- 321 van de Groep, J. *et al.* Exciton resonance tuning of an atomically thin lens. *Nature Photonics* **14**,
426-430 (2020).
- 322 Cui, T., Bai, B. & Sun, H.-B. Tunable Metasurfaces Based on Active Materials. *Advanced
Functional Materials* **29**, 1806692, doi:<https://doi.org/10.1002/adfm.201806692> (2019).
- 323 Bao, Y., Wen, L., Chen, Q., Qiu, C.-W. & Li, B. Toward the capacity limit of 2D planar Jones
matrix with a single-layer metasurface. *Science Advances* **7**, eabh0365,
doi:10.1126/sciadv.abh0365 (2021).
- 324 Ni, P. *et al.* Gate-Tunable Emission of Exciton–Plasmon Polaritons in Hybrid MoS₂-Gap-Mode
Metasurfaces. *ACS Photonics* **6**, 1594-1601, doi:10.1021/acsp Photonics.9b00433 (2019).
- 325 Muhammad, N., Chen, Y., Qiu, C.-W. & Wang, G. P. Optical Bound States in Continuum in
MoS₂-Based Metasurface for Directional Light Emission. *Nano Letters* **21**, 967-972,
doi:10.1021/acs.nanolett.0c03818 (2021).
- 326 Liu, Z. *et al.* Largely Tunable Terahertz Circular Polarization Splitters Based on Patterned
Graphene Nanoantenna Arrays. *IEEE Photonics Journal* **11**, 1-11,
doi:10.1109/JPHOT.2019.2935752 (2019).
- 327 Novoselov, K. A roadmap for graphene. *Nature* **490**, 192–200 (2012).
- 328 Dai, C., Liu, Y. & Wei, D. Two-Dimensional Field-Effect Transistor Sensors: The Road toward
Commercialization. *Chemical Reviews* **122**, 10319-10392, doi:10.1021/acs.chemrev.1c00924
(2022).
- 329 Shim, J. *et al.* Controlled crack propagation for atomic precision handling of wafer-scale two-
dimensional materials. *Science* **362**, 665-670, doi:10.1126/science.aat8126 (2018).
- 330 Nguyen, V. L. *et al.* Wafer-scale integration of transition metal dichalcogenide field-effect
transistors using adhesion lithography. *Nature Electronics* **6**, 146-153, doi:10.1038/s41928-022-
00890-z (2023).
- 331 Zhou, J. *et al.* A library of atomically thin metal chalcogenides. *Nature* **556**, 355-359 (2018).
- 332 Tan, C., Chen, J., Wu, X.-J. & Zhang, H. Epitaxial growth of hybrid nanostructures. *Nature
Reviews Materials* **3**, 17089, doi:10.1038/natrevmats.2017.89 (2018).
- 333 Li, J. *et al.* Wafer-scale single-crystal monolayer graphene grown on sapphire substrate. *Nature
Materials* **21**, 740-747, doi:10.1038/s41563-021-01174-1 (2022).
- 334 Wang, S. *et al.* Two-dimensional devices and integration towards the silicon lines. *Nature
Materials*, 1-15 (2022).

- 335 Li, T. *et al.* Epitaxial growth of wafer-scale molybdenum disulfide semiconductor single crystals on sapphire. *Nature Nanotechnology* **16**, 1201-1207, doi:10.1038/s41565-021-00963-8 (2021).
- 336 Kang, K. *et al.* High-mobility three-atom-thick semiconducting films with wafer-scale homogeneity. *Nature* **520**, 656-660, doi:10.1038/nature14417 (2015).
- 337 Chen, T.-A. *et al.* Wafer-scale single-crystal hexagonal boron nitride monolayers on Cu (111). *Nature* **579**, 219-223, doi:10.1038/s41586-020-2009-2 (2020).
- 338 Kim, K. S. *et al.* Non-epitaxial single-crystal 2D material growth by geometrical confinement. *Nature* (2023).
- 339 Pan, Y. *et al.* Heteroepitaxy of semiconducting 2H-MoTe₂ thin films on arbitrary surfaces for large-scale heterogeneous integration. *Nature Synthesis* **1**, 701-708, doi:10.1038/s44160-022-00134-0 (2022).
- 340 Solís-Fernández, P., Bissett, M. & Ago, H. Synthesis, structure and applications of graphene-based 2D heterostructures. *Chemical Society Reviews* **46**, 4572-4613 (2017).
- 341 Hempel, M. *et al.* Repeated roll-to-roll transfer of two-dimensional materials by electrochemical delamination. *Nanoscale* **10**, 5522-5531 (2018).
- 342 Polsen, E. S., McNerny, D. Q., Viswanath, B., Pattinson, S. W. & John Hart, A. High-speed roll-to-roll manufacturing of graphene using a concentric tube CVD reactor. *Scientific Reports* **5**, 10257, doi:10.1038/srep10257 (2015).
- 343 Choi, S. H. *et al.* Large-scale synthesis of graphene and other 2D materials towards industrialization. *Nature Communications* **13**, 1484, doi:10.1038/s41467-022-29182-y (2022).
- 344 Masubuchi, S. *et al.* Autonomous robotic searching and assembly of two-dimensional crystals to build van der Waals superlattices. *Nature Communications* **9**, 1413, doi:10.1038/s41467-018-03723-w (2018).
- 345 Mannix, A. J. *et al.* Robotic four-dimensional pixel assembly of van der Waals solids. *Nature Nanotechnology* **17**, 361-366, doi:10.1038/s41565-021-01061-5 (2022).
- 346 Guo, Q. *et al.* Ultrathin quantum light source with van der Waals NbOC₁₂ crystal. *Nature* **613**, 53-59 (2023).
- 347 Zhang, D., Schoenherr, P., Sharma, P. & Seidel, J. Ferroelectric order in van der Waals layered materials. *Nature Reviews Materials*, 1-16 (2022).
- 348 Gong, C. *et al.* Discovery of intrinsic ferromagnetism in two-dimensional van der Waals crystals. *Nature* **546**, 265-269 (2017).
- 349 Bedoya-Pinto, A. *et al.* Intrinsic 2D-XY ferromagnetism in a van der Waals monolayer. *Science* **374**, 616-620, doi:10.1126/science.abd5146 (2021).
- 350 Huang, B. *et al.* Layer-dependent ferromagnetism in a van der Waals crystal down to the monolayer limit. *Nature* **546**, 270-273 (2017).
- 351 Kim, H. *et al.* Remote epitaxy. *Nature Reviews Methods Primers* **2**, 1-21 (2022).
- 352 Bae, S.-H. *et al.* Graphene-assisted spontaneous relaxation towards dislocation-free heteroepitaxy. *Nature Nanotechnology* **15**, 272-276 (2020).
- 353 Roh, I. *et al.* Applications of remote epitaxy and van der Waals epitaxy. *Nano Convergence* (2023).
- 354 Fu, L. *et al.* Van der Waals Epitaxial Growth of Atomic Layered HfS₂ Crystals for Ultrasensitive Near-Infrared Phototransistors. *Advanced Materials* **29**, 1700439, doi:<https://doi.org/10.1002/adma.201700439> (2017).
- 355 Jia, R. *et al.* Van der Waals epitaxy and remote epitaxy of LiNbO₃ thin films by pulsed laser deposition. *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films* **39**, 040405 (2021).
- 356 Ren, F. *et al.* Van der Waals epitaxy of nearly single-crystalline nitride films on amorphous graphene-glass wafer. *Science Advances* **7**, eabf5011 (2021).
- 357 Chu, Y.-H. Van der Waals oxide heteroepitaxy. *npj Quantum Materials* **2**, 1-5 (2017).
- 358 Kim, Y. *et al.* Remote epitaxy through graphene enables two-dimensional material-based layer transfer. *Nature* **544**, 340-343 (2017).

- 359 Rogers, J. A., Lagally, M. G. & Nuzzo, R. G. Synthesis, assembly and applications of
semiconductor nanomembranes. *Nature* **477**, 45-53, doi:10.1038/nature10381 (2011).
- 360 Xia, Z. *et al.* Single-crystalline germanium nanomembrane photodetectors on foreign
nanocavities. *Science Advances* **3**, e1602783 (2017).
- 361 Kim, K. S. *et al.* Atomic layer-by-layer etching of graphene directly grown on SrTiO₃ substrates
for high-yield remote epitaxy and lift-off. *APL Materials* **10**, 041105, doi:10.1063/5.0087890
(2022).
- 362 Ji, J., Park, S., Do, H. & Kum, H. S. A review on recent advances in fabricating freestanding
single-crystalline complex-oxide membranes and its applications. *Physica Scripta* **98**, 052002,
doi:10.1088/1402-4896/acccb4 (2023).
- 363 Sheng, X. *et al.* Transfer printing of fully formed thin-film microscale GaAs lasers on silicon with
a thermally conductive interface material. *Laser & Photonics Reviews* **9**, L17-L22 (2015).
- 364 Shaban, Z. *et al.* Transfer Printing of Roughened GaN-Based Light-Emitting Diodes into
Reflective Trenches for Visible Light Communication. *Advanced Photonics Research* **3**, 2100312,
doi:<https://doi.org/10.1002/adpr.202100312> (2022).
- 365 Carlson, A., Bowen, A. M., Huang, Y., Nuzzo, R. G. & Rogers, J. A. Transfer printing techniques
for materials assembly and micro/nanodevice fabrication. *Advanced Materials* **24**, 5284-5318
(2012).
- 366 Goyvaerts, J. *et al.* Transfer-print integration of GaAs pin photodiodes onto silicon nitride
waveguides for near-infrared applications. *Optics Express* **28**, 21275-21285 (2020).
- 367 Zhang, J. *et al.* Transfer-printing-based integration of a III-V-on-silicon distributed feedback laser.
Optics Express **26**, 8821-8830 (2018).
- 368 Katsumi, R. *et al.* Transfer-printing-based integration of silicon nitride grating structure on single-
crystal diamond toward sensitive magnetometers. *Applied Physics Letters* **121**, 161103,
doi:10.1063/5.0107854 (2022).
- 369 Kum, H. *et al.* Epitaxial growth and layer-transfer techniques for heterogeneous integration of
materials for electronic and photonic devices. *Nature Electronics* **2**, 439-450,
doi:10.1038/s41928-019-0314-2 (2019).
- 370 Shin, J. *et al.* Vertical full-colour micro-LEDs via 2D materials-based layer transfer. *Nature* **614**,
81-87 (2023).
- 371 Kim, Y. *et al.* Chip-less wireless electronic skins by remote epitaxial freestanding compound
semiconductors. *Science* **377**, 859-864 (2022).
- 372 Choi, C. *et al.* Reconfigurable heterogeneous integration using stackable chips with embedded
artificial intelligence. *Nature Electronics* **5**, 386-393 (2022).
- 373 Reshef, O., De Leon, I., Alam, M. Z. & Boyd, R. W. Nonlinear optical effects in epsilon-near-
zero media. *Nature Reviews Materials* **4**, 535-551, doi:10.1038/s41578-019-0120-5 (2019).
- 374 Hu, F. *et al.* Two-plasmon spontaneous emission from a nonlocal epsilon-near-zero material.
Communications Physics **4**, 84, doi:10.1038/s42005-021-00586-4 (2021).
- 375 Jia, W. *et al.* Broadband terahertz wave generation from an epsilon-near-zero material. *Light:
Science & Applications* **10**, 11, doi:10.1038/s41377-020-00452-y (2021).
- 376 Lu, T.-J. *et al.* Aluminum nitride integrated photonics platform for the ultraviolet to visible
spectrum. *Optics Express* **26**, 11147-11160, doi:10.1364/OE.26.011147 (2018).
- 377 Yoon, J. *et al.* GaAs photovoltaics and optoelectronics using releasable multilayer epitaxial
assemblies. *Nature* **465**, 329-333 (2010).
- 378 Kim, H. *et al.* Graphene nanopattern as a universal epitaxy platform for single-crystal membrane
production and defect reduction. *Nature Nanotechnology* **17**, 1054-1059, doi:10.1038/s41565-
022-01200-6 (2022).
- 379 Liu, S., Shah, D. S. & Kramer-Bottiglio, R. Highly stretchable multilayer electronic circuits using
biphase gallium-indium. *Nature Materials* **20**, 851-858 (2021).
- 380 Kum, H. S. *et al.* Heterogeneous integration of single-crystalline complex-oxide membranes.
Nature **578**, 75-81 (2020).

- 381 Han, S. *et al.* Freestanding Membranes for Unique Functionality in Electronics. *ACS Applied Electronic Materials*, doi:10.1021/acsaelm.2c01411 (2023).
- 382 Qiao, K. *et al.* Graphene buffer layer on SiC as a release layer for high-quality freestanding semiconductor membranes. *Nano Letters* **21**, 4013-4020 (2021).
- 383 Kim, J. *et al.* Principle of direct van der Waals epitaxy of single-crystalline films on epitaxial graphene. *Nature Communications* **5**, 4836, doi:10.1038/ncomms5836 (2014).
- 384 Kim, H. *et al.* Impact of 2D–3D Heterointerface on Remote Epitaxial Interaction through Graphene. *ACS Nano* **15**, 10587-10596, doi:10.1021/acsnano.1c03296 (2021).
- 385 Kim, H. *et al.* High-throughput manufacturing of epitaxial membranes from a single wafer by 2D materials-based layer transfer process. *Nature Nanotechnology*, doi:10.1038/s41565-023-01340-3 (2023).
- 386 Sun, Z., Martinez, A. & Wang, F. Optical modulators with 2D layered materials. *Nature Photonics* **10**, 227-238 (2016).
- 387 Shulaker, M. M. *et al.* Three-dimensional integration of nanotechnologies for computing and data storage on a single chip. *Nature* **547**, 74-78 (2017).
- 388 Peng, L.-M., Zhang, Z. & Qiu, C. Carbon nanotube digital electronics. *Nature Electronics* **2**, 499-505, doi:10.1038/s41928-019-0330-2 (2019).
- 389 Hills, G. *et al.* Modern microprocessor built from complementary carbon nanotube transistors. *Nature* **572**, 595-602, doi:10.1038/s41586-019-1493-8 (2019).
- 390 Liu, C. *et al.* Two-dimensional materials for next-generation computing technologies. *Nature Nanotechnology* **15**, 545-557, doi:10.1038/s41565-020-0724-3 (2020).