

# Social network modeling and applications, a tutorial

Lisette Espin-Noboa  
 espin@csh.ac.at  
 CSH & CEU

Tiago Peixoto  
 peixotot@ceu.edu  
 CEU

Fariba Karimi  
 karimi@csh.ac.at  
 CSH

## ABSTRACT

Social networks have been widely studied over the last century from multiple disciplines to understand societal issues such as inequality in employment rates, managerial performance, and epidemic spread. Today, these and many more issues can be studied at global scale thanks to the digital footprints that we generate when browsing the Web or using social media platforms. Unfortunately, scientists often struggle to access to such data primarily because it is proprietary, and even when it is shared with privacy guarantees, such data is either no representative or too big. In this tutorial, we will discuss recent advances and future directions in *network modeling*. In particular, we focus on how to exploit synthetic networks to study real-world problems such as data privacy, spreading dynamics, algorithmic bias, and ranking inequalities. We start by reviewing different types of generative models for social networks including node-attributed and scale-free networks. Then, we showcase how to perform a network selection analysis to characterize the mechanisms of edge formation of any given real-world network.

## CCS CONCEPTS

• **Computing methodologies** → **Network science**; • **Networks** → Network performance analysis; • **Mathematics of computing** → *Random graphs*.

## KEYWORDS

social network modeling, model selection, network inference

### ACM Reference Format:

Lisette Espin-Noboa, Tiago Peixoto, and Fariba Karimi. 2023. Social network modeling and applications, a tutorial. In *Proceedings of The Web Conference (TheWebConf '23)*. ACM, New York, NY, USA, 4 pages.

## 1 TARGET AUDIENCE

This tutorial is targeted to researchers who want to learn more about (i) random network generator models, (ii) deployment of synthetic networks with and without attributes and specific edge formation mechanisms, (iii) model selection given an empirical network, and (iv) how to exploit synthetic networks for sharing data with privacy guarantees, and to understand real-world issues including spreading dynamics, algorithmic bias, and ranking inequalities. Participants must have a basic knowledge of coding, preferable in Python.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

*TheWebConf '23, April 30 - May 04, 2023, Austin, TX*

© 2023 Association for Computing Machinery.

## 2 TUTORS

*Lisette Espin-Noboa*<sup>1</sup> is a PostDoc at Central European University (CEU) and at the Complexity Science Hub Vienna (CSH). Her research interests lie at the intersection between computational social science, network science, and AI for social good. She is particularly focused on understanding how edges form in social networks [11], and how these mechanisms of edge formation may affect machine learning algorithms [9, 13, 14], and human behavior [10, 12, 53].

*Tiago Peixoto*<sup>2</sup> is an Associate Professor in the Department of Network and Data Science at the Central European University (CEU). His research focuses on the development of methods to extract scientific understanding from network data, as well as the mathematical modeling of network behavior and evolution. He is particularly interested in problems of network inference, where meaningful structural and functional patterns are missing or cannot be obtained by direct inspection or low-order statistics, and require instead more sophisticated approaches based on large-scale generative models and efficient algorithms derived from them [44, 45, 57, 59]. Many of the methods developed in his work are made available as part of the graph-tool library [41], which is extensively documented.

*Fariba Karimi*<sup>3</sup> is an Assistant Professor at the Vienna University of Technology (TU Wien) and a group leader at the the Complexity Science Hub Vienna (CSH). Her research mainly focuses on computational and network approaches to address societal challenges such as gender disparities in collaboration and citation networks [20, 26], visibility of minorities in social and technical systems [14, 23, 39], algorithmic biases [9, 17, 38], and sampling hard-to-reach groups [13, 51]. Her research also touches upon the emergence of culture in Wikipedia [22, 47], spreading of information and norms [25], and perception biases [29] by using mathematical models, digital traces and online experiments.

## 3 TOPIC AND RELEVANCE

In this tutorial, we aim to cover two paradigms related to social network modeling and some applications.

- (1) From social theories to models (120')
  - (a) Social theories of edge formation
  - (b) Network properties and structure
  - (c) Network models
- (2) From data to models (120')
  - (a) Model fitting / inference
  - (b) Model selection
  - (c) Disentangling homophily and triadic closure
- (3) Applications (70')
  - (a) Biases in node sampling
  - (b) Inequalities in node ranking
- (4) Challenges and open questions (20')

<sup>1</sup><https://www.lisettespin.info>

<sup>2</sup><https://skewed.de>

<sup>3</sup><https://networkinequality.com/people/fariba-karimi>

### 3.1 Social theories of edge formation

Understanding how networks form is a key interest for “The Web Conference” community. For example, social scientists are frequently interested in studying relations between entities within social networks, e.g., how social friendship ties form between actors and explain them based on attributes such as a person’s gender, race, political affiliation or age in the network [48]. Similarly, the complex networks community suggests a set of generative network models aiming at explaining the formation of edges focusing on the two core principles of *popularity* and *similarity* [40]. Thus, a series of approaches to study edge formation have emerged including statistical tools [27, 49] and model-based approaches [24, 40, 50] specifically established in the physics and complex networks communities. Other disciplines such as the computer sciences, and political sciences use these tools to understand how co-authorship networks [33] or online communities [1] form or evolve.

In terms of similarity, many social networks demonstrate a property known as homophily, which is the tendency of individuals to associate with others who are similar to them, e.g., with respect to gender or ethnicity [34]. Alternatively, individuals may also prefer to close triangles by connecting to people whom they already share a friend with [18] which in turn can explain the emergence of communities [5], high connectivity [37], and induced homophily [3]. Furthermore, the class balance or distribution of individual attributes over the network is often uneven, with coexisting groups of different sizes, e.g., one ethnic group may dominate the other in size. Popularity, on the other hand, often refers to how well connected a node is in the network which in turn creates an advantage over poorly connected nodes. This is also known as the rich-get-richer or Matthew effect when new nodes attach preferentially to other nodes that are already well connected [4]. Many networks, including the World Wide Web, reflect such property by means of scale-free power-law degree distributions.

Here we will focus on the main mechanisms of edge formation namely homophily, triadic closure, node activity, and preferential attachment. Moreover, we will pay special attention to certain structural properties of networks such as class (im)balance, directed edges, and edge density.

### 3.2 Network models

In this section, we will review a set of well known network generator models. We will cover attributed graphs where nodes possess metadata information such as class membership, and edges are influenced by such information. The implementation of these models can be found in the `net.in` python package.

- (1) Attributed undirected graphs
  - (a) Preferential attachment (PA)
  - (b) Preferential attachment with homophily (PAH)
  - (c) Preferential attachment with homophily and triadic closure (PATCH)
- (2) Attributed directed graphs
  - (a) Preferential attachment (DPA)
  - (b) Homophily (DH)
  - (c) Preferential attachment with homophily (DPAH)

### 3.3 Model selection and validation

Identifying the model that best explains a given network remains an open challenge. First, we will show how to infer the hyper-parameters of each network model (e.g., homophily and triadic closure [44]) given a real-world network. Then, we will learn how to use and interpret different approaches including AIC [55], BIC [2], MDL [42], Bayes factors [19], and likelihood ratios [56], and highlight their strengths and limitations under specific tasks.

### 3.4 Applications

Here, we will demonstrate how to exploit network models to generate a wide range of synthetic networks to understand how certain algorithms are influenced by network structure and edge formation. The idea is to evaluate the outcomes of the following algorithms and see how they change while also changing the input network.

**3.4.1 Biases in node sampling.** A range of network properties such as degree and betweenness centrality have been found to be sensitive to the choice of sampling methods [30, 31, 52]. These efforts have shown that network estimates become more inaccurate with lower sample coverage, but there is a wide variability of these effects across different measures, network structures and sampling errors. In terms of benchmarking network sampling strategies, [7] shows that it is not enough to ask which method returns the most accurate sample (in terms of statistical properties); one also needs to consider API constraints and sampling budgets [9, 13].

**3.4.2 Inequalities in node rankings.** Previous studies have shown that homophily and group-size affect the visibility of minorities in centrality rankings [14, 15, 23]. In particular, such structural rankings may reduce, replicate and amplify the visibility of minorities in top ranks when majorities are homophilic, neutral and heterophilic, respectively. In other words, minorities are not always under-represented, they are just not well connected, and this can be shown by systematically varying the structure of synthetic networks [14]. Here, we will also touch upon interventions on how to improve the visibility of minorities in degree rankings [36].

**3.4.3 Biases in network inference.** In recent years, there has been an increase of research focusing on mitigating bias [28, 46] and guaranteeing individual and group fairness while preserving accuracy in classification algorithms [6, 8, 21, 58]. While all this body of research focuses on fairness influenced by the attributes of the individuals, recent research proposes a new notion of fairness that is able to capture the relational structure of individuals [16, 60]. An important aspect of *explaining discrimination* [35] via network structure is that we gain a better understanding of the direction of bias (i.e., why and when inference discriminates against certain groups of people) [9].

**3.4.4 Inequalities in spreading dynamics.** Spreading processes may include simple and complex contagion mechanisms, different transmission rates within and across groups, and different seeding conditions. Here, we will study information access equality to demonstrate to what extent network structure influences a spreading process which in turn may affect the equality and efficiency of information access [54].

### 3.5 Challenges and open questions

We will conclude by summarizing what we have learned, and by brainstorming future directions of what is still missing for producing realistic networks via synthetic data.

## 4 STYLE, DURATION, AND MATERIAL

This will be a 6-hour hybrid hands-on tutorial. We will provide ready to use jupyter notebooks with all necessary code, libraries, and settings. We will be using python=3.9 and libraries such as:

- (1) networkx=2.8.8
- (2) netin=1.0.7
- (3) graph-tool=2.45
- (4) matplotlib=3.6.0
- (5) numpy=1.23.4
- (6) pandas=1.5.1
- (7) jupyterlab=3.6

We will provide the slides of the tutorial beforehand, as well as code in the form of python scripts and notebooks. We will also use publicly available real-world networks [43]. **All materials can be found here,<sup>4</sup> and a video teaser of this tutorial here.<sup>5</sup>**

## 5 PREVIOUS EDITIONS

This is the first time the organizers together have conceptualized and planned this tutorial. However, it will not be the first time they organize and teach network science to a broad audience. *Tiago Peixoto* has an extensive record in organizing workshops<sup>6</sup>, and teaching at seminars and international schools on topics about data science, network science, and probabilistic and statistical methods for networks<sup>7</sup>. *Fariba Karimi* has given lectures and seminars on network science, theory, and dynamics to a broad audience including computer scientists and social scientists at the University of Koblenz-Landau and GESIS – The Leibniz Institute for the Social Sciences. *Lisette Espin-Noboa* co-organized and co-lectured in 2020 a 4-day virtual hands-on seminar for social scientists on how to do network analysis in Python [32]. Additionally, Karimi and Espin-Noboa, co-organized a virtual satellite event at Networks 2021 where they invited a diverse group of researchers to talk about their research on network structure and social phenomena<sup>8</sup>.

## 6 EQUIPMENT

We will require connection to the internet, a projector, and host permissions in Zoom for screen sharing, breakout rooms assignment, and remote access if necessary. Attendees may join the session online or in person using their own computers.

## 7 ORGANIZATION DETAILS

In case of unexpected events (e.g., restricted mobility, sickness, or bad internet connection) we will provide pre-recorded lectures of the entire tutorial. Moreover, all exercises will be given in advance as python scripts and Jupyter notebooks.

<sup>4</sup><https://bit.ly/snma2023>

<sup>5</sup><https://bit.ly/TutorialWWWTeaserENPK2023>

<sup>6</sup><https://sinm.network/>

<sup>7</sup><https://bayesforshs.sciencesconf.org/>

<sup>8</sup><https://bit.ly/NetStructure>

## REFERENCES

- [1] Lada A Adamic and Natalie Glance. 2005. The political blogosphere and the 2004 US election: divided they blog. In *Proceedings of the 3rd int. workshop on Link discovery*. ACM, 36–43.
- [2] Edo M Airoldi, David Blei, Stephen Fienberg, and Eric Xing. 2008. Mixed membership stochastic blockmodels. *Advances in neural information processing systems* 21 (2008).
- [3] Aili Asikainen, Gerardo Iñiguez, Javier Ureña-Carrión, Kimmo Kaski, and Mikko Kivela. 2020. Cumulative effects of triadic closure and homophily in social networks. *Science Advances* 6, 19 (2020), eaax7310.
- [4] Albert-László Barabási and Réka Albert. 1999. Emergence of scaling in random networks. *science* 286, 5439 (1999), 509–512.
- [5] Ginestra Bianconi, Richard K Darst, Jacopo Iacovacci, and Santo Fortunato. 2014. Triadic closure as a basic generating mechanism of communities in complex networks. *Physical Review E* 90, 4 (2014), 042806.
- [6] Reuben Binns. 2020. On the apparent conflict between individual and group fairness. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*. 514–524.
- [7] Michele Coscia and Luca Rossi. 2018. Benchmarking API costs of network sampling strategies. In *2018 IEEE international conference on big data (Big Data)*. IEEE, 663–672.
- [8] Cynthia Dwork, Nicole Immorlica, Adam Tauman Kalai, and Max Leiserson. 2018. Decoupled classifiers for group-fair and efficient machine learning. In *Conference on Fairness, Accountability and Transparency*. 119–133.
- [9] Lisette Espin-Noboa, Fariba Karimi, Bruno Ribeiro, Kristina Lerman, and Claudia Wagner. 2021. Explaining classification performance and bias via network structure and sampling technique. *Applied Network Science* 6, 1 (2021), 1–25.
- [10] Lisette Espin Noboa, Florian Lemmerich, Philipp Singer, and Markus Strohmaier. 2016. Discovering and characterizing mobility patterns in urban spaces: A study of manhattan taxi data. In *Proceedings of the 25th International Conference Companion on World Wide Web*. 537–542.
- [11] Lisette Espin-Noboa, Florian Lemmerich, Markus Strohmaier, and Philipp Singer. 2017. JANUS: A hypothesis-driven Bayesian approach for understanding edge formation in attributed multigraphs. *Applied Network Science* 2, 1 (2017), 1–20.
- [12] Lisette Espin-Noboa, Florian Lemmerich, Simon Walk, Markus Strohmaier, and Mark Musen. 2019. Hoprank: How semantic structure influences teleportation in pagerank (A case study on biportal). In *The World Wide Web Conference*. 2708–2714.
- [13] Lisette Espin-Noboa, Claudia Wagner, Fariba Karimi, and Kristina Lerman. 2018. Towards quantifying sampling bias in network inference. In *Companion Proceedings of the The Web Conference 2018*. 1277–1285.
- [14] Lisette Espin-Noboa, Claudia Wagner, Markus Strohmaier, and Fariba Karimi. 2022. Inequality and inequity in network-based ranking and recommendation algorithms. *Scientific reports* 12, 1 (2022), 1–14.
- [15] Francesco Fabbri, Francesco Bonchi, Ludovico Boratto, and Carlos Castillo. 2020. The Effect of Homophily on Disparate Visibility of Minorities in People Recommender Systems. In *Proceedings of the International AAAI Conference on Web and Social Media*, Vol. 14. 165–175.
- [16] Golnoosh Farnadi, Behrouz Babaki, and Lise Getoor. 2018. Fairness in relational domains. In *Proceedings of the 2018 AAAI/ACM Conference on AI, Ethics, and Society*. 108–114.
- [17] Antonio Ferrara, Lisette Espin-Noboa, Fariba Karimi, and Claudia Wagner. 2022. Link recommendations: Their impact on network structure and minorities. *arXiv preprint arXiv:2205.06048* (2022).
- [18] Mark S Granovetter. 1973. The strength of weak ties. *American journal of sociology* 78, 6 (1973), 1360–1380.
- [19] Jake M Hofman and Chris H Wiggins. 2008. Bayesian approach to network modularity. *Physical review letters* 100, 25 (2008), 258701.
- [20] Mohsen Jadidi, Fariba Karimi, Haiko Lietz, and Claudia Wagner. 2018. Gender disparities in science? Dropout, productivity, collaborations and success of male and female computer scientists. *Advances in Complex Systems* 21, 03n04 (2018), 1750011.
- [21] Nathan Kallus, Xiaojie Mao, and Angela Zhou. 2019. Assessing algorithmic fairness with unobserved protected class using data combination. *arXiv preprint arXiv:1906.00285* (2019).
- [22] Fariba Karimi, Ludvig Bohlin, Anna Samoilenko, Martin Rosvall, and Andrea Lancichinetti. 2015. Mapping bilateral information interests using the activity of Wikipedia editors. *Palgrave Communications* 1, 1 (2015), 1–7.
- [23] Fariba Karimi, Mathieu Géniois, Claudia Wagner, Philipp Singer, and Markus Strohmaier. 2018. Homophily influences ranking of minorities in social networks. *Scientific reports* 8, 1 (2018), 1–12.
- [24] Brian Karrer and Mark EJ Newman. 2011. Stochastic blockmodels and community structure in networks. *Physical Review E* 83, 1 (2011), 016107.
- [25] Julian Kohne, Natalie Gallagher, Zeynep Melis Kirgil, Rocco Paolillo, Lars Padmos, and Fariba Karimi. 2020. The role of network structure and initial group norm distributions in norm conflict. In *Computational Conflict Research*. Springer, Cham, 113–140.

- [26] Hyunsik Kong, Samuel Martin-Gutierrez, and Fariba Karimi. 2022. Influence of the first-mover advantage on the gender disparities in physics citations. *Communications Physics* 5, 1 (2022), 1–11.
- [27] David Krackhardt. 1988. Predicting with networks: Nonparametric multiple regression analysis of dyadic data. *Social networks* 10, 4 (1988), 359–381.
- [28] Emmanouil Krasanakis, Eleftherios Spyromitros-Xioufis, Symeon Papadopoulos, and Yiannis Kompatsiaris. 2018. Adaptive sensitive reweighting to mitigate bias in fairness-aware classification. In *Proceedings of the 2018 World Wide Web Conference*. 853–862.
- [29] Eun Lee, Fariba Karimi, Claudia Wagner, Hang-Hyun Jo, Markus Strohmaier, and Mirta Galesic. 2019. Homophily and minority-group size explain perception biases in social networks. *Nature human behaviour* 3, 10 (2019), 1078–1087.
- [30] Ju-Sung Lee and Jürgen Pfeffer. 2015. Estimating Centrality Statistics for Complete and Sampled Networks: Some Approaches and Complications. In *48th Hawaii International Conference on System Sciences, HICSS 2015, Kauai, Hawaii, USA, January 5-8, 2015*. 1686–1695. <https://doi.org/10.1109/HICSS.2015.203>
- [31] Jure Leskovec and Christos Faloutsos. 2006. Sampling from large graphs. In *Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 631–636.
- [32] Heiko Lietz, Olga Zagovora, and Lisette Espin-Noboa. 2020. Introduction to Social Network Science with Python. Accessed: 2022-11-10.
- [33] Travis Martin, Brian Ball, Brian Karrer, and MEJ Newman. 2013. Coauthorship and citation patterns in the Physical Review. *Physical Review E* 88, 1 (2013), 012814.
- [34] Miller McPherson, Lynn Smith-Lovin, and James M Cook. 2001. Birds of a Feather: Homophily in Social Networks. *Annual Review of Sociology* 27, 1 (2001), 415–444. <https://doi.org/10.1146/annurev.soc.27.1.415>
- [35] Ninareh Mehrabi, Fred Morstatter, Nripsuta Saxena, Kristina Lerman, and Aram Galstyan. 2019. A survey on bias and fairness in machine learning. *arXiv preprint arXiv:1908.09635* (2019).
- [36] Leonie Neuhäuser, Fariba Karimi, Jan Bachmann, Markus Strohmaier, and Michael T Schaub. 2022. Improving the visibility of minorities through network growth interventions. *arXiv preprint arXiv:2208.03263* (2022).
- [37] Mark EJ Newman. 2001. Clustering and preferential attachment in growing networks. *Physical review E* 64, 2 (2001), 025102.
- [38] Eirini Ntoutsis, Pavlos Fafalios, Ujwal Gadiraju, Vasileios Iosifidis, Wolfgang Nejdl, Maria-Esther Vidal, Salvatore Ruggieri, Franco Turini, Symeon Papadopoulos, Emmanouil Krasanakis, et al. 2020. Bias in data-driven artificial intelligence systems—An introductory survey. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery* 10, 3 (2020), e1356.
- [39] Marcos Oliveira, Fariba Karimi, Maria Zens, Johann Schaible, Mathieu Génois, and Markus Strohmaier. 2022. Group mixing drives inequality in face-to-face gatherings. *Communications Physics* 5, 1 (2022), 1–9.
- [40] Fragkiskos Papadopoulos, Maksim Kitsak, M Ángeles Serrano, Marián Boguná, and Dmitri Krioukov. 2012. Popularity versus similarity in growing networks. *Nature* 489, 7417 (2012), 537–540.
- [41] Tiago P. Peixoto. 2014. The graph-tool python library. *figshare* (2014). <https://doi.org/10.6084/m9.figshare.1164194>
- [42] Tiago P Peixoto. 2015. Model selection and hypothesis testing for large-scale network models with overlapping groups. *Physical Review X* 5, 1 (2015), 011033.
- [43] Tiago P. Peixoto. 2020. The Netzschleuder network catalogue and repository.
- [44] Tiago P Peixoto. 2022. Disentangling homophily, community structure, and triadic closure in networks. *Physical Review X* 12, 1 (2022), 011004.
- [45] Tiago P Peixoto and Alec Kirkley. 2022. Implicit models, latent compression, intrinsic biases, and cheap lunches in community detection. *arXiv preprint arXiv:2210.09186* (2022).
- [46] Manish Raghavan, Solon Barocas, Jon Kleinberg, and Karen Levy. 2020. Mitigating bias in algorithmic hiring: Evaluating claims and practices. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*. 469–481.
- [47] Anna Samoilenko, Fariba Karimi, Daniel Edler, Jérôme Kunegis, and Markus Strohmaier. 2016. Linguistic neighbourhoods: explaining cultural borders on Wikipedia through multilingual co-editing activity. *EPJ data science* 5 (2016), 1–20.
- [48] Samuel F Sampson. 1968. *A novice in a period of change: An experimental and case study of social relationships*. Cornell University.
- [49] Tom Snijders, Marinus Spreen, and Ronald Zwaagstra. 1995. The use of multilevel modeling for analysing personal networks: Networks of cocaine users in an urban area. *Journal of quantitative anthropology* 5, 2 (1995), 85–105.
- [50] Tom AB Snijders. 2011. Statistical models for social networks. *Review of Sociology* 37 (2011), 131–153.
- [51] Claudia Wagner, Philipp Singer, Fariba Karimi, Jürgen Pfeffer, and Markus Strohmaier. 2017. Sampling from social networks with attributes. In *Proceedings of the 26th international conference on world wide web*. 1181–1190.
- [52] Claudia Wagner, Philipp Singer, Fariba Karimi, Jürgen Pfeffer, and Markus Strohmaier. 2017. Sampling from Social Networks with Attributes. In *Proceedings of the 26th International Conference on World Wide Web (Perth, Australia) (WWW '17)*. International World Wide Web Conferences Steering Committee, Republic and Canton of Geneva, Switzerland, 1181–1190. <https://doi.org/10.1145/3038912.3052665>
- [53] Simon Walk, Lisette Espin-Noboa, Denis Helic, Markus Strohmaier, and Mark A Musen. 2017. How users explore ontologies on the Web: A study of NCBO’s BioPortal usage logs. In *Proceedings of the 26th International Conference on World Wide Web*. 775–784.
- [54] Xindi Wang, Onur Varol, and Tina Eliassi-Rad. 2022. Information access equality on generative models of complex networks. *Applied Network Science* 7, 1 (2022), 1–20.
- [55] Richard J Williams and Drew W Purves. 2011. The probabilistic niche model reveals substantial variation in the niche structure of empirical food webs. *Ecology* 92, 9 (2011), 1849–1857.
- [56] Xiaoran Yan, Cosma Shalizi, Jacob E Jensen, Florent Krzakala, Cristopher Moore, Lenka Zdeborová, Pan Zhang, and Yaojia Zhu. 2014. Model selection for degree-corrected block models. *Journal of Statistical Mechanics: Theory and Experiment* 2014, 5 (2014), P05007.
- [57] Jean-Gabriel Young, Giovanni Petri, and Tiago P Peixoto. 2021. Hypergraph reconstruction from network data. *Communications Physics* 4, 1 (2021), 1–11.
- [58] Muhammad Bilal Zafar, Isabel Valera, Manuel Gomez Rodriguez, and Krishna P Gummadi. 2017. Fairness beyond disparate treatment & disparate impact: Learning classification without disparate mistreatment. In *Proceedings of the 26th international conference on world wide web*. 1171–1180.
- [59] Lizhi Zhang and Tiago P Peixoto. 2020. Statistical inference of assortative community structures. *Physical Review Research* 2, 4 (2020), 043271.
- [60] Yue Zhang and Arti Ramesh. 2020. Learning Fairness-aware Relational Structures. *ECAI* (2020). arXiv preprint arXiv:2002.09471.