H-theorem do-conjecture

M. Süzen*

A pedagogical formulation of Loschmidt's paradox and H-theorem is presented with basic notation on occupancy on discrete states without invoking velocity collision operators. A conjecture, so called *H-theorem do-conjecture*, is formulated. Causal inference perspective on the dynamical evolution of classical many-particle system is invoked. This perspectice introduce a probabilistic view on the state of the system conditioning on the thermodyamic ensemble, i.e., function of state-variables representing the ensemble. A numerical simulation of random walkers for deterministic diffusion demonstrate the causal effect of interventional ensemble, showing a dynamical behaviour as a test of the proposed conjecture. Moreover, the chosen game like dynamics provides an accessible practical example, named *Ising-Conway Entropy Game*, in order to demonstrate increase in entropy over time, as a toy system of statistical physics.

I. INTRODUCTION

Philosophical foundations of statistical mechanics is rich in terms of both theoretical and practical underpinnings of correspondence between dynamics in small scales to collections in thermodynamic limit [1, 2]. In this direction, the most foundational argument that limits how physical processes evolve over time is the Boltzmann's entropy [3] within the context of the second law of theormodynamics.

A puzzling paradox is noted by Loschmidt-Zermelo on Boltzmann's H-Theorem [3–5] that H-function expressing velocity collisions in kinetic theory can't generate a timeirreversible macroscopic dynamics while foundational microscopic mechanics is time-reversible.

Development of statistical mechanics overlaps with statistical inference was initially noted by Jaynes [6–8] along with the probabilistic techniques on the trajectory evolution [9]. Recently, the connections of statistical physics and deep learning are discussed [10, 11]. Along these lines, statistical inference connections, recent mathematical tools introduced in doing causal inference [12] provides an opportunity to revisit the formulation of Htheorem via Gibbs's ensemble theory [13].

We restrict the discussion of H-function as Boltzmann's entropy with a toy pedagogical tool, so called dynamical evolution on discrete states [13–15]. This allows us to provide pedagogical definitions without loss of generality in invoking a *do-calculus* [12, 16] perspective addressing Loschmidt's paradox.

II. DIFFERENTIATING BOLTZMANN'S ENTROPY

The concept of entropy is quite diverse, initially introduced by Carnot-Clasius [17, 18] for operational efficiency of heat engines, thermodynamic entropy. However, Boltzmann's interpretation has connected the classical mechanics of many-particle system to thermodynamics, further refined by Gibbs [13]. Noticibly the distinction of Boltzmann's entropy against other type-of entropies exists. Such as information entropy of Shannon's [19], Bekenstein's interpretation of a surface-area of a black-hole [20] and von-Neumann's quantum mechanical entropy [21]. Here, we adhere to Boltzmann's definition on physical systems via so called *accessible micro-states* [14] with Shannon's information capacity formulation.

III. OCCUPANCY ON DISCRETE STATES: LATTICE

Lattice dynamics is one of the land mark tool in understanding classical multi-particle mechanics [15, 22] It is also used as a pedagogical tool in understanding statistical mechanics [14]. Counting accessible microstates of a physical system is associated with entropy.

Definition 1: An entropy of a macroscopic material is associated with larger number of states its constituent elements take different states, Ω . This is associated with S, Boltzmann's entropy as a measure of Shannon information content of the system.

Then entropy increase, and also associated H-function, can be expressed for a lattice dynamics,

Conjecture 1 Occupancy of N items on M discrete states, M > N, evolving with dynamical rules \mathscr{D} necessarily increases Ω , compare to the number of sampling if it were M = N + 1.

This conjecture implies a diffusion process where by collection of particles moves into direction of empty portion of the space, even rules govering in the dynamics, \mathscr{D} , is simple, given that it is physically plausable. Furthermore, such conjecture also implies a arrow-of-time, naturally a definition follows, [14].

Definition 2: Time's arrow is identified with change in entropy of material systems, that $\delta S \ge 0$.

In ideal setting the reversibility implies running dynamical rules backward would yield to an initial condition again, hence a paradox. We address this by introducing counterfactual interventions.

^{*} mehmet.suzen@physics.org



2



FIG. 1. Ising-Conway Entropy Game for M=10 sites with N=3 occupancy over time, for non-interventional dynamics.

IV. DO-CALCULUS INTERVENTIONAL ENSEMBLE

An analogy to do - calculus, a counterfactual dynamics on reversible dynamical evolution is induced by choosing a secondary ensemble. This secondary ensemble, so called an interventional ensemble is introduced. A causal effect of sampling this secondary ensemble on the same dynamical rules is stated.

Conjecture 2 (*H*-Theorem do-conjecture): Boltzmann's H-function provides a basis for entropy increase, it is associated with conditional probability of a system \mathscr{S} being in state X on ensemble \mathscr{E} . Hence, $P(X|\mathscr{E})$. Then, an irreversible evolution from time-reversal dynamics should use interventional notation, $P(X|do(\mathscr{E}))$. The information on how time reversal dynamics leads to time's arrow encoded on, how dynamics provides an interventional ensembles, $do(\mathscr{E})$. The difference between evolution of set size of $|\Omega|$ and $|do(\Omega)|, \Delta H$, measures a causal effect, hence, an irreversibility.

V. RANDOM WALKERS FOR DETERMINISTIC DIFFUSION

A system that mimics deterministic diffusion is introduced in demonstrating the conjectures. The system uses idea of occupancy on discrete states via simple dynamical rules on a one dimensional lattice. M sites, 1-dimensional representation having N occupancy, i.e., mimic a particle, We count Ω as k states with a count value of $|\Omega| = 2^k$: boundaries between two outermost occupied sites at a given time. This computation of Ω follows Conjecture 2. Mathematically, given configuration on M sites C(t)at time t, whereas each component would take a value $c_i(t) \in \{0, 1\}$. Hence, k can be computed over time,

$$k(t) = argmax\mathbb{I}[C(t)] - argmin\mathbb{I}[C(t)]$$

where \mathbb{I} return the indices of N 1s from M sites . We consider this value as a proxy to H-function as well as entropy. Initial condition is choosen to be fixed N sites occupy a corner portion of the lattice as a first step. This mimics increase in entropy, as diffusion progresses and Ω increases.

Following dynamic rules \mathscr{D} are applied for \mathscr{E} , mimicking single-spin-flip dynamics [23] and Conway's game of life [24], i.e. *Ising-Conway Entropy Game* : At each time step we move a single occupied site randomly or stays



FIG. 2. Evolution of \mathscr{E} and $do(\mathscr{E})$ and causal effect over time for 1000 sites with 100 occupiers.



FIG. 3. Evolution of \mathscr{E} and $do(\mathscr{E})$ and causal effect over time for 800 sites with 300 occupiers.

still, avoiding collision to neighbors akin to Pauli exclusion and site boundaries. We see a typical evolution of moves over time for 10 sites and 3 occupancy in Figure 1, particles diffusing from the corner to empty space. In the case of $do(\mathscr{E})$ we move two occupied sites simultaneously, i.e., *dual-spin-flip dynamics*, obeying the same dynamical rules.

Following Conjecture 2 we compute both size of $|\Omega|$ and $|do(\Omega)|, \Delta H$ for different M and N values, that are large enough against size-effects. The resulting deterministic diffusion, given sequence of random moves, shown in Figure 2, 3 and 4. We observe that proposed causal effect is non-zero during games dynamic phase that the occupying grids are evolving. Such behaviour implying timeasymmetry given a causal direction between base and interventional ensemble. Such as minor change in generating ensemble in dynamical rule gives a significant intervention, demonstrating Conjecture 2 numerically, establishing causal connection between single-spin-flip and dual-spin-flip dynamics.



FIG. 4. Evolution of \mathscr{E} and $do(\mathscr{E})$ and causal effect over time for 800 sites with 500 occupiers.

VI. CONCLUSIONS

Introducing an interventional ensemble resolves Loschmidt's objection, as ΔH is associated with condi-

- L. Sklar, *Physics and Chance: Philosophical Issues in the Foundations of Statistical Mechanics* (Cambridge University Press, 1993).
- [2] D. F. Styer, American Journal of Physics **72**, 25 (2004).
- [3] L. Boltzmann, The kinetic theory of gases. History of modern physical sciences 1, 262 (1872).
- [4] J. Loschmidt, II Abt. **75**, 287 (1877).
- [5] T.-Y. Wu, International Journal of Theoretical Physics 14, 289 (1975).
- [6] E. T. Jaynes, Physical Review 106, 620 (1957).
- [7] E. T. Jaynes, Physical Review 108, 171 (1957).
- [8] E. T. Jaynes, *Probability Theory: The Logic of Science* (Cambridge University Press, 2003).
- [9] M. Süzen, arXiv preprint arXiv:1804.09781.
- [10] M. Süzen, HAL preprint hal-03650339 (2022).
- [11] M. Süzen, HAL preprint hal-03464130 (2021).
- [12] J. Pearl, Causality (Cambridge University Press, 2009).
- [13] J. W. Gibbs, Elementary Principles in Statistical Mechanics (C. Scribner's Sons, 1902).

tional probabilities of a system being in a given state over-time: A counterfactual intervention that is even a single simple change induces assymmetric mechanistic histories in a deterministic fashion with a causal direction. In other words, a relaxation time of two sampling schemes with slow and faster convergence on the identical dynamical rules with a slight difference, dual vs. single flips, are genereted seperately. Practical implication of this finding for simulating classical multibody system lead to a requirement of introducing additional interventional ensemble sampling schemes that search for a causal effect between two physical ensembles in the simulation, in measuring physical properties obeying physical equation of motions, such as Boltzmann's Equation. This view is consistent with Molecular Chaos (Stosszahlansatz) establishing a causal direction in time from a reversible microscopic dynamics in a comparative setting as introduced here via *interventional ensembles*.

- [14] C. Kittel, Elementary Statistical Physics (Courier Corporation, 2004).
- [15] G. Hrabovsky and L. Susskind, *Classical Mechanics: The Theoretical Minimum* (Penguin UK, 2020).
- [16] J. Pearl, Biometrika 82, 669 (1995).
- [17] R. Clausius, The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science 40, 122 (1870).
- [18] H. B. Callen, Thermodynamics and an Introduction to Thermostatistics (John wiley & sons, 1991).
- [19] C. E. Shannon, Claude Elwood Shannon: Collected Papers (IEEE press, 1993).
- [20] J. D. Bekenstein, Physical Review D 9, 3292 (1974).
- [21] J. Von Neumann, Mathematical Foundations of Quantum Mechanics (Princeten University Press, 1955).
- [22] E. Ising, Zeitschrift für Physik **31**, 253 (1925).
- [23] M. Süzen, Physical Review E 90, 032141 (2014).
- [24] J. Conway, Scientific American (1970).

This figure "ising_conway_game.png" is available in "png" format from:

http://arxiv.org/ps/2310.01458v3

