### ANFIS and metaheuristics for green supply chain with inspection and rework

Nidhi Sharma<sup>1</sup>, Madhu Jain<sup>2</sup>, Dinesh Sharma<sup>3</sup> Indian Institute of Technology Roorkee<sup>1,2</sup>, Roorkee 247667 (India) University of Maryland Eastern Shore, USA<sup>3</sup> <u>n\_sharma@ma.iitr.ac.in<sup>1</sup></u>, <u>madhu.jain@ma.iitr.ac.in<sup>2</sup></u>, <u>dksharma@umes.edu<sup>3</sup></u>

## Abstract

The focus of present article is to investigate a supply chain inventory model of deteriorated items along with inspection and stock dependent demand using green technology to reduce carbon emissions. Products that are decaying have a high sensitivity to the environment in terms of temperature, carbon emission, humidity, waste disposal, etc. This study develops a profit maximization model in the presence of deterioration, preservation, imperfect production, inspection error, rework, stock and price-dependent demand. Three carbon emission strategies are proposed to reduce the expenses in different carbon emissions scenarios. The suggested approach may be used to determine the optimal production period, preservation investment, and level of green investment. The solution of the proposed non-linear constraint optimization is provided by using a penalty method in metaheuristic approaches. In order to conduct a sensitivity analysis for the essential model parameters, a numerical example is presented. The results produced by DE and PSO are compared with the results obtained by Adaptive Neuro-Fuzzy Inference System (ANFIS) technique.

Keywords: Green supply chain; Inspection errors; Deterioration; Variable demand; Carbon emission; Metaheuristics.

## 1. Introduction

The designing, planning, controlling, and overseeing supply chain (SC) operations used to generate net value, utilizing global logistics, synchronizing supply with demand, building a competitive infrastructure, and evaluating global performance is referred as supply chain management (SCM). The climatic and geopolitical uncertainty, energy shortages, the rising cost of living, unreliability, and lack of transparency etc., are the major problems faced by global SC businesses. Now-a-days, the companies are increasing their green initiatives to offset the effects of conventional operating procedures and carbon emissions as users so as to voluntarily associate themselves with brands that are more accountable for the sustainable development. As mentioned in Coady et al. (2015), an important new estimate by the International Monetary Fund (IMF) has been analysed that the fossil fuel sector benefits from worldwide subsidies of \$5.3 trillion a year, or \$10 million a minute every day. A green SC can limit the emission of greenhouse gases like Methane ( $CH_4$ ) and Carbon Dioxide ( $CO_2$ ) by directly lowering down the use of fossil fuels while minimizing their carbon footprint. One-third of all anthropogenic greenhouse gas (GHG) emissions come from the food systems. According to estimates from the Food and Agriculture Organization (FAO) of the United Nations, growing emissions by agricultural production reached 10.7 Gt  $CO_2$ e per year (FAO, 2019). According to Menegat et al. (2022), the SC for synthetic N fertilizer emitted 129.1 ± 171.1 (mean ± s.d) mega tonnes of  $CO_2$  in 2018. It is possible to significantly cut emissions by reducing the overall production and usage of synthetic fertilizers. We can promote organic fertilizers and food production systems by reducing  $CO_2$  emissions.

The deterioration is described as a loss in usefulness from the original condition due to decay, evaporation, loss of marginal value of the product, such as prescription drugs, dairy products, food items, fruits, vegetables, and electronics. The food business is concerned about food wastage during storage since it is a significant environmental issue which significantly affects SC profitability. Delivering faulty products to clients can lead a decline in reputation, or immensely high expenses. In order to preserve the quality and quantity of products, inventory items, components, and goods should be inspected regularly. Duffuaa and Khan (2005) presented an inspection plan for the quality control of the items that addressed various inspection errors (IE), performance measurements, and the financial impact of the various IE. It is observed that deterioration affects the shelf life of products, business profits, the environment, consumer satisfaction, and especially the cost of items; therefore, we must minimize this loss by using preservation technology (Das et al., 2020).

Soft computing techniques can be used for the grouping, membership, and categorization of many variables that occur in real-world situations. It differs from conventional computing methods because it accepts ambiguity, imperfection, and incomplete truth. The common soft computing approaches are evolutionary computing, artificial neural networks (ANN), fuzzy logic. Together, they can be utilized to address issues that are too complex or inherently noisy to be resolved by employing conventional mathematical techniques. The highly non-linear optimization problems can be easily solved using particle swarm optimization (PSO) and differential evolution (DE). Kennedy and Eberhart (1995) developed the PSO method by considering the behavior of particles in a swarm. The primary inspiration for PSO was the swarming behavior of birds. PSO uses progressively improved solutions based on particle mobility and their interactions to optimize complex problems. Unlike conventional optimization techniques, PSO does not need the objective function to be differentiable. The DE metaheuristic was first conceptualized by Storn and Price (1995) that can tackle the non-linear, multimodal, and non-differentiable optimization issues. Jain and Singh (2022) used genetic algorithm (GA) and DE algorithms with various mutation strategies to resolve the optimization problem of inventory control by considering the price-sensitive demand, inspection sensitive deterioration and partial advance payment. Some researchers have considered the optimization issues of inventory system by considering the price-sensitive demand and inspection-sensitive degradation, and partial advance payment. Jain et al. (2022) outlined some crucial supply chain domains where artificial intelligence (AI) can be used. Akhtar et al. (2023) evaluated the total profit using a unique hybrid approach based on DE and social group optimization methodologies. Lagaros et al. (2023) studied the use of specialized metaheuristic approaches that simplify the handling of performance and bound constraints of optimization

problems. To maximize profit for a degraded item, Khedlekar & Kumar (2024) used PSO and worked to determine when, how much, how long, and how much to convert from one type to another form. In multi-echelon distribution systems for perishable commodities under a restricted number of evaluations, Liu & Nishi (2024) suggested an evolutionary optimization technique.

Soft computing techniques like AI can be used for the revolutionizing logistics and SC management by anomaly detection, end-to-end visibility, intelligent decision-making, scheduling maintenance, enhanced customer service, streamlined inventory management, reducing manual work, demand forecasting, fraud prevention, delivery prediction, cost optimization, and dynamicreal time route optimization. A knowledge-based expert system called PILOT was created by Anagun (1997) to analyse an inventory model. In order to explain the uncertainty in demand and some expenses, we are using adaptive neuro-fuzzy inference systems (ANFIS) in this article. As a learning and predictive model for performance evaluation of time and price, the ANFIS model can be applied on training data in carbon taxation policy. Fuzzy parameters and artificial neural networks (ANN) via ANFIS bring the suggested model closer to a realistic approach and offer insightful information for the future digital SC architecture. Güneri et al. (2011) worked on an analytical method for supplier selection decision-making that was based on input selection using the ANFIS model. Sremac et al. (2018) concluded that the hybrid ANFIS is an important concept for strengthening the calculating economic order quantity (EOQ) of a logistic system. In order to effectively distribute products, Okwu et al. (2023) emphasized the necessity for a hybrid intelligent approach and implemented ANFIS in a double source multi-destination system.

The present study on the centralized two-tier green SC between a single producer and retailer is expected to explore the following key research questions:

- Regarding the combined profit and sustainability of the centralized two-tier SC, what is the effect of integrating degradation, preservation, and rework?
- How do type-I and type-II human-based inspection errors affect the overall profitability and efficiency of the SC?
- What is the relationship between the combined profit and environmental effect of the SC and the various carbon emission regulation schemes (carbon taxes, cap & trade, and restricted emission)?
- How does the retailer's goodwill impairment investment affect the total profitability of the SC, and what function does it play in preserving consumer satisfaction?
- What is the impact of incorporating modern techniques like ANFIS on improving the SC inventory model's practical applicability and optimization?

Rework, degradation, preservation, inspection errors, price and stock-dependent demand, carbon emissions, and green investment are all incorporated into a SC inventory model that integrates a single producer and store in order to investigate these research problems. Type-I and Type-II inspection errors that happen during the manufacturer's inventory cycle were also included in this

model. We considered the retailer's goodwill impairment investment in order to preserve customer satisfaction, and fully backlogged shortages are permitted at the retailer's level.

It is worth write to review the literature that addresses a few critical elements related to the SCM model developed in the present article. Firstly, we emphasize the notable contributions to green supply chains and present the literature about sustainability and green investment (GI). The articles that make it possible to gain insightful knowledge on preventing deterioration using preservation have been mentioned. We also review the contributions which involve the inspection to enhance the quality of SC. Furthermore, literature review is conducted on the price and stock-dependent variable demand. In the end, we mention some insightful works in the area of SC along with some research gap.

#### 1.1. Inventory models and green investment in SC

The GI play vital role in the reduction of emissions, operating costs, customer loyalty, boosting returns on used goods, and enhancing SC environmental performance. Hua et al. (2011) worked on carbon footprints management in SC management. Zhang & Xu (2013), Qin et al. (2015), Xia et al. (2018), Taleizadeh et al. (2021), Astanti et al. (2022), and many other researchers have worked on carbon taxation, cap and trade carbon emission (CE) and GI policies in SC inventory models. Huang et al. (2020) looked at a two-echelon SC with three CE policies related to restricted total CE, carbon taxes, and cap and trade. In a green production inventory model, Ruidas et al. (2022) evaluated the effects of combined investments in greening innovation and emission reduction technologies by considering a selling price dependent demand. Mala et al. (2022) and Marchi & Zanoni (2023) worked on carbon taxes, cap and trade, and emission limit regulations while considering sustainability, green investment, and logistics. Abbasi & Ahmadi Choukolaei (2023) focused on different approaches and models to examine the impact of carbon laws on green SC network design after reviewing the literature from 2010 to 2023. Jauhari et al. (2023) suggested a single vendor and single buyer model to calculate the frequency of shipments, review duration, safety factor, and GI in order to minimize the combined total cost and emissions in the SC. Pervin (2024) suggested a sustainable inventory approach for items to reduce carbon emissions.

### 1.2. SC inventory models and deterioration

Items that deteriorate over time and whose actual volume may change, such as gasoline, lubricants, radioactive materials, glues, and chemicals, cannot be stored for a long duration. Wee et al. (2005) used deteriorating rate as Weibull distribution with two parameters for an inventory model and two warehouse inventory models. In order to determine the optimal joint total cost in SC that included the supplier, manufacturer, and consumer, Rau et al. (2003) created a multi-echelon inventory model for a deteriorating item. In order to find a cost-effective approach with an integer number of deliveries and the optimum lot size for three different models, Sarkar (2013) employed probabilistic deterioration. Sarkar et al. (2016) worked on an inventory model by considering the deterioration rate inversely proportional to the reliability. Tiwari et al. (2018) created an inventory model with permissible shortages for deteriorating products under a two-level partial trade credit

policy. Under the context of SC integration, Shen et al. (2019) looked into a production inventory model for deteriorating goods under a carbon tax policy and joint preservation technology investment. Using consignment stock and vendor-managed inventory, Hemmati et al. (2023) created a multi-echelon model where demand of a deteriorated item is based on both stock and price. In order to characterize the structure of the optimal inventory policy, Ghasemzadeh & Pamucar (2023) addressed the management of deteriorating commodities of dairy industry in a three-echelon SC network with the help of finite-horizon semi-markov process and metaheuristics for optimization purpose. In order to decrease the environmental effect and increase SC profitability and efficiency, San-José et al. (2024) worked on a sustainable inventory model of deteriorating products that followed a power demand pattern.

# 1.3. SC inventory models and inspection errors

The seller inspects the items to ensure their quality prior to the delivery. The following models explain the different kind of errors caused by human negligence in inspection. Taheri-Tolgari et al. (2012) assumed that the first-stage inspector of product quality control might make some IE during the separation of faulty and perfect items, and following the rework process when there were no inspection faults. Pal & Mahapatra (2017) proposed a three-layer SC production inventory model under the assumption that the manufacturer produces both perfect and imperfect quality product. There may be possibility of IE by labelling non-defective items as defective or defectives as nondefectives. Cheikhrouhou et al. (2018) discussed an inventory model with two possible cases for the product returns. In the first scenario, defective lots were immediately removed from the system and sent back to the supplier from the retailer. In the other one, the retailer sent defective lots back to supplier when receiving the subsequent lot from the supplier. Manna et al. (2020) developed an imperfect production inventory model with selling price discount and warranty-dependent demand under the consideration of IE and time-related cost. Sepehri and Gholamian (2023) explained that shortages can affect a sustainable inventory system of imperfect quality goods when quality improvement and inspection processes are considered concurrently. Chandramohan et al. (2023) considered goods of varying quality, non-instantaneous deterioration, learning effects, and multiple credit periods, together with a carbon tax and retailer-end inspection to preserve consumer goodwill. Wang et al. (2024) investigated the effects of warranty charges and inspection errors on decisions about pricing and quality under several scenarios.

## 1.4. SC inventory models with price and stock-dependent demand

To reduce waste and prevent shortages caused by stock, pricing, time, and a variety of other factors, every business owner tries to forecast customer demand. Inventory management may be influenced by the price and stock-dependent demand. As prices rise, the demand may also change depending on how an item is useful. Some researchers (Urban 1992; Kevin Weng 1995; Bhunia & Maiti 1997; Mondal et al. 2003; Wu et al. 2006; Kilian & Park 2009; Chen et al. 2010 and Chang 2013) used price-dependent demand together with a number of other considerations that may have an impact on the business's profitability. Ghoreishi et al. (2015) worked on an economic ordering policy for

non-instantaneously degrading products with selling price and inflation-induced demand under the influence of payment delays, customer returns, and shortages. Mishra et al. (2017) designed an EOQ inventory model that considered two distinct demand rate functions dependent on stock and selling price. Das et al. (2020) created an inventory model for non-instantaneous depreciating goods, where the selling price influenced the demand. To address highly non-linear optimization issue, quantum-behaved PSO (QPSO) variations was utilized. Abdul Halim et al. (2021) suggested a production inventory model for perishable goods with non-linear pricing, linear stock-dependent market demand, and a strategy for overtime production. In order to incorporate the ecological initiatives, Shah et al. (2023) developed a perishable inventory model by considering stock, price and greening level dependent demand. With various warehouses and price- and stock-dependent demand, Rodríguez-Mazo & Ruiz-Benítez (2024) developed a deterministic replenishment model.

## 1.5. Research gap

The suggested study on green SCM is done by identifying the gaps after surveying the relevant literature. Inspection not only affects the product's quality, but also contributes to the future sales. Product inspection is essential for manufacturing sectors to produce perfect goods and for the retailers to maintain goodwill. The manufacturers and retailers generally look upon a balance between the quantity and price of a product with growing sales. To the author's best knowledge, no research has been conducted on a green SC inventory system that is connected to rework, deterioration, preservation all together. The carbon policies, and IEs in which demand is stock and price-dependent are to be involved. To highlight the noble features of proposed model, a comparison of different characteristics used in the literature and current research work is presented in Table 1.

The subsequent sections of the article are organized as follows. Section 2 provides a brief discussion of the model formulation along with requisite notations and assumptions. Section 3 presents the mathematical analysis used to frame the total profit function for the manufacturer and retailer. Section 4 is devoted to frame the profit function in three different CE scenarios. The working of metaheuristic optimization, ANFIS results and concavity are explained in Section 5 by using numerical simulations. Section 6 focuses on sensitivity testing of the input parameters. Managerial implications are covered in Section 7. The last Section 8, concludes the entire research output.

<b>Table 1.</b> A comparati	S. No Author(s)	1. Duffuaa & Khan, (2005)	2. Chaharsooghi et al. (2008)	<b>3.</b> Taheri-Tolgari et al. (2012)	<b>4.</b> Ghoreishi et al. (2015)	5. Sremac et al. (2018)	6. Shen et al. (2019)	7. Chandra Das et al. (2020)	<b>8.</b> Hemmati et al. (2021)	9. Ruidas et al. (2022)	10. Jauhari et al. (2023)	<b>11.</b> San-José et al. (2024)	12. This paper
ive analysis of t	Demand function	Constant	Constant	Constant	Price dependent	Constant	Constant	Price dependent	Price & stock dependent	Price & greenness level dependent	Stochastic	Power	Price & stock dependent
he pro	E	Yes	No	Yes	No	No	No	No	No	No	No	No	Yes
posed and pr	Deterioration	No	No	No	Yes	No	Yes	Yes	Yes	No	No	Yes	Yes
evious studies	Goodwill Impairment	No	No	No	No	No	No	No	No	No	No	No	Yes
	Environmental impact/ CE	No	No	No	No	No	Yes	No	No	Yes	Yes	Carbon tax	Carbon taxation, Cap & trade, and Limited
	Rework	Yes	No	Yes	No	No	No	No	No	Yes	No	No	Yes
	Meta- Heuristics	No	GA & RL	No	No	No	No	PSO, QPSO, AQPSO, GQPSO, WQPSO	Nelder-Mead Algorithm	QPSO	No	No	DE & PSO
	ANFIS	No	No	No	No	No	No	No	No	No	No	No	Yes

# 2. Model formulation

In this study, an integrated single manufacturer and retailer inventory model with fully backlogged shortages, isformulated. The present article incorporates many realistic features such as (i) inspection space, (ii) deterioration, (iii) preservation technology, (iv) stock and price dependent demand, (v) goodwill impairment, (vi) carbon emission, (vii) green technology, (viii) carbon tax, (ix) cap & trade and (x) CE under a limited capacity constraint.

# 2.1. Notations and assumptions

Following are some pertinent notations that have been used to formalize the proposed model:

# **Parameters:**

:	Rework time for the defectives produced at manufacturer's level (years)
:	Retailer's time in which shortages are fulfilled (years)
:	Time needed for the retailer to build inventory (years)
:	Complete cycle time of the retailer (years)
:	Production (effective production) rate of the manufacturer (units/year)
:	Rework rate at the manufacturer's level (units/year)
:	Effective production rate for defectives (units/year)
:	Probability of type- I (type- II) error in screening process at the manufacturer's level
:	Proportion of generated defective at the manufacturer level
:	Deterioration rate for the manufacturer (retailer)
:	Economic order quantities for the manufacturer (retailer) (units)
:	Demand rate for the retailer (units/year)
:	Production (rework) cost for the manufacturer (\$/unit)
:	Penalty costs for uninspected defective items (\$/unit)
:	Setup costs for production (rework) process (\$/setup)
:	Inspection cost for the manufacturer (\$/unit)
:	Holding cost for perfect (defective) items for the manufacturer (\$/unit/year)
:	Holding (shortages) cost for the retailer (\$/unit/year)
:	Deterioration cost for perfect (defective) items for the manufacturer (\$/unit)
:	Constant (price dependent) parameter for customer's demand
:	Selling price for the manufacturer (\$/unit)
:	Deterioration cost (\$/unit) and ordering cost (\$/order) for the retailer
:	Emission cost (EC) due to production (transportation) of the goods (\$/unit)
:	EC due to holding the perfect (defective) goods (\$/unit/year)
:	EC due to deterioration from the perfect (defective) goods (\$/unit)
:	EC due to holding (deterioration) of the retailer (\$/unit/year)
:	Travelled distance to supply the retailer's order at manufacturer's level (Kilometres)
:	Carbon tax per unit CE (\$/tonne)
:	Expected cost at which trade of carbon will be done (\$/tonne)
:	Maximum limits of CE in cap & trade (limited emission policies) (Tonne)

<i>S</i>	:	Shortage quantity at the retailer's level (Units)
$\kappa_1, (\kappa_2)$	:	Exponents of carbon reduction functions for carbon taxation (limited emissions) ( $\kappa_1$ , $\kappa_2 > 0$ )

## **Decision variables:**

$T_0$	:	Effective production time (years)
$\xi_1, \xi_2$	:	Preservation cost per unit item per unit time for the manufacturer and retailer (\$/year)
G	:	Green investment parameter (\$/year)
$W_r$	:	Selling price for the retailer (\$/unit)

## Abbreviation:

SC	:	Supply chain
SCM	:	Supply chain management
GSCM	:	Green supply chain management
CE	:	Carbon emission
GI	:	Green investment
GHG	:	Greenhouse gas
PSO	:	Particle swarm optimization
DE	:	Differential evolution
EC	:	Emission cost

# 2.2. Assumptions

To study a centralized two-tier green SC between a single manufacturer and retailer, the following assumptions are made:

- a) At manufacturer's level, there will be faulty products since it is assumed that the production process is imperfect. Rework procedure is used on defectives to reduce waste.
- b) The quality checker can make one of two sorts of mistakes during the examination. The likelihood that a non-faulty item will be discarded as defective, is called human-based type-I IE (β<sub>1</sub>). When a faulty item is declared as non-defective, this is known as human-based type-II IE (β<sub>2</sub>). These errors are occurring at the manufacturer's inventory cycle.
- c) The demand function  $(D_c)$  for the customer is dependent on the selling price  $(W_r)$  and instantaneous stock level (I(t)) which is given as follows:

$$D_c(W_r, I(t)) = \begin{cases} f(W_r) + \eta I(t), & I(t) > 0\\ f(W_r), & I(t) \le 0 \end{cases}$$
(1)

where  $\eta$  is stock dependent consumption parameter lying in (0,1] and  $f(W_r) = a - bW_r$ .

- d) At the retailer's level, some defectives may arrive due to IEs at the manufacturer's level.
- e) The retailer will invest  $f_r$ % of the total profit in goodwill impairment to maintain the customer satisfaction and goodwill in the market.
- f) Completely backlogged shortages are allowed at the retailer's level.
- **g)** In the SC system, preservation technology is utilized to reduce the impact of degradation at inventory level of both chain members. The preservation technology functions for the

manufacturer and retailer are  $m_1(\xi_1) = 1 - e^{-v_1\xi_1}$  and  $m_2(\xi_2) = 1 - e^{-v_2\xi_2}$  respectively, where  $v_1, v_2 > 0$ .

- h) CE is considered during the processes of manufacturing, storage, decay, and transportation.
- i) The three strategies viz., (i) emission tax reduction strategy, (ii) cap & trade strategy and (iii) restricted CE strategy have been employed to assess the environmental impacts.
- **j**) The manufacturer is paying ' $\omega$ ' fraction of GI and the remaining part is paid by the retailer in whole SC. When using green technology, CE for each player are reduced by  $\rho_m = \omega G l_1 l_2 (\omega G)^{\kappa_1}$  and  $\rho_r = (1 \omega)G l_1 l_2 ((1 \omega)G)^{\kappa_1}$ , where  $\rho_m$  and  $\rho_r$  stand for the manufacturer and the retailer and  $l_1$ ,  $l_2$  are the carbon reduction efficiency factor and offsetting carbon reduction factors, respectively.

#### 3. Profit analysis

The mathematical formulations for the profit function for the manufacturer and retailer are given as follows:

#### 3.1. The manufacturer's profit function

In centralized SC, a single product is produced at a finite production rate P by the producer after receiving the retailer's demand. The manufacturer produces both perfect and flawed goods at rates of  $(1 - f_d)P$  and  $f_dP$  respectively, throughout each production run. The screening procedure is carried out in accordance with the manufacturing cycle. Two types of errors  $\beta_1$  and  $\beta_2$  are arising in screening process. We can define the loss of perfect units and addition of imperfect units in lot due to type-I and type-II errors as  $(1 - f_d)P\beta_1$  and  $f_dP\beta_2$ , respectively. Thus, the effective production rate up to time  $T_0$  is given by

$$P_e = (1 - f_d)P + f_d P \beta_2 - (1 - f_d)P \beta_1$$
(2)

The manufacturer repairs the defectives at rate  $P_r$  from time  $T_0$  to  $T_1$ . In order to decrease degradation during the whole manufacturing cycle, we consider the preservation investment following the rate  $m_1(\xi_1) = 1 - e^{-\nu_1\xi_1}$  where  $\nu_1 > 0$ . The inventory level of the manufacturer is shown in Fig. 1.

The rate of deterioration for the manufacturer is given as  $\theta_m = \theta_1 (1 - m_1(\xi_1))$ .

In the manufacturer cycle, over the period  $[0, T_2]$ , the differential equations given below determine the inventory levels:

$$\frac{dI}{dt} = \begin{cases} (1 - f_d)P + f_d P \beta_2 - (1 - f_d)P \beta_1 - \theta_m I & ; \ 0 \le t \le T_0 \\ P_r - \theta_m I & ; \ T_0 \le t \le T_1 \\ -D_r - \theta_m I & ; \ T_1 \le t \le T_2 \end{cases}$$
(3)

with initial and boundary conditions I(0) = 0;  $I(T_1) = Q_m$  and  $I(T_2) = 0$ .

The solution of eq. (3) w.r.t. the initial and boundary conditions is given as follows:



Fig 1: Inventory flow of the manufacturer

$$I(t) = \begin{cases} \frac{P_e}{\theta_m} (1 - e^{-\theta_m t}) & ; \ 0 \le t \le T_0 \\ \frac{P_r}{\theta_m} + \left(Q_m - \frac{P_r}{\theta_m}\right) e^{\theta_m (T_1 - t)} & ; \ T_0 \le t \le T_1 \\ \frac{D_1}{\theta_m} \left(e^{\theta_m (T_1 - t)} - 1\right) & ; \ T_1 \le t \le T_2 \end{cases}$$
(4)

By continuity conditions at  $t = T_0$  and  $t = T_1$ , we get  $T_1$  and  $Q_m$  as given below:

$$T_{1} = T_{0} + \frac{1}{\theta_{m}} \left( \frac{P_{e}(1 - e^{-\theta_{m}T_{0}}) - P_{r}}{Q_{m}\theta_{m} - P_{r}} \right)$$
(5)  
$$Q_{m} = \frac{D_{r}}{\theta_{m}} \left( e^{\theta_{m}(T_{2} - T_{1})} - 1 \right)$$
(6)

Inventory level for defective items by using effective defective production rate  $(P_{de})$ , can be obtained by using following differential equations where  $P_{de} = (1 - f_d)P\beta_1 + f_dP - f_dP\beta_2$ .

$$\frac{dI_d}{dt} = \begin{cases} P_{de} - \theta_m I_d \\ P_r - \theta_m I_d \end{cases} ; 0 \le t \le T_0 \\ ; T_0 \le t \le T_1 \end{cases}$$
(7)

with initial and boundary conditions as  $I_d(0) = 0$ ;  $I_d(T_1) = 0$ . The solution of (7) by using initial and boundary conditions is given below:

$$I_d(t) = \begin{cases} \frac{P_{de}}{\theta_m} \left(1 - e^{-\theta_m t}\right) & ; \ 0 \le t \le T_0 \\ \frac{P_r}{\theta_m} \left(e^{\theta_m (T_1 - t)} - 1\right) & ; \ T_0 \le t \le T_1 \end{cases}$$
(8)

By continuity conditions at  $t = T_0$ , we get  $T_1$  by using eq. (8) as

$$T_{1} = T_{0} + \frac{1}{\theta_{m}} log \left( 1 + \frac{P_{de}(1 - e^{-\theta_{m}T_{0}})}{P_{r}} \right)$$
(9)

By using (5) and (9), we get

$$Q_m = \frac{P_r}{\theta_m} \left( 1 + \frac{P_e(1 - e^{-\theta_m T_0}) - P_r}{P_{de}(1 - e^{-\theta_m T_0}) + P_r} \right)$$
(10)

11

By using eq. (6), we get

$$T_2 = T_1 + \frac{1}{\theta_m} \log\left(1 + \frac{Q_m \theta_m}{D_r}\right) \tag{11}$$

Cost components associated with the manufacturer's SC activities are established as given below:

• Sales revenue:  $SR_m = W_m D_n (T_2 - T_1)$ (12. a)

$$R_m = W_m D_r (I_2 - I_1)$$
 (12. *a*)

• Production cost:

$$PC_m = C_p PT_0 \tag{12.b}$$

• Setup cost:

 $StC_m = C_{op} + C_{or} \tag{12.c}$ 

• Penalty cost:

$$PeC_m = C_g f_d P \beta_2 T_0 \tag{12.d}$$

• Rework cost:  $RC_m = C_r P_r (T_1 - T_0)$ 

$$RC_m = C_r P_r (T_1 - T_0)$$
(12.e)

- Preservation cost:  $PreC_m = \xi_1 T_2$
- Screening cost:

•

$$ScC_m = i_c PT_0 \tag{12.g}$$

• Holding cost for perfect items:  

$$HC_{m1} = h_p \int_0^{T_2} I(t) dt = h_p [\int_0^{T_0} I(t) dt + \int_{T_0}^{T_1} I(t) dt + \int_{T_1}^{T_2} I(t) dt]$$

$$= h_p \left\{ \frac{P_e}{\theta_m} \left( T_0 + \frac{1}{\theta_m} \left( e^{-\theta_m T_0} - 1 \right) \right) + \frac{P_r}{\theta_m} (T_1 - T_0) + \left( Q_m - \frac{P_r}{\theta_m} \right) \frac{\left( e^{\theta_m (T_1 - T_0)} - 1 \right)}{\theta_m} + \frac{D_r}{\theta_m} (T_1 - T_2) + \frac{D_r}{\theta_m^2} \left( e^{\theta_m (T_2 - T_1)} - 1 \right) \right\} (12.h)$$

• Holding cost for defective items:

$$\begin{aligned} HC_{m2} &= h_d \int_0^{T_1} I_d(t) dt = h_d \left[ \int_0^{T_0} I_d(t) dt + \int_{T_0}^{T_1} I_d(t) dt \right] \\ &= h_d \left\{ \frac{P_{de}}{P_e} \left( \frac{P_e}{\theta_m} \left( T_0 + \frac{1}{\theta_m} \left( e^{-\theta_m T_0} - 1 \right) \right) \right) + \frac{P_r}{\theta_m} (T_0 - T_1) + \frac{P_r}{\theta_m^2} \left( e^{\theta_m (T_1 - T_0)} - 1 \right) \right\} \end{aligned}$$
(12. *i*)

• Deterioration cost for perfect items:

$$DC_{m1} = d_{cp} \int_0^{T_2} \theta_1 I(t) dt = d_{cp} \theta_1 \left(\frac{HC_{m1}}{h_p}\right)$$
(12.*j*)

• Deterioration cost for defective items:

$$DC_{m2} = d_{cd} \int_0^{T_1} \theta_1 I_d(t) dt = d_{cd} \theta_1 \left(\frac{HC_{m2}}{h_d}\right)$$
(12. k)

The manufacturer's total profit without accounting for expenditures associated with CE is

(12.f)

$$\varphi_m = \frac{1}{T_2} [SR_m - (PC_m + StC_m + PeC_m + RC_m + PreC_m + ScC_m + HC_{m1} + HC_{m2} + DC_{m1} + DC_{m2})]$$
(13)

#### **CE** related cost components at the manufacturer level

When considering the CE from the processes of degradation, production, transportation and storage with GI, the quantity of CE for manufacturer is obtained as

• EC due to production:

$$e_{m1} = Q_m E_p \tag{14.a}$$

• EC due to holding perfect items:

$$e_{m2} = E_{h1} \left(\frac{HC_{m1}}{h_p}\right) \tag{14.b}$$

• EC due to holding defective items:

$$e_{m3} = E_{h2} \left(\frac{HC_{m2}}{h_d}\right) \tag{14.c}$$

• EC due to deteriorated perfect items:

$$e_{m4} = E_{d1} \left( \frac{DC_{m1}}{d_{cp}} \right) \tag{14.d}$$

• EC due to deteriorated defective items:

$$e_{m5} = E_{d2} \left( \frac{DC_{m2}}{d_{cd}} \right) \tag{14.e}$$

• EC due to transportation:  $e_{m6} = d_1 E_t D_r (T_2 - T_1)$ (14. f)

The total CE cost is

$$\begin{aligned} CarC_{m} &= Q_{m}E_{p} + E_{h1}\left\{\frac{P_{e}}{\theta_{m}}\left(T_{0} + \frac{1}{\theta_{m}}\left(e^{-\theta_{m}T_{0}} - 1\right)\right) + \frac{P_{r}}{\theta_{m}}(T_{1} - T_{0}) + \left(Q_{m} - \frac{P_{r}}{\theta_{m}}\right)\frac{\left(e^{\theta_{m}(T_{1} - T_{0}) - 1}\right)}{\theta_{m}} + \frac{D_{r}}{\theta_{m}}(T_{1} - T_{2}) + \frac{D_{r}}{\theta_{m}^{2}}\left(e^{\theta_{m}(T_{2} - T_{1})} - 1\right)\right\} + E_{h2}\left\{\frac{P_{de}}{P_{e}}\left(\frac{P_{e}}{\theta_{m}}\left(T_{0} + \frac{1}{\theta_{m}}\left(e^{-\theta_{m}T_{0}} - 1\right)\right)\right) + \frac{P_{r}}{\theta_{m}}(T_{0} - T_{1}) + \frac{P_{r}}{\theta_{m}^{2}}\left(e^{\theta_{m}(T_{1} - T_{0})} - 1\right)\right\} + E_{d1}\theta_{1}\left\{\frac{P_{e}}{\theta_{m}}\left(T_{0} + \frac{1}{\theta_{m}}\left(e^{-\theta_{m}T_{0}} - 1\right)\right) + \frac{P_{r}}{\theta_{m}}(T_{1} - T_{0}) + \left(Q_{m} - \frac{P_{r}}{\theta_{m}}\right)\frac{\left(e^{\theta_{m}(T_{1} - T_{0}) - 1}\right)}{\theta_{m}} + \frac{D_{r}}{\theta_{m}}(T_{1} - T_{2}) + \frac{D_{r}}{\theta_{m}^{2}}\left(e^{\theta_{m}(T_{2} - T_{1})} - 1\right)\right\} + E_{d2}\theta_{1}\left\{\frac{P_{de}}{P_{e}}\left(\frac{P_{e}}{\theta_{m}}\left(T_{0} + \frac{1}{\theta_{m}}\left(e^{-\theta_{m}T_{0}} - 1\right)\right)\right)\right\} + \frac{P_{r}}{\theta_{m}}(T_{0} - T_{1}) + \frac{P_{r}}{\theta_{m}^{2}}\left(e^{\theta_{m}(T_{1} - T_{0})} - 1\right)\right\} + d_{1}E_{t}D_{r}(T_{2} - T_{1}) \tag{15}$$

# 3.2. Formulation of the retailer's profit function

If the retailer has no item to meet the customer's demand by time  $T_1$ , it must deal with shortages and price-dependent demand after  $T_1$  as shown in Fig. 2. We assume that the shortages are fully backlogged. After time  $T_1$ , the retailer has inventory to fulfil the customer's demand. The retailer is fulfilling the demand of the customers at the rate  $D_r - D_c$  up to time  $T_{11}$  without deterioration. After time  $T_{11}$ , the retailer is building inventory of deteriorated items and satisfy the demand of customers up to time  $T_3$ . To maintain the degradation, the retailer is using preservation investment following the function  $m_2(\xi_2) = 1 - e^{-v_2\xi_2}$ , where  $v_2 > 0$ .



Fig 2: Inventory level of retailer

The rate of deterioration for the retailer is given by  $\theta_r = \theta_2(1 - m_2(\xi_2))$ . In the retailer's cycle, the customer's demand is price and stock dependent to preserve shortages from time  $T_{11}$  to  $T_3$ . The inventory levels by including the effect of shortages, demand and deterioration are governed by the following differential equations.

$$\frac{dI}{dt} = \begin{cases} f(W_r) & ; \ 0 \le t \le T_1 \\ D_r - D_c & ; \ T_1 \le t \le T_{11} \\ D_r - D_c - \theta_r I & ; \ T_{11} \le t \le T_2 \\ -D_c - \theta_r I & ; \ T_2 \le t \le T_3 \end{cases}$$
(16)

The initial and boundary conditions for each interval are given by

 $I(0) = 0; I(T_1) = s; I(T_{11}) = 0; I(T_2) = Q_r \text{ and } I(T_3) = 0$  (17)

We denote  $B_1 = \eta + \theta_r$  and  $B_2 = D_r - f(W_r)$ . Solving differential eqs. (16) along with the initial and boundary conditions (17), we get the solutions of equations as:

$$s = f(W_r) T_1 \tag{18}$$

$$I(t) = \begin{cases} \frac{B_2}{\eta} + \left(s - \frac{B_2}{\eta}\right) e^{\eta(T_1 - t)} & ; T_1 \le t \le T_{11} \\ \frac{B_2}{B_1} \left(1 - e^{B_1(T_{11} - t)}\right) & ; T_{11} \le t \le T_2 \\ \frac{f(W_r)}{B_1} \left(e^{B_1(T_3 - t)} - 1\right) & ; T_2 \le t \le T_3 \end{cases}$$
(19)

Using the conditions of  $I(T_{11}) = 0$  and  $I(T_2) = Q_r$ , we get

$$T_{11} = T_1 - \frac{1}{\eta} \log \left\{ \frac{B_2}{B_2 - s\eta} \right\}$$
(20)

$$Q_r = \frac{B_2}{B_1} \left( 1 - e^{B_1(T_{11} - T_2)} \right) \tag{21}$$

By continuity at  $T_2$ , we get

$$T_3 = T_2 + \frac{1}{B_1} \log \left\{ 1 + \frac{B_1 Q_r}{f(W_r)} \right\}$$
(22)

Sales revenue and cost components for the retailer are given below:

- Sales revenue:  $SR_{r} = P_{r} \int_{T_{1}}^{T_{3}} (f(W_{r}) + \eta I(t)) dt = P_{r} f(W_{r})(T_{3} - T_{1}) + P_{r} \eta \int_{T_{1}}^{T_{3}} I(t) dt$   $= P_{r} f(W_{r})(T_{3} - T_{1}) + P_{r} \eta \left[ \frac{B_{2}}{\eta} (T_{11} - T_{1}) + \frac{1}{\eta} \left( s - \frac{B_{2}}{\eta} \right) \left( 1 - e^{\eta (T_{1} - T_{11})} \right) + \frac{B_{2}}{B_{1}} \left( T_{2} - T_{11} + \frac{1}{B_{1}} \left( e^{B_{1}(T_{11} - T_{2})} - 1 \right) \right) + \frac{f(W_{r})}{B_{1}} \left( \frac{1}{B_{1}} \left( e^{B_{1}(T_{3} - t)} - 1 \right) - (T_{3} - T_{2}) \right]$ (23. a)
- Holding cost:

$$\begin{aligned} HC_r &= h_r \int_{T_{11}}^{T_3} I(t) dt = h_r \left[ \int_{T_{11}}^{T_2} I(t) dt + \int_{T_2}^{T_3} I(t) dt \right] \\ &= h_r \left[ \frac{B_2}{B_1} \left( T_2 - T_{11} + \frac{1}{B_1} \left( e^{B_1(T_{11} - T_2)} - 1 \right) \right) + \frac{f(W_r)}{B_1} \left( \frac{1}{B_1} \left( e^{B_1(T_3 - t)} - 1 \right) - (T_3 - T_2) \right) \right] \end{aligned}$$

$$(23. b)$$

• Deterioration cost:

$$DC_{r} = d_{cr} \int_{T_{11}}^{T_{3}} \theta_{2} I(t) dt = d_{cr} \theta_{2} \left(\frac{HC_{r}}{h_{r}}\right)$$
(23. c)

• Purchasing cost:

$$PC_r = W_m D_1 (T_2 - T_1)$$
(23. d)

• Ordering cost:

$$OC_r = O_r \tag{23.e}$$

• Preservation cost:

$$PreC_r = \xi_2 T_2 \tag{23.f}$$

• Shortage cost:

$$SC_r = \frac{1}{2}ST_1C_s$$
 (23.g)

The retailer's total profit without accounting for expenditures associated with CE and goodwill is

$$\varphi_{r^{\circ}} = \frac{1}{T_3} \left[ SR_r - (HC_r + DC_r + PC_r + OC_r + PreC_r + SC_r) \right]$$
(24)

The retailer will pay goodwill charges as a result of a manufacturer inspection error because the retailer is unaware of the flaws in the ordered products (Gu & Lev, 2011). After paying for goodwill impairment (Ye & Yu, 2024), the profit function for the retailer is

$$\varphi_r = (1 - f_r)\varphi_{r^\circ} \tag{25}$$

### CE costs at the retailer's level

When considering the CE from the processes of degradation and storage, the amount of CE for the retailer is evaluated using the following cost elements:

• EC cost due to holding perfect items:

$$e_{r1} = E_{hr} \left(\frac{HC_r}{h_r}\right) \tag{26. a}$$

• EC cost due to deteriorated perfect items:

$$e_{r2} = E_{dr} \left(\frac{DC_r}{d_{cr}}\right) \tag{26.b}$$

The total CE cost for the retailer is

$$CarC_{r} = (E_{hr} + E_{dr}\theta_{2}) \left[ \frac{B_{2}}{B_{1}} \left( T_{2} - T_{11} + \frac{1}{B_{1}} \left( e^{B_{1}(T_{11} - T_{2})} - 1 \right) \right) + \frac{f(W_{r})}{B_{1}} \left( \frac{1}{B_{1}} \left( e^{B_{1}(T_{3} - t)} - 1 \right) - (T_{3} - T_{2}) \right) \right]$$

$$(27)$$

#### 4. Policies for carbon emission and green technology in centralized SC

When governments wish to offer a clear financial incentive to cut emissions across all sectors, they can implement carbon taxes. They are frequently applied as a general economic policy. In industries where emissions are simpler to detect and track, cap & trade is frequently used. It works well for sectors of the economy where reducing emissions with flexibility is advantageous. Direct regulation that places a cap on emissions for certain industries or organizations are considered in limited emission. These regulations may be created to support one another. We have only worked at carbon taxing policy numerically in order to support the model validation and parameters' impact on the total profit of SC.

In the current model, emissions are measured using a reduction function  $\rho_m$  and  $\rho_r$  for the manufacturer and retailer, respectively. Both partners have invested in environmentally friendly resources. The resulting expenses for a carbon tax, cap & trade and limited CE (Ruidas et al., 2022) by using green investments are listed below.

#### (i) Carbon Taxation

Coal, oil, petrol, and natural gas are all carbon-rich fuels that release GHGs when burned. The resulting climatic disturbance results in extreme weather, including heat waves, flooding, and other effects. Carbon taxes can have more immediate positive effects on the environment while addressing climate change by lowering greenhouse emissions.

We consider the carbon tax ( $C_{Tax}$ ) for unit CE in our current model. Both the producer and retailer make investments in green technology to reduce CE and consequently, lowering the cost of paying the  $C_{Tax}$ . The manufacturing, shipping, storage, degradation, overall cost of paying the  $C_{Tax}$ , and expense of GI make up the expenses of the current green SC inventory model. The overall profit and expenses for the manufacturer and retailer are as follows:

$$\varphi_m^{Tax} = \frac{1}{T_2} [SR_m - (PC_m + StC_m + PeC_m + RC_m + PreC_m + ScC_m + HC_{m1} + HC_{m2} + DC_{m1} + DC_{m2} + C_{Tax}(e_{m1} + e_{m2} + e_{m3} + e_{m4} + e_{m5} + e_{m6} - \rho_m) + \omega GT_2)]$$
(28)

$$\varphi_{T^{\circ}}^{Tax} = \frac{1}{T_3} \left[ SR_r - (HC_r + DC_r + PC_r + OC_r + PreC_r + SC_r + C_{Tax}(e_{r1} + e_{r2} - \rho_r) + (1 - \omega)G(T_3 - T_{11})) \right]$$
(29)

$$\varphi_r^{Tax} = (1 - f_r)\varphi_{r^\circ}^{Tax} \tag{30}$$

The joint profit in centralized SC is given by  

$$\varphi_T^{Tax}(T_0, \xi_1, \xi_2, G, W_r) = \varphi_m^{Tax} + \varphi_r^{Tax}$$
(31)

and  $T_0, \xi_1, \xi_2, G, W_r > 0$ .

### (ii) Cap & Trade

The entire quantity of GHG emissions that can be discharged by factories, power plants and other industrial infrastructures is referred to as the cap or limit. Businesses who increase their emissions over the cap pay taxes. Under a cap & trade programme, companies with low CE can exchange extra emission credits they have with other companies that produce more emissions than they are allowed for it.

The combined CE of the manufacturer and retailer are governed by the cap & trade policy under this approach. In order to comply with the constraints of restricted CE, the firm must spend in costs or acquire permits from others if CE exceed the upper limit  $U_1$ . Let  $C_{C&T}$  be the cost of buying or selling as well as the price of carbon trading. Furthermore, we assume that there is a sufficient supply of CE permits available for the purchase. The overall cost when taking the cap & trade scenario into account includes the costs of retailer's inventory holding, degradation and the amount invested in green technology. The following equations summarize the entire revenue and expenses incurred by the manufacturer and retailer:

$$\varphi_m^{C\&T} = \frac{1}{T_2} [SR_m - (PC_m + StC_m + PeC_m + RC_m + PreC_m + ScC_m + HC_{m1} + HC_{m2} + DC_{m1} + DC_{m2} + C_{C\&T}(e_{m1} + e_{m2} + e_{m3} + e_{m4} + e_{m5} + e_{m6} - \rho_m - U_1) + \omega GT_2)]$$
(32)

$$\varphi_{r^{\circ}}^{C\&T} = \frac{1}{T_3} \left[ SR_r - \left( HC_r + DC_r + PC_r + OC_r + PreC_r + SC_r + C_{C\&T}(e_{r1} + e_{r2} - \rho_r - U_1) + (1 - \omega)G(T_3 - T_{11}) \right) \right]$$
(33)

$$\varphi_r^{C\&T} = (1 - f_r)\varphi_{r^\circ}^{C\&T} \tag{34}$$

The joint profit in centralized SC is given by

$$\varphi_T^{C\&T}(T_0,\xi_1,\xi_2,G,W_r) = \varphi_m^{C\&T} + \varphi_r^{C\&T}$$
and  $T_0,\xi_1,\xi_2,G,W_r > 0.$ 
(35)

#### (iii) Limited CE

The producer and retailer must modify their business practices to comply with the restricted CE when considering the limited CE policy into account with upper limit  $U_2$ . Both parties can invest in green technology to minimize CE. The existing green SC inventory model has expenses for manufacturing, transportation, storage, deterioration, and GI costs. The total amount of CE can be obtained by adding up all the costs associated with CE, the cost and then comparing the result to the upper limit of CE.

The constrained optimization problem for proposed model in the case of limited CE is formulated as follows:

Maximize 
$$\varphi_T(T_0, \xi_1, \xi_2, G, W_r) - G$$
 (36)

subject to  $e_{m1} + e_{m2} + e_{m3} + e_{m4} + e_{m5} + e_{m6} + e_{m7} + e_{m8} - \rho_G \le U_2$  (37) and  $T_0, \xi_1, \xi_2, G, W_r \ge 0$ .

Here,  $\varphi_T = \varphi_m + \varphi_r$ . The profit functions for the manufacturer ( $\varphi_m$ ) and retailer ( $\varphi_r$ ) are given in eqs. (13) and (25), respectively.

Also,  $\rho_G = Gl_3 - l_4(G)^{\kappa_2}$  where  $l_3$ ,  $l_4$  are the efficiency and offsetting carbon reduction parameters, respectively.

Various nonlinear terms are included in the profit functions  $\varphi_m$  and  $\varphi_r$ . It is difficult to use conventional analytical techniques, which frequently rely on concavity assumptions, on nonlinear and non-concave functions. The optimization problems contain a number of decision variables as well as intricate constraints, such as equality and inequality constraints. It can be difficult to find an analytical solution for these optimization problems in all three policies, viz., the carbon tax, cap and trade, and limited emission. In our model, we are concerned with a constrained optimization model which is difficult to solve by using analytic approaches. The formulized optimization issues have been solved using metaheuristic techniques.

#### 5. Numerical simulation

The purpose of numerical simulation is to explore the impact of various CE legislations on the overall profit subject to constraints related to production time, green investments, selling prices and preservation costs using a numerical example in the centralized SC. Metaheuristic algorithms,

viz., DE and PSO are used to generate the numerical results so as to validate the suggested model. Table 2 contains the values of default parameters for the computational purpose which we have taken by the literature.

Р	$P_r$	$d_1$	$W_m$	$\kappa_1$	κ <sub>2</sub>	$f_r$	$f_d$	$\beta_1$	$\beta_2$
7500	2500	25	80	1.45	0.8	0.01	0.05	0.04	0.06
<i>U</i> <sub>1</sub>	$U_2$	Cs	$C_p$	$C_g$	$C_r$	C <sub>dr</sub>	$h_p$	$h_d$	$h_r$
30	120	2	15	4	5	0.05	5	3	2.1
$\theta_1$	$\theta_2$	$E_p$	$E_t$	$E_{h1}$	$E_{h2}$	$E_{h3}$	$E_{\theta_1}$	$E_{\theta_2}$	$E_{\theta_3}$
0.15	0.1	0.15	0.11	0.12	0.1	0.14	0.13	0.15	0.12
$D_r$	η	02	i <sub>c</sub>	( <i>a</i> , <i>b</i> )	$(l_1, l_2)$	$(l_3, l_4)$	ω	$d_{cp}$	$d_{cd}$
400	1.6	130	4	(30, 0.1)	(15, 3)	(100, 2.8)	0.6	1.2	1.5

 Table 2: Values of default parameters

### 5.1. Optimization via metaheuristic approaches

Metaheuristic is a search technique designed to find an appropriate response to an optimization problem that is difficult and time-consuming to solve. In the present study, DE and PSO metaheuristics are employed to maximize the non-linear profit function.

For three CE plans, both DE and PSO methods are used to compute the optimal values of the decision variables  $(T_0, \xi_1, \xi_2, G, W_r)$  and the accompanying optimal profit. To handle constraints in our highly non-linear optimization model, we use penalty method for constraint handling is used along with metaheuristics (Lagaros et al., 2023).

## 5.1.1. Differential evolution (DE)

DE consists three major processes mutation, crossover, and selection. For *mutation*, we initially select three different vectors  $x_a, x_b$  and  $x_c$  randomly and then create a donor vector  $v_i^t$  using the following different mutation strategies after taking a differential weight  $F \in [0,2]$  as a parameter and  $R \in (0,1)$  as a random number (Jain & Singh, 2024). We shall use two mutation schemes viz., DE-1 and DE-2 in our current model to implement DE as follows:

DE/rand-to-best/1 or DE-1:  $v_i^{t+1} = x_i^t + R(x_{best}^t - x_i^t) + F(x_a^t - x_b^t)$ DE/Current-to-rand/1 or DE-2:  $v_i^{t+1} = x_i^t + R(x_a^t - x_i^t) + F(x_b^t - x_c^t)$ 

*Crossovers* are conducted via the binomial technique on each of the decision variables controlled by crossover probability  $P_c = 0.8$ .

In DE, the trial vectors produced from the crossover operation are selected as members of the current generation based on their fitness. To get the target population of individuals (best suited), the three fundamental activities mutation, crossover and selection, are carried out in each generation. We have run numerical experiments to choose suitable values of crossover probability and scale factor within an appropriate range. The input parameter values for DE are as follows:

**DE:** Scale factor (F)=0.6, *PopSize=50*, *MaxItr=100*.

### 5.1.2. Particle swarm optimization (PSO)

In PSO, each particle follows a piecewise route that may be represented as a positional vector. Consider *N* particles; the location of particle *i* at iteration *t* is  $X_i^t$ . For each particle, in addition to the position, we also have a velocity  $V_i^t$ . The location and velocity of each particle are modified in the next iteration as (Jain et al. 2022)

$$\begin{aligned} X_i^{t+1} &= X_i^t + V_i^{t+1} \\ V_i^{t+1} &= m_o V_i^t + c_1 r_1 (Pbest_i - X_i^t) + c_2 r_2 (Gbest - X_i^t) \\ \text{Here, } r_1, r_2 &\in (0,1); \ m_o \text{ is inertia weight; } c_1, c_2 \text{ are acceleration coefficients; } Pbest \text{ is the best} \end{aligned}$$
(38)

position found by any particle *i* and *Gbest* is the best position among all the particles in swarm. To implement PSO, we set  $c_1 = 2$ ,  $c_2 = 2$ , *PopSize*=50, *MaxItr*=300 as input parameters in our model.

Table 3 summarizes the maximum profit, average, and standard deviation for DE and PSO metaheuristics for the three carbon policies. The comparison of metaheuristic techniques DE-1, DE-2 and PSO based on statistical indices has also done to select the most suitable metaheuristic of our profit maximization problem. The convergence graphs of the suggested metaheuristic techniques are shown in Fig. 3.



Fig. 3: Convergence graphs for DE-1, DE-2 and PSO in case of (*i*) Carbon tax policy, (*ii*) Cap & trade policy

The observations related to findings by the metaheuristics are as follows:

- In Table 4, we optimize the fitness function in case of three CE reduction policies. By tabulated values, we can decide which of the three algorithms are the best.
- The optimal profit, average value, and standard deviation of each technique are obtained. It is noticed that the PSO outperforms in comparison to DE-1 and DE-2 approaches.
- The convergence graphs are shown in Fig. 3 for the three metaheuristic techniques. It seems that the PSO converges more quickly than the DE-1 and DE-2 approaches.

Carbon emission polici	es →	Carbon Tax	Cap & Trade	Limited Emission	
DE-1 (DF/Pand to best/1)	Max joint profit Mean ( <del>X</del> )	66795.16 66418.76	66803.57 66800.96	23820.49 22380.35	
(DE/Rand-to-best 1)	<b>SD</b> ( <b>σ</b> )	300.60	4.40	642.74	
DE-2 (DE/Current-to-rand /1)	Max joint profit Mean (X̄) SD (σ)	66786.45 66042.29 448.86	66801.17 66764.79 24.48	22048.12 10464.98 21064.30	
PSO	Max joint profit Mean ( <del>X</del> ) SD (σ)	66795.32 66795.32 $3.30 \times 10^{-10}$	66803.71 66803.71	29052.55 28996.31 0.56	

Table 3: Comparative analysis of metaheuristics based on SD

Table 4: Performance of metaheuristics for optimal policies

			<b>Profit value</b>				
Policies	Algorithms	<i>T</i> <sup>*</sup> <sub>0</sub>	$oldsymbol{\xi}_1^*$	$oldsymbol{\xi}_2^*$	$W_r^*$	<b>G</b> *	$(\boldsymbol{\varphi}_T^*)$
Carbon	DE-1	0.6623	167.8949	95.7032	292.26	8.7962	66795.16
	DE-2	0.6511	183.8457	93.5531	292.03	2.5875	66786.45
laxation	PSO	0.6626	167.8648	93.6745	292.28	7.7568	66795.32
Con b	DE-1	0.6621	167.2385	91.6493	292.27	7.1705	66803.57
Cap &	DE-2	0.6644	163.5539	97.9678	292.13	2.4581	66801.17
Irade	PSO	0.6624	167.8509	93.6717	292.27	7.7617	66803.71
	DE-1	0.0054	0	0.0654	166.9600	0.01	23820.49
Limited	DE-2	0.0054	6.2052	2	110	0.01	22048.12
Emission	PSO	0.0138	48.8437	47.6889	256.48	1.9693	29052.55

## 5.2. Profit function

The profit function of carbon tax policy model is concave w.r.t. the decision parameters for the carbon taxing strategy, as shown in Figs. 4(i-v). The profit function is non-linear with regards to the decision parameters, viz.,  $T_0$ ,  $\xi_1$ ,  $\xi_2$ , G and  $W_r$ . At a time, the two parameters are changed simultaneously to show the profit function's nature via surface plot. It is seen that metaheuristic optimization technique provides maximum profit as supported by the concave characteristics of profit function.



**Fig. 4:** Variation of joint profit function w.r.t. carbon taxation policy with (*i*)  $T_0$  and  $\xi_1$  (*ii*)  $T_0$  and  $\xi_2$  (*iii*)  $\xi_1$  and  $\xi_2$  (*iv*)  $\xi_1$  and  $W_r$  (*v*)  $\xi_2$  and  $W_r$ 

## 5.3. ANFIS results

To compare with findings from the metaheuristic PSO, the computational results using the ANFIS approach have been achieved. Using the neuro-fuzzy tool in MATLAB (R2023b) software, the ANFIS technique is now used to compute the results. The least square and backpropagation gradient descent methods are used to train the ANFIS training data set. The architecture of proposed model, including the number of nodes in each layer of the neural network, is elaborated in Table 5.

By adopting the linguistic values as very low, low, medium, high and very high of the respective input parameters, the membership function of each variable is shown in Fig. 5(i-ii). Fig. 6(i-vi) shows that ANFIS is given the approximately similar results by using training w.r.t. time and selling price. The demand function is price and stock dependent in our model.



**Fig. 5:** Membership functions of input variables (i) Time  $(T_0)$  and (ii) Price  $(W_r)$ 

ANELS Characteristics	Input Par	ameters	
	T <sub>0</sub>	W <sub>r</sub>	
Туре	Sugeno	Sugeno	
No. of nodes	24	24	
Number of linear and nonlinear parameters	10, 20	10, 20	
Number of training data pairs	61	101	
Number of fuzzy rules	5	5	
AND method	Prod	Prod	
OR method	Max	Max	
Agg method	Sum	Sum	
Defuzz method	wtaver	wtaver	

Table 5: ANFIS	characteristics	and Input	parameters
----------------	-----------------	-----------	------------



**Fig. 6**(*iii*): Effect on  $\varphi_T^{Tax}$  of  $T_0$  by varying *G* value



**Fig. 6**( $\nu i$ ): Effect on  $\varphi_T^{Tax}$  of  $W_r$  by varying  $C_{Tax}$  value

## 6. Sensitivity analysis

We are interested to investigate the behaviour of the suggested model by examining the impacts of changes in specific parameters on the outcomes of the numerical simulations. The carbon emission parameters, cost parameters, production, depreciation, rework, holding parameters and many others are being assessed. The numerical results summarized in Tables 6-8 for carbon taxation policy only to demonstrate the sensitivity facilitate the following observations. There are three carbon emission strategies, each influenced by various parameters that directly impact a firm's joint profit. Here, we focus on examining how these parameters and their characteristics affect overall profit, individual profits of supply chain members, and green investments aimed at reducing emissions by considering carbon taxation policy.

# (I) Table 6

- A decrement in selling price  $(W_m)$  of the manufacturer negatively affects the joint profit function. An increment in  $W_m$  shows enhancement in overall profit as well as the manufacturer profit.
- The joint profit  $(\varphi_T^{Tax})$  seems too sensitive to the manufacturing cost  $(C_p)$  and rework cost  $(C_r)$ . We must maintain the impact of manufacturing and rework costs on the profits of each stakeholder in a production SC.
- The joint profit  $(\varphi_T^{Tax})$  decreases as we increase the emission costs w.r.t. production  $(E_p)$ , transport  $(E_t)$  and holding  $(E_{h1})$  of items. Some products spread pollution during production, transportation and storage before sale. Businessmen invest some money to sustain in the market with competitors to reduce this emission. Our model suggests that if we raise this investment, our earnings will be affected.
- The manufacturer invests in holding costs  $h_p$  and  $h_d$  w.r.t. perfect and deteriorating items, respectively. The holding cost of retailer  $(h_r)$  is less sensitive to the joint profit  $(\varphi_T^{Tax})$ . We see that  $h_p$  is more sensitive to joint profit  $(\varphi_T^{Tax})$  than  $h_d$  and  $h_r$  w.r.t. the percent changes in both costs. When there is 40% decrement in  $h_p$ , the joint profit shows 8.66% increment. On the other side, 40% increment in  $h_p$  shows 6.69% decrement in the joint profit. Thus, we conclude that more investments to hold items can affect the profit for each player of SC.

# (II) Table 7

• Table 7 shows that the increment in production rate (P) and rework rate ( $P_r$ ) of the manufacturer's cycle exhibits positive impact on the joint profit ( $\varphi_T^{Tax}$ ). The production rate (P) is highly sensitive for time span  $T_0$ . It indicates that whenever a production system will increase the rework process of defectives and production process for the items, the joint profit as well as the profit of the producer increases.

neters	hange		Decis	sion variab	les		=		<u>m</u> Tax∗	1ange n ax *
Paran	% CI	$T_{0}^{*}$	${m \xi_1}^*$	${\xi_2}^*$	$W_r^*$	<b>G</b> *	$Z_m^*$	$Z_r^*$	Ψ <sub>T</sub> (\$)	$\varphi_T^T$ i
	-40	0.7212	170.7275	93.7843	291.67	6.6707	-6719.13	70791.42	64072.28	-4.0767
	-20	0.6925	169.3495	93.7374	291.97	7.1921	-124.89	65534.11	65409.23	-2.0751
$W_m$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6315	166.2558	93.5882	292.60	8.3703	13137.71	55098.57	68236.28	2.1573
	40	0.5989	164.5001	93.4744	292.92	9.0389	19812.32	49926.69	69739.01	4.4070
	-40	0.6627	165.1448	93.6740	292.28	7.7574	8746.66	60300.82	69047.47	3.3717
	-20	0.6627	166.5424	93.6741	292.28	7.7572	7619.80	60301.56	67921.36	1.6858
$C_p$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	169.1219	93.6742	292.28	7.7559	5366.55	60302.79	65669.34	-1.6857
	40	0.6626	170.3177	93.6745	292.28	7.7565	4240.09	60303.33	64543.43	-3.3713
	-40	0.6626	167.7962	93.6746	292.28	7.7568	6556.94	60302.18	66859.12	0.0955
	-20	0.6626	167.8310	93.6738	292.28	7.7568	6525.02	60302.2	66827.22	0.0478
$C_r$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	167.8984	93.6740	292.28	7.7566	6461.19	60302.22	66763.42	-0.0478
	40	0.6626	167.9330	93.6738	292.28	7.7561	6429.29	60302.22	66731.52	-0.0955
	-40	0.6626	167.8157	93.6741	292.28	7.7567	6540.44	60302.17	66842.61	0.0708
$E_p$	-20	0.6626	167.8399	93.6741	292.28	7.7562	6516.78	60302.18	66818.96	0.0354
	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	167.8899	93.6738	292.28	7.7565	6469.46	60302.21	66771.67	-0.0354
	40	0.6626	167.9143	93.6746	292.28	7.7567	6445.80	60302.23	66748.03	-0.0708
	-40	0.6626	167.9299	93.6741	292.28	7.7567	7359.05	60302.24	67661.29	1.2965
	-20	0.6626	167.8974	93.6740	292.28	7.7568	6926.08	60302.22	67228.30	0.6482
$E_t$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	167.8323	93.6738	292.28	7.7564	6060.15	60302.19	66362.33	-0.6482
	40	0.6626	167.7988	93.6742	292.28	7.7569	5627.17	60302.17	65929.35	-1.2965
	-40	0.6711	168.1422	93.7514	292.35	7.5881	6571.75	60477.4	67049.15	0.3800
_	-20	0.6669	168.0032	93.7129	292.32	7.6728	6532.26	60389.57	66921.83	0.1894
$E_{h1}$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6585	167.7280	93.6355	292.24	7.8389	6454.33	60215.28	66669.60	-0.1882
	40	0.6544	167.5921	93.5975	292.20	/.9214	6415.87	60128.81	66544.68	-0.3/52
	-40	0.8980	174.4056	95.3534	293.93	3.8456	8389.31	64195.48	72584.79	8.6675
	-20	0.7599	170.8246	94.4728	293.06	5.9591	7343.69	62127.88	69471.57	4.0066
h <sub>p</sub>	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.5896	165.3158	92.9338	291.56	9.2786	5783.59	58653.42	64437.02	-3.5306
	40	0.5322	163.0608	92.2380	290.89	10.580	5181.80	5/141.15	62322.99	-0.0930
	-40	0.6632	167.8581	93.6789	292.28	7.7462	6498.05	60313.19	66811.24	0.0238
	-20	0.6629	167.8616	93.6764	292.28	7.7511	6495.57	60307.7	66803.28	0.0119
h <sub>d</sub>	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6624	167.8683	93.6/20	292.28	7.7622	6490.64	60296.72	66/8/.36	-0.0119
	40	0.6621	167.8717	93.6693	292.27	/./666	6488.18	60291.22	66//9.41	-0.0238
	-40	0.6636	167.9306	93.7120	292.27	7.7372	6472.15	60473.26	66945.41	0.2247
	-20	0.6631	167.8977	93.6931	292.27	7.7464	6482.64	60387.72	66870.36	0.1123
h <sub>r</sub>	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6621	167.8321	93.6549	292.28	7.7662	6503.60	60216.69	66720.29	-0.1123
	40	0.6616	167.7985	93.6352	292.29	7.7759	6514.09	60131.19	66645.28	-0.2246

 Table 6: Sensitivity analysis of cost parameters

leters	lange		Dec	ision variab	oles	_		Tar * (m)	ange 1 1x *	
Paran	% Ch	$T_{0}^{*}$	${\xi_1}^*$	${\xi_2}^*$	$W_r^*$	<b>G</b> *	$Z_m^*$	$Z_r^*$	$\varphi_T^{\mu\nu}$ (\$)	% ch ii φ <sub>T</sub> <sup>Ta</sup>
	-40	1.0695	169.1867	93.5473	292.26	7.8823	6284.91	58370.78	64655.69	-3.2033
	-20	0.8183	168.3954	93.6265	292.27	7.8045	6413.47	59563.09	65976.57	-1.2258
Р	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.5567	167.4851	93.7061	292.28	7.7238	6547.30	60805.24	67352.54	0.8342
	40	0.4800	167.2012	93.7287	292.28	7.7008	6586.55	61169.73	67756.28	1.4387
	-40	0.6534	168.3458	93.6066	292.24	7.8646	6403.53	59719.33	66122.86	-1.0067
	-20	0.6591	168.0501	93.6486	292.26	7.7975	6459.24	60082.28	66541.52	-0.3800
$P_r$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6650	167.7383	93.6911	292.29	7.7290	6515.88	60449.73	66965.62	0.2550
	40	0.6667	167.6459	93.7034	292.29	7.7097	6532.24	60555.57	67087.80	0.4379
	-40	0.6701	155.3369	93.7426	292.34	7.6087	6575.22	60456.71	67031.93	0.3542
	-20	0.6664	162.4070	93.7087	292.31	7.6822	6533.23	60379.28	66912.50	0.1754
$\theta_1$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6589	172.3036	93.6403	292.24	7.8296	6454.30	60225.48	66679.77	-0.1730
	40	0.6553	176.0374	93.6062	292.21	7.9023	6416.46	60149.09	66565.55	-0.3440
	-40	0.6626	167.8665	85.1608	292.28	7.7562	6492.87	60312.62	66805.50	0.0152
	-20	0.6626	167.8651	89.9553	292.28	7.7565	6493.00	60306.9	66799.90	0.0069
$\theta_2$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	167.8641	96.7120	292.28	7.7564	6493.25	60298.13	66791.38	-0.0059
	40	0.6626	167.8639	99.2811	292.28	7.7570	6493.38	60294.49	66787.88	-0.0111
	-40	0.6623	258.4528	93.6663	292.27	7.7727	6405.41	60282.62	66688.03	-0.1606
	-20	0.6625	202.8472	93.6713	292.28	7.7622	6459.22	60294.86	66754.08	-0.0617
$v_1$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6627	143.6904	93.6760	292.28	7.7529	6516.58	60307.09	66823.66	0.0424
	40	0.6628	125.9193	93.6778	292.28	7.7489	6533.83	60310.59	66844.41	0.0735
	-40	0.6625	167.8555	141.9258	292.28	7.7589	6495.36	60244.03	66739.39	-0.0837
	-20	0.6626	167.8612	112.4413	292.28	7.7577	6493.95	60279.76	66773.71	-0.0323
$v_2$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6627	167.8669	80.5951	292.28	7.7556	6492.56	60317.7	66810.26	0.0224
	40	0.6627	167.8689	70.9171	292.28	7.7559	6492.16	60329.08	66821.24	0.0388
	-40	0.6650	167.7003	93.6904	292.29	7.7298	6544.73	60457.35	67002.08	0.3096
	-20	0.6638	167.7829	93.6828	292.28	7.7432	6518.87	60379.65	66898.52	0.1545
$\beta_1$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6615	167.9461	93.6658	292.27	7.7694	6467.44	60225.03	66692.47	-0.1540
	40	0.6603	168.0262	93.6578	292.27	7.7824	6441.88	60148.1	66589.98	-0.3074
	-40	0.6624	167.8757	93.6735	292.28	7.7587	6490.87	60289.99	66780.86	-0.0217
	-20	0.6625	167.8707	93.6730	292.28	7.7578	6491.99	60296.1	66788.09	-0.0108
$\beta_2$	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6627	167.8595	93.6749	292.28	7.7556	6494.25	60308.31	66802.55	0.0108
	40	0.6628	167.8539	93.6752	292.28	7.7545	6495.38	60314.41	66809.79	0.0217
	-40	0.6627	167.8672	93.6745	292.28	7.2739	6491.91	60302.96	66794.87	-0.0007
	-20	0.6626	167.8650	93.6748	292.28	7.8457	6492.88	60302.32	66795.20	-0.0002
ω	0	0.6626	167.8651	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	167.8653	93.6741	292.28	7.1260	6492.81	60302.41	66795.22	-0.0001
	40	0.6627	167.8679	93.6746	292.28	6.1651	6492.17	60302.80	66794.97	-0.0005

**Table 7:** Sensitivity analysis for the parameters  $P, P_r, \theta_1, \theta_2, v_1, v_2, \beta_1, \beta_2$  and  $\omega$ 

meters	Change	Decision variables						$\varphi_T^{Tax*}$ (\$)	change in T <sup>ax</sup> *	
Para	) %	${T_0}^*$	$\xi_1^*$	${\xi_2}^*$	$W_r^*$	<b>G</b> *	$Z_m^*$	$Z_r^*$	· · · · ·	φ,
	-40	0.6629	167.8817	93.6773	292.28	0.4157	6484.80	60307.73	66792.52	-0.0042
	-20	0.6628	167.8772	93.6760	292.28	2.8168	6487.15	60305.98	66793.14	-0.0033
$l_1$	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6622	167.8441	93.6703	292.27	15.5193	6504.27	60295.96	66800.23	0.0074
	40	0.6616	167.8118	93.6646	292.27	26.3159	6522.32	60286.82	66809.14	0.0207
	-40	0.6620	167.8281	93.6673	292.27	24.1781	6511.43	60289.89	66801.32	0.0090
	-20	0.6624	167.8538	93.6721	292.28	12.7425	6498.68	60298.46	66797.14	0.0027
$l_2$	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6627	167.8703	93.6753	292.28	5.1714	6490.23	60304.14	66794.37	-0.0014
	40	0.6628	167.8740	93.6755	292.28	3.6709	6488.56	60305.27	66793.82	-0.0022
	-40	0.6654	167.6672	93.6938	292.29	7.7254	6556.09	60486.05	67042.14	0.3695
	-20	0.6640	167.7660	93.6842	292.28	7.7413	6524.54	60393.94	66918.47	0.1844
f <sub>d</sub>	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6612	167.9619	93.6636	292.27	7.7720	6461.84	60210.83	66672.67	-0.1836
	40	0.6599	168.0571	93.6544	292.27	7.7871	6430.70	60119.81	66550.52	-0.3665
	-40	0.6645	167.9830	93.6910	292.29	7.7195	6454.70	60340.54	67039.04	0.3649
$f_r$	-20	0.6636	167.9241	93.6830	292.29	7.7386	6473.90	60321.4	66917.16	0.1824
	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6617	167.8050	93.6657	292.27	7.7747	6512.35	60282.95	66673.51	-0.1824
	40	0.6608	167.7459	93.6568	292.26	7.7930	6531.59	60263.65	66551.75	-0.3646
	-40	0.3817	145.7886	81.4348	175.03	14.2108	12334.68	22315.68	34650.35	-48.1246
	-20	0.5379	159.0912	88.6178	233.54	10.3683	9086.36	40967.74	50054.10	-25.0635
b	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.7689	174.4828	97.6113	351.16	5.8490	4283.97	80044.81	84328.78	26.2495
	40	0.8627	179.8255	100.840	410.15	4.4056	2334.06	100066.4	102400.44	53.3048
	-40	0.7632	172.4389	99.5929	289.89	5.3079	4403.37	54540.16	58943.53	-11.7550
	-20	0.7076	169.9909	96.3607	291.31	6.6341	5559.70	57951.79	63511.48	-4.9163
η	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6257	166.0113	91.3819	292.99	8.7164	7259.85	62049.7	69309.55	3.7641
	40	0.5948	164.3778	89.3840	293.54	9.5491	7902.63	63415.76	71318.39	6.7715
	-40	0.6730	168.2278	93.7733	292.37	1.1713	7487.82	60537.83	68025.65	1.8419
	-20	0.6678	168.0460	93.7241	292.32	4.5325	6989.72	60419.75	67409.47	0.9195
$C_{Tax}$	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6575	167.6846	93.6248	292.23	10.4401	5997.42	60185.5	66182.92	-0.9168
	40	0.6525	167.5062	93.5754	292.19	12.6257	5502.42	60069.66	65572.08	-1.8313
	-40	0.6626	167.9297	93.6743	292.28	7.7564	7359.05	60302.24	67661.29	1.2965
	-20	0.6626	167.8975	93.6744	292.28	7.7564	6926.09	60302.21	67228.30	0.6482
$d_1$	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
	20	0.6626	167.8327	93.6738	292.28	7.7566	6060.15	60302.19	66362.33	-0.6482
	40	0.6626	167.7991	93.6740	292.28	7.7565	5627.19	60302.16	65929.35	-1.2965
	-40	0.6626	167.1677	93.6742	292.28	7.7567	7094.01	60301.85	67395.86	0.8991
	-20	0.6626	167.5184	93.6741	292.28	7.7566	6793.55	60302.04	67095.59	0.4495
i <sub>c</sub>	0	0.6626	167.8650	93.6741	292.28	7.7565	6493.11	60302.21	66795.32	0.0000
-	20	0.6626	168.2060	93.6740	292.28	7.7561	6192.70	60302.35	66495.05	-0.4495
	40	0.6626	168.5428	93.6737	292.28	7.7563	5892.26	60302.53	66194.79	-0.8991

**Table 8:** Sensitivity analysis for the parameters  $l_1$ ,  $l_2$ ,  $f_d$ ,  $f_r$ , b,  $\eta$ ,  $C_{Tax}$ ,  $d_1$  and  $i_c$ 

- It is realized that the joint profit  $(\varphi_T^{Tax})$  as well as individual profit of the manufacturer  $(Z_m)$  and retailer  $(Z_r)$  increase when the deterioration rates for the manufacturer  $(\theta_1)$  and retailer  $(\theta_2)$  decrease.
- Our model suggests that if any business can control over the amount of the degraded items, there may a boost in overall profit of SC.
- The preservation constants for the manufacturer  $(v_1)$  and retailer  $(v_2)$  are positively correlated with the joint profit  $(\varphi_T^{Tax})$  but do not significantly affect  $\varphi_T^{Tax}$ . An increment in  $v_1$  and  $v_2$  leads to higher quantity of items and less deteriorated goods.
- In any business, loss will increase as it becomes more likely that non-faulty items discarded as defective. We can conclude that a 40% increment in type-I error ( $\beta_1$ ) gives a fall up to 0.31% in the joint profit ( $\varphi_T^{Tax}$ ).
- If a faulty item is declared as non-defective at the manufacturer cycle, increment in the probability that a faulty item can sell as non-defective ( $\beta_2$ ), shows a very little increment in individual profit ( $Z_m$ ) as well as overall profit ( $\varphi_T^{Tax}$ ).
- Individual profit of each stakeholder as well as the collective profit  $(\varphi_T^{Tax})$  have negative impact of a proportion ( $\omega$ ) of green investments.

# (III) Table 8

- If the retailer will receive goods with IE of type-II ( $\beta_2$ ), he needs to invest in goodwill impairment with a fraction ( $f_r$ ) otherwise he will suffer goodwill loss as a result of selling defective products. We can see that the increment in  $f_r$  negatively affects the profit functions of each chain member ( $Z_m$  and  $Z_r$ ) as well joint profit ( $\varphi_T^{Tax}$ ).
- Stock dependent demand parameter ' $\eta$ ' is positively correlated with the joint profit ( $\varphi_T^{Tax}$ ). When there is 40% increment and decrement in  $\eta$ ,  $\varphi_T^{Tax}$  shows 6.77% increment as well as 11.75% decrement.
- The price dependent demand parameter (b) is extremely sensitive to both the joint profit  $(\varphi_T^{Tax})$  and the profitability of the chain members individually  $(Z_m \text{ and } Z_r)$ . It indicates that increment in b will affect the demand of the customers and price of the items. The profit of the manufacturer  $(Z_m)$  lowers down by the increment in b. The profit of the retailer  $(Z_r)$  shows increment w.r.t. 'b'. The joint profit  $(\varphi_T^{Tax})$  shows 53.30% rise when 'b' goes up to 40% increment. The  $\varphi_T^{Tax}$  decreases up to 48.12% when there is fall of 40% in 'b'.
- In any centralized green SC, every chain member wants to invest less costs and earns more profit. If the emission of harmful gases increases by any business firm, government applies the more amount of carbon taxes ( $C_{Tax}$ ). It can affect the overall profit. According to our model, if  $C_{Tax}$  rises by 40%, overall profit ( $\varphi_T^{Tax}$ ) decreases to 1.83%.
- If the manufacturer needs to deliver orders at distance  $d_1$  and if this distance will increase up to 40%, the profit of the manufacturer  $(Z_m)$  decreases. So, there is a decrement of 1.29% in the joint profit.

• We can see that  $f_d$  and  $i_c$  do not significantly affect the joint profit ( $\varphi_T^{Tax}$ ) of the SC. When these parameters rise by 40%, overall profit ( $\varphi_T^{Tax}$ ) decreases to 0.36% and 0.89%, respectively. Also, when  $l_1$  rises by 40%, overall profit ( $\varphi_T^{Tax}$ ) increases to 0.02%.

# 7. Managerial insights

Strategic approaches based on decision-making are required to stay ahead in the competitive world of management. Managerial insights are the foundation of effective leadership which give executives and managers a perspective through which firms can grab opportunities, and advance the performance of their organizations. The following are some key insights explained:

- a) To optimize profitability in a carbon-regulated environment, managers should concentrate on cutting production costs, streamlining holding and rework procedures, and funding emission-reduction technology.
- b) When choosing the best carbon emission strategy, managers should take the industry's legislation and specific circumstances into consideration.
- c) The joint profit is positively impacted by increasing production and rework rates. To optimize profitability, managers should make investments in improving the effectiveness of rework procedures and production efficiency.
- d) Profit is lowered by higher emission costs. It's imperative to invest in more environment friendly processes and technologies that reduce emissions during production, shipping, and storage.
- e) The total profit increases dramatically when the selling price rises. Selling prices should be carefully chosen by managers to guarantee that they are high enough to optimize profit without adversely affecting demand.
- f) For some parameters, the ANFIS methodology yields results similar to those of metaheuristic techniques, indicating that it may be a valuable tool for demand prediction and price optimization in uncertain environments. Under dynamic market situations, managers can use ANFIS to make data-driven decisions.

# 8. Conclusions

With available green energy options, reducing CE is an important strategy which can be used to mitigate climate change's effects and maintain a green environment. Following three distinct CE regulatory policies, viz., carbon taxes, cap & trade, and restricted emission, our study focused on the centralised SC with manufacturing process and emission reduction impacts by using green investment. This article incorporated the realistic features of deterioration, preservation, imperfect production, rework, IE, price and stock-dependent demand, CE and green investment. Two

metaheuristics DE with different mutation schemes and PSO have employed to solve the nonlinear constrained optimization problems of three CE policies.

When making future decisions and improving two-tier SC inventory models with inspection errors, it may be helpful to consider how sensitive the different performance measures that have been established in the current model. The proposed green SC inventory model is validated using numerical simulation and optimization. The sensitivity analysis done can be used to examine the parameter variation impact on the profit function. The outcomes of the green SC study demonstrate the benefits of cap & trade and carbon taxing systems over restricted emission policy. It is noticed that the demand function parameters that are stock and price dependent are quite sensitive. In order to decrease shortages and waste while increasing SC profit, the firm should focus on pricing and stock management. To increase profitability, businesses must first cut manufacturing, rework, storage, and emissions expenses. To reduce deterioration, the firm/industries are advised to invest in preservation technology. The developed model investigates how preservation efforts affect the rate of spoiling and motivated decision-makers to opt the best preservation investment. The rework can help to eliminate waste caused by imperfect production. Based on our studied model concludes that the manufacturer's selling price should be controlled so that it cannot negatively impact the profit function.

In order to verify the viability of utilizing fuzzy parameters and neural networks in our sustainable supply chain inventory model, ANFIS technique is deployed effectively. The validation of ANFIS in our model provides insight into its potential application in a number of intricate supply chain inventory situations where closed-form analytical results are difficult to derive. By predicting demand and lowering carbon emissions, the sensitivity of various factors used may also be beneficial to increase the profit. These techniques also offer useful insights for forecasting the demand, quantity, shortages, and profit. Our study can be further extended by considering stochastic demand, fuzzy membership for imprecise parameters, trade credit policy, etc.

#### **Data Availability Statement**

No additional data have been used in this study.

#### Acknowledgement

The author would like to thank the All India Council for Technical Education (AICTE).

#### **Declaration of Interest**

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## References

- Abbasi, S., & Ahmadi Choukolaei, H. (2023). A systematic review of green supply chain network design literature focusing on carbon policy. *Decision Analytics Journal*, *6*, 100189. <u>https://doi.org/10.1016/j.dajour.2023.100189</u>
- Abdul Halim, M., Paul, A., Mahmoud, M., Alshahrani, B., Alazzawi, A. Y. M., & Ismail, G. M. (2021). An overtime production inventory model for deteriorating items with non-linear price and stock dependent demand. *Alexandria Engineering Journal*, 60(3), 2779–2786. <u>https://doi.org/10.1016/j.aej.2021.01.019</u>
- Akhtar, M., Manna, A. K., & Bhunia, A. K. (2023). Optimization of a non-instantaneous deteriorating inventory problem with time and price dependent demand over finite time horizon via hybrid DESGO algorithm. *Expert Systems with Applications*, 211, 118676. <u>https://doi.org/10.1016/j.eswa.2022.118676</u>
- Anagun, A. S. (1997). Selecting inventory models using an expert system. *Computers & Industrial Engineering*, 33(1–2), 299–302. <u>https://doi.org/10.1016/S0360-8352(97)00097-1</u>
- Astanti, R. D., Daryanto, Y., & Dewa, P. K. (2022). Low-carbon supply chain model under a vendor-managed inventory partnership and carbon cap-and-trade policy. *Journal of Open Innovation: Technology, Market, and Complexity, 8*(1), 30. https://doi.org/10.3390/joitmc8010030
- Bhunia, A. K., & Maiti, M. (1997). An inventory model for decaying items with selling price, frequency of advertisement and linearly time-dependent demand with shortages. *IAPQR Transactions*, 22, 41-50. <u>https://doi.org/10.1016/S0305-0548(97)00091-9</u>
- Chaharsooghi, S. K., Heydari, J., & Zegordi, S. H. (2008). A reinforcement learning model for supply chain ordering management: An application to the beer game. *Decision Support Systems*, 45(4), 949–959. <u>https://doi.org/10.1016/j.dss.2008.03.007</u>
- Chandra Das, S., Zidan, A. M., Manna, A. K., Shaikh, A. A., & Bhunia, A. K. (2020). An application of preservation technology in inventory control system with price dependent demand and partial backlogging. *Alexandria Engineering Journal*, 59(3), 1359–1369. <u>https://doi.org/10.1016/j.aej.2020.03.006</u>
- Chang, H.-C. (2013). A note on an economic lot size model for price-dependent demand under quantity and freight discounts. *International Journal of Production Economics*, 144(1), 175–179. https://doi.org/10.1016/j.ijpe.2013.02.001
- Chandramohan, J., Asoka Chakravarthi, R. P., & Ramasamy, U. (2023). A comprehensive inventory management system for non-instantaneous deteriorating items in supplier- retailercustomer supply chains. *Supply Chain Analytics*, 3, 100015. <u>https://doi.org/10.1016/j.sca.2023.100015</u>
- Cheikhrouhou, N., Sarkar, B., Ganguly, B., Malik, A. I., Batista, R., & Lee, Y. H. (2018). Optimization of sample size and order size in an inventory model with quality inspection and return of defective items. *Annals of Operations Research*, 271(2), 445–467. https://doi.org/10.1007/s10479-017-2511-6
- Chen, H., Chen, Y. (Frank), Chiu, C.-H., Choi, T.-M., & Sethi, S. (2010). Coordination mechanism for the supply chain with leadtime consideration and price-dependent demand. *European Journal of Operational Research*, 203(1), 70–80. <u>https://doi.org/10.1016/j.ejor.2009.07.002</u>
- Coady, D., Parry, I., Sears, L., & Shang, B. (2015). How large are global energy subsidies? *International Monetary Fund*, 105(15), 1-42.

- Duffuaa, S. O., & Khan, M. (2005). Impact of inspection errors on the performance measures of a general repeat inspection plan. *International Journal of Production Research*, *43*(23), 4945–4967. <u>https://doi.org/10.1080/00207540412331325413</u>
- FAO (FAO, 2021). Emissions from agriculture and forest land global, regional and country trends emissions from agriculture and forest land, 1990–2019. FAOSTAT Analytical Brief 25. <u>https://www.fao.org/3/cb5293en/cb5293en.Pdf</u>.
- Ghasemzadeh, F., & Pamucar, D. (2023). A local supply chain inventory planning with varying perishability rate product: A case study. *Expert Systems with Applications*, 215, 119362. https://doi.org/10.1016/j.eswa.2022.119362
- Ghoreishi, M., Weber, G. W., & Mirzazadeh, A. (2015). An inventory model for non-instantaneous deteriorating items with partial backlogging, permissible delay in payments, inflation- and selling price-dependent demand and customer returns. *Annals of Operations Research*, 226(1), 221–238. <u>https://doi.org/10.1007/s10479-014-1739-7</u>
- Gu, F., & Lev, B. (2011). Overpriced shares, Ill-Advised acquisitions, and Goodwill impairment. *The Accounting Review*, 86(6), 1995–2022. https://doi.org/10.2308/accr-10131
- Güneri, A. F., Ertay, T., & Yücel, A. (2011). An approach based on ANFIS input selection and modeling for supplier selection problem. *Expert Systems with Applications*, 38(12), 14907– 14917. <u>https://doi.org/10.1016/j.eswa.2011.05.056</u>
- Hemmati, M., Fatemi Ghomi, S. M. T., & Sajadieh, M. S. (2023). A multi-echelon supply chain of deteriorating items with stock- and price-sensitive demand under consignment stock policy. *Engineering Optimization*, 55(3), 476–493. <u>https://doi.org/10.1080/0305215X.2021.2012658</u>
- Hua, G., Cheng, T. C. E., & Wang, S. (2011). Managing carbon footprints in inventory management. *International Journal of Production Economics*, 132(2), 178–185. https://doi.org/10.1016/j.ijpe.2011.03.024
- Huang, Y. S., Fang, C. C., & Lin, Y. A. (2020). Inventory management in supply chains with consideration of Logistics, green investment and different carbon emissions policies. *Computers and Industrial Engineering*, 139, 106207. <u>https://doi.org/10.1016/j.cie.2019.106207</u>
- Jain, M. & Singh, P. (2022). Optimal inspection and advance payment policy for deteriorating items using differential evolution metaheuristic. *Applied Soft Computing*, 128, 109475, 1-17. <u>https://doi.org/10.1016/j.asoc.2022.109475</u>
- Jain, M., Sharma, D.K., & Sharma, N. (2022). Artificial intelligence computing and natureinspired optimization techniques for effective supply chain management. *Data Analytics and Artificial Intelligence for Inventory and Supply Chain Management, Inventory Optimization. Springer, Singapore*, 63-80.
- Jain, M., & Singh, P. (2024). Pricing, prepayment and preservation strategy for inventory model with deterioration using metaheuristic algorithms. *Soft Computing*, 7, 1-16. <u>https://doi.org/10.1007/s00500-023-08637-4</u>
- Jauhari, W. A., Wangsa, I. D., Hishamuddin, H., & Rizky, N. (2023). A sustainable vendor-buyer inventory model with incentives, green investment and energy usage under stochastic demand. Cogent Business & Management, 10(1), 255537564. <u>https://doi.org/10.1080/23311975.2022.2158609</u>
- Jauhar, S. K., Jani, S. M., Kamble, S. S., Pratap, S., Belhadi, A., & Gupta, S. (2023). How to use no-code artificial intelligence to predict and minimize the inventory distortions for resilient

supply chains. International Journal of Production Research, 1–25. https://doi.org/10.1080/00207543.2023.2166139

- J. H. Ong, A. Sanchez & J. Williams. (2007). Multi-UAV System for Inventory Automation. *1st Annual RFID Eurasia, Istanbul,* 34491912, 1-6. https://doi.org/10.1109/RFIDEURASIA.2007.4368142.
- Kennedy, J., & Eberhart, R. (1995). Particle swarm optimization. *Proceedings of ICNN'95 International Conference on Neural Networks*, 4, 1942–1948.
- Kevin Weng, Z. (1995). Modeling quantity discounts under general price-sensitive demand functions: Optimal policies and relationships. *European Journal of Operational Research*, 86(2), 300–314. <u>https://doi.org/10.1016/0377-2217(94)00104-K</u>
- Khedlekar, U. K., & Kumar, L. (2024). Mathematical modelling for convertible items with rework using particle swarm optimisation. *International Journal of Systems Science: Operations & Logistics*, 11(1). <u>https://doi.org/10.1080/23302674.2024.2306222</u>
- Kilian, L., & Park, C. (2009). The impact of oil price shocks on the US stock market. *International Economic Review*, 50(4), 1267–1287. https://doi.org/10.1111/j.1468-2354.2009.00568.x
- Lagaros, N. D., Kournoutos, M., Kallioras, N. A., & Nordas, A. N. (2023). Constraint handling techniques for metaheuristics: a state-of-the-art review and new variants. *Optimization and Engineering*, Springer, 1-48, 256188609. <u>https://doi.org/10.1007/s11081-022-09782-9</u>
- Liu, Z., & Nishi, T. (2024). Surrogate-assisted evolutionary optimization for perishable inventory management in multi-echelon distribution systems. *Expert Systems with Applications*, 238, 122179. <u>https://doi.org/10.1016/j.eswa.2023.122179</u>
- Mala, P., Palanivel, M., Priyan, S., Jirawattanapanit, A., Rajchakit, G., & Kaewmesri, P. (2022). Sustainable supply chain system for defective products with different carbon emission strategies. *Sustainability*, 14(23), 16082. <u>https://doi.org/10.3390/su142316082</u>
- Manna, A. K., Dey, J. K., & Mondal, S. K. (2020). Effect of inspection errors on imperfect production inventory model with warranty and price discount dependent demand rate. RAIRO Operations Research, 54(4), 1189–1213. <u>https://doi.org/10.1051/ro/2019054</u>
- Marchi, B., & Zanoni, S. (2023). Technical note on "Inventory management in supply chains with consideration of Logistics, green investment and different carbon emissions policies." *Computers & Industrial Engineering*, 175, 108870. https://doi.org/10.1016/j.cie.2022.108870
- Menegat, S., Ledo, A., & Tirado, R. (2022). Greenhouse gas emissions from global production and use of nitrogen synthetic fertilisers in agriculture. *Scientific Reports*, 12(1), 19777. <u>https://doi.org/10.1038/s41598-022-18773-w</u>
- Min, H. (2010). Artificial intelligence in supply chain management: Theory and Applications. *International Journal of Logistics Research and Applications*, 13(1), 13–39. <u>https://doi.org/10.1080/13675560902736537</u>
- Mishra, U., Cárdenas-Barrón, L. E., Tiwari, S., Shaikh, A. A., & Treviño-Garza, G. (2017). An inventory model under price and stock dependent demand for controllable deterioration rate with shortages and preservation technology investment. *Annals of Operations Research*, 254(1-2), 165–190. https://doi.org/10.1007/s10479-017-2419-1
- Mondal, B., Bhunia, A. K., & Maiti, M. (2003). An inventory system of ameliorating items for price dependent demand rate. *Computers & Industrial Engineering*, 45(3), 443–456. https://doi.org/10.1016/S0360-8352(03)00030-5
- Mortazavi, A., Arshadi Khamseh, A., & Azimi, P. (2015). Designing of an intelligent self-adaptive model for supply chain ordering management system. *Engineering Applications of Artificial Intelligence*, *37*, 207–220. <u>https://doi.org/10.1016/j.engappai.2014.09.004</u>

- Okwu, M. O., Tartibu, L. K., Ojo, E. O., Adume, S., Gidiagba, J. O., & Fadeyi, J. (2023). ANFIS model for cost analysis in a dual source multi-destination system. *Procedia Computer Science*, 217, 1266–1279. <u>https://doi.org/10.1016/j.procs.2022.12.325</u>
- Pal, S., & Mahapatra, G. S. (2017). A manufacturing-oriented supply chain model for imperfect quality with inspection errors, stochastic demand under rework and shortages. *Computers & Industrial Engineering*, 106, 299–314. <u>https://doi.org/10.1016/j.cie.2017.02.003</u>
- Pervin, M. (2024). A sustainable deteriorating inventory model with backorder and controllable carbon emission by using green technology. *Environment, Development and Sustainability*. https://doi.org/10.1007/s10668-024-04717-z
- Qin, J., Bai, X., & Xia, L. (2015). Sustainable trade credit and replenishment policies under the cap-and-trade and carbon tax regulations. *Sustainability*, 7(12), 16340–16361. https://doi.org/10.3390/su71215818
- Rau, H., Wu, M. Y., & Wee, H. M. (2003). Integrated inventory model for deteriorating items under a multi-echelon supply chain environment. *International Journal of Production Economics*, 86(2), 155–168. <u>https://doi.org/10.1016/S0925-5273(03)00048-3</u>
- Rodríguez-Mazo, J., & Ruiz-Benítez, R. (2024). A multi-warehouse inventory model under hybrid-price-stock dependent demand and a bulk release pattern. *Computers & Operations Research*, 106764. <u>https://doi.org/10.1016/j.cor.2024.106764</u>
- Ruidas, S., Seikh, M. R., & Nayak, P. K. (2022). A production inventory model for green products with emission reduction technology investment and green subsidy. *Process Integration and Optimization for Sustainability*, 6(4), 863–882. <u>https://doi.org/10.1007/s41660-022-00258-y</u>
- San-José, L. A., Sicilia, J., Cárdenas-Barrón, L. E., & González-de-la-Rosa, M. (2024). A sustainable inventory model for deteriorating items with power demand and full backlogging under a carbon emission tax. *International Journal of Production Economics*, 268, 109098. <u>https://doi.org/10.1016/j.ijpe.2023.109098</u>
- Sarkar, B. (2013). A production-inventory model with probabilistic deterioration in two-echelon supply chain management. *Applied Mathematical Modelling*, *37*(5), 3138–3151. <u>https://doi.org/10.1016/j.apm.2012.07.026</u>
- Sarkar, B., Sett, B. K., Roy, G., & Goswami, A. (2016). Flexible setup cost and deterioration of products in a supply chain model. *International Journal of Applied and Computational Mathematics*, 2(1), 25–40. <u>https://doi.org/10.1007/s40819-015-0045-7</u>
- Sepehri, A., & Gholamian, M. R. (2023). A green inventory model with imperfect items considering inspection process and quality improvement under different shortages scenarios. *Environment, Development and Sustainability*, 25(4), 3269–3297. <u>https://doi.org/10.1007/s10668-022-02187-9</u>
- Shah, N. H., Rabari, K., & Patel, E. (2023). Greening efforts and deteriorating inventory policies for price-sensitive stock-dependent demand. *International Journal of Systems Science: Operations* and *Logistics*, 10(1), 245820307. https://doi.org/10.1080/23302674.2021.2022808
- Shen, Shen, & Yang. (2019). A production inventory model for deteriorating items with collaborative preservation technology investment under carbon tax. *Sustainability*, *11*(18), 5027. <u>https://doi.org/10.3390/su11185027</u>
- Sremac, S., Tanackov, I., Kopić, M., & Radović, D. (2018). ANFIS model for determining the economic order quantity. *Decision Making: Applications in Management and Engineering*, 1(2). <u>https://doi.org/10.31181/dmame1802079s</u>

- Storn, R. & Price, K. (1995). Differential evolution: A simple and efficient adaptive scheme for global optimization over continuous spaces. *Journal of Global Optimization*. 23, 1-15. <u>https://doi.org/10.1023/A:1008202821328</u>
- Taleizadeh, A. A., Shahriari, M., & Sana, S. S. (2021). Pricing and coordination strategies in a dual channel supply chain with green production under cap and trade regulation. *Sustainability*, 13(21), 12232. <u>https://doi.org/10.3390/su132112232</u>
- Taheri-Tolgari, J., Mirzazadeh, A., & Jolai, F. (2012). An inventory model for imperfect items under inflationary conditions with considering inspection errors. *Computers & Mathematics with Applications*, 63(6), 1007–1019. <u>https://doi.org/10.1016/j.camwa.2011.09.050</u>
- Tiwari, S., Cárdenas-Barrón, L. E., Goh, M., & Shaikh, A. A. (2018). Joint pricing and inventory model for deteriorating items with expiration dates and partial backlogging under two-level partial trade credits in supply chain. *International Journal of Production Economics*, 200, 16– 36. https://doi.org/10.1016/j.ijpe.2018.03.006
- Urban, T. (1992). Deterministic inventory models incorporating marketing decisions. *Computers and Industrial Engineering*, 22(1), 85-93. <u>https://doi.org/10.1016/0360-8352(92)90035-I</u>
- Wang, H., Wang, D., Fang, Z., & Zeng, X.-J. (2024). Impacts of inspection errors and warranty costs on a complex product supply chain under different development modes. *International Journal of Production Economics*, 272, 109229. <u>https://doi.org/10.1016/j.ijpe.2024.109229</u>
- Wee, H. M., Yu, J. C. P., & Law, S. T. (2005). Two-warehouse inventory model with partial backordering and weibull distribution deterioration under inflation. *Journal of the Chinese Institute of Industrial Engineers*, 22(6), 451–462. https://doi.org/10.1080/10170660509509314
- Wu, K.-S., Ouyang, L.-Y., & Yang, C.-T. (2006). An optimal replenishment policy for noninstantaneous deteriorating items with stock-dependent demand and partial backlogging. *International Journal of Production Economics*, 101(2), 369–384. <u>https://doi.org/10.1016/j.ijpe.2005.01.010</u>
- Xia, L., Guo, T., Qin, J., Yue, X., & Zhu, N. (2018). Carbon emission reduction and pricing policies of a supply chain considering reciprocal preferences in cap-and-trade system. *Annals of Operations Research*, 268(1–2), 149–175. <u>https://doi.org/10.1007/s10479-017-2657-2</u>
- Ye, C., & Yu, L. (2024). Common Ownership and Goodwill Impairments. *Corporate Governance: An International Review*. <u>https://doi.org/10.1111/corg.12581</u>
- Zhang, B., & Xu, L. (2013). Multi-item production planning with carbon cap and trade mechanism. *International Journal of Production Economics*, 144(1), 118–127. <u>https://doi.org/10.1016/j.ijpe.2013.01.024</u>