15

Students' accommodation allocation: A Multicriteria Decision Support System

Rôlin Gabriel Rasoanaivo 1[0000-0002-2496-2672] and Pascale Zaraté 1[0000-0002-5188-1616]

¹ IRIT, Université de Toulouse, CNRS, INP, UT3, UT1, UT2, Toulouse, France rolin-gabriel.rasoanaivo@ut-capitole.fr, Pascale.Zarate@ut-capitole.fr

Abstract. The social life of students at university has an impact on their educational success. The allocation of accommodation is part of this aspect. This article presents our proposal to improve students' allocation accommodation. We aim to support university administrative departments for the selection of students for housing.

Therefore, we propose a decision support system based on multi-criteria decision support methods. To calculate the weights of the criteria, we use the AHP method. Then, to rank the students, AHP, Weighted Sum Method and PROMETHEE methods are used.

The aim is to find the most adequate method to rank the students. The result is achieved because the AHP is able to calculate the weight of criteria and the AHP, SWM and PROMETHEE are able to rank the students.

Keywords: student housing allocation, decision support system, AHP, WSM, PROMETHEE.

1 INTRODUCTION

To successful manage universities, the institution must demonstrate its priorities in providing students housing because sharing accommodation and participating in campus life are part of the social and intellectual benefits of students [1]. According to researches carried out by Owolabi, on-campus students are more successful in their studies than off-campus students [2]. Therefore, following our research, several authors have been interested in the subject of student housing. Several studies collected the opinion of the students about their accommodation with the aim of bringing a new era of living on campus [3] [4] [5] [6] [7] [8] [9] [10]. Then other researches made the proposal of work tools to help the person in charge of housing within the universities, as well as the students to facilitate the search for housing [11] [12] [13] [14]. These works justify the importance of considering the management of student accommodation within university life.

However, each university has its own procedures for allocating student accommodation. The most common is the consideration of criteria which vary in number according to each institution. Thus, we have identified thirteen criteria for the allocation of accommodation used by universities, namely: dependent children of parents, students with scholarships, distance from the place of study, admission to the examination, educational enrolment, age, nationality, level of study, date of application for accommodation, physical capacity of the student, orphan of a parent, parent working at the university, and year of undergraduate [15] [16] [17] [18] [19] [20] [21].

Our research has focused on Decision Support System (DSS) for students accommodation allocation. Let us note that the first DSS appeared in the 1960s [22]. Since then, several authors have investigated the application of these systems such as Eom et al. from 1971 to 2001 [23] [24] [25] [26] and Papathanasiou et al. from 1989 to 2019 [27]. Authors like Carlsson and Walden [28] have noted that Decision Support Systems are currently innovative and among the technological challenges. Keenan [29] has shown that they are spread over several areas including life sciences and biomedicine, physical sciences, and social sciences. Nevertheless, we did not find any DSS for students accommodation allocation.

Thus, our aim is to propose a decision support system based on AHP, WSM and PROMETHEE to facilitate the selection of student during the housing allocation process.

2 ISSUES

Regarding the criteria for housing allocation, each student is considered as a specific case. The idea is to select those students who meet them. However, there is much more demands than offers, but sometimes there are many more students who meet the criteria than there is housing to be allocated [17]. So, the question which remains is: what housing applications should be admitted or rejected? And which of these students will be housing allocated?

To do this, a method needs to be designed to fairly distribute this accommodation.

3 METHODOLOGY

Multi-criteria analysis methods are used to formulate real problems, according to three basics formulations: the choice problem, noted P_{α} , the sorting or allocation problem noted P_{β} and the ranking problem noted P_{γ} [30]. The allocation of accommodation to students belongs to the ranking problem (P_{γ}). This situation led us to choose the following three methods: AHP, WSM and PROMETHEE to solve this problem. These three methods are selected because of their popularity and their usefulness.

3.1 Analytic Hierarchy Process (AHP)

AHP was developed by Saaty in 1970 [31]. According to its founder [32], the method is based on three concepts: hierarchical structure, priority structure and logical consistency. To find the logical consistency, the following calculations have to be made:

Medium consistency: $\lambda_{max} = a_{ij} \frac{w_j}{w_I}$ (1)

Consistency index: $CI = \frac{\lambda_{max} - n}{n-1}$ (2) Consistency ratio: $CR = \frac{CI}{RI}$ (3)

Finally, when comparing pairs, the consistency ratio (CR) must be within 0.1. Otherwise, the results could be inconsistent.

3.2 Weight Sum Method (WSM)

The weighted sum method combines all criteria into one scalar composite objective function using the weighted sum [33]. The steps to follow are normalisation of all alternatives, normalisation of the weights whose sum must be equal to 1 and implementation of the weighted sum. The result is obtained by [34]:

$$R(a_{ij}) = \sum_{j=1}^{n} w_j a_{ij} \tag{4}$$

3.3 Preference Ranking Organisation METHods for Enrichement Evaluation

Brans initiated the PROMETHEE method in 1982 [35]. It is a multi-criteria method for defining the relationships of outranking, indifference, and incomparability between alternatives. Two concepts are to be considered, namely the preference index and the outranking flows. The method of calculating these flows [36] is presented below. The result is obtained by comparing the outflows, inflows, and net flows of the alternatives.

Preference index: $\begin{cases} \pi(a_1, a_2) = \sum_{j=1}^k P_j(a_1, a_2) w_j \\ \pi(a_2, a_1) = \sum_{j=1}^k P_j(a_2, a_1) w_j \end{cases}$ (5)

Outflow: $\Phi^+(a) = \frac{1}{n-1} \sum_{x \in A} \pi(a, x)$ (6)

Inflow:
$$\Phi^{-}(a) = \frac{1}{n-1} \sum_{x \in A} \pi(x, a)$$
 (7)

Net flow: $\Phi(a) = \Phi^{+}(a) - \Phi^{-}(a)$ (8)

4 PROTOTYPE

Let us recall that a DSS is structured by three main components which are: the model management system, the user interface, and the knowledge base [37]. We propose a DSS prototype based on the architecture defined by Sprague [38]. The DSS will be composed by a Data Base, a Model Base, and a Human/Interface module.

4.1 Database

The developed DSS consists of allocating housing to students through their applications. We have implemented a relational database management system using three



methods AHP, WSM and PROMETHEE. We present in the following figures some structure of this database.

Fig. 1. Class diagram

Méthode d'aide à la décision multicritère 🗣

—Choix : mention et niveau –															
Mention			\sim												
Niveau	Viveau 🗸														
Méthodes existantes AHP WSM PROMETHEE															
	AHP	WSM	PROMETHEE												
Matrice de performance															
Matrice normalisée															
Matrice pondérée															
Score et Rang															

Fig. 2. Choice of method

4.2 Process

The application concerns a university that has eleven criteria for evaluating students [17]. These criteria are grouped into two sets, of which the first six are basic criteria

criteria.

-	able 1. Citteria foi e	aluating students at a uni	versity
Basic criteria	Admission re- quirements	Social criteria	Value
Age	By level	Physical capacity (CP)	Normal = 5; Disability = 10
Year of Bacca- laureate	By academic year	Orphan of parent (OP)	t None = 0; Father or Mother = 5; Father and Mother = 10
Administrative registration	Enrolled	Parent's place of work (LTP)	
Examination re- sult	Successful	Dependent child of parent (EC)	f By number
Nationality	According to the	Distance from	By mileage

home (DD)

and the last five are social criteria. The following table 1 describes these evaluation

In relation to these two groups of criteria, the assessment procedure proceeds in two stages. Firstly, students must meet the basic criteria, otherwise their applications for housing will be rejected. Then, those who pass the basic criteria will move on to the second assessment where the social criteria are applied. Each social criterion has its own value to rank the students. This is where the multi-criteria decision support method comes in. At this stage, the processing is done by specialty and by level (bachelor/master/PhD). The following figure 3 summarizes the procedure for evaluating students by criteria.



Fig. 3. processing applications for student accommodation

4.3 Result

Assessment according to the basic criteria

case

Not employed

Professional si-

tuation

This concerns the housing applications of students in the first year of the Computer Science and Law degrees. The result is shown in Table 2 below.

Table 2. Result of the processing applications for student accommodation

Mention	Application received	Student meets basic criteria	Application rejected
Computer science	35	26	9
Law	101	78	23

The following figure 4 and figure 5 shows the extracts of students in the first year of the Computer Science and Law degrees admitted to the basic criteria.

Etudiant-Y	Age	•3	Salarié -	Bacc .	Nationalilé •	Inscrit	Passant •	Etudiant -	Age - Salarié -	Bacc	Nationalilé	•	Inscrit	•	Passant	
L1MIA16	1	8	NON	2017	Malagasy			L1DRO01	20 NON	201	7 Malagasy					
L1MIA05	2	20	NON	2017	Malagasy			L1DRO02	18 NON	201	7 Malagasy					
L1MIA06	3	6	NON	2017	Malagasy			L1DRO03	19 NON	201	7 Malagasy					
L1MIA07	- 2	22	NON	2017	Malagasy			L1DRO04	19 NON	201	7 Malagasy					
L1MIA08	2	20	NON	2017	Malagasy	\square		L1DRO05	21 NON	201	7 Malagasy					
L1MIA11	1	18	NON	2017	Malagasy			L1DRO06	18 NON	201	7 Malagasy					
L1MIA12	1	9	NON	2017	Malagasy			L1DRO07	18 NON	201	7 Malagasy		M		M	
L1MIA13	3	18	NON	2017	Malagasy			1108008	16 NON	201	7 Malagary		R		R	

Fig. 4. : Extract of L1 students in Computer Science admitted to the basic criteria

Fig. 5. Extract of L1 Law students admitted to the basic criteria

The figures 6 and 7 below show the extract of students who did not meet some basic criteria, and as a result their applications were rejected.

L1DRO11

Etudiant -	Age -	Salarié -	Bacc -	Nationalité -	Inscrit -	Passant -
L1MIA10	18	NON	2017	Malagasy		
L1MIA17	23	NON	2016	Malagasy		
L1MIA20	18	NON	2017	Malagasy		
L1MIA33	18	NON	2017	Malagasy		

19 NON 18 NON 2017 Malagasy 2017 Malagasy L1DRO13 108018 23 NON 2017 Malagas L1DRO23 19 NON 2017 Malagasy

Fig. 6. Extract of L1 students in Computer Science does not meet some basic criteria

Fig. 7. Extract of L1 students in Law does not meet some basic criteria

Assessment according to social criteria

This second phase will deal with the 26 and 78 students meeting the basic criteria. We show for each of the three methods chosen, the result for the 26 students of the Computer Science major. To begin with, the initial judgement matrix and the judgement matrix normalized to scale 10.

					and the second second								
Code ét 🖓	CP .	DD .	EC .	LTP .	OP -	ID_ETUDIAN-Y	CP	•	DD ·	EC ·	LTP .	OP	
L1MIA16	5	100	4	0	5	L1MIA16	5	T	0,68	5,71	1	0	5
L1MIA05	5	102	2	0	5	L1MIA05	5		0,7	2,86	1	0	5
L1MIA06	5	100	3	0	0	L1MIA06	5		0,68	4,29		0	0
L1MIA07	5	100	5	0	5	L1MIA07	5		0,68	7,14		5	5
L1MIA08	5	100	4	0	5	L1MIA08	5		0,68	5,71		2	5
L1MIA11	5	100	2	0	0	L1MIA11	5		0,68	2.86		0	0
L1MIA12	5	100	1	0	0	L1MIA12	5		0,68	1.43			0
L1MIA13	5	923	1	0	10	L1MIA13	5		6.3	1.43		2	10
L1MIA15	5	100	3	0	0	L1MIA15	5		0.68	4.29	-	2	0
L1MIA18	5	100	2	0	0	L1MIA18	5		0.68	2.86		5	0
L1MIA21	5	100	4	0	0	L1MIA21	5		0.68	5.71		5	0
L1MIA22	5	100	1	0	5	L1MIA22	5		0.68	1.43		3	5
L1MIA23	5	350	2	0	10	11MIA23	5		2.39	2.86			10
L1MIA24	5	100	6	0	0	L1MIA24	5		0.68	8.57			0
L1MIA25	5	100	5	0	0	L1MIA25	5		0.68	7.14			0
L1MIA26	5	100	2	0	0	L1MIA26	5		0.68	2.86			0
L1MIA27	5	102	1	0	0	11MIA27	5		0.7	1.43			0
L1MIA28	5	100	4	0	5	L1MIA28	5		0.68	5.71			5
L1MIA29	5	100	5	0	5	11MIA29	5		0.68	7.14			5
L1MIA30	5	399	1	0	0	L1MIA30	5		2.72	1.43			0
L1MIA31	5	100	3	0	10	L1MIA31	5		0.68	4.29			10
L1MIA32	5	923	4	5	5	LIMIA32	5		63	5 71	1	1	5
L1MIA34	5	399	2	0	10	111/10/34	5		2 72	2.85	-		10
L1MIA35	5	100	2	0	0	11MIA35	5		0.69	2,00		1	0
L1MIA02	5	100	5	0	5	11MIA02	5		0,68	7.14			5
L1MIA04	5	100	6	0	0	LIMIAOA	5		0,68	8.57		1	0
the second se						LATER AND A				10 million (

Fig. 8. Initial judgement matrix

Fig. 9. normalised judgement matrix

Result according to AHP

The application of the comparison scale according to Saaty [40], allowed us to obtain the criteria judgement matrix and the result of the priorities presented in figure 10. Thus, the values of the elements of logical consistency are given below.

						_			1
Comparaison 👻	CP -	DD 👻	EC 👻	LTP 👻	OP -		🖉 Critères 👻	Poids 👻	Cobérence logique
CP	1	3	4	4	3		СР	0,45	<u>concretice togique</u>
DD	0,33	1	2	2	1		EC	0,1	λmax 5.0244
EC	0,25	0,5	1	1	0,5		LTP	0,1	5,02.11
LTP	0,25	0,5	1	1	0,5		DD	0,18	Indice de coherence 0,0061
OP	0,33	1	2	2	1	•	OP	0,18	Ratio de cohérence 0,0054

Fig. 10. Priority of criteria

Subsequently, establish the student judgement matrices for each criterion from the normalized judgement matrix. After various calculations, the students' priorities for each criterion are shown in Figure 11 and the ranking of students in Figure 12 below.

	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
w	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
e	м	м	M	M	M	М	M	M	Μ	M	м	М	Μ	Μ	M	M	M	M	Μ	М	M	M	M	M	M	M
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	- U	1	1	1
g	A	Α	A	A	A	A	A	A	A	A	A	A	Α	A	Α	Α	A	A	A	A	Α	Α	A	A	A	A
t	0	0	0	0	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	3	3	3	3	3	0	0
h	5	б	7	8	1	2	3	5	6	8	1	2	3	4	5	6	7	8	9	0	1	2	4	5	2	4
CP	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04	0,04
DD	0,04	0,02	0,02	0,02	0,02	0,02	0,17	0,02	0,02	0,02	0,02	0,02	0,06	0,02	0,02	0,02	0,04	0,02	0,02	0,06	0,02	0,17	0,06	0,02	0,02	0,02
EC	0,02	0,03	0,07	0,05	0,02	0,01	0,01	0,03	0,05	0,02	0,05	0,01	0,02	0,10	0,07	0,02	0,01	0,05	0,07	0,01	0,03	0,05	0,02	0,02	0,07	0,10
LTP	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,03	0,17	0,03	0,03	0,03	0,03
OP	0,05	0,01	0,05	0,05	0,01	0,01	0,11	0,01	0,05	0,01	0,01	0,05	0,11	0,01	0,01	0,01	0,01	0,05	0,05	0,01	0,11	0,05	0,11	0,01	0,05	0,01

Fig. 11. priority of student

Rank	1	2	3	4	5	6	6	6	9	10	10	10	13	13	15	16	17	18	19	20	20	22	22	22	22	26
Note	0,076	0,072	0,054	0,053	0,047	0,039	0,039	0,039	0,037	0,037	0,037	0,037	0,036	0,036	0,035	0,033	0,033	0,031	0,030	0,029	0,029	0,028	0,028	0,028	0,028	0,027
t	2	3	4	3	1	7	9	2	5	8	6	8	4	4	0	2	5	1	7	6	5	1	8	6	5	2
n	3	1	3	2	3	0	2	0	0	0	1	2	2	0	3	2	2	2	2	0	1	1	1	2	3	1
e	A	A	A	A	A	A	A	A	A	Α	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
d	1	1	1	1.	1	1	1	1	10	1	1	1	10	1	- X -	1	1		1	- X -	1	1	10	1	1	1
u	м	M	M	M	м	м	M	M	м	м	м	M	M	M	M	M	M	M	м	м	м	M	M	M	м	M
t	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	L	L	L	L	L	L.	L	L	L	L	L	L	L	L	L	L	L	L	L	L.	L	L	L	L	L	L

Fig. 12. AHP student ranking

Result according to SWM

The weights of the criteria considered are those calculated according to AHP. Figure 13 shows the application of the weighted sum to the normalized judgement matrix and Figure 14 gives the final result.

s	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
t	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
u	M	M	M	M	M	M	M	M	M	M	м	M	M	M	M	M	M	M	м	M	M	M	M	M	M	M
d	1	1	1	1	1	1	1	1	1	- X	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
e	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	Α	A	A	Α	A	A	A
n	0	0	0	0	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	3	3	3	3	3	0	0
t	5	6	7	8	1	2	3	5	6	8	1	2	3	4	5	6	7	8	9	0	1	2	4	5	2	4
CP	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262	2,262
DD	0,124	0,121	0,121	0,121	0,121	0,121	1,118	0,121	0,121	0,121	0,121	0,121	0,424	0,121	0,121	0,121	0,124	0,121	0,121	0,483	0,121	1,118	0,483	0,121	0,121	0,121
EC	0,276	0,414	0,688	0,551	0,276	0,138	0,138	0,414	0,551	0,276	0,551	0,138	0,276	0,826	0,688	0,276	0,138	0,551	0,688	0,138	0,414	0,551	0,276	0,276	0,688	0,826
LTP	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,000	0,964	0,000	0,000	0,000	0,000
OP	0.887	0.000	0.887	0.887	0.000	0.000	1 774	0.000	0.887	0.000	0.000	0.887	1 774	0.000	0.000	0.000	0.000	0.887	0.887	0.000	1 774	0.887	1 774	0.000	0.887	0.000

Fig. 13. implementing the weighted sum

s	L	L	L	L.	L	L	L	L.	L	L	L	L.	L	L	L	L	L	L	L	L	L	L	L	L	L	L
t	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
u	M	M	M	M	M	M	м	M	M	M	м	M	M	M	M	Μ	M	M	Μ	M	M	Μ	M	м	M	M
d	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
e	A	A	Α	Α	Α	Α	Α	A	A	A	Α	Α	А	A	Α	Α	A	Α	Α	Α	Α	Α	Α	Α	A	A
n	3	1	3	2	3	0	2	0	0	1	2	0	2	2	0	2	2	3	0	1	1	1	2	3	2	1
t	2	3	4	3	1	7	9	2	8	6	8	5	2	4	4	5	1	0	6	5	1	8	6	5	7	2
Note	5,781	5,292	4,794	4,736	4,570	3,958	3,958	3,958	3,820	3,820	3,820	3,549	3,407	3,208	3,208	3,071	2,933	2,882	2,796	2,796	2,658	2,658	2,658	2,658	2,524	2,520
Rank	1	2	3	4	5	6	6	6	9	9	9	12	13	14	14	16	17	18	19	19	21	21	21	21	25	26

Fig. 14. WSM student ranking

Result according to PROMETHEE

For the preferences: all the criteria are to be maximised, the weights applied are always those calculated according to AHP and the preference function for all the criteria are of the same Usual type. After setting the preferences and considering the assessments, the result will be given in figure 15.

Rank	1	2	3	4	5	6	7	7	7	10	10	10	13	14	14	16	17	18	19	20	20	22	22	22	22	26
Phi-	0,052	0,074	0,087	0,088	0,124	0,097	0,090	0,090	0,090	0,106	0,105	0,106	0,194	0,147	0,147	0,166	0,155	0,215	0,170	0,190	0,190	0,202	0,202	0,202	0,202	0,230
Phi+	0,422	0,334	0,328	0,326	0,248	0,204	0,172	0,172	0,172	0,152	0,152	0,152	0,157	0,095	0,095	0,093	0,079	0,135	0,059	0,048	0,048	0,020	0,020	0,020	0,020	0,000
Phi	0,370	0,260	0,241	0,238	0,124	0,107	0,082	0,082	0,082	0,046	0,046	0,046	-0,037	-0,052	-0,052	-0,073	-0,075	-0,080	-0,111	-0,143	-0,143	-0,182	-0,182	-0,182	-0,182	-0,230
	2	4	3	3	5	1	2	7	9	8	6	8	0	4	4	2	5	7	1	б	5	1	8	6	5	2
u	3	3	1	2	0	3	0	0	2	0	1	2	3	0	2	2	2	2	2	0	1	1	1	2	3	1
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	1	1	1	1	1	1	1	1	4	1	1	1	1	-1	1	- E	1	1	1	1	1	1	1	1	1	1
	M	M	M	M	м	M	M	M	M	M	M	M	M	м	M	M	M	м	M	M	M	м	M	M	M	M
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		L	L	L		L		L .	L	L	L .	1	L	L	L	L	L	L	L	L	L .	L	L	L		1 L I

Fig. 15. PROMETHEE student ranking

4.4 Discussion

In 2018, Saare et *al.* were designing a mobile system for managing and mitigating the accommodation problems at the Universiti Utara Malaysia [12]. In 2019, Podunavac et *al.* proposed a web portal managing registration for student accommodation in a dormitory [13]. In 2020, Magambo et *al.* have created an online portal for locating Students' private rental Accommodation in Tanzania [14].

For our part, we developed a DSS focusing on student housing allocation using three multi-criteria decision support methods (AHP, WSM and PROMETHEE) to better compare the results obtained. And to make a choice between the method used by the university, we illustrate in the following figure 16 the comparison of the results obtained and in terms of number percentage in the table 3 the similarity of student ranks.

PROMETHEE	10000	1	2	3	4	5	6	7	7	7	10	10	10	13	14	14	16	17	18	19	20	20	22	22	22	22	26
WSM	Rang	1	3	2	4	12	5	6	6	6	9	9	9	18	14	14	13	16	25	17	19	19	21	21	21	21	26
AHP		1	3	2	4	9	5	6	6	6	10	10	10	15	13	13	16	17	19	18	20	20	22	22	22	22	26
	-	2	4	3	3	5	1	2	7	9	8	6	8	0	4	4	2	5	7	1	б	5	1	8	6	5	2
		з	3	1	2	0	3	0	0	2	0	1	2	3	0	2	2	2	2	2	0	1	1	1	2	3	1
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		A	A	A	A	A	A	A	A	A	A	A	A,	A	A	A	A	A	A	A	A	A	A	A	A	A	A
		1	1	1	1 .	1	1	1	1	1.	1	10	1	1	1	- t -	1	1	1.	1	1	1	1	1	1	1	1.
		Μ.	м	M	M	M	M	M	M	M	M	M	м	M	M	M	M	M	M	M	M	M	M	M	M	M	M
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		L	ι	L	L	L	L	L	L	L.	L	L	L	L	L	L	L	L	L	L	L	L	L	ι.	L	L	L

Fig. 16. comparison of results

From the comparison of these three results, we can draw the following three situations:

- 7.69% of students have the same rank on the three methods: two students;
- 15.38% have different ranks on the three methods: four students;
- 76.92% have the same rank on two methods: the remaining twenty.

To make a choice between the method used by the university, we illustrate the two-bytwo comparison of the results obtained.

	WS	SM	PROMETHEE					
	Num-	%	Num-	%				
	ber		ber					
AHP	8	30.77	13	50				
WSM			4	15.38				

Table 3. similarity of student ranks on two methods

5 CONCLUSION AND PERSPECTIVE

To decide is certainly to take risks but it is to be in reaction to a strategic choice to be made. The same applies to the person in charge of university work when receiving requests for student accommodation, a decision must be made whether to accept or reject an application. But, in any case, the question must always be asked: why was it accepted or rejected?

This is the reason for our analysis, which proposes the use of multi-criteria decisionmaking methods to classify students in relation to their situation, regarding the criteria for allocating housing. Three methods were studied: AHP, WSM and PROMETHEE.

The result showed us that each method was able to rank the students. And after comparing the results, we found that the rankings of the students are different for each method. First, the ranking carried out by AHP showed us that compared to WSM the similarity of ranks is 30.77%, and compared to PROMETHEE, it becomes 50%. Secondly, as for WSM, this similarity of ranks with PROMETHEE is 15.38%.

However, since the purpose of the decision analysis is to clarify the choice of the decision maker and not to replace the decision maker, the manager of university services has the choice of the method to use according to the analysis of the results that we carried out.

Nevertheless, we can report that a difficulty was encountered when using the AHP method. This being when the criteria or the alternatives are more numerous. For example, in the case of the 78 students in the Law stream and the other applications accepted in the other streams, the students are even more numerous. It will be difficult to handle such a large square matrix.

So, in our future research, we will use the AHP method only to calculate the criteria weights. On the other hand, WSM and PROMETHEE for ranking students. And in addition, we will look for another method that is easier to handle and combine with these two methods for storing students. Then, we will not stop with a simple application of the methods, but we will look for a trick allowing to recover all the ranks of the students carried out by the methods implemented in the system and to reorder the students from all their ranks.

Finally, our objective in this first analysis is then to integrate all these ranking methodologies into the developed prototype, offering end users the possibility of having several methodologies to use. And in the perspective, it will be to find the possibility of using all the results of these methods to obtain a new ranking of the students.

REFERENCE

- 1. Shattock, M. (2010). *EBOOK: Managing Successful Universities*. McGraw-Hill Education (UK).
- 2. Oluwaseyi, B. (2015). The Effects of Students' Housing on Academic Performance at the University of Ibadan in Nigerian, 6(3), 15.
- Simpeh, F., & Shakantu, W. (2020). An on-campus university student accommodation model. *Journal of Facilities Management*, 18(3), 213–229. https://doi.org/10.1108/JFM-03-2020-0017

- Mira, R. G., Uzzell, D. L., Real, J. E., & Romay, J. (Eds.). (2017). *Housing, Space and Quality of Life* (1st ed.). Routledge. https://doi.org/10.4324/9781351156363
- Macintyre, C. (2003). New models of student housing and their impact on local communities. *Journal of Higher Education Policy and Management*, 25(2), 109–118. https://doi.org/10.1080/1360080032000122598
- Property, J. (2021, December 3). Opportunities In Student Accommodation. Just Property. Text, Just Property. Retrieved April 26, 2022, from https://just.property/blog/opportunitiesin-student-accommodation/
- Worsley, J. D., Harrison, P., & Corcoran, R. (2021). The role of accommodation environments in student mental health and wellbeing. *BMC Public Health*, 21(1), 573. https://doi.org/10.1186/s12889-021-10602-5
- Abbey*, B. (1994). Student housing: A retrospect and some prospects. *Journal of Tertiary Education Administration*, *16*(2), 195–204. https://doi.org/10.1080/1036970940160205
- Parameswaran, A., & Bowers, J. (2014). Student residences: from housing to education. Journal of Further and Higher Education, 38(1), 57–74. https://doi.org/10.1080/0309877X.2012.699515
- Simpeh, F., & Akinlolu, M. (2021). A Scientometric Review of Student Housing Research Trends. *IOP Conference Series: Earth and Environmental Science*, 654(1), 012015. https://doi.org/10.1088/1755-1315/654/1/012015
- 11. Muhsen, Z. A. (2011). *Developing an Online Student Accommodation Registration in UUM* (masters). Universiti Utara Malaysia. Retrieved from https://etd.uum.edu.my/2760/
- Saare, M. A., Ta'a, A. B., Lashari, S. A., & Sari, S. A. (2018). Mobile System for Managing and Mitigating the Accommodation Problems. *Journal of Physics: Conference Series*, 1019, 012045. https://doi.org/10.1088/1742-6596/1019/1/012045
- Podunavac, I., Crnjac Milić, D., & Nenadić, K. (2019). Proposal for a web portal managing registration for student accommodation in a dormitory. *Tehnički glasnik*, 13(1), 75–80. https://doi.org/10.31803/tg-20180629110602
- Magambo, L., Dida, M. A., & Kaijage, S. F. (2020). Towards an Online Portal for Locating Students' Private Rental Accommodation in Tanzania. *Journal of Information Systems En*gineering and Management, 5(3), em0118. https://doi.org/10.29333/jisem/8388
- Hammad, D., Musa, J., Rishi, A., & Ayuba, I. (2013). Criteria for the Selection of Students Accommodation Model in Nigeria Tertiary Institutions Using Analytic Hierarchy Process. *Academic Research International*, 4, 550–556.
- 16. ALLOCATION-CRITERIA1920.pdf. (n.d.). Retrieved from https://www.ulster.ac.uk/__data/assets/pdf_file/0010/403759/ALLOCATION-CRITERIA1920.pdf
- Rasoanaivo, R. G. (2020, January 10). La méthode PROMETHEE pour l'aide à la décision multicritère : application à la gestion d'attribution de logements universitaires (Cas de l'Université de Toamasina) (Méoire de DEA). Université de Toamasina.
- student-accommodation-allocation-policy-201920.pdf. (n.d.). Retrieved from https://intranet.royalholloway.ac.uk/students/assets/docs/pdf/student-accommodation-allocation-policy-201920.pdf
- 19. Allocation-Policy-version-26-2020-21_0.pdf. (n.d.). Retrieved from https://www.chi.ac.uk/app/uploads/2021/11/Allocation-Policy-version-26-2020-21_0.pdf
- 20. Hall Allocation Policy for Undergraduate Students (for Residential Year residences) | Student Housing and Residential Life. (n.d.). Retrieved March 25, 2022, from https://shrl.ust.hk/Hall-Allocation-Policy-for-Undergraduate-Students
- 21. Accommodation guarantee at ANU. (2020, August 17). *ANU*. The Australian National University. Retrieved March 25, 2022, from https://www.anu.edu.au/study/accommodation/accommodation-application-advice/accommodation-guarantee-at-anu

- 22. Gorry, G., & Scott-Morton, M. (1971). A framework for management information systems,. *Sloan Management Review*, *13*.
- Eom, H. B., & Lee, S. M. (1990). A Survey of Decision Support System Applications (1971– April 1988). *INFORMS Journal on Applied Analytics*, 20(3), 65–79. https://doi.org/10.1287/inte.20.3.65
- Eom, H. B., & Lee, S. M. (1990). Decision support systems applications research: A bibliography (1971–1988). *European Journal of Operational Research*, 46(3), 333–342. https://doi.org/10.1016/0377-2217(90)90008-Y
- Eom, S. B., Lee, S. M., Kim, E. B., & Somarajan, C. (1998). A survey of decision support system applications (1988–1994). *Journal of the Operational Research Society*, 49(2), 109– 120. https://doi.org/10.1057/palgrave.jors.2600507
- Eom, S., & Kim, E. (2006). A survey of decision support system applications (1995–2001). J. Oper. Res. Soc. https://doi.org/10.1057/palgrave.jors.2602140
- Papathanasiou, J., Zaraté, P., & Freire de Sousa, J. (Eds.). (2021). EURO Working Group on DSS: A Tour of the DSS Developments Over the Last 30 Years. Cham: Springer International Publishing. https://doi.org/10.1007/978-3-030-70377-6
- Carlsson, C., & Walden, P. (2021). Decision Support Systems: Historical Innovations and Modern Technology Challenges. In J. Papathanasiou, P. Zaraté, & J. Freire de Sousa (Eds.), *EURO Working Group on DSS: A Tour of the DSS Developments Over the Last 30 Years* (pp. 1–14). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-030-70377-6_1
- Keenan, P. B. (2021). Thirty Years of Decision Support: A Bibliometric View. In J. Papathanasiou, P. Zaraté, & J. Freire de Sousa (Eds.), *EURO Working Group on DSS: A Tour of the DSS Developments Over the Last 30 Years* (pp. 15–32). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-030-70377-6_2
- Roy, B. (1996). Decision Problems and Processes. In B. Roy (Ed.), *Multicriteria Methodology for Decision Aiding* (pp. 3–6). Boston, MA: Springer US. https://doi.org/10.1007/978-1-4757-2500-1_1
- Saaty, R. W. (1987). The analytic hierarchy process—what it is and how it is used. *Mathematical Modelling*, 9(3), 161–176. https://doi.org/10.1016/0270-0255(87)90473-8
- Saaty, T. L. (1977). A scaling method for priorities in hierarchical structures. Journal of Mathematical Psychology, 15(3), 234–281. https://doi.org/10.1016/0022-2496(77)90033-5
- 33. Cheng, Y.-P., & Chou, A. N.-G. (2011). Bi-level weights sum method for shock diagnosis. *Expert* Systems with Applications, 38(4), 4497–4504. https://doi.org/10.1016/j.eswa.2010.09.123
- 34. 34. Weighted Sum Method Multi Criteria Decision Making. (2020, February 20). GeeksforGeeks. Retrieved from https://www.geeksforgeeks.org/weighted-sum-method-multi-criteria-decision-making/
- 35. Brans, J. P., Vincke, Ph., & Mareschal, B. (1986). How to select and how to rank projects: The Promethee method. *European Journal of Operational Research*, 24(2), 228–238. https://doi.org/10.1016/0377-2217(86)90044-5
- Brans, J.-P., & De Smet, Y. (2016). PROMETHEE Methods. In S. Greco, M. Ehrgott, & J. R. Figueira (Eds.), *Multiple Criteria Decision Analysis: State of the Art Surveys* (pp. 187– 219). New York, NY: Springer. https://doi.org/10.1007/978-1-4939-3094-4_6
- Power, D. J. (2008). Decision Support Systems: A Historical Overview. In F. Burstein & C. W. Holsapple (Eds.), *Handbook on Decision Support Systems 1: Basic Themes* (pp. 121–140). Berlin, Heidelberg: Springer. https://doi.org/10.1007/978-3-540-48713-5_7
- Sprague, R. H. (1980). A Framework for the Development of Decision Support Systems. MIS Quarterly, 4(4), 1–26. https://doi.org/10.2307/248957

 Rasoanaivo, R.G., & Zaraté, P. (2022). A Decision Support System for student's room allocation. International Conference on decision Support System technologies (ICDSST), Thessaloniki, Greece, May 23rd-25th 2022, to appear