A catalogue of dual-field interferometric binary calibrators

M. Nowak^{1,2,*}, S. Lacour^{3,4}, R. Abuter⁴, A. Amorim^{5,6}, R. Asensio-Torres⁷, W. O. Balmer^{8,9}, M. Benisty¹⁰, J.-P. Berger¹⁰, H. Beust¹⁰, S. Blunt¹¹, A. Boccaletti³, M. Bonnefoy¹⁰, H. Bonnet⁴, M. S. Bordoni¹², G. Bourdarot¹² W. Brandner⁷, F. Cantalloube¹³, B. Charnay³, G. Chauvin¹⁴, A. Chavez¹¹, E. Choquet¹³, V. Christiaens¹⁵, Y. Clénet³ V. Coudé du Foresto³, A. Cridland¹⁶, R. Davies¹², R. Dembet³, J. Dexter¹⁷, A. Drescher¹², G. Duvert¹⁰, A. Eckart^{18, 19}, F. Eisenhauer¹², N. M. Förster Schreiber¹², P. Garcia^{6,20}, R. Garcia Lopez^{21,7}, T. Gardner²², E. Gendron³, R. Genzel^{12,23}, S. Gillessen¹², J. H. Girard⁹, S. Grant¹², X. Haubois²⁴, G. Heißel^{25,3}, T. Henning⁷, S. Hinkley²⁶, S. Hippler⁷, M. Houllé¹⁴, Z. Hubert¹⁰, L. Jocou¹⁰, J. Kammerer⁴, M. Keppler⁷, P. Kervella³, L. Kreidberg⁷, N. T. Kurtovic¹², A.-M. Lagrange^{10,3}, V. Lapeyrère³, J.-B. Le Bouquin¹⁰, P. Léna³, D. Lutz¹², A.-L. Maire¹⁰, F. Mang¹², G.-D. Marleau^{27, 28, 29, 7}, A. Mérand⁴, J. D. Monnier³⁰, C. Mordasini²⁹, D. Mouillet¹⁰, E. Nasedkin⁷, 10. Tkurtovic¹², A.-M. Lagrange^{10,3}, J. B. Le Bouqin¹⁰, P. Léna³, D. Lutz¹⁷, A.-L. Mair²⁰, F. Mang¹², G.-D. Marleau^{27, 28,29}, A. Mérand¹, J. D. Monnie³⁰, C. Mordashi²⁰, D. Mouillet¹⁰, E. Nasedkin⁷, T. Ottl², G. P. P. L. Otten³¹, C. Paladini²⁴, T. Paumard³, K. Perraut¹⁰, G. Perrin³, O. Pfuhl⁴, N. Pourré¹⁰, L. Pueyo⁹, D. C. Ribeiro¹², E. Rickman³, Z. Rustamkulov³³, J. Shangguan¹², T. Shimizu¹², D. Sing^{8,33}, J. Stadler^{43,35}, T. Stolker¹⁶, O. Straub³⁵, C. Straubmoicr¹⁸, E. Sturm¹², M. Subroweit¹⁸, L. J. Tacconi¹², E.F. van Dishocck^{16,12}, A. Vigan¹³, F. Vincen⁴, S. D. von Fellenberg¹⁹, J. J. Wang¹¹, F. Widman¹², T. O. Winterhalder⁴, J. Woillez⁴, S. Yazu¹², A. Young³⁶, and the GRAVITY Collaboration (*Affiliations can be found after the references*) February 8. 2024
Context. Dual-field interferometric observations with VLTI/GRAVITY sometimes require the use of a "binary calibrator", a binary star whose for proper pointing of the instrument.
Telescopes (UTs), or 1200 to 3000 mas for the Auxiliary Telescopes (ATs). The separation between 400 and 2000 mus for observations with the Units for proper pointing of the instrument.
WethodS. We identify a list of candidates from the Washington Double Star (WDS) catalogue, all with appropriate separations and brightness, scattered over the Souther sky. We observe time as part of a dedicated calibration programme, and detramine whether fuse objective are thus observe to mas any ator of bis to determine updated orbital parameters for all our vetted calibrators. *Results*. We compile such a list of 13 vetted binary calibrators for observations with VLTI/GRAVITY on the UTs, and provide orbital estimates and astrometric predictions for each of them. We show that our list guarantees that there are always at least two binary calibrators. It is to select an appropriate calibrators, and positi the sole of the instrument.
Nettore Marce Marce Marce

scope Interferometer (VLTI) has proven to be extremely useful for the study of many objects, ranging from the centre of our Galaxy (GRAVITY Collaboration et al. 2022) and its supermassive black hole (GRAVITY Collaboration et al. 2020a,b,d, 2018a,b, 2019a), to Active Galactic Nuclei (GRAVITY Collaboration et al. 2020d) or exoplanets (GRAVITY Collaboration et al. 2019b, 2020c; Nowak et al. 2020).

All these recent achievements have benefited from the unique capability of GRAVITY to obtain high-precision astrometric

An internal laser metrology system is used to track and correct the non-common path errors between the two channels, so that the relative astrometry between the two targets can be accurately measured. This mode has, among other feats, made GRAVITY successful in high-contrast imaging of exoplanets, and for astrometric monitoring of stars orbiting Sgr A* in the centre of the Milky Way.

However, in order to derive accurate astrometric measurements from dual-field interferometric observations, a calibration of the metrology reference is needed, which in some situations requires the observation of a dedicated "binary calibrator". In the

^{*} Corresponding Author, mcn35@cam.ac.uk



Fig. 1. Map representing the on-sky coverage provided by the 13 vetted binary calibrators presented in this work. The shaded regions show the number of available calibrators within 45 deg.

absence of a catalogue of vetted binary calibrators, options were initially very limited. This was a major source of concern during the early days of the ExoGRAVITY Large Programme (1104.C-0651, PI Lacour), and it triggered a series of efforts to assemble such a catalogue, in particular through a dedicated calibration programme (106.21S5.001, PI Nowak).

This paper reports on those efforts, and presents the first catalogue of vetted binary calibrators covering the Southern Sky (Figure 1), for VLTI/GRAVITY dual-field observations on the Unit Telescopes (UTs). In Section 2, we give some general background on dual-field astrometry with GRAVITY and explain why these binary calibrators are needed in this peculiar observing mode. Section 3 details the procedure we followed to assemble and observe our initial list of targets, and Section 4 explains how the data were reduced, and how the calibrators were vetted. In Section 5 we present the final catalogue, which contain a total of 13 entries. We also report on the numerous astrometric measurements obtained on these targets, and provide orbital parameter estimates and astrometric predictions which can be used for pointing the instrument during observations. Section 6 gives our final conclusions.

2. GRAVITY dual-field astrometry and why we need binary calibrators

2.1. Optical path, fringe-tracking and metrology in the GRAVITY instrument

The GRAVITY instrument is built around two different interferometric combiners. The "science" (SC) combiner records the coherent flux at low to medium spectral resolution (R = 50to 4000), usually with relatively long integration time (up to 300 s for faint targets). The Fringe-Tracker (FT) combiner enables such long integrations, by actively compensating for the atmospheric turbulence. This second combiner records the coherent flux at much lower resolution and with short integration time. It actively measures and records the phase of the coherent flux, and control a set of actuators to keep the interferometric signal stable (Lacour et al. 2019, Nowak et al. in prep).

The use of two beam combiners is one of the strengths of GRAVITY, but it also makes it difficult to keep track of the different Optical Paths Length (OPL) in the instrument. If we assume that both the FT and the SC are pointed towards two dif-

Article number, page 2 of 16

ferent close-by target stars S_{FT} and S_{SC} , then for a baseline (j, k) linking telescope T_j to T_k , the recorded coherent fluxes in both channels as a function of time and wavelength are given by

$$\Gamma_{j,k}^{\text{FT}}(t,\lambda) = T(t,\lambda)I_{S_{\text{FT}}}(\lambda)\exp\left[-i\frac{2\pi}{\lambda}\text{OPD}_{j,k}^{\text{FT}}(t)\right],\tag{1}$$

$$\Gamma_{j,k}^{\rm SC}(t,\lambda) = T(t,\lambda)I_{S_{\rm SC}}\lambda)\exp\left[-i\frac{2\pi}{\lambda}{\rm OPD}_{j,k}^{\rm SC}(t)\right].$$
(2)

In these equations, $I(\lambda)$ represents the spectrum of the target, T the transmission (of the atmosphere and instrument), and OPD_{*j,k*}^{SC/FT} refers to the effective Optical Path Difference on baseline (*j*, *k*) for the given channel.

The OPD terms in Equations 1 and 2 include contributions from very different elements, which are summarized on the block diagram presented in Figure 2. From the target to the FT or SC channel via telescope T_k , the total optical path is the sum of:

- 1. The "in-vacuum" OPL from the FT or SC target to telescope T_k , $OPL_k^{S_{SC/FT}}(t)$. This OP depends on time through the rotation of the Earth.
- 2. An extra time-dependent contribution from the atmosphere above telescope T_k , OPL_{atm.k}(t).
- 3. A contribution representing the path from telescope T_k through the VLTI Delay Lines (DL) and up to the GRAV-ITY injection unit (where the beam is split between the two channels). This can be represented as a single telescope dependent quantity $OPL_{DL,k}(t)$, and is the quantity actively controlled by the Fringe-Tracker.
- 4. A channel dependent contribution which represents the path from the injection unit for the beam coming from T_k to the detector, through the given channel (SC/FT): OPL_k^{FT/SC}(t)

The total OPL from the target to the detector of channel FT or SC is therefore written

$$OPL_{tot,k}^{SC/FT}(t) = OPL_{k}^{S_{SC/FT}}(t) + OPL_{atm,k}(t) + OPL_{DL,k}(t) + OPL_{k}^{FT/SC}(t).$$
(3)

Using this expression, the OPDs on baseline (j, k) seen by the two beam combiners are given by

$$OPD_{\text{tot},j,k}^{SC/FT}(t) = OPD_{j,k}^{S_{SC/FT}}(t) + OPD_{\text{atm},j,k}(t) + OPD_{DL,j,k}(t) + OPD_{j,k}^{FT/SC}(t), \quad (4)$$



Fig. 2. Block diagram showing the different elements contributing to the total OPL within the two channels of the GRAVITY when used in dual-field mode.

where any $OPD_{j,k}$ term is to be understood as the difference $OPL_k - OPL_j$.

From an astrophysical perspective, the quantity of interest in Equation 4 is the "in-vacuum" term $OPD_{j,k}^{S_{SC}}$, which is directly related to the astrometric position of the science target S_{SC} . To extract this astrometry, one of the main steps performed during the data reduction is to "reference the science channel to the FT channel". What this really means is that the phase of the FT coherent flux is extracted, interpolated on to the SC wavelength grid, and subtracted from the SC measurements, according to

$$\begin{aligned} \sum_{j,k}^{SC}(t,\lambda) &= \Gamma_{j,k}^{SC}(t,\lambda) \times \exp\left\{i \arg\left[\Gamma_{j,k}^{FT}(t,\lambda)\right]\right\} \\ &= T(t,\lambda)I_{S_{SC}}(\lambda) \\ &\times \exp\left(-i\frac{2\pi}{\lambda}\left[\operatorname{OPD}_{j,k}^{S_{SC}}(t) - \operatorname{OPD}_{j,k}^{S_{FT}}(t)\right]\right) \\ &\times \exp\left(-i\frac{2\pi}{\lambda}\left[\operatorname{OPD}_{j,k}^{SC}(t) - \operatorname{OPD}_{j,k}^{FT}(t)\right]\right). \end{aligned}$$
(5)

Í

The expression of $\tilde{\Gamma}_{j,k}^{SC}$ shows two remaining differential OPD terms. The first one is the difference between the "in-vacuum" OPD on baseline (j, k) for the SC target and the FT target. This is a purely astrophysical quantity, which is directly related to the differential astrometry ΔRA and ΔDEC between the SC and FT targets, and to the baseline (u, v) coordinates:

$$\left[\operatorname{OPD}_{j,k}^{S_{\mathrm{SC}}}(t) - \operatorname{OPD}_{j,k}^{S_{\mathrm{FT}}}(t)\right] = \left[\Delta \mathrm{RA} \times u(t) + \Delta \mathrm{DEC} \times v(t)\right].$$
(6)

On the opposite, the second differential term is a purely instrumental quantity. It is better understood by reordering the terms in the difference using

$$\begin{bmatrix} OPD_{j,k}^{SC} - OPD_{j,k}^{FT} \end{bmatrix} = (OPL_{k}^{SC} - OPL_{j}^{SC}) - (OPL_{k}^{FT} - OPL_{j}^{FT})$$
$$= (OPL_{k}^{SC} - OPL_{k}^{FT}) - (OPL_{j}^{FT} - OPL_{j}^{SC})$$
$$= \Delta OPL_{k}^{SC-FT} - \Delta OPL_{j}^{SC-FT} , \qquad (7)$$

which demonstrates that this instrumental part stems from a non common-path error between the FT and SC channels.

In GRAVITY, this non common-path error is measured by a laser-metrology system (Gillessen et al. 2012). For this, a laser beam is sent backwards in the optical train, from the beam-combiner to the telescopes. In the pupil-plane of each telescope, the laser light from both the SC and FT channels interfere to create fringes, which are recorded by a set of diodes on the telescope spider. From this, each of the four ΔOPL^{SC-FT} terms (one per telescope) can be extracted. This allows for the correction of this term, up to an unknown wavelength-dependent "metrology zero-point" $\phi^{ZP}(\lambda)$ which stems from the uncontrolled injection phase of the laser beam. During the data-reduction, for any baseline (j, k), both ΔOPL_k^{SC-FT} and ΔOPL_s^{SC-FT} can be computed, and removed from the SC coherent flux. This leaves the "metrology-corrected" coherent flux, expressed as

$$\Gamma^{\text{metcorr}} j, k(t, \lambda) = T(t, \lambda) I_{S_{\text{SC}}}(\lambda) \times e^{-i\frac{2\pi}{\lambda} [\Delta \text{RA} \times u(t) + \Delta \text{DEC} \times v(t)] - i\phi_{jk}^{ZP}(\lambda)}.$$
(8)

Equation 8 shows how the metrology zero-point can interfere with the measurement of the astronomy of the target. As such, one of the main concerns of the dual-field observing strategy and the astrometric extraction is to find a way to determine and correct this unknown term $\phi_{ZP}(\lambda)$.

2.2. First observing strategy: on-axis

A first option to determine the metrology zero-point (also known as the "phase reference") is to point both the SC and FT channels at the same target. In this case, the relative astrometry between the channels is zero, and the terms Δ RA and Δ DEC vanish from Equation 8. The coherent flux on the SC channel after correction from the FT phase and the metrology is almost a direct measurement of ϕ_{ZP} :

$$\Gamma_{ik}^{\text{metcorr}}(t,\lambda) = T(t,\lambda)I_{S_{SC}}(\lambda)e^{-i\phi_{jk}^{ZP}(\lambda)}.$$
(9)

This forms the basis of the on-axis observing strategy, which consists in interleaving observations with the SC channel pointed on the science target with observations with the SC channel pointed at the FT target (see Figure 3). For an on-science observation obtained at time *t*, the phase zero-point is obtained from the average of the on-FT observation obtained just before (at $t_1 < t$), and the on-FT observation obtained just after (at $t_2 > t$) according to

$$\phi_{j,k}^{\text{ZP}}(\lambda) = -\frac{\arg\left\{\Gamma_{j,k}^{\text{metcorr}}(t_1,\lambda)\right\} + \arg\left\{\Gamma_{j,k}^{\text{metcorr}}(t_2,\lambda)\right\}}{2},\tag{10}$$

and the "phase-referenced" coherent flux is calculated using

$$\Gamma_{j,k}^{\text{ref}}(t,\lambda) = \Gamma_{j,k}^{\text{metcorr}}(t,\lambda)e^{i\phi_{j,k}^{ZP}(\lambda)}.$$
(11)

The amplitude of this phase-referenced coherent flux is determined only by the spectrum of the science target and by the combined atmosphere-instrument transmission, whereas its phase is determined only by the relative astrometry with respect to the FT target. In other words, we have:

$$\Gamma_{ik}^{\text{ref}}(t,\lambda) = T(t,\lambda) S_{S_{\text{SC}}}(\lambda) e^{-i\frac{2\pi}{\lambda} [\Delta \text{RA} \times u(t) + \Delta \text{DEC} \times v(t)]}.$$
(12)

From a technical perspective, pointing the FT and SC channels simultaneously towards the same target to extract the metrology zero-point requires the use of a beam-splitter to separate the beam in amplitude. The phase-reference remains valid as long as the instrumental setup does not change, which means that the beam-splitter must also be used for the "on-science" observations. In GRAVITY, the beam-splitter can only accommodate a maximum separation between the FT and SC fibres of ~ 500 mas and thus, beyond this, a different strategy is required. The beam-splitter also reduces the flux by a factor 2, which might not be ideal for fainter targets.

2.3. Second observing strategy: off-axis swap

When the separation between the fringe-tracking and science targets is too large to use the beam-splitter, the only remaining option in GRAVITY is to use a roof-mirror to split the field between the SC and FT channels. However, in this case, the two channels cannot physically be pointed simultaneously at the same target to obtain the metrology zero-point. Another strategy must therefore be used to determine the metrology zero-point in Equation 8.

If the science target itself is suitable for fringe-tracking, a possibility is to perform a "swap" observation. In this case, the two fibres are "swapped". This reverses the differential astrometry in Equation 8, and results in the measurement of two coherent fluxes (at t_{-} before the swap, and t_{+} after the swap) given by:

$$\Gamma_{j,k}^{\text{metcorr}}(t_{-},\lambda) = T(t_{-},\lambda)S(\lambda)e^{-i\frac{2\pi}{\lambda}[u(t_{-})\Delta \text{RA}+v(t_{-})\Delta \text{DEC}]-i\phi_{j,k}^{\text{ZP}}(\lambda)},$$
 (13)

$$\Gamma_{j,k}^{\text{metcorr}}(t_+,\lambda) = T(t_+,\lambda)S(\lambda)e^{+i\frac{2\pi}{\lambda}[u(t_+)\Delta \text{RA}v(t_+)+\Delta \text{DEC}]-i\phi_{j,k}^{\text{ZP}}(\lambda)},$$
 (14)

and from which the metrology zero-point can be extracted using

$$\phi_{j,k}^{\text{ZP}}(\lambda) = -\frac{\arg\left\{\Gamma_{j,k}^{\text{metcorr}}(t_{-},\lambda)\right\} + \arg\left\{\Gamma_{j,k}^{\text{metcorr}}(t_{+},\lambda)\right\}}{2}.$$
(15)

The coherent flux at both t_+ and t_- can then be corrected for this zero-point, to yield a phase-referenced coherent-flux similar to Equation 12. Note that in this scenario, represented in Figure 4, half of the observations are measuring the astrometry of the science target relative to the FT target, whereas the other half is measuring the astrometry of the FT target relative to the main scientific target.

Article number, page 4 of 16

2.4. The need for binary calibrators

For the off-axis swap strategy to work, the science target itself needs to be suitable for fringe-tracking. When it is not (too faint, for example), the swap strategy cannot be performed on the FT-SC pair. In this case, the remaining option is to perform a dedicated dual-field calibration observations. This involves moving the telescopes towards a "binary calibrator", and performing the swap observation on this binary target. The metrology zero-point is extracted from the calibration observation, and subtracted from the science observations.

To perform this separate calibration observation, a suitable binary calibrator must be available. A proper binary calibrator for an observation with GRAVITY on the UTs is typically defined as a visual binary with a separation ranging from ~ 400 mas (to easily separate the two components with the individual telescopes) to 2000 mas (to stay within the available field-of-view of GRAVITY), for which the two components must be of a least of magnitude 8.5 in K-band (for fringe-tracking even in poor conditions) and unresolved by the interferometer.

3. Assembling the catalogue: target selection and observations

Three binary calibrators were known at the start of the Exo-GRAVITY Large Program: WDSJ04021-3429, WDSJ14077-4952, and WDSJ20399+1115. They did not cover the entire Southern Sky, and in an effort to expand on this very limited list, we looked for more candidates in the Washington Double Star (WDS) catalogue.

We assembled a list of binary calibrator candidates by selecting targets from the WDS catalogue using specific criteria. These criteria included a separation ranging from 400 mas to 2000 mas, and a K band magnitude below 8 to ensure that a good SNR can be reached with minimal observing time. We also looked for targets with available orbit predictions for proper pointing of the single-mode fibres during observations, and selected a sample covering the entire Southern Sky. We did not aim for completeness in our selection.

From the pool of potential targets, a subset of 21 binaries was chosen to provide broad coverage across the Southern sky. A calibration program was submitted to ESO, and the selected targets were observed with the Auxiliary Telescopes (ATs). The original observation plan spanning P106 to P107 was adjusted due to COVID-19 disruptions, leading to observations being conducted exclusively during the Chilean summer (P106 and P108). Consequently, most targets within RA range of 10h 00min 00s to 20h 00min were regrettably not observed (see Table 1). Thankfully, one of the three original calibrators is located at 14h of RA, which limits the impact of this disruption.

Observations were conducted using the GRAVITY instrument on the ATs, in its dual-field on-axis mode (see Section 2.2 and Figure 3). In addition to these observations, dual-field calibration observations from the ExoGRAVITY Large Program and other related programmes were also incorporated, in an effort to improve the orbital parameter estimates. These calibration observations were originally acquired using the GRAVITY instrument on the UTs in the off-axis dual-field mode, with the "swap" strategy (see Section 2.3 and Figure 4). The observing logs describing the data included in this study are given in Appendix A.



Fig. 3. Illustration of the "dual-field on-axis" observing strategy. This strategy is used to measure the astrometry of a scientific target relative to a fringe-tracking target. The left panel illustrates the position of the two fibres in the instrument, with the use of a beam-splitter to separate the field. The right panel illustrates the resulting position of the two fibres on-sky.

WDS identifier	Alternative name	RA	DEC	K-band magnitudes		Separation	Observed [†]
		[hr:min:sec]	[deg:min:sec]	Primary	Secondary	[mas]	
WDSJ00209+1059	HD 1663	00:20:55	+10:58:36	6.2	8.0	774	✓
WDSJ00427-3828	$\lambda 01 \text{ Scl}$	00:42:43	-38:27:49	6.1	6.5	543	1
WDSJ02407+2637	HD 16638	02:40:42	+26:37:20	6.2	7.4	578	1
WDSJ05055+1948	HD 32642	05:05:32	+19:48:24.2	6.0	6.5	967	1
WDSJ05270-6837	HD 36584	05:26:59	-68:37:21.1	5.1	5.4	1487	1
WDSJ05417-0254	HD 37904	05:41:40	-02:53:47.2	5.6	7.1	542	1
WDSJ06345-1114	HD 46716	06:34:32	-11:13:47.0	6.3	7.7	693	1
WDSJ06364+2717	HD 46780	06:36:26	+27:16:42.2	5.3	7.2	731	1
WDSJ08394-3636	HD 73900	08:39:22	-36:36:24.0	5.0	6.5	887	1
WDSJ10269+1713	HD 90444	10:26:53	+17:13:10.0	6.2	6.9	802	1
WDSJ10361-2641	HD 91881	10:36:04	-26:40:31.7	5.1	6.1	1330	×
WDSJ10426+0335	34 Sex	10:42:37	+03:34:59.1	5.3	6.8	619	1
WDSJ14534+1542	HD 131473	14:53:23	+15:42:18.5	5.1	5.7	946	×
WDSJ15557-2645	HD 142456	15:55:41	-26:44:49.9	6.2	6.6	596	×
WDSJ16514+0113	21 Oph	16:51:24	+01:12:57.4	5.3	6.8	767	×
WDSJ17443-7213	HD 159964	17:44:19	-72:13:15.3	5.2	6.4	752	×
WDSJ18236-2610	HD 168991	18:23:33	-26:10:17.6	6.4	8.0	528	×
WDSJ18250-0135	HD 169493	18:24:57	-01:34:45.8	5.1	5.6	906	×
WDSJ18320+0647	HD 170987	18:32:01	+06:46:48.3	6.3	7.4	566	×
WDSJ19346+1808	HD 184591	19:34:37	+18:07:41.2	5.1	6.2	598	×
WDSJ22180-6249	HD 211299	22:18:02	-62:48:40.7	5.8	6.9	682	1

 Table 1. Initial list of target selected from the WDS catalogue.

[†] Due to COVID-19 related disruptions at the Paranal observatory, not all targets have been observed.

4. Data-reduction

4.1. Pipeline reduction and general steps

The first step in our data reduction was to use the ESO GRAV-ITY pipeline (Lapeyrere et al. 2014) to create the intermediate "astroreduced" files, in which the individual detector integrations (DITs) are not averaged. The GRAVITY pipeline can also produce fully reduced "dualscivis" files in which the DITs are averaged. However, as we explain in Section 4.3.2, averaging coherent flux without blurring the signal requires some careful



Fig. 4. Similar to Figure 3, but illustrating the "dual-field off-axis" observing strategy. In this case, a roof-mirror is used to separate the field, and two sequences are required. In the "science" sequence, the FT fibre is positioned on an appropriately selected FT target, whereas the SC fibre is centred on the science target. In the "calibration" sequence, a binary star is observed multiple times, while swapping the position of the two fibres. If the science target is appropriate for fringe-tracking, the calibration can be performed on the science target itself. If not, the calibration sequence must be performed on a separate binary calibrator must be observed.

considerations about the astrometry of the targets. The GRAV-ITY pipeline assumes that the fibre is well-centred on the target, and uses the coordinates of the fibre as the assumption on the astrometry required to calculate the average. In many of our observations, the coordinates of the secondary were poorly known, so this assumption was not always valid. Therefore, in all this work, we decided to keep the "astroreduced" data, and perform any required DITs averaging manually, in our own astrometry extraction routines.

As a note, the fringe-tracker referencing and metrology correction described in Equation 5 and 8 are not performed by the pipeline on the astroreduced data product. Therefore, we included these steps in our own routines, using the algorithms described in the GRAVITY Pipeline User manual (VLT-MAN-ESO-19500-XXXX).

4.2. Vetting of the AT observations

Our analysis of the binary calibrator candidates started by a check for potential higher-multiplicity systems. A binary calibrator needs to be a proper binary for it to be useful for extracting the metrology zero-point, otherwise, the phase of Equation 8 is affected by an additional term coming from the resolved system, which cannot be easily accounted for in all the subsequent calculations.

To determine whether the two components of any given target binary are seen as point sources (i.e. are unresolved) by the VLTI, we treated each of them independently, in a similar fashion as if these were "single-field" observations, and performed a χ^2 -test. This starts by calculating the interferometric visibility, defined by

$$V_{j,k}(t,\lambda) = \frac{\Gamma_{j,k}^{\text{metcorr}}(t,\lambda)}{\sqrt{F_j(t,\lambda) \times F_k(t,\lambda)}},$$
(16)

where F_i refers to the flux on telescope *i*. In theory, for an unresolved component, the amplitude of this visibility should remain constant and equal to 1, and the closure-phase calculated from this visibility should remain equal to 0. In practice, though, the amplitude of the visibility is never equal to 1, and needs to be calibrated with the observation of a known unresolved point-source (an "interferometric calibrator"). As we did not obtain such calibrations during our observations, we focused on the closurephase to determine whether the individual components of our target binaries are unresolved.

For a given triangle of 3 telescopes (j, k, l), we calculated the bispectrum using

$$B_{j,k,l} = \Gamma_{j,k}^{\text{metcorr}} \times \Gamma_{k,l}^{\text{metcorr}} \times \text{conj}\left\{\Gamma_{j,l}^{\text{metcorr}}\right\},\tag{17}$$

and then extracted the closure phase, defined as the argument of this bispectrum:

$$\Phi_{j,k,l} = \arg(B_{j,k,l}). \tag{18}$$

The error bars $\sigma_{j,k,l}$ on the closure phase were propagated from the error bars reported by the pipeline on the coherent fluxes. We then performed a detrending step by fitting and subtracting a 2nd-order polynomial in wavelength for each exposure and triangle. If the component is truly unresolved, the resulting closure phase should be 0, within the error bars. Therefore, we calculate the reduced χ^2 under this null-hypothesis:

$$\chi^{2}_{\text{red}} = \frac{1}{\text{d.o.f.}} \sum_{\substack{\lambda,t \\ (j,k,l)}} \left[\frac{\Phi_{j,k,l}(t,\lambda)}{\sigma_{j,k,l}(t,\lambda)} \right]^{2}.$$
 (19)

In this equation, d.o.f. stands for the number of degrees of freedom and is given by

$$d.o.f. = 4 \times n_t \times (n_\lambda - 3), \tag{20}$$

since 4 corresponds to the number of independent triangles with 6 baselines, n_{λ} to the number of wavelength channels, n_t to the number of exposures, and "minus 3" accounts for the 3 coefficients of the detrending polynomial.

cients of the detrending polynomial. The values of these reduced χ^2_{red} are reported in Table 2. Their distribution shows a very clear separation between the unresolved sources, with values close to 1.3 to 1.8, and resolved sources, where the χ^2_{red} spikes to values of > 7. We adopt a threshold of 2, and reject any candidate binary with one component resulting in a χ^2_{red} > 5 from our list.

4.3. Extracting the astrometry

4.3.1. On-axis observations

The extraction of astrometric measurements from a sequence of on-axis observations with exposures on the science target interleaved with exposures on the FT target has been described extensively in the frame of exoplanet observations(GRAVITY Collaboration et al. 2020d; Nowak et al. 2020). In the case of the binary stars presented in this work, there are a few minor differences which need consideration. First, at the level of contrasts and separations considered in this work, the contamination of on-science observations with FT star residuals is not really an issue, meaning that when the SC fibre is centred on one of the two components, the other component does not significantly contribute to the coherent flux. Second, we are only interested in extracting the astrometry, and not the contrast spectrum between the two components.

With these difference in mind, we follow a similar set of steps as the one described in the above-mentioned papers. We first combined all the on-FT coherent fluxes to extract the metrology zero-point:

$$\phi_{j,}^{\text{ZP}}(\lambda) = \arg\left(\left\langle \Gamma_{j,k}^{\text{ref}}(t,\lambda) \right\rangle_{\text{on-FT}}\right).$$
(21)

Since we were not interested in extracting a proper contrast spectrum, and as only one component contributes to the coherent flux in these low-contrast observation, the amplitude reference was simply taken as the modulus of the coherent flux, using

$$A_{j,k}(t,\lambda) = \left| \Gamma_{j,k}^{\text{metcorr}}(t,\lambda) \right|.$$
(22)

From this, we defined a simple binary star model using the metrology zero-point, the amplitude reference, and the binary astrometry ($\Delta RA, \Delta DEC$):

$$\Gamma_{j,k}^{\text{model}}(\Delta \text{RA}, \Delta \text{DEC}, t, \lambda) = A_{j,k}(t, \lambda) e^{i\theta_{j,k}^{\mathcal{L}}(\lambda)} \times e^{-i\frac{2\pi}{\lambda}[u(t)\Delta \text{RA} + v(t)\Delta \text{DEC}]},$$
(23)

and defined the χ^2 associated to an on-science exposure as

$$\chi^{2} \begin{pmatrix} \Delta RA \\ \Delta DEC \end{pmatrix} = \sum_{\substack{(j,k)\\t,\lambda}} \left(\frac{\Gamma_{j,k}^{\text{metcorr}}(t,\lambda) - \Gamma_{j,k}^{\text{model}}(\Delta RA, \Delta DEC, t,\lambda)}{\sigma_{j,k}(t,\lambda)} \right)^{2}, \quad (24)$$

where the summation runs over all baselines (j, k), all wavelength channels λ , and all DITs *t* within the exposure file.

The corresponding best estimate of the astrometry was taken as the location of the minimum χ^2 . This resulted in a series of measurements ($\Delta RA, \Delta DEC$)^{*T*}_{*k*}, with $1 < k < n_{exp}$, n_{exp} being the number of observations taken with the SC fibre on the secondary component ("on-science" observations, as opposed to "on-FT" where the SC fibre is on the same component as the FT fibre). The final best estimate of the astrometry, with is associated covariance matrix, was taken as the mean and covariance of the series of individual measurement:

$$\begin{pmatrix} \Delta RA \\ \Delta DEC \end{pmatrix} = \frac{1}{n_{\exp}} \sum_{k} \begin{pmatrix} \Delta RA \\ \Delta DEC \end{pmatrix}_{k},$$
(25)

$$W = \begin{bmatrix} \sigma_{\Delta RA}^2 & \rho \sigma_{\Delta RA} \sigma_{\Delta DEC} \\ \rho \sigma_{\Delta RA} \sigma_{\Delta DEC} & \sigma_{\Delta DEC}^2 \end{bmatrix} = \frac{1}{n_{exp}} \operatorname{cov} \left\{ \begin{pmatrix} \Delta RA \\ \Delta DEC \end{pmatrix}_k \right\}.$$
(26)

4.3.2. Off-axis swap observations

Contrary to the on-axis observations, extracting the metrology zero-point from the swap observations takes a bit more care. The overall method described in Section 2.3 holds true, and the metrology zero-point can be extracted by combining the arguments of the swapped and unswapped observations according to Equation 15. The main difficulty lies in the fact that all DITs are not acquired simultaneously, which causes some problems with how the individual DIT measurements are averaged, and how the two swap positions are combined.

First, to avoid large errors on the phase, the coherent fluxes should be averaged before extracting the arguments. But due to the time-dependence of the baseline coordinates u(t), v(t), this coherent flux average cannot be calculated simply by taking the average of all DITs, as this would "blur the signal". Instead, the proper way to average the coherent fluxes is to do it at zero-OPD, by first shifting them in the "target's reference frame", then calculating the average, and finally moving the result back to the initial frame. In mathematical terms, this would be written

$$\Gamma_{j,k}^{\text{metcorr}}(t_{\text{mean}},\lambda) = \left\langle \Gamma_{j,k}^{\text{metcorr}}(t,\lambda) \times e^{i\frac{2\pi}{\lambda}[u(t)\Delta \text{RA}+v(t)\Delta \text{DEC}]} \right\rangle$$
$$\times e^{-i\frac{2\pi}{\lambda}[u(t_{\text{mean}})\Delta \text{RA}+v(t_{\text{mean}})\Delta \text{DEC}]}.$$
(27)

Then, because the swapped and unswapped observations are not acquired simultaneously, Equation 15 is not exactly correct, as it would in practice introduce an error on the phase in the form of $2\pi\Delta RA [u(t_+) - u(t_-)]/\lambda$, plus a similar term for ΔDEC . Therefore, in practice, the zero-point is calculated directly in the zero-OPD frame using

$$\phi_{j,k}^{\text{ZP}} = \frac{1}{2} \left\langle \Gamma_{j,k}^{\text{metcorr}} e^{i\frac{2\pi}{\lambda} [u\Delta \text{RA} + v\Delta \text{DEC}]} \right\rangle_{\text{swapped}} + \frac{1}{2} \left\langle \Gamma_{j,k}^{\text{metcorr}} e^{i\frac{2\pi}{\lambda} [u\Delta \text{RA} + v\Delta \text{DEC}]} \right\rangle_{\text{unswapped}}.$$
(28)

Of course, the problem in Equations 27 and 28 is that they require the a priori knowledge of the astrometry of the target. If this astrometry is known in advance, it can be used to average the swapped and unswapped observations, and then to calculate the metrology zero-point. This is typically the case when observing a known binary calibrator for an off-axis science target, but was not the case for our binary targets, for which we were actually trying to determine the best estimate of the astrometry.

To circumvent this issue, we resorted to a grid of astrometry, in a similar fashion as for the on-axis observations described

Article number, page 7 of 16

in Section 2.2. For any point ΔRA , ΔDEC on our grid, we combined the averaged coherent fluxes of the two swap positions using

$$\Gamma_{j,k}(\Delta \text{RA}, \Delta \text{DEC}) = \left\langle \Gamma_{j,k}^{\text{metcorr}} e^{i\frac{2\pi}{\lambda} [u\Delta \text{RA} + v\Delta \text{DEC}]} \right\rangle_{\text{swapped}}^{\frac{1}{2}} \\ \times \operatorname{conj} \left[\left\langle \Gamma_{j,k}^{\text{metcorr}} e^{i\frac{2\pi}{\lambda} [u\Delta \text{RA} + v\Delta \text{DEC}]} \right\rangle_{\text{unswapped}} \right]^{\frac{1}{2}}.$$
 (29)

Thanks to the use of the complex-conjugate for the second element, the metrology zero-point vanishes. For the correct astrometry, this quantity should a purely real number. We therefore calculated an associated χ^2 quantity from the imaginary part of this coherent flux:

$$\chi^{2}(\Delta RA, \Delta DEC) = \sum_{(j,k),\lambda} \frac{\operatorname{Im}\left[\Gamma_{j,k}(\Delta RA, \Delta DEC)(\lambda)\right]}{\sigma_{j,k}(\Delta RA, \Delta DEC)(\lambda)}$$
(30)

with $\sigma_{j,k}(\Delta RA, \Delta DEC)$ the error bar on the imaginary part of Γ propagated from the pipeline-reported error bars. The best astrometric guess was then taken as the location of the χ^2 minimum:

$$(\Delta RA, \Delta DEC)_{guess} = \operatorname{argmin} \left\{ \chi^2(\Delta RA, \Delta DEC) \right\}.$$
 (31)

The metrology zero-point was then calculated using Equation 28, using this best guess to re-centre and average the coherent fluxes. Once the zero-point was known, we subtracted it from each individual exposure, and the rest of the data reduction followed the same steps as for the on-axis case, keeping in mind that the sign of all astrometric measurements from the swapped observations is reversed to account for the fact that these observations actually measure the position of the FT target relative to the SC target. This yielded one astrometric measurement per exposure file, and the final astrometric estimate was taken as the mean of the series, with the associated error bars calculated from the empirical covariance, using Equation 26.

5. Results

5.1. Vetted selection of binary calibrators

Among the 21 targets parts of the AT calibration programme to find new potential binary calibrators, 12 targets were observed (see Table 1). Our χ^2 closure-phase tests excluded WDSJ02407+2637 and WDSJ05417-0254, with respective maximum χ^2_{red} values of 63 and 7.8 among their two visual components. These values are clear signs of a higher multiplicity, which justify their exclusion from the final list.

Overall, the calibration programme provided a set of 10 new binary calibrators. With the addition of the 3 calibrators already known at the start of the ExoGRAVITY Large Programme, this makes a total of 13 available binary calibrators for dual-field/offaxis observations with VLTI/GRAVITY on the UTs. The complete list of vetted binary calibrators, with coordinates and magnitudes, is provided in Table 2.

In Figure 5, we give the evolution of the elevation of these vetted calibrators as a function of sidereal time, for a complete rotation of the Earth (24h). We also give the evolution of the number of calibrators at an elevation of at least 30 deg, which shows that our list always guarantee the availability of at least 2 calibrators at an elevation > 30 deg (airmass < 2), at any point in time. This should guarantee the feasibility of all upcoming programmes using the dual-field mode of GRAVITY on the UTs.

5.2. Astrometry

The astrometric measurements obtained on the vetted binaries with the ATs and UTs are presented in Table B.1. To obtain the best possible constraints on the orbits of our binaries, and to be able to provide estimates of the separation vector for the next few years, we added to our GRAVITY astrometric measurements a series of measurements taken from the WDS catalogue.

Our vetted binaries are all present in the catalogue, which provides astrometric measurements obtained with a mixture of instruments, some dating back to the 19th century. The catalogue does not provide the error bars on the individual measurements, but does provide the best estimate of the orbit of the binary obtained from the individual astrometric measurements.

We used this best estimate of the orbit to extract an estimate of the error bars on the individual WDS data points. To do so, we first calculated the WDS astrometric residuals for all our vetted binaries, which we defined as the difference between each individual astrometric measurement available in the catalogue and position along the best estimate of the orbit at the corresponding epoch. Combining our 13 targets, we obtained a total of 1078 residuals in RA and DEC, corresponding to epochs ranging from 1843 to late 2021. We then adopted a simple linear model to describe the error bars, given by

$$\sigma(t) = b - at,\tag{32}$$

in which *a* was a positive coefficient describing the improvement in astrometric precision made over the years. We assumed that a residual $\delta RA(t)$ or $\delta DEC(t)$ obtained at epoch *t* in the catalogue followed a normal distribution of mean 0 (unbiased), and variance $\sigma(t)^2$.

From there, we combined all the 1078 epochs gathered from the WDS catalogue to calculate a likelihood associated to our model of σ :

$$\mathcal{L}[\sigma(t)] = \prod_{t} \frac{1}{2\pi\sigma(t)^2} \exp\left(-\frac{\delta RA^2 + \delta DEC(t)^2}{2\sigma(t)^2}\right),$$
(33)

and, ignoring the 2π factors in the normalization, we calculated the log-likelihood of the model using

$$\log \mathcal{L}(a,b) = -\sum_{t} 2\log|b - at| - \frac{\delta RA(t)^2 + \delta DEC(t)^2}{2(b - at)^2}.$$
 (34)

We maximized this log-likelihood to obtain the best estimates of the parameters a and b, which in turn provided our linear rule to calculate a value of σ for all the individual measurements. We obtained:

$$\frac{\sigma(t)}{1\,\mathrm{mas}} = 148 - 0.68 \times \left(\frac{t}{1\,\mathrm{yr}} - 1836\right). \tag{35}$$

5.3. Orbit fit and astrometric predictions

We used orbitize! (Blunt et al. 2020) to fit the relative motion of our vetted binaries. For each of them, we gathered all the astrometric measurements available in the WDS catalogue, to which we associated error bars using Equation 35. We also added our own GRAVITY astrometric measurements, as reported in Table B.1. Table 3 gives a brief overview of the measurements available on each target.

We used the parallel-tempering affine-invariant (Foreman-Mackey et al. 2013; Vousden et al. 2016) MCMC sampler available in orbitize! to determine the posterior distributions of the

M. Nowak et al.: A catalogue of dual-field interferometric binary calibrators

Target	Alt. Name	RA	DEC	$\chi^2_{\rm red}$	multiplicity	Contrast [†]	Vetted	
-				Epoch	Primary	Secondary	Δ mag (K)	
WDSJ04021-3429	HD 25535	04:02:03	-34:28:56				2.6	YES
WDSJ14077-4952	HD 123227	14:07:42	-49:52:03	Vetted in	I ExoGRAV	ITY LP	0.6	YES
WDSJ20399+1115	HD 196885	20:39:52	+11:14:59				3.2	YES
WDSJ00209+1059	HD 1663	00:20:55	+10:58:38	2021-10-23	1.3	1.3	0.2	YES
WDSJ00427-3828	$\lambda 01 \text{ Scl}$	00:42:43	-38:27:49	2021-10-21	1.3	1.3	0.3	YES
WDSJ05055+1948	HD 32642	05:05:32	+19:48:24	2021-11-03	1.2	1.2	0.3	YES
WDSJ05270-6837	HD 36584	05:27:00	-68:37:21	2020-12-01	1.8	1.5	0.3	YES
WDSJ06345-1114	HD 46716	06:34:32	-11:13:47	2021-10-22	1.2	1.3	0.2	YES
WDSJ06364+2717	HD 46780	06:36:26	+27:16:42	2020-12-17	1.6	1.6	0.7	YES
WDSJ08394-3636	HD 73900	08:39:22	-36:36:24	2021-10-25	1.2	1.2	1.4	YES
WDSJ10269+1713	HD 90444	10:26:53	+17:13:10	2022-02-06	1.4	1.3	0.3	YES
WDSJ10361-2641	HD 91881	10:36:05	-26:40:32	2020-02-06	1.5	1.4	1.0	YES
WDSJ18516-1719	HD 174536	18:51:37	-17:18:36	2023-03-30	1.6	1.7	3.5	YES
WDSJ02407+2637	HD 16638	02:40:42	+26:37:20	2021-11-17	63.1	1.3	-	NO
WDSJ05417-0254	HD 37904	05:41:40	-02:53:47	2020-12-01	2.0	7.8	-	NO

Table 2. Results of the χ^2_{red} multiplicity test performed on the closure-phase for the first epoch of each target part of the calibration programme. This test shows that both WDSJ02407+2637 and WDSJ05417-0254 (in gray) have higher multiplicities, making them unsuitable as binary calibrators. [†] For convenience, we also report An estimate of the contrast ratio for these targets, derived from our fits. Our observations were not designed for measuring the contrast, so these values should only be seen as rough estimates, and we do not report any error bars.



Fig. 5. Observability of the dual-field calibrators as a function of mean sidereal time at Paranal. The red curves (left axis) show the elevation for each vetted binary calibrator from Table 2. The blue curve (right axis) shows the number of calibrators at above 30 deg of elevation.

Target		WDS catalog	gue	VLTI/GRAVITY (this work)				
	Nepochs	First epoch	Last epoch	Nepochs	First epoch	Last epoch		
WDSJ00209+1059	110	1889-08-26	2016-11-16	1	2021-10-23	2021-10-23		
WDSJ00427-3828	42	1901-11-03	2017-10-17	3	2021-10-21	2021-11-16		
WDSJ04021-3429	95	1881-11-07	2021-11-21	11	2019-10-21	2023-11-02		
WDSJ05055+1948	203	1843-03-25	2021-02-26	3	2021-11-03	2021-12-28		
WDSJ05270-6837	38	1898-01-01	2015-01-01	3	2020-12-01	2022-09-15		
WDSJ06345-1114	28	1888-08-22	2016-03-16	2	2021-10-22	2021-12-28		
WDSJ06364+2717	165	1843-03-22	2021-02-26	1	2020-12-17	2020-12-17		
WDSJ08394-3636	33	1900-05-19	2021-11-21	5	2021-10-25	2022-01-24		
WDSJ10269+1713	166	1843-04-05	2019-02-09	2	2022-02-26	2022-02-28		
WDSJ10361-2641	113	1876-03-25	2021-04-26	8	2020-02-06	2023-05-10		
WDSJ14077-4952	59	1895-06-25	2021-07-26	5	2020-02-07	2023-06-02		
WDSJ18516-1719	13	1900-09-06	2002-08-05	4	2021-08-27	2023-07-02		
WDSJ20399+1115	13	2000-10-08	2021-10-02	5	2019-08-15	2021-10-20		

Table 3. Summary of the astrometric measurements used in our orbit fits.

Target	2024-01-01			2	025-01-01		2026-01-01		
	ΔRA	ΔDEC	Error ¹	ΔRA	ΔDEC	Error ¹	ΔRA	ΔDEC	Error ¹
	[mas]	[mas]	[mas]	[mas]	[mas]	[mas]	[mas]	[mas]	[mas]
WDSJ00209+1059	682.7	-405.9	0.9	682.5	-409.7	1.1	682.3	-413.3	1.5
WDSJ00427-3828	-297.5	-615.1	1.2	-300.6	-610.4	1.8	-303.6	-605.7	2.4
WDSJ04021-3429	718.7	802.8	0.3	691.7	814.5	0.4	664.3	825.5	0.7
WDSJ05055+1948	-865.2	378.2	0.5	-867.0	374.4	0.7	-868.7	370.5	0.9
WDSJ05270-6837	553.5	-1353.8	0.7	558.1	-1354.8	1.0	562.7	-1355.8	1.4
WDSJ06345-1114	131.5	708.8	1.7	138.8	714.7	2.5	146.1	720.5	3.3
WDSJ06364+2717	-694.0	-4.3	2.9	-683.8	-18.7	4.0	-671.4	-33.0	5.4
WDSJ08394-3636	-833.0	-468.6	2.2	-834.4	-473.9	3.3	-834.5	-478.4	4.4
WDSJ10269+1713	419.6	-722.2	0.6	419.7	-725.5	0.8	419.7	-728.6	1.1
WDSJ10361-2641	-1114.0	681.3	0.4	-1115.2	671.2	0.6	-1116.1	660.9	0.7
WDSJ14077-4952	-385.8	884.8	0.3	-362.3	878.6	0.5	-338.7	871.9	0.7
WDSJ18516-1719	-314.5	1486.4	0.3	-314.4	1486.4	0.4	-314.2	1486.4	0.5
WDSJ20399+1115	231.4	423.7	2.9	195.2	418.7	5.3	158.2	411.8	8.7

 Table 4. Predicted astrometry from 2024 to 2026 for the vetted binary calibrators.

¹ The astrometric predictions are calculated form the posteriors of the orbit fits, and the RA and DEC can be highly correlated. Consequently, the error reported in the tables represent the long-axis of the error ellipse.

orbital parameters. Except for the total mass of the system M_{tot} and the parallax π , we used the default priors in orbitize!. Our priors on the total mass were set to Gaussian priors, with an arbitrary $M_{\text{tot}} = 4 \pm 4$. For the parallax, we based our priors on the Gaia DR3 measurements Gaia Collaboration et al. (2021). For systems which remained unresolved with Gaia, and for which only one value of the parallax was available, we adopted a Gaussian prior centred on the Gaia measurement, and with a standard-deviation corresponding to the reported measurement error. For systems on which measurements were available for each component, we took the average of the two as our mean value for the Gaussian prior, and we used the half difference of the two components as our prior standard deviation.

The MCMC runs were all set up with 100 walkers and 20 temperatures for a burn-in phase of 300 000 steps, followed by an additional 600 000 steps to approximate the posterior distributions, keeping only 1/10th of the samples. The resulting orbital parameter estimates are reported in Table C.1, and Figure 5.3 gives a visual overview of these posteriors for each target. In particular, Figure 5.3 clearly illustrate the very large disparities in terms of orbital coverage, which inevitably results in very large disparities in terms of orbital constraints.

From these orbital posteriors, we also calculated a set of astrometric predictions which can be used for future observations. To obtain these predictions, we calculated the predicted astrometry for each orbit of our posteriors at the beginning of 2024, 2025, and 2026. We report the mean values and the error estimates in Table 4, but we strongly encourage the use of the tool whereistheplanet¹ to calculate predicted separations, as we plan to update the orbit posteriors to improve predictions when new observations become available. This tool also seamlessly integrates with p2Gravity², to further simplify the process of preparing observing material for VLTI/GRAVITY. All the vetted calibrators of Table 2 have been integrated in whereistheplanet.

6. Conclusion

We have assembled a catalogue of 13 visual binary stars which can be used as calibrators for dual-field interferometric observations with VLTI/GRAVITY on the UTs. This catalogue guarantees that there are always at least 2 vetted calibrators up in the sky above Paranal.

Using a combination of our own recent high-precision astrometric measurements together with archival measurements from the WDS catalogue, we also obtained updated orbital elements for the 13 binaries of the catalogue. From these updated orbital elements, we derive a set of predictions for the binary separation vector which can be used to point the instrument during calibration observations. These predictions are available in Table 4 and in whereistheplanet, and we recommend the use of this tool together with p2Gravity for the preparation of VLTI/GRAVITY dual-field observing material.

Acknowledgements. This work is based on observations collected at the European Southern Observatory under ESO programmes 1103.B-0626, 1104.C-0651, 106.21S5.001, 108.226K.002, 108.22MY.001, 112.25GE.001, 111.24MN.001, 2104.C-5040. 5102.C-0122. SL acknowledges the support of the French Agence Nationale de la Recherche (ANR), under grant ANR-21-CE31-0017 (project ExoVLTI). G-DM acknowledges the support of the DFG priority program SPP 1992 "Exploring the Diversity of Extrasolar Planets" (MA 9185/1) and from the Swiss National Science Foundation under grant 200021_204847 "PlanetsIn-Time". Parts of this work have been carried out within the framework of the NCCR PlanetS supported by the Swiss National Science Foundation.

References

- Blunt, S., Wang, J. J., Angelo, I., et al. 2020, The Astronomical Journal, 159, 89
 Foreman-Mackey, D., Hogg, D. W., Lang, D., & Goodman, J. 2013, Publications of the Astronomical Society of the Pacific, 125, 306
- Gaia Collaboration, Brown, A. G. A., Vallenari, A., et al. 2021, Astronomy & Astrophysics, 649, A1
- Gillessen, S., Lippa, M., Eisenhauer, F., et al. 2012, in Optical and Infrared Interferometry III, Vol. 8445 (International Society for Optics and Photonics), 844510
- GRAVITY Collaboration, Abuter, R., Accardo, M., et al. 2017, Astronomy & Astrophysics, 602, A94
- GRAVITY Collaboration, Abuter, R., Aimar, N., et al. 2022, Astronomy & Astrophysics, 657, L12
- GRAVITY Collaboration, Abuter, R., Amorim, A., et al. 2018a, Astronomy & Astrophysics, 615, L15

¹ Available at https://github.com/semaphoreP/whereistheplanet

² Available at https://github.com/f4hzg/p2Gravity



Fig. 6. Posterior orbits for each of the 13 vetted calibrators from Table 2. Each panel illustrates a set of 100 orbits drawn from our posterior distributions of orbital parameters (in blue), as well as the coverage offered by our combined WDS and GRAVITY astrometry (red crosses). The black star provides a visual reference of the (0, 0) coordinate origin.

- GRAVITY Collaboration, Abuter, R., Amorim, A., et al. 2020a, Astronomy & Astrophysics, 636, L5
- GRAVITY Collaboration, Abuter, R., Amorim, A., et al. 2018b, Astronomy & Astrophysics, 618, L10
- GRAVITY Collaboration, Abuter, R., Amorim, A., et al. 2019a, Astronomy & Astrophysics, 625, L10
- GRAVITY Collaboration, Bauböck, M., Dexter, J., et al. 2020b, Astronomy & Astrophysics, 635, A143
- GRAVITY Collaboration, Lacour, S., Nowak, M., et al. 2019b, Astronomy and Astrophysics, 623, L11
- GRAVITY Collaboration, Nowak, M., Lacour, S., et al. 2020c, Astronomy & Astrophysics, 633, A110
- GRAVITY Collaboration, Pfuhl, O., Davies, R., et al. 2020d, Astronomy & Astrophysics, 634, A1
- Lacour, S., Dembet, R., Abuter, R., et al. 2019, Astronomy & Astrophysics, 624, A99
- Lapeyrere, V., Kervella, P., Lacour, S., et al. 2014, in Optical and Infrared Interferometry IV, Vol. 9146 (SPIE), 735–743
- Nowak, M., Lacour, S., Lagrange, A.-M., et al. 2020, Astronomy & Astrophysics, 642, L2
- Vousden, W. D., Farr, W. M., & Mandel, I. 2016, Monthly Notices of the Royal Astronomical Society, 455, 1919
- ¹ Institute of Astronomy, University of Cambridge, Madingley Road, Cambridge CB3 0HA, United Kingdom
- ² Kavli Institute for Cosmology, University of Cambridge, Madingley Road, Cambridge CB3 0HA, United Kingdom
- ³ LESIA, Observatoire de Paris, PSL, CNRS, Sorbonne Université, Université de Paris, 5 place Janssen, 92195 Meudon, France
- ⁴ European Southern Observatory, Karl-Schwarzschild-Straße 2, 85748 Garching, Germany
- ⁵ Universidade de Lisboa Faculdade de Ciências, Campo Grande, 1749-016 Lisboa, Portugal
- ⁶ CENTRA Centro de Astrofísica e Gravitação, IST, Universidade de Lisboa, 1049-001 Lisboa, Portugal
- ⁷ Max Planck Institute for Astronomy, Königstuhl 17, 69117 Heidelberg, Germany
- ⁸ Department of Physics & Astronomy, Johns Hopkins University, 3400 N. Charles Street, Baltimore, MD 21218, USA
- ⁹ Space Telescope Science Institute, 3700 San Martin Drive, Baltimore, MD 21218, USA
- ¹⁰ Univ. Grenoble Alpes, CNRS, IPAG, 38000 Grenoble, France
- ¹¹ Center for Interdisciplinary Exploration and Research in Astrophysics (CIERA) and Department of Physics and Astronomy, Northwestern University, Evanston, IL 60208, USA
- ¹² Max Planck Institute for extraterrestrial Physics, Giessenbachstraße 1, 85748 Garching, Germany
- ¹³ Aix Marseille Univ, CNRS, CNES, LAM, Marseille, France
- ¹⁴ Université Côte d'Azur, Observatoire de la Côte d'Azur, CNRS, Laboratoire Lagrange, France
- ¹⁵ STAR Institute, Université de Liège, Allée du Six Août 19c, 4000 Liège, Belgium
- ¹⁶ Leiden Observatory, Leiden University, P.O. Box 9513, 2300 RA Leiden, The Netherlands
- ¹⁷ Department of Astrophysical & Planetary Sciences, JILA, Duane Physics Bldg., 2000 Colorado Ave, University of Colorado, Boulder, CO 80309, USA
- ¹⁸ 1. Institute of Physics, University of Cologne, Zülpicher Straße 77, 50937 Cologne, Germany
- ¹⁹ Max Planck Institute for Radio Astronomy, Auf dem Hügel 69, 53121 Bonn, Germany
- ²⁰ Universidade do Porto, Faculdade de Engenharia, Rua Dr. RobertoRua Dr. Roberto Frias, 4200-465 Porto, Portugal
- ²¹ School of Physics, University College Dublin, Belfield, Dublin 4, Ireland
- ²² Astrophysics Group, Department of Physics & Astronomy, University of Exeter, Stocker Road, Exeter, EX4 4QL, UK
- ²³ Departments of Physics and Astronomy, Le Conte Hall, University of California, Berkeley, CA 94720, USA
- ²⁴ European Southern Observatory, Casilla 19001, Santiago 19, Chile
- ²⁵ Advanced Concepts Team, European Space Agency, TEC-SF, ES-TEC, Keplerlaan 1, NL-2201, AZ Noordwijk, The Netherlands

Article number, page 12 of 16

- ²⁶ University of Exeter, Physics Building, Stocker Road, Exeter EX4 4QL, United Kingdom
- ²⁷ Fakultät für Physik, Universität Duisburg-Essen, Lotharstraße 1, 47057 Duisburg, Germany
- ²⁸ Institüt für Astronomie und Astrophysik, Universität Tübingen, Auf der Morgenstelle 10, 72076 Tübingen, Germany
- ²⁹ Center for Space and Habitability, Universität Bern, Gesellschaftsstrasse 6, 3012 Bern, Switzerland
- ³⁰ Astronomy Department, University of Michigan, Ann Arbor, MI 48109 USA
- ³¹ Academia Sinica, Institute of Astronomy and Astrophysics, 11F Astronomy-Mathematics Building, NTU/AS campus, No. 1, Section 4, Roosevelt Rd., Taipei 10617, Taiwan
- ³² European Space Agency, ESA Office, Space Telescope Science Institute, 3700 San Martin Drive, Baltimore, MD 21218, USA
- ³³ Department of Earth & Planetary Sciences, Johns Hopkins University, Baltimore, MD, USA
- ³⁴ Max Planck Institute for Astrophysics, Karl-Schwarzschild-Str. 1, 85741 Garching, Germany
- ³⁵ Excellence Cluster ORIGINS, Boltzmannstraße 2, D-85748 Garching bei München, Germany
- ³⁶ Department of Astronomy, Stockholm University, AlbaNova University Center, 10691 Stockholm, Sweden

Appendix A: Observing logs

Target	Fnoch	Array	Airmass	Seeing	$ au_{0}$	ΔRA	ADEC	NFXP×	Program ID
luiget	Lpoen	7 illuy	[min-max]	[as]	[ms]	[mas]	[mas]	NDIT × DIT	i logiuli iD
			1.07-1.08	0.40	8.51	0	0	$\frac{4 \times 16 \times 108}{4 \times 108}$	
	2021-12-28	A0-G1-J2-K0	1.07-1.09	0.41	10.38	-775	-431	$4 \times 16 \times 10$ s	106.21\$5.001
			1.25-1.30	0.52	16.49	-775	-431	$2 \times 16 \times 10$ s	
HD 73900	2021-10-25	A0-B2-D0-C1	1.24-1.27	0.53	16.49	0	0	$2 \times 16 \times 10$ s	108.22MY.001
			1.19-1.22	0.71	3.25	Õ	Ő	$4 \times 16 \times 10$ s	
2021-11-17		A0-G1-J2-K0	1.20-1.24	0.81	2.80	-775	-431	$4 \times 16 \times 10$ s	106.21\$5.001
			1.09-1.17	0.61	3.24	671	870	$3 \times 32 \times 10$ s	
	2019-10-22	A0-B2-D0-C1	1.08-1.18	0.56	3.75	0	0	$4 \times 32 \times 10$ s	60.A-9102(H)
HD 25535			1.04-1.11	1.34	1.59	Õ	Ő	$4 \times 32 \times 10$ s	
	2019-10-21	A0-G1-J2-K0	1.05-1.10	1.21	1.59	671	870	$3 \times 32 \times 10$ s	60.A-9102(H)
			1.44-1.54	0.67	4.78	-1114	724	$2 \times 8 \times 10$ s	
	2020-02-20	K0-G2-D0-J3	1.46-1.52	0.64	4.65	0	0	$2 \times 8 \times 10$ s	2104.C-5040(A)
HD 91881			1.11-1.14	1.17	2.67	-1114	724	$2 \times 16 \times 10$ s	
	2020-02-06	A0-B2-D0-C1	1 10-1 12	1.00	2.58	0	0	$2 \times 16 \times 10^{\circ}$	2104.C-5040(A)
			1.16 1.12	0.44	6.64	0	0	$\frac{2 \times 16 \times 10}{2 \times 16 \times 10}$	
	2021-11-03	A0-B2-D0-C1	1 79-1 89	0.38	7.67	-872	416	$2 \times 10 \times 10^{\circ}$	108.22MY.001
			1 70-1 76	0.50	6 35	0	0	$2 \times 16 \times 10^{\circ}$	
HD 32642	2021-11-27	A0-B2-D0-C1	1 72-1 81	0.57	6 35	-872	416	$2 \times 16 \times 10^{\circ}$	108.22MY.001
			1 54-1 59	0.42	8.61	-872	416	$2 \times 16 \times 10^{\circ}$	
	2021-12-28	A0-G1-J2-K0	1 56-1 60	0.12	8.61	0	0	$2 \times 10 \times 10^{\circ}$	106.21\$5.001
			1 41-1 43	0.48	3 34	0	0	$\frac{2 \times 10 \times 100}{1 \times 8 \times 30 \text{ s}}$	
HD 1663	2021-10-23	A0-B2-D0-C1	1 36-1 50	0.40	3 34	667	_391	$4 \times 8 \times 30$ s	108.22MY.001
			1.30-1.30	0.52	5 59	007	0	$\frac{7 \times 16 \times 108}{2 \times 16 \times 108}$	
	2023-03-30	A0-B2-D0-C1	1.13-1.14	0.05	5.26	_475	905	$2 \times 10 \times 10^{\circ}$	60.A-9102(J)
HD 123227		1 39-1 42	0.91	3.86	0	0	$2 \times 10 \times 10^{\circ}$		
2020-02-07	A0-B2-D0-C1	1.39-1.42	0.24	3.76	_535	965	$2 \times 10 \times 10^{\circ}$ $2 \times 16 \times 10^{\circ}$	2104.C-5040(A)	
			1.40-1.45	0.98	1.85	-555	905	$\frac{2 \times 10 \times 10 \text{ s}}{4 \times 16 \times 10 \text{ s}}$	
	2021-10-09	A0-G1-J2-K0	1.05-1.08	0.99	2.11	337	_425	$4 \times 10 \times 108$ $4 \times 16 \times 108$	106.21\$5.001
			1.00-1.11	0.93	4.82	0	-425	$4 \times 10 \times 10$ s	
	2021-10-22	A0-B2-D0-C1	1.04-1.05	0.03	4.02	240	630	$2 \times 10 \times 10^{\circ}$ $2 \times 16 \times 10^{\circ}$	108.22MY.001
			1.04 - 1.03 1.04 - 1.04	0.71	2.50	240	630	$2 \times 10 \times 10^{\circ}$ $2 \times 16 \times 10^{\circ}$	
	2021-10-21	A0-B2-D0-C1	1.04 - 1.04 1.03 - 1.04	0.80	2.50	240	0.50	$2 \times 10 \times 10$ s	108.22MY.001
$\lambda 01 \text{ Scl}$			1 25-1 30	1 10	1.81	337	-425	$2 \times 10 \times 10$ s	
	2021-10-01	A0-G1-J2-K0	1.25-1.50	1.19	1.01	0	-125	$2 \times 10 \times 10^{\circ}$	106.21\$5.001
			1 30-1 35	0.69	3.76	240	630	$2 \times 10 \times 10$ s	
	2021-11-16	A0-G1-J2-K0	1 33-1 37	0.02	3.43	240	0.50	$2 \times 10 \times 10^{\circ}$	106.21\$5.001
			1 18-1 35	0.75	3 59	0	Ő	$6 \times 16 \times 10$ s	
	2023-10-25	A0-B2-D0-C1	1 19-1 34	0.70	3.94	-295	-620	$4 \times 16 \times 10$ s	60.A-9102(J)
			1.60-1.63	0.37	7.10	549	-1381	$\frac{1 \times 10 \times 10}{2 \times 16 \times 10}$	
HD 36584	2021-10-22	A0-G1-J2-K0	1.62-1.62	0.37	7.10	0	0	$1 \times 16 \times 10$ s	106.21\$5.001
			1 23-1 37	0.84	2.87	65	689	$\frac{1 \times 10 \times 10}{4 \times 8 \times 30}$	
	2021-10-22	A0-B2-D0-C1	1 22-1 32	0.86	2.07	0	0	$4 \times 16 \times 10$ s	108.22MY.001
HD 46716			1.03-1.07	0.00	673	65	689	$5 \times 8 \times 30$ s	
	2021-12-28	A0-G1-J2-K0	1.03-1.04	0.13	6.67	0	0	$4 \times 16 \times 10$ s	106.21\$5.001
			1.62-1.63	0.47	6.54		96	$\frac{4 \times 10 \times 103}{2 \times 32 \times 108}$	
HD 46780 2020-12-17		K0-G2-D0-J3	1.62-1.63	0.45	6.43	0	0	$2 \times 32 \times 10^{\circ}$ 2 × 32 × 10 s	106.21\$5.001
			1.02-1.03	0.43	4.65	-14	-541	$\frac{2 \times 32 \times 108}{4 \times 32 \times 108}$	
HD 37904 2020-12-01		A0-G1-J2-K0	1.09-1.12	0.47	5.10	-14	-341	$4 \times 32 \times 10$ s	106.21\$5.001
			1 / 8_1 5/	0.44	13.00	0	0	$\frac{1}{2 \times 32 \times 108}$	
	2022-02-26	A0-G1-J2-K0	1.40-1.34	0.44	13.99		_699	$2 \times 32 \times 108$ $2 \times 32 \times 10^{\circ}$	108.22MY.001
HD 90444			1.44-1.32	0.42	0.22	411	-088	$2 \times 32 \times 10^{\circ}$	
	2022-02-28	A0-G1-J2-K0	1.02-1.73	0.30	9.32 10.02	0 /11	600	$2 \times 32 \times 108$ $2 \times 32 \times 10^{\circ}$	106.21\$5.001
			1.06 1 15	0.40	10.03	212	1402	$\frac{2 \times 32 \times 108}{4 \times 16 \times 10}$	
HD 174536	2023-03-30	A0-B2-D0-C1	1.00-1.13	0.74	4.90	510	-1480	$+ \times 10 \times 10 \text{ s}$	60.A-9102(J)
			1.00-1.12	0.07	2.91	-0	-0	$\frac{4 \times 10 \times 108}{1 \times 16 \times 10}$	
HD 16638	2021-11-17	A0-G1-J2-K0	1.00-1.99	0.70	3.0 2.0	-200	-3/4	$1 \times 10 \times 10 $ $1 \times 16 \times 10 =$	108.22MY.001
			1.88-1.99	0.09	3.9	-0	-0	1 × 10 × 10 S	

 Table A.1. Observing log with the Auxiliary Telescopes (ATs).

A&A proofs: manuscript no. aanda

International and part of the p	Torget	Enoch	Arrow	Airmass	Seeing	<i>T</i> -	۸ΡΛ	ADEC	NEVD	Drogram ID
$ \begin{array}{c} 122113 & 0.62 & 3.49 & 1316 & -1466 & 2\times32 \times 335 & 1104.Co651(G) \\ 101111 & 0.52 & 2.34 & -3106 & 1486 & 2\times32 \times 335 & 1104.Co651(G) \\ 2023.05 07 & U1-U2-U3-U4 & 102-102 & 1.88 & 1.99 & 316 & -1466 & 2\times12 \times 135 & 1104.Co651(G) \\ 2023.05 07 & U1-U2-U3-U4 & 102-102 & 1.88 & 1.99 & 316 & -1466 & 2\times22 \times 358 & 1104.Co651(G) \\ 2022.02.20 & U1-U2-U3-U4 & 103-103 & 0.62 & 11.91 & -1111 & -700 & 4\times96 \times 0.38 & 1104.Co651(G) \\ 2022.02.20 & U1-U2-U3-U4 & 103-103 & 0.62 & 11.91 & -1111 & -700 & 4\times96 \times 0.38 & 1104.Co651(G) \\ 2022.03-21 & U1-U2-U3-U4 & 104-104 & 0.54 & 7.31 & -1108 & 710 & 4\times64 \times 1.08 & 108.226K.002 \\ 2022.04.22 & U1-U2-U3-U4 & 104-104 & 0.74 & 5.16 & -1111 & -700 & 4\times48 \times 1.08 & 108.226K.002 \\ 2022.04.23 & U1-U2-U3-U4 & 104-105 & 0.47 & -311 & -700 & 4\times48 \times 1.08 & 108.226K.002 \\ 2022.04.20 & U1-U2-U3-U4 & 104-125 & 1.28 & 2.43 & 1111 & -700 & 4\times48 \times 1.08 & 108.226K.002 \\ 2023.05-10 & U1-U2-U3-U4 & 104-125 & 1.28 & 2.43 & 1111 & -700 & 8\times48 \times 1.08 & 108.226K.002 \\ 2024.05-20 & U1-U2-U3-U4 & 104-125 & 0.28 & -1111 & -700 & 8\times48 \times 1.08 & 108.226K.002 \\ 2024.05-20 & U1-U2-U3-U4 & 128-132 & 0.65 & 4.47 & 313 & 4.42 & 3\times12 \times 30.08 & 5102.CO122(D) \\ 2021.05-20 & U1-U2-U3-U4 & 128-132 & 0.65 & 4.47 & 313 & -422 & 3\times10.8 & 5102.CO122(D) \\ 2021.05-20 & U1-U2-U3-U4 & 128-132 & 0.65 & 4.47 & 313 & -432 & 3\times12 \times 30.08 & 5102.CO122(D) \\ 2021.06-24 & U1-U2-U3-U4 & 128-130 & 0.33 & 2.37 & 310 & 425 & 3\times12 \times 30.08 & 5102.CO122(D) \\ 2021.06-24 & U1-U2-U3-U4 & 128-130 & 0.73 & -420 & 3\times10 \times 30.08 & 5102.CO122(D) \\ 2021.06-24 & U1-U2-U3-U4 & 128-130 & 0.73 & -420 & -428 & 3\times10 \times 30.08 & 5102.CO122(D) \\ 201.06-84 & U1-U2-U3-U4 & 128-130 & 0.73 & -420 & -838 & -228 \times 80.08 & 5102.CO122(D) \\ 2021.06-24 & U1-U2-U3-U4 & 128-130 & 0.73 & -428 & 3\times10 \times 30.08 & 5102.CO122(D) \\ 2021.06-24 & U1-U2-U3-U4 & 128-130 & 0.73 & -428 & 3\times10 \times 30.08 & 5102.CO122(D) \\ 2021.06-24 & U1-U2-U3-U4 & 128-130 & 0.07 & -388 & -228 & -388 & -108 & 5102.CO122(D) \\ 2023.06-10 & U1-U2-U3-U4 & 128-128 & 206 & -738 & -7488 & 3\times08 & 5102.CO122(D) \\ 2023.$	Target	Epoch	Allay	[min-max]	[as]	í0 [ms]	[mas]	[mas]	$NDIT \times DIT$	r togrann nD
2023-07-02 U1-U2-U3-U4 1101.11 0.85 2.34 -316 1486 2.5 × 65 × 33 1104.C-0651(0) 100 2023-05-07 U1-U2-U3-U4 1051.05 0.82 4.92 -316 1486 2.2 12 × 30 × 31 1104.C-0651(0) 2023-05-07 U1-U2-U3-U4 1051.03 0.82 4.92 -316 1486 2.2 34 × 30 × 31 1104.C-0651(0) 2022-02-20 U1-U2-U3-U4 1051.103 0.62 1191 -1111 700 4×66 × 10.8 1104.C-0651(0) 2021-01-07 U1-U2-U3-U4 1061-10 0.54 11.22 1111 700 4×64 × 10.8 1104.C-0651(0) 2022-03-21 U1-U2-U3-U4 1051.06 0.28 11.07 1108 ×61 × 10.8 108.2266.002 2022-03-20 U1-U2-U3-U4 1041.125 0.28 2.35 1111 700 8×48 × 10.8 108.2266.002 2022-03-20 U1-U2-U3-U4 124.124 0.44 7.31 7108 ~710 8×48 × 10.8 108.2266.002 109.2236.002 109.22				1 12-1 13	$\frac{0.62}{0.62}$	3 49	316	-1486	$\frac{1011 \times D11}{2 \times 32 \times 30 \text{ s}}$	
HD 174536 2021-08-27 U1-U2-U3-U4 105-107 0.27 6.06 316 -1486 2 × 12 × 130 1104.Co651(D) 2023-05-07 U1-U2-U3-U4 1.02-102 1.18 1.99 316 -1486 3 × 22 × 108 1104.Co651(G) 2022-02-20 U1-U2-U3-U4 1.02-102 1.18 1.19 -1111 -700 4 × 96 × 03.8 1104.Co651(G) 2021-01-07 U1-U2-U3-U4 1.06-1.10 0.54 7.31 -1108 710 4 × 64 × 1.0s 1104.Co651(G) 2022-03-21 U1-U2-U3-U4 1.06-1.06 0.28 1.111 -700 4 × 48 × 1.0s 108.226K.002 2022-03-20 U1-U2-U3-U4 1.06-1.06 0.28 1.167 -1118 -700 8 × 48 × 1.0s 108.226K.002 2023-05-10 U1-U2-U3-U4 1.14-1.24 0.28 2.33 -1111 -700 8 × 48 × 1.0s 108.226K.002 2021-05-29 U1-U2-U3-U4 1.28-1.32 0.65 4.47 313 432 3 × 12 × 300.8 5102.Co122(D) <td< td=""><td></td><td>2023-07-02</td><td>U1-U2-U3-U4</td><td>1 10-1 11</td><td>0.85</td><td>2.34</td><td>-316</td><td>1486</td><td>$2 \times 92 \times 9.03$</td><td>1104.C-0651(G)</td></td<>		2023-07-02	U1-U2-U3-U4	1 10-1 11	0.85	2.34	-316	1486	$2 \times 92 \times 9.03$	1104.C-0651(G)
HD 174536 2021-08-27 U1-U2-U3-U4 105-106 0.02 492 -716 1486 2 22 4 10 104-C-0651(0) 2023-05-07 U1-U2-U3-U4 102-102 2.11 1.40 -316 1486 2 22 40.20 11-U2-U3-U4 102-102 2.11 1.40 -316 1486 2 892.03 1104-C-0651(0) 2022-02-02 U1-U2-U3-U4 104-104 0.54 1112 1111 -700 3 96.03 1104-C-0651(0) 2022-03-21 U1-U2-U3-U4 105-106 0.66 5.34 1111 -700 4 544 1.05 104-C-0651(0) 2022-01-23 U1-U2-U3-U4 105-106 0.66 5.34 1111 -700 4 544 1.05 108-266K.002 2022-01-23 U1-U2-U3-U4 101-1.32 0.82 8.21 1111 -700 8 544 1.05 104-C-0651(0) 2021-05-20 U1-U2-U3-U4 1.151-16 0.72 8.32 1111 -609 2 96 4.03 5102-C-0122(0) 2021-05-29 U1-U2-U3-U4 1.251-36 0.33				1.06-1.07	0.03	6.06	316	-1486	$2 \times 12 \times 30$ s	
2023-05-07 U1-U2-U3-U4 102-102 1.11 1.40 -1486 3 × 23 × 30 × 1104.C-0651(G) 2022-02-20 U1-U2-U3-U4 1.03-103 0.62 1191 -1111 700 4 × 96 × 0.3 × 1104.C-0651(B) 2021-01-07 U1-U2-U3-U4 1.04+1.04 0.54 1.73 -1108 710 4 × 64 × 1.0 × 1104.C-0651(C) 2022-03-21 U1-U2-U3-U4 1.04+1.04 0.74 5.16 -1111 700 4 × 64 × 1.0 × 108.226K.002 2022-01-23 U1-U2-U3-U4 1.05+1.06 0.28 1.167 -1108 710 3 × 64 × 1.0 × 108.226K.002 2022-01-23 U1-U2-U3-U4 1.01+1.32 0.96 2.35 -1111 700 8 × 48 × 1.0 × 108.226K.002 2022-03-20 U1-U2-U3-U4 1.01+1.25 2.82 2.35 -1111 700 8 × 48 × 1.0 × 108.226K.002 2021-05-29 U1-U2-U3-U4 1.25+1.26 0.05 4.77 313 432 3 × 48 × 3.0 × 5102.C-0122(D) 5102.C-0122(D) <t< td=""><td>HD 174536</td><td>2021-08-27</td><td>01-02-03-04</td><td>1.05-1.05</td><td>0.82</td><td>4.92</td><td>-316</td><td>1486</td><td>$2 \times 24 \times 1.0$ s</td><td>1104.C-0651(D)</td></t<>	HD 174536	2021-08-27	01-02-03-04	1.05-1.05	0.82	4.92	-316	1486	$2 \times 24 \times 1.0$ s	1104.C-0651(D)
HD 91881 202-05-00 U1-U2-U3-U4 102-102 2.11 1.40 -316 1486 2.969-0.35 1104.C-0651(f) HD 91881 2021-01-07 U1-U2-U3-U4 105-110 500 7.28 1108 7.10 3.76		2022 05 05		1.02-1.02	1.88	1.39	316	-1486	$3 \times 32 \times 3.0$ s	
$ \begin{array}{c} & \begin{array}{c} 2022.02.02 & 01.102.03.04 & 10.32 & 10.91 & -1111 & 700 & 4 \times 96 \times 0.3 \\ 2021.01-07 & 01.102.03.04 & 10.47 & 0.41 & 11.72 & 1111 & -700 & 4 \times 96 \times 0.3 \\ 2022.03.21 & 01.012.03.04 & 10.61.10 & 0.54 & 7.31 & -1108 & 710 & 4 \times 66 \times 1.0 \\ 2022.03.21 & 01.102.03.04 & 10.61.10 & 0.54 & 7.31 & -1108 & 710 & 4 \times 66 \times 1.0 \\ 2022.03.21 & 01.102.03.04 & 10.61.06 & 0.28 & 1111 & -700 & 4 \times 48 \times 1.0 \\ 2022.04.22 & 01.102.03.04 & 10.61.06 & 0.28 & 1111 & -700 & 4 \times 48 \times 1.0 \\ 2022.04.20 & 01.102.03.04 & 10.61.06 & 0.28 & 1111 & -700 & 3 \times 66 \times 1.0 \\ 2022.03.20 & 01.102.03.04 & 10.61.25 & 12.62 & 2.43 & 1111 & -700 & 8 \times 48 \times 1.0 \\ 2022.03.20 & 01.102.03.04 & 10.01.125 & 12.62 & 2.43 & 1111 & -700 & 8 \times 48 \times 1.0 \\ 2022.03.20 & 01.102.03.04 & 10.11.25 & 12.62 & 2.43 & -1111 & -700 & 8 \times 48 \times 1.0 \\ 2022.03.20 & 01.102.03.04 & 10.11.25 & 12.62 & 0.03 & 458 & -313 & -452 & 3 \times 128 \times 0.0 \\ 2021.05.29 & 01.102.03.04 & 12.51.26 & 0.03 & 458 & -313 & -452 & 3 \times 128 \times 0.0 \\ 2021.05.29 & 01.102.03 & 11.25.126 & 0.06 & 2.47 & 313 & 432 & 3 \times 18 \times 3.0 \\ 2021.05.29 & 01.102.03 & 12.51.26 & 0.06 & 2.56 & -313 & -452 & 3 \times 18 \times 3.0 \\ 2021.05.29 & 01.102.03 & 12.51.26 & 0.06 & 2.56 & -307 & -428 & 3 \times 48 \times 3.0 \\ 2021.05.29 & 01.102.03 & 12.61.29 & 0.71 & 311 & 309 & 434 & 3 \times 128 \times 3.0 \\ 2019.0615 & 01.102.03 & 12.61.29 & 0.71 & 311 & 309 & 434 & 3 \times 18 \times 3.0 \\ 2019.0615 & 01.102.03 & 12.61.29 & 0.71 & 311 & 309 & 3.48 \times 3.0 \\ 2019.0615 & 01.102.03 & 12.61.29 & 0.71 & 311 & 309 & 3.48 \times 3.0 \\ 2019.0615 & 01.102.03 & 12.61.29 & 0.71 & 311 & 309 & 3.48 \times 3.0 \\ 2019.0615 & 01.102.03 & 11.91.212 & 0.68 & 6.76 & -401 & 889 & 3.96 \times 0.3 \\ 2019.0615 & 01.102.03 & 11.91.212 & 0.68 & 6.76 & -401 & 889 & 3.96 \times 0.3 \\ 2019.0615 & 01.102.03 & 11.91.212 & 0.68 & 6.76 & -401 & 889 & 3.96 \times 0.3 \\ 2019.0610 & 01.102.03.04 & 11.91.112 & 0.65 & 7.73 & -401 & 889 & 3.96 \times 0.3 \\ 2020.0510 & 01.102.03.04 & 11.91.112 & 0.65 & 7.73 & -401 & 889 & 3.96 \times 0.3 \\ 2022.0605 & 01.102.03 & 11.91.212 & 0.68 & 6.76 & -401 & 889 & 3.96 \times 0.3 \\ 2022.0615 & 01.$		2023-05-07	01-02-03-04	1.02-1.02	2.11	1.40	-316	1486	$2 \times 96 \times 0.3$ s	1104.C-0651(G)
HD 91881 202:02:03 U1:U2:U3:U4 10:04:106 10:04 10:05:107 10:05 11:17 1111 -700 10:05 36 × 0.3.5 45 × 0.4.105 10:05 11:04 C:0651(B) 10:04 × 054 × 1.0.5 10:04 × 056 × 0.3.5 10:04 × 05				1.03-1.03	0.62	11.91	-1111	700	$4 \times 96 \times 0.3$ s	
$ \begin{array}{c} & 100 \pm 1.00 \\ 2022.03 \pm 21 \\ 2022.01 \pm 22 \\ 2022.0$		2022-02-20	01-02-03-04	1.04-1.04	0.54	11.72	1111	-700	$3 \times 96 \times 0.3$ s	1104.C-0651(B)
$ \begin{array}{c} & 1021-07 & 01-02-03-04 & 1.08-1.08 & 0.59 & 7.28 & 1108 & 710 & 4 \times 64 \times 1.0 \\ 1041-04 & 0.74 & 5.16 & -1111 & 700 & 4 \times 48 \times 1.0 \\ 2022-01-23 & 01-02-03-04 & 1.05+1.06 & 0.66 & 5.34 & 1111 & -700 & 4 \times 48 \times 1.0 \\ 2022-03-20 & 01-02-03-04 & 1.05+1.06 & 0.28 & 11.67 & -1108 & 710 & 3 \times 64 \times 1.0 \\ 2022-03-20 & 01-02-03-04 & 1.04+1.03 & 0.96 & 2.35 & -1111 & 700 & 8 \times 48 \times 1.0 \\ 2023-05-10 & 01-02-03-04 & 1.14+1.14 & 0.81 & 7.81 & -1111 & 699 & 2 \times 96 \times 0.3 \\ 2023-05-10 & 01-02-03-04 & 1.14+1.14 & 0.81 & 7.81 & -1111 & 699 & 2 \times 96 \times 0.3 \\ 2021-05-29 & 01-02-03-04 & 1.14+1.14 & 0.81 & 7.81 & -1111 & 699 & 2 \times 96 \times 0.3 \\ 2021-06-29 & 01-02-03-04 & 1.28+1.32 & 0.65 & 4.47 & 313 & 432 & 3 \times 128 \times 0.05 \\ 2021-06-24 & 01-02-03-04 & 1.28+1.32 & 0.65 & -313 & -432 & 3 \times 48 \times 3.0 \\ 2021-07-25 & 01-02-03-04 & 1.28+1.32 & 0.63 & 4.58 & -313 & -432 & 3 \times 48 \times 3.0 \\ 2021-07-25 & 01-02-03-04 & 1.28+1.27 & 0.10 & 2.55 & -307 & -428 & 3 \times 48 \times 3.0 \\ 2021-07-25 & 01-02-03-04 & 1.28+1.26 & 0.96 & -309 & -434 & 3 \times 128 \times 0.05 \\ 2023-05-10 & 01-02-03-04 & 1.28+1.26 & 0.96 & -309 & -434 & 3 \times 48 \times 3.0 \\ 2023-05-10 & 01-02-03-04 & 1.28+1.26 & 0.96 & 2.46 & 383 & 429 & 3 \times 96 \times 0.3 \\ 2023-05-10 & 01-02-03-04 & 1.19+1.20 & 0.68 & 6.76 & -401 & 889 & 3 \times 96 \times 0.3 \\ 2023-05-10 & 01-02-03-04 & 1.19+1.12 & 0.65 & 7.33 & -401 & 889 & 3 \times 96 \times 0.3 \\ 2023-06-03 & 01-02-03-04 & 1.19+1.12 & 0.65 & 7.33 & -401 & 889 & 3 \times 96 \times 0.3 \\ 2023-06-03 & 01-02-03-04 & 1.19+1.12 & 0.65 & 7.33 & -401 & 889 & 3 \times 96 \times 0.3 \\ 2023-06-03 & 01-02-03-04 & 1.19+1.12 & 0.65 & 7.33 & -401 & 889 & 3 \times 96 \times 0.3 \\ 2023-06-10 & 01-02-03-04 & 1.19+1.12 & 0.65 & 7.33 & -401 & 889 & 3 \times 96 \times 0.3 \\ 2023-06-21 & 01-02-03-04 & 1.19+1.12 & 0.65 & 7.37 & -786 & 2 \times 66 \times 0.0 \\ 2023-06-21 & 01-02-03-04 & 1.05+1.00 & 1.06 & -786 & -780 & 2 \times 66 \times 1.0 \\ 2023-06-21 & 01-02-03-04 & 1.05+1.00 & 1.06 & 752 & 787 & 2 \times 66 \times 1.0 \\ 2023-09-25 & 01-02-04 & 1.05+1.00 & 1.06 & 752 & 787 & 2 \times 66 \times 1.0 \\ 2023-09-25 & 01-02-03-04 & 1.05+1.07 & 718 & 804 & 2 \times 66 \times 1.0 \\ 2021-08-27 & 0$				1.06-1.10	0.54	7.31	-1108	710	$4 \times 64 \times 1.0$ s	
HD 91881 2022-03-21 U1-U2-U3-U4 1.04-1.04 0.74 5.16 -1111 700 4 × 8 × 1.05 108.226K.002 2022-01-23 U1-U2-U3-U4 1.05-1.06 0.26 1.167 -1108 710 3 × 64 × 1.0 s 1104.Co651(B) 2022-03-20 U1-U2-U3-U4 1.04-1.05 0.04 7637 1111 -700 8 × 48 × 1.0 s 108.226K.002 2022-05-20 U1-U2-U3-U4 1.14-1.14 0.81 2.35 -1111 -609 2 × 96 × 0.3 s 1104.Co651(G) 2021-05-29 U1-U2-U3-U4 1.14-1.14 0.81 2.37 -1111 -609 2 × 96 × 0.3 s 1104.Co651(G) 2021-05-29 U1-U2-U3-U4 1.28-1.26 0.63 4.47 -313 4322 3 × 12 × 30.0 s 5102.C-0122(D) 2021-07-20 U1-U2-U3-U4 1.28-1.20 0.03 4.33 -310 432 3 × 12 × 30.0 s 5102.C-0122(D) 2021-07-20 U1-U2-U3-U4 1.26-1.29 0.71 3.11 3.09 434 3 × 12 × 30.0 s 5102.C-0122(D		2021-01-07	01-02-03-04	1.05-1.08	0.59	7.28	1108	710	$4 \times 64 \times 1.0$ s	1104.C-0651(C)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2022 02 21		1.04-1.04	0.74	5.16	-1111	700	$4 \times 48 \times 1.0$ s	100 22/17 002
HD 91881 2022-01-23 U1-U2-U3-U4 1051-06 0.28 11.67 -1108 710 3 × 64 × 1.0 s 1104.C-0651(B) 2022-03-20 U1-U2-U3-U4 1.01+1.32 0.96 2.35 -1111 700 8 × 48 × 1.0 s 108.226K.002 2023-05-10 U1-U2-U3-U4 1.14+1.14 0.81 7.81 -1111 -699 2.96 × 0.3 s 1104.C-0651(G) 2021-08-29 U1-U2-U3-U4 1.28+1.2 0.65 4.7 313 -432 3.84 × 3.00 s 5102.C-0122(D) 2021-08-24 U1-U2-U3-U4 1.28+1.32 0.65 4.7 313 -432 3.84 × 3.00 s 5102.C-0122(D) 2021-08-24 U1-U2-U3-U4 1.29+1.31 0.83 2.37 310 -425 3.84 × 3.00 s 5102.C-0122(D) 2021-07-25 U1-U2-U3-U4 1.26+1.29 0.71 3.11 309 434 3.84 × 3.00 s 5102.C-0122(D) 2019-08-15 U1-U2-U3-U4 1.25+1.26 0.96 2.46 -333 -429 3.84 × 3.00 s 5102.C-0122(D) <	LID 01001	2022-03-21	01-02-03-04	1.05-1.06	0.66	5.34	1111	-700	$4 \times 48 \times 1.0$ s	108.226K.002
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	HD 91881	2022 01 22		1.05-1.06	0.28	11.67	-1108	710	$3 \times 64 \times 1.0$ s	1104 C 0(51(D)
2022-03-20 U1-U2-U3-U4 101-1.32 0.96 2.35 -1111 700 8 × 48 × 1.0 s 108.226K.002 2023-05-10 U1-U2-U3-U4 1.14-1.14 0.81 7.81 -1111 -609 2 × 96 × 0.3 s 1104.C-0651(G) 2021-05-29 U1-U2-U3-U4 1.28-1.26 0.63 4.47 313 432 3 × 12 × 30.0 s 5102.C-0122(D) 2021-08-24 U1-U2-U3-U4 1.28-1.26 0.63 4.48 -313 -432 3 × 12 × 30.0 s 5102.C-0122(D) 2021-08-24 U1-U2-U3-U4 1.28-1.27 0.01 2.28 3 × 12 × 30.0 s 5102.C-0122(D) 2021-07-25 U1-U2-U3-U4 1.26-1.29 0.71 311 309 434 3 × 12 × 30.0 s 5102.C-0122(D) 2019-08-15 U1-U2-U3-U4 1.26-1.20 0.71 311 309 3 × 48 × 3.0 s 5102.C-0122(D) 2019-08-15 U1-U2-U3-U4 1.28-1.30 0.91 2.92 -338 429 3 × 10 × 30.0 s 5102.C-0122(D) 2023-05-10 U1-U2-U3-U4 <		2022-01-23	01-02-03-04	1.04-1.05	0.47	6.37	1108	-710	$3 \times 64 \times 1.0$ s	1104.C-0651(B)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		2022 02 20		1.01-1.32	0.96	2.35	-1111	700	$8 \times 48 \times 1.0$ s	100 22612 002
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2022-03-20	01-02-03-04	1.01-1.25	1.28	2.43	1111	-700	$8 \times 48 \times 1.0$ s	108.220K.002
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		2022 05 10		1.14-1.14	0.81	7.81	-1111	699	$2 \times 96 \times 0.3$ s	1104 C 0651(C)
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		2023-03-10	01-02-03-04	1.15-1.16	0.72	8.32	1111	-699	$2 \times 96 \times 0.3$ s	1104.C-0031(G)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2021 05 20		1.28-1.32	0.65	4.47	313	432	$3 \times 12 \times 30.0$ s	5102 C 0122(D)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2021-05-29	01-02-03-04	1.25-1.26	0.63	4.58	-313	-432	$3 \times 48 \times 3.0$ s	5102.C-0122(D)
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		2021 08 24		1.29-1.33	0.83	2.37	310	425	$3 \times 12 \times 30.0$ s	5102 C 0122(D)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2021-08-24	01-02-03-04	1.39-1.41	1.02	2.38	-310	-425	$2 \times 48 \times 3.0$ s	5102.C-0122(D)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	UD 106995	2021 10 20		1.48-1.57	1.11	2.15	307	428	$3 \times 12 \times 30.0$ s	5102 C 0122(D)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	HD 190865	2021-10-20	01-02-03-04	1.66-1.73	0.90	2.55	-307	-428	$3 \times 48 \times 3.0$ s	5102.C-0122(D)
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		2021 07 25		1.26-1.29	0.71	3.11	309	434	$3 \times 12 \times 30.0$ s	5102 C 0122(D)
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		2021-07-23	01-02-03-04	1.32-1.34	0.92	2.96	-309	-434	$3 \times 48 \times 3.0$ s	J102.C-0122(D)
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		2010-08-15	111-112-113-114	1.25-1.26	0.96	2.46	383	429	$3 \times 20 \times 10.0$ s	5102 C-0122(B)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2019-00-15	01-02-03-04	1.28-1.30	0.91	2.92	-383	-429	$3 \times 10 \times 30.0$ s	J102.C=0122(D)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2023-05-10	111-112-113-114	1.19-1.20	0.68	6.76	-401	889	$3 \times 96 \times 0.3$ s	1104 C-0651(G)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		2023-03-10	01-02-03-04	1.17-1.18	0.89	5.64	401	-889	$2 \times 96 \times 0.3$ s	1104.0-0051(0)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	HD 123227	2023-06-03	111-112-113-114	1.11-1.12	0.65	7.33	-401	889	$2 \times 96 \times 0.3$ s	$1104 \text{ C}_{-}0651(\text{G})$
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	IID 123227	2025-00-05	01-02-03-04	1.12-1.12	0.65	4.73	401	-889	$2 \times 96 \times 0.3$ s	1104.0-0051(0)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2023-05-07	U1_U2_U3_U4	1.20-1.21	1.51	1.77	-404	889	$3 \times 96 \times 0.3$ s	1104 C-0651(G)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2023-03-07	01-02-05-04	1.22-1.22	1.26	2.06	404	-889	$2 \times 96 \times 0.3$ s	1104.0-0051(0)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		2020-02-11	U1-U2-U3-U4	1.05-1.08	0.91	4.24	825	749	$4 \times 64 \times 1.0$ s	1103 B-0626(B)
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		2020 02 11	01 02 05 01	1.06-1.10	0.77	5.97	-825	-749	$4 \times 64 \times 1.0$ s	1105.B 0020(B)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		2023-09-01	U1-U2-U3-U4	1.03-1.03	1.59	1.76	726	800	$2 \times 64 \times 1.0$ s	111 24MN 001
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		2023 07 01	01 02 05 01	1.02-1.02	1.67	1.44	-726	-800	$2 \times 64 \times 1.0$ s	111.2 1011 0001
$ \begin{array}{c} \text{HD 25535} & 2022 - 09 - 25 & U1 - U2 - U3 - U4 & 1.21 - 1.22 & 0.49 & 14.17 & -754 & -786 & 2 \times 64 \times 1.0 \text{ s} \\ 2023 - 09 - 25 & U1 - U2 - U3 - U4 & 1.05 - 1.05 & 0.76 & 6.12 & 726 & 800 & 2 \times 64 \times 1.0 \text{ s} \\ 1.04 - 1.04 & 0.86 & 4.81 & -726 & -800 & 2 \times 64 \times 1.0 \text{ s} \\ 1.02 - 1.03 & U1 - U2 - U3 - U4 & 1.12 - 1.13 & 0.59 & 3.46 & 752 & 787 & 2 \times 64 \times 1.0 \text{ s} \\ 2023 - 11 - 03 & U1 - U2 - U3 - U4 & 1.02 - 1.02 & 1.11 & 2.97 & 718 & 804 & 2 \times 64 \times 1.0 \text{ s} \\ 2021 - 08 - 28 & U1 - U2 - U3 - U4 & 1.02 - 1.02 & 1.33 & 2.00 & -718 & -804 & 2 \times 64 \times 1.0 \text{ s} \\ 2019 - 11 - 11 & U1 - U2 - U3 - U4 & 1.25 - 1.36 & 0.91 & 2.43 & 780 & 773 & 4 \times 64 \times 1.0 \text{ s} \\ 2019 - 11 - 11 & U1 - U2 - U3 - U4 & 1.05 - 1.07 & 0.96 & 2.40 & 825 & 749 & 4 \times 64 \times 1.0 \text{ s} \\ 2021 - 08 - 27 & U1 - U2 - U3 - U4 & 1.05 - 1.07 & 0.96 & 2.40 & 825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 2021 - 08 - 27 & U1 - U2 - U3 - U4 & 1.16 - 1.18 & 1.42 & 2.38 & 766 & 785 & 3 \times 64 \times 1.0 \text{ s} \\ 100 - 1.00 & 1.80 & -825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 2022 - 01 - 25 & U1 - U2 - U3 - U4 & 1.16 - 1.18 & 1.42 & 2.38 & 766 & 785 & 3 \times 64 \times 1.0 \text{ s} \\ 100 - 1.00 & 1.80 & -825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 100 - 1.02 & 0.54 & 1.548 & -825 & -455 & 3 \times 64 \times 1.0 \text{ s} \\ 100 - 2022 - 01 - 23 & U1 - U2 - U3 - U4 & 1.02 - 1.02 & 0.54 & 15.48 & -825 & -455 & 3 \times 64 \times 1.0 \text{ s} \\ 100 - 1.02 & 0.54 & 15.48 & -825 & -455 & 3 \times 64 \times 1.0 \text{ s} \\ 100 - 1.02 & 0.54 & 15.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C - 0651(B) \\ 100 - 1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C - 0651(B) \\ 100 - 1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C - 0651(B) \\ 100 - 1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C - 0651(B) \\ 100 - 1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C - 0651(B) \\ 100 - 202 - 09 - 15 & U1 - U2 - U3 - U4 & 1.59 - 1.61 & 1.52 & 1.84 & 540 & -1350 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C - 0651(D) \\ 100 - 20 - 9 - 15 & U1 - U2 - U3 - U4 & 1.75 - 1.77 & 0.60 & 3.62 & -544 & 1351 & 2 \times 32 \times 3.0 \text{ s} \\ 104.C - $		2022-08-19	U1-U2-U3-U4	1.23-1.24	0.48	16.64	754	786	$2 \times 64 \times 1.0$ s	1104.C-0651(F)
$ \begin{array}{c} \text{HD 25535} & 2023-09-25 & \text{U1-U2-U3-U4} & 1.05-1.05 & 0.76 & 6.12 & 726 & 800 & 2 \times 64 \times 1.0 \text{ s} \\ 1.04-1.04 & 0.86 & 4.81 & -726 & -800 & 2 \times 64 \times 1.0 \text{ s} \\ 2022-09-15 & \text{U1-U2-U3-U4} & 1.12-1.13 & 0.59 & 3.46 & 752 & 787 & 2 \times 64 \times 1.0 \text{ s} \\ 1.11-1.1 & 0.57 & 3.46 & -752 & -787 & 2 \times 64 \times 1.0 \text{ s} \\ 2023-11-03 & \text{U1-U2-U3-U4} & 1.02-1.02 & 1.11 & 2.97 & 718 & 804 & 2 \times 64 \times 1.0 \text{ s} \\ 2021-08-28 & \text{U1-U2-U3-U4} & 1.25-1.36 & 0.91 & 2.43 & 780 & 773 & 4 \times 64 \times 1.0 \text{ s} \\ 2019-11-11 & \text{U1-U2-U3-U4} & 1.25-1.36 & 0.91 & 2.43 & 780 & -773 & 4 \times 64 \times 1.0 \text{ s} \\ 2019-11-11 & \text{U1-U2-U3-U4} & 1.05-1.07 & 0.96 & 2.40 & 825 & 749 & 4 \times 64 \times 1.0 \text{ s} \\ 2021-08-27 & \text{U1-U2-U3-U4} & 1.05-1.07 & 0.96 & 2.40 & 825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 2021-08-27 & \text{U1-U2-U3-U4} & 1.06-1.06 & 1.80 & -825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 1.04-C-0651(\text{A}) & 1.04-C-0651(\text{C}) \\ 2022-01-25 & \text{U1-U2-U3-U4} & 1.06-1.06 & 0.60 & 5.88 & -827 & -456 & 3 \times 96 \times 0.3 \text{ s} \\ 1004-C-0651(\text{B}) & 1.02-1.02 & 0.54 & 15.48 & -766 & -785 & 3 \times 64 \times 1.0 \text{ s} \\ 1004-C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(\text{B}) & 1.04-C-0651(\text{B}) & 1.04-C-0651(\text{C}) \\ 1.02-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1.04-C-0651(\text{B}) & 1.04-C-0651(\text{C}) & 1.04-C-0651(\text{C}) \\ 1.04-C-0651(\text{C}) & 1.59-1.61 & 1.52 & 1.84 & 540 & -1350 & 4 \times 64 \times 1.0 \text{ s} \\ 1.04-C-0651(\text{C}) & 1.04-C-0651(\text{C}) & 1.04-C-0651(\text{C}) \\ 1.04-C-0651(\text{C}) & 1.04-C-0651(\text{C}) & 1.04-C-0651(\text{C}) \\ 1.04-C-0651(\text{C}) & 1.04-C-0651(\text{C}) & $				1.21-1.22	0.49	14.17	-754	-786	$2 \times 64 \times 1.0$ s	
$ \begin{array}{c} \text{HD } 25535 \\ \text{HD } 25535 \\ \begin{array}{c} 2022-09-15 \\ 2023-11-03 \\ 101-U2-U3-U4 \\ 1.02-1.02 \\ 1.01-1.11 \\ 1.02-1.02 \\ 1.02-1.02 \\ 1.02-1.02 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.03 \\ 1.02-1.02 \\ 1.02-1.03 \\ 1.00 \\ 1.00 \\ 1.80 \\ -825 \\ -780 \\ -773 \\ 4 \times 64 \times 1.0 \\ 8 \\ 104.C \times 6651(D) \\ 1104.C \times 6651$		2023-09-25	U1-U2-U3-U4	1.05-1.05	0.76	6.12	726	800	$2 \times 64 \times 1.0$ s	111.24MN.001
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				1.04-1.04	0.86	4.81	-726	-800	$2 \times 64 \times 1.0$ s	
$ \begin{array}{c} 1.11-1.11 & 0.57 & 3.46 & -752 & -787 & 2 \times 64 \times 1.0 \text{ s} \\ 2023-11-03 & U1-U2-U3-U4 & 1.02-1.02 & 1.11 & 2.97 & 718 & 804 & 2 \times 64 \times 1.0 \text{ s} \\ 1.02-1.02 & 1.33 & 2.00 & -718 & -804 & 2 \times 64 \times 1.0 \text{ s} \\ 2021-08-28 & U1-U2-U3-U4 & 1.25-1.36 & 0.91 & 2.43 & 780 & 773 & 4 \times 64 \times 1.0 \text{ s} \\ 2019-11-11 & U1-U2-U3-U4 & 1.05-1.07 & 0.96 & 2.40 & 825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 2021-08-27 & U1-U2-U3-U4 & 1.05-1.07 & 0.96 & 2.40 & 825 & -749 & 4 \times 64 \times 1.0 \text{ s} \\ 2022-01-25 & U1-U2-U3-U4 & 1.16-1.18 & 1.42 & 2.38 & 766 & 785 & 3 \times 64 \times 1.0 \text{ s} \\ 2022-01-25 & U1-U2-U3-U4 & 1.06-1.06 & 0.60 & 5.88 & -827 & -456 & 3 \times 96 \times 0.3 \text{ s} \\ 2022-01-23 & U1-U2-U3-U4 & 1.02-1.02 & 0.54 & 15.48 & -825 & -455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 102-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 102-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 102-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 102-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 102-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1104.C-0651(B) & 1104.C-0651(B) \\ 102-1.02 & 0.42 & 13.22 & 825 & 455 & 3 \times 64 \times 1.0 \text{ s} \\ 1004.C-0651(B) & 1104.C-0651(B) \\ 1004.C-0651(B) & 1004.C-0651(B) \\ 1004.C-0651(B) & 1004.C-0651(B) \\ 1004.C-0651(B) & 1004.C-0651(B) \\ 1004.C-0651(B) & 1004.C-0651(B) \\ 1004.C-0651(B) & 1004.C-0651(E) \\ 1004.C-0651(E) & 1004.C-0651(E) \\ 1$	HD 25535	2022-09-15	U1-U2-U3-U4	1.12-1.13	0.59	3.46	/52	/8/	$2 \times 64 \times 1.0$ s	1104.C-0651(F)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				1.11-1.11	0.57	3.46	-/52	-/8/	$2 \times 64 \times 1.0$ s	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		2023-11-03	U1-U2-U3-U4	1.02-1.02	1.11	2.97	/18	804	$2 \times 64 \times 1.0$ s	112.25GE.001
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				1.02-1.02	1.33	2.00	-/18	-804	$2 \times 64 \times 1.0$ s	
$\frac{1.20-1.31}{1.02-1.31} = \begin{array}{c} 0.97 \\ 2.85 \\ -780 \\ -773 \\ 4 \times 64 \times 1.05 \\ 749 \\ 4 \times 64 \times 1.05 \\ 4 \times 64 \times 1.05 \\ 1.04 \\ 1.05 \\ 1.05 \\ 1.05 \\ 1.05 \\ 1.04 \\ 1.06 \\ 1.00 \\ 1.00 \\ 1.00 \\ 1.80 \\ -825 \\ -749 \\ 4 \times 64 \times 1.05 \\ 14 \times 64 \times 1.05 \\ 1104.C \\ -0651(A) \\ 1104.C \\ -0651(B) \\ 1104.C \\ -0651(F) \\ 1104.C $		2021-08-28	U1-U2-U3-U4	1.25-1.36	0.91	2.43	/80	113	$4 \times 64 \times 1.0$ s	1104.C-0651(D)
$\frac{2019-11-11}{104.2-03-04} = \frac{1.05-1.07}{1.04-1.06} = \frac{0.96}{1.00} = \frac{2.40}{1.80} = \frac{825}{1.49} = \frac{749}{4 \times 64 \times 1.08} = \frac{4 \times 64 \times 1.08}{1.08} = 1104.C-0651(A)$ $\frac{2021-08-27}{104.2-03-04} = \frac{1.16-1.18}{1.13-1.15} = \frac{1.42}{1.13} = \frac{2.38}{1.16} = \frac{766}{785} = \frac{785}{3 \times 64 \times 1.08} = \frac{1104.C-0651(A)}{1104.C-0651(D)}$ $\frac{2022-01-25}{2022-01-25} = \frac{11-02-03-04}{1.02-1.02} = \frac{1.06-1.06}{0.59} = \frac{0.64}{5.88} = \frac{827}{456} = \frac{-456}{3 \times 96 \times 0.38} = \frac{1104.C-0651(B)}{1104.C-0651(B)}$ $\frac{2022-01-23}{2022-01-23} = \frac{11-02-03-04}{1.02-1.02} = \frac{1.02-1.02}{0.54} = \frac{0.54}{15.48} = \frac{825}{455} = \frac{-455}{3 \times 64 \times 1.08} = \frac{1104.C-0651(B)}{1104.C-0651(B)}$ $\frac{2021-08-27}{2022-01-23} = \frac{11-02-03-04}{1.02-1.02} = \frac{1.62-1.64}{1.44} = \frac{1.44}{1.80} = \frac{-540}{1350} = \frac{1350}{3 \times 64 \times 1.08} = \frac{1104.C-0651(D)}{1104.C-0651(D)}$ $\frac{2021-08-27}{2022-09-15} = \frac{1.62-1.64}{1.75-1.77} = \frac{1.64}{0.60} = \frac{1.44}{1.52} = \frac{1.84}{1.54} = \frac{540}{1.351} = \frac{2\times 32 \times 3.08}{2 \times 32 \times 3.08} = \frac{1104.C-0651(F)}{1104.C-0651(F)}$				1.20-1.31	0.97	2.83	-/80	-//5	$4 \times 64 \times 1.0 \text{ s}$	
$\frac{1.04-1.06}{1.00} = \frac{1.00}{1.80} = \frac{-749}{-785} = \frac{4 \times 64 \times 1.08}{4 \times 64 \times 1.08}$ $\frac{2021-08-27}{1.02-102-125} = \frac{1.16-1.18}{1.13-1.15} = \frac{1.42}{1.71} = \frac{2.38}{1.84} = \frac{766}{-785} = \frac{785}{3 \times 64 \times 1.08} = \frac{1104.C-0651(D)}{1104.C-0651(B)}$ $\frac{2022-01-25}{2022-01-23} = \frac{11-02-102}{11-02-103-04} = \frac{1.06-1.06}{1.02-1.02} = \frac{0.64}{0.59} = \frac{827}{66} = \frac{-456}{3 \times 96 \times 0.38} = \frac{1104.C-0651(B)}{1104.C-0651(B)}$ $\frac{100}{2022-01-23} = \frac{11-02-103-04}{11-02-103-04} = \frac{1.02-1.02}{1.02-1.02} = \frac{0.42}{0.42} = \frac{13.22}{1.3.22} = \frac{825}{455} = \frac{455}{3 \times 64 \times 1.08} = \frac{1104.C-0651(B)}{1104.C-0651(B)}$ $\frac{2021-08-27}{2022-09-15} = \frac{11-02-103-04}{1.59-1.61} = \frac{1.52}{1.52} = \frac{1.84}{1.84} = \frac{540}{1.550} = \frac{-1350}{1.52} = \frac{2.32\times 3.08}{1.551} = \frac{1104.C-0651(F)}{1104.C-0651(F)}$		2019-11-11	U1-U2-U3-U4	1.03-1.07	0.90	2.40	023 025	749	$4 \times 64 \times 1.0 \text{ s}$	1104.C-0651(A)
$\frac{2021-08-27}{HD} \frac{U1-U2-U3-U4}{10} \frac{1.10-1.18}{1.13} \frac{1.42}{1.15} \frac{2.38}{1.171} \frac{700}{1.84} -\frac{766}{-785} \frac{5\times04\times1.08}{3\times64\times1.08} \frac{1104.C-0651(D)}{1104.C-0651(D)}$ $\frac{2022-01-25}{2022-01-25} \frac{U1-U2-U3-U4}{1.02-1.02} \frac{1.06-1.06}{0.60} \frac{0.60}{5.88} -\frac{827}{456} -\frac{456}{2\times96\times0.38} \frac{5\times04\times1.08}{104.C-0651(B)} \frac{1104.C-0651(B)}{104.C-0651(B)}$ $\frac{2022-01-23}{2022-01-23} \frac{U1-U2-U3-U4}{1.02-1.02} \frac{1.02-1.02}{0.54} \frac{0.54}{15.48} -\frac{825}{-455} \frac{-455}{3\times64\times1.08} \frac{5\times04\times1.08}{1104.C-0651(B)} \frac{1104.C-0651(B)}{104.C-0651(B)}$ $\frac{2021-08-27}{2022-09-15} \frac{U1-U2-U3-U4}{1.02-1.02} \frac{1.62-1.64}{1.52} \frac{1.44}{1.84} \frac{1.80}{-540} -\frac{1350}{150} \frac{3\times64\times1.08}{4\times64\times1.08} \frac{1104.C-0651(D)}{1104.C-0651(D)}$				1.04-1.00	1.00	1.60	-823	- 749	$4 \times 04 \times 1.0 \text{ s}$	
$\frac{11.3-1.13}{1.7} \frac{1.71}{1.84} \frac{1.84}{-700} \frac{-783}{-785} \frac{5 \times 04 \times 1.08}{5 \times 04 \times 1.08}$ $\frac{2022-01-25}{10} \frac{11-12-13-14}{1.02-102} \frac{1.06-1.06}{0.60} \frac{0.60}{5.88} \frac{-827}{-456} \frac{-456}{3 \times 96 \times 0.38} \frac{1104.C-0651(B)}{104.C-0651(B)}$ $\frac{2022-01-23}{2022-01-23} \frac{11-12-13}{1.02-102} \frac{1.22}{0.54} \frac{15.48}{1.52} \frac{-825}{-455} \frac{-455}{3 \times 64 \times 1.08} \frac{1104.C-0651(B)}{1104.C-0651(B)}$ $\frac{2021-08-27}{2022-09-15} \frac{11-12-13-14}{1.59-1.61} \frac{1.52}{1.52} \frac{1.84}{1.84} \frac{540}{-1350} \frac{-1350}{4 \times 64 \times 1.08} \frac{1104.C-0651(D)}{1104.C-0651(F)}$		2021-08-27	U1-U2-U3-U4	1.10-1.10	1.42	2.30	766	705	$3 \times 64 \times 1.08$	1104.C-0651(D)
$ \begin{array}{c} \text{HD 73900} \\ \hline \text{HD 73900} \\ \hline \begin{array}{c} 2022 - 01 - 25 \\ 2022 - 01 - 23 \end{array} \underbrace{ U1 - U2 - U3 - U4 } \\ 1.07 - 1.07 \\ 1.02 - 1.02 \\ 1.04 - 0.0651(B) \\ 1104.C - 0651(B) \\ 1104.C - 0651(B) \\ 1104.C - 0651(B) \\ 1104.C - 0651(B) \\ 1.02 - 1.02 \\$				1.15-1.15	1./1	5.00	-700	-765	$3 \times 04 \times 1.08$	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		2022-01-25	U1-U2-U3-U4	1.00-1.00	0.00	J.00 6.64	-021	-430	$3 \times 30 \times 0.3 $ $3 \times 0.6 \times 0.2 $	1104.C-0651(B)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	HD 73900			1.07-1.07	0.59	0.04	021	430	$2 \times 90 \times 0.3 $ $3 \times 64 \times 10^{\circ}$	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		2022-01-23	U1-U2-U3-U4	1.02-1.02	0.54	13.40	-023 825	-433 155	$3 \times 04 \times 1.08$ $3 \times 64 \times 1.06$	1104.C-0651(B)
$ HD 36584 \begin{array}{cccccccccccccccccccccccccccccccccccc$				1.02-1.02	1.44	13.22	02J 540	1250	$3 \times 04 \times 1.08$	
HD 36584 2022-09-15 U1-U2-U3-U4 1.75-1.77 0.60 1.64 3.62 -544 1351 $2 \times 32 \times 3.0$ s 1.104 $1.081.04$ 1.04 $1.081.04$ 1.08 $1.081.04$ 1.08 $1.081.04$ 1.08 1.08 $1.081.04$ 1.08		2021-08-27	U1-U2-U3-U4	1.02-1.04	1.44	1.00	-340 540	_1350	$J \times 04 \times 1.08$ $A \times 6A \times 1.08$	1104.C-0651(D)
2022-09-15 U1-U2-U3-U4 $1.77^{-1.77}$ 0.00 3.02^{-544} $1.551^{-2} \times 32 \times 5.08$ 1104.C-0651(F)	HD 36584			1.59-1.01	0.60	3.67	_544	1350	$7 \times 37 \times 30^{\circ}$	
		2022-09-15	U1-U2-U3-U4	1.71-1.72	0.67	2.96	540	-1350	$2 \times 32 \times 3.0$ s	1104.C-0651(F)

 Table A.2. Observing log with the Unit Telescopes (UTs).

Appendix B: Astrometry

Target		Eno	ch		ADEC	Œ	đ	0	Source
WDS identifier	Alt name	Data	MID	[mas]	Imasl	σ _{ΔRA}	0 ADEC	ρ	Source
WDS100200+1050	HD 1663	$\frac{Date}{2021, 10, 23}$	50510.04	<u>[1113]</u>	207 77	0.18	0.12	0.08	ATe
WD3J00209+1039	TID 1005	2021-10-23	50508 11	200.45	624.81	0.10	0.12	-0.98	
WDS100427-3828	2 01 Scl	2021-10-21	59508.11	-290.43	-624.81	0.05	0.17	1.00	ATS
WD3J00+27-3020	<i>x</i> 01 Set	2021-11-16	59534 20	-290.79	-624.08	0.09	0.12	_1.00	
		2010 10 21	59777 34	826.20	747.81	0.01	0.09	-1.00	
		2019-10-21	58778 36	820.20	747.81	0.05	0.09	0.84	ATS
		2019-10-22	58708 18	824.75	748.89	0.09	0.00	0.04	
		2019-11-11	58890.03	818 64	752.26	0.50	0.50	0.00	UTs
		2020-02-10	59453 34	770 74	773 31	0.50	0.50	0.00	UTe
WDS104021 3420	UD 25535	2021-08-20	50454 31	770.51	773.31	0.50	0.50	0.00	
WD3J04021-3429	IID 25555	2021-08-19	59810 34	754.16	786.14	0.50	0.50	0.00	UTs
		2022-00-15	50837 30	752.14	787.16	0.50	0.50	0.00	UTe
		2022-09-13	60188 30	732.14	700 10	0.50	0.50	0.00	UTe
		2023-00-31	60212 31	720.79	799.19	0.50	0.50	0.00	
		2023-09-20	60251.26	720.37	801.35	0.50	0.50	0.00	UTe
		2023-11-02	50521.20	861.44	386.17	0.30	0.00	1.00	
WDS105055+1048	UD 32642	2021-11-03	50545 13	-801.44 861.04	385.85	0.17	0.09	1.00	
WD3J03033+1946	HD 52042	2021-11-27	59545.15	-601.94	386.56	0.04	0.00	1.00	
		2021-12-20	50194.25	540.20	1240.50	0.01	0.00	1.00	
WDS105270 6837	UD 36584	2020-12-01	50453.36	543.86	1350.06	0.11	0.10	0.00	
WD3J03270-0837	HD 30364	2021-08-20	50837 28	543.80	-1350.90	0.50	0.50	0.00	
		2022-09-13	50500.27	116.00	-1353.00	0.50	0.30	0.00	
WDSJ06345-1114	HD 46716	2021-10-22	50576 19	110.22	605.74	0.15	0.15	0.87	
WDS106264+2717	110 46790	2021-12-28	50200.22	712.77	20.20	0.05	0.09	-0.75	
WD3J00304+2717	HD 40780	2020-12-17	59200.23	-/15.//	39.29	0.01	0.17	-1.00	ATS
		2021-10-25	59512.54	-825.29	-454.05	0.24	0.05	-1.00	AIS
WDG100204 2626	11D 72000	2021-11-17	50576 22	-823.42	-433.38	0.11	0.04	-1.00	AIS
WD5J08394-3030	HD 73900	2021-12-28	59570.22	-820.10	-455.88	0.05	0.07	1.00	AIS
		2022-01-23	59602.22	-820.01	-430.09	0.50	0.50	0.00	
		2022-01-24	59004.20	-820.49	-430.10	0.30	0.30	1.00	
WDSJ10269+1713	HD 90444	2022-02-20	50628 28	419.24	-/15.09	0.04	0.11	1.00	AIS
		2022-02-28	59058.28	410.01	-/13.40	0.05	0.22	-1.00	ATS
		2020-02-06	58885.17	-1105.80	/18.34	0.23	0.18	-1.00	AIS
		2020-02-20	50221.27	-1100.20	710.39	0.00	1.00	-1.00	AIS UT ₀
		2021-01-07	59221.27	-1108.21	710.21	0.50	0.50	0.00	
WDSJ10361-2641	HD 91881	2022-01-23	50620.27	-1110.91	700.41 600.54	0.50	0.50	0.00	
		2022-02-19	50659 14	-1110.77	609 70	0.50	0.50	0.00	
		2022-03-20	59650.20	-1110.04	608.79	0.50	0.50	0.00	
		2022-03-21	59059.20	-1110.80	690.03	0.50	0.50	0.00	
		2023-03-10	58886.27	475.06	005.84	0.30	0.30	1.00	
		2020-02-07	60033 30	403.07	880.10	0.47	0.04	1.00	
WDS114077 4052	UD 123227	2023-05-30	60071.24	401.15	888.76	0.08	0.40	0.00	
WD3J14077-4952	IID 123227	2023-05-10	60071.24	-401.13	888.61	0.50	0.50	0.00	UTe
		2023-05-10	60008 11	-400.87	888.01	0.50	0.50	0.00	
		2023-00-02	50454.00	315 50	1486.36	0.50	0.50	0.00	
WDS118516 1710	HD 174536	2021-00-27	60033 30	-313.39	1400.50	0.30	0.50	_0.00	
wD3J10510-1/19	11D 174550	2023-05-30	60071 20	31/ 12	-1486.51	0.24	0.09	0.04	
		2023-03-07	60127 12	314.40	-1400.02 -1486.42	0.50	0.50	0.00	
		2023-07-02	58710.10	314.33	175 50	0.50	0.50	0.00	
		2019-06-13	50363 33	320.21	423.39	0.50	0.50	0.00	
WDSI20300±1115	HD 106885	2021-05-29	59420.25	315.00	428.41	0.50	0.50	0.00	
11D320377T1113	110 170000	2021-07-23	59450 10	312.09	428.01	0.50	0.50	0.00	
		2021-00-24	59507 08	307 42	428.52	0.50	0.50	0.00	UTe
		2021 10-20	57501.00	501.74	120.00	0.50	0.50	0.00	013

 Table B.1. Astrometric measurements on the vetted binary calibrators.

Appendix C: Orbital parameters

Parameter	WDSJ00209+1059	WDSJ00427-3828	WDSJ04021-3429	WDSJ05055+1948	WDSJ05270-6837
r 1	129.04	85.63	67.06	129.31	75.02
sma [au]	[106.06-170.56]	[69.83-116.28]	[63.89-73.90]	[110.61-168.25]	[66.35-92.86]
	0.51	0.42	0.41	0.42	0.79
ecc	[0.29-0.64]	[0.11-0.69]	[0.39-0.44]	[0.28-0.54]	[0.61-0.86]
	46.81	50.94	151.43	142.49	139.86
inc [deg]	[30.48-57.41]	[28.13-59.93]	[147.42-154.93]	[133.10-157.51]	[123.07-156.19]
	172.17	184.32	233.37	173.49	192.74
aop [deg]	[42.91-277.20]	[54.72-322.63]	[56.67-239.50]	[77.06-288.48]	[61.59-263.22]
	218.13	181.86	185.47	170.28	165.36
pan [deg]	[111.50-303.72]	[14.78-207.47]	[22.29-216.86]	[119.00-332.60]	[47.44-312.61]
	0.73	0.36	0.10	0.61	0.67
tau	[0 63-0 86]	[0 23-0 49]	[0 07-0 13]	[0 50-0 80]	[0 61-0 74]
	5 21	6 56	21.70	6.21	12.82
plx [mas]	[5 13-5 29]	[6 14-6 97]	[21.76]	[6 12-6 32]	[12.02
	5 13	5 30	2 27	3.86	1 91
mtot $[M_{\odot}]$	[4 22-6 14]	[4 29-6 33]	[2 10-2 69]	[3 14-4 87]	[1 51-2 54]
	WD010(245 1114	<u>[4.27-0.35]</u>	<u>WD0100204 2626</u>	<u>WD01102(0+1712</u>	WD01102(1 2(41
Parameter	WDSJ06345-1114	WDSJ06364+2/1/	WDSJ08394-3636	WDSJ10269+1713	WDSJ10361-2641
sma [au]	83.70	33.09	20.03	38.51	37.02
	[/4.//-104.50]	[31.94-34.36]	[24.78-28.95]	[33.95-43.54]	[37.11-38.16]
ecc	0.40	0.75	0.85	0.95	0.75
	[0.31-0.53]	[0.74-0.77]	[0.82-0.88]	[0.94-0.97]	[0.75-0.76]
inc [deg]	60.33	110.35	99.75	61.25	127.08
	[56.04-64.97]	[109.26-111.38]	[97.63-102.39]	[54.49-65.37]	[126.22-127.94]
aon [deg]	183.75	275.02	145.07	180.25	218.01
aop [deg]	[30.88-338.50]	[95.57-276.11]	[134.24-321.43]	[7.56-343.66]	[40.79-222.77]
nan [deg]	45.38	72.25	231.70	157.85	326.13
pan [ueg]	[35.58-218.41]	[70.47-251.30]	[52.94-234.80]	[147.77-331.28]	[147.94-329.28]
tou	0.74	0.17	0.49	0.62	0.54
tau	[0.61-0.84]	[0.16-0.17]	[0.47-0.51]	[0.61-0.63]	[0.54-0.55]
nly [mac]	9.39	27.17	24.41	11.47	23.13
pix [mas]	[9.22-9.59]	[26.75-27.59]	[24.37-24.45]	[10.19-13.02]	[23.05-23.21]
mtot [M]	3.65	2.71	4.58	3.01	2.19
Into $[M_{\odot}]$	[2.79-4.88]	[2.42-3.07]	[3.63-5.93]	[2.09-4.43]	[2.12-2.26]
Parameter	WDSJ14077-4952	WDSJ18516-1719	WDSJ20399+1115		
1 4141110001	64 50	1444 18	20.73		
sma [au]	[59.32-69.08]	[891.20-2878.30]	[16.84-24.96]		
	0.12	0.53	0.42		
ecc	[0.08-0.16]	[0 15-0 81]	[0 12-0 68]		
	50 03	[0.13-0.01] 63.0/	123 30		
inc [deg]	[57 87 61 25]	[36 50 07 52]	[116 88 138 20]		
	107.00	[30.30-97.32]	200.50		
aop [deg]	177.70	17J.0 4 [72 51 210 04]	209.39		
	[/2.00-297.31]	[/3.31-319.94] 197 47	[39.93-273.46]		
pan [deg]	120.00	10/.4/	129.32		
	[122./3-304.13]	[93.11-338.43]	[08.70-204.39]		
tau	0.13	0.42	0.55		
	[0.04-0.24]	[0.16-0./8]	[0.22-0.62]		
plx [mas]	22.23	1.19	29.41		
I L]	[22.15-22.30]	[0.80-1.51]	[29.38-29.44]		
mtot $[M_{\odot}]$	2.18	2.83	1.20		
	[2.09-2.27]	[1.38-4.50]	[0.88-1.99]		

Table C.1. Orbital parameters for our 13 UT binary calibrators.

Notes: For each parameter, we give the best estimate, which corresponds to the mode of the posterior distribution, as well as the 68% confidence interval reported by orbitize!. The parameter tau corresponds to the time at periapsis, expressed in unit of orbital period from the reference epoch 58849 MJD.