Ontology engineering to model the European cultural heritage: The case of *Cultural gems**

Valentina Alberti¹, Cinzia Cocco¹, Sergio Consoli¹⊠, Valentina Montalto², and Francesco Panella¹

European Commission, Joint Research Centre (DG JRC), Ispra (VA), Italy. [name.surname]@ec.europa.eu

*Authors listed in alphabetic order.

Abstract. Cultural gems is a web application conceived by the European Commission's Joint Research Centre (DG JRC), which aims at engaging people and organisations across Europe to create a unique repository of cultural and creative places. The main goal is to provide a vision of European culture in order to strengthen a sense of identity within a single European cultural realm. Cultural gems maps more than 130,000 physical places in over 300 European cities and towns, and since 2020 it also lists online cultural initiatives. The new release aims, among other, to increase the interoperability of the application. At this purpose, we provide an overview on the current development of an ontology for Cultural gems used to map cultural heritage in European cities by using Linked Open Data (LOD) standards, and making the data FAIR, that is Findable, Accessible, Interoperable, and Reusable. We provide an overview of the methodology, presenting the structure of the ontology, and the services and tools we are currently building on top.

Keywords: ICT and Society; Technology for Governance; Social applications of the Semantic Web; Urban Informatics; Cultural Heritage

1 Introduction and background

Culture can be considered one of the ways to preserve and re-launch cities' attractiveness in the face of sanitary crisis [1, 2]. People dwelling in cities can join forces, supporting the process, sharing information on culture and creativity, and highlighting what is unique in each city. Cultural gems (CG)¹ is a crowd-sourced web application created by the Joint Research Centre (DG JRC)² of the European Commission. The platform, which is free and open source, has the objective of mapping relevant artistic and cultural locations in cities of the Euro area. The main goal is to document the range of culture and creativity found in European cities and towns by producing crowdsourced maps and a shared database of these locations. The source of information on the set of cultural locations comes from both OpenStreetMap³ and the data shared by municipali-

¹ Cultural gems application: https://culturalgems.jrc.ec.europa.eu/

² https://joint-research-centre.ec.europa.eu/index_en

³ https://www.openstreetmap.org/

ties, research organizations, and other private and public institutions in Europe. In this way users are presented with enriched maps of EU cities, which are easily sharable and visualizable in user-friendly ways. The application offers a digital tool and resources to help local authorities and individuals which work, or are just interested, in the artistic and cultural domains, in order to promote these sectors within their cities [14].

The platform was first inaugurated in December 2018 in the context of the European Year of Cultural Heritage⁴. Cultural gems has been featured in several policy documents, such as: The European framework for action on cultural heritage, coming from the 2018 European Year of Cultural Heritage; Tourism and transport in 2020 and beyond⁵, as a tool to support proximity tourism (COM/2020/550); EU quidelines for the safe resumption of activities in the cultural and creative sectors - COVID-19, as one of the actions to support the sustainable recovery of the cultural sectors (2021/C 262/01).⁶ Since its launch, CG is continuously evolving to meet users' needs. Currently, the application contains information on more than 130,000 cultural venues in over 300 European cities. Cultural gems has been also used as a communication and outreach tool, highlighting cultural initiatives both at European and local level. Since 2020 a dedicated section lists more than 400 cultural initiatives accessible online.⁷ In 2021, Cultural gems was enriched by contributions and collaborations with local authorities, universities, schools and users from all over Europe. In some cities contributions were particularly detailed and well-finished, such as in Izola (Slovenia), Karlsruhe (Germany), Ploydiy (Bulgaria), Lisbon, and Coimbra (both in Portugal). Further, in occasion of the Portuguese Presidency of the Council of the European Union, ad-hoc activities were led with Portuguese cities that have been particularly active as contributors. A dedicated page presents the main contributions to the Portuguese cities. 8 The section "EU Culture from Home" kept growing, supporting users during the confinement period due to the Covid-19 pandemic, while more and more city stories were used to map intangible heritage in European cities. In 2022, the platform is changing data infrastructure to improve data interoperability and information accessibility. At the purpose, we want to exploit the enormous potential of Artificial Intelligence for cultural heritage [9, 7, 8, 14], and in particular those derived by the adoption of Semantic technologies and Linked Open Data (LOD) [11, 12], to facilitate the interconnection with disparate datasets and ontologies in the cultural heritage field [17, 15], such as Europeana¹⁰ [6] and the Knowledge Graph of the Ital-

⁴ https://culture.ec.europa.eu/cultural-heritage/eu-policy-for-cultural-heritage/european-year-of-cultural-heritage-2018

⁵ https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52020DC0550

⁶ https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:
52021XC0705(01)

⁷ https://culturalgems.jrc.ec.europa.eu/eu-culture-from-home

⁸ https://culturalgems.jrc.ec.europa.eu/portuguese-semester

⁹ As an example of a city story describing a tradition of the city, see Fado in Lisbon.

¹⁰ https://www.europeana.eu/en

ian Cultural Heritage (ArCo)¹¹ [4, 5], using metadata standards, and increasing semantic interoperability of the application.

2 Cultural gems ontology

An ontology for *Cultural gems* has been designed from the main CG classes used in the application, whose current classification is loosely based on the "concentric circles model of cultural industries" by Throsby [18]. The ontology aims at modelling this cultural heritage data. The categories are mainly organised to match also the OpenStreetMap categorization¹² relevant to our mapping purposes for both interoperability and clarity purposes.

The goal consists of building an ontology that is compatible, and aligned whenever possible, with existing ontologies in the related domain, that are used as a de facto standard for representing cultural heritage data. These include, for example, the already mentioned Europeana and ArCo ontologies, and services like the Hellenic Aggregator of Digital Cultural Content¹³, among others, for linking and aggregating the generated application data with the various cultural heritage LOD available online.

We heavily rely on ontology design patterns (ODPs) principles [10] to build our ontology, that is, whenever possible we reuse existing ODPs from online ontology repositories. Reused patterns are annotated with the OPLa ontology [16, 3] in order to facilitate ontology class mapping and identification. For example, we directly reuse classes and properties from the available OntoPia Public Administration vocabulary¹⁴ and from an ontology describing cultural events and sites (Cultural-ON ontology)¹⁵ [13]. We indirectly reuse patterns from existing ontologies, e.g. CIDOC-CRM¹⁶, and include explicit alignments to them. Furthermore, our ontology definition reuses various classes and properties of the ArCo network of ontologies, connected by owl:imports axioms. The main classes of our Cultural qems ontology are mapped to RDF/OWL as subclasses of the top-level hierarchy of ArCo, in particular: :CulturalProperty, which has two subclasses : Tangible Cultural Property and : Intangible Cultural Property. The first is further specialized in :MovableCulturalProperty and :ImmovableCultural Property. Other specific types of cultural properties we reuse are: :Archaeological Property, : Historic Or Artistic Property, and : Music Heritage. The cultural events module, which extends the Cultural-ON ontology, has been also used to map cultural events and exhibitions involving a cultural property.

The main classes of *Cultural gems* are then mapped to those class definitions, as illustrated in Figure 1. The top CG hierarchy consists of the following classes:

¹¹ http://dati.beniculturali.it/arco/
12 https://wiki.openstreetmap.org/wiki/Map_features
13 https://www.searchculture.gr/aggregator/portal/
14 https://github.com/italia/daf-ontologie-vocabolari-controllati/tree/
master/
15 https://dati.beniculturali.it/cultural-ON/ENG.html
16 http://www.cidoc-crm.org/

4 Alberti et al.

- → :EUCultureFromHome Class representing cultural initiatives in European cities accessible online. For example, travel restrictions and social distancing might be limiting the possibility to visit venues and to taste cultural fragrances of European cities and towns in person. Museums, theatres, local cultural organisations, libraries, and many more work to keep culture alive online in difficult times. This category maps a selection of initiatives and organised events accessable online.
- \rightarrow :Cinemas and the atres - Class representing cultural venues such as cinemas, the aters or opera houses.
- \rightarrow :Art galleries and museums Class representing cultural venues such as art galleries and museums.
- \rightarrow :Artworks Class representing public-space artworks created and displayed outside of the typical art gallery setting.
- \to :Creative spaces Category that depicts physical objects and components at various scales that are intended to encourage or support creative business workflows and creativity.




Fig. 1: Hierarchy of the main classes of the *Cultural gems* ontology.

- → :Historic sites Set of official locations where historical artifacts from the realms of, among others, politics, war, culture, or society, have been preserved because of their cultural heritage value. Historic sites are frequently covered by legal protection, and many of them have received formal national historic site designation. Any building, location, landascape, or structure that is locally, regionally, or nationally significant, qualifies to be classied as a historic site. This often implies that the location must be at least 50 years old.
- → :Religious heritage Any type of property with religious or spiritual connotations, such as, among others, churches, sanctuaries, cemeteries, etc., falls under the category of religious heritage venues.
- \rightarrow :Memorials and monuments Class that represents various forms of historical monuments and attractions.
- \rightarrow : Events and festivals Class representing various forms of events and festivals.
- \rightarrow :Music venues Class that represents any venue used for a concert or musical performance, including recording and rehearsal studios.
- \rightarrow : Community spaces Class representing various kinds of community spaces.

Note also that the location module of ArCo has been leveraged to represent spatial and geometry data. A cultural gem in the application may be assigned with multiple locations, which are represented by means of the ontology class a-loc:LocationType. Furthermore, it can be the case that a cultural location of a gem is valid only within a specific time interval. This is represented by using the a-loc:TimeIndexedTypeLocation ontology class, that is an extension of the TimeIndexedSituation ontology pattern. The reference namespace for the ontology definition is: https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/, accounting so far to an overall of 67 classes.

Cultural gems data in the application are then mapped as individuals of the CG ontology by means of an ETL (Extract-Transform-Load) Python job performed daily (at night). The resulting data ontology, available in both Turtle and RDF/XML formats, currently accounts to around 2.9M triples. The reference namespace for the data is: https://culturalgems.jrc.ec.europa.eu/resource/.

Currently, data resources have been linked to DBpedia¹⁸ and GeoNames¹⁹ using **owl:sameAs** axioms. Further alignments to other popular cultural heritage ontologies, such as Europeana and ArCo data, will be provided soon. This entity linking task, object of currently on-going work, is performed by using the LIMES tool²⁰, a widely-employed entity linking and discovery tool for linked data.

Commonly-used style guidelines for labeling and representing ontology definitions and resources have been employed in our ontology engineering exercise. In particular, ontology data names have been represented in lowercase, substituting

 $[\]overline{^{17}}$ http://www.ontologydesignpatterns.org/cp/owl/timeindexedsituation.owl

¹⁸ https://www.dbpedia.org/

¹⁹ http://www.geonames.org/

²⁰ https://aksw.org/Projects/LIMES.html

eventual space characters with dashes. Ontology definition class names, instead, have been represented using uppercase. Source ontology definition and data files are available in RDF/XML and Turtle formats within the Joint Research Centre Data Catalogue²¹ at the following permanent location: https://data.jrc.ec.europa.eu/dataset/9ee32efe-af81-48e4-8ad6-a0db06802e03. These ontologies will be officially released soon also within the European Data portal²², the official data repository for European data.

3 Interaction and visualization of the data

Currently we are implementing various intuitive and user-friendly access services to the designed ontologies, including content negotiation, visualization and navigation of data, improved exploitation of the available information and knowledge discovery. We enable the interested community to consume the produced data and ontology under Creative Commons Attribution 3.0 Unported (CC BY 3.0) license²³. Ontology resources are stored in the RDF named-graph: https://culturalgems.jrc.ec.europa.eu/resource/, while the ontology definition in: https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/.

Technically, the access to the data and ontology is possible by means of SPARQL queries on CELLAR²⁴, the Publications Office's common repository of metadata and content, and using its REST APIs SPARQL endpoint services.²⁵ SPARQL is referred by W3C as the standard language for referencing RDF data and interacting with it. The SPARQL query language interface has a text box where queries can be entered.

The REST web service to access the dedicated CELLAR SPARQL endpoint ²⁶ requires the user to specify as input a given SPARQL query, while giving the result of the query as output in one of the formats that follows: text/html, text/rdf + n3, application/xml, application/json, or application/rdf+xml. Suppose, as an example, that you want to get all the RDF data from the CELLAR Sparql enpoint about the Museu do Fado gem, whose resource in the data ontology corresponds to https://culturalgems.jrc.ec.europa.eu/resource/cultural-gems/27213. This would be translated in the Sparql query:

DESCRIBE https://culturalgems.jrc.ec.europa.eu/resource/cultural-gems/27213

that, if executed in CELLAR, would produce the result available at https://publications.europa.eu/webapi/rdf/sparql?default-graph-uri=&query=DESCRIBE+%3Chttps%3A%2F%2Fculturalgems.jrc.ec.europa.eu%2Fresource%

²¹ Joint Research Centre Data Catalogue: https://data.jrc.ec.europa.eu/

²² European Data portal: https://data.europa.eu/en

²³ https://creativecommons.org/licenses/by/3.0/

²⁴ https://op.europa.eu/en/web/webtools/linked-data-and-sparql

https://data.europa.eu/data/datasets/sparql-cellar-of-the-publications-office

²⁶ https://publications.europa.eu/webapi/rdf/sparql

2Fcultural-gems%2F27213%3E&format=text%2Fhtml&timeout=0&debug=on&run=+Run+Query+.

We also adopt the Live OWL Documentation Environment (LODE) to browse the ontology in an human-readable way. LODE indeed enable the visualization in intuitive HTML pages of the ontology general axioms, namespace declarations, named individuals, classes and, finally, data, annotation and object properties. The entire ontology is also accessible as a force-directed graph visualization through WebVOWL. The interaction with these tools enable customization of the visualizations so that the user is presented with a user-friendly description of the ontology elements, and is able to exploit better the underlying information.

We are also integrating two further visualization tools: LodView and LodLive. LodView²⁹ is a web application developed in the Java language which provides dereferentiation of URIs following W3C standards. It basically supports users by

Museu do Fado	
https://culturalgems.jrc.ec.europa.eu/resource/cultural-gems/2721	3
rdfs.label	Museu do Fado
dc description	++ EUCultureFromHome ++ Entirely devoted to Lisbon's urban song universe, Museu do Fado opened its doors to the public on in 1998, celebrating Fado's exceptional value as an identifying symbol of the City of Lisbon, its deep roots in the tradition and cultural history of the country, its role in the cultural identity statement and its importance as an inspiration source and intercultural trade between people and communities. Online visit: https://museudofado.pt/index.php/en and: https://www.museudofado.pt/indercts/pages?id=56 +++
dc:identifier	27213
dc:source	
dc:title	Museu do Fado
rdf.type	owl:NamedIndividual
	">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/Museum>">https://culturalgems.jrc.ec.europa.eu/ontology/culturalgems/Museum>">https://cultura
	$\label{localization} $$ \frac{1}{\sqrt{\mu}} = \frac{1}{2} \frac{1}{\sqrt{\mu}} \left(\frac{1}{\sqrt{\mu}} - \frac{1}{\sqrt{\mu}} \right) \left(\frac{1}{$
	-https://culturalgems.jrc.ec.europa.eu/ontology/cultural-gems/OnlineVisits> • Online visits
foaf:Image	https://culturalgems.jrc.ec.europa.eu/cms/sites/default/files/styles/c3m_poster/public/places/DSC03973Lissabon:
https://w3id.org/arco/ontology/location/hasCulturalPropertyAddress	«https://culturalgems.jrc.ec.europs.eu/resource/Address/LisbonPortugal> *Lisbon,Portugal
https://w3id.org/italia/onto/CLV/hasGeometry	https://culturalgems.jrc.ec.europa.eu/resource/Geometry/27213-geometry-point • Geometry (point) of cultural-gems object: 27213
INVERSE RELATIONS	
is https://w3id.org/italia/onto/CLV/isGeometryFor of	1 resource

Fig. 2: LodView visualization of the Museu do Fado gem.

²⁷ http://ec2-54-154-163-28.eu-west-1.compute.amazonaws.com:8090/lode/extract?url=https://jeodpp.jrc.ec.europa.eu/ftp/jrc-opendata/CC-COIN/cultural-gems/ontology-definition/cultural-gems.owl

https://service.tib.eu/webvowl/#iri=https://jeodpp.jrc.ec.europa.eu/ftp/jrc-opendata/CC-COIN/cultural-gems/ontology-definition/cultural-gems-skeleton.owl

²⁹ http://lodview.it/

Alberti et al.

8

providing representations of our RDF resources through custom intuitive HTML pages. The tool implements content negotiation of our ontology data, and allows to download the selected RDF resource in various formats, such as xml, ntriples, turtle, and ld+json.

For example, the LodView representation of the Museu do Fado gem, in Portugal, is available at http://ec2-54-154-163-28.eu-west-1.compute.amazonaws.com:441/lodview/resource/cultural-gems/27213.html (see also Figure 2). Here you can exploit and navigate the data entity, seeing for example that this gem belongs both to the Museum and EU Culture from Home categories, and downloading the raw data in one of the available formats, e.g. json: https://publications.europa.eu/webapi/rdf/sparql?output=application%2Fodata% 2Bjson&query=DESCRIBE+%3Chttps://culturalgems.jrc.ec.europa.eu/resource/cultural-gems/27213%3E, or csv: https://publications.europa.eu/webapi/




Fig. 3: View of the relationships of the Museu do Fado gem to the other data entities using LodLive.

rdf/sparql?output=text%2Fcsv&query=DESCRIBE+%3Chttps://culturalgems.jrc.ec.europa.eu/resource/cultural-gems/27213%3E, among others.

The second tool, LodLive,³⁰ allows to depict the RDF data via an effective graph representation, enabling the navigation of the ontology resources. The user is able, for instance, to expand the relationships of a given ontology resource in an automated way and explore the structure of the RDF data. It is also possible to associate images and geo-coordinates to the data instances, and evaluate **owl:sameAs** and inverse relations. Figure 3 shows, for instance, the relations of the Museu do Fado gem to the other data entities using the LodLive tool.

We plan to integrate further semantic services along with content negotiation of the data into the production environment of the application soon.

4 Conclusion

We have described our work related to the development of an ontology for the Cultural gems web application, which supports on mapping relevant artistic and cultural locations in cities of the Euro area. We expect to achieve various added values to the current application. Given that the adoption of ontologies allows a smooth linking of heterogenous data sources, the platform will certainly benefit on an increased flexibility on data integration, enabling semantic interoperability. Data quality will also improve since the (re)adoption of existing ontologies forces to implement mechanisms and procedures to clean the underlying information and correct progressively errors within the data layer of the application. New services to end-users will also be offered to both the private and public sectors, as a result of the larger availability of information to easily consume from the platform. Costs are also reduced, given that the reuse of existing ontologies in the platform brings to lower the costs related to software development and mantainance services. Our final goal consists in further promoting interconnections among practitioners and researches involved in the cultural heritage field into a common dialogue, contributing to the EU-wide project of culture and creativity promotion.

Acknowledgements

The authors would like to thank the CELLAR team at the Publications Office of the European Union for their support on the use of their public knowledgebase for hosting our ontology and interacting with it.

References

[1] D. Agostino, M. Arnaboldi, and A. Lampis. Italian state museums during the COVID-19 crisis: from onsite closure to online openness. *Museum Management and Curatorship*, pages 362–372, 2020.

 $^{^{\}overline{30}}$ http://lodlive.it/

- [2] D. Agostino, M. Arnaboldi, and M. Lema. New development: Covid-19 as an accelerator of digital transformation in public service delivery. *Public Money and Management*, pages 1–4, 2020.
- [3] L. Asprino, V. Carriero, C. Colonna, and V. Presutti. OPLaX: Annotating ontology design patterns at conceptual and instance level. In *CEUR Workshop Proceedings*, volume 3011, 2021.
- [4] V. Carriero, A. Gangemi, M. Mancinelli, L. Marinucci, A. Nuzzolese, V. Presutti, and C. Veninata. Arco: The italian cultural heritage knowledge graph. *Lecture Notes in Computer Science*, 11779 LNCS:36–52, 2019.
- [5] V. A. Carriero, A. Gangemi, M. L. Mancinelli, A. G. Nuzzolese, V. Presutti, and C. Veninata. Pattern-based design applied to cultural heritage knowledge graphs. *Semantic Web*, 12:313–357, 2021.
- [6] P. Clough, T. Hill, M. L. Paramita, and P. Goodale. Europeana: What users search for and why. Lecture Notes in Computer Science, 10450 LNCS:207– 219, 2017.
- [7] N. Díaz-Rodríguez and G. Pisoni. Accessible cultural heritage through explainable artificial intelligence. In *UMAP 2020 Adjunct Adjunct Publication of the 28th ACM Conference on User Modeling, Adaptation and Personalization*, pages 317–324, 2020.
- [8] L. Egarter Vigl, T. Marsoner, V. Giombini, C. Pecher, H. Simion, E. Stemle, E. Tasser, and D. Depellegrin. Harnessing artificial intelligence technology and social media data to support cultural ecosystem service assessments. *People and Nature*, 3(3):673–685, 2021.
- [9] M. Fiorucci, M. Khoroshiltseva, M. Pontil, A. Traviglia, A. Del Bue, and S. James. Machine Learning for Cultural Heritage: A Survey. *Pattern Recognition Letters*, 133:102–108, 2020.
- [10] A. Gangemi. Ontology design patterns for semantic web content. Lecture Notes in Computer Science, 3729 LNCS:262–276, 2005.
- [11] T. Heath and C. Bizer. Linked Data: Evolving the Web into a Global Data Space. Synthesis Lectures on the Semantic Web: Theory and Technology, 1 (1):1–121, 2011.
- [12] E. Hyvönen. Using the Semantic Web in digital humanities: Shift from data publishing to data-analysis and serendipitous knowledge discovery. Semantic Web, 11(1):187–193, 2020.
- [13] G. Lodi, L. Asprino, A. G. Nuzzolese, V. Presutti, A. Gangemi, D. R. Recupero, C. Veninata, and A. Orsini. Semantic web for cultural heritage valorisation. In S. Hai-Jew, editor, *Data Analytics in Digital Humanities*, pages 3–37. Springer International Publishing, Cham, 2017.
- [14] M. Mudge, M. Ashley, and C. Schroer. A digital future for cultural heritage. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 36(5/C53), 2007.
- [15] D.-M. Popovici, C.-M. Bogdan, M. Polceanu, and R. Querrec. Applying of an ontology based modeling approach to cultural heritage systems. *Advances in Electrical and Computer Engineering*, 11(3):105–110, 2011.
- [16] C. Shimizu, Q. Hirt, and P. Hitzler. A protégé plug-in for annotating OWL ontologies with OPLa. Lecture Notes in Computer Science, 11155 LNCS: 23–27, 2018.

- [17] T. Stasinopoulou, L. Bountouri, C. Kakali, I. Lourdi, C. Papatheodorou, M. Doerr, and M. Gergatsoulis. Ontology-based metadata integration in the cultural heritage domain. *Lecture Notes in Computer Science*, 4822 LNCS:165–175, 2007.
- [18] D. Throsby. The concentric circles model of the cultural industries. Cultural Trends, 17(3):147-164, 2008. doi: 10.1080/09548960802361951.