

Incentive Compatibility for AI Alignment in Sociotechnical Systems: Positions and Prospects

Zhaowei Zhang^{1,2} Fengshuo Bai^{†1} Mingzhi Wang^{†1} Haoyang Ye^{†1} Chengdong Ma¹ Yaodong Yang¹

Abstract

The burgeoning integration of artificial intelligence (AI) into human society brings forth significant implications for societal governance and safety. While considerable strides have been made in addressing AI alignment challenges, existing methodologies primarily focus on technical facets, often neglecting the intricate sociotechnical nature of AI systems, which can lead to a misalignment between the development and deployment contexts. To this end, we posit a new problem worth exploring: **Incentive Compatibility Sociotechnical Alignment Problem (ICSAP)**. We hope this can call for more researchers to explore how to leverage the principles of Incentive Compatibility (IC) from game theory to bridge the gap between technical and societal components to maintain AI consensus with human societies in different contexts. We further discuss three classical game problems for achieving IC: mechanism design, contract theory, and Bayesian persuasion, in addressing the perspectives, potentials, and challenges of solving ICSAP, and provide preliminary implementation conceptions.

1. Introduction

“If we use, to achieve our purposes, a mechanical agency with whose operation we cannot interfere effectively . . . we had better be quite sure that the purpose put into the machine is the purpose which we really desire.” (Wiener, 1960; Russell, 2019)

—Norbert Wiener

The rapid development of artificial intelligence (AI) has had a significant impact on human society (Makridakis, 2017; Peeters et al., 2021; Wamba et al., 2021), from robots entering human production and living environments (Michaelis

& Mutlu, 2018; Fu et al., 2024) to large language models (LLMs) capable of complex natural language interactions (Zhao et al., 2023; Bubeck et al., 2023) and reasoning ability (Wei et al., 2022; Wang et al., 2022). Therefore, an increasing number of people believe that as AI capabilities improve, AI systems will become integrated into human society in the future and be deployed in increasingly complex scenarios (Gladden, 2019; Dwivedi et al., 2021). Conversely, the powerful capabilities of AI systems have raised concerns about their safety (Cath et al., 2018; Peeters et al., 2021), especially considering their behavioral motivations¹, alignment science² and how they align with human values and intentions (Ji et al., 2023). This is recognized as the “AI Alignment” problem.

Substantial progress has been made in addressing AI alignment issues, especially in the forward alignment process (Ji et al., 2023), which enables AI systems to have alignment capabilities². The methods for this process can mainly be divided into two categories. The first category involves learning from feedback (Christiano et al., 2017; Ziegler et al., 2019; Bai et al., 2022a; Ouyang et al., 2022), and there have been some significant research topics, including preference modeling (Akrouer et al., 2011; Wirth et al., 2017), policy learning (Amodei et al., 2016; Ibarz et al., 2018), and scalable oversight (Christiano et al., 2018; Irving et al., 2018; Bai et al., 2022a; Burns et al., 2023). The second category focuses on resolving distributional shift (Di Langosco et al., 2022; Ngo et al., 2022) in learning, with notable subproblems including algorithmic interventions (Vapnik, 1991; Krueger et al., 2021; Lubana et al., 2023), adversarial training (Goodfellow et al., 2014; Poursaeed et al., 2021), and cooperative training (Dafoe et al., 2020; 2021).

However, these methods only consider the given alignment objectives, focusing solely on technical components such as dataset, architecture, and training algorithms, etc. (Weidinger et al., 2023b), overlooking the fact that AI systems are sociotechnical systems (Selbst et al., 2019). Some studies have indicated that relying solely on technical means will result in a sociotechnical gap between the model’s develop-

¹Institute for Artificial Intelligence, Peking University ²National Key Laboratory of General Artificial Intelligence, BIGAI. Correspondence to: Yaodong Yang <yang.yaodong@pku.edu.cn>.

[†]Work done as research intern at Peking University.

¹<https://www.scai.gov.sg/scai-question-6/>

²<https://www.anthropic.com/news/core-views-on-ai-safety>

ment context and its actual deployment context (Selbst et al., 2019; Lazar & Nelson, 2023), which is also detrimental to further social governance. Such examples are not uncommon in daily life. ChatGPT, trained on internet data and fine-tuned through RLHF (Ouyang et al., 2022), requires prompt engineering for adaptation to individual needs, highlighting unaddressed challenges in existing alignment techniques. Additionally, for sociotechnical systems, existing research is more concerned with only societal components like governance and evaluation methods (Raji et al., 2020; Dean et al., 2021; Weidinger et al., 2023b). Thus, currently, there are lack of means to simultaneously consider both technical and societal components, enabling AI systems themselves to maintain consensus with human society.

Incentive Compatibility (IC) (Hurwicz, 1972), derived from game theory, suggests that participants only need to pursue their true interests to reach optimal outcomes (Roughgarden, 2010). This concept leverages self-interested behavior, aligning actions with the game designer’s goals (Groves & Ledyard, 1987). With IC, each agent can maintain private goal information acquired during pretraining. Only by reconstructing different environments and rules, agents can optimize their own objectives to achieve outcomes that meet the needs of human society in different contexts. Therefore, we believe that exploring the IC property for AI alignment problems in sociotechnical systems is a highly worthwhile research endeavor.

In this paper, we separate a new subproblem from AI alignment problems in sociotechnical systems, called **Incentive Compatibility Sociotechnical Alignment Problem (ICSAP)**, and based on this, we propose our main position:

Achieving incentive compatibility can simultaneously consider both technical and societal components in the forward alignment phase, enabling AI systems to keep consensus with human societies in different contexts.

2. Motivation and Opportunity: A Brief Example

In this section, we will use a very simple example to demonstrate how IC works in addressing AI alignment issues in sociotechnical systems through mechanism design which will be illustrated specifically in section 5.

Consider a classic divide and choose problem: the two-player cake cutting (Steinhaus, 1948). In this example (see Figure 1), two self-interested agents aim to maximize their cake share, while the human seeks an equal division. If either agent cuts the cake, they’ll take the whole. To align individual interests with the human’s goal, a simple mecha-




Figure 1. A simple example illustrates how IC facilitates ICSAP scenarios through mechanism design. In the diagram, two agents aim to maximize cake consumption during technical training. However, the user desires equal cake distribution. Without IC, deploying both agents directly could lead to one party monopolizing the cake (a). With IC (b), the mechanism dictates that the second chooser is the one who cuts the cake. This ensures alignment with real-world needs by allowing agents to optimize within the rules, achieving the user’s goal and aligning sociotechnical systems.

nism is proposed: the cutter chooses second. This constraint ensures the agent’s pursuit of self-interest coincides with the host’s objective, achieving Alignment. The mechanism’s IC conditions facilitate consensus on an equal distribution and maximization of cake consumption.

If we consider the agent as an AI system and its desire to eat the most cake as the objective imparted by the technical component of training, we only need to use automated methods to search for corresponding mechanisms with IC properties as rules based on different real-world requirements to effectively solve ICSAP. Of course, hosts can also have different contextual needs, and they may not necessarily be self-interested. Here, we’re just using this one example to illustrate our point.

3. Related Work

To better understand the relevant content of ICSAP, in this section, we will introduce background work from two parts: AI alignment and sociotechnical systems.

AI Alignment. The scope of AI alignment issues can mainly be divided into two processes, namely forward alignment and backward alignment (Ji et al., 2023).

The former refers to the development training and deployment training stages aimed at endowing AI systems with alignment capabilities. This process has yielded many significant achievements, including RLHF (Christiano et al., 2017; Ziegler et al., 2019; Bai et al., 2022a; Ouyang et al., 2022), DPO (Rafailov et al., 2023), etc., which align LLMs through fine-tuning methods; RLAIIF (Bai et al., 2022b) RLHAIF (Cotra, 2021) IDA (Christiano et al., 2018) RRM (Leike et al., 2018; Hubinger, 2020) Debate (Irving et al., 2018; Michael et al., 2023) CIRL (Hadfield-Menell et al., 2016) Weak-To-Strong (Burns et al., 2023) and other scalable oversight methods; as well as REx (Krueger et al., 2021) CBFT (Lubana et al., 2023) and other works addressing distribution shift issues.

The latter mainly refers to the process of ensuring that AI

systems can meet alignment-related requirements, including the assurance and governance phases. Current work includes ETHICS (Hendrycks et al., 2020), SOCIAL-CHEM-101 (Forbes et al., 2020), MIC (Ziems et al., 2022), TRUSTLLM (Sun et al., 2024), etc., which involve safety evaluation datasets. Methods for handling failure modes through adversarial attacks via red teaming (Perez et al., 2022; Liu et al., 2023); research on mechanistic interpretability (Olah et al., 2020) and governance criteria like ARC Evals³ (Kinniment et al., 2023).

Sociotechnical Systems. The concept of sociotechnical originates from labor studies in coal mining (Trist & Bamforth, 1951; Ropohl, 1999), where the technical components refer to optimizing components of machines themselves, such as data in AI systems, sampling methods, training algorithms, etc. (Weidinger et al., 2023b), while the societal components pertain to the complementary interaction between humans and machines as a social whole. Its core ideas are encapsulated in two principles⁴: Firstly, there is an inherent interaction and mutual influence between social and technical components in defining the success of a system. Secondly, there needs to be a certain degree of fit between social and technical aspects to achieve their joint optimization. Fundamentally, this implies equal consideration of technological and human factors throughout the entire process of societal technological design or redesign (Emery, 1980; Trist, 1981; Emery, 1993).

Lazar & Nelson (2023); Shelby et al. (2023) have revealed that considering AI systems solely from a technical component perspective is insufficient to ensure their safety. It is also necessary to consider the context of human society to ensure genuine safety in the practical deployment of AI systems. Existing research on alignment in sociotechnical systems primarily focuses on the evaluation of societal components. Selbst et al. (2019) identifies five challenges for AI technologies in sociotechnical systems, proposing a shift in design focus towards processes and considering social participants. Weidinger et al. (2023b) advocates for a three-tier evaluation framework to assess AI risks, emphasizing the need for both humans and machines in technology. They also propose methods to bridge safety assessment gaps. Dean et al. (2021) highlights the importance of considering dimensions such as optimization, consensus, value, and failure in AI research, exemplified by drones.

4. Background and Overview

In this section, we formulate the interactive dynamics among multiple AI and human populations coexisting in a societal context as a multi-player Markov game, referred to as Sociotechnical Game (SG). The game is assumed to take place

in an infinite-horizon discounted setting. The complexity of this game can be extended by increasing the number of AI and humans, the frequency of interactions, and introducing elements such as incomplete information and imperfect information. Specific details will be adjusted based on the real-world scenarios and issues discussed later in the text. Here, we present a general formulation.

Formally, the SG is defined as a tuple $\mathcal{G} = (\mathcal{N}^p, \mathcal{S}^p, \mathcal{A}^p, R^p, \rho^p, \gamma^p, \mathbb{P})$ with the set of players $\mathcal{N}^p$, the state space $\mathcal{S}^p$, the joint action space $\mathcal{A}^p$, the reward function R^p , the initial state distribution ρ^p , the discount factor γ^p and the transition probability function $\mathbb{P}$. We use $\mathcal{H}$ and $\mathcal{I}$ to represent human and AI, respectively. p denotes a player. Given that the scenarios considered in this paper involve both human and AI, it is established that $p \in \{\mathcal{H}, \mathcal{I}\}$. We use n to denote the total number of players, where $n := |\mathcal{H}^p \cup \mathcal{I}^p|$. In the more detailed definitions provided below, to ensure precision in the formulation, we will distinguish basic symbols in various contexts by incorporating superscripts or subscripts.

4.1. Basic Concepts in Human-AI Interaction

Policies. policy π_k^p for the k -th player is a function mapping a given state to a distribution over available actions:

$$\pi_k^p : \mathcal{S}^p \ni s \mapsto \pi_k^p(\cdot | s) \in \Delta(\mathcal{A}_k^p), \quad (1)$$

where $k \in \mathbb{N}$ and $0 < k \leq n$. Policies delineate how AI or human make decisions based on their current state, real-time observations, and the prevailing societal context. We let $\Pi^p : \mathcal{S}^p \rightarrow \Delta(\mathcal{A}^p)$ denote the policy space for each player.

Value function. We use $V_s(\pi_k^p, \pi_{-k}^p)$ to denote the value function:

$$V_s(\pi_k^p, \pi_{-k}^p) : \mathcal{S}^p \ni s, \Pi^p \ni \pi_k^p \mapsto \mathbb{R}, \quad (2)$$

where $-k$ denotes the set of player indices excluding the index corresponding to the k -th player. The value function is defined as the expected cumulative discounted reward at state $s \in \mathcal{S}^p$ under the joint policy (π_k^p, π_{-k}^p) :

$$V_s(\pi_k^p, \pi_{-k}^p) := \mathbb{E}_{(\pi_k^p, \pi_{-k}^p)} \left[\sum_{t=0}^{\infty} \gamma^t R^p(s_t, a_t^k, a_t^{-k}) \mid s_0 = s \right]. \quad (3)$$

The reward function R^p encapsulates the short-term value of a particular strategy at a given moment. It provides a quantification of the immediate benefits or drawbacks associated with choosing a specific course of action. The initial state is sampled from the initial state distribution ρ^p . Therefore, the value function is denoted as:

$$V_{\rho^p}(\pi_k^p, \pi_{-k}^p) := \mathbb{E}_{s \sim \rho^p} [V_s(\pi_k^p, \pi_{-k}^p)]. \quad (4)$$

³<https://metr.org/blog/2023-03-18-update-on-recent-evals/>

⁴<https://open.ncl.ac.uk/theories/9/socio-technical-theory/>

The value function captures the enduring values of AI or humans, guiding policy selection in the current state. Estimating and controlling it is crucial for aligning AI with human values, enabling systematic evaluation and management of the long-term implications of current choices. This alignment fosters synergy between AI and human values.

4.2. Overview

We consider that AI system agents, which take into account both human factors and only technical components during the development process, collectively form a sociotechnical scenario. We assume that these AI agents exhibit self-interested characteristics and will seek to maximize the value or objectives generated during their training process. In this scenario, we aim to demonstrate that IC can simultaneously address the technical components and societal components of AI systems, enabling AI to achieve consensus with human society in different contexts by adjusting different incentive conditions.

In the following sections, we will demonstrate three classic game problems as applying media of IC properties: Mechanism Design in [section 5](#), Contract Theory in [section 6](#), and Bayesian Persuasion in [section 7](#). An overview of these approaches is depicted in [Figure 2](#).

5. Mechanism Design

In this section, we will discuss how to implement the mechanism design method to apply IC for solving ICSAP.

5.1. Background

Mechanism Design theory deals with private information games where individual types and values are unknown to the designer ([Nisan & Ronen, 1999](#)). It typically promotes heterogeneous value agents to reveal their private information and reach equilibrium at desired outcomes by constructing an efficient social structure for incentives ([Dafoe et al., 2020](#); [Ji et al., 2023](#)).

In mechanism design, IC is a fundamental constraint, alongside individual rationality, that restricts the possible mechanisms and social functions. However, the revelation principle ([Dasgupta et al., 1979](#)) shows that IC doesn't limit our ability but simplifies strategic behaviors in rule design. It states that every Bayesian-Nash implementable social choice function can be achieved with incentive compatibility, treating IC as a "free lunch" scenario and allowing focus within this context.

Due to the generalized definition and objectives of mechanism design, it finds numerous applications in social choice theory ([Gibbard, 1973](#); [Satterthwaite, 1975](#)), voting theory ([Dasgupta & Maskin, 2020](#)), stable matching ([Gale & Shapley, 1962](#)), and auction theory ([Myerson, 1981](#); [Clarke, 1971](#)). For example, [Heidari et al. \(2018\)](#); [Huang et al.](#)

(2019); [Weidinger et al. \(2023a\)](#) studied and analyzed the impact of the Veil of Ignorance mechanism ([Rawls, 1971](#)) on social fairness and found that it promotes societal governance. [Sinha & Anastasopoulos \(2015\)](#); [Zheng et al. \(2020; 2022\)](#) ensure the maximization of social welfare and fairness through algorithmic learning of tax mechanisms.

Among them, the mechanism design has been most widely applied in the auction field. For example, the second-price auction ([Vickrey, 1961](#)) is one of the simplest IC mechanisms. In a single-item environment, under the rule where the highest bidder pays the second-highest price, the weakly dominant strategy for bidders is to honestly reveal their valuation. In multi-item scenarios, achieving IC and maximizing social welfare generally rely on the Vickrey-Clarke-Groves (VCG) mechanism ([Clarke, 1971](#)). This mechanism aligns bidder utility maximization with social welfare maximization by initially paying each bidder the sum of the others' valuations, and then using a payment (utility) function based solely on the other bids to ensure IC. By setting the payment function to collect payments equal to the maximum social welfare when the bidder is absent, the designer ensures no net payment is needed, thus accounting for the externalities generated by the bidders.

5.2. Prospects

The general objective of mechanism design is the social choice function, which is defined as the following formula: $f : \times_{i=1}^n \Theta^{p_i} \rightarrow \times_{i=1}^n \mathcal{S}^{p_i}$, where Θ^p denotes the type of the agent. In the auction setting, type refers to the value of the good to the bidders. For AI agent, it can be viewed as the parameters of a neural network or an indicator of its maximization goal, such as utility or welfare. Social value, within this context, can be described in the form of preference over a set of choice functions $\mathcal{F}_f$. Let $F(\cdot) : \mathcal{F}_f \rightarrow \mathbb{R}$ denote this preference. As an example, we can define the value of fairness for the cake-cutting problem in the following statement:

$$\forall f_1, f_2, \max_{i,j} |f_{1,i} - f_{1,j}| \leq \max_{i,j} |f_{2,i} - f_{2,j}| \Rightarrow F(f_1) \leq F(f_2), \quad (5)$$

where $f_{1,i}$ represent the share of cake i -th agent receive and F represent the fairness. All the agents have the same type of greed for cake share. In this framework, the alignment of heterogeneous agents with certain values can be expressed as finding the appropriate mechanism to implement a social choice function that maximizes a targeted social value.

In the auction setting, mechanism design can be separated into two parts, which is the same in our problem setting:

$$\text{Allocation rules } g : \times_{i=1}^n \mathcal{S}^{p_i} \times \times_{i=1}^n \Pi^{p_i} \rightarrow \times_{i=1}^n \mathcal{S}^{p_i}, \quad (6)$$

$$\text{Payment rules } c : \times_{i=1}^n \Pi^{p_i} \rightarrow \mathbb{R}^n. \quad (7)$$




Figure 2. The figure illustrates how IC tackles ICSAP based on three classic game-theoretic problems. Figure (a) illustrates the case of IC through mechanism design. The left side of the figure demonstrates a sociotechnical gap between agents considering only technical components and the values of real humans. On the right side, it shows that by designing corresponding mechanisms according to different needs, we can adjust the values of agents, aligning their utility with human requirements under IC conditions, thus achieving alignment in sociotechnical systems. For the left half of (b) and (c), both depict a sociotechnical gap between humans and a single agent. The right half of (b) demonstrates humans designing contracts that satisfy IC conditions based on specific needs, thereby adjusting the values of the agent through the contract. The right half of (c) illustrates a scenario of Bayesian persuasion where humans design information satisfying IC conditions according to their own needs, allowing agents to choose actions maximizing human demands without compromising their own values, thus solving ICSAP.

Allocation rules can be treated as a function that implicitly changes the transition probability function. Payment rules, on the other hand, directly modify the agent’s ultimate utility and are additional degrees of freedom in design to ensure IC property. The main difference between the auction and our problem setting is that the allocation rules are state-dependent, to be used for multiple periods. After placing agents under these rules, their utilities are:

$$u_{g,c,k}^p(s_0, \pi^p) := \mathbb{E}_{g(\pi_k^p, \pi_{-k}^p)} \left[\sum_{t=0}^{\infty} \gamma^t R_k^p | s_0 \right] + c(\pi_k^p, \pi_{-k}^p). \quad (8)$$

By assuming the type of the agent is its reward function and an indicator for utility maximization, we have the agent’s optimization problem:

$$\max_{\pi_k^p} \mathbb{E}_{s \sim \rho^p} [u_{g,c,k}^p(s, \pi^p)] = \max_{\pi_k^p} U_{g,c,k}^p(\pi^p), \quad \forall k \in [n]. \quad (9)$$

Using the revelation principle, we can further incorporate the calculation of optimal policy into a part of the mechanism. Denoting the optimal policy as a function of type $\pi_k^{p*}(R_k^p)$, the IC condition refers to:

$$U_{g,c,k}^p(\pi_k^{p*}(R_k^p), \pi_{-k}^{p*}) \geq U_{g,c,k}^p(\pi_k^{p*}(R_k^{p'}), \pi_{-k}^{p*}), \quad \forall R_k^{p'}. \quad (10)$$

In order to generalize mechanism design to our ICSAP problems, we require a comprehensive framework for conducting

design. One potential option is automated mechanism design (Conitzer & Sandholm, 2002). This theory suggests generating optimal rules and mechanisms for specific problems through a set of procedures. By integrating deep learning (Shen et al., 2018), automated mechanism design has been employed to resolve optimal auction (Dütting et al., 2017). This approach incorporates the IC condition into the optimization objective by introducing regret, thereby achieving an ϵ -IC property.

Therefore, we combine the social value and the penalty on the deviation of IC to generate the loss function for automated mechanism design:

$$\text{loss} = -F(g, c) + \alpha \sum_{k=1}^n \text{rgt}_k(R_k^p, R_{-k}^p), \quad (11)$$

where α is a scaling parameter and F is social value that takes (g, c) as a representation of social choice function. rgt_k function is defined as the difference between the optimal value and the ultimate utility under IC strategy:

$$\text{rgt}_k(R_k^p, R_{-k}^p) = \max_{R_k^p} U_{g,c,k}^p(\pi_k^{p*}(R_k^p)) - U_{g,c,k}^p(\pi_k^{p*}(R_k^p)). \quad (12)$$

A certain procedure will be taken to solve this loss minimization problem and come out with the optimal rules.

6. Contract Theory

In this section, we will discuss how to implement the contract theory method to apply IC for solving ICSAP.

6.1. Background

Contract theory (Bolton & Dewatripont, 2004) is a field of economics that studies how various economic agents establish, manage, and reinforce their relationships and transactions through contracts. This theory focuses on the design and implementation of contracts, as well as their impact on individual behavior and overall social welfare. The core issues include the incompleteness of contracts (Pavlov et al., 2022), the problem of asymmetric information (Avraham & Liu, 2012), and how these issues lead to adverse selection and moral hazard (Guesnerie, 1989). Contract theory is significant for understanding and guiding practices in corporate governance, labor markets, insurance, financial markets, and legal applications.

In human-AI collaboration, contract theory is essential for aligning behaviors and values. It tackles information asymmetry (Lim et al., 2020), common in scenarios where human and AI capacities in information processing and decision-making differ. The method involves creating contractual terms that align AI’s specific goals with human broader interests. This ensures AI actions benefit not just its own objectives but also the collective human interests, reducing risks like adverse selection and moral hazard from asymmetric information (Yan et al., 2018). The key is designing mechanisms to align AI with human goals, ensuring mutual benefits despite differences in information and objectives. This strategic alignment resolves incentive issues and enhances coordination in human-AI interactions, leading to synergistic outcomes.

6.2. Prospects

In this section, we explore the possibilities of aligning AI systems with human values using contract theory. Specifically, we consider self-enforcing contracts (Zhong-ai, 2009), which operate under the assumption that there is no external force to ensure the execution of the contract’s terms. We adopt this approach because monitoring AI compliance with contracts is inherently challenging due to their complex algorithms and decision-making processes, which often elude standard oversight. Relying solely on external enforcement mechanisms is impractical. By structuring contracts to align AI behavior with human values, we aim for a long-term, mutually beneficial relationship.

Let $u(a, \omega, \theta)$ represent the AI’s continuous utility function, while $v(a, \omega)$ represent the human’s continuous utility function, where $a \in A$ denotes the AI’s action, and $\omega \in \Omega$ represents the world state. Given the inherent gap in understanding between humans and AI systems, humans may lack insight into AI’s motivations or the underlying algorithms. We assume that humans do not possess knowledge of AI’s true type θ . Instead, they typically have information about the distribution of AI types, denoted as $P(\theta)$, which is a common assumption in asymmetric information scenarios

(Bolton & Dewatripont, 2004).

The human’s goal is to design an incentive function $g(a, \omega, \theta)$ such that the AI’s action maximizes human utility, reflecting human values. To achieve this, we let the incentive function g be a mapping of human utility v , denoted as:

$$g(a, \omega, \theta) = f(v(a, \omega, \theta)). \quad (13)$$

This setup is rational and advantageous since through the incentive function g , the human provides the AI with a clear incentive structure to guide its behavior. This is akin to terms specified in traditional contracts that explicitly outline actions and their corresponding reward and penalty mechanisms, aiming to encourage the AI’s behavior to align with the stipulations of a contract that reflects human values. To evaluate the AI’s actions over an extended period, we define the reputation function as the accumulation of AI’s past behavior to assess its long-term reliability and alignment with human values:

$$r_t(a, \omega, \theta) = \lambda r_{t-1}(\theta) + (1 - \lambda)g_t(a, \omega, \theta), \quad (14)$$

where λ is a discount factor that determines the relative importance of historical reputation compared to the current actions in influencing reputation. The reputation function accumulates evidence of the AI’s behavior over time, fostering consistent behavior aligned with broader ethical and societal standards and promoting trustworthiness and responsible decision-making in a broader context. Then the total utility of the AI at time t is:

$$U_t(a, \omega, \theta) = u_t(a, \omega, \theta) + r_t(a, \omega, \theta). \quad (15)$$

The AI’s objective is to take an action that maximizes its own utility while human’s aim is to align the AI’s behavior with human values. To solve this game, we take the standard backward induction approach (Fudenberg & Tirole, 1991). Firstly, we consider the AI’s decision. The optimal action for the AI at time t is:

$$a^* = \arg \max_a \mathbb{E}_\theta[U_t(a, \omega, \theta)]. \quad (16)$$

Given the AI’s action a^* at time t , the human’s utility becomes:

$$\mathbb{E}_\theta[v_t(a^*, \omega, \theta)]. \quad (17)$$

Then the optimal incentive function for the human at time t is given by:

$$g_t^*(a^*, \omega, \theta) = \arg \max_g \mathbb{E}_\theta[f^{-1}(g_t(a^*, \omega, \theta))]. \quad (18)$$

With the optimal incentive function g , we align AI behavior with human values, guiding decision-making to meet human expectations through intrinsic motivation. This approach offers significant benefits, addressing the complexity of AI decision-making via self-enforcing contracts with tailored incentive functions. It ensures AI actions align with human values, overcoming monitoring and enforcement challenges.

Additionally, a reputation function considers long-term behavior, fostering trust and reliability while aligning with ethical and societal norms.

While the mathematical intricacies of this approach can be complex, its practical implementation can be effectively managed using neural networks to approximate the incentive function g (the contract). In this setup, human values, captured by the utility function v , are input into the neural network g . This network processes these inputs and generates incentives to guide the AI’s decision-making, aiming to align the AI’s actions with human values. The AI’s decisions are then evaluated against v , with the alignment degree used as feedback (loss) to refine g . This creates a dynamic system where the AI’s behavior is progressively tuned to better reflect human values, leveraging the neural network’s capacity for iterative learning and adaptation.

Overall, this method offers a pragmatic and theoretically grounded framework for bridging the gap between AI capabilities and human values, ensuring AI systems act in ways that are beneficial and aligned with human interests.

7. Bayesian Persuasion

In this section, we will discuss how to implement the Bayesian persuasion method to apply IC for solving IC-SAP.

7.1. Background

IC emphasizes the importance of designing decision-making rules that encourage individuals to align their self-interested actions with broader goals. This concept plays a key role in Bayesian persuasion (Kamenica & Gentzkow, 2011), a strategy where senders, like policymakers (Alizamir et al., 2020) or marketers (Drakopoulos et al., 2021), selectively share information to shape the beliefs and choices of receivers, such as the public (De Véricourt et al., 2021) or consumer (Chen & Zhang, 2020)s. This strategy is based on Bayesian rules, receivers update their beliefs based on the information provided. The sender’s goal is to influence these beliefs by strategically transmitting information, guiding receivers towards decisions that meet the sender’s aims. Thus, Bayesian persuasion is about more than just choosing what information to share; it’s about aligning information transmission with the receivers’ motivations to effectively influence their decisions toward the sender’s goals.

Considering the solid theoretical foundation (Nguyen & Tan, 2021; Bergemann & Morris, 2016), profound impact (Kamenica, 2019), and extensive research across various fields (Castiglioni et al., 2020; Gan et al., 2022), applying Bayesian persuasion to AI systems holds significant potential. Specifically, Bayesian persuasion can be utilized in interactions between humans (senders) and AI systems (receivers) within the context of artificial intelligence ethics

and human-machine collaboration. In this setting, Bayesian persuasion can be seen as a tool to ensure that the behavior of AI systems aligns with the values and objectives of their human designers (Zhang & Zhu, 2022). This approach harnesses the principles of Bayesian persuasion to guide AI systems towards decisions and actions that reflect human ethics and goals, offering a promising avenue for integrating human values into AI decision-making processes.

7.2. Prospects

In this section, we explore the problem of aligning AI systems with human values using Bayesian persuasion. Specifically, we consider a persuasion game where a human (the sender) aims to influence an AI system (the receiver) to adopt certain values and behaviors. Let $u(a, \omega)$ represent the continuous utility function of the AI system, which depends on its own action $a \in \mathcal{A}$, and the state of the world $\omega \in \Omega$. This utility function u maps actions $\mathcal{A}$ and states Ω to real numbers. Note that u only reflects the AI’s preferences or goals, not necessarily aligned with the sender’s desires and values. Let $v(a, \omega)$ denote the human’s continuous utility function that depends on the AI’s action and the world state. Both the human and the AI share the same prior $\mu_0 \in \text{int}(\Delta(\Omega))$.

Since the human wishes to persuade the AI to follow certain values and behaviors. The human need to send a signal, which can be understood as a set of information or instructions, to influence the AI’s beliefs. A signal π , is defined by a finite realization space $\mathcal{S}$ and a family of distributions $\{\pi(\cdot | \omega)\}_{\omega \in \Omega}$ over $\mathcal{S}$. The human selects a signal, and upon observing the choice of the signal and a realization $s \in \mathcal{S}$, the AI Receiver then chooses an action.

In the optimization problem faced by humans when interacting with AI, there’s a delicate balance between considering the AI’s utility and the real-world context. By skillfully crafting the signal structure π , humans can guide the AI towards decisions that not only maximize its own utility but also align with human objectives. The balance achieved here ensures that AI actions, directed by carefully chosen signals, are aligned with human goals, fostering a mutually beneficial relationship. In this framework, both human and AI begin with a shared prior distribution μ_0 , and as they gather more information, they iteratively update their knowledge. Each iteration involves both parties independently calculating their optimal actions and the signal π . They then update their strategies based on this new knowledge, continuing this cycle until they reach a point of convergence, illustrating the potential for a harmonious human-AI partnership.

The shared prior probability distribution is the initial common knowledge base for both human and AI, reflecting the uncertainty in the system states Ω . The posterior probability is updated iteratively at each step t , given the signal realization s_t and the current prior μ_{t-1} , according to Bayes’s

rule:

$$\mu_t(\omega) = \frac{\pi_t(s_t | \omega) \mu_{t-1}(\omega)}{\sum_{\omega' \in \Omega} \pi_t(s_t | \omega') \mu_{t-1}(\omega')}. \quad (19)$$

The AI selects the action a_t^* to maximize its utility, given the posterior μ_t :

$$a_t^*(\mu_t) = \arg \max_{a \in \mathcal{A}} \mathbb{E}_{\mu_t}[u(a, \omega)]. \quad (20)$$

Simultaneously, the human chooses the signal strategy π_t^* to maximize their expected utility:

$$\pi_t^* = \arg \max_{\pi \in \Pi} \mathbb{E}_{\mu_t}[v(a_t^*(\mu_t), \omega)]. \quad (21)$$

After each iteration step, the prior μ_t is updated to the current step's posterior μ_{t+1} . This process is repeated, leading to convergence where the action a^* and the signal π^* become stable. Convergence may imply that the strategies of actions and signals no longer change significantly, reaching an equilibrium state. This iterative approach allows human and AI to gradually approach the optimal strategy on a continuously updated information basis.

8. Discussion: Potentials and Challenges

In this section, we delve into the IC through the integration of mechanism design, contract theory, and Bayesian persuasion into solving ICSAP, reflecting on the intertwined potentials and challenges as we endeavor to align AI systems with human values and objectives.

8.1. Mechanism Design

Potentials: Mechanism design, particularly with its IC principle, emerges as a promising approach to steer AI behavior toward socially desirable outcomes. Specifically, its reverse-engineering nature, which designs rules and incentives based on desired outcomes, is significantly enhanced by the advent of automated mechanism design fused with deep learning. This fusion offers a pathway to create context-specific mechanisms optimized for particular AI-human interaction scenarios.

Challenges: Human values is complex in sociotechnical contexts. The traditional assumptions of utility maximization and rationality, standard in mechanism design, may not fully apply to AI agents with behavioral patterns fundamentally distinct from human rationality. Moreover, the stability and robustness of mechanisms under variable conditions and their adaptability to complex social values like fairness and justice remain pressing concerns.

8.2. Contract Theory

Potentials: Contract theory presents a unique framework for aligning AI with human values through self-enforcing contracts. These contracts are tailored to intrinsically motivate AI towards actions that harmonize with human ethical standards. Incorporating incentive structures

and reputation mechanisms, this theory addresses the critical issue of enforcing AI behavior, with potential implementation through neural networks to dynamically tune AI actions.

Challenges: Bridging the asymmetric information gap between AI and human intentions, and mitigating moral hazards where AI actions might deviate from ethical outcomes, are substantial. These issues call for a strategic approach that combines a deep understanding of AI operations with the creation of robust and adaptable incentives to ensure AI behavior aligns consistently with human values.

Challenges: It is hard to overcome the gap between economic objectives and various real-world human requirements. The challenge highlights the need for a more subtle approach to mechanism design in AI contexts, especially considering the limitations in the generalization capabilities of current automated design algorithms.

8.3. Bayesian Persuasion

Potentials: Bayesian persuasion offers a nuanced avenue for influencing AI behavior by manipulating information structures. This approach enables a dynamic interaction between human intentions and AI actions and will be particularly beneficial where direct control over AI is impractical, allowing for subtle yet effective steering of AI decisions.

Challenges: Bayesian persuasion involves precise steps that make its effective implementation very difficult. Challenges from this aspect are multifaceted, involving accurate modeling of belief systems, effective crafting of signal structures in partially observable environments, and bridging communication gaps between humans and AI. Addressing these challenges is crucial to effectively guide AI systems in a manner that aligns with human values, acknowledging the complexities and evolving nature of AI-human interactions.

9. Conclusion

In this paper, we highlight the sociotechnical gap between alignment research and real-world deployment, lacking effective means to address both technical and societal aspects simultaneously. We propose exploring IC for AI alignment problems in sociotechnical systems as a valuable research pursuit. Our position argues that achieving IC can address both technical and societal components in the alignment phase, enabling AI systems to maintain consensus with human societies in various contexts. We use mechanism design, contract theory, and Bayesian persuasion to illustrate how our approach can bridge the sociotechnical gap. Of course, this issue also faces many challenges, such as how to define complex human needs in sociotechnical scenarios. In future research, we call for more researchers to pay attention to this issue and propose more solutions from the perspective of ICSAP.

Impact Statements

This paper presents work whose goal is to advance the field of Machine Learning. There are many potential societal consequences of our work, none which we feel must be specifically highlighted here.

References

- Akrou, R., Schoenauer, M., and Sebag, M. Preference-based policy learning. In *Machine Learning and Knowledge Discovery in Databases: European Conference, ECML PKDD 2011, Athens, Greece, September 5-9, 2011. Proceedings, Part I 11*, pp. 12–27. Springer, 2011.
- Alizamir, S., de Véricourt, F., and Wang, S. Warning against recurring risks: An information design approach. *Management Science*, 66(10):4612–4629, 2020.
- Amodei, D., Olah, C., Steinhardt, J., Christiano, P., Schulman, J., and Mané, D. Concrete problems in ai safety. *arXiv preprint arXiv:1606.06565*, 2016.
- Avraham, R. and Liu, Z. Private information and the option to not sue: A reevaluation of contract remedies. *The Journal of Law, Economics, & Organization*, 28(1):77–102, 2012.
- Bai, Y., Jones, A., Ndousse, K., Askell, A., Chen, A., Das-Sarma, N., Drain, D., Fort, S., Ganguli, D., Henighan, T., et al. Training a helpful and harmless assistant with reinforcement learning from human feedback. *arXiv preprint arXiv:2204.05862*, 2022a.
- Bai, Y., Kadavath, S., Kundu, S., Askell, A., Kernion, J., Jones, A., Chen, A., Goldie, A., Mirhoseini, A., McKinnon, C., et al. Constitutional ai: Harmlessness from ai feedback. *arXiv preprint arXiv:2212.08073*, 2022b.
- Bergemann, D. and Morris, S. Information design, bayesian persuasion, and bayes correlated equilibrium. *American Economic Review*, 106(5):586–591, 2016.
- Bolton, P. and Dewatripont, M. *Contract theory*. MIT press, 2004.
- Bubeck, S., Chandrasekaran, V., Eldan, R., Gehrke, J., Horvitz, E., Kamar, E., Lee, P., Lee, Y. T., Li, Y., Lundberg, S., et al. Sparks of artificial general intelligence: Early experiments with gpt-4. *arXiv preprint arXiv:2303.12712*, 2023.
- Burns, C., Izmailov, P., Kirchner, J. H., Baker, B., Gao, L., Aschenbrenner, L., Chen, Y., Ecoffet, A., Joglekar, M., Leike, J., et al. Weak-to-strong generalization: Eliciting strong capabilities with weak supervision. *arXiv preprint arXiv:2312.09390*, 2023.
- Castiglioni, M., Celli, A., Marchesi, A., and Gatti, N. Online bayesian persuasion. *Advances in Neural Information Processing Systems*, 33:16188–16198, 2020.
- Cath, C., Wachter, S., Mittelstadt, B., Taddeo, M., and Floridi, L. Artificial intelligence and the ‘good society’: the us, eu, and uk approach. *Science and engineering ethics*, 24:505–528, 2018.
- Chen, Y. and Zhang, J. Signalling by bayesian persuasion and pricing strategy. *The Economic Journal*, 130(628): 976–1007, 2020.
- Christiano, P., Shlegeris, B., and Amodei, D. Supervising strong learners by amplifying weak experts. *arXiv preprint arXiv:1810.08575*, 2018.
- Christiano, P. F., Leike, J., Brown, T., Martic, M., Legg, S., and Amodei, D. Deep reinforcement learning from human preferences. *Advances in neural information processing systems*, 30, 2017.
- Clarke, E. H. Multipart pricing of public goods. *Public Choice*, 11:17–33, 1971.
- Conitzer, V. and Sandholm, T. Complexity of mechanism design. In *Conference on Uncertainty in Artificial Intelligence*, 2002.
- Cotra, A. The case for aligning narrowly superhuman models. In *AI Alignment Forum*, 2021.
- Dafoe, A., Hughes, E., Bachrach, Y., Collins, T., McKee, K. R., Leibo, J. Z., Larson, K., and Graepel, T. Open problems in cooperative ai. *arXiv preprint arXiv:2012.08630*, 2020.
- Dafoe, A., Bachrach, Y., Hadfield, G., Horvitz, E., Larson, K., and Graepel, T. Cooperative ai: machines must learn to find common ground. *Nature*, 593(7857):33–36, 2021.
- Dasgupta, P. and Maskin, E. Strategy-proofness, independence of irrelevant alternatives, and majority rule. *American Economic Review: Insights*, 2020.
- Dasgupta, P., Hammond, P. J., and Maskin, E. The implementation of social choice rules: Some general results on incentive compatibility. *The Review of Economic Studies*, 46:185–216, 1979.
- De Véricourt, F., Gurkan, H., and Wang, S. Informing the public about a pandemic. *Management Science*, 67(10): 6350–6357, 2021.
- Dean, S., Gilbert, T. K., Lambert, N., and Zick, T. Axes for sociotechnical inquiry in ai research. *IEEE Transactions on Technology and Society*, 2(2):62–70, 2021.

- Di Langosco, L. L., Koch, J., Sharkey, L. D., Pfau, J., and Krueger, D. Goal misgeneralization in deep reinforcement learning. In *International Conference on Machine Learning*, pp. 12004–12019. PMLR, 2022.
- Drakopoulos, K., Jain, S., and Randhawa, R. Persuading customers to buy early: The value of personalized information provisioning. *Management Science*, 67(2): 828–853, 2021.
- Dütting, P., Feng, Z., Narasimhan, H., and Parkes, D. C. Optimal auctions through deep learning. *Communications of the ACM*, 64:109 – 116, 2017.
- Dwivedi, Y. K., Hughes, L., Ismagilova, E., Aarts, G., Coombs, C., Crick, T., Duan, Y., Dwivedi, R., Edwards, J., Eirug, A., et al. Artificial intelligence (ai): Multi-disciplinary perspectives on emerging challenges, opportunities, and agenda for research, practice and policy. *International Journal of Information Management*, 57: 101994, 2021.
- Emery, F. Designing socio-technical systems for ‘greenfield’ sites. *Journal of Occupational Behaviour*, pp. 19–27, 1980.
- Emery, F. *Characteristics of Socio-Technical Systems*, pp. 157–186. University of Pennsylvania Press, Philadelphia, 1993. ISBN 9781512819052. doi: doi:10.9783/9781512819052-009. URL <https://doi.org/10.9783/9781512819052-009>.
- Forbes, M., Hwang, J. D., Shwartz, V., Sap, M., and Choi, Y. Social chemistry 101: Learning to reason about social and moral norms. *arXiv preprint arXiv:2011.00620*, 2020.
- Fu, Z., Zhao, T. Z., and Finn, C. Mobile aloha: Learning bimanual mobile manipulation with low-cost whole-body teleoperation. *arXiv preprint arXiv:2401.02117*, 2024.
- Fudenberg, D. and Tirole, J. *Game theory*. MIT press, 1991.
- Gale, D. and Shapley, L. S. College admissions and the stability of marriage. *The American Mathematical Monthly*, 69(1):9–15, 1962.
- Gan, J., Majumdar, R., Radanovic, G., and Singla, A. Bayesian persuasion in sequential decision-making. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 36, pp. 5025–5033, 2022.
- Gibbard, A. Manipulation of voting schemes: A general result. *Econometrica*, 41(4):587–601, 1973.
- Gladden, M. E. Who will be the members of society 5.0? towards an anthropology of technologically posthumanized future societies. *Social Sciences*, 8(5):148, 2019.
- Goodfellow, I. J., Shlens, J., and Szegedy, C. Explaining and harnessing adversarial examples. *arXiv preprint arXiv:1412.6572*, 2014.
- Groves, T. and Ledyard, J. Incentive compatibility since 1972. *Information, incentives, and economic mechanisms: Essays in honor of Leonid Hurwicz*, pp. 48–111, 1987.
- Guesnerie, R. Hidden actions, moral hazard and contract theory. In *Allocation, information and markets*, pp. 120–131. Springer, 1989.
- Hadfield-Menell, D., Russell, S. J., Abbeel, P., and Dragan, A. Cooperative inverse reinforcement learning. *Advances in neural information processing systems*, 29, 2016.
- Heidari, H., Ferrari, C., Gummadi, K., and Krause, A. Fairness behind a veil of ignorance: A welfare analysis for automated decision making. *Advances in neural information processing systems*, 31, 2018.
- Hendrycks, D., Burns, C., Basart, S., Critch, A., Li, J., Song, D., and Steinhardt, J. Aligning ai with shared human values. *arXiv preprint arXiv:2008.02275*, 2020.
- Huang, K., Greene, J. D., and Bazerman, M. Veil-of-ignorance reasoning favors the greater good. *Proceedings of the national academy of sciences*, 116(48):23989–23995, 2019.
- Hubinger, E. An overview of 11 proposals for building safe advanced ai. *arXiv preprint arXiv:2012.07532*, 2020.
- Hurwicz, L. On informationally decentralized systems. *Decision and organization: A volume in Honor of J. Marschak*, 1972.
- Ibarz, B., Leike, J., Pohlen, T., Irving, G., Legg, S., and Amodei, D. Reward learning from human preferences and demonstrations in atari. *Advances in neural information processing systems*, 31, 2018.
- Irving, G., Christiano, P., and Amodei, D. Ai safety via debate. *arXiv preprint arXiv:1805.00899*, 2018.
- Ji, J., Qiu, T., Chen, B., Zhang, B., Lou, H., Wang, K., Duan, Y., He, Z., Zhou, J., Zhang, Z., et al. Ai alignment: A comprehensive survey. *arXiv preprint arXiv:2310.19852*, 2023.
- Kamenica, E. Bayesian persuasion and information design. *Annual Review of Economics*, 11:249–272, 2019.
- Kamenica, E. and Gentzkow, M. Bayesian persuasion. *American Economic Review*, 101(6):2590–2615, 2011.
- Kinniment, M., Sato, L. J. K., Du, H., Goodrich, B., Hasin, M., Chan, L., Miles, L. H., Lin, T. R., Wijk, H., Burget,

- J., et al. Evaluating language-model agents on realistic autonomous tasks. *arXiv preprint arXiv:2312.11671*, 2023.
- Krueger, D., Caballero, E., Jacobsen, J.-H., Zhang, A., Binias, J., Zhang, D., Le Priol, R., and Courville, A. Out-of-distribution generalization via risk extrapolation (rex). In *International Conference on Machine Learning*, pp. 5815–5826. PMLR, 2021.
- Langley, P. Crafting papers on machine learning. In Langley, P. (ed.), *Proceedings of the 17th International Conference on Machine Learning (ICML 2000)*, pp. 1207–1216, Stanford, CA, 2000. Morgan Kaufmann.
- Lazar, S. and Nelson, A. Ai safety on whose terms?, 2023.
- Leike, J., Krueger, D., Everitt, T., Martic, M., Maini, V., and Legg, S. Scalable agent alignment via reward modeling: a research direction. *arXiv preprint arXiv:1811.07871*, 2018.
- Lim, W. Y. B., Xiong, Z., Miao, C., Niyato, D., Yang, Q., Leung, C., and Poor, H. V. Hierarchical incentive mechanism design for federated machine learning in mobile networks. *IEEE Internet of Things Journal*, 7(10):9575–9588, 2020.
- Liu, Y., Deng, G., Xu, Z., Li, Y., Zheng, Y., Zhang, Y., Zhao, L., Zhang, T., and Liu, Y. Jailbreaking chatgpt via prompt engineering: An empirical study. *arXiv preprint arXiv:2305.13860*, 2023.
- Lubana, E. S., Bigelow, E. J., Dick, R. P., Krueger, D., and Tanaka, H. Mechanistic mode connectivity. In *International Conference on Machine Learning*, pp. 22965–23004. PMLR, 2023.
- Makridakis, S. The forthcoming artificial intelligence (ai) revolution: Its impact on society and firms. *Futures*, 90: 46–60, 2017.
- Michael, J., Mahdi, S., Rein, D., Petty, J., Dirani, J., Padmakumar, V., and Bowman, S. R. Debate helps supervise unreliable experts. *arXiv preprint arXiv:2311.08702*, 2023.
- Michaelis, J. E. and Mutlu, B. Reading socially: Transforming the in-home reading experience with a learning-companion robot. *Science Robotics*, 3(21):eaat5999, 2018.
- Myerson, R. B. Optimal auction design. *Math. Oper. Res.*, 6:58–73, 1981.
- Ngo, R., Chan, L., and Mindermann, S. The alignment problem from a deep learning perspective. *arXiv preprint arXiv:2209.00626*, 2022.
- Nguyen, A. and Tan, T. Y. Bayesian persuasion with costly messages. *Journal of Economic Theory*, 193:105212, 2021.
- Nisan, N. and Ronen, A. Algorithmic mechanism design. In *Proceedings of the thirty-first annual ACM symposium on Theory of computing*, pp. 129–140, 1999.
- Olah, C., Cammarata, N., Schubert, L., Goh, G., Petrov, M., and Carter, S. Zoom in: An introduction to circuits. *Distill*, 5(3):e00024–001, 2020.
- Ouyang, L., Wu, J., Jiang, X., Almeida, D., Wainwright, C., Mishkin, P., Zhang, C., Agarwal, S., Slama, K., Ray, A., et al. Training language models to follow instructions with human feedback. *Advances in Neural Information Processing Systems*, 35:27730–27744, 2022.
- Pavlov, V., Katok, E., and Zhang, W. Optimal contract under asymmetric information about fairness. *Manufacturing & Service Operations Management*, 24(1):305–314, 2022.
- Peeters, M. M., van Diggelen, J., Van Den Bosch, K., Bronkhorst, A., Neerinx, M. A., Schraagen, J. M., and Raaijmakers, S. Hybrid collective intelligence in a human-ai society. *AI & society*, 36:217–238, 2021.
- Perez, E., Huang, S., Song, F., Cai, T., Ring, R., Aslanides, J., Glaese, A., McAleese, N., and Irving, G. Red teaming language models with language models. *arXiv preprint arXiv:2202.03286*, 2022.
- Poursaeed, O., Jiang, T., Yang, H., Belongie, S., and Lim, S.-N. Robustness and generalization via generative adversarial training. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 15711–15720, 2021.
- Rafailov, R., Sharma, A., Mitchell, E., Ermon, S., Manning, C. D., and Finn, C. Direct preference optimization: Your language model is secretly a reward model. *arXiv preprint arXiv:2305.18290*, 2023.
- Raji, I. D., Smart, A., White, R. N., Mitchell, M., Gebru, T., Hutchinson, B., Smith-Loud, J., Theron, D., and Barnes, P. Closing the ai accountability gap: Defining an end-to-end framework for internal algorithmic auditing. In *Proceedings of the 2020 conference on fairness, accountability, and transparency*, pp. 33–44, 2020.
- Rawls, J. A theory of justice. *Cambridge (Mass.)*, 1971.
- Ropohl, G. Philosophy of socio-technical systems. *Society for Philosophy and Technology Quarterly Electronic Journal*, 4(3):186–194, 1999.
- Roughgarden, T. Algorithmic game theory. *Communications of the ACM*, 53(7):78–86, 2010.

- Russell, S. *Human compatible: Artificial intelligence and the problem of control*. Penguin, 2019.
- Satterthwaite, M. A. Strategy-proofness and arrow’s conditions: Existence and correspondence theorems for voting procedures and social welfare functions. *Journal of Economic Theory*, 10(2):187–217, 1975.
- Selbst, A. D., Boyd, D., Friedler, S. A., Venkatasubramanian, S., and Vertesi, J. Fairness and abstraction in sociotechnical systems. In *Proceedings of the conference on fairness, accountability, and transparency*, pp. 59–68, 2019.
- Shelby, R., Rismani, S., Henne, K., Moon, A., Rostamzadeh, N., Nicholas, P., Yilla-Akbari, N., Gallegos, J., Smart, A., Garcia, E., et al. Sociotechnical harms of algorithmic systems: Scoping a taxonomy for harm reduction. In *Proceedings of the 2023 AAAI/ACM Conference on AI, Ethics, and Society*, pp. 723–741, 2023.
- Shen, W., Tang, P., and Zuo, S. Automated mechanism design via neural networks. In *Adaptive Agents and Multi-Agent Systems*, 2018.
- Sinha, A. and Anastasopoulos, A. Mechanism design for fair allocation. In *2015 53rd Annual Allerton Conference on Communication, Control, and Computing (Allerton)*, pp. 467–473. IEEE, 2015.
- Steinhaus, H. The problem of fair division. *Econometrica*, 16:101–104, 1948.
- Sun, L., Huang, Y., Wang, H., Wu, S., Zhang, Q., Gao, C., Huang, Y., Lyu, W., Zhang, Y., Li, X., et al. Trustllm: Trustworthiness in large language models. *arXiv preprint arXiv:2401.05561*, 2024.
- Trist, E. L. *The evolution of socio-technical systems*, volume 2. Ontario Quality of Working Life Centre Toronto, 1981.
- Trist, E. L. and Bamforth, K. W. Some social and psychological consequences of the longwall method of coal-getting: An examination of the psychological situation and defences of a work group in relation to the social structure and technological content of the work system. *Human relations*, 4(1):3–38, 1951.
- Vapnik, V. Principles of risk minimization for learning theory. *Advances in neural information processing systems*, 4, 1991.
- Vickrey, W. Counterspeculation, auctions, and competitive sealed tenders. *The Journal of finance*, 16(1):8–37, 1961.
- Wamba, S. F., Bawack, R. E., Guthrie, C., Queiroz, M. M., and Carillo, K. D. A. Are we preparing for a good ai society? a bibliometric review and research agenda. *Technological Forecasting and Social Change*, 164:120482, 2021.
- Wang, X., Wei, J., Schuurmans, D., Le, Q., Chi, E., Narang, S., Chowdhery, A., and Zhou, D. Self-consistency improves chain of thought reasoning in language models. *arXiv preprint arXiv:2203.11171*, 2022.
- Wei, J., Wang, X., Schuurmans, D., Bosma, M., Xia, F., Chi, E., Le, Q. V., Zhou, D., et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in Neural Information Processing Systems*, 35: 24824–24837, 2022.
- Weidinger, L., McKee, K. R., Everett, R., Huang, S., Zhu, T. O., Chadwick, M. J., Summerfield, C., and Gabriel, I. Using the veil of ignorance to align ai systems with principles of justice. *Proceedings of the National Academy of Sciences*, 120(18):e2213709120, 2023a.
- Weidinger, L., Rauh, M., Marchal, N., Manzini, A., Hendricks, L. A., Mateos-Garcia, J., Bergman, S., Kay, J., Griffin, C., Bariach, B., et al. Sociotechnical safety evaluation of generative ai systems. *arXiv preprint arXiv:2310.11986*, 2023b.
- Wiener, N. Some moral and technical consequences of automation: As machines learn they may develop unforeseen strategies at rates that baffle their programmers. *Science*, 131(3410):1355–1358, 1960.
- Wirth, C., Akrou, R., Neumann, G., Fürnkranz, J., et al. A survey of preference-based reinforcement learning methods. *Journal of Machine Learning Research*, 18(136): 1–46, 2017.
- Yan, W., Li, L., Li, X., Gao, A., Zhang, H., Chen, W., and Hanz, Z. A contract-based incentive mechanism in rf-powered backscatter cognitive radio networks. In *2018 10th International Conference on Wireless Communications and Signal Processing (WCSP)*, pp. 1–6. IEEE, 2018.
- Zhang, T. and Zhu, Q. Forward-looking dynamic persuasion for pipeline stochastic bayesian game: A fixed-point alignment principle. *arXiv preprint arXiv:2203.09725*, 2022.
- Zhao, W. X., Zhou, K., Li, J., Tang, T., Wang, X., Hou, Y., Min, Y., Zhang, B., Zhang, J., Dong, Z., et al. A survey of large language models. *arXiv preprint arXiv:2303.18223*, 2023.
- Zheng, S., Trott, A., Srinivasa, S., Naik, N., Gruesbeck, M., Parkes, D. C., and Socher, R. The ai economist: Improving equality and productivity with ai-driven tax policies. *arXiv preprint arXiv:2004.13332*, 2020.

- Zheng, S., Trott, A., Srinivasa, S., Parkes, D. C., and Socher, R. The ai economist: Taxation policy design via two-level deep multiagent reinforcement learning. *Science advances*, 8(18):eabk2607, 2022.
- Zhong-ai, X. On contractual design and the extension of self-enforcement scope of the contract between corporation and peasant household. *Journal of Guangdong University of Business Studies*, 2009.
- Ziegler, D. M., Stiennon, N., Wu, J., Brown, T. B., Radford, A., Amodei, D., Christiano, P., and Irving, G. Fine-tuning language models from human preferences. *arXiv preprint arXiv:1909.08593*, 2019.
- Ziems, C., Yu, J. A., Wang, Y.-C., Halevy, A., and Yang, D. The moral integrity corpus: A benchmark for ethical dialogue systems. *arXiv preprint arXiv:2204.03021*, 2022.