Theoretical Explorations in Digital Education

## A Review of Data Mining in Personalized Education: Current Trends and Future Prospects

#### Zhang Xiong<sup>a, b</sup>, Haoxuan Li<sup>a</sup>, Zhuang Liu<sup>a</sup>, Zhuofan Chen<sup>a</sup>, Hao Zhou<sup>a</sup>, Wenge Rong<sup>a</sup>, Yuanxin Ouyang<sup>a</sup>

<sup>a</sup> School of Computer Science and Engineering, Beihang University, Beijing 100191, China

<sup>b</sup> School of Information Technology and Management, University of International Business and Economics, Beijing 100029, China

Abstract Personalized education, tailored to individual student needs, leverages educational technology and artificial intelligence (AI) in the digital age to enhance learning effectiveness. The integration of AI in educational platforms provides insights into academic performance, learning preferences, and behaviors, optimizing the personal learning process. Driven by data mining techniques, it not only benefits students but also provides educators and institutions with tools to craft customized learning experiences. To offer a comprehensive review of recent advancements in personalized educational data mining, this paper focuses on four primary scenarios: educational recommendation, cognitive diagnosis, knowledge tracing, and learning analysis. This paper presents a structured taxonomy for each area, compiles commonly used datasets, and identifies future research directions, emphasizing the role of data mining in enhancing personalized education and paving the way for future exploration and innovation.

**Keywords** personalized education, data mining, educational recommendation (ER), cognitive diagnosis, knowledge tracing, learning analysis

## 1 Introduction

Personalized education, aligning with contemporary educational trends, customizes learning to each student's unique needs, preferences, and capabilities. The rise of personalized education, intertwined with the digital age, leverages educational technology as a key component of learning environments. This evolution is supported by the rapid development and widespread utilization of artificial intelligence (AI), significantly enhancing the efficacy of personalized education. Meanwhile, the collection of vast amounts of data on educational platforms, combined with advanced techniques, particularly data mining, has opened new avenues for understanding and optimizing various aspects of students' learning process (e.g., individual learning trajectories, learning objectives, strengths, and weaknesses of students). The utilization of personalized educational data mining not only benefits students but also empowers educators and institutions. By leveraging statistical techniques and machine learning methods, educators can gain deeper insights into academic performance, learning preferences, and behavioral patterns of students, enabling tailored learning experiences. This paper aims to demonstrate how data mining methods incorporate personalized education and provide deeper insights closely linked to four primary research fields: educational recommendation, cognitive diagnosis, knowledge tracing, and learning analysis. It stems from analyzing 168 educational data mining papers from related top-tier journals and conferences, among which 149 address these areas (88.7%), which highlights their prominence and frequent exploration in personalized educational data mining research.

Specifically, educational recommendations (ER) are crucial for analyzing learners' preferences and customizing learning materials for individual learners. It involves systems that analyze a learner's past behavior, preferences, and sometimes demographic information to suggest relevant courses, knowledge concepts, or educational resources tailored to meet each learner's unique educational needs. Additionally, cognitive diagnosis (CD) focuses on identifying students' strengths and weaknesses to guide specific instructional interventions. It involves detailed analysis of student's responses to assessment questions and mining knowledge dependencies to evaluate and understand student's cognitive states, including their mastery of various skills or knowledge concepts. Unlike assuming a static knowledge state in CD and providing a snapshot of current cognitive results, knowledge tracing (KT) is a predictive modeling technique in personalized education. It tracks and forecasts learners' knowledge acquisition over time by analyzing their sequential interactions with educational materials. While sharing sequential data with cognitive diagnosis, knowledge tracing stands out due to its predictive focus. It concentrates on forecasting future learning outcomes, as opposed to cognitive diagnosis, which is more oriented toward diagnosing current cognitive states. In contrast to the aforementioned tasks, learning analysis (LA) in personalized education concentrates on comprehensively analyzing students' behavioral patterns, interaction styles, and learning habits during educational activities.

Paper collection. In our study, we first search the related top-tier conferences and journals like The International Conference of World Wide Web (WWW), Web Search and Data Mining (WSDM), Association for Computing Machinery's Special Interest Group on Knowledge Discovery and Data Mining (KDD), The ACM Special Interest Group on Information Retrieval (SIGIR), The Conference on Information and Knowledge Management (CIKM), International Conference on Educational Data Mining (EDM), IEEE Transactions on Knowledge and Data Engineering (TKDE), from 2013 to 2023. We use specific search terms for each field: "educational," "course," "concept," "educational resource" plus "recommendation" for educational recommendation; "cognitive diagnosis" for cognitive diagnosis; "knowledge tracing/ tracking" for knowledge tracing; and "learning," "behavior," "predictive" plus "analysis" for learning analysis (Figure 1). Then, we thoroughly examine the citation graph of the identified papers, retaining those that primarily address these areas.

*Related surveys.* Despite abundant research in personalized educational data mining, systematic reviews of these studies are limited. Numerous studies (Dalipi et al., 2018; Kundu et al., 2021; Shristi et al., 2020; Tarus et al., 2018; Thongchotchat et al., 2023; Urdaneta-Ponte et al., 2021) have provided insightful reviews of recommender systems in education. Meanwhile, the most recent surveys (Abdelrahman et al., 2023; Liu et al., 2023) offer systematic overviews of knowledge tracing and cognitive diagnosis, respectively. However, these existing surveys have solely concentrated on specific and limited aspects within the field. Conversely, surveys by Bai et al. (2021) and Lin et al. (2023a) broadly cover multiple scenarios but do not offer a comprehensive overview of all key areas in the field. A detailed comparison between our survey and others is presented in Table 1.

To bridge existing gaps, our work systematically consolidates previous research, providing an integrated and comprehensive overview across educational recommendation, knowledge tracing, cognitive diagnosis, and learning analysis within personalized educational data mining. By illuminating current practices and their impacts, we aim to inspire innovative approaches and pave the way for cultivating a more enriched and effective educational landscape. The key contributions of our survey are summarized in Table 1:

Table 1 Comparison of Our Survey and Other Related Surveys

		Dor	nain		Sco	ope	
Survey (Authors)	Year	Specific	General	ER	KT	CD	LA
Tarus et al.	2018	~		٠	0	0	0
Dalipi et al.	2018	V		0	0	0	0
Shristi et al.	2020	~		•	0	0	0
Kundu et al.	2021	V		٠	0	0	0
Urdaneta-Ponte et al.	2021	~		•	0	0	0
Bai et al.	2021		~	Ð	0	0	0
Liu et al.	2023	~		0	0	٠	0
Thongchotchat et al.	2023	~		•	0	0	0
Abdelrahman et al.	2023	~		0	•	0	0
Lin et al.	2023		~	٠	٠	0	0
Ours			~	٠	٠	٠	•

*Note.*  $\circ$  represents "not covered,"  $\circ$  represents "partially covered,"  $\bullet$  represents "fully covered."



Figure 1 Taxonomy of Personalized Educational Data Mining

(1) To the best of our knowledge, our survey stands as the first comprehensive review of recent advanced data mining methods in personalized education. It distinguishes itself by providing a broader and more integrated perspective in general.

(2) We explore four critical areas of personalized educational data mining: educational recommendation, knowledge tracing, cognitive diagnosis, and learning analysis. For each scenario, we present a structural taxonomy and compile the most commonly used datasets, as shown in Figure 1.

(3) Our work identifies and proposes an extensive array of potential future research directions, addressing existing deficiencies in the field and pioneering novel pathways for cutting-edge exploration and innovation.

### 2 Methodology

#### 2.1 Educational Recommendation

In the field of personalized education, it is critical to filter out educational objects to match individual learner profiles adaptively. Aiming to suggest relevant courses, knowledge concepts, or educational resources, educational recommender systems analyze a learner's past behavior, preferences, and sometimes demographic information, as depicted in Figure 2. From a data-centric perspective, personalized education recommender systems are broadly categorized into interaction-based and side information augmented.

#### 2.1.1 Interaction-Based Methods

Interaction-based methods aim to recommend candidate lists for students by only focusing on the historical interactions between students and educational objects. Notably, these methods disregard side information and exclusively consider one-hot encodings.

Early research utilized traditional data mining methods to model students' preferences for educational objects. For instance, the massive open online course (MOOC) oriented recommendation system (MCRS) model (Zhang et al., 2018b) employs the Apriori algorithm to recommend suitable courses to students in the Chinese MOOC platform. Goudar and Shidaganti (2023) propose a content-based collaborative filtering method to recommend online courses to students based on their search terms and apply the cosine function to measure the similarity between students and courses. Nguyen et al. (2021) present an MF method based on Funk SVD, resulting in superior performance on the present user- and item-based CF models. To consider the sequential relationship between courses, Polyzou et al. (2019) propose Scholars Walk, a random-walk-based model to recommend a short list of courses for next semester based on students' prior courses.

With the rapid development of deep learning, techniques like neural networks and reinforcement learning (RL) have found extensive applications in uncovering intricate patterns of student interests. Zhang et al. (2019) and Lin et al. (2021) utilize hierarchical RL techniques and dynamic attention to capture user preferences and recommend personalized courses. Lin et al. (2023b) propose a joint learning framework with a multi-scale deep RL method to construct learners' multiple profiles according



Figure 2 A Toy Example of an Educational Recommendation

to coarse-grained and fine-grained semantics. They address the challenges of dilution of multiple preferences caused by attention mechanism but suffer from the tradeoff between exploration and exploitation. To address this problem, Lin et al. (2022) incorporate dynamic recurrent mechanisms into hierarchical RL. In addition, Faroughi and Moradi (2022) employ Siamese neural networks (SNNs) to extract latent representations of students and courses to model users' positive and negative preferences.

#### 2.1.2 Side Information Augmented Methods

Methods based on ID information tend to overlook the diverse side information related to students or educational objects, thus limiting their ability to comprehensively capture students' preferences. To address this limitation, many methods incorporate rich contents into recommender systems and ensure that the recommendations align more closely with the unique educational requirements of each learner. We dive deeper into these methods by the type of recommended objects and relevant side information.

Courses. In terms of recommending courses for learners, contents such as course information, concepts associated with the course, and learners' profiles are commonly considered to provide a more accurate depiction of learners' interests. Ma et al. (2017) and Chen et al. (2020) employ TF-IDF and word2vec on course textual information to enhance the similarity measurement between courses. Ma et al. (2020) combine multiple factors, including course popularity, to discern the reasons behind course selections. Additionally, relationships among courses are utilized to identify suitable learning paths (Al-Twijri et al., 2022) and model long-short-term interests (Wang et al., 2022b). Besides, Mondal et al. (2020) conduct K-means clustering by student grades and apply the Apriori algorithm to recommend suitable courses. Instead of considering a single type of content, multi-modal information (Ren et al., 2020) and fused attributes such as sentiment feature & course labels (Ng & Linn, 2017), student grade & course information (Jiang et al., 2019), student profile & course information (El Badrawy & Karypis, 2016), student profile & course relations (Jing & Tang, 2017) and student ratings & course information (Wu et al., 2020a) are also considered.

*Educational resources.* With the success of e-learning platforms, various open educational resources have emerged, defined as teaching, learning, and research materials available in the public domain. Consequently, this abundance has highlighted the challenge of effectively recommending personalized educational resources to learners. Chen et al. (2019) present an adaptation recommendation method based on online learning styles, firstly clustering learners according to their online learning styles and applying item-based CF to recommend relevant learning resources for learners' current needs. To improve the relevance of the recommendations in an online learning context, Baidada et

al. (2020) propose a hybrid recommendation method, which combines content-based filtering and collaborative filtering. In e-learning, recommender systems, interaction, and interpersonal information are typically limited. To this end, Ma et al. (2022b) and Wan et al. (2019) propose knowledge graph-based recommendation and learners' influence propagation-based recommendation to alleviate the problem of data sparsity, respectively. Beyond the scope of short-term learning, lifelong learning has also become prominent in the era of e-learning. To build a lifelong learning recommender system, Bulathwela et al. (2020) design a dynamic, scalable, and transparent recommendation method, modeling the learners' knowledge state based on the learning background and novelty of the learning material.

Knowledge concepts. The topic of recommending not just courses but specific knowledge concepts and exercises emerges as a crucial area of focus, aiming to fit the learners' personalized learning paths and goals. Liu et al. (2019b) leverage the concept graph of exercises and propose a framework of the combination of recurrent neural network and actor-critic RL algorithm to personalize the learning path. Huo et al. (2020) use a long short term memory (LSTM) network plus a personalization mechanism to represent contextualized information from knowledge concepts. Ai et al. (2019) incorporate exercise labels into dynamic key-value memory network (DKVMN) (Zhang et al., 2017) and build a student simulator with RL to recommend mathematical exercises. Based on the students' exercise answer records, Wu et al. (2020b) propose a method that integrates recurrent neural networks (RNNs) and deep knowledge tracing (DKT) to filter out proper exercises through students' mastery level of knowledge concepts. Combining side information from both students' scores and difficulty of exercises, Huang et al. (2019) design a novel rewards function for multi-objectives with two different Q-networks driven agents. Based on the heterogeneous network constructed by multi-modal information (concepts, teachers, and videos, etc.) and graph neural network with attention mechanism, Gong et al. (2020) and Gong et al. (2023) introduce an extended matrix factorization method and RL to tailor recommendations, respectively.

#### 2.2 | Cognitive Diagnosis

In recent years, cognitive diagnosis has garnered significant attention among researchers for its role in identifying students' strengths and weaknesses, enabling targeted instructional interventions. By meticulously analyzing response patterns to assessment questions and precise mining of knowledge dependency, cognitive diagnosis aims to evaluate and understand students' cognitive state at a given time, particularly their mastery of various skills or knowledge areas, illustrated in Figure 3. This paper will present cognitive diagnosis methods from macro and micro levels (Wang et al., 2023a).



Figure 3 A Toy Example of Cognitive Diagnosis

#### 2.2.1 Macro Level

The macro-level methods evaluate students' latent skills without considering their specific cognitive attributes. Key examples of this type are classical test theory (CTT) (Crocker & Agina, 1986) and item response theory (IRT) (Rasch, 1993). CTT posits that students' observed test score is a combination of their actual skill level and some error factors. In contrast, IRT determines the probability of a student answering a question correctly through a logistic function, which considers both the students' singular ability and various question-related factors. These factors might include the difficulty level of the question, its capacity to differentiate between varying levels of students abilities and the likelihood of a student guessing the answer correctly.

To improve the interpretability based on psychological theories, Pei et al. (2022) present a self-adaptive attention gate cognitive diagnosis model (AGCDM), which introduces a hierarchical multi-stage architecture that learns the representations of the item response logs, quizzes, and skills and applies self-attention gate mechanisms to capture the rich information and noisy errors in the cognitive diagnosis process. Li et al. (2022) and Bi et al. (2023) introduce Bayesian networks to model the influence of attribute hierarchy and uncertainty on students' cognitive states, respectively. In order to assess the proficiency of a group of students on specific knowledge concepts, Huang et al. (2021) propose a novel framework for multitask-based group-level cognitive diagnosis (MGCD), which adopts a multi-task learning approach to jointly model student-exercise and group-exercise responses and uses a context-aware attention network to aggregate student representations into group representations. Zhou et al. (2021) and Gao et al. (2021), respectively, present a novel framework that induces contexts and structural relations (e.g., students, exercises, and concepts) to improve the CD methods. To address the problem of incremental and non-stationary data in online education systems, Tong et al. (2022b) propose an incremental cognitive diagnosis framework, which consists of a deep trait network (DTN) to acquire the trait parameters of learners and items in an inductive way, and an incremental update algorithm (IUA) to balance the prediction effectiveness and training efficiency with a turning point analysis and a momentum update strategy.

#### 2.2.2 Micro Level

Micro level methods focus on conducting detailed diagnoses of students, typically evaluating their competence in each knowledge component. These methods generally fall into two categories: One involves leveraging richer information for analysis, while the other devises innovative diagnosis functions or models.

*Incorporate richer information.* Incorporating various factors, such as exercise factors, guess and slip factors, and knowledge relationships, several studies (Li et al., 2022; Qi et al., 2023; Wang et al., 2020; Wang et al., 2022a; Yang et al., 2022) propose different extendable and general neural network frameworks to provide precise and interpretable diagnosis outcomes, catering to intelligent education systems. With the recent success in graph neural networks, many graph-based CD models are proposed. For instance, Mao et al. (2021) construct a course graph to capture the latent relations of videos and exercises and uses the graph convolutional network (GCN) to learn their representations. Wang et al. (2021c) and Ma et al. (2022a) utilize neural networks to capture information from knowledge concept graphs, to enhance the performance of CD models. Su et al. (2022) present a graph-based cognitive diagnosis model (GCDM), which consists of an attentive knowledge aggregator that selectively gathers information on the heterogeneous graph of students, skills, and questions and a performance-relative propagator that infers the students' cognitive states from their responses. Wu et al. (2022) propose a multi-relational cognitive diagnosis (MRCD) framework, which utilizes the attention mechanism to learn concept-level representations on Q-matrix and uses graph contrastive learning to learn exercise-level representations on views of correct and incorrect patterns, further to diagnose student cognitive states by fusing two level representations. Except for various relational graphs, He et al. (2023) introduce a multihop attention mechanism (MHA) model, using a pre-train language model to embed the mathematical questions, a bi-level LSTM to learn the contextual information, and multi-hop attention to focus on different vital parts of the questions and generate multiple sentence representations.

Design diagnostic function/model. Liu et al. (2018) propose a fuzzy cognitive diagnosis framework (FuzzyCDF), which adopts fuzzy set theory to handle the partially correct responses and the skill interactions on different types of problems to model examinees' knowledge state. Zhang et al. (2023a) present a generalized multi-skill aggregation method based on the Sugeno integral (SI-GAM), which also introduces fuzzy measures to model the skill weights and uses various aggregate functions based on the max-min operator of the Sugeno

integral to capture the complex interactions and weights of multiple skills. Inspired by the bayesian personalized ranking (BPR) loss function in recommender systems, Tong et al. (2021) propose an item response ranking framework (IRR), which designs an item-specific twobranch sampling method to construct response pairs based on their partial order and uses a pairwise objective function to optimize the monotonicity in the pair formulation. Moreover, Bu et al. (2023) propose a hybrid evolutionary algorithm with a customized local search operator based on a modified probabilistic model, SSVELS, which can detect and correct global collisions in student mastery patterns. Yang et al. (2023) aim to automatically design cognitive diagnosis models by multi-objective evolutionary neural architecture search (NAS). They employed multi-objective genetic programming (MOGP), featuring tailored genetic operations and an initialization strategy to explore the search space to address the challenge of overly simplistic architectures of CDMs, reducing the reliance on human expertise.

#### 2.3 Knowledge Tracing

Adjusting the difficulties and topics of educational content dynamically based on the learners' progress is another essential demand in personalized education. Knowledge tracing is a predictive modeling technique that tracks and forecasts learners' knowledge acquisition over time by analyzing how students interact with course material, as shown in Figure 4. It enables educators to tailor instruction to meet individual learning trajectories. Current knowledge tracing methods mainly focus on modeling learning engagement and knowledge enhancements.



Figure 4 A Simple Example of Knowledge Tracing

#### 2.3.1 Sequence-Centric KT Methods

Sequence-centric KT methods focus solely on modeling the sequence of interactions between students and exercises without considering additional auxiliary information. Traditional KT methods mainly fall into two categories: Bayesian KT (BKT) and factor analysis models. BKT is a hidden Markov model that views each learner's knowledge state as a binary variable and utilizes Bayesian inference to update the state. Typical works include dynamic BKT (Cui et al., 2019) and KT-KDM (Cai et al., 2019). While factor analysis models tend to learn general parameters from historical data for predictive purposes. Vie and Kashima (2019) first apply the item response theory (IRT), additive factor model (AFM), and performance factor analysis (PFA) to learn common factors. Subsequently, factorization machines (FMs) are employed to estimate students' knowledge states.

Recently, numerous researchers have integrated deep neural networks into KT tasks owing to their effectiveness and outstanding performance. The majority of KT methods based on deep learning can be divided into three main types: recurrent neural network (RNN) based, convolutional neural network (CNN) based, and attention (or Transformer) based. These approaches treat a student's exercise records as a sequence and aim to make the next performance prediction along this sequence. For example, Abdelrahman and Wang (2019) design a sequential key-value memory network, which amalgamates the modeling capacities of RNNs with the memory capabilities of existing deep learning KT models to better understand student learning. To consider the need for individualization in student learning, CKT (Shen et al., 2020b) adopts hierarchical convolutional layers to extract individualized learning rates based on continuous learning interactions. While RNN and CNN-based methods have achieved remarkable results, they often lack interpretability and can yield unstable predictions when handling long sequential inputs. To mitigate these challenges, various attention-based KT models (Pandey & Karypis, 2019; Wang et al., 2023b) have emerged. These models assign varying attention weights and directly capture the relationships among each exercise in the input sequence, further alleviating waviness issues. Motivated by the robust sequence modeling capabilities, recent works have turned to the transformer models for KT tasks. Shin et al. (2021) propose a transformer-based knowledge tracing model that integrates two temporal feature embeddings into the response embeddings. However, the sparse interactions between students and exercises pose challenges for the Transformer models, making them prone to overfitting and inaccurate knowledge state capture. In response, Lee et al. (2022) and Yin et al. (2023), respectively, introduce contrastive learning techniques to reveal semantically similar or dissimilar examples of a learning history, promoting a better understanding of their relationships.

#### 2.3.2 Learning Engagement Assisted Methods

Learning engagement assisted methods concentrate on the features of students' interactions, encompassing both immediate, short-term factors and enduring, long-term factors. These factors serve as auxiliary information and reflect in-depth characteristics related to students' academic involvement. In doing so, these methods offer a holistic understanding of the diverse elements shaping the educational trajectories of each student.

*Immediate learning engagement.* Immediate factors related to learning enhancement mainly include statistical metrics of students' responses, such as speed and number of attempts. Choi et al. (2020a) present SAINT, leveraging the speed of finishing each question, namely intra-exercise time, as an assistance of sequential exercise data. Shen et al. (2021) introduce intra-exercise and inter-exercise time simultaneously, taking the influence of temporal information into consideration. To further model the learning process with diverse short-term factors, Xu et al. (2023) collect information on speed, attempts, and utilization of hints. Then, a module called fused behavior effect measuring (FEBM) is proposed to capture intricate dependency relations of diverse factors and assist the evolvement of students' knowledge status.

Enduring learning engagement. Extraction and analysis of long-term information, such as forgetting factors, item response theory (IRT), and inter-sequence signals within exercise sequences, are integral components in modeling students' knowledge evolution dynamics. Incorporating enduring learning engagement is pivotal, as it provides valuable insights into the sustained aspects of students' cognitive development over an extended period. Shen et al. (2021) and Huang et al. (2019) employ sequential information extracted from original exercise sequences. This information includes parameters such as time intervals, knowledge status, and the recurrence of identical questions. The purpose is to systematically calculate the forgetting behaviors exhibited by distinct students within the context of exercise interactions. Meanwhile, other works (Gan et al., 2020; Huang et al., 2020; Zhao et al., 2023b) exhibit a comprehensive perspective by not only accounting for forgetting behavior but also incorporating an emphasis on the learning process. This dual consideration refines the mechanisms inherent in educational scenarios. To further utilize the pedagogical theories, Zhu et al. (2023) and Chen et al. (2023) employ IRT as the foundational scaffold. This strategic utilization of IRT aims to enhance the accuracy of modeling students' cognitive engagement within the exercise sequences. Wang et al. (2021a) delve into the application of the Hawkes Process in probability theory and statistics. This incorporation introduces the theory of causal inference into the field of knowledge tracing, contributing a novel perspective that enhances the understanding of temporal dynamics and their cross-effects within this educational context. Notably, Long et

al. (2022) propose CoKT, leveraging inter-student information. This approach involves retrieving sequences from peer students who share similar question-answering experiences. Thus, the inter-student information is seamlessly integrated with intra-student information to effectively trace students' knowledge states and predict the accuracy of their responses to questions.

#### 2.3.3 Knowledge Enhanced Methods

Knowledge enhanced methods integrate diverse and intricate side information from exercises such as exercise-concept graphs, question difficulty, and exercise textual content. By leveraging these additional data, knowledge tracing methods deepen the understanding of the exercises, offering a more comprehensive and accurate representation of the learning experience. We classify knowledge-enhanced methods into two types, depending on the types of exercise information used: relation enhanced and textual content enhanced.

Relation graph enhanced. Relational graph enhanced methods aim to improve the performance of KT models by leveraging the relational structures between questions and concepts. Tong et al. (2020) propose SKT, exploiting the multiple relations (similarity, prerequisite, etc.) in knowledge structure to propagate the influence among concepts. Zhang et al. (2023b) integrate the hierarchical concept tree with a multi-head attention mechanism into a deep knowledge tracing model. Inspired by the advances in graph neural networks (GNN), Nakagawa et al. (2019) present GKT. Casting the knowledge structure as a graph with various implementations, they reformulate the knowledge tracing task as a time series node-level classification problem in GNN. Yang et al. (2021) propose GIKT, utilizing a graph convolutional network (GCN) to substantially incorporate question-skill correlations via embedding propagation. However, the pairwise structure of GNN neglects the complex high-order and heterogeneous relations among questions and concepts. To address this issue, Jiang et al. (2023) embed a question-concept heterogeneous graph with Metapath2vec (Dong et al., 2017) and design two attention-based encoders to represent the learners' engagements and knowledge states. Tong et al. (2022a) introduce the concept of problem schema and textual information from exercises to construct a hierarchical exercise graph to explore the latent complex relations between exercises. Furthermore, contrastive learning has been incorporated into KT models to improve discriminative ability and robustness. Wu and Ling (2023) develop a novel model with the heterogeneous hypergraph network (HHN) and propose intra- and inter-graph attentions to aggregate information upon HHN, supplied by an auxiliary contrastive learning task. Song et al. (2022) present Bi-CLKT, designing a two-layer comparative learning scheme based on an "exercise-to-exercise" (E2E) relational subgraph, which involves node-level and graph-level contrastive learning with a joint training loss.

Textual content enhanced. By extracting rich information from the materials (e.g., explicit labels, exercise texts), textual content enhanced methods achieve superior performance and more interpretable analysis of learner's knowledge acquisition. Shen et al. (2022) propose DIM-KT with an adaptive sequential neural network, explicitly incorporating the difficulty into the question representation to establish the relation between students' knowledge state and the question difficulty level. Abdelrahman and Wang (2023) present knowledge augmented data teaching (KADT), developing an attention-pooling mechanism to distill knowledge representations of a student model with respect to class labels under a RL framework. Liu et al. (2020) demonstrate that KT models can realize superior performance by pre-training initialized embeddings for each question on abundant side information (question difficulty and three kinds of relations in the question-skill graph). Liu et al. (2019a) first propose a general exercise-enhanced recurrent neural network by exploring both students' exercise records and contents of corresponding exercises. Liu et al. (2022) conduct the first exploration into open-ended knowledge tracing (OKT) by studying the new task of predicting students' exact open-ended responses to programming questions. They develop a student knowledge-guided code generation approach, combining program synthesis methods using language models with student knowledge tracing methods. To address the limitation of domain-specific and scarcity in most KT methods, Cheng et al. (2022) introduce three-phased AdaptKT, involving instance selection by similar question texts, distribution discrepancy minimization, and output layer fine-tuning to transfer knowledge between domains.

In addition, several methods combine factors from student interactions and extra knowledge contents to improve the performances and achieve a more expressive result. For example, Pandey and Srivastava (2020) propose RKT, introducing a relation-aware self-attention layer with contextual information that integrates both the exercise relation information through their textual content as well as student performance and the forgetting behavior modeled by an exponentially decaying kernel. Abdelrahman and Wang (2022) present a deep graph memory network (DGMN), which captures forgetting behaviors by an attention-based forgetting gated mechanism over the mutual dependencies between concepts and learns relationships between concepts from a dynamic concept graph. Moreover, Xiao et al. (2023) propose knowledge tracing based on multi-feature fusion (KTMFF), which extracts multiple features (the question text, the knowledge point difficulty, the student ability, the duration time, etc.) with the multi-head self-attention mechanism. Li and Wang (2023) propose RAKT, incorporating interaction information (context of exercises and the different time intervals between exercises) and students' behaviors (slipping factor and the

#### 2.4 | Learning Analysis

In personalized educational systems, it is essential to understand not just what students learn but how they engage with the learning resources. Learning analytics delves into the comprehensive analysis of students' behavioral patterns, interaction styles, and learning habits during educational activities, incorporating not only academic performance but also student participation, time allocation for tasks, and other relevant factors, as shown in Figure 5. This differentiation results in two primary categories of learning analysis methods: behavioral analysis, focusing on patterns during the learning process, and predictive analysis, aimed at forecasting educational outcomes.



Figure 5 A Toy Example of Learning Analysis

#### 2.4.1 Behavioral Analysis

This section concentrates on the in-depth exploration of student learning patterns and habits during the learning process. It aims to decode the complexities of how students interact with educational materials and engage in course activities. By dissecting these patterns, educators and researchers can gain valuable insights into students' diverse learning styles and strategies. It further aids teachers in adjusting their teaching methods and content delivery, leading to more effective, personalized, and responsive educational experiences.

Traditional methods. The first part includes studies that establish the basic principles of behavioral analysis and apply these principles to real-world educational settings, starting with foundational methodologies like sequence mining and linear segmentation. Kinnebrew et al. (2023) present a novel combination of a piecewise linear segmentation algorithm and differential sequence mining to discover different students' cognitive and metacognitive strategies in open-ended tasks. Liu et al. (2017) employ sequential analysis to examine the learning behaviors of students within the cloud classroom platform over a specific period, using sequence analysis to identify key patterns between resources and homework among different grade groups. Han et al. (2017) and Cheng et al. (2018) employ lag sequence analysis (LSA), a pivotal tool, to uncover intricate student behaviors on online educational platforms. Liu et al. (2017) encode the behaviors and extract the two-step lag sequences in learning processes. Then, frequency analysis and sequential analysis are subsequently adopted to discover the distributions and frequency transition patterns of the two-step behavioral sequence.

*Machine learning.* With emerging machine learning techniques, researchers started incorporating advanced methods into behavioral analysis. Zhang et al. (2018a) analyze data from 711 students using K-means and hierarchical clustering algorithms, identifying different learner types (weak cognition, self-consciousness, short-cut, lazy) based on online behaviors and various engagement indicators in order to suggest adjustments. Boroujeni and Dillenbourg (2018) present a hypothe-

sis-driven approach to extract predefined patterns (e.g., whether the learners start their learning sequence by watching a video or not) and a data-driven clustering approach for discovering patterns between performances and help requests in an unsupervised manner from MOOC activity sequences. Yan and Au (2019) utilize neural networks to mine online learning behaviors from data such as age, gender, and online engagement, highlighting the significance of days of access and hits count as key predictors of academic performance. Wang et al. (2019) employ a novel approach by using detailed access trajectories (DATs), which are two-dimensional matrices that represent students' interactions with MOOC content over time, and conducted several empirical studies to analyze these detailed trajectories and extract meaningful patterns of student behavior. To investigate the relationship between learning design and learner behaviors, Shen et al. (2020a) employ Bloom's Taxonomy to categorize learning resources and analyze learners' behaviors through visualizations and social network analysis, revealing patterns in resource access and usage. Zhang et al. (2020a) employ a deep belief network (DBN) to classify learning styles into 16 categories with a model based on expert experience and various learning indicators. Zhao et al. (2023a) propose a novel framework that formulates the student simulation task as a Markov Decision Process and uses two-stage imitation learning to model the intentions and behaviors of students, addressing the challenges of exposure bias, single-step optimization, and implicit intentions in existing simulators.

#### 2.4.2 Predictive Analysis

In a complementary manner to behavioral analysis, predictive analysis focuses on forecasting future student behaviors and outcomes based on their past and current engagement in educational activities. Unlike knowledge tracing, which primarily tracks and predicts students' knowledge acquisition over time, predictive analysis extends its gaze beyond the immediate learning process to encompass post-course behaviors, such as the likelihood of a student withdrawing from a course, their anticipated academic achievements, or the probability of attaining certification. We will briefly introduce these methodologies in two main directions: One focuses on predicting student dropout rates, and the other on forecasting student performance outcomes.

Dropout prediction. The field of dropout prediction in MOOCs focuses on mitigating high dropout rates and enabling educators to provide timely interventions. Halawa et al. (2014) extract various features of learners' study activities, self-proposed, crowd-proposed, and study habits related, and then build logistic regression models to predict the dropout risk and to reduce the high dropout rates by delivering timely intervention. Xing and Du (2019) design a deep learning based weekly temporal dropout prediction model and generate individual student dropout probabilities, which outperforms KNN, SVM, and decision trees in accuracy and personalization. Additionally, Wang and Wang (2019) extract 31 features from learners' activity data and study habits data and use logistic regression to build predictive models for different groups of learners based on their participation level. Feng et al. (2019) conduct a systematic analysis of users' learning activities and context information on two large datasets from XuetangX and propose a context-aware feature interaction network (CFIN) that incorporates context-smoothing and attention mechanisms to predict dropout probability. Goel and Goyal (2020) introduce a semi-supervised learning model that uses both click-stream features and the influence of friends to predict potential dropouts.

Performance prediction. In addition to dropout rate studies, significant research focuses on student performance. Qiu et al. (2016) present a novel model called the latent action dynamic factor graph (LadFG), which captures the latent interactions between students, their forum activities, and their learning behaviors, over time and delves into the factors that influence students' engagement and performance in MOOCs. Wang et al. (2021b) introduce a novel deep learning framework to improve the student learning outcome prediction task, which simulates the cognitive process of students in answering questions and integrates both question explanations and student responses as constraints for supplementary supervision. Some studies specifically concentrate on analyzing students' performance in coding tasks, offering valuable insights into their problem-solving abilities and learning progression. Yan et al. (2017) examine interaction logs from a programming game and extract a set of features related to learner engagement, commitment, and behavior, then develop three traditional machine learning classifiers for each level of the game. Mao (2019) proposes a recent temporal pattern (RTP) mining approach that can extract interpretable and meaningful temporal patterns from student interaction data to predict student success and difficulty during a novice programming task. Malysheva and Kelleher (2020) use a bug taxonomy to classify the types of bugs in student code and train random forest models to predict the number of tests to fix the bugs and the chance of abandonment using features derived from the bug types and temporal patterns, to help teachers optimize their time and attention. El Aouifi et al. (2021) collect and classify learners' clicks data from four video courses on C++ language and apply K-nearest Neighbors and MLP to predict learners' performance based on their video sequences viewing behavior.

There is also a growing body of work combining both behavioral and predictive analysis to offer a more comprehensive understanding of student learning processes and outcomes. Worsley et al. (2015) explore the use of affect- and pose-based segmentation as alternatives to human-based and fixed-window segmentation for analyzing data from a hands-on engineering design task, comparing the ability to correlate and predict three objectives: success, learning, and experimental condition. Shi et al. (2017) present a non-parametric Bayesian model that captures the homogeneity and heterogeneity of learning behaviors by clustering them into latent student groups, each characterized by a Markov model and different distributions. The model is evaluated by predicting student retention, course completion, satisfaction, and demographics. Zhang et al. (2017b) introduce 19 behavior indicators that cover the whole online learning process and use correlation analysis and logistic regression to select the relevant indicators and build the prediction model. Sedrakyan et al. (2020) propose a conceptual model for designing learning analytics dashboards that provide process-oriented feedback, support diverse learning goals, and enhance cognitive and behavioral aspects of learning. Lu et al. (2018) apply learning analytics for various learning activities (e.g., video-viewing, outof-class practice, homework, quiz, and after-school tutoring) in a Calculus course and uses principal component regression to predict students' final academic performance, further to provide timely interventions for at-risk students.

# 3 Datasets

To provide a more thorough overview of frequently used public datasets in educational data mining, we have compiled them, showcased in Appendix A. Notable for their extensive use in numerous studies, these datasets play an essential role in progressing the research. We provide key details for each dataset in the table, such as its name, source population, description of data format, subject, URL, and applied scenarios.

#### 3.1 EdNet

EdNet (Choi et al., 2020b), a dataset from Santa, an AI tutoring platform in Republic of Korea, encapsulates two years of interactions from approximately 780,000 students. It uniquely includes data across multiple platforms (iOS, Android, Web) and is structured hierarchically into four detailed subsets (KT1–KT4). This dataset stands out for its rich representation of student learning behaviors, spanning video lectures, problem-solving, and expert commentaries.

#### 3.2 | XuetangX

The XuetangX dataset (Feng et al., 2019), derived from one of China's largest MOOC platforms, includes extensive data from over 1,000 courses across twelve categories, such as art, computer science, and engineering. The dataset records user activities over specific periods, detailing each activity event and its timestamp within user sessions in various courses, user profile (e.g., user ID, gender, education level, and birth year), and course details (e.g., course ID, start-end dates, course type, and category).

#### 3.3 MOOCCube

MOOCCube (Yu et al., 2020), a large-scale data repository, encompasses over 700 MOOC courses, 100,000 concepts, and 8 million student behaviors enriched with external resources. It integrates courses, concepts, student interactions, and relationships, facilitating diverse educational data mining scenarios.

#### 3.4 MOOCCubeX

MOOCCubeX (Yu et al., 2021) is an extensive dataset of MOOCCube with 4,216 courses, 230,263 videos, 358,265 exercises, and 637,572 concepts, alongside over 296 million student behavioral records. It offers a comprehensive, fine-grained concept graph for adaptive learning, integrating vast internal and external MOOC resources to support diverse educational research.

#### 3.5 MoocRadar

Integrated from MOOCCube, MoocRadar (Yu et al., 2023) is a rich educational dataset featuring 2,513 exercises, 5,600 knowledge concepts, and over 12 million behavioral records. It emphasizes exercise-centric data organization and expert annotation, serving as a valuable resource for knowledge tracing and cognitive diagnosis research.

#### 3.6 ASSISTments

The ASSISTments datasets from an online tutoring system comprise skill builder problem sets for knowledge practice. They include detailed student interactions, accurate labels, and concept clarity and vary in student count and data completeness.

#### 3.7 | Junyi

The Junyi Academy Online Learning Activity Dataset<sup>1</sup> encompasses over 16 million exercise attempt logs from more than 72,000 K-12 students. It systematically includes detailed records of learning activities and responses, along with a rich assortment of learning behavior characteristics and auxiliary information.

#### 3.8 | Eedi

The Eedi dataset comprises K-12 student responses to mathematics questions (Wang et al., 2021d) collected from Eedi, a globally renowned educational platform used by millions of students. Eedi provides diagnostic questions primarily in mathematics, and each question in the dataset is formatted as a multiple-choice query with four options, where only one choice is correct.

#### 3.9 Math1&2

The two datasets<sup>2</sup> are compiled from final mathematics examinations taken by high school students. They encompass 40 questions, represented by 23 distinct mathematical concepts, and individual performance on each question from 8,813 students.

#### 3.10 | OLI Engineering Statics

The dataset originates from a college-level engineering course titled "OLI Engineering Statics 2011" at Carnegie Mellon University<sup>3</sup>. It encompasses a comprehensive collection of 189,297 interactions involving 333 students who engaged with 1,223 distinct concepts within the course.

#### 3.11 | Slepemapy.cz

This dataset originates from an online adaptive system (Papousek et al., 2016), slepemapy.cz, providing adaptive practice of geography facts like names of cities and mountains. It comprises statistics including 91,331 students, 1,459 geographical items, and 10,087,306 answers in total.

#### 3.12 | KDD Cup

The KDD Cup dataset comes from the KDD Cup 2010 Educational Data Mining Challenge<sup>4</sup>. It is structured by logs of the interactions between students and computer-aided tutoring systems, focusing on the process of solving algebra problems. The key terms of the dataset include student, problems, step, metrics indicating performances on the step (e.g., incorrections, hints, error rate), and knowledge components.

# 4 Future Work

In this section, we intensively concentrate on the advancing frontiers of personalized educational data mining. Firstly, we will explore the future directions of the broader field of personalized educational data mining, focusing on emerging trends and advancements. Subsequently, we will narrow our focus to specific scenarios, presenting unique challenges and opportunities.

#### 4.1 Explainability

In the advanced landscape of personalized educational data mining, the integration of explainability and interpretability is set to enlighten future research. Its potential lies in the ability to provide transparency and understanding in the decision-making processes of personalized education systems, which is crucial for the stakeholders (students, educators, and policymakers), as education prioritizes understanding the scientific principles and causal relationships of things. For instance, an explainable recommendation system can justify its suggestions for algebra problems by indicating that a student has already mastered the knowledge in other chapters or shows a higher interest in algebra problems (Bao et al., 2023). Cognitive diagnosis (Yang et al., 2022) and knowledge tracing (Shen et al., 2022) models can provide explanations for assessing students' knowledge states by reasoning on the paths in the exercise-concept knowledge graph. In learning analysis, explainable models transcend the limitations of black-box modeling by providing insights into the causal relationships between students' behavioral patterns (Mao, 2019) and their learning outcomes, thereby enhancing the depth and interpretability of the analysis.

#### 4.2 | Multimodal Learning

The incorporation of multimodal learning in personalized educational data mining is limited (Ren et al., 2022) and offers a broad landscape for future research. The challenge lies in effectively utilizing and modeling the rich, multimodal information present in educational resources, such as images and audio, to enhance the educational process. For instance, a system could analyze students' interaction with images (picture storytelling) in exercises and recommend similar or more challenging practices in elementary Chinese language courses. In English courses, listening tests require students to answer questions based on the audio they hear. How to model the characteristics of these exercises using multimodal representation learning techniques, enabling cognitive diagnosis models to diagnose students' cognitive states and knowledge tracing models to more accurately track students' performance on such types of questions, is a challenging and under-explored issue. Learning analysis could involve analyzing patterns in how different types of learners interact with and respond to various media, thereby offering deeper insights

<sup>2</sup> http://staff.ustc.edu.cn/%7Eqiliuql/data/math2015.rar

<sup>3</sup> https://pslcdatashop.web.cmu.edu/DatasetInfo?datasetId = 507

<sup>4</sup> https://pslcdatashop.web.cmu.edu/KDDCup

into learning behaviors and outcomes.

## 4.3 | LLMs for Personalized Educational Data Mining

Recently, the field of personalized educational data mining has been revitalized by the emergence of generative models, particularly large language models (LLMs). Their profound understanding and generative capabilities make them invaluable tools for this domain. For instance, many recommendation systems based on LLMs use these models not only to generate enhanced data but also to provide rational explanations for their recommendations (Bao et al., 2023). These systems can be adapted to various datasets and educational contexts with simple fine-tuning. Moreover, the ability of large language models to understand long text enables automatic scoring and feedback for student essays, oral presentations, and programming codes. This expands the application scenarios for knowledge tracing and cognitive diagnosis models, significantly reducing teachers' workload. Additionally, large language models are instrumental in developing more advanced and comprehensive Intelligent Tutoring Systems (ITS) (Mousavinasab et al., 2021) and chatbots (Dan et al., 2023). These systems can understand and respond to student needs, aiding teachers in addressing the reluctance of some students to communicate face-to-face.

# 4.4 Uncertainty Modeling and Quantification

In educational contexts, numerous factors influence a student's state and performance, many of which are challenging to collect or quantify through data. Additionally, due to privacy concerns, complete access to a student's information is often unattainable. This leads to inherent uncertainties in model predictions, and overlooking these uncertainties can misguide students, potentially resulting in irresponsible teaching practices (Bi et al., 2023). Therefore, incorporating uncertainty into personalized educational data mining methods is essential. One of the classic methods to model uncertainty in deep learning is Bayesian neural networks (Abdar et al., 2021; Kendall & Gal, 2017). Some work in cognitive diagnosis models has already started to integrate Bayesian modeling approaches (Bi et al., 2023). However, introducing methods capable of modeling and quantifying uncertainty into other scenarios, such as recommendation and learning analysis, remains a promising yet challenging task.

#### 4.5 | Datasets and Metrics

After a thorough understanding of commonly used datasets in Section 3, it becomes evident that future de-

velopment hinges on creating inclusive datasets. In light of this, we suggest two possible directions in dataset development: the construction of multimodal datasets and the establishment of datasets for diverse subjects. Only a limited number of studies have focused on multimodal educational data mining, primarily due to the scarcity of publicly available datasets containing multimodal data. Student exercises frequently incorporate multimodal elements like images (e.g., topographic maps in geography, molecular structures in biology) and audio (e.g., English listening comprehension). The construction of such multimodal datasets can robustly support models employing multimodal representation learning techniques. On the other hand, the datasets predominantly originate from mathematics, with a notable deficiency in different subjects. There is a need to develop additional datasets for various subjects (such as physics, chemistry, history). These datasets should encompass an adequate number of exercises, concept details, and student response records, similar to those from mathematics, to enable the effective application of existing educational data mining methodologies.

Besides, personalized education for students often involves a variety of goals that are difficult to quantify. Customizing learning plans for students is influenced by multiple factors, such as their knowledge state, the difficulty of the tasks, and their learning habits. However, current research primarily focuses on whether students can correctly solve problems or pass courses as the primary metrics for model evaluation. This singular metric leads to a limited and partial understanding of student states and learning goals. The challenge lies in quantifying these diverse learning objectives or establishing a unified standard to accurately reflect students' educational needs.

# 4.6 Open-Ended Questions in Knowledge Tracing

An open-ended question is a type of question that cannot be answered with a binary-value or with a limited set of options. Instead, it requires a more detailed, descriptive, or explanatory response. Writing and comprehensive reading in K-12 education are two typical open-ended questions. While most KT models emphasize response correctness analysis, they often overlook the information embedded in the specific content of responses to open-ended questions. Existing studies (Liu et al., 2022) primarily concentrate on programming questions for computer science education, leaving a substantial gap in exploring open-ended questions in K-12 education.

#### 4.7 Domain Adaptation

The current state of personalized educational data mining methods, largely domain-specific, presents a limitation in the diverse and multifaceted world of education, which encompasses domains ranging from mathematics to geography. The challenge posed by insufficient data in specific domains, as highlighted in the referenced dataset statistics, necessitates innovative solutions. For example, a system trained in mathematics could tailor its recommendations for students, and problem-solving cognitive skills applied in Physics might find parallels in engineering, albeit within distinct content domains. Existing efforts like AdaptKT (Cheng et al., 2022) indicate the potential of using knowledge from data-rich domains to augment models in data-scarce domains, which requires understanding and mapping the structural similarities and differences between these domains.

#### 4.8 | Incremental Learning

With the continuous update of data and the evolving learning states of students, Incremental Learning is crucial but rarely explored by limited work (Tong et al., 2022). An incremental learning approach enables educational models to continuously adapt and update in response to real-time changes, ensuring that content in online platforms remains relevant and aligned with the students' evolving knowledge levels. Additionally, Incremental Learning significantly reduces the costs associated with model training and alleviates the workload on online education platforms. Updating models with new data without requiring complete retraining presents a more efficient and resource-effective approach to maintaining and improving educational systems. Besides, Incremental Learning is also vital for bridging the knowledge gap between different grades. It ensures a seamless educational progression, taking into account the cumulative knowledge students acquire over educational periods and adjusting content to their evolving understanding and educational stages.

### 5 Conclusion

The fusion of digital technology and education is becoming more comprehensive and in-depth, making digitalization a key field in modern educational reform and innovation. This involves the expansion of digital technology applications in education, enhancing the digital education system, and strengthening the construction of digital resources. Innovations in education leveraging new digital technology features continue to deepen. Rapid advancements in AI have led to the evolution of AI integration in education across three paradigms: AI-directed (learner-as-recipient), AI-supported (learner-as-collaborator), and AI-empowered (learner-as-leader) (Ouyang & Jiao, 2021). Personalized educational data mining methods add new momentum to the latter two paradigms, which can precisely profile individual learning behaviors, recommending learning resources and paths tailored to the learners' states, thus providing personalized education services. It also enables comprehensive analysis and evaluation of learners' psychological states, effectively addressing teaching feedback issues, and transforming educational evaluation.

In this work, we comprehensively survey recent advancements in data mining methods for personalized education, covering four critical areas: educational recommendation, cognitive diagnosis, knowledge tracing, and learning analysis. It uniquely offers a broad, integrated view, addressing gaps in previous surveys. The paper introduces structured taxonomies for each area, compiles common datasets, and outlines several future research directions, thereby pioneering innovative pathways for exploration and innovation in personalized educational data mining.

Acknowledgments This work is supported by the National Natural Science Foundation of China (No. 62377002). We would like to thank Weijie He, Chenyang Lei, Keqin Peng, Keyi Dai, Zibin Zhao, Tong Chi, Shikang Bao, Guanming Chen for their contributions to this work, as they have provided significant assistance in the collection and compilation of existing literature.

#### References

- Abdar, M., Pourpanah, F., Hussain, S., Rezazadegan, D., Liu, L., Ghavamzadeh, M., Fieguth, P., Cao, X., Khosravi, A., Acharya, U., Makarenkov, V., & Nahavandi, S. (2021). A review of uncertainty quantification in deep learning: Techniques, applications and challenges. *Information Fusion*, 76, 243–297.
- Abdelrahman, G., Wang, Q., & Nunes, B. (2023). Knowledge tracing: A survey. ACM Computing Surveys, (11), 1–37.
- Abdelrahman, G., & Wang Q. (2019). Knowledge tracing with sequential key-value memory networks. In: Proceedings of the 42nd International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR' 19, 175–184.
- Abdelrahman, G., & Wang, Q. (2022). Deep graph memory networks for forgetting-robust knowledge tracing. *IEEE Transactions on Knowledge and Data Engineering*, (99), 1–13.
- Abdelrahman, G., & Wang, Q. (2023). Learning data teaching strategies via knowledge tracing. *Knowledge-Based Systems*, 269, 110511.
- Ai, F., Chen, Y., Guo, Y., Zhao, Y., Wang, Z., Fu, G., & Wang, G. (2019). Concept-aware deep knowledge tracing and exercise recommendation in an online learning system. In: Proceedings of The 12th International Conference on Educational Data Mining, 240-245.
- Al-Twijri, M., Luna, J., Herrera, F., & Ventura, S. (2022). Course recommendation based on sequences: An evolutionary search of emerging sequential patterns. *Cognitive Computation*, 14,

1474-1495.

- Bai, X., Zhang, F., Li, J., Guo, T., Aziz, A., Jin, A., & Xia, F. (2021). Educational big data: Predictions, applications and challenges. *Big Data Research*, 26, 100270.
- Baidada, M., Mansouri, K., & Poirier, F. (2020). Hybrid educational recommendation system: Experimentation with a voting-based evaluation mode. *IADIS International Journal on WWW/ Internet*, (1), 107–120.
- Bao, K., Zhang, J., Zhang, Y., Wenjie, W., Feng, F., & He, X. (2023). Large language models for recommendation: Progresses and future directions. In: Annual International ACM SIGIR Conference on Research and Development in Information Retrieval in the Asia Pacific Region, 306–309.
- Bi, H., Chen, E., He, W., Wu, H., Zhao, W., Wang, S., & Wu, J. (2023). BETA-CD: A Bayesian meta-learned cognitive diagnosis framework for personalized learning. In: Proceedings of the AAAI Conference on Artificial Intelligence, 5018–5026.
- Boroujeni, M. S., & Dillenbourg, P. (2018). Discovery and temporal analysis of latent study patterns in MOOC interaction sequences. In: Proceedings of the 8th International Conference on Learning Analytics and Knowledge, 206–215.
- Bu, C., Cao, Z., He, C., & Zhang, Y. (2023). Probabilistic model with evolutionary optimization for cognitive diagnosis. In: Proceedings of the Genetic and Evolutionary Computation Conference, 891–899.
- Bulathwela, S., Perez-Ortiz, M., Yilmaz, E., & Shawe-Taylor, J. (2020). TrueLearn: A family of Bayesian algorithms to match lifelong learners to open educational resources. In: Proceedings of the AAAI Conference on Artificial Intelligence, 565–573.
- Cai, D., Zhang, Y., & Dai, B. (2019). Learning path recommendation based on knowledge tracing model and reinforcement learning. In: 2019 IEEE 5th International Conference on Computer and Communications, 1881–1885.
- Chang, P., Lin, C., & Chen, M. (2016). A hybrid course recommendation system by integrating collaborative filtering and artificial immune systems. *Algorithms*, (3), 47.
- Chen, H., Yin, C., Li, R., Rong, W., Xiong, Z., & David, B. (2019). Enhanced learning resource recommendation based on online learning style model. *Tsinghua Science and Technology*, (3), 348–356.
- Chen, J., Liu, Z., Huang, S., Liu, Q., & Luo, W. (2023). Improving interpretability of deep sequential knowledge tracing models with question-centric cognitive representations. In: Proceedings of the Thirty-Seventh AAAI Conference on Artificial Intelligence and Thirty-Fifth Conference on Innovative Applications of Artificial Intelligence and Thirteenth Symposium on Educational Advances in Artificial Intelligence, 14196–14204.
- Chen, Z., Liu, X., & Shang, L. (2020). Improved course recommendation algorithm based on collaborative filtering. In: 2020 International Conference on Big Data and Informatization Education, 466–469.
- Cheng, H., Liu, Z., Sun, J., Liu, S., & Yang, Z. (2018). Unfolding online learning behavioral patterns and their temporal changes of college students in SPOCs. In G. J. Hwang, H. C. Chu, & C. Yin (Eds.), *Learning analytics* (pp. 34–46). Routledge.
- Cheng, S., Liu, Q., Chen, E., Zhang, K., Huang, Z., Yin, Y., Huang, X., & Su, Y. (2022). AdaptKT: A domain adaptable method for knowledge

tracing. In: Proceedings of the Fifteenth ACM International Conference on Web Search and Data Mining, 123–131.

- Choi, Y., Lee, Y., Cho, J., Baek, J., Kim, B., Cha, Y., Shin, D., Bae, C., & Heo, J. (2020a). Towards an appropriate query, key, and value computation for knowledge tracing. In: Proceedings of the Seventh ACM Conference on Learning@ Scale, 341–344.
- Choi, Y., Lee, Y., Shin, D., Cho, J., Park, S., Lee, S., Baek, J., Bae, C., Kim, B., & Heo, J. (2020b). EdNet: A large-scale hierarchical dataset in education. In: Proceedings Artificial Intelligence in Education: 21st International Conference, 2020, Part II 21, 69–73.
- Crocker, L., & Algina, J. (1986). Introduction to classical and modern test theory. ERIC.
- Cui, Y., Chu, M., & Chen, F. (2019). Analyzing student process data in game-based assessments with Bayesian knowledge tracing and dynamic Bayesian networks. *Journal of Educational Data Mining*, (1), 80–100.
- Dalipi, F., Imran, A., & Kastrati, Z. (2018). MOOC dropout prediction using machine learning techniques: Review and research challenges. In:2018 IEEE Global Engineering Education Conference, 1007–1014.
- Dan, Y., Lei, Z., Gu, Y., Li, Y., Yin, J., Lin, J., Ye, L., Tie, Z., Zhou, Y., Wang, Y., Zhou, A., Zhou, Z., Chen, Q., He, L., & Qiu, X. (2023). EduChat: A large-scale language model-based chatbot system for intelligent education. arXiv preprint arXiv:2308.02773.
- Dong, Y., Chawla, N., & Swami, A. (2017). Metapath2vec: Scalable representation learning for heterogeneous networks. In: Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 135–144.
- El Aouifi, H., El Hajji, M., Es-Saady, Y., & Douzi, H. (2021). Predicting learner's performance through video sequences viewing behavior analysis using educational data-mining. *Education and Information Technologies*, (5), 5799–5814.
- El Badrawy, A., & Karypis, G. (2016). Domain-aware grade prediction and top-n course recommendation. In: Proceedings of the 10th ACM Conference on Recommender Systems, 183–190.
- Faroughi, A., & Moradi, P. (2022). MOOCs recommender system with Siamese neural network. In: 2022 9th International and the 15th National Conference on E-Learning and E-Teaching, 1–6.
- Fang, C., & Lu, Q. (2021). Personalized recommendation model of high-quality education resources for college students based on data mining. *Complexity*, 1–11.
- Feng, W., Tang, J., & Liu, T. (2019). Understanding dropouts in MOOCs. In: Proceedings of the 33rd AAAI Conference on Artificial Intelligence, 517–524.
- Gan, W., Sun, Y., Peng, X., & Sun, Y. (2020). Modeling learner's dynamic knowledge construction procedure and cognitive item difficulty for knowledge tracing. *Applied Intelligence*, 50, 3894–3912.
- Gao, W., Liu, Q., Huang, Z., Yin, Y., Bi,H., Wang, M., Ma, J., Wang, S., & Su, Y. (2021). RCD: Relation map driven cognitive diagnosis for intelligent education systems. In: Proceedings of the 44th International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR' 21, 501–510.
- Ghosh, A., Heffernan, N., & Lan, A. (2020). Context-aware attentive knowledge tracing. In: Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, 2330–2339.

- Goel, Y., & Goyal, R. (2020). On the effectiveness of self-training in MOOC dropout prediction. Open Computer Science, (1), 246–258.
- Gong, J., Wan, Y., Liu, Y., Li, X., Zhao, Y., Wang, C., Lin, Y., Fang, X., Feng, W., Zhang, J., & Tang, J. (2023). Reinforced MOOCs concept recommendation in heterogeneous information networks. ACM Transactions on the Web, (3), 1–27.
- Gong, J., Wang, S., Wang, J., Feng, W., Peng, H., Tang, J., & Yu, P. (2020). Attentional graph convolutional networks for knowledge concept recommendation in MOOCs in a heterogeneous view. In: Proceedings of the 43rd International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR' 20, 79–88.
- Goudar, S. R., & Shidaganti, G. (2023). Multi-parameter based educational recommendation system for online courses: A content based filtering approach. In: 2023 International Conference on Network, Multimedia and Information Technology, 1–7.
- Halawa, S., Greene, D., & Mitchell, J. (2014). Dropout prediction in MOOCs using learner activity features. In: Proceedings of the Second European MOOC Stakeholder Summit, (1), 58-65.
- Han, X., Tian, X., Cheng, H., Chang, W., Liao, C., & Liu, S. (2017). Identifying students' test-taking behavioral patterns in an online Chinese reading assessment system. In: 2017 International Symposium on Educational Technology, 158–162.
- He, X., Zhang, T., & Zhang, G. (2023). MultiHop attention for knowledge diagnosis of mathematics examination. *Applied Intelligence*, (9), 10636–10646.
- Hooshyar, D., Huang, Y., & Yang, Y. (2022). GamedKT: Deep knowledge tracing in educational games. *Expert Systems with Applications*, 196, 116670.
- Huang, J., Liu, Q., Wang, F., Huang, Z., Fang, S., Wu, R., Chen, E., Su, Y., & Wang, S. (2021). Group-level cognitive diagnosis: A multi-task learning perspective. In: 2021 IEEE International Conference on Data Mining, 210–219.
- Huang, Z., Liu, Q., Chen, Y., Wu, L., Xiao, K., Chen, E., Ma, H., & Hu, G. (2020). Learning or forgetting? A dynamic approach for tracking the knowledge proficiency of students. ACM Transactions on Information Systems, (2), 1–33.
- Huang, Z., Liu, Q., Zhai, C., Yin, Y., Chen, E., Gao, W., & Hu, G. (2019). Exploring multi-objective exercise recommendations in online education systems. In: Proceedings of the 28th ACM International Conference on Information and Knowledge Management, 1261– 1270.
- Huo, Y., Wong, D., Ni, L., Chao, L., & Zhang, J. (2020). Knowledge modeling via contextualized representations for LSTM-based personalized exercise recommendation. *Information Sciences*, 523, 266–278.
- Jiang, H., Xiao, B., Luo, Y., & Ma, J. (2023). A self-attentive model for tracing knowledge and engagement in parallel. *Pattern Recognition Letters*, 165, 25–32.
- Jiang, W., Pardos, Z., & Wei, Q. (2019). Goal-based course recommendation. In: Proceedings of the 9th International Conference on Learning Analytics & Knowledge, 36–45.
- Jing, X., & Tang, J. (2017). Guess you like: Course recommendation in MOOCs. In: Proceedings of the International Conference on Web

Intelligence, 783-789.

- Kendall, A., & Gal, Y. (2017). What uncertainties do we need in Bayesian deep learning for computer vision? In: Proceedings of the 31st International Conference on Neural Information Processing Systems, 5580–5590.
- Khanal, S., Prasad, P., Alsadoon, A, & Maag, A. (2020). A systematic review: Machine learning based recommendation systems for e-learning. *Education and Information Technologies*, 25, 2635– 2664.
- Kinnebrew, J., Loretz, K., & Biswas G. (2013). A contextualized, differential sequence mining method to derive students' learning behavior patterns. *Journal of Educational Data Mining*, (1), 190–219.
- Kundu, S., Sarkar, D., Jana, P., & Kole, D. (2021). Personalization in education using recommendation system: An overview. *Computational Intelligence in Digital Pedagogy*, 85–111.
- Lee, W., Chun, J., Lee, Y., Park, K., & Park, S. (2022). Contrastive learning for knowledge tracing. In: Proceedings of the ACM Web Conference 2022, 2330–2338.
- Li, G., Hu, Y., Shuai, J., Yang, T., Zhang, Y., Dai, S., & Xiong, N. (2022). NeuralnCD: A neural network cognitive diagnosis model based on multi-dimensional features. *Applied Sciences*, (19), 9806.
- Li, J., Wang, F., Liu, Q., Zhu, M., Huang, W., Huang, Z., Chen, E., Su, Y., & Wang, S. (2022). HierCDF: A Bayesian network-based hierarchical cognitive diagnosis framework. In: Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining, 904–913.
- Li, L., & Wang, Z. (2023). Calibrated q-matrix-enhanced deep knowledge tracing with relational attention mechanism. *Applied Sciences*, (4), 2541.
- Lin, Y., Chen, H., Xia, W., Lin, F., Wu, P., Wang, Z., & Li, Y. (2023a). A comprehensive survey on deep learning techniques in educational data mining. arXiv preprint arXiv:2309.04761.
- Lin, Y., Feng, S., Lin, F., Xiahou, J., & Zeng, W. (2023b). Multi-scale reinforced profile for personalized recommendation with deep neural networks in MOOCs. *Applied Soft Computing*, 148, 110905.
- Lin, Y., Feng, S., Lin, F., Zeng, W., Liu, Y., & Wu, P. (2021). Adaptive course recommendation in MOOCs. *Knowledge-Based Systems*, 224, 107085.
- Lin, Y., Lin, F., Zeng, W., Xiahou, J., Li, L., Wu, P., Liu, Y., & Miao, C. (2022). Hierarchical reinforcement learning with dynamic recurrent mechanism for course recommendation. *Knowledge-Based Systems*, 244, 108546
- Liu, N., Wang, Z., Baraniuk, R., & Lan, A. (2022) Open-ended knowledge tracing for computer science education. In: Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing, 3849–3862.
- Liu, Q., Huang, Z., Yin, Y., Chen, E., Xiong, H., Su, Y., & Hu, G. (2019a). Ekt: Exercise-aware knowledge tracing for student performance prediction. *IEEE Transactions on Knowledge and Data Engineering*, (1), 100–115.
- Liu, Q., Tong, S., Liu, C., Zhao, H., Chen, E., Ma, H., & Wang, S. (2019b). Exploiting cognitive structure for adaptive learning. In: Proceedings

of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, 627–635

Liu, Q., Wu, R., Chen, E., Xu, G., Su, Y., Chen, Z., & Hu, G. (2018). Fuzzy cognitive diagnosis for modelling examinee performance. *ACM Transactions on Intelligent Systems and Technology*, (4), 1–26.

- Liu, S., Hu, Z., Peng, X., Liu, Z., Cheng, H., & Sun, J. (2017). Mining learning behavioral patterns of students by sequence analysis in cloud classroom. *International Journal of Distance Education Technologies*, (1), 15–27.
- Liu, Y, Yang, Y, Chen, X, Shen, J, Zhang, H, & Yu, Y. (2020). Improving knowledge tracing via pre-training question embeddings. In: Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence.
- Liu, Y., Zhang, T., Wang, X., Yu, G., & Li, T. (2023). New development of cognitive diagnosis models. *Frontiers of Computer Science*, (1), 171604.
- Liu, Z., Cheng, H., Liu, S., & Sun, J. (2017). Discovering the two-step lag behavioral patterns of learners in the college SPOC platform. *International Journal of Information and Communication Technology Education*, (1), 1–13.
- Long, T., Qin, J., Shen, J., Zhang, W., Xia, W., Tang, R., He, X., & Yu, Y. (2022). Improving knowledge tracing with collaborative information.
  In: Proceedings of the Fifteenth ACM International Conference on Web Search and Data Mining, 599–607.
- Lu, O., Huang, A., Huang, J., Lin, A., Ogata, H., & Yang, S. (2018). Applying learning analytics for the early prediction of students' academic performance in blended learning. *Journal of Educational Technology & Society*, (2), 220–232.
- Ma, B., Taniguchi, Y., & Konomi, S. (2020). Course recommendation for university environments. In:Educationl Data Mining 2020.
- Ma, H., Wang, X., Hou, J., & Lu, Y. (2017). Course recommendation based on semantic similarity analysis. In: 2017 3rd IEEE International Conference on Control Science and Systems Engineering, 638–641.
- Ma, H., Zhu, J., Yang, S., Liu, Q., Zhang, H., Zhang, X., Cao, Y., & Zhao, X. (2022a). A prerequisite attention model for knowledge proficiency diagnosis of students. In: Proceedings of the 31st ACM International Conference on Information & Knowledge Management, 4304– 4308.
- Ma, Y., Liu, B., Huang, W., & Dan, F. (2022b). Knowledge graph based recommendation algorithm for educational resource. In: Proceedings of the 14th International Conference on Education Technology and Computers, 436–441.
- Malysheva, Y., & Kelleher, C. (2020). Using bugs in student code to predict need for help. In: 2020 IEEE Symposium on Visual Languages and Human-Centric Computing, 1–6.
- Mao, Y. (2019). One minute is enough: Early prediction of student success and event-level difficulty during novice programming tasks.In: Proceedings of the 12th International Conference on Educational Data Mining, 119–128.
- Mao, Y., Xu, B., Yu, J., Fang, Y., Yuan, J., Li, J., & Hou, L. (2021). Learning behavior-aware cognitive diagnosis for online education systems. In: Proceedings Data Science: 7th International Conference of Pioneering Computer Scientists, Engineers and Educators, Part II

7, 385–398.

- Mondal, B., Patra, O., Mishra, S., & Patra, P. (2020). A course recommendation system based on grades. In: 2020 International Conference on Computer Science, Engineering and Applications, 1–5.
- Mousavinasab, E., Zarifsanaiey, N., Niakan Kalhori, S. R., Rakhshan, M., Keikha, L., & Ghazi Saeedi, M. (2021). Intelligent tutoring systems: a systematic review of characteristics, applications, and evaluation methods. *Interactive Learning Environments*, (1), 142–163.
- Nagatani, K., Zhang, Q., Sato, M., Chen, Y., Chen, F., & Ohkuma, T. (2019). Augmenting knowledge tracing by considering forgetting behavior. In: The World Wide Web Conference, 3101– 3107.
- Nakagawa, H., Iwasawa, Y., & Matsuo, Y. (2019). Graph-based knowledge tracing: modeling student proficiency using graph neural network. In: IEEE/WIC/ACM International Conference on Web Intelligence, 156–163.
- Ng, Y. K., & Linn, J. (2017). Crsrecs: A personalized course recommendation system for college students. In: 2017 8th International Conference on Information, Intelligence, Systems & Applications, 1–6.
- Nguyen, V. A., Nguyen, H. H., Nguyen, D. L., & Le, M. D. (2021). A course recommendation model for students based on learning outcome. *Education and Information Technologies*, 26, 5389– 5415.
- Ouyang, F., & Jiao P. (2021). Artificial intelligence in education: The three paradigms. *Computers and Education: Artificial Intelligence*, 2, 100020.
- Pandey, S., & Karypis, G. (2019). A self-attentive model for knowledge tracing. arXiv:1907.06837.
- Pandey, S., & Srivastava, J. (2020). RKT: Relation-aware selfattention for knowledge tracing. In: Proceedings of the 29th ACM International Conference on Information & Knowledge Management, 1205–1214.
- Papoúsek, J., Pelánek, R., & Stanislav, V. (2016). Adaptive geography practice data set. *Journal of Learning Analytics*, (2), 317–321.
- Pei, X., Yang, S., Huang, J., & Xu, C. (2022). Self-attention gated cognitive diagnosis for faster adaptive educational assessments. In: 2022 IEEE International Conference on Data Mining, 408–417.
- Polyzou, A., Nikolakopoulos, A. N., & Karypis, G. (2019). Scholars walk: A Markov chain framework for course recommendation. In: Proceedings of The 12th International Conference Educational Data Mining, 396–401.
- Qi, T., Ren, M., Guo, L., Li, X., Li, J., & Zhang, L. (2023). ICD: A new interpretable cognitive diagnosis model for intelligent tutor systems. *Expert Systems with Applications*, 215, 119309.
- Qiu, J., Tang, J., Liu, T., Gong, J., Zhang, C., Zhang, Q., & Xue, Y. (2016). Modeling and predicting learning behavior in MOOCs. In: Proceedings of the Ninth ACM International Conference on Web Search and Data Mining, 93–102.
- Rasch, G. (1993). Probabilistic models for some intelligence and attainment tests. ERIC.
- Ren, X., Yang, W., Jiang, X., Jin, G., & Yu, Y. (2022). A deep learning framework for multimodal course recommendation based on

LSTM+ attention. Sustainability, (5), 2907.

- Sedrakyan, G., Malmberg, J., Verbert, K.,Järvelä, S., & Kirschner, P. A. (2020). Linking learning behavior analytics and learning science concepts: Designing a learning analytics dashboard for feedback to support learning regulation. *Computers in Human Behavior*, 107, 105512.
- Shen, H., Liang, L., Law, N., Hemberg, E., & O'Reilly, U. M. (2020a). Understanding learner behavior through learning design informed learning analytics. In: Proceedings of the Seventh ACM Conference on Learning@ Scale, 135–145.
- Shen, S., Huang, Z., Liu, Q., Su, Y., Wang, S., & Chen, E. (2022). Assessing student's dynamic knowledge state by exploring the question difficulty effect. In: Proceedings of the 45th International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR'22, 427–437.
- Shen, S., Liu, Q., Chen, E., Huang, Z., Huang, W., Yin, Y., Su, Y., & Wang, S. (2021). Learning process-consistent knowledge tracing. In: Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining, 1452–1460.
- Shen, S., Liu, Q., Chen, E., Wu, H., Huang, Z., Zhao, W., Su, Y., Ma, H., & Wang, S. (2020b). Convolutional knowledge tracing: Modeling individualization in student learning process. In: Proceedings of the 43rd International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR'20, 1857–1860.
- Shi, Y., Peng, Z., & Wang, H. (2017). Modeling student learning styles in MOOCs. In: Proceedings of the 2017 ACM on Conference on Information and Knowledge Management, 979– 988.
- Shin, D., Shim, Y., Yu, H., Lee, S., Kim, B., & Choi, Y. (2021). SAINT+: Integrating temporal features for EdNet correctness prediction. In: LAK21: 11th International Learning Analytics and Knowledge Conference, 490–496.
- Song, X., Li, J., Lei, Q., Zhao, W., Chen, Y., & Mian, A. (2022). Bi-CLKT: Bi-graph contrastive learning based knowledge tracing. *Knowledge-Based Systems*, 241, 108274.
- Su, Y., Cheng, Z., Wu, J., Dong, Y., Huang, Z., Wu. L., Chen, E., Wang, S., & Xie, F. (2022). Graph-based cognitive diagnosis for intelligent tutoring systems. *Knowledge-Based Systems*, 253, 109547.
- Tarus, J. K., Niu, Z., & Mustafa, G. (2018). Knowledge-based recommendation: A review of ontology-based recommender systems for e-learning. *Artificial Intelligence Review*, 50, 21-48.
- Thongchotchat, V., Kudo, Y., Okada, Y., & Sato, K. (2023). Educational recommendation system utilizing learning styles: A systematic literature review. *IEEE Access*, *11*, 8988–8999.
- Tong, H., Wang, Z., Zhou, Y., Tong, S., Han, W., & Liu, Q. (2022a). Introducing problem schema with hierarchical exercise graph for knowledge tracing. In: Proceedings of the 45th International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR'22, 405–415.
- Tong, S., Liu, J., Hong, Y., Huang, Z., Wu, L., Liu, Q., Huang, W., Chen, E., & Zhang, D. (2022b). Incremental cognitive diagnosis for intelligent education. In: Proceedings of the 28th ACM SIGKDD Conference on

Knowledge Discovery and Data Mining, 1760–1770.

- Tong, S., Liu, Q., Huang, W., Huang, Z., Chen, E., Liu, C., Ma, H., & Wang, S. (2020). Structure-based knowledge tracing: An influence propagation view. In: 2020 IEEE International Conference on Data Mining , 541–550.
- Tong, S., Liu, Q., Yu, R., Huang, W., Huang, Z., Pardos, Z. A., & Jiang,
   W. (2021). Item response ranking for cognitive diagnosis. In: Internationall Joint Conferences on Artificial Intelligence, 1750–1756.
- Urdaneta-Ponte, M. C., Mendez-Zorrilla, A., & Oleagordia-Ruiz, I. (2021). Recommendation systems for education: Systematic review. *Electronics*, (14), 1611.
- Vie, J. J., & Kashima, H. (2019). Knowledge tracing machines: Factorization machines for knowledge tracing. In: Proceedings of the AAAI Conference on Artificial Intelligence, 750–757.
- Wan, S., & Niu, Z. (2019). A hybrid e-learning recommendation approach based on learners' influence propagation. *IEEE Transactions on Knowledge and Data Engineering*, (5), 827–840.
- Wang, C., Ma, W., Zhang, M., Lyu, C., Wan, F., Lin, H., Tang, T., Liu, Y., & Ma, S. (2021a). Temporal cross-effects in knowledge tracing. In: Proceedings of the 14th ACM International Conference on Web Search and Data Mining, 517–525.
- Wang, F., Huang, Z., Liu, Q., Chen, E., Yin, Y., Ma, J., & Wang, S. (2023a). Dynamic cognitive diagnosis: An educational priors-enhanced deep knowledge tracing perspective. *IEEE Transactions on Learning Technologies*, (3), 306–323.
- Wang, F., Liu, Q., Chen, E., Huang, Z., Chen, Y., Yin, Y., Huang, Z., & Wang, S. (2020). Neural cognitive diagnosis for intelligent education systems. In: Proceedings of the AAAI Conference on Artificial Intelligence, 6153–6161.
- Wang, F., Liu, Q., Chen, E., Huang, Z., Yin, Y., Wang, S., & Su, Y. (2022a). NeuralCD: A general framework for cognitive diagnosis. *IEEE Transactions on Knowledge and Data Engineering*, (8), 8312–8327.
- Wang, L., & Wang, H. (2019). Learning behavior analysis and dropout rate prediction based on MOOSs data. In: 2019 10th International Conference on Information Technology in Medicine and Education, 419–423.
- Wang, T., Ma, F., Wang, Y., Tang, T., Zhang, L., & Gao, J. (2021b). Towards learning outcome prediction via modeling question explanations and student responses. In: Proceedings of the 2021 SIAM International Conference on Data Mining, 693–701.
- Wang, X., Huang, C., Cai, J., & Chen, L. (2021c). Using knowledge concept aggregation towards accurate cognitive diagnosis. In: Proceedings of the 30th ACM International Conference on Information & Knowledge Management, 2010–2019.
- Wang, X., Ma, W., Guo, L., Jiang, H., Liu, F., & Xu, C. (2022b). HGNN: Hyperedge-based graph neural network for MOOC course recommendation. *Information Processing & Management*, (3), 102938.
- Wang, X., Zheng, Z., Zhu, J., & Yu, W. (2023b). What is wrong with deep knowledge tracing? Attention-based knowledge tracing. *Applied Intelligence*, (3), 2850–2861.
- Wang, Y., Law, N., Hemberg, E., & O'Reilly, U. M. (2019). Using detailed access trajectories for learning behavior analysis. In: Proceedings

of the 9th International Conference on Learning Analytics & Knowledge, 290–299.

- Wang, Z., Lamb, A., Saveliev, E., Cameron, P., Zaykov, J., Hernandez-Lobato, J. M., Turner, R. E., Baraniuk, R. G., Barton, C., Jones, S. P., et al. (2021d). Results and insights from diagnostic questions: The NeurIPS 2020 education challenge. In: NeurIPS 2020 Competition and Demonstration Track, 191–205.
- Worsley, M., Scherer, S., Morency, L. P., & Blikstein, P. (2015). Exploring behavior representation for learning analytics. In: Proceedings of the 2015 ACM on International Conference on Multimodal Interaction, 251–258.
- Wu, K., Yang, Y., Zhang, K., Wu, L., Liu. J., & Li, X. (2022). Multirelational cognitive diagnosis for intelligent education. In: CAAI International Conference on Artificial Intelligence, 425–437.
- Wu, T., & Ling, Q. (2023). Self-supervised heterogeneous hypergraph network for knowledge tracing. *Information Sciences*, 624, 200–216.
- Wu, W., Wang, B., Zheng, W., Liu, Y., & Yin, L. (2020a). Higher education online courses personalized recommendation algorithm based on score and attributes. *Journal of Physics: Conference Series*, 012025.
- Wu, Z., Li, M., Tang, Y., & Liang, Q. (2020b). Exercise recommendation based on knowledge concept prediction. *Knowledge-Based Systems*, 210, 106481.
- Xiao, Y., Xiao, R., Huang, N., Hu, Y., Li, H., & Sun, B. (2023). Knowledge tracing based on multi-feature fusion. *Neural Computing and Applications*, (2), 1819–1833.
- Xing, W., & Du, D. (2019). Dropout prediction in MOOCs: Using deep learning for personalized intervention. *Journal of Educational Computing Research*, (3), 547–570.
- Xu, B., Huang, Z., Liu, J., Shen, S., Liu, Q., Chen, E., Wu, J., & Wang, S. (2023). Learning behavior-oriented knowledge tracing. In: Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining, 2789–2800.
- Yan, A., Lee, M. J., & Ko, A. J. (2017). Predicting abandonment in online coding tutorials. In: 2017 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC), 191–199.
- Yan, N., & Au, O. T. S. (2019). Online learning behavior analysis based on machine learning. Asian Association of Open Universities Journal, (2), 97–106.
- Yang, H., Qi, T., Li, J., Guo, L., Ren, M., Zhang, L., & Wang, X. (2022). A novel quantitative relationship neural network for explainable cognitive diagnosis model. *Knowledge-Based Systems*, 250, 109156.
- Yang, S., Ma, H., Zhen, C., Tian, Y., Zhang, L., Jin, Y., & Zhang, X. (2023). Designing novel cognitive diagnosis models via evolutionary multi-objective neural architecture search. arXiv:2307. 04429.
- Yang, Y., Shen, J., Qu, Y., Liu, Y., Wang, K., Zhu, Y., Zhang, W., & Yu, Y. (2021). GIKT: A graph-based interaction model for knowledge tracing. In: Proceedings of the Machine Learning and Knowledge Discovery in Databases: European Conference, Part I, 299–315.
- Yin, Y., Dai, L., Huang, Z., Shen, S., Wang, F., Liu, Q., Chen, E., & Li, X. (2023). Tracing knowledge instead of patterns: Stable knowledge

tracing with diagnostic transformer. In: Proceedings of the ACM Web Conference 2023, 855–864.

- Yu, J., Lu, M., Zhong, Q., Yao, Z., Tu, S., Liao, Z., Li, X., Li, M., Hou, L., Zheng, H., Li, J., & Tang, J. (2023). MoocRadar: A fine-grained and multi-aspect knowledge repository for improving cognitive student modeling in MOOCs. In: Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR '23, 2924–2934.
- Yu, J., Wang, Y., Zhong, Q., Luo, G., Mao, Y., Sun, K., Feng, W., Xu, W., Cao, S., Zeng, K., Yao, Z., Hou, L., Lin, Y., Li, P., Zhou, J., Xu, B., Li, J., Tang, J., & Sun, M. (2021). MOOCCubeX: A large knowledge-centered repository for adaptive learning in MOOCs. In: Proceedings of the 30th ACM International Conference on Information & Knowledge Management, CIKM'21, 4643– 4652.
- Yu, J., Luo, G., Xiao, T., Zhong, Q., Wang, Y., Feng, W., Luo, J., Wang, C., Hou, L., Li, J., et al. (2020). MOOCCube: a large-scale data repository for NLP applications in MOOCs. In: Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, 3135– 3142.
- Zhang, G., Zhang, Y., & Ran, J. (2018a). Research on clustering mining and feature analysis of online learning behavioral data based on SPOC. In: 2018 13th International Conference on Computer Science & Education , 1–6.
- Zhang, H., Huang, T., Liu, S., Yin, H., Li, J., Yang, H., & Xia, Y. (2020). A learning style classification approach based on deep belief network for large-scale online education. *Journal of Cloud Computing*, 9, 1–17.
- Zhang, H., Huang, T., Lyu, Z., Liu, S., & Zhou, Z. (2018b). MCRS: A course recommendation system for MOOCs. *Multimedia Tools and Applications*, 77, 7051–7069.
- Zhang, J., Hao. B., Chen, B., Li, C., Chen, H., & Sun, J. (2019). Hierarchical reinforcement learning for course recommendation in MOOCs. In: Proceedings of the AAAI Conference on Artificial Intelligence, 435–442.
- Zhang, J., Shi, X., King, I., & Yeung, D. Y. (2017a). Dynamic keyvalue memory networks for knowledge tracing. In: Proceedings of the 26th International Conference on World Wide Web, 765–774.
- Zhang, S., Huang, S., Yu, X., Chen, E., Wang, F., & Huang, Z. (2023a). A generalized multi-skill aggregation method for cognitive diagnosis. In: Proceedings of the 26th International Conference on World Wide Web, 585–614.
- Zhang, W., Huang, X., Wang, S., Shu, J., Liu, H., & Chen, H. (2017b). Student performance prediction via online learning behavior analytics. In: 2017 International Symposium on Educational Technology, 153–157.
- Zhang, Y., An, R., Zhang, W., Liu, S., & Shang, X. (2023b). Deep knowledge tracing with concept trees. In: International Conference on Advanced Data Mining and Applications, 377–390.
- Zhao, G., Huang, Z., Zhuang, Y., Liu, J., Liu, Q., Liu, Z., Wu, J., & Chen, E. (2023a). Simulating student interactions with two-stage imitation learning for intelligent educational systems. In: Proceedings of the 32nd ACM International Conference on Information and Knowledge Management, 3423–3432.

- Zhao, W., Xia, J., Jiang, X., & He, T. (2023b). A novel framework for deep knowledge tracing via gating-controlled forgetting and learning mechanisms. *Information Processing & Management*, (1), 103114.
- Zhou, Y., Liu, Q., Wu, J., Wang, F., Huang, Z., Tong, W., Xiong, H., Chen, E., & Ma, J. (2021). Modeling context-aware features for cognitive diagnosis in student learning. In: Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining, 2420–2428.
- Zhu, C., Pao, S., & Ma, F. (2023). A temporal convolutional knowledge tracing model integrating forgetting factors and item response theory. In: 2023 IEEE International Conference on Control, Electronics and Computer Technology, 200–204.

### Appendixes

Appendix A Compilation of Commonly Used Datasets

Datasets	Source	Description of data format	Subjects	URL	Scenarios
EdNet	Both	EdNet comprises detailed actions like video lecture views, problem-solving, and expert commentary engagement. It includes data on learning material, time allocation, and user behavior.	English	<u>URL</u>	ER, KT, BA, CD
XuetangX	Higher education	The XuetangX dataset includes a comprehensive collection of user activities, user profiles, and course information from XuetangX.	Diversity	<u>URL</u>	ER, BA
MOOCCube	Higher education	MOOCCube includes over 700 courses, detailed video subtitles, teacher and organization descriptions, concepts with prerequisite chains, and over 190,000 student behavior data.	Diversity	<u>URL</u>	ER, CD, BA
MOOCCubeX	Higher education	MOOCCubeX encompasses 4,216 courses, 230,263 videos, 358,265 exercises, 637,572 concepts, and 296 million student behavior data. It also integrates fine-grained concept graphs.	Diversity	<u>URL</u>	ER, CD, BA
MoocRadar	Higher education	The dataset includes 2,513 exercises, 5,600 knowledge concepts, and 12 mil- lion behavioral records.	Diversity	<u>URL</u>	ER, KT, CD, BA
ASSISTments	K-12	ASSISTments encompasses detailed student interaction records, problem-solv- ing attempts, and knowledge component (KC) labels, with varying com- plexity, student performance data, and concept-specific learning analytics.	Math	<u>URL</u>	ER, KT, CD, BA
Junyi	K-12	Junyi Academy contains over 16 million problem attempts by 72,000+ stu- dents, detailed exercise metadata, and student demographics.	Diversity	<u>URL</u>	ER, KT, CD
KDD Cup	K-12	KDD Cup consists of detailed records of interactions between students and tutoring systems, containing key terms, like problems, steps, knowledge components and opportunities.	Math	<u>URL</u>	ER, KT, CD, BA
Eedi	K-12	Eedi comprises K-12 student responses to mathematics questions, formatted as multiple-choice queries, containing records from 118,971 students, 27,613 questions and 15,867,850 answers.	Math	<u>URL</u>	KT, CD
Math1&2	K-12	These two datasets are collected from two final mathematical exams from high school students, including problems, concepts, and performances from students.	Math	<u>URL</u>	KT, CD
Engineering Stat- ics	Higher education	It is a course-specific dataset from CMU, containing 189,297 interactions be- tween 333 students on 1,223 concepts.	Engineer- ing	<u>URL</u>	ER, KT, CD
slepemapy.cz	Both	The dataset contains logs of practices of geography facts from an online sys- tem, such as user identifiers, asked and answered place identifiers, question type, and response time.	Geogra- phy	<u>URL</u>	KT

### Appendix B

Summary of Educational Recommendation Methods

Method	Year	Venue	Object	Techniques	Side information
MCRS	2017	ICAT2E	Course	Apriori	-
Scholars walk	2019	EDM	Course	MDP	_
HRL	2020	AAAI	Course	Hierarchical RL	_
Nguyen et al.	2021	Education and Information Technologies	Course	Cosine similarity, Pearson correlation, funk SVD	_
DARL	2021	Knowledge-Based Systems	Course	MDPs(Markov Decision Processes), RL, attention	_
HELAR_W	2022	Knowledge-Based Systems	Course	RL	_
SMRC	2022	ICeLeT	Course	Siamese neural network	_
Goudar & Shi- daganti	2023	NMITCON	Course	MF	-
RPPR	2023	Applied Soft Computing	Course	RL, attention MLP	-
MEUR	2022	Education and Information Technologies	Course	RL, GCN	Concept graph

#### (Continued)

Method	Year	Venue	Object	Techniques	Side information
FKGCF	2022	Computational Intelligence and Neuroscience	Course	TransE, CF	Concept graph
Ma et al.	2017	CCSSE	Course	Doc2vec, LSI, TF-IDF	Course information
HCR	2020	EDM	Course	MF	Course information
ItemCF-TFIDF	2020	ICBDIE	Course	MF, TF-IDF	Course information
Chang et al.	2016	Algorithms	Course	AIS cluster	Course ratings, student grades
(ES)^2P	2022	Cognitive Computation	Course	Evolutionary search	Course relation
HGNN	2022	Information Processing & Management	Course	GNN, attention, RNN	Course relation
Ren et al.	2022	Sustainability	Course	LSTM, attention	Multi-modal
CrsRecs	2017	IISA	Course	LDA, SentiWordNet, MF, MLP	Sentiment feature, course labels
Mondal et al.	2020	ICCSEA	Course	K-means, MF, Apriori	Student grade
Jiang et al.	2019	LAK	Course	LSTM	Student grade, course information
El Badrawy &Karypis	2016	RecSys	Course	MF	Student profile, course information
HCACR	2018	WI	Course	MF, LDA	Student profile, course relations
Wu et al.	2020a	Journal of Physics: Confer- ence Series	Course	MF	Student rating, project attribute
Fang et al.	2021	Complexity	Edu resource	MF	_
Ma et al.	2022b	ICETC	Edu resource	TransD, matrix factorization	Concept graph
TrueLearn	2020	AAAI	Edu resource	Bayesian model, concept extraction, IRT	Knowledge content
AROLS	2019	Tsinghua Science and Tech- nology	Edu resource	K-means, Apriori, MF	Learning style
SI-IFL	2020	TKDE	Edu resource	Active learning, self-organization theory, fuzzy logic	Student profile
Baidada et al.	2020	IADIS International Journal on WWW	Edu resource	Content-based CF	Student profile
CSEAL	2019	KDD	Knowledge concept	Adaptive learning, LSTM, RL	Concept graph
LSTMCQ, LSTMCQP	2020	Information Science	Knowledge concept	LSTM	Exercise content
DKVMN-CA	2019	EDM	Knowledge concept	RL, DKVMN	Exercise label
ACKRec	2020	SIGIR	Knowledge concept	GCN, attention, HIN	Multi-modal
HinCRec	2023	Transactions on the Web	Knowledge concept	HIN, RL	Multi-modal
KCP-ER	2020	KBS	Knowledge concept	LSTM, DKT	Student response
DRE	2019	CIKM	Knowledge concept	RL, GRU, Bi-LSTM	Student response, exer- cise information

### Appendix C Summary of Cognitive Diagnosis Methods

Method	Year	Venue	Techniques	Category
MGCD	2021	ICDM	Attention	Macro
ECD	2021	KDD	Hierarchical attention	Macro
RCD	2021	SIGIR	Hierarchical attention	Macro
ICD	2022	KDD	Inductive learning, incremental learning	Macro

(Continued)

Method	Year	Venue	Techniques	Category
AGCDM	2022	ICDM	Attention, GRU	Macro
BETA-CD	2023	AAAI	Bayesian network, meta-learning	Macro
FuzzyCDF	2018	TIST	DINA, MCMC	Micro
NeuralCDM	2020	AAAI	MLP, CNN	Micro
IRR	2021	IJCAI	Pairwise sampling	Micro
LCD	2021	ICPCSEE	BERT, GCN	Micro
CDGK	2021	CIKM	MLP, IRT	Micro
PAKP	2022	CIKM	MLP, attention	Micro
FuzzyCDF-SI- GAM	2022	WWW	Fuzzy measure, Sugeno integral	Micro
QRCDM	2022	Expert Systems with Applications	Alpha-partition, MF	Micro
GCDM	2022	Knowledge-Based Systems	Hierarchical graph attention network	Micro
HierCDF	2022	KDD	Bayesian network, monotonic perceptron	Micro
ICD	2022	Expert Systems with Applications	alpha-partition	Micro
KSCD	2022	CIKM	MLP	Micro
MRCD	2022	CICAI	GCN, self-attention	Micro
NeuralNCD	2022	Applied Sciences	MLP, IRT	Micro
NeuralCD	2022	TKDE	CNN, MLP	Micro
EMO-NAS-CD	2023	arxiv	Neural architecture search (NAS), evolutionary algorithm	Micro
He et al.	2023	Applied Intelligence	Multihop attention, Bi-LSTM, ALBERT	Micro
MHGA CDM	2023	GECCO	Evolutionary optimization	Micro

#### Appendix D Summary of Knowledge Tracing Methods

		0	0			
Method	Year	Venue	Techniques	Category	Interaction Patterns	Knowledge Enhanced
SAKT	2019	EDM	Attention	Sequence centric	-/Attention weighted	-
Cui et al.	2019	JEDM	BKT, Dynamic BKT	Sequence centric	-/Bayesian	_
KTM	2019	AAAI	IRT	Sequence centric	- / Factorization machine	-
SKVMN	2019	SIGIR	Attention, LSTM	Sequence centric	-/KV memory	-
KT-KDM	2019	ICCC	BKT, A2C	Sequence centric	- /RL	-
AKT	2020	SIGKDD	Attention, Seq2Seq	Sequence centric	- / Attention weighted	-
CKT	2020	SIGIR	CNN	Sequence centric	-/ CNN	-
SAINT+	2021	LAK	Attention, transformer	Sequence centric	- / Transformer	-
CL4KT	2022	WWW	CL, transformer	Sequence centric	- / Contrastive learning	-
GameDKT	2022	Expert Systems with Applica- tions	CNN, RNN, LSTM	Sequence centric	-/New scenario	_
K T A , K T A _ LSTM	2022	Applied Intelli- gence	Attention, LSTM	Sequence centric	– / Finite state automaton	_
D T r a n s - former	2023	WWW	CL, transformer	Sequence centric	-	-
Nagatani et al.	2019	WWW	RNN	Learning engage- ment assisted	Forgetting behavior	_
КРТ	2020	TOIS	GRU	Learning engage- ment assisted	Learning curve + forgetting curve	_
KTM-DLF	2020	Applied Intelli- gence	NN	Learning engage- ment assisted	Item difficulty + learning curve + forgetting curve	_
SAINT	2020	L@S	Attention, transformer	Learning engage- ment assisted	Speed / transformer	-
LRKT	2021	KDD	GRU, MLP	Learning engage- ment assisted	- / Forgetting gated RNN	_

#### (Continued)

Method	Year	Venue	Techniques	Category	Interaction Patterns	Knowledge Enhanced
HawkesKT	2021	WSDM	Hawkes Process, resam- pling strategy	Learning engage- ment assisted	Hawkes Processing	-
CoKT	2022	WSDM	RNN	Learning engage- ment assisted	Collaborative signals in students	-
TCKT-FI	2023	ICCECT	Temporal convolutional network	Learning engage- ment assisted	Forgetting factors + IRT	_
GFLDKT	2023	Information Processing & Management	GRU	Learning engage- ment assisted	Learning behavior + forget- ting behavior	_
QIKT	2023	AAAI	LSTM, item response theory (IRT)	Learning engage- ment assisted	IRT	_
LBKT	2023	KDD	Tensor fusion network	Learning engage- ment assisted	Speed + attempts + hints + forgetting factor	_
EKT	2019	TKDE	LSTM, attention	Knowledge en- hanced	-	Textual content
GKT	2019	WIC	GNN	Knowledge en- hanced	_	Knowledge concept graph
GIKT	2020	ECML PKDD	GCN, RNN	Knowledge en- hanced	_	Question-student-skill graph
SKT	2020	ICDM	GRU	Knowledge en- hanced	_	Knowledge relations
PEBG	2021	IJCAI	Bipartite graph, MLP	Knowledge en- hanced	_	Question difficulty + question-skill graph
KADT	2021	KBS	SKVMN, DKT, LSTM, RL	Knowledge en- hanced	_	Course label
AdaptKT	2022	WSDM	LSTM, transer learning	Knowledge en- hanced	_	Textual content
DIMKT	2022	SIGIR	Sequential NN	Knowledge en- hanced	_	Question difficulty
Bi-CLKT	2022	KBS	Joint CL, graph augmen- tation	Knowledge en- hanced	_	Exercise-concept graph
HGKT	2022	SIGIR	Hierarchical graph neural network, RNN	Knowledge en- hanced	_	Textual content + exer- cise graph
OKT	2022	EMNLP	GPT-2, ASTNN	Knowledge en- hanced	_	Textual content
KET	2023	Pattern Recog- nition Letters	GNN	Knowledge en- hanced	_	Exercise-concept graph
DKCT	2023	ADMA	Concept trees, multihead attention	Knowledge en- hanced	_	Knowledge concept tree
S^2-HHN	2023	Information Sci- ences	Heterogeneous hierarchi- cal graph, CL, RNN	Knowledge en- hanced	-	Exercise-concept het- erogeneous graph
RKT	2020	CIKM	Attention	Multiple	Forgetting behavior	Textual content
DGMN	2022	TKDE	Attention, GCN	Multiple	Forgetting behavior	Knowledge concept graph
QRAKT	2023	Applied Scienc- es	Attention	Multiple	Forgetting behavior + slip- ping and guess factor	Textual contnet + knowledge concept graph
KTMFF	2023	Neural Com- puting and Applications	Attention	Multiple	Speed	Textual content

Methods	Year	Venue	Techniques	Category
Kinnebrew et al.	2013	Journal of Educational Data Mining	Linear segmentation algorithm	Behavioral
Liu et al.	2017	International Journal of Distance Education Technologies	Sequential analysis	Behavioral
Han et al.	2017	ISET2017	Lag sequential analysis	Behavioral
Liu et al.	2017	International Journal of Distance Education Technologies	Lag sequential analysis	Behavioral
Cheng et al.	2018	Interactive Learning Environments	Lag sequential analysis	Behavioral
Boroujeni & Dillen- bourg	2018	Proceedings of the 8th International Confer- ence on Learning Analytics and Knowledge	Clustering	Behavioral
Zhang et al.	2018a	ICCSE	K-means, hierarchical clustering	Behavioral
Yan & Au	2019	Asian Association of Open Universities Jour- nal	MLP, conjugate gradient	Behavioral
Wang et al.	2019	Proceedings of the 9th International Confer- ence on Learning Analytics & Knowledge	Detailed access trajectories	Behavioral
Shen et al.	2020a	Proceedings of the Seventh ACM Conference on Learning @ Scale	Bloom's taxonomy, social network analysis	Behavioral
Zhang et al.	2020	Journal of Cloud Computing	Deep belief network	Behavioral
DAISim	2023	CIKM	RL, GRU	Behavioral
Halawa et al.	2014	Proceedings of the Second European MOOC Stakeholder Summit	Logistic regression	Predictive
LadFG	2016	WSDM	Latent dynamic factor graph model	Predictive
Yan et al.	2017	IEEE Symposium on Visual Languages / Human-Centric Computing Languages and Environments	Machine learning classifiers	Predictive
Xing et al.	2019	Journal of Educational Computing Research	MLP	Predictive
E-LSTM	2019	ITME	LSTM	Predictive
RTP	2019	EDM	Recent temporal pattern	Predictive
CFIN	2019	AAAI	CNN, attention	Predictive
Goel & Goyal	2020	Open Computer Science	CNN	Predictive
Malysheva & Kelleher	2020	IEEE Symposium on Visual Languages/ Hu- man-Centric Computing Languages and Environments	Random forest	Predictive
El Aouif et al.	2021	EIT	KNN, MLP	Predictive
DSLOP	2021	SDM	BERT, MLP, attention	Predictive
Worsley et al.	2015	ICMI	Affect- and pose-based segmentation	Both
L2S	2017	CIKM	Markov model	Both
Zhang et al.	2017b	ISET	Logistic regression	Both
Sedrakyan et al.	2020	Computers in Human Behavior	Learning analytics dashboards	Both
Lu et al.	2018	Journal of Educational Technology & Society	Principal component regression	Both

Appendix E Summary of Learning Analysis Methods