

Universal behavior of the Covid-19 tails: Inverse power-law distribution

E. Aydiner^{1,2,*} and E. Yılmaz^{1,3,†}

¹*Theoretical and Computational Physics Research Laboratory, İstanbul University, 34134 İstanbul, Türkiye*

²*Department of Physics, İstanbul University, 34134 İstanbul, Türkiye*

³*Institute of Graduate Studies in Science, İstanbul University, 34134 İstanbul, Türkiye*

(Dated: 2 April 2024, İstanbul)

Power-law distribution is one of the most important laws known in nature. Such a special universal behavior is known to occur in very few physical systems. In this work, we analyzed the mortality distribution of the Covid-19 pandemic tails for different countries and continents to discuss the possible universal behavior of the pandemic. Surprisingly, we found that the mortality distribution of Covid-19 follows inverse power-law decays. These universal behaviors for the pandemic are reported in the present work for the first time. Additionally, we showed that mortality tails also decay with time obeying to the inverse power law.

Keywords: Covid-19, inverse power-law, universal behavior.

I. INTRODUCTION

Power-law distribution is given in the form

$$f(x) \sim x^{\pm\alpha} \quad (1)$$

where α is the exponent which depends on the medium and x is the continuous or stochastic spatial or time variable. The negative sign for α , Eq.(1) is called the inverse power-law distribution.

As it is known, power-law distribution is a law that has universal characteristics. Power-law distributions occur in an extraordinarily diverse range of phenomena. This law has universality and exists in various fields, from physics to biology, from political sciences to economics. For example; income distribution [1], population of city [2, 3], the sizes of earthquakes [4], the frequency of use of words in any human language [5], diameter of moon craters [6], the number of citations received by papers [7], the number of hits on web pages [8], intensity of solar flares [9], intensity of wars [10], the number of “hits” received by web sites [8], the frequency of occurrence of personal names in most cultures [11], the numbers of species in biological taxa [12], connection distribution of the airports and internet web sites [13] and so on.

It should be noted that power laws in physics also occur in many situations other than the statistical distributions of quantities. For instance, Kepler’s law [14], Newton [15] law for gravity, Coulomb’s famous law, and the Stefan–Boltzmann law [16, 17] has a power-law form. Similarly, power-law behavior can be seen in the second-order phase transition where correlation functions and other physical quantities near the critical points decay with power-law exponents. Supercritical state of matter and supercritical fluids where supercritical exponents of heat capacity and viscosity decay with power-law [18]. In addition to the examples mentioned above, power-law

behavior may occur for various self-organized critical systems [19] such as forest fires [20, 21] and avalanche phenomena [19].

In this study, we reported that the inverse power law distribution can be seen in another phenomenon. As known, Covid-19, which started in 2020, was declared a pandemic by the World Health Organization [22]. Between 2020 and 2023, it can be said that it is recorded that approximately one billion people were infected and more than seven million people lost their lives [23]. We examined the tail of Covid-19, that is, a short region near the end of the Covid-19 pandemic, and we showed that the distribution function in this region complies with the inverse power-law. In addition, the time dependence of deaths occurring in this tail region will be examined in detail.

This work is organized as follows: In Section II, we will analyze the power-law behavior of the Covid-19 mortality data tails for various countries and continents. In Section III, we will analyze the time dependence of the mortality data of the Covid-19 tails for the same regions. Finally, we close with some discussion and conclusion in the last section.

II. POWER-LAW DISTRIBUTION OF THE COVID-19 TAILS

We analyze eight countries and continental data for Covid-19 tails in the present work. Firstly, we consider Germany (DEU), Espany (ESP), France (FRA), United Kingdom (GBR), Greece (GRC), Italy (ITA), Holland (NLD), and Türkiye (TUR) mortality data for the period of the end of the pandemic [23]. We plotted the data of these countries at log – log scale in Fig.II. As can be seen from the figure, the data of these examined countries comply with the power law given in Eq.(1):

$$P(m) \sim m^{-\alpha} \quad \text{with} \quad 0 < \alpha < 2 \quad (2)$$

where α was obtained separately for each country. This universal behavior is known as the inverse power-law. As

* ekrem.aydiner@istanbul.edu.tr

† erkany@ogr.iu.edu.tr




FIG. 1. Mortality distribution $P(m)$ versus mortality frequency m for eight countries in (a) DEU, in (b) ESP, in (c) FRA, in (d) GBR, in (e) GRC, in (f) ITA, in (g) NLD, and in (h) TUR.

can be seen from the sub-figures, α values take values between 0 and 2 for countries. For instance; for DEU $\alpha = 1.0347$, for ESP $\alpha = 1.0347$, for FRA $\alpha = 1.0347$, for GBR $\alpha = 1.0347$, for GRC $\alpha = 1.0347$, for ITA $\alpha = 1.0347$, for NLD $\alpha = 1.0347$, and for TUR $\alpha = 1.0347$.

It is worth noting that the value of the exponents may not be related to the spread and death rate of Covid-19 for every country. The value of this parameter is valid only for the Covid-19 queue. We should state that this parameter represents the distribution of deaths in this tail region according to death frequency.

We also looked at the death distributions for Covid-19 outbreaks in six different continents to test whether the power-law distribution obtained for countries varies for wider geographies, in other words, whether this characteristic behavior is universal. It can be seen that the distribution functions of the continents given in Fig. II also comply with Eq. (2). For continents, similarly, the α value takes values between 0 and 2. For instance: for Africa $\alpha = 1.1857$, for Asia $\alpha = 1.1307$, for Europe $\alpha = 0.88946$,




FIG. 2. Mortality distribution $P(m)$ versus mortality frequency m for six continents in (a) Africa, in (b) Asia, in (c) Europe, in (d) North America, in (e) Oceania and in (f) South America.

for North America $\alpha = 0.91022$, for Oceania $\alpha = 1.14748$, for South America $\alpha = 1.0341$.

Our results on the Covid-19 tail show that death distributions during the pandemic termination period have a universal character and obey the inverse power law, as in many interesting phenomena in nature [1–13]. This universal behavior was obtained for the first time in this study of the Covid-19 tail.

III. TIME-DEPENDENT DECAY OF THE COVID-19 TAILS

As in the previous section, we analyze eight same countries and the same continental data to discuss the time dependence of the Covid-19 tails. Therefore, we analyze the time dependence of the Covid-19 data tails for the same countries given in the previous section. It is important to see how the deaths resulting from the Covid-19 epidemic in these countries have decreased over time recently. Because we showed that the death distributions for this period obeyed the inverse power law. Therefore, the time-dependent decay of this period is a sign that it may comply with a universal law. Time dependence for these countries is given in Fig. III. These results show that the time-dependent decay of the Covid-19 tail obeys the power law:

$$M(t) \sim t^{-\beta} \quad (3)$$




FIG. 3. Time-dependence of the mortality $M(t)$ versus time t for eight countries in (a) DEU, in (b) ESP, in (c) FRA, in (d) GBR, in (e) GRC, in (f) ITA, in (g) NLD, and in (h) TUR.

where β is the decay exponent.

As can be seen from the sub-figures in Fig.III, β takes values in the range $0 < \beta < 2$ for different countries. For instance: for DEU $\beta = 1.0347$, for ESP $\beta = 0.58675$, for FRA $\beta = 0.63954$, for GBR $\beta = 0.52065$, for GRC $\beta = 0.81123$, for ITA $\beta = 0.8899$, for NLD $\beta = 0.8765$, and for TUR $\beta = 1.1777$.

Similarly, we also analyze the time-dependent behavior of the mortality for six continents. It can be seen in Fig.4 also complies with Eq.(3). For continents, the β value takes values between 0 and 2. For instance: for Africa $\beta = 1.7003$, for Asia $\beta = 1.4827$, for Europe $\beta = 1.1856$, for North America $\beta = 0.68167$, for Oceania $\beta = 0.56571$, for South America $\beta = 1.2028$.

One can see that the time-dependent decay or relaxation in deaths in the Covid-19 tails also follows the power law like mortality distributions. As is known, relaxation processes can be modeled in terms of diffusion. If we evaluate the problem by associating it with the diffusion process, we can classify the time-dependent be-




FIG. 4. Time-dependence of the mortality $M(t)$ versus time t for six continents in (a) Africa, in (b) Asia, in (c) Europe, in (d) North America, in (e) Oceania and in (f) South America.

havior of the Covid-19 tail as follows:

$$M(t) \sim t^{-\beta}, \quad \begin{cases} \beta = 1 & \text{normal diffusion} \\ 0 \leq \beta < 1 & \text{sub-diffusion} \\ 1 < \beta \leq 2 & \text{super-diffusion} \end{cases} \quad (4)$$

We reported these novel and interesting results for Covid-19 tails for the first time in the present study.

IV. CONCLUSION

In this study, it is the first time, we analyzed the tails of Covid-19 for eight countries and six continental regions to discuss the universal behavior in the distribution and time dependence of the tails. Firstly, we show that the deaths in the tail of Covid-19 for the different countries and different regions we analyzed can be represented by a distribution function that obeys the inverse power law: $P(m) \sim m^{-\alpha}$ with $0 < \alpha < 2$. Secondly, we analyzed the time dependence of the tail of Covid-19 death data for the same countries and the same continents and showed that the number of deaths decreases with an inverse power law: $M(t) \sim t^{-\beta}$ with $0 < \beta < 2$. These novel and interesting results are first reported in this work.

It should be pointed out that the inverse power law is universal, therefore the obtained results indicate that the tail of Covid-19 has a distribution function of the mortality and mortality relaxation with time to obey this

universal law. On the other hand, we analyzed the mortality peaks in the entire time series as they increased and decreased, but we did not observe a similar universal behavior. The results we obtained are only valid in the Covid-19 tail, that is, in regions very close to the end of the pandemic.

To the best of our knowledge, power law distribution and decay mechanisms are a controversial issue. Many alternative mechanisms have been suggested to generate power-law behavior. For example, it has been shown in various studies that the sum of different exponential distributions can generate a power-law distribution [24, 25], and that a random walk and critical phenomena [26] or taxonomy model of biological species [27, 28] can generate a power-law behavior. Additionally, it is possible to add different models [29–31] to them. We do not currently provide a mathematical model of how various stochastic effects produce power-laws in the tail of Covid-19 in our example, however, we can discuss possible predictions. The Covid-19 pandemic, which started in 2020 and infected approximately one billion people

and caused more than seven million deaths by the end of 2023, has been thoroughly suppressed thanks to the preventive measures of governments and the developed vaccines. Despite the emergence of different variants, the virus rose to an acceptable level of herd immunity and lost its effect. The tail region, where Covid-19 begins to lose its effect, is therefore expected to differ significantly from the dynamics of the intermediate waves in the time series. Because we can evaluate that the fact that all stochastic parameters that play a role in suppressing the lethality of Covid-19 in the tail region have been maximized may have played a role in generating the power-law dynamics.

As a result, as known that power-law dynamics is an active research topic in many fields of science such as physics, computer science, linguistics, geophysics, neuroscience, sociology, economy and more. Therefore, it is very important efforts to investigate the origins of power-law relations and to observe and verify them in physics and other areas. In this study, we have shown that the power-law dynamic can also take place in a pandemic.

-
- [1] V. Pareto, *Cours d'economie politique* (Rouge, Lausanne, 1897).
- [2] J. F. Auerbach, Das gesetz der bevölkerungskonzentration, *Petermanns Geographische Mitteilungen* **59**, 74 (1913).
- [3] G. K. Zipf, *Human Behaviour and the Principle of Least Effort* (H. Addison-Wesley, Reading, MA, 1949).
- [4] B. Gutenberg and R. F. Richter, Frequency of earthquakes in California, *Bulletin of the Seismological Society of America* **34**, 185–188 (1944).
- [5] J. B. Estoup, *Gammes Stenographiques* (Institut Stenographique de France, Paris, 1916).
- [6] G. Neukum and B. A. Ivanov, Crater size distributions and impact probabilities on earth from lunar, terrestrial-planet, and asteroid cratering data, in *Hazards Due to Comets and Asteroids*, edited by T. Gehrels (University of Arizona Press, Tucson, AZ, Tucson, 1994) p. 359–416.
- [7] D. J. de S. Price, Networks of scientific papers, *Science* **149**, 510–515 (1965).
- [8] L. A. Adamic and B. A. Huberman, The nature of markets in the world wide web, *Quarterly Journal of Electronic Commerce* **1**, 512 (2000).
- [9] E. T. Lu and R. J. Hamilton, Avalanches of the distribution of solar flares, *Astrophysical Journal* **380**, 89–92 (1991).
- [10] D. C. Roberts and D. L. Turcotte, Fractality and self-organized criticality of wars, *Fractals* **6**, 351–357 (1998).
- [11] D. H. Zanette and S. C. Manrubia, Vertical transmission of culture and the distribution of family names, *Physica A* **295**, 1–8 (2001).
- [12] J. C. Willis and G. U. Yule, Some statistics of evolution and geographical distribution in plants and animals, and their significance, *Nature* **109**, 177–179 (1922).
- [13] R. Albert and A.-L. Barabási, Statistical mechanics of complex networks, *Reviews of Modern Physics* **74**, 47–97 (2002).
- [14] J. Kepler, *Astronomia nova aitiologitits, seu physica coelestis tradita commentariis de motibus stellae martis ex observationibus g. v. tychnonis, Rvdolpho-II Romanorum Imperatoris*, 39 (1609).
- [15] I. Newton, *Philosophiae naturalis principia mathematica* (London: Royal Society Press, 1687).
- [16] J. Stefan, Über die beziehung zwischen der wärmestrahlung und der temperatur, *Wien. Ber.* **79**, 391–428 (1879).
- [17] L. Boltzmann, Ableitung des stefan'schen gesetzes, betreffend die abhängigkeit der wärmestrahlung von der temperatur aus der electromagnetischen lichttheorie, *Annalen der Physik* **258**, 291–294 (1884).
- [18] D. Bolmatov, V. V. Brazhkin, and K. Trachenko, Thermodynamic behaviour of supercritical matter, *Nature Communications* **4**, 10.1038/ncomms3331 (2013).
- [19] P. Bak, C. Tang, and K. Wiesenfeld, Self-organized criticality: An explanation of the 1/f noise, *Phys. Rev. Lett.* **59**, 381 (1987).
- [20] P. Bak, K. Chen, and C. Tang, A forest-fire model and some thoughts on turbulence, *Physics letters A* **147**, 297 (1990).
- [21] B. Drossel and F. Schwabl, Self-organized critical forest-fire model, *Phys. Rev. Lett.* **69**, 1629 (1992).
- [22] World Health Organisation, Director-general's opening remarks at the media briefing on covid-19, WHO - 11 March 2020. Available at <https://www.who.int/director-general/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-on-covid-19-11-march-2020>. (2020).
- [23] World Health Organisation, Weekly epidemiological update on covid-19, Who - 30 December 2023. Available at <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports> (2023).
- [24] G. A. Miller, Some effects of intermittent silence, *The American Journal of Psychology* **70**, 311 (1957).
- [25] W. J. Reed and B. D. Hughes, From gene fam-

- ilies and genera to incomes and internet file sizes: Why power laws are so common in nature, *Phys. Rev. E* **66**, 067103 (2002).
- [26] M. Newman, Power laws, pareto distributions and zipf's law, *Contemporary Physics* **46**, 323–351 (2005).
- [27] J. Willis and G. Yule, Some statistics of evolution and geographical distribution in plants and animals, and their significance, *Nature* **109**, 177–179 (1922).
- [28] G. U. Yule, A mathematical theory of evolution, based on the conclusions of dr. j. c. willis, *Phil. Trans. R. Soc. Lond. B* **213**, 21–87 (1922).
- [29] J. M. Carlson and J. Doyle, Highly optimized tolerance: A mechanism for power laws in designed systems, *Phys. Rev. E* **60**, 1412 (1999).
- [30] J. M. Carlson and J. Doyle, Highly optimized tolerance: Robustness and design in complex systems, *Phys. Rev. Lett.* **84**, 2529 (2000).
- [31] K. Sneppen and M. Newman, Coherent noise, scale invariance and intermittency in large systems, *Physica D: Nonlinear Phenomena* **110**, 209 (1996).