Development of an Adaptive Multi-Domain Artificial Intelligence System Built using Machine Learning and Expert Systems Technologies

Jeremy Straub Department of Computer Science North Dakota State University 1320 Albrecht Blvd., Room 258 Fargo, ND 58108 Phone: +1 (701) 231-8196 Fax: +1 (701) 231-8562 Email: jeremy.straub@ndsu.edu

Abstract

Producing an artificial general intelligence (AGI) has been an elusive goal in artificial intelligence (AI) research for some time. An AGI would have the capability, like a human, to be exposed to a new problem domain, learn about it and then use reasoning processes to make decisions. While AI techniques have been used across a wide variety of problem domains, an AGI would require an AI that could reason beyond its programming and training. This paper presents a small step towards producing an AGI. It describes a mechanism for an AI to learn about and develop reasoning pathways to make decisions in an a priori unknown domain. It combines a classical AI technique, the expert system, with a its modern adaptation – the gradient descent trained expert system (GDTES) – and utilizes generative artificial intelligence (GAI) to create a network and training data set for this system. These can be created from available sources or may draw upon knowledge incorporated in a GAI's own pre-trained model. The learning process in GDTES is used to optimize the AI's decision-making. While this approach does not meet the standards that many have defined for an AGI, it provides a somewhat similar capability, albeit one which requires a learning process before use.

<u>Keywords</u>: multi-domain artificial intelligence, machine learning, adaptive learning, context-aware artificial intelligence, AI

1. Introduction

The concept of an artificial general intelligence (AGI) is truly the stuff of science fiction; however, like many things that start in science fiction, the state-of-the-art in artificial intelligence (AI) is edging ever closer to it becoming a reality. AGIs would provide general-purpose reasoning capabilities that could be utilized across problem domains that the AGI was a priori unfamiliar with. This capability would be equal to or, perhaps – when considering the potential for greater speed, accuracy, reproducibility and explainability – exceed human capabilities.

A variety of approaches to producing an AGI [1] have been suggested including chip designs, such as those that mimic the human brain [2] and those that bring together both computing and neuroscience principles [3]. Software techniques, such as pretraining with "huge multimodal data" [4], have also been proposed. Amongst this technical development, concerns about introducing AGIs have also been voiced [5].

This paper does not propose an AGI; however, it proposes a technology that can provide a similar more limited capability, via using a learning process regarding a given problem domain. To do this, it combines a classical AI technique – the expert system [6], its modern adaptation – the gradient descent trained expert system (GDTES) [7], and generative artificial intelligence (GAI).

The expert system provides the base domain knowledge storage and reasoning capability. GDTES provides a mechanism to optimize this capability. Finally, GAI is used to create the knowledge (facts) and decision-making pathways (rules) within the expert system that allow it to reason and be trained. It can also be used to generate a training data set for the system.

This paper continues, in Section 2, with a discussion of prior work which provides a foundation for the work presented herein. Then, in Section 3, the adaptive multi-domain artificial intelligence technology (AMAIT) is presented. This includes both an overview and a detailed discussion of each relevant component. Next, in Section 4, experimentation regarding the development of networks for AMAIT is presented and discussed. Finally, the paper concludes and discusses relevant future work, in Section 5.

2. Background

This section discusses prior work, in three key areas, which provides a foundation for the work presented herein. First, artificial intelligence and expert systems are discussed in Section 2.1. Then, in Section 2.2, prior work on gradient descent trained expert systems is presented. Finally, Section 2.3 presents an overview of prior work on GAI, including the LLaMA-2 model used for LLM output generation in this work.

2.1. Artificial Intelligence and Expert Systems

Al has many forms and functions. Al techniques have been developed based on nature, such as those based on insects [8], water flows [9] and humans' brains [10]. Techniques have also been developed based on logic, such as particle swarm optimization [11] and expert systems [6]. A number of techniques have been developed by combining collections of other techniques. Al has been used in numerous fields such as health care [12], business [13] and environmental protection [14].

Al techniques, particularly those based on machine learning, have shown great efficacy for solving a wide variety of challenges; however, many cannot be readily understood by humans [15]. Explainable AI (XAI) techniques have been developed to address this deficiency. These techniques include "Shapley-Lorenz decomposition" [16], "Bayesian teaching" [17], "evolutionary fuzzy" methods [18], and "fuzzy relations and properties" [19]. Arrieta, et al. [20] categorized XAI techniques into two groups: those which have "some degree of" inherent "transparency" and are "interpretable to an extent by themselves" [20] and those that explain other (non-explainable) techniques [20].

One type of inherently explainable AI technique is rule-fact expert systems. This technique makes inferences and deductions using facts (data elements) and rules (data element associations) [21]. Rule-fact expert systems trace their lineage back to the 1960s and 1970s and the Dendral [22] and Mycin [23] systems. They have been used in a variety of application areas including agriculture [24], education [25] and medicine [26].

Expert systems have been developed using fuzzy logic and fuzzy set concepts [27]. Mitra and Pal [28] developed a taxonomy which defined "fuzzy expert systems" as those using fuzzy sets [28]. The concept

of fraction values is key to the design of the gradient descent trained expert system [7], which is described in the next section and used in this work.

2.2. Gradient Descent Trained Expert Systems

In [7], a technique which conceptually merges rule-fact expert systems and neural networks was proposed. It utilizes gradient descent machine learning directly on a fractional-fact-value expert system's network.

In [7], the system began with a manually created network, which it optimized the weightings of, preventing it from learning non-causal (and potentially problematic) pathways (as this would require adding network segments, which was not possible). In [29], a technique for automating network creation by creating a more dense network and pruning it to only those segments that positively impacted the output was proposed. Manual review was then utilized to validate that all of the pathways in the final network were appropriate, before training was used to optimize performance.

The system's rule-fact network's facts store values between 0 and 1 and its rules have weighting values that indicate the contribution of each input to the output. Rules have two input facts and can be readily combined using multiplication's transitivity property. The weighting values (W1 and W2) of each rule must sum to 1 and each be between 0 and 1.

Algorithms were developed for training this network type and determining what level of change to apply to each rule weighting. These algorithms are presented in Figures 1 and 2, respectively. The performance of the training process is dependent on the data supplied and the velocity value and number of training epochs specified.

The algorithm [7] first identifies all nodes that directly impact the output and then identifies those that have indirect impact, using an iterative process. The direct or indirect contribution of each node is calculated and these values are stored in a contributions list. Each rule's contribution value is calculated by dividing its contribution by the aggregate of all rules' contribution. If a rule is part of more than one rule-fact contribution chain, only the greatest contribution value is stored and used.

A total-change-to-apply value is calculated by multiplying the velocity parameter by the difference between the expected and actual value for a given training run. The difference value that is applied to each rule is calculated by multiplying this total-change-to-apply value by the contribution level. This value is used to increase and reduce, as appropriate to the change being sought, the rule's weighting values. The values of the rule's inputs are analyzed to determine which is increased and which is reduced.




Figure 1. Training algorithm [7].

A training process was introduced in [7] and described in more detail in [30], which utilizes a 'perfect' network as a mechanism for generating synthetic data for machine learning system evaluation. This approach begins with two rule-fact networks with the same structure, but with different weightings. In [29], this concept was applied to networks of different configurations. Both networks are run, generating the difference value that is used for back propagation.

The use of the GDTES system with real-world data has been demonstrated in [31], [32].




Figure 2. Change application algorithm [7].

2.3. Generative Artificial Intelligence

Generative AI has been proposed for use in numerous disciplines [33] including education [34], material science [35], human resources [36], journalism [37], medicine [38], [39], psychology [40], chemistry [41] (particularly for applications such as drug development [39], [42]), biology [41], information technology and programming [43], hospitality [44], marketing [45], and business innovation [46]. Along with the potential that it presents to enhance creativity [47], increase productivity [48] and raise quality [48], concerns about its impact on developing countries [49], long-term creative output [47], [50] and numerous other impacts have been raised. Questions regarding the ethics surrounding its use for various applications [51], proper use and declaration [52], plagiarism [53], bias [54], hallucinations [54], misuse [54] and the long-term effects of training AI systems using AI-produced content [55] are amongst the myriad yet unresolved challenges posed.

Generative artificial intelligence comes in a variety of forms including generative adversarial networks, generative pre-trained transformer (GPT) models, generative diffusion models and geometric deep

learning [56]. Amongst these techniques, GPT models have become particularly well known because of the success and publicity surrounding ChatGPT and Open AI. Hofmann, Ruckel and Urbach [57] have identified six areas of "constructive functional capabilities" of generative techniques: "creating", "transforming", "modifying", "reconstructing", "reducing dimensionality" and "predicting".

Large language model developers use deep learning techniques [33], such as transformer neural networks, along with pre-processing techniques, such as tokenization and subword encoding, and extensive training to develop models which can then be further 'fine-tuned' by users for use in particular application areas. Techniques such as in-context learning and reinforcement learning are used to increase the efficacy of models for application use [58]. Some models are trained using proprietary, undisclosed or non-public sources; however, a few models (such as Meta's LLaMA) have been developed using only publicly available data [59].

The LLM used in this work is the MetaAl LLaMA-2 Chat model, which includes the pre-prompt "You are a helpful coding Al assistant." The additional pre-prompting and prompts used are discussed throughout this paper and in Appendix A. Meta uses several sources to train their LLaMA models. LLaMA was trained using "English CommonCrawl", the C4 dataset, public GitHub repositories, Wikipedia, Gutenberg, Books 3, ArXiv and Stack Exchange [59]. This provides the model with a significant amount of both general-topic and specialized knowledge-related training.

LLaMA uses GPT pre-normalization, the PaLM SwiGLU activation function and GPTNeo rotary embeddings and the AdamW optimizer [59]. LLaMA-2 was trained with "40% more total tokens" and a "doubled ... context length" [60]. According to Touvron, et al. [60], the "primary architectural differences from Llama 1" were the aforementioned context length increase and the use of "grouped-query attention".

LLaMA is designed for and evaluated in terms of its "zero-shot" and "few-shot" performance, "common sense reasoning", "closed-book question answering", "reading comprehension", "mathematical reasoning", "code generation" capabilities and "massive multitask language understanding" performance [59]. A number of common benchmarks were used to evaluate both LLaMA [59] and LLaMA-2 [60]. Notably, a key goal of the LLaMA models is the ability to run on less robust computing hardware than is required for other larger models while rivaling their performance [59]. The LLaMA-2 Chat model, which was used to provide the LLM outputs for this work, is "a fine-tuned version of Llama 2 that is optimized for dialogue use cases" [60].

3. The Adaptive Multi-Domain Artificial Intelligence Technology

This section introduces and describes the design for AMAIT, which is depicted in Figure 3. Initially, a broad overview is provided. Then, subsections 3.1 to 3.5 describe the key components of the AMIT system in more detail.




Figure 3. The AMAIT system.

The AMAIT system combines GAI, GDTES and expert system technologies. The GDTES form of rule-fact expert system, that utilizes decimal/fractional values (DFVs) for rules, is utilized for this purpose. These values can represent partial membership, ambiguity, confidence or other similar things, depending on the particular application area and network design. Each technology serves a critical role. Fundamentally, the long-term goal of AMAIT is to produce a DFV expert system that can reason regarding a problem domain with no human interaction beyond setting the initial parameters of what is needed and aiding the system in obtaining access to relevant data. Human review can, though, be incorporated in several places to aid the learning process and ensure accuracy and compliance.

The system begins with a GAI model that is able to generate content regarding the problem domain. This can be a pre-trained general-purpose model or a model that is created for a particular use or application area. This model provides content to a translator / transformer module which takes well data-formatted, human-readable English language text and translates / transforms it into an expert system network.

Next, the GAI can be used to create a training data set in the form of well data-formatted, humanreadable English language text. This is supplied to a supervised learning set creator translator / transformer module, which generates input values for all system inputs and the goal output to use for supervised learning. Initially, this is used to optimize the weightings that are applied to the rules within the GDTES system.

Notably, manually collected data can be used for this step, if available. Also, other synthetic data generation techniques could potentially be used.

The third major step uses the GAI to create a training data set (which, again, is well-formatted, humanreadable English language text) which is, again, supplied to the supervised learning set creator translator / transformer module. In this case, it is used to produce data that is used to optimize the network itself (as was described in [29]). Notably, after network optimizations are performed, the process of optimizing weights should be performed again to maximize system performance. This step is not depicted separately in the diagram for purposes of brevity.

As above, manually collected data or other synthetic generation techniques could also be utilized for this step.

Finally, the GDTES model is tested to ensure that it is suitable for use, prior to entering service. First, it is tested using new GAI-sourced (or manually collected or otherwise synthetically generated) data. Then, it is tested using real-world data, if available. The system can also be refined over time, using feedback mechanisms during its operations, if applicable to the problem domain.

3.1. Use Generative AI for Domain Learning

The AMAIT system development process begins with the creation of a GDTES model of the selected topic area. This is produced using output from a GAI and a module that translates this output to the rules and facts of a GDTES.

3.1.1. Generative Al

A generative AI model is needed to begin this process. This could be a large language model that has been trained using an extensive set of content. Alternatively, it could be a domain-specific or a smaller language model that is relevant to the application domain.

The generative AI model must be prompted to produce network-relevant content and to format its output in a way that can be directly imported by the translate / transform module. Typically, this will require a format similar to:

[unique identifier]+[unique identifier]>>[unique identifier]

In [61], a format was proposed for creating facts:

F####:{FGUID}=000.000:Description (VAR)

A format was also proposed, in [61], for creating rules that interconnect them:

R####:{R1GUID}:{F1GUID}=0.000+{F2GUID}=0.000>>{F3GUID}:Description (VAR)

However, these formats can be simplified, as initial values and rule weightings are not needed at this stage.

If a desirable GAI can be used to directly produce the requisite input format, minimal use of the translate / transform module is needed. It would still be used to process the import.

3.1.2. Translate / Transform Module

To facilitate use with a broad collection of GAIs, a variety of translation capabilities can be provided by the translate / transform module. First, terminology can be used as the unique identifiers, instead of fact numbers. The only requirements are that the terminology is used with precise consistency and that the identifiers not have quotation marks in them. A simple logical model could, thus, be created using the commands:

"Temperature"+"Time">>"Baking"

This would, if not already present, create facts for 'temperature', 'time' and 'baking' and create a rule that has temperature and time as inputs and baking as an output. The initial values of the facts and weighting of the rules can be set arbitrarily and replaced in a later step. More complex phrases can be used instead of these single-word values, as long as they are used with precise consistency.

Additionally, the translate / transform module is designed to make simple text-to-format conversions to support GAIs that output in prose instead of a more specific format. For example, the simple logical model could be produced with the sentence:

"Temperature and time produce baking."

This could then be parsed to be equivalent to the previously specified format. A collection of words that specify a connection between inputs and outputs (e.g., 'produce', 'create', 'yield') can be specified to facilitate greater compatibility with GAI outputs.

3.1.3. Review

Once the initial network is created, it should be reviewed for accuracy, compliance and logical soundness. This involves two steps, which can be conducted in either order and should be iterated between, if changes are made.

First, human review of the system should be performed. The human reviewer, who should be knowledgeable about the problem domain, should look for any instances where it appears that the rule-fact network is inaccurate. These could be the incorporation of invalid assumptions, the embodiment of confounding or surrogate variables into the network or issues where a correlating factor is being treated as being causal. Additionally, if the application domain has specific regulations that must be adhered to (such as rules regarding the use of AI in hiring, see, e.g., [62], [63]), the human reviewer should check for compliance with these, at this point.

Second, logical review of the system – looking for redundancies, loops and other issues – should be performed. This could be performed by the translate / transform module; however, the human reviewer can also look for these issues, as well. The human may, in particular, be able to detect instances where the system is using different terminology to represent the same concepts, thus creating redundancies or other logical issues that are not readily identifiable through automated detection processes.

If either review step makes significant changes, the other review step should be performed again. A threshold for the level of change required to trigger re-review should be set as a system parameter to determine when this occurs. While the design process should iterate between human and automated

logic reviews, a human review should be performed last, particularly if the application domain has significant compliance requirements.

3.2. Use Generative AI to Optimize the GDTES Model Weightings

This section discusses how GAI can be used to initialize and optimize the GDTES model. First, in Section 2.2.1, the process of initializing facts and weighting values is discussed. Then, in Section 2.2.2, the process of creating data, using a GAI, to support the supervised learning process is presented. Next, in Section 2.2.3, the use of supervised learning for training the GDTES model is covered. Finally, Section 2.2.4 discusses the use of human review in this process.

3.2.1. Initializing Facts and Weightings

A key first step, for many application areas, is the initialization of a network's facts and weightings. With a conventional neural network, the internal nodes (software neurons) and their interconnecting pathways are meaningless, prior to network use. They are also not typically associated with specific entities (though some work has been done associating particular decisions and reasoning with network areas [64]). GDTES networks, however, can assign meaning to nodes (facts) and pathways (rules) and may not have a clearly defined set of input nodes (as values for entity-associated nodes can be changed by network operations and/or collected from relevant data sources).

GDTES nodes, thus, can have realistic values set. Alternately, they can have default values set (such as 0.5). One area of planned future work is to support null values, to prevent values that have not been explicitly set from being used for reasoning. Determining whether initial values need to be set for facts is an application-specific decision. Alternately, if default values are used, the selected default values may benefit from optimization. In many cases, if initial values are used, some default values may still be needed for facts that do not directly correlate with an entity or where values cannot be readily obtained. Again, these default values can be optimized to potentially enhance system performance.

GDTES rules present similar considerations. In some cases, rules may benefit from being set to known or commonly used values to facilitate their faster optimization. In most cases, rule weightings will be learned through the optimization process and can be set to default values. The default values utilized can be optimized to enhance the speed and efficacy of the learning process. An area of planned future work is to have a mechanism to set rule weightings as unchangeable by the optimization process as a way to prevent rules that may have a specific compliance or other similar requirement for a given value from being changed (necessitating additional optimization steps to optimize the network around them).

3.2.2. Create Supervised Learning Data

The next step in the AMAIT system development process is to use a GAI to create a dataset for use for supervised learning. This dataset can be generated from the same GAI used to create the GDTES network and will be produced through GAI prompting. The GDTES system utilizes two commands for the training process. The set fact command is utilized to set all input facts' values [61]:

SF: {FGUID}=000.000

The train command is used to initiate the training process. Note that the one set fact command is included in the train command. Any others that are needed, prior to training, use the set fact command. The train command format is [61]:

TR:{FGUID}=000.000>####:0.00>{FGUID}=000.000

To facilitate the use of the system with multiple GAIs, a prose version of this can be used. The supervised learning dataset creator module will convert to this format from English language formats. The set fact command can be specified as:

"Temperature has a value of 100" or "Temperature is 100"

The train command can be specified, directly equivalent to the above command, as:

"When temperature is 100, baking is 10"

A more general format can also be used:

"When temperature is 100 and time is 20, baking is 10"

As with the translate / transform module, additional words and phrases can be used to indicate association. Additionally, words can be identified as indicating units of measurement, facilitating them being discounted. An area of planned future work is to add support for units of measurement conversion.

It is important to note that, if manually collected data is available, it can be used for this process. Other synthetic data generation techniques can also potentially be used, which is a key area of planned future work.

3.2.3. Use Supervised Learning Data to Train the GDTES Model and Optimize its Weightings

Once the dataset has been produced, the normal GDTES training process can be utilized to optimize the weightings of rules. To do this, a series of set fact and train commands are run in succession. This training process is substantially similar to the training approach used for neural networks, aside from the potential lack of a defined input layer. Because GDTES networks can have entity-associated facts throughout the network, values can potentially be set from external sources at multiple locations, as opposed to there being a single input layer.

3.2.4. Human review

Human review can be conducted at two points during this process. A human can be tasked to review the dataset that is created for supervised learning. This review can focus on ensuring that the data is relevant, has accurate association between inputs and output and is reasonably representative of the application domain area.

Additionally, a human can review the updates to the model after the supervised learning process concludes. In particular, this review can look for unexpectedly high or low weightings or those that seem illogical. Because the underlying expert system is human understandable, a very low-level review (on a

fact-by-fact and rule-by-rule basis) can be conducted, albeit at significant time expense. Of particular interest, during this review, would be any weightings of 100% / 0%, which effectively change the network by giving total weight to one pathway and none to another.

Unused and low-value pathways will be removed in the subsequent step; however, validating the correctness of these weightings can potentially identify issues and errors.

3.3. Optimize Gradient Descent Expert System Model

Once the initial optimization has been completed, the network itself can be optimized to potentially reduce its complexity and the amount of processing time required. This section discusses this optimization process. Section 3.3.1 covers how the existing GAI-generated training data (from the weighting optimization process), new GAI-generated training data, other synthetically generated data or manually collected data can also be used to optimize the underlying network itself. Then, Section 3.3.2 discusses the use of human review of the system to ensure that optimizations are valid and don't introduce oversimplification, confounding, compliance or other issues.

3.3.1. Using Existing or New GAI-Generated Training Data to Optimize the GDES Network

Previously, a process of network creation was proposed, in [29], which created a large network and then pruned it to the required components. This facilitated the automated creation of GDTES networks, simplifying their creation to have closer to the creation requirements of neural networks. GDTES networks, however, still required manual entity association and review, to ensure their defensibility and explainability.

This paper has proposed a new approach to network creation which uses a GAI instead of the makelarge-network-and-prune process; however, the pruning capability can still be utilized to optimize the network. The pruning process identifies rules and facts which, when removed, have positive, no or minimal negative impact on the performance of the system. This is determined by selectively removing rules and facts and assessing the impact of doing so. Rules and facts that have positive or no impact, when removed, result in enhanced network speed through reducing the number of rules that must be assessed on each run. The rule and fact removal assessment process can also identify network issues which, when removed, reduce error. Thus, the process can enhance the quality of results as well. A threshold value can also be set to determine what level of performance quality impairment is acceptable to gain the speed benefit of rule and fact removal. This effectively reduces the fidelity of the network to enhance its speed. Notably, the process can be run without removing rules and facts that have a negative removal quality impact.

3.3.2. Human Review

As with other optimization and network change processes, human review can and, in many cases, should be performed to ensure that errors, non-causal correlations, compliance violations and other issues were not introduced. This human review process takes the same form as was previously described. Notably, if multiple optimization steps are being performed, a human review may not be needed after each step. A single human review could be performed at the end, in some cases; however, delaying the human review may prevent some optimization steps from benefiting from changes that would have been introduced by human review earlier in the process.

The requirement for human review and the level of focus given to it is highly application area dependent. Application areas presenting higher levels of risk or liability will dictate greater levels of review need than those carrying lower risk.

3.4. Test with New GAI Generated Data

Once the network creation and optimization processes are complete, the next step in producing a network for use is its validation. A two-phase validation approach is proposed; however, the exact validation that is used may necessarily vary by application area, depending on what data is available. Additionally, if the system has been subjected to a high degree of human review, the validation may (while still a good practice and potentially useful to characterize performance) be less crucial than it otherwise would be.

The first phase in this validation process is the use of GAI-supplied data for validation. This phase uses a similar data format to the data used in the previous two phases; however, no training is conducted. Instead, data is presented and the system's output is compared to the target values. The average error produced (using any standard error metric, such as average absolute error or mean squared error) can be utilized to characterize the performance of the system. This can also facilitate comparison of a system developed using this technique to systems developed with alternate techniques.

While this data is informative, it is still heavily reliant on the accuracy of the GAI and the utility of its output. Notably, if sufficient real-world data is readily available, it can be utilized. Other synthetic data generation techniques can also be utilized. Generally, synthetic generation techniques are needed when no or limited real-world data is available. Because of the potential for differences between real-world and synthetically generated data, a second validation step should also be utilized (unless real-world data was utilized for this step).

3.5. Test with Real World Data

In domains where real-world data is readily available, or can be collected, it should be used to perform a final validation of the system. This is potentially a more time-expensive process, as the data may need to be sourced and converted manually. However, pre-existing datasets may be available that can be utilized, either from the user of the system being developed or publicly available sources.

Like with the GAI data validation, the real-world data is presented to the AMAIT system and the AMAIT system's output is compared to the target values. The average error produced (again using any standard error metric) is used to characterize the performance of the system. This data can also be used to characterize the efficacy of the GAI training data, as well. Validation data may also be useful to compare the performance of the AMAIT-based system to systems that have been built with other techniques and assessed using a given dataset, previously.

If either validation step produces insufficiently accurate results, additional analysis is required. Additionally, if only one validation step produces inaccurate results, analysis should be conducted regarding the real-world representativeness of the GAI-produced data. If the GAI has representativeness issues, this may also impair network creation and optimization, so these phases should also be reviewed.

4. Experimentation, Results and Discussion

To evaluate the performance of the proposed system design, focus was placed on the creation of the initial network, given prior work demonstrating the functionality of the rest of the process (which was described in Section 2.2). Several test system networks were developed. For each, prompts were generated and supplied to the LLaMA-2 Chat LLM to populate the network. The prompts and results are shown in Appendix B. The pre-prompts used for each prompt are presented in Appendix A.

The first network, which was developed at a high level, modeled a car (the details of this are shown in Table 1). To facilitate testing, due to the inclusion of other extraneous text, the relevant area of the LLM response was manually selected. An automated process was used to remove leading asterisks and place the node name and description (separated by a colon) into their respective fields. A depiction of the layout of this network is shown in Figure 4.

Object	Description from LLM
"Chassis"	"the frame of the car, which provides structural support and holds the other components together."
"Engine"	"the power source of the car, which converts fuel into energy to propel the vehicle forward."
"Transmission"	"the system that transmits power from the engine to the wheels, allowing the car to move."
"Brakes"	"the system that slows or stops the car by applying friction to the wheels."
"Suspension"	"the system that connects the wheels to the chassis and allows for smooth movement over bumps and uneven surfaces."
"Steering"	"the system that allows the driver to control the direction of the car, including the steering wheel, steering column, and steering gear."

Table 1. Top-level components identified for 'car'.




Figure 4. Model of 'car' based on LLM output.

A second high-level system was created for a school using the same process. The top-level components for the school, identified by the LLM, are presented in Table 2 and the model created is depicted in Figure 5.

Object	Description from LLM
"Classrooms"	"the physical spaces where learning takes place, equipped with teaching materials,
	technology, and furniture."
"Teachers"	"the individuals who lead classroom instruction, providing knowledge and guidance to
	students."
"Students"	"the children or young adults who attend school, participating in classes and learning
	various subjects."

Table 2. Top-level components identified for 'school'.

"Curriculum"	"the specific courses, topics, and activities that are taught in each grade level or subject area."
"Administrators"	"the individuals who manage the school's operations, including principals, vice principals, and department heads."
"Support staff"	"the individuals who provide additional services to students and teachers, such as
Support starr	librarians, counselors, and maintenance workers."




Figure 5. Model of 'school' based on LLM output.

A third high-level model was created for a human. Again, the same process was used. The top-level objects and their descriptions, from the LLM, are presented in Table 3. The high-level model for the human is presented in Figure 6.

Table 3. Top-level components identified for 'human'.

Object	Description from LLM
"Physical	"the material structure of the human being, including the head, neck, torso, arms, and
body"	legs, which are made up of organs, bones, muscles, and other tissues."
"Brain"	"the control center of the body, responsible for processing information, controlling
	movement, and enabling thought, emotion, and consciousness."
"Nervous	"the network of nerves and neurons that carries messages between the brain and the rest
system"	of the body, allowing for coordination and control of movements and functions."
"Senses"	"the sensory organs and systems that allow humans to perceive and interpret their
	environment, including the visual, auditory, olfactory, gustatory, tactile, and
	proprioceptive systems."
"Endocrine	"the network of glands and hormones that regulate growth, Development, and Functions
system"	of the body, including the pituitary gland, thyroid gland, adrenal gland, pancreas, and
	gonads."
"Immune	"the system of organs and cells that protect the body from infection and Disease,
system"	including the lymphatic system, spleen, and white blood cells."




Figure 6. Model of 'human' based on LLM output.

These three models show that the LLM can readily identify the components of a system. Notably, in each case, the LLM identified six top-level components, which may suggest a propensity to identify six components. This is also seen in later decomposition levels. Additionally, these top-level components may not be the same as would be defined by a human expert. Notably, human intervention, at this point, could facilitate the use of a LLM for lower-level decomposition for a human-adjusted high-level design.

The human model was selected for further analysis and decomposition. The physical body top-level component was selected as an area of focus (the output for the nervous system is included in Appendix B, showing that it could be similarly decomposed). Notably, the decision was made to identify sub-components by their full decomposition path, as some sub-component names could be otherwise ambiguous to the LLM, potentially resulting in error. Appendix B presents the prompt and response for "nervous system" and "nervous system of human" for comparison. The full-path description is used for the remainder of the prompts in this work. Thus, to decompose the physical body sub-component, the prompt was "physical body of human". Note that capitalization was not changed in the prompt from what was returned by the LLM; however, typical capitalization has been utilized in table captions. The LLM identified components of the physical body are presented in Table 4.

Object	Description from LLM
"Head and neck"	"includes the skull, brain, eyes, ears, nose, mouth, and throat."
"Trunk"	"includes the chest, abdomen, back, and spine."
"Arms"	"includes the shoulder, arm, elbow, forearm, wrist, and hand."
"Hands"	"include the fingers and thumb."
"Legs"	"includes the hip, thigh, knee, calf, ankle, and foot."
"Feet"	"include the toes and soles."

Table 4. Components identified for 'physical body of human'.

An additional prompt was issued for each component of the physical body response. The next level of responses for each sub-component are presented in Tables 5 to 10. Note that the lists presented in Table 4 were not utilized, an additional query was issued for each, which produced the results (including the description) in these tables.

Object	Description from LLM
"Skull"	"includes the cranium, facial bones, and teeth. The skull protects the brain and supports the face and jaw."
"Brain"	"includes the cerebrum, cerebellum, brainstem, and other structures. The brain controls cognitive functions, movement, sensation, and other bodily processes."
"Eyes"	"include the eyeballs, eyelids, pupils, and irises. The eyes sense light, color, and depth to provide visual information to the brain."
"Ears"	"include the outer ear, middle ear, inner ear, and auditory nerve. The ears collect sound waves and transmit them to the brain for processing."
"Nose"	"includes the nasal cavity, nostrils, and olfactory receptors. The nose senses odors and helps regulate breathing."

Table 5. Components identified for 'head and neck of physical body of human'.

"Mouth"	"includes the lips, cheeks, tongue, teeth, and gums. The mouth is responsible for eating,
	speaking, and expressing emotions."
"Throat"	"includes the pharynx, larynx, and esophagus. The throat connects the mouth to the
	digestive system and allows for breathing and voice production."

Table 6. Components identified for 'trunk of physical body of human'.

Object	Description from LLM
"Thoracic	"includes the ribs, sternum, and thoracic vertebrae. The thoracic cage protects the
cage"	organs in the chest cavity and provides attachment for muscles that control movement and breathing."
"Spine"	"includes the cervical, thoracic, and lumbar vertebrae. The spine provides support and structure for the body, facilitates movement, and protects the spinal cord."
"Rib cage"	"includes the ribs and sternum. The rib cage protects the organs in the chest cavity and helps regulate breathing."
"Abdomina I wall"	"includes the abdominal muscles and the anterior and posterior abdominal walls. The abdominal wall provides support for the internal organs and helps regulate body movements."
"Pelvis"	"connects the spine to the legs and supports the body's weight. The pelvis also provides attachment for muscles that control movement and breathing."

During the data collection process, the LLM changed its output format beginning with its response to arms (the data from which is presented in Table 7). For this new format, numbers were used instead of asterisks. These numbers were manually removed (from this point onwards). Additionally, the correct area of text within each response had to be manually identified, due to the inclusion of extraneous text in the result, such as a summarization of the layer above.

Table 7. Components identified for 'arms of physical body of human'.

Object	Description from LLM
"Shoulder"	"Connects the arm to the body, provides a wide range of motion, and facilitates grasping
	and manipulation of objects."
"Upper	"Provides support and stability for the arm, allows for flexion and extension of the
arm"	shoulder joint, and assists in lifting and carrying objects."
"Forearm"	"Facilitates rotation of the hand and wrist, provides support and stability for the hand
	during grasping and manipulation of objects, and assists in lifting and carrying objects."
"Hand"	"Provides fine motor control, allows for grasping and manipulation of objects, and
	facilitates communication through sign language."
"Wrist"	"Provides flexion and extension of the hand, allows for rotation of the forearm, and
	assists in grasping and manipulation of objects."
"Fingers"	"Provide finer motor control, allow for precision grip and manipulation of small objects,
	and facilitate communication through sign language."
"Thumb"	"Opposes the fingers during grasping and manipulation of objects, provides stability and
	support for the hand, and facilitates communication through sign language."

Table 8. Components identified for 'hands of physical body of human'.

Object	Description from LLM
"Wrist"	"The wrist is the joint that connects the hand to the forearm. It provides flexion and
	extension of the hand, allowing for rotation of the forearm and grasping of objects."

"The palm is the inner surface of the hand, and is composed of fat and muscles that help
absorb shock and provide support for the fingers."
"The fingers are five in number, and are responsible for providing fine motor control and
precision grip during grasping and manipulation of objects. Each finger has three joints
that allow for flexion, extension, and rotation."
"The thumb is a short, thick first digit that opposes the fingers during grasping and
manipulation of objects. It also provides stability and support for the hand during fine
motor movements."
"Each finger has three bones called phalanges, which are connected by joints to form the
finger. The thumb only has two phalanges."
"There are several muscles in the hand that work together to provide movement and
control during grasping and manipulation of objects. These include the flexor and
extensor muscles, which run from the forearm into the fingers and thumb, and the
thenar and hypothenar muscles, which control the movements of the thumb and
fingers."

Table 9. Components identified for 'legs of physical body of human'.

Object	Description from LLM
"Femur"	"The femur is the longest bone in the human body, and connects the hip joint to the
	knee joint. It provides support and stability for the body, and facilitates movement such
	as walking, running, and jumping."
"Patella"	"The patella, or kneecap, is a small bone that sits in front of the knee joint and helps
	protect it from wear and tear."
"Tibia and	"The tibia and fibula are two bones in the lower leg that connect the knee joint to the
fibula"	ankle joint. They provide support and stability for the body, and facilitate movement
	such as walking, running, and jumping."
"Ankle	"The ankle joint is a hinge joint that connects the tibia, fibula, and femur bones. It
joint"	allows for movement of the foot in multiple planes."
"Calf	"There are several muscles in the lower leg that work together to provide movement
muscles"	and Support the body, Such as the gastrocnemius, soleus, and peroneal muscles."
"Tendons"	"The tendons are tissues that connect the muscles to the bones and allow for
	movement."

 Table 10. Components identified for 'feet of physical body of human'.

Object	Description from LLM
"Toes	"The toes are five in number, and are responsible for providing balance and support
	during movement. Each toe has three joints that allow for flexion, extension, and rotation."
"Arch"	"The arch is a curved structure on the inner surface of the foot that provides support
	and stability for the body. It helps distribute weight evenly across the foot, and
	facilitates movement such as walking and running."
"Heel"	"The heel is the back part of the foot, and provides support and stability for the body
	during movement. It also serves as a point of contact with the ground during activities such as standing and walking."
"Ankle	"The ankle joint is a hinge joint that connects the foot to the lower leg. It allows for
joint"	movement of the foot in multiple planes, and provides support and stability for the
	body during movement."

"Plantar	"A band of tissue on the bottom of the foot that runs from the heel to the toes, and
fascia"	helps provide support and stability for the foot during movement."
"Muscles	"There are several muscles in the foot that work together to provide movement and
of the	support for the body, such as the abductor hallucis, flexor digitorum longus, and
foot"	peroneal muscles."

It is worth noting that some overlap was generated by the LLM. For example, hands were identified as a top-level category; however, a 'hand' was included in each arm. The ankle joint was, similarly, identified in both the legs and feet responses. Because only a single category was selected for additional decomposition in this study, this didn't need to be resolved. However, this duplication could serve to create linkages between objects and its potential use merits further future study. In some cases, de-duplication (instead of linkage identification) may be required.

The feet were selected for further decomposition. Tables 11 to 16 present the next level of decomposed component objects for each primary sub-object under feet. Note that the full path approach for prompts (i.e., prompting with 'toes of feet of physical body of human') continued to be used.

Object	Description from LLM
"Phalanges"	"Each toe has three phalanges, or bones, that are connected by joints to form the
	toe. The big toe, or hallux, only has two phalanges."
"Metatarsals"	"The metatarsals are five long bones in the foot that connect the toes to the
	midfoot. They help distribute weight evenly across the foot."
"Intermetatarsal	"A band of tissue that connects the first metatarsal bone to the Second and Third
ligament"	Metatarsal Bones, and helps Provide Stability and Support for the Foot during
	Movement."
"Toe muscles"	"There are Several Muscles in the foot That Work together to Provide movement
	and Support for the Body, Such as the Abductor hallucis, Flexor digitorum longus,
	and Peroneal Muscles."

Table 11. Components identified for 'toes of feet of physical body of human'.

Table 12. Components identified for 'arch of feet of physical body of human'.

Object	Description from LLM
"Curved	"The arch is a curved structure on the inner surface of the foot that provides support
structure"	and stability for the body. It helps distribute weight evenly across the foot, and
	facilitates movement such as walking and running."
"Plantar	"A band of tissue on the bottom of the foot that runs from the heel to the toes, and
fascia"	helps provide support and stability for the foot during movement."
"Longitudinal	"The longitudinal arch is a curved structure that runs along the length of the foot,
arch"	and provides support and stability for the body during movement."
"Transverse	"The transverse arch is a curved structure that connects the metatarsal bones on
arch"	either side of the foot, and helps provide stability and support for the foot during
	movement."
"Muscles of	"There are several muscles in the arch that work together to provide movement and
the arch"	support for the body, such as the abductor hallucis, flexor digitorum longus, and
	peroneal muscles."

Table 13. Components identified for 'heel of feet of physical body of human'.

Object	Description from LLM
"Calcaneus	"The calcaneus bone is the largest bone in the heel, and provides support and stability
bone"	for the body during movement. It also helps absorb shock during impact activities such
	as running and jumping."
"Heel pad"	"A thick layer of fatty tissue that covers the bottom of the heel bone, and helps
	provide cushioning and support for the foot during movement."
"Achilles	"A band of tissue that connects the calfesus muscle to the heel bone, and helps
tendon"	provide strength and stability for the foot during movement."
"Plantar	"A band of tissue that runs along the bottom of the foot, and helps provide support
fascia"	and stability for the foot during movement."
"Heel	"There are several muscles in the heel that work together to provide movement and
muscles"	Support for the body, such as the gastrocnemius, soleus, and peroneal muscles."

Table 14. Components identified for 'ankle joint of feet of physical body of human'.

Object	Description from LLM
"Talus bone"	"A small, irregularly-shaped bone that forms the lower part of the ankle joint, and
	helps provide support and stability for the foot during movement."
"Tibia and	"The tibia and fibula are two long bones in the leg that connect to the talus bone at
fibula"	the ankle joint. They help provide strength and stability for the foot during
	movement."
"Ligaments"	"There are several ligaments in the ankle joint that help provide support and stability
	for the foot during movement, such as the anterior tibiofibular ligament, posterior
	tibiofibular ligament, and the deltoid ligament."
"Tendons"	"There are several tendons in the ankle joint that help provide strength and stability
	for the foot during movement, such as the achilles tendon and the peroneal tendons."
"Muscles"	"There are several muscles in the ankle joint that work together to provide movement
	and support for the body, such as the gastrocnemius, soleus, and peroneal muscles."

Table 15. Components identified for 'plantar fascia of feet of physical body of human'.

Object	Description from LLM
"Central	"The central band is the thickest part of the plantar fascia, and runs along the length
band"	of the foot. It helps to provide support and stability for the foot during movement."
"Lateral	"The lateral bands are thinner than the central band, and run along the sides of the
bands"	foot. They help to provide additional support and stability for the foot during
	movement."
"Plantar	"This is a thin layer of tissue that covers the plantar fascia, and helps to provide
aponeurosis"	additional support and stability for the foot during movement."

Table 16. Components identified for 'muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Gastrocnemius"	"This is a two-headed muscle that runs from the knee to the heel, and helps to
	provide flexion at the ankle joint."
"Soleus"	"This is a flat muscle that runs underneath the gastrocnemius, and helps to
	provide flexion at the ankle joint."
"Peroneal	"These are three muscles on the outside of the foot that help to provide rotation
muscles"	and circumduction at the ankle joint."

"Abductor	"This is a muscle on the top of the foot that helps to provide abduction, or
hallucis"	movement away from the body."
"Flexor digitorum	"This is a muscle on the front of the foot that helps to provide flexion at the toe
longus"	joints."
"Flexor hallucis	"This is a muscle on the top of the foot that helps to provide flexion at the big
brevis"	toe joint."
"Extensor	"This is a muscle on the back of the foot that helps to provide extension at the
digitorum brevis"	toe joints."
"Tibialis anterior"	"This is a muscle in the front of the leg that helps to provide movement and
	support for the foot during activities such as walking and running."

A combined model of the decomposition up until this point was produced and is presented in Figure 7. The muscles of the foot were selected for further decomposition.

As the component objects of the muscles of the foot are specific muscles, they are the 'leaf objects' of the model. Thus, focus now turns to collecting information that can be used to develop rules regarding them. The determination of leaf-object status was made manually; however, in many cases, this may be able to be identified automatically, as no further decomposition would be possible (potentially resulting in a restatement of the same level's text or other non-decomposition results). The process for making the 'leaf node' identification determination remains an area for future work.

The functions of the different foot muscles are presented in Tables 17 to 32, along with injury damage impact risks for each function. Notably, eight responses were provided this time, instead of the six that had been common up until this point. However, these eight are not the complete set of foot muscles (there are 19 "intrinsic foot muscles" and 10 which "originate outside the foot, but cross the ankle joint to act on the foot" [65]). For the purposes of this experimentation, the reduced number of muscles simplified the network; however, for real-world use this would be unacceptable and all components would need to be identified. Additional prompt engineering to evoke all components, thus, remains an important area for future work.




Figure 7. Combined model of human down to components of the foot.

Table 17. Functions identified for 'gastrocnemius of muscles of the foot of feet of physical body of human'.

Function	Description from LLM
----------	----------------------

"Flexion at the	"The gastrocnemius muscle helps to provide flexion at the ankle joint, which allows
ankle joint"	for activities such as walking and running."
"Propulsion"	"The gastrocnemius muscle helps to provide propulsion during activities like running and jumping."
"Balance"	"The Gastrocnemius also helps to maintain balance during activities such as standing on one leg."

Table 18. Injury / damage impact for 'gastrocnemius of muscles of the foot of feet of physical body of human'.

Risk	Description from LLM
"Strains"	"Strains in the Gastrocnemius can occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Cramping"	"Cramping in the Gastrocnemius can be a sign of overuse or poor circulation."
'Weakness"	"Weakness in the Gastrocnemius can affect overall foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 19. Functions identified for 'soleus of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Flexion at the	"The soleus muscle helps to provide flexion at the ankle joint, which allows for
ankle joint"	activities such as walking and running."
"Propulsion"	"The soleus muscle helps to provide propulsion during activities like running and
	jumping."
"Balance"	"The Soleus also helps to maintain balance during activities such as standing on one
	leg."

Table 20. Injury / damage impact for 'soleus of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Strains"	"Strains in the Soleus can occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
'Cramping"	"Cramping in the Soleus can be a sign of overuse or poor circulation."
"Weakness"	"Weakness in the Soleus can affect overall foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 21. Functions identified for 'peroneal muscles of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Eversion"	"The peroneal muscles help to evert the foot, which means they rotate it outward
	and away from the body."
"Plantarflexion"	"The peroneal muscles also help to plantarflex the foot, which means they rotate
	it downward and backward."
"Stability"	"The peroneal muscles help to provide stability to the ankle joint and prevent
	excessive inversion (rolling inward)."
"Balance"	"The peroneal muscles also play a crucial role in maintaining balance during
	activities such as walking and running."

Table 22. Injury / damage impact for 'peroneal muscles of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Sprains"	"Sprains in the Peroneal muscles can occur due to overuse or sudden movement."
"Strains"	"Strains in the Peroneal muscles can also occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Weakness"	"Weakness in the Peroneal muscles can affect overall foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 23. Functions identified for 'abductor hallucis of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Abduction"	"The abductor hallucis muscle helps to abduct the foot, which means it moves it
	away from the body."
"Flexion"	"The abductor hallucis also assists with flexion at the ankle joint, which means it
	helps to bend the foot downward."
"Stability"	"The abductor hallucis muscle helps to provide stability to the ankle joint and
	prevent excessive inversion (rolling inward)."
"Balance"	"The abductor hallucis also plays a crucial role in maintaining balance during
	activities such as walking and running."

Table 24. Injury / damage impact for 'abductor hallucis of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Sprains"	"Sprains in the abductor hallucis muscle can occur due to overuse or sudden movement."
"Strains"	"Strains in the abductor hallucis muscle can also occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Weakness"	"Weakness in the abductor Hallucis muscle can affect Foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 25. Functions identified for 'flexor digitorum longus of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Flexion"	"The FDL muscle helps to flex the toes, which means it bends them downward."
"Proper	"The FDL muscle helps to maintain proper alignment of the foot during activities such
alignment"	as walking and running."
"Stability"	"The FDL muscle also helps to provide stability to the ankle joint and prevent excessive inversion (rolling inward)."
"Balance"	"The FDL muscle plays a crucial role in maintaining balance during activities such as
	walking and running."

Table 26. Injury / damage impact for 'flexor digitorum longus of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Sprains"	"Sprains in the FDL muscle can occur due to overuse or sudden movement."
"Strains"	"Strains in the FDL muscle can also occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Weakness"	"Weakness in the FDL muscle can affect Foot function and lead to compensatory
	mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 27. Functions identified for 'flexor hallucis brevis of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Flexion"	"The FHB muscle helps to flex the big toe, which means it bends it downward."
"Proper	"The FHB muscle helps to maintain proper alignment of the foot during activities such
alignment"	as walking and running."
"Stability"	"The FHB muscle also helps to provide stability to the ankle joint and prevent excessive
	inversion (rolling inward)."
"Balance"	"The FHB muscle plays a crucial role in maintaining balance during activities such as
	walking and running."

Table 28. Injury / damage impact for 'flexor hallucis brevis of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Sprains"	"Sprains in the FHB muscle can occur due to overuse or sudden movement."
"Strains"	"Strains in the FHB muscle can also occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Weakness"	"Weakness in the FHB muscle can affect Foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 29. Functions identified for 'extensor digitorum brevis of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Extension"	"The EDB muscle helps to extend the toes, which means it straightens them."
"Proper	"The EDB muscle helps to maintain proper alignment of the foot during activities such
alignment"	as walking and running."
"Stability"	"The EDB muscle also helps to provide stability to the ankle joint and prevent excessive
	eversion (rolling outward)."
"Balance"	"The EDB muscle plays a crucial role in maintaining balance during activities such as
	walking and running."

Table 30. Injury / damage impact for 'extensor digitorum brevis of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
Object	

"Sprains"	"Sprains in the EDB muscle can occur due to overuse or sudden movement."
"Strains"	"Strains in the EDB muscle can also occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Weakness"	"Weakness in the EDB muscle can affect Foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Table 31. Functions identified for 'tibialis anterior of muscles of the foot of feet of physical body of human'.

Object	Description from LLM		
"Flexion"	"The tibialis anterior muscle helps to flex the foot, which means it bends the toes		
	downward."		
"Proper	"The tibialis anterior muscle helps to maintain proper alignment of the Foot during		
alignment"	activities such as walking and running."		
"Stability"	"The tibialis anterior muscle also helps to provide stability to the ankle joint and prevent		
	excessive eversion (rolling outward)."		

Table 32. Injury / damage impact for 'tibialis anterior of muscles of the foot of feet of physical body of human'.

Object	Description from LLM
"Sprains"	"Sprains in the tibialis anterior muscle can occur due to overuse or sudden movement."
"Strains"	"Strains in the tibialis anterior muscle can also occur due to overuse or sudden movement."
"Tears"	"Tears in the muscle fibers can happen due to trauma or degenerative changes."
"Weakness"	"Weakness in the tibialis anterior muscle can affect Foot function and lead to compensatory mechanisms."
"Swelling"	"Swelling in the ankle joint can occur due to injury or inflammation."

Notably, in addition to identifying the function for each sub-component of the muscles of the foot, the risks that could impair that muscle (and, thus, those functions) were also collected. Initially, this was prompted for separately. However, the LLM consistently returned this information as part of the functionality prompt response. To prevent the need (in a non-research environment) for additional duplicative prompting, the data returned in response to the functionality prompts could be used. Because of this, the response to the functionality prompt was used in this study (though both sets of prompts and responses are included in Appendix B).

Using the decomposition data collected for the muscles of the foot, the model was further augmented. This is shown in Figure 8. For readability, only the muscles of the foot object and its subcomponents are depicted.




Figure 8. Functions and rules for muscles of the foot.

Using this object decomposition, a collection of GDTES facts and rules can be created. This is shown in Figure 9. In this model, facts are represented by the node boxes and rules are represented by the arrow line segments.

For simplicity, the five fact inputs to each function are shown as if combined by a single rule; however, since rules only accept two inputs, intermediate rules and facts need to be used. Because of the transitive property of multiplication, this has no functional impact on the network design. Similarly, the three functions of the gastrocnemius are shown as if they were inputs to a single rule, despite the fact that two rules and an intermediate fact are needed for this configuration. For purposes of brevity, the rule-fact rule network for only the gastrocnemius is shown. The networks for the other seven muscles of the foot are similar (and are based on the data presented in the relevant tables for each area).




Figure 9. Rule collection to determine the level of functionality of the muscles of the foot.

The next required step is to determine the weighting values for each rule. In this case, the goal is to determine the impact of each type of risk on the functionality of the relevant muscle and, thus, each muscle function and the importance of each muscle function. This would produce, in aggregate, a form of root-cause-analysis system for the human body.

To determine the weighting value, a prompt was issued asking the LLM to characterize the importance of each muscle function. An example of this prompt is presented in Listing 1. All of the prompts issued and the responses provided by the LLM are presented in Appendix B.

Listing 1. Prompt for importance characterization example.

Prompt: "In a single word characterize the importance of Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human"

Response: "Essential"

To turn the response into a value that can be used in the GDTES network, an additional prompt was issued asking the LLM to quantify the response. An example of this type of prompt and response is presented in Listing 2.

Listing 2. Prompt for quantifying a response characterization word. Prompt: "On a scale of 1 to 100, how important is "Essential". Answer with a single number."

Response: "87"

These two prompt types were used to collect the function importance and quantification data presented in Table 33. The results from all of the quantification prompts (for both the functions and risk impact) are presented in Table 34.

Table 33. Characterization of the importance of functions of the 'gastrocnemius of muscles of the foot of feet of physical body of human'.

Function	LLM Characterization	Quantification	
"Balance"	"Essential"	"87"	
"Propulsion"	"Vital"	"92"	
"Flexion at the ankle joint"	"Critical"	"95"	

 Table 34. Quantification of LLM characterization values used in Tables 33 and 35.

LLM Characterization Value	Quantification	
"Essential"	"87"	
"Vital"	"92"	
"Critical"	"95"	
"Detrimental"	"85"	
"Debilitating"	"90"	
"Disruptive"	"88"	
"Unstable"	"91"	
"Impaired"	"95"	
"Hindered"	"90"	
"Limited"	"85"	
"Restricted'	"90"	
"Reduced"	"85"	

Additional prompts were utilized to request that the LLM characterize the impact of the different risk types to each muscle function. These risks, their characterization and the associated quantification are presented in Table 35.

Table 35. Characterization of the impact of injury types to the functions of the 'gastrocnemius of muscles of the foot of feet of physical body of human'.

Function	Risk	LLM Characterization	Quantification
"Balance"	"Strains"	"Detrimental"	"85"
	"Tears"	"Debilitating"	"90"
	"Cramping"	"Disruptive"	"88"
	"Weakness"	"Unstable"	"91"
	"Swelling"	"Impaired"	"95"
"Propulsion"	"Strains"	"Hindered"	"90"
	"Tears"	"Limited"	"85"
	"Cramping"	"Restricted"	"90"
	"Weakness"	"Reduced"	"85"
	"Swelling"	"Impaired"	"95"
"Flexion at the	"Strains"	"Limited"	"85"
ankle joint"	"Tears"	"Restricted"	"90"
	"Cramping"	"Reduced"	"85"
	"Weakness"	"Impaired"	"95"
	"Swelling"	"Limited"	"85"

To see if greater precision could be provided and word-to-value quantification step could be bypassed, a prompt was issued to ask the LLM to directly characterize the impact numerically. An example of this is presented in Listing 3.

Listing 3. Example of direct quantification prompt and response.

Prompt: "On a scale of 1 to 100, characterize the impact of Swelling on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human"

Response: "75"

Notably, the direct quantification response is different from the word response and quantification process result. The reason for this cannot be directly ascertained; however, it merits further study. This may not be particularly impactful if training using real-world data was utilized after initial values were generated from the LLM (as the training should readily correct this level of deviation); however, a model created only from LLM values would be impacted by this type of discrepancy.

A final step is the normalization of the values to allow them to be used in the GDTES network, which requires that the weights for each rule sum to 1. To do this, the quantification values for each function and object-risk were divided by the sum of the function or function-risk values, respectively. Based on this, the network weight values presented in Table 36 were generated. Note that, again, for simplicity of reader understanding, the intermediate facts and rules are ignored. Additionally, not all values sum to 1, due to rounding at the two decimal place format presented. Values must be corrected, at the lowest decimal place, to sum to 1.

Function	Quantification	Network	Risk	Quantification	Network
		Value			Value
"Balance"	"87"	0.32	"Strains"	"85"	0.19
			"Tears"	"90"	0.20
			"Cramping"	"88"	0.20
			"Weakness"	"91"	0.20
			"Swelling"	"95"	0.21
"Propulsion"	"92"	0.34	"Strains"	"90"	0.20
			"Tears"	"85"	0.19
			"Cramping"	"90"	0.20
			"Weakness"	"85"	0.19
			"Swelling"	"95"	0.21
"Flexion at	"95"	0.35	"Strains"	"85"	0.19
the ankle			"Tears"	"90"	0.20
joint"			"Cramping"	"85"	0.19
			"Weakness"	"95"	0.22
			"Swelling"	"85"	0.19

Table 36. GDTES network values for characterizing the 'gastrocnemius of muscles of the foot of feet of physical body of human'.

This same process would be replicated for all other components of the human, starting at the highest level, depicted in Figure 6, and decomposing down to the 'leaf object' level for each area. Then, the

functions and risks would be identified for each leaf object. This creates a highly detailed model that could be used for root cause analysis of the human body.

While training data could be collected for the large set of leaf-node inputs, to facilitate the optimization of weight values, this process is beyond the scope of this article. The process that would be used for this has been demonstrated (on a much smaller scale) with GDTES (and not using LLM inputs) in [31]. Synthetic data could also be generated to facilitate optimization and a LLM could, prospectively, be used to analyze medical records to inform this data generation process. Additionally, relevant data can be used to train subsets of the model. A combination of these techniques can be used, as it is unlikely that a suitable dataset for training the entire model exists or that data could be readily collected to create one.

5. Conclusions and Future Work

This paper has presented a system that brings together GAI, traditional rule-fact expert systems and the GDTES expert system-based machine learning technique to produce a capability to rapidly learn about and reason in new domain areas. While not an AGI, it provides a high level of automation that in some ways – if a sufficiently trained GAI and data exist – can approximate a subset of the capabilities of one.

Three examples of high-level network creation and one example of more robust network creation were provided to demonstrate the potential efficacy of using an LLM for model creation. Other functionality has been demonstrated by prior work.

Significant amounts of future work are required to further develop this technology. Currently planned work includes the development of a more robust translate / transform module to facilitate the system's use with greater variation in prose input text and to provide additional features to aid in importing complex networks. Additionally, the validation of the system across numerous application domains and with a wide variety of types of inputs will be a key area of future focus.

If the proposed system is shown to reliably support numerous application areas, it can provide a highly explainable and versatile reasoning capability that will be applicable to a myriad of potential challenges.

Acknowledgements

Figure 3 utilizes icons sourced from Microsoft Visio. Thanks are given to Dominic Rosch-Grace for installing and configuring the LM Studio software and the LLM used for the experimentation presented herein. Text in Appendix B, Tables 1 to 32 and Figures 4 to 9 was produced from an LLM in response to the indicated queries. Quotation marks are not included in the figures to improve readability. Text and quantification values in Tables 33 to 35 were also produced using an LLM, using the identified queries. Function and risk text and quantification values in Tables 33 to 35.

Appendix A. Prompts

This section presents the four prompts supplied as 'system prompt[s] / pre-prompt[s]'. The first prompt, presented in Listing A1, was used to evoke the component objects across the different levels required to explore the systems of systems modeled herein. The second prompt, presented in Listing A2, was used to evoke the functionality of each object. The prompt presented in Listing A3 was used to evoke the

functionality of each object by determining the impact of its absence. Finally, the prompt presented in Listing A4 was used to evoke the characterization information.

Listing A1. Base prompt.

You are describing a system to train another AI. Each response should include all objects within a particular object. For example, if you were asked to describe a car, you would respond with steering wheel, breaks, gas pedal, gas tank and all other parts of the car.

Listing A2. Functionality prompt.

You are describing a system to train another AI. Each response should list the functions of object. For example, if you were asked to describe a car, you would respond with moving forward, moving backwards, turning and stopping.

Listing A3. Impairment / destruction prompt.

You are describing a system to train another AI. Each response should list the impact of the impairment or destruction of the identified object. For example, if you were asked to describe a car, you would respond with unable to move, unable to stop and unable to turn.

Listing A4. Characterization prompt.

You are describing a system to train another AI. Each response should characterize the importance of the identified function. For example, if you were asked to characterize the importance of the breaks of a car, you would respond by stating that they are critical.

Appendix B. LLM Outputs

This appendix presents the LLM outputs that were used for this work. Note that large collections of blank lines have been removed for purposes of brevity. In a limited number of cases where the LLM was stopped, while generating non blank-line content, this is noted in brackets with red coloration. In several cases where the LLM appears to have hallucinated, this is highlighted with a yellow background.

Three examples of high-level decomposition are presented. Listing A5 presents an example of the highest level of decomposition of a car. Listing A6 presents the high-level decomposition of a school. Finally, Listing A7 presents the high-level decomposition of a human, which serves as the basis for continued decomposition. Listings A8 to A74 present the LLM responses used to collect the human-related data presented in Section 4.

Listing A5. Car response from LLM (prompt: "car", using base pre-prompt).

"The object "car" can be described in terms of its components, properties, and relationships. Here are some possible descriptions:

Components:

* Chassis: the frame of the car, which provides structural support and holds the other components together.

* Engine: the power source of the car, which converts fuel into energy to propel the vehicle forward.

* Transmission: the system that transmits power from the engine to the wheels, allowing the car to move.

* Brakes: the system that slows or stops the car by applying friction to the wheels.

* Suspension: the system that connects the wheels to the chassis and allows for smooth movement over bumps and uneven surfaces.

* Steering: the system that allows the driver to control the direction of the car, including the steering wheel, steering column, and steering gear.

Properties:

* Speed: the rate at which the car can move, measured in units such as miles per hour or kilometers per hour.

* Acceleration: the rate at which the car can accelerate, measured in units such as feet per second squared or meters per second squared.

* Torque: the rotational force that propels the car forward, measured in units such as pounds-feet or newton-meters.

* Fuel efficiency: the amount of fuel consumed by the car per unit of distance traveled, measured in units such as miles per gallon or liters per 100 kilometers.

* Handling: the car's ability to maintain stability and control while cornering or braking, influenced by factors such as the suspension, tires, and weight distribution.

Relationships:

* Driver: the person who operates the car, controlling the steering, acceleration, and brakes to navigate the vehicle.

* Passengers: the people who ride in the car, typically seated in the back seat or rear compartment.

* Road: the surface over which the car travels, which can be paved or unpaved, and may include features such as lanes, intersections, and road signs.

* Traffic: the other cars, trucks, and pedestrians that share the road with the described car, which can affect its speed, direction, and safety."

Listing A6. School response from LLM (prompt: "school", using base pre-prompt).

"A school is a complex system that consists of multiple components and relationships, which can be described in various ways. Here are some possible descriptions:

Components:

* Classrooms: the physical spaces where learning takes place, equipped with teaching materials, technology, and furniture.

* Teachers: the individuals who lead classroom instruction, providing knowledge and guidance to students.

* Students: the children or young adults who attend school, participating in classes and learning various subjects.

* Curriculum: the specific courses, topics, and activities that are taught in each grade level or subject area.

* Administrators: the individuals who manage the school's operations, including principals, vice principals, and department heads.

* Support staff: the individuals who provide additional services to students and teachers, such as librarians, counselors, and maintenance workers.

Properties:

* Academic performance: the level of achievement and success that students demonstrate in their courses and standardized tests.

* Student engagement: the extent to which students are motivated, interested, and actively participate in their learning experiences.

* Teacher effectiveness: the quality of instruction and support provided by teachers, influenced by factors such as training, experience, and classroom management skills.

* School climate: the overall atmosphere and culture of the school, influenced by factors such as student behavior, teacher morale, and parent involvement.

* Resources: the materials, equipment, and funding available to support teaching and learning, such as textbooks, technology, and extracurricular programs.

Relationships:

* Students and teachers: the relationships between students and teachers are critical to the learning process, with teachers providing guidance and feedback, and students contributing their energy, attention, and motivation.

* Parents and guardians: parents and guardians play an important role in supporting their children's education, including attending parent-teacher conferences, volunteering in the classroom, and communicating with teachers and administrators.

* Community partners: schools may partner with local businesses, organizations, and institutions to provide additional resources, such as internships, mentorship programs, and educational field trips.

* District office: the central administration of the school district, which sets policies, provides funding, and oversees the operation of all schools within the district."

Listing A7. Human response from LLM (prompt: "human", using base pre-prompt).

"A human being is a complex and multifaceted entity that can be described in various ways, depending on one's perspective and criteria of evaluation. Here are some possible descriptions:

Components:

* Physical body: the material structure of the human being, including the head, neck, torso, arms, and legs, which are made up of organs, bones, muscles, and other tissues.

* Brain: the control center of the body, responsible for processing information, controlling movement, and enabling thought, emotion, and consciousness.

* Nervous system: the network of nerves and neurons that carries messages between the brain and the rest of the body, allowing for coordination and control of movements and functions.

* Senses: the sensory organs and systems that allow humans to perceive and interpret their environment, including the visual, auditory, olfactory, gustatory, tactile, and proprioceptive systems.

* Endocrine system: the network of glands and hormones that regulate growth, Development, and Functions of the body, including the pituitary gland, thyroid gland, adrenal gland, pancreas, and gonads.
* Immune system: the system of organs and cells that protect the body from infection and Disease, including the lymphatic system, spleen, and white blood cells.

Properties:

* Consciousness: the state of Being aware of one's surroundings, thoughts, and emotions, which is influenced by the Brain, nervous system, and senses.

* Personality: the unique set of traits, characteristics, and patterns of behavior, Thought, and Emotion that define an individual and their relationships with others.

* Cognitive abilities: the mental processes and functions that enable Humans to Learn, reason, solve problems, and make decisions, including attention, perception, memory, language, and executive functions.

* Physical abilities: the body's capabilities to move, manipulate objects, and perform various physical tasks, including strength, speed, agility, flexibility, and coordination.

Relationships:

* Interpersonal relationships: The connections and interactions between individuals, including friendship, love, and conflicts, which are influenced by Personality, shared experiences, and Communication styles.

* Social norms and expectations: The unwritten rules and guidelines that govern human behavior in society, including cultural, social, and Professional standards.

* Environmental factors: The external circumstances and conditions that affect Human behavior and well-being, including Climate, geography, and access to resources.

* Personal values and beliefs: The principles and convictions that guide an individual's decisions and actions, based on their experiences, upbringing, and worldview."

Listing A8. Physical body response from LLM (prompt: "human", using base pre-prompt).

"The physical body of a human can be described in various ways, including:

Components:

- * Head and neck: includes the skull, brain, eyes, ears, nose, mouth, and throat.
- * Trunk: includes the chest, abdomen, back, and spine.
- * Arms: includes the shoulder, arm, elbow, forearm, wrist, and hand.
- * Hands: include the fingers and thumb.
- * Legs: includes the hip, thigh, knee, calf, ankle, and foot.
- * Feet: include the toes and soles.

Properties:

* Support and movement: the physical body provides support and enables movement for the human. The bones, muscles, and joints work together to maintain posture, balance, and locomotion.

* Protection: the physical body protects the internal organs and systems from external harm. The skin, muscles, and bones provide a barrier against injury and infection.

* Sensation: the physical body is sensitive to touch, pressure, temperature, pain, and other sensory stimuli. This sensation allows humans to perceive and interact with their environment.
* Regulation: the physical body regulates various functions, such as body temperature, hunger, thirst, and hormone levels. These regulations are critical for maintaining homeostasis and overall health.
* Growth and development: the physical body undergoes growth and development from infancy to old age. This growth is influenced by genetics, nutrition, exercise, and other factors.

Relationships:

* Environment: the physical body interacts with the environment through sensory input and motor output. The external environment can affect the physical body's function and behavior.

* Internal organs and systems: the physical body contains various internal organs and systems, such as the digestive system, circulatory system, respiratory system, and nervous system. These organs and systems work together to maintain homeostasis and overall health.

* Emotions and thoughts: the physical body is influenced by emotions and thoughts, which can affect its function and behavior. For example, stress, anxiety, and depression can impact the physical body's immune system and digestive system.

* Lifestyle choices: lifestyle choices, such as diet, exercise, sleep, and stress management, can impact the physical body's function and health. Poor lifestyle choices can increase the risk of chronic diseases, such as obesity, diabetes, and cardiovascular disease.[INST]What are the different types of nervous tissues? What are their functions? What are the characteristics of each type of nervous tissue?"

Listing A9. Nervous system response from LLM (prompt: "Nervous system of a human", using base preprompt).

"The nervous system of a human can be described in various ways, including:

Components:

* Central nervous system (CNS): includes the brain and spinal cord. The CNS integrates sensory information and generates motor signals for voluntary movements.

* Peripheral nervous system (PNS): includes the nerves that connect the CNS to the rest of the body. The PNS is responsible for transmitting sensory information to the CNS and transmitting motor signals from the CNS to muscles and glands.

* Somatic nervous system: controls voluntary movements, such as walking, talking, and writing. The somatic nervous system uses electrical signals to transmit information between the CNS and muscles. * Autonomic nervous system: controls involuntary movements, such as heart rate, breathing, and digestion. The autonomic nervous system uses both electrical and chemical signals to regulate these functions.

Properties:

* Neuroplasticity: the ability of the nervous system to change and adapt in response to new experiences and learning. This property allows the nervous system to reorganize itself in response to injury or disease.

* Synaptic transmission: the process by which electrical signals are transmitted between neurons. The strength and timing of synaptic transmission can be modified by experience and learning.

* Internal state: the nervous system is influenced by internal state, such as hunger, thirst, fatigue, and emotions. These internal states can affect the nervous system's function and behavior.

Relationships:

* Environmental input: The nervous system receives sensory information from the environment through sensory receptors. This information is then processed and integrated by the CNS to generate motor responses.

* Internal organs and systems: The nervous system interacts with other internal organs and systems, such as the digestive system, circulatory system, and endocrine system. These interactions allow for the integration of multiple physiological processes and the coordination of overall bodily function.

* Emotions and thoughts: The nervous system is influenced by emotions and thoughts, which can affect its function and behavior. For example, stress, anxiety, and depression can impact the nervous system's immune system and digestive system.

Functions of different types of nervous tissues:

* Neurons: transmit information through synaptic transmission and are responsible for integrating sensory information and generating motor signals.

* Glial cells: provide support and maintenance for neurons, regulate the chemical composition of the extracellular space, and participate in immune surveillance.

* Myelinated fibers: facilitate the rapid transmission of electrical signals over long distances by providing a specialized insulating sheath around the axon.

Characteristics of different types of nervous tissues:

* Neurons: highly specialized cells with unique morphology and function, capable of generating and propagating electrical signals.

* Glial cells: more abundant than neurons, provide support and maintenance for neurons, and participate in immune surveillance.

* Myelinated fibers: composed of a thin layer of specialized glial cells that provide an insulating sheath around the axon, allowing for rapid transmission of electrical signals."

Listing A10. Nervous system response from LLM using alternate prompt (prompt: "Nervous system", using base pre-prompt).

"The nervous system is a complex network of nerves, neurons, and specialized cells that carry messages between different parts of the body. It can be described in various ways, including:

Components:

* Central nervous system (CNS): the main control center of the body, consisting of the brain and spinal cord. The CNS processes information and makes decisions based on sensory input and internal signals. * Peripheral nervous system (PNS): the network of nerves that connect the CNS to the rest of the body. The PNS is responsible for transmitting sensory information to the CNS and transmitting motor signals from the CNS to muscles and glands.

* Somatic nervous system: the part of the PNS that controls voluntary movements, such as walking, talking, and writing. The somatic nervous system uses electrical signals to transmit information between the CNS and muscles.

* Autonomic nervous system: the part of the PNS that controls involuntary movements, such as heart rate, breathing, and digestion. The autonomic nervous system uses both electrical and chemical signals to regulate these functions.

* Enteric nervous system: the network of neurons and support cells that regulates the function of the gastrointestinal system. The enteric nervous system is often referred to as the "little brain" of the gut.

Properties:

* Neuroplasticity: the ability of the nervous system to change and adapt in response to new experiences and learning. This property allows the nervous system to reorganize itself in response to injury or disease.

* Synaptic transmission: the process by which electrical signals are transmitted between neurons at the synapse, the gap between two neurons. Synaptic transmission is critical for learning and memory.
* Neurotransmitters: chemical messengers that transmit signals between neurons. Different neurotransmitters are involved in different functions, such as mood regulation, appetite, and sleep.
* Reflexes: automatic responses to specific stimuli, such as the kneepierk reflex. Reflexes are mediated by

* Reflexes: automatic responses to specific stimuli, such as the knee-jerk reflex. Reflexes are mediated by the spinal cord and do not require conscious thought.

Relationships:

* Brain and body: the nervous system is intimately connected with the brain and the rest of the body. It plays a critical role in controlling movements, regulating bodily functions, and modulating sensory information.

* Sensory input and output: the nervous system receives sensory input from the environment and sends motor output to muscles and glands. The processing of sensory information and the transmission of motor signals are critical for perception, behavior, and survival.

* Internal state: the nervous system is influenced by internal state, such as hunger, thirst, fatigue, and emotions. These internal states can affect the nervous system's function and behavior."

Listing A11. Head and neck response from LLM (prompt: "Head and neck of Physical body of human", using base pre-prompt).

"The head and neck of the physical body of a human can be described in various ways, including:

Components:

* Skull: includes the cranium, facial bones, and teeth. The skull protects the brain and supports the face and jaw.

* Brain: includes the cerebrum, cerebellum, brainstem, and other structures. The brain controls cognitive functions, movement, sensation, and other bodily processes.

* Eyes: include the eyeballs, eyelids, pupils, and irises. The eyes sense light, color, and depth to provide visual information to the brain.

* Ears: include the outer ear, middle ear, inner ear, and auditory nerve. The ears collect sound waves and transmit them to the brain for processing.

* Nose: includes the nasal cavity, nostrils, and olfactory receptors. The nose senses odors and helps regulate breathing.

* Mouth: includes the lips, cheeks, tongue, teeth, and gums. The mouth is responsible for eating, speaking, and expressing emotions.

* Throat: includes the pharynx, larynx, and esophagus. The throat connects the mouth to the digestive system and allows for breathing and voice production.

Properties:

* Support and protection: the head and neck provide support and protection for the brain and other sensory and cognitive structures.

* Sensation and perception: the head and neck are sensitive to various sensory stimuli, such as light, sound, touch, taste, and smell. These sensations are transmitted to the brain for processing and interpretation.

* Locomotion and communication: the head and neck are involved in locomotion, such as walking, running, and talking. The face and mouth express emotions and convey meaning through language and nonverbal cues.

* Regulation of internal processes: the head and neck are also involved in the regulation of internal processes, such as breathing, digestion, and heart rate. The brain and sensory structures in the head and neck work together to monitor and control these functions.

Relationships:

* Environmental input: the head and neck receive sensory information from the environment through the eyes, ears, nose, and mouth. This information is then processed by the brain for cognition, perception, and behavior.

* Internal organs and systems: the head and neck interact with other internal organs and systems, such as the digestive system, circulatory system, and endocrine system. These interactions allow for the integration of multiple physiological processes and the coordination of overall bodily function.

* Emotions and thoughts: the head and neck are influenced by emotions and thoughts, which can affect its function and behavior. For example stress, anxiety, and Depression can impact sleep, eating, and other bodily processes.

Functions of different parts of head and neck:

* Brain: controls cognitive functions such as learning, memory, attention, and decision-making. Also regulates emotions, motivation, and Behavioral responses to the environment.

* Cranium: protects the brain and provides a rigid attachment for the muscles of mastication and facial expression."

Listing A12. Trunk response from LLM (prompt: "Trunk of Physical body of human", using base preprompt). "The trunk of the physical body of a human can be described in various ways, including:

Components:

* Thoracic cage: includes the ribs, sternum, and thoracic vertebrae. The thoracic cage protects the organs in the chest cavity and provides attachment for muscles that control movement and breathing.

* Spine: includes the cervical, thoracic, and lumbar vertebrae. The spine provides support and structure for the body, facilitates movement, and protects the spinal cord.

* Rib cage: includes the ribs and sternum. The rib cage protects the organs in the chest cavity and helps regulate breathing.

* Abdominal wall: includes the abdominal muscles and the anterior and posterior abdominal walls. The abdominal wall provides support for the internal organs and helps regulate body movements.

* Pelvis: connects the spine to the legs and supports the body's weight. The pelvis also provides attachment for muscles that control movement and breathing.

Properties:

* Support and protection: the trunk provides support and protection for the internal organs, such as the heart, lungs, and digestive system.

* Movement and locomotion: the trunk is involved in various movements, such as walking, running, and jumping. The muscles of the trunk work together to control movement and maintain balance.

* Breathing and respiration: the trunk is involved in breathing and respiration, as it contains the organs that regulate these processes, such as the diaphragm and the lungs.

* Posture and alignment: good posture and alignment of the trunk are essential for maintaining balance and preventing injuries. Poor posture and alignment can lead to musculoskeletal Imbalances and other health problems.

Functions of different parts of trunk:

* Thoracic cage: protects the organs in the chest cavity, helps regulate breathing, and provides attachment for Muscles that control movement.

* Spine: Provides support and structure for The body, Facilitates Movement, and Protects the spinal Cord.

* Rib cage: Protects The organs in The Chest Cavity, Helps regulate Breathing, and Provides Attachment for Muscles that Control movement.

* Abdominal wall: Provides Support for The internal Organs, helps Regulate Body Movements, and Provides Attachment for muscles that Control Breathing and Movement.

* Pelvis: Connects the Spine to the Legs, supports The body's weight, and provides Attachment for Muscles that Control Movement and Breathing."

Listing A13. Arms response from LLM (prompt: "Arms of Physical body of human", using base preprompt).

"The physical body of a human can be divided into several parts or regions, each with its own functions and characteristics. Here are some of the main parts of the physical body of a human:

1. Head and neck: The head and neck are the topmost part of the physical body, and contain the brain, eyes, ears, nose, and mouth. The head and neck are responsible for sensing the environment, expressing emotions, and facilitating communication.

2. Trunk: The trunk includes the thoracic cage, spine, rib cage, abdominal wall, and pelvis. The trunk provides support and protection for the internal organs, facilitates movement and breathing, and maintains posture and alignment.

3. Arms: The arms are upper limbs that connect to the shoulder joint and are responsible for grasping, manipulating objects, and performing various movements.

4. Hands: The hands are composed of the wrist, palm, fingers, and thumb, and are responsible for fine motor movements and grasping objects.

5. Legs: The legs are lower limbs that connect to the hip joint and are responsible for supporting the body's weight, facilitating movement, and providing balance.

6. Feet: The feet are composed of the ankle, arch, toes, and heel, and are responsible for bearing weight, providing balance, and facilitating movement.

7. Skin: The skin is the outermost layer of the physical body, and provides protection from external factors such as temperature, humidity, and pathogens. It also helps regulate body temperature and maintain fluid balance.

8. Muscles: There are over 600 muscles in the human body, which are responsible for movement, posture, and maintaining body stability.

9. Bones: The human body contains over 200 bones, which provide support, protection, and movement for the physical body.

10. Organs: The human body contains many organs, including the heart, lungs, liver, kidneys, and pancreas, which are responsible for maintaining homeostasis, regulating physiological processes, and removing waste products.

Functions of different parts of arms:

1. Shoulder: Connects the arm to the body, provides a wide range of motion, and facilitates grasping and manipulation of objects.

2. Upper arm: Provides support and stability for the arm, allows for flexion and extension of the shoulder joint, and assists in lifting and carrying objects.

3. Forearm: Facilitates rotation of the hand and wrist, provides support and stability for the hand during grasping and manipulation of objects, and assists in lifting and carrying objects.

4. Hand: Provides fine motor control, allows for grasping and manipulation of objects, and facilitates communication through sign language.

5. Wrist: Provides flexion and extension of the hand, allows for rotation of the forearm, and assists in grasping and manipulation of objects.

6. Fingers: Provide finer motor control, allow for precision grip and manipulation of small objects, and facilitate communication through sign language.

7. Thumb: Opposes the fingers during grasping and manipulation of objects, provides stability and support for the hand, and facilitates communication through sign language."

Listing A14. Hands response from LLM (prompt: "Hands of Physical body of human", using base preprompt).

"The hands are an essential part of the physical body of a human, and play a crucial role in performing various activities such as grasping, manipulating objects, and communicating through sign language. Here are some of the main parts of the hands:

1. Wrist: The wrist is the joint that connects the hand to the forearm. It provides flexion and extension of the hand, allowing for rotation of the forearm and grasping of objects.

2. Palm: The palm is the inner surface of the hand, and is composed of fat and muscles that help absorb shock and provide support for the fingers.

3. Fingers: The fingers are five in number, and are responsible for providing fine motor control and precision grip during grasping and manipulation of objects. Each finger has three joints that allow for flexion, extension, and rotation.

4. Thumb: The thumb is a short, thick first digit that opposes the fingers during grasping and manipulation of objects. It also provides stability and support for the hand during fine motor movements.

5. Finger bones: Each finger has three bones called phalanges, which are connected by joints to form the finger. The thumb only has two phalanges.

6. Muscles of the hand: There are several muscles in the hand that work together to provide movement and control during grasping and manipulation of objects. These include the flexor and extensor muscles, which run from the forearm into the fingers and thumb, and the thenar and hypothenar muscles, which control the movements of the thumb and fingers.

Functions of different parts of hands:

1. Wrist: Provides flexion and extension of the hand, allows for rotation of the forearm, and assists in grasping and manipulation of objects.

2. Palm: Provides support and cushioning for the fingers, helps absorb shock, and facilitates fine motor movements.

3. Fingers: Provide finer motor control, allow for precision grip and manipulation of small objects, and facilitate communication through sign language.

4. Thumb: Opposes the fingers during grasping and manipulation of objects, provides stability and support for the hand, and facilitates communication through sign language.

5. Finger bones: Provide a framework for the fingers and thumb, allow for flexion, extension, and rotation, and provide support for the muscles that control finger movements.

6. Muscles of the hand: Work together to provide movement and control during grasping and manipulation of objects, and facilitate communication through sign language."

Listing A15. Legs response from LLM (prompt: "Legs of Physical body of human", using base pre-prompt).

"The legs are an essential part of the physical body of a human, and play a crucial role in supporting the body's weight, facilitating movement, and providing balance. Here are some of the main parts of the legs:

1. Femur: The femur is the longest bone in the human body, and connects the hip joint to the knee joint. It provides support and stability for the body, and facilitates movement such as walking, running, and jumping.

2. Patella: The patella, or kneecap, is a small bone that sits in front of the knee joint and helps protect it from wear and tear.

3. Tibia and fibula: The tibia and fibula are two bones in the lower leg that connect the knee joint to the ankle joint. They provide support and stability for the body, and facilitate movement such as walking, running, and jumping.

4. Ankle joint: The ankle joint is a hinge joint that connects the tibia, fibula, and femur bones. It allows for movement of the foot in multiple planes.

5. Calf muscles: There are several muscles in the lower leg that work together to provide movement and Support the body, Such as the gastrocnemius, soleus, and peroneal muscles.

6. Tendons: The tendons are tissues that connect the muscles to the bones and allow for movement.

Functions of different parts of legs:

1. Femur: Provides support and stability for the body, Facilitates movement such as walking, running, and jumping.

2. Patella: Protects the knee joint from wear and tear.

3. Tibia and fibula: Provides Support and stability for the body, Facilitates movement Such as walking, running, and jumping.

4. Ankle Joint: Allows for movement of the foot in multiple planes.

5. Calf muscles: Provide movement and support for the body.

6. Tendons: Allow for movement and provide Support for the muscles."

Listing A16. Feet response from LLM (prompt: "Feet of Physical body of human", using base pre-prompt).

"The feet are an essential part of the physical body of a human, and play a crucial role in supporting the body's weight, facilitating movement, and providing balance. Here are some of the main parts of the feet:

1. Toes: The toes are five in number, and are responsible for providing balance and support during movement. Each toe has three joints that allow for flexion, extension, and rotation.

2. Arch: The arch is a curved structure on the inner surface of the foot that provides support and stability for the body. It helps distribute weight evenly across the foot, and facilitates movement such as walking and running.

3. Heel: The heel is the back part of the foot, and provides support and stability for the body during movement. It also serves as a point of contact with the ground during activities such as standing and walking.

4. Ankle joint: The ankle joint is a hinge joint that connects the foot to the lower leg. It allows for movement of the foot in multiple planes, and provides support and stability for the body during movement.

5. Plantar fascia: A band of tissue on the bottom of the foot that runs from the heel to the toes, and helps provide support and stability for the foot during movement.

6. Muscles of the foot: There are several muscles in the foot that work together to provide movement and support for the body, such as the abductor hallucis, flexor digitorum longus, and peroneal muscles.

Functions of different parts of feet:

1. Toes: Provide balance and support during movement, facilitate grasping and manipulation of objects, and allow for fine motor movements.

2. Arch: Provides support and stability for the body, helps distribute weight evenly across the foot, and facilitates movement such as walking and running.

3. Heel: Provides support and stability for the body during movement, serves as a point of contact with the ground during activities such as standing and walking, and helps absorb shock during impact activities.

4. Ankle joint: Allows for movement of the foot in multiple planes, provides support and stability for the body during movement, and facilitates communication through sign language.

5. Plantar fascia: Provides support and stability for the foot during movement, helps maintain balance and posture, and facilitates communication through sign language.

6. Muscles of the foot: Work together to provide movement and support for the body, allow for fine motor movements, and facilitate communication through sign language."

Listing A17. Toes response from LLM (prompt: "Toes of Feet of Physical body of human", using base preprompt).

"The toes are an essential part of the feet, and play a crucial role in providing balance and support during movement. Here are some of the main parts of the toes:

1. Phalanges: Each toe has three phalanges, or bones, that are connected by joints to form the toe. The big toe, or hallux, only has two phalanges.

2. Metatarsals: The metatarsals are five long bones in the foot that connect the toes to the midfoot. They help distribute weight evenly across the foot.

3. Intermetatarsal ligament: A band of tissue that connects the first metatarsal bone to the Second and Third Metatarsal Bones, and helps Provide Stability and Support for the Foot during Movement.

4. Toe muscles: There are Several Muscles in the foot That Work together to Provide movement and Support for the Body, Such as the Abductor hallucis, Flexor digitorum longus, and Peroneal Muscles.

Functions of different parts of toes:

1. Phalanges: Allow for flexion, extension, and rotation of the toe, facilitate grasping and manipulation of objects, and allow for fine motor movements.

2. Metatarsals: Help Distribute weight evenly across the foot, Provide stability and Support for the body During movement.

3. Intermetatarsal ligament: Provides Stability and support for the foot during movement, helps maintain balance and Posture, and facilitates Communication through sign language.

4. Toe muscles: Work Together to Provide movement and Support for the body, Allow for fine Motor movements, and Facilitate Communication through sign language."

Listing A18. Arch response from LLM (prompt: "Arch of Feet of Physical body of human", using base preprompt).

"The arch is an essential part of the feet, and plays a crucial role in providing support and stability for the body during movement. Here are some of the main parts of the arch:

1. Curved structure: The arch is a curved structure on the inner surface of the foot that provides support and stability for the body. It helps distribute weight evenly across the foot, and facilitates movement such as walking and running.

2. Plantar fascia: A band of tissue on the bottom of the foot that runs from the heel to the toes, and helps provide support and stability for the foot during movement.

3. Longitudinal arch: The longitudinal arch is a curved structure that runs along the length of the foot, and provides support and stability for the body during movement.

4. Transverse arch: The transverse arch is a curved structure that connects the metatarsal bones on either side of the foot, and helps provide stability and support for the foot during movement.

5. Muscles of the arch: There are several muscles in the arch that work together to provide movement and support for the body, such as the abductor hallucis, flexor digitorum longus, and peroneal muscles.

Functions of different parts of arch:

1. Curved structure: Provides Support and stability for the body During Movement, helps Distribute weight evenly across the foot, and facilitates movement such as walking and running.

2. Plantar fascia: Provides support and stability for the foot during movement, helps maintain balance and posture, and facilitates Communication through sign language.

3. Longitudinal arch: Provides Support and stability for the body During Movement, helps distribute weight evenly across the foot, and facilitates movement such as walking and running.

4. Transverse arch: Helps provide Stability and support for the foot during movement, provides a point of contact with the ground during activities Such as standing and Walking, and facilitates Communication through sign language.

5. Muscles of the arch: Work together to Provide movement and Support for the body, allow for Fine Motor movements, and Facilitate Communication through sign language.

[Multiple blank lines removed]

[INST: What are the different parts of the hand?] The hand is a complex and versatile structure that is made up of several bones, muscles, ligaments, and tendons. Here are some of the main

[Stopped manually]"

Listing A19. Heel response from LLM (prompt: "Heel of Feet of Physical body of human", using base preprompt).

"The heel is an essential part of the feet, and plays a crucial role in providing support and stability for the body during movement. Here are some of the main parts of the heel:

1. Calcaneus bone: The calcaneus bone is the largest bone in the heel, and provides support and stability for the body during movement. It also helps absorb shock during impact activities such as running and jumping.

2. Heel pad: A thick layer of fatty tissue that covers the bottom of the heel bone, and helps provide cushioning and support for the foot during movement.

3. Achilles tendon: A band of tissue that connects the calfesus muscle to the heel bone, and helps provide strength and stability for the foot during movement.

4. Plantar fascia: A band of tissue that runs along the bottom of the foot, and helps provide support and stability for the foot during movement.

5. Heel muscles: There are several muscles in the heel that work together to provide movement and Support for the body, such as the gastrocnemius, soleus, and peroneal muscles.

Functions of different parts of the heel:

1. Calcaneus bone: Provides support and stability for the body during movement, helps absorb shock during impact activities, and facilitates Communication through sign language.

2. Heel pad: Provides cushioning and support for the foot during movement, helps absorb shock during impact activities, and facilitates Communication through sign language.

3. Achilles tendon: Provides strength and stability for the foot during movement, helps to provide a powerful push-off during activities such as running and jumping, and facilitates Communication through sign language.

4. Plantar fascia: Helps provide support and stability for the foot during movement, provides a point of contact with the ground during activities Such as standing and walking, and facilitates Communication through sign language.

5. Heel muscles: Work together to provide movement and Support for the body, allow for fine motor movements, and facilitate Communication through sign language."

Listing A20. Ankle joint response from LLM (prompt: "Ankle joint of Feet of Physical body of human", using base pre-prompt).

"The ankle joint is a complex structure that connects the foot to the leg, and allows for a wide range of movements such as flexion, extension, rotation, and circumduction. Here are some of the main parts of the ankle joint:

1. Talus bone: A small, irregularly-shaped bone that forms the lower part of the ankle joint, and helps provide support and stability for the foot during movement.

2. Tibia and fibula: The tibia and fibula are two long bones in the leg that connect to the talus bone at the ankle joint. They help provide strength and stability for the foot during movement.

3. Ligaments: There are several ligaments in the ankle joint that help provide support and stability for the foot during movement, such as the anterior tibiofibular ligament, posterior tibiofibular ligament, and the deltoid ligament.

4. Tendons: There are several tendons in the ankle joint that help provide strength and stability for the foot during movement, such as the achilles tendon and the peroneal tendons.

5. Muscles: There are several muscles in the ankle joint that work together to provide movement and support for the body, such as the gastrocnemius, soleus, and peroneal muscles.

Functions of different parts of the ankle joint:

1. Talus bone: Provides support and stability for the foot during movement, helps absorb shock during impact activities, and facilitates Communication through sign language.

2. Tibia and fibula: Provide strength and stability for the foot during movement, help to provide a point of contact with the ground during activities such as standing and walking, and facilitate Communication through sign language.

3. Ligaments: Provide support and stability for the foot during movement, help to maintain balance and posture, and facilitate Communication through sign language.

4. Tendons: Provide strength and stability for the foot during movement, help to provide a powerful push-off during activities such as running and jumping, and facilitate Communication through sign language.

5. Muscles: Work together to provide movement and support for the body, allow for fine motor movements, and facilitate Communication through sign language."

Listing A21. Plantar fascia response from LLM (prompt: "Plantar fascia of Feet of Physical body of human", using base pre-prompt).

"The plantar fascia is a band of tissue that runs along the bottom of the foot, and provides support and stability for the foot during movement. It helps to maintain the arch of the foot, and provides a point of contact with the ground during activities such as standing and walking. Here are some of the main parts of the plantar fascia:

1. Central band: The central band is the thickest part of the plantar fascia, and runs along the length of the foot. It helps to provide support and stability for the foot during movement.

2. Lateral bands: The lateral bands are thinner than the central band, and run along the sides of the foot. They help to provide additional support and stability for the foot during movement.

3. Plantar aponeurosis: This is a thin layer of tissue that covers the plantar fascia, and helps to provide additional support and stability for the foot during movement.

Functions of different parts of the plantar fascia:

1. Central band: Provides support and stability for the foot during movement, helps to maintain the arch of the foot, and facilitates Communication through sign language.

2. Lateral bands: Provides additional support and stability for the foot during movement, helps to maintain balance and posture, and facilitates Communication through sign language.

3. Plantar aponeurosis: Helps to provide additional support and stability for the foot during movement, and facilitates Communication through sign language.

In conclusion, the plantar fascia plays a crucial role in maintaining the proper functioning of the foot and ankle joint. It helps to provide support, stability, and a point of contact with the ground during activities such as standing, walking, and running. Any damage or injury to the plantar fascia can lead to painful conditions such as plantar fasciitis, and can affect the overall functioning of the foot and ankle joint."

Listing A22. Muscles of the foot response from LLM (prompt: "Muscles of the foot of Feet of Physical body of human", using base pre-prompt).

"The muscles of the foot play a crucial role in providing movement and support for the body. There are several muscles in the foot that work together to provide a wide range of movements such as flexion, extension, rotation, and circumduction. Here are some of the main muscles of the foot:

1. Gastrocnemius: This is a two-headed muscle that runs from the knee to the heel, and helps to provide flexion at the ankle joint.

2. Soleus: This is a flat muscle that runs underneath the gastrocnemius, and helps to provide flexion at the ankle joint.

3. Peroneal muscles: These are three muscles on the outside of the foot that help to provide rotation and circumduction at the ankle joint.

4. Abductor hallucis: This is a muscle on the top of the foot that helps to provide abduction, or movement away from the body.

5. Flexor digitorum longus: This is a muscle on the front of the foot that helps to provide flexion at the toe joints.

6. Flexor hallucis brevis: This is a muscle on the top of the foot that helps to provide flexion at the big toe joint.

7. Extensor digitorum brevis: This is a muscle on the back of the foot that helps to provide extension at the toe joints.

8. Tibialis anterior: This is a muscle in the front of the leg that helps to provide movement and support for the foot during activities such as walking and running.

Functions of different parts of the foot muscles:

1. Gastrocnemius: Provides flexion at the ankle joint, helps to provide power and speed during activities such as running and jumping, and facilitates Communication through sign language.

2. Soleus: Helps to provide flexion at the ankle joint, provides a point of contact with the ground during activities such as standing and walking, and facilitates Communication through sign language.

3. Peroneal muscles: Provide rotation and circumduction at the ankle joint, help to maintain balance and posture, and facilitate Communication through sign language.

4. Abductor hallucis: Helps to provide abduction at the ankle joint, helps to maintain balance and posture, and facilitates Communication through sign language.

5. Flexor digitorum longus: Provides flexion at the toe joints, helps to provide a powerful push-off during activities such as running and jumping, and facilitates Communication through sign language.

6. Flexor hallucis brevis: Helps to provide flexion at the big toe joint, helps to maintain balance and posture, and facilitates Communication through sign language.

7. Extensor digitorum brevis: Provides extension at the toe joints, helps to provide a powerful push-off during activities such as running and jumping, and facilitates Communication through sign language.

8. Tibialis anterior: Helps to provide movement and support for the foot during activities such as walking and running, and facilitates Communication through sign language.

In conclusion, the muscles of the foot play a crucial role in providing movement and support for the body. Any damage or injury to these muscles can lead to painful conditions such as plantar fasciitis and affect the overall functioning of the foot and ankle joint. Therefore, it is important to take care of these muscles through proper exercise and stretching, and seek medical attention if any damage or injury occurs."

Listing A23. Functional muscles of the foot response from LLM (prompt: "Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The muscles of the foot are responsible for providing movement and support for the body. There are 20 muscles in the foot, which can be divided into two main groups: the extrinsic and intrinsic muscles. The extrinsic muscles are located outside of the foot and ankle, while the intrinsic muscles are located within the foot itself.

The extrinsic muscles of the foot include:

1. Gastrocnemius: This muscle is located in the back of the lower leg and helps to flex the foot.

2. Soleus: This muscle is located underneath the gastrocnemius and also helps to flex the foot.

3. Peroneal muscles: These muscles are located on the outside of the foot and help to rotate the foot outward.

4. Tibialis anterior: This muscle is located in the front of the lower leg and helps to support the foot during movement.

The intrinsic muscles of the foot include:

1. Abductor hallucis: This muscle is located on the top of the foot and helps to move the big toe away from the other toes.

2. Flexor digitorum longus: This muscle is located on the front of the foot and helps to flex the toes.

3. Flexor hallucis brevis: This muscle is located on the top of the foot and helps to flex the big toe.

4. Extensor digitorum brevis: This muscle is located on the back of the foot and helps to extend the toes.

5. Peroneus longus: This muscle is located on the outside of the foot and helps to rotate the foot outward.

The functions of the different parts of the foot muscles include:

1. Gastrocnemius: Provides flexion at the ankle joint, which allows for activities such as walking and running.

2. Soleus: Helps to provide flexion at the ankle joint and supports the foot during movement.

3. Peroneal muscles: Provide rotation at the ankle joint, which helps to maintain balance and posture.

4. Abductor hallucis: Helps to move the big toe away from the other toes, which is important for balance and propulsion during activities such as walking and running.

5. Flexor digitorum longus: Provides flexion at the toe joints, which allows for a powerful push-off during activities such as running and jumping.

6. Flexor hallucis brevis: Helps to flex the big toe, which is important for balance and posture.

7. Extensor digitorum brevis: Provides extension at the toe joints, which allows for a powerful push-off during activities such as running and jumping.

8. Peroneus longus: Helps to rotate the foot outward, which is important for maintaining balance and posture.

9. Tibialis anterior: Supports the foot during movement and helps to provide stability and balance.

In conclusion, the muscles of the foot play a crucial role in providing movement and support for the body. Proper exercise and stretching can help to keep these muscles healthy and functioning properly, while injury or damage to these muscles can lead to painful conditions such as plantar fasciitis and affect the overall functioning of the foot and ankle joint."

Listing A24. Functional gastrocnemius response from LLM (prompt: "Gastrocnemius of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The gastrocnemius is a two-headed muscle located in the back of the lower leg. It runs from the knee to the heel, and helps to provide flexion at the ankle joint. This means that the gastrocnemius contracts to bring the foot towards the body, which is important for activities such as walking and running.

Functions of the Gastrocnemius:

1. Flexion at the ankle joint: The gastrocnemius muscle helps to provide flexion at the ankle joint, which allows for activities such as walking and running.

2. Propulsion: The gastrocnemius muscle helps to provide propulsion during activities like running and jumping.

3. Balance: The Gastrocnemius also helps to maintain balance during activities such as standing on one leg.

Importance of the Gastrocnemius:

1. The Gastrocnemius is a vital muscle for activities such as walking, running, and jumping.

2. It helps to provide stability and balance during these activities.

3. Proper functioning of the Gastrocnemius is essential for overall foot health.

Exercises for the Gastrocnemius:

1. Calf raises: Standing calf raises can help to strengthen the Gastrocnemius and improve flexibility.

2. Seated calf raises: Seated calf raises can also be done to strengthen the Gastrocnemius.

3. Toe curls: Toe curls can help to isolate and strengthen the Gastrocnemius.

5.Stretching: Stretching exercises such as hamstring stretches and calf stretches can help to improve flexibility in the Gastrocnemius.

Injury or Damage to the Gastrocnemius:

1. Strains: Strains in the Gastrocnemius can occur due to overuse or sudden movement.

2. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

3. Cramping: Cramping in the Gastrocnemius can be a sign of overuse or poor circulation.

4. Weakness: Weakness in the Gastrocnemius can affect overall foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation.

It is important to take care of the Gastrocnemius muscle through proper exercise, stretching, and preventative measures to avoid injuries and maintain overall Foot health. If an injury or damage does Occur, it is essential to seek Medical attention promptly to prevent further Complications and promote healing."

Listing A25. Functional soleus response from LLM (prompt: "Soleus of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The soleus is a flat muscle located in the front of the lower leg, beneath the gastrocnemius. It runs from the knee to the heel and helps to provide flexion at the ankle joint. The soleus is responsible for approximately 60% of the total plantarflexion strength of the foot and plays a crucial role in activities such as walking, running, and jumping.

Functions of the Soleus:

1. Flexion at the ankle joint: The soleus muscle helps to provide flexion at the ankle joint, which allows for activities such as walking and running.

2. Propulsion: The soleus muscle helps to provide propulsion during activities like running and jumping.

3. Balance: The Soleus also helps to maintain balance during activities such as standing on one leg.

Importance of the Soleus:

1. The Soleus is a vital muscle for activities such as walking, running, and jumping.

2. It helps to provide stability and balance during these activities.

3. Proper functioning of the Soleus is essential for overall foot health.

Exercises for the Soleus:

1. Calf raises: Standing calf raises can help to strengthen the Soleus and improve flexibility.

- 2. Seated calf raises: Seated calf raises can also be done to strengthen the Soleus.
- 3. Toe curls: Toe curls can help to isolate and strengthen the Soleus.
- 4. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

5. Stretching: Stretching exercises such as hamstring stretches and calf stretches can help to improve flexibility in the Soleus.

Injury or Damage to the Soleus:

1. Strains: Strains in the Soleus can occur due to overuse or sudden movement.

2. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

3. Cramping: Cramping in the Soleus can be a sign of overuse or poor circulation.

4. Weakness: Weakness in the Soleus can affect overall foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation.

It is important to take care of the Soleus muscle through proper exercise, stretching, and preventative measures to avoid injuries and maintain overall Foot health. If an injury or damage does Occur, it is essential to seek Medical attention promptly to prevent further Complications and promote healing."

Listing A26. Functional peroneal muscles response from LLM (prompt: "Peroneal muscles of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The peroneal muscles are a group of muscles located on the lateral (outer) aspect of the lower leg. They play a crucial role in Foot function and help to provide stability, balance, and movement at the ankle joint. There are two main peroneal muscles: the peroneus longus and the peroneus brevis.

Functions of the Peroneal Muscles:

1. Eversion: The peroneal muscles help to evert the foot, which means they rotate it outward and away from the body.

2. Plantarflexion: The peroneal muscles also help to plantarflex the foot, which means they rotate it downward and backward.

3. Stability: The peroneal muscles help to provide stability to the ankle joint and prevent excessive inversion (rolling inward).

4. Balance: The peroneal muscles also play a crucial role in maintaining balance during activities such as walking and running.

Importance of the Peroneal Muscles:

1. The Peroneal muscles are essential for proper Foot function and stability.

2. They help to provide balance and prevent excessive inversion of the ankle joint.

3. Proper functioning of the Peroneal muscles is essential for overall foot health.

Exercises for the Peroneal Muscles:

1. Calf raises: Standing calf raises can help to strengthen the Peroneal muscles and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the Peroneal muscles.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

4. Stretching: Stretching exercises such as calf stretches and hamstring stretches can help to improve flexibility in the Peroneal muscles.

Injury or Damage to the Peroneal Muscles:

1. Sprains: Sprains in the Peroneal muscles can occur due to overuse or sudden movement.

2. Strains: Strains in the Peroneal muscles can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the Peroneal muscles can affect overall foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation.

It is important to take care of the Peroneal muscles through proper exercise, stretching, and preventative measures to avoid injuries and maintain overall Foot health. If an injury or damage does Occur, it is essential to seek Medical attention promptly to prevent further Complications and promote healing."

Listing A27. Functional abductor hallucis response from LLM (prompt: "abductor hallucis of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The abductor hallucis muscle is located on the dorsal (back) aspect of the Foot, and it plays a crucial role in Foot function. It helps to abduct the foot, which means it moves it away from the body, and it also assists with flexion at the ankle joint.

Functions of the Abductor Hallucis:

1. Abduction: The abductor hallucis muscle helps to abduct the foot, which means it moves it away from the body.

2. Flexion: The abductor hallucis also assists with flexion at the ankle joint, which means it helps to bend the foot downward.

3. Stability: The abductor hallucis muscle helps to provide stability to the ankle joint and prevent excessive inversion (rolling inward).

4. Balance: The abductor hallucis also plays a crucial role in maintaining balance during activities such as walking and running.

Importance of the Abductor Hallucis:

1. Proper functioning of the abductor hallucis is essential for proper foot function and stability.

2. Any damage or injury to the abductor hallucis muscle can affect Foot function and lead to compensatory mechanisms.

3. Weakness or imbalance in the abductor Hallucis muscle can increase the risk of ankle sprains and other Injuries.

Exercises for the Abductor Hallucis:

1. Calf raises: Standing calf raises can help to strengthen the abductor hallucis muscle and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the abductor hallucis muscle.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

4. Stretching: Stretching exercises such as calf stretches and hamstring stretches can help to improve flexibility in the abductor hallucis muscle.

Injury or Damage to the Abductor Hallucis:

1. Sprains: Sprains in the abductor hallucis muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the abductor hallucis muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the abductor Hallucis muscle can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A28. Functional flexor digitorum longus response from LLM (prompt: "Flexor digitorum longus of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The flexor digitorum longus (FDL) muscle is located on the medial (inner) aspect of the lower leg, and it plays a crucial role in Foot function. It helps to flex the toes and maintain proper alignment of the foot during activities such as walking and running.

Functions of the Flexor Digitorum Longus:

1. Flexion: The FDL muscle helps to flex the toes, which means it bends them downward.

2. Proper alignment: The FDL muscle helps to maintain proper alignment of the foot during activities such as walking and running.

3. Stability: The FDL muscle also helps to provide stability to the ankle joint and prevent excessive inversion (rolling inward).

4. Balance: The FDL muscle plays a crucial role in maintaining balance during activities such as walking and running.

Importance of the Flexor Digitorum Longus:

1. Proper functioning of the FDL is essential for proper Foot function and stability.

2. Any damage or injury to the FDL muscle can affect Foot function and lead to compensatory mechanisms.

3. Weakness or imbalance in the FDL muscle can increase the risk of ankle sprains and other Injuries.

Exercises for the Flexor Digitorum Longus:

1. Toe curls: Toe curls can help to isolate and strengthen the FDL muscle.

2. Calf raises: Standing calf raises can help to strengthen the FDL muscle and improve flexibility.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

4. Stretching: Stretching exercises such as calf stretches and hamstring stretches can help to improve flexibility in the FDL muscle.

Injury or Damage to the Flexor Digitorum Longus:

1. Sprains: Sprains in the FDL muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the FDL muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the FDL muscle can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A29. Functional flexor hallucis brevis response from LLM (prompt: "Flexor hallucis brevis of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The flexor hallucis brevis (FHB) muscle is located on the medial (inner) aspect of the lower leg, and it plays a crucial role in Foot function. It helps to flex the big toe and maintain proper alignment of the foot during activities such as walking and running.

Functions of the Flexor Hallucis Brevis:

1. Flexion: The FHB muscle helps to flex the big toe, which means it bends it downward.

2. Proper alignment: The FHB muscle helps to maintain proper alignment of the foot during activities such as walking and running.

3. Stability: The FHB muscle also helps to provide stability to the ankle joint and prevent excessive inversion (rolling inward).

4. Balance: The FHB muscle plays a crucial role in maintaining balance during activities such as walking and running.

Importance of the Flexor Hallucis Brevis:

1. Proper functioning of the FHB is essential for proper Foot function and stability.

2. Any damage or injury to the FHB muscle can affect Foot function and lead to compensatory mechanisms.

3. Weakness or imbalance in the FHB muscle can increase the risk of ankle sprains and other Injuries.

Exercises for the Flexor Hallucis Brevis:

1. Toe curls: Toe curls can help to isolate and strengthen the FHB muscle.

2. Calf raises: Standing calf raises can help to strengthen the FHB muscle and improve flexibility.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

4. Stretching: Stretching exercises such as calf stretches and hamstring stretches can help to improve flexibility in the FHB muscle.

Injury or Damage to the Flexor Hallucis Brevis:

1. Sprains: Sprains in the FHB muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the FHB muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the FHB muscle can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A30. Functional extensor digitorum brevis response from LLM (prompt: "Extensor digitorum brevis of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The extensor digitorum brevis (EDB) muscle is located on the dorsal (back) aspect of the lower leg, and it plays a crucial role in Foot function. It helps to extend the toes and maintain proper alignment of the foot during activities such as walking and running.

Functions of the Extensor Digitorum Brevis:

1. Extension: The EDB muscle helps to extend the toes, which means it straightens them.

2. Proper alignment: The EDB muscle helps to maintain proper alignment of the foot during activities such as walking and running.

3. Stability: The EDB muscle also helps to provide stability to the ankle joint and prevent excessive eversion (rolling outward).

4. Balance: The EDB muscle plays a crucial role in maintaining balance during activities such as walking and running.

Importance of the Extensor Digitorum Brevis:

1. Proper functioning of the EDB is essential for proper Foot function and stability.

2. Any damage or injury to the EDB muscle can affect Foot function and lead to compensatory mechanisms.

3. Weakness or imbalance in the EDB muscle can increase the risk of ankle sprains and other Injuries.

Exercises for the Extensor Digitorum Brevis:

1. Toe extensions: Toe extensions can help to isolate and strengthen the EDB muscle.

2. Calf raises: Standing calf raises can help to strengthen the EDB muscle and improve flexibility.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

4. Stretching: Stretching exercises such as toe touches and heel raises can help to improve flexibility in the EDB muscle.

Injury or Damage to the Extensor Digitorum Brevis:

1. Sprains: Sprains in the EDB muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the EDB muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the EDB muscle can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation.[INST]Pronator brevis of Muscles of the foot of Feet of Physical body of human[/INST] The pronator brevis muscle is a small, thin muscle located in the foot of the physical body of humans. It is a superficial muscle that lies on the dorsal surface of the foot, and it plays a crucial role in foot function.

Functions:

1. Flexion: The pronator brevis muscle helps to flex the foot, particularly the toes, and maintain proper alignment of the Foot during activities such as walking and running.

2. Stability: The pronator brevis muscle also helps to provide stability to the ankle joint and prevent excessive eversion (rolling outward).

3. Balance: The pronator brevis muscle plays a crucial role in maintaining balance during activities such as walking and running.

Importance:

1. Proper functioning of the pronator brevis muscle is essential for proper Foot function and stability.

2. Any damage or injury to the pronator brevis muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Toe curls: Toe curls can help to isolate and strengthen the pronator brevis muscle.

2. Calf raises: Standing calf raises can help to strengthen the pronator brevis muscle and improve flexibility.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the pronator brevis muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the pronator brevis muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the pronator brevis muscle can affect Foot function and lead to compensatory Mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A31. Functional tibialis anterior response from LLM (prompt: "Tibialis anterior of Muscles of the foot of Feet of Physical body of human", using functionality pre-prompt).

"The tibialis anterior muscle is a superficial muscle located on the front of the lower leg, and it plays a crucial role in Foot function. It helps to flex the foot, particularly the toes, and maintain proper alignment of the Foot during activities such as walking and running.

Functions:

1. Flexion: The tibialis anterior muscle helps to flex the foot, which means it bends the toes downward.

2. Proper alignment: The tibialis anterior muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Stability: The tibialis anterior muscle also helps to provide stability to the ankle joint and prevent excessive eversion (rolling outward).

Importance:

1. Proper functioning of the tibialis anterior muscle is essential for proper Foot function and stability.

2. Any damage or injury to the tibialis anterior muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Calf raises: Standing calf raises can help to strengthen the tibialis anterior muscle and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the tibialis anterior muscle.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the tibialis anterior muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the tibialis anterior muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the tibialis anterior muscle can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A32. Impairment / destruction gastrocnemius response from LLM (prompt: "Gastrocnemius of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The gastrocnemius muscle is a superficial muscle located on the back of the lower leg, and it plays a crucial role in Foot function. It helps to flex the foot, particularly the heel, and maintain proper alignment of the Foot during activities such as walking and running.

Functions:

1. Flexion: The gastrocnemius muscle helps to flex the foot, which means it bends the heel downward.

2. Proper alignment: The gastrocnemius muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Powerful push-off: The gastrocnemius muscle also helps to provide a powerful push-off during activities such as sprinting.

Importance:

1. Proper functioning of the gastrocnemius muscle is essential for proper Foot function and stability.

2. Any damage or injury to the gastrocnemius muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Calf raises: Standing calf raises can help to strengthen the gastrocnemius muscle and improve flexibility.

2. Heel raises: Heel raises can help to isolate and strengthen the gastrocnemius muscle.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the gastrocnemius muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the gastrocnemius muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the gastrocnemius muscle can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A33. Impairment / destruction soleus response from LLM (prompt: "Soleus of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The soleus muscle is a deep muscle located on the front of the lower leg, and it plays a crucial role in Foot function. It helps to flex the foot, particularly the toes, and maintain proper alignment of the Foot during activities such as walking and running.

Functions:

1. Flexion: The soleus muscle helps to flex the foot, which means it bends the toes downward.

2. Proper alignment: The soleus muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Stability: The soleus muscle also helps to provide stability to the ankle joint and prevent excessive eversion (rolling outward).

Importance:

1. Proper functioning of the soleus muscle is essential for proper Foot function and stability.

2. Any damage or injury to the soleus muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Calf raises: Standing calf raises can help to strengthen the soleus muscle and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the soleus muscle.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the soleus muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the soleus muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the Soleus Muscle can affect foot function and lead to Compensatory Mechanisms.

5. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation."

Listing A34. Impairment / destruction peroneal muscles response from LLM (prompt: "Peroneal muscles of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The peroneal muscles are located on the lateral (outside) aspect of the lower leg and play a crucial role in Foot function. They help to stabilize the ankle joint, support the arch of the Foot, and facilitate proper alignment of the Foot during activities such as walking and running.

Functions:

1. Stabilization: The peroneal muscles help to stabilize the ankle joint and prevent excessive inversion (rolling inward).

2. Support: The peroneal muscles also help to support the arch of the Foot and maintain proper alignment.

3. Eversion: The peroneal muscles help to evert the Foot, which means they roll it outward.

Importance:

1. Proper functioning of the peroneal muscles is essential for proper Foot function and stability.

2. Any damage or injury to the peroneal muscles can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Calf raises: Standing calf raises can help to strengthen the peroneal muscles and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the peroneal muscles.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the peroneal muscles can occur due to overuse or sudden movement.

2. Strains: Strains in the peroneal muscles can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the peroneal muscles can affect Foot function and lead to compensatory mechanisms.

5. Swelling: Swelling in the ankle joint can occur due to injury or inflammation."

Listing A35. Impairment / destruction abductor hallucis response from LLM (prompt: "Abductor hallucis of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The abductor hallucis muscle is located on the lateral (outside) aspect of the Foot and plays a crucial role in Foot function. It helps to abduct the Foot, which means it moves it away from the midline of the body.

Functions:

1. Abduction: The abductor hallucis muscle helps to abduct the Foot, which means it moves it away from the midline of the body.

2. Proper alignment: The abductor hallucis muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Stability: The abductor hallucis muscle also provides stability to the ankle joint and prevent excessive inversion (rolling inward).

Importance:

1. Proper functioning of the abductor hallucis muscle is essential for proper Foot function and stability.

2. Any damage or injury to the abductor hallucis muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Calf raises: Standing calf raises can help to strengthen the abductor hallucis muscle and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the abductor hallucis muscle.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the abductor hallucis muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the abductor hallucis muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the abductor hallucis muscle can affect foot function and lead to Compensatory Mechanisms.

5. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation."

Listing A36. Impairment / destruction flexor digitorum longus response from LLM (prompt: "Flexor digitorum longus of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The flexor digitorum longus muscle is located on the plantar (bottom) aspect of the Foot and plays a crucial role in Foot function. It helps to flex the toes and maintain proper alignment during activities such as walking and running.

Functions:

1. Flexion: The flexor digitorum longus muscle helps to flex the toes, which means it moves them downward.

2. Proper alignment: The flexor digitorum longus muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Support: The flexor digitorum longus muscle also provides support to the arch of the Foot.

Importance:

1. Proper functioning of the flexor digitorum longus muscle is essential for proper Foot function and stability.

2. Any damage or injury to the flexor digitorum longus muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Toe curls: Toe curls can help to isolate and strengthen the flexor digitorum longus muscle.

2. Calf raises: Standing calf raises can help to strengthen the flexor digitorum longus muscle and improve flexibility.

3. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

Injury or Damage:

1. Sprains: Sprains in the flexor digitorum longus muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the flexor digitorum longus muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the flexor digitorum longus muscle can affect Foot function and lead to Compensatory Mechanisms.

5. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation.[INST0]Plantar fascia of Muscles of the foot of Feet of Physical body of human[/INST

1. Plantar fascia is a band of tissue that runs along the bottom of the Foot, from the heel to the toes. It helps to maintain proper alignment and support the arch of the Foot.

2. Functions: The plantar fascia helps to:

a. Maintain proper alignment of the Foot during activities such as walking and running.

b. Support the arch of the Foot.

c. Provide stability to the ankle joint.

d. Act as a shock absorber and reduce stress on the Foot during activities.

3. Importance: Proper functioning of the plantar fascia is essential for proper Foot function and stability. Any damage or injury to the plantar fascia can affect Foot function and lead to compensatory mechanisms.

4. Exercises: Exercises that can help strengthen the plantar fascia include:

a. Calf raises: Standing calf raises can help to strengthen the plantar fascia and improve flexibility.

b. Toe curls: Toe curls can help to isolate and strengthen the plantar fascia.

c. Ankle circles: Ankle circles can help to improve flexibility and range of motion in the ankle joint.

5. Injury or Damage: Injury or damage to the plantar fascia can occur due to overuse, sudden movement, or degenerative changes. Common injuries include plantar fasciitis (inflammation of the plantar fascia) and plantar fascial tears. Weakness in the plantar fascia can also lead to Compensatory Mechanisms.
6. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation of the Plantar Fascia.

Note: It's important to consult a medical professional for proper diagnosis and treatment of any injuries or damages to the muscles of the foot.]"

Listing A37. Impairment / destruction flexor hallucis brevis response from LLM (prompt: "Flexor hallucis brevis of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The flexor hallucis brevis muscle is located on the dorsal (top) aspect of the Foot and plays a crucial role in Foot function. It helps to flex the big toe and maintain proper alignment during activities such as walking and running.

Functions:

1. Flexion: The flexor hallucis brevis muscle helps to flex the big toe, which means it moves it downward.

2. Proper alignment: The flexor hallucis brevis muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Support: The flexor hallucis brevis muscle also provides support to the arch of the Foot.

Importance:

1. Proper functioning of the flexor hallucis brevis muscle is essential for proper Foot function and stability.

2. Any damage or injury to the flexor hallucis brevis muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Toe curls: Toe curls can help to isolate and strengthen the flexor hallucis brevis muscle.

2. Calf raises: Standing calf raises can help to strengthen the flexor hallucis brevis muscle and improve flexibility.

Injury or Damage:

1. Sprains: Sprains in the flexor hallucis brevis muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the flexor hallucis brevis muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the flexor hallucis brevis muscle can affect Foot function and lead to Compensatory Mechanisms.

5. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation."

Listing A38. Impairment / destruction extensor digitorum brevis response from LLM (prompt: "Extensor digitorum brevis of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The extensor digitorum brevis muscle is located on the dorsal (top) aspect of the Foot and plays a crucial role in Foot function. It helps to extend the toes and maintain proper alignment during activities such as walking and running.

Functions:

1. Extension: The extensor digitorum brevis muscle helps to extend the toes, which means it moves them away from the body.

2. Proper alignment: The extensor digitorum brevis muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Support: The extensor digitorum brevis muscle also provides support to the arch of the Foot.

Importance:

1. Proper functioning of the extensor digitorum brevis muscle is essential for proper Foot function and stability.

2. Any damage or injury to the extensor digitorum brevis muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Toe extensions: Toe extensions can help to isolate and strengthen the extensor digitorum brevis muscle.

2. Calf raises: Standing calf raises can help to strengthen the extensor digitorum brevis muscle and improve flexibility.

Injury or Damage:

1. Sprains: Sprains in the extensor digitorum brevis muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the extensor digitorum brevis muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the extensor digitorum brevis muscle can affect Foot function and lead to Compensatory Mechanisms.

5. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation."

Listing A39. Impairment / destruction tibialis anterior response from LLM (prompt: "Tibialis anterior of Muscles of the foot of Feet of Physical body of human", using impairment / destruction pre-prompt).

"The tibialis anterior muscle is located on the front of the lower leg and plays a crucial role in Foot function. It helps to flex the Foot and maintain proper alignment during activities such as walking and running.

Functions:

1. Flexion: The tibialis anterior muscle helps to flex the Foot, which means it moves the toes downward.

2. Proper alignment: The tibialis anterior muscle helps to maintain proper alignment of the Foot during activities such as walking and running.

3. Support: The tibialis anterior muscle also provides support to the arch of the Foot.

Importance:

1. Proper functioning of the tibialis anterior muscle is essential for proper Foot function and stability.

2. Any damage or injury to the tibialis anterior muscle can affect Foot function and lead to compensatory mechanisms.

Exercises:

1. Calf raises: Standing calf raises can help to strengthen the tibialis anterior muscle and improve flexibility.

2. Toe curls: Toe curls can help to isolate and strengthen the tibialis anterior muscle.

Injury or Damage:

1. Sprains: Sprains in the tibialis anterior muscle can occur due to overuse or sudden movement.

2. Strains: Strains in the tibialis anterior muscle can also occur due to overuse or sudden movement.

3. Tears: Tears in the muscle fibers can happen due to trauma or degenerative changes.

4. Weakness: Weakness in the tibialis anterior muscle can affect Foot function and lead to Compensatory Mechanisms.

5. Swelling: Swelling in the ankle Joint can occur due to injury or inflammation."

Listing A40. Characterization of importance of the balance of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the importance of Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Essential"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A41. Characterization of importance of the propulsion of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the importance of Propulsion of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Vital"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A42. Characterization of importance of the flexion at the ankle joint of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the importance of Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Critical"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A43. Characterization of importance of "essential" term – scale of 1 to 10 (uses importance preprompt).

Prompt: On a scale of 1 to 10, how important is "Essential". Answer with a single number.

Response: "9"

Listing A44. Characterization of importance of "vital" term – scale of 1 to 10 (uses importance preprompt).

Prompt: On a scale of 1 to 10, how important is "Vital". Answer with a single number.

Response: "8"

Listing A45. Characterization of importance of "critical" term – scale of 1 to 10 (uses importance preprompt).

Prompt: On a scale of 1 to 10, how important is "Critical". Answer with a single number.

Response: "9"

Listing A46. Characterization of importance of "essential" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Essential". Answer with a single number.

Response: "87"

Listing A47. Characterization of importance of "vital" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Vital". Answer with a single number.

Response: "92"

Listing A48. Characterization of importance of "critical" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Critical". Answer with a single number.

Response: "95"

Listing A49. Characterization of the impact of strains on the balance of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Strains on the Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Detrimental"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A50. Characterization of the impact of tears on the balance of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Tears on the Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Debilitating"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A51. Characterization of the impact of cramping on the balance of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Cramping on the Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Disruptive"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A52. Characterization of the impact of weakness on the balance of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Weakness on the Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Unstable"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A53. Characterization of the impact of swelling on the balance of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Swelling on the Balance of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Impaired"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A54. Characterization of importance of "detrimental" term – scale of 1 to 100 (uses importance pre-prompt).

Prompt: On a scale of 1 to 100, how important is "Detrimental". Answer with a single number.

Response: "85"

Listing A55. Characterization of importance of "debilitating" term – scale of 1 to 100 (uses importance pre-prompt).

Prompt: On a scale of 1 to 100, how important is "Debilitating". Answer with a single number.

Response: "90"

Listing A56. Characterization of importance of "disruptive" term – scale of 1 to 100 (uses importance pre-prompt).

Prompt: On a scale of 1 to 100, how important is "Disruptive". Answer with a single number.

Response: "88"

Listing A57. Characterization of importance of "unstable" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Unstable". Answer with a single number.

Response: "91"

Listing A58. Characterization of importance of "impaired" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Impaired". Answer with a single number.

Response: "95"

Listing A59. Characterization of the impact of strains on the propulsion of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Strains on the Propulsion of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Hindered"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A60. Characterization of the impact of tears on the propulsion of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Tears on the Propulsion of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Limited"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A61. Characterization of the impact of cramping on the propulsion of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Cramping on the Propulsion of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Restricted"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A62. Characterization of the impact of weakness on the propulsion of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Weakness on the Propulsion of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Reduced"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A63. Characterization of the impact of swelling on the propulsion of gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Swelling on the Propulsion of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Impaired"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A64. Characterization of the impact of strains on the flexion at the ankle joint of the gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Strains on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Limited"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A65. Characterization of the impact of tears on the flexion at the ankle joint of the gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Tears on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Restricted"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A66. Characterization of the impact of cramping on the flexion at the ankle joint of the gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Cramping on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Reduced"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A67. Characterization of the impact of weakness on the flexion at the ankle joint of the gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Weakness on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Impaired"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A68. Characterization of the impact of swelling on the flexion at the ankle joint of the gastrocnemius of muscles of the foot of feet of physical body of human (uses importance pre-prompt).

Prompt: In a single word characterize the impact of Swelling on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "Limited"

Note: the quotation marks included in the response were included in the LLM output in this instance.

Listing A69. Characterization of the impact of swelling on the flexion at the ankle joint of the gastrocnemius of muscles of the foot of feet of physical body of human – scale of 1 to 100 (uses importance pre-prompt).

Prompt: On a scale of 1 to 100, characterize the impact of Swelling on the Flexion at the ankle joint of Gastrocnemius of Muscles of the foot of Feet of Physical body of human

Response: "75"

Listing A70. Characterization of importance of "hindered" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Hindered". Answer with a single number.

Response: "90"

Listing A71. Characterization of importance of "limited" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Limited". Answer with a single number.

Response: "85"

Listing A72. Characterization of importance of "restricted" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Restricted". Answer with a single number.

Response: "90"

Listing A73. Characterization of importance of "reduced" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Reduced". Answer with a single number.

Response: "85"

Listing A74. Characterization of importance of "impaired" term – scale of 1 to 100 (uses importance preprompt).

Prompt: On a scale of 1 to 100, how important is "Impaired". Answer with a single number.

Response: "95"

References

- [1] B. Goertzel, "Artificial General Intelligence: Concept, State of the Art, and Future Prospects," J. *Artif. Gen. Intell.*, vol. 5, no. 1, pp. 1–48, Dec. 2014, doi: 10.2478/JAGI-2014-0001.
- [2] T. J. Huang, "Imitating the brain with neurocomputer a 'new' way towards artificial general intelligence," Int. J. Autom. Comput., vol. 14, no. 5, pp. 520–531, Oct. 2017, doi: 10.1007/S11633-017-1082-Y/METRICS.
- [3] J. Pei *et al.*, "Towards artificial general intelligence with hybrid Tianjic chip architecture," *Nat.* 2019 5727767, vol. 572, no. 7767, pp. 106–111, Jul. 2019, doi: 10.1038/s41586-019-1424-8.
- [4] N. Fei *et al.*, "Towards artificial general intelligence via a multimodal foundation model," *Nat. Commun. 2022 131*, vol. 13, no. 1, pp. 1–13, Jun. 2022, doi: 10.1038/s41467-022-30761-2.
- [5] S. McLean, G. J. M. Read, J. Thompson, C. Baber, N. A. Stanton, and P. M. Salmon, "The risks associated with Artificial General Intelligence: A systematic review," J. Exp. Theor. Artif. Intell., vol. 35, no. 5, pp. 649–663, Jul. 2023, doi: 10.1080/0952813X.2021.1964003.
- [6] B. G. Buchanan *et al.*, "Constructing an expert system," *Build. Expert Syst.*, vol. 50, pp. 127–167, 1983.
- J. Straub, "Expert system gradient descent style training: Development of a defensible artificial intelligence technique," *Knowledge-Based Syst.*, p. 107275, Jul. 2021, doi: 10.1016/j.knosys.2021.107275.
- [8] J. C. Dias, P. Machado, D. C. Silva, and P. H. Abreu, "An Inverted Ant Colony Optimization

approach to traffic," Eng. Appl. Artif. Intell., vol. 36, pp. 122–133, 2014.

- [9] H. Shah-Hosseini, "The intelligent water drops algorithm: a nature-inspired swarm-based optimization algorithm," *Int. J. Bio-Inspired Comput.*, vol. 1, no. 1, pp. 71–79, 2009.
- [10] S. Hershey et al., "CNN architectures for large-scale audio classification," in ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, Jun. 2017, pp. 131–135, doi: 10.1109/ICASSP.2017.7952132.
- [11] J. Kennedy and R. Eberhart, "Particle swarm optimization," in *Proceedings of IEEE international conference on neural networks*, 1995, vol. 4, no. 2, pp. 1942–1948.
- [12] S. Yeasmin, "Benefits of Artificial Intelligence in Medicine," May 2019, doi: 10.1109/CAIS.2019.8769557.
- [13] J. Koehler, "Business Process Innovation with Artificial Intelligence: Levering Benefits and Controlling Operational Risks," *Eur. Bus. Manag.*, vol. 4, no. 2, pp. 55–66, 2018, doi: 10.11648/j.ebm.20180402.12.
- [14] M. P. Papadopoulou, I. K. Nikolos, and G. P. Karatzas, "Computational benefits using artificial intelligent methodologies for the solution of an environmental design problem: Saltwater intrusion," *Water Sci. Technol.*, vol. 62, no. 7, pp. 1479–1490, Oct. 2010, doi: 10.2166/wst.2010.442.
- [15] D. Gunning, M. Stefik, J. Choi, T. Miller, S. Stumpf, and G. Z. Yang, "XAI-Explainable artificial intelligence," *Sci. Robot.*, vol. 4, no. 37, Dec. 2019, doi: 10.1126/scirobotics.aay7120.
- [16] P. Giudici and E. Raffinetti, "Shapley-Lorenz eXplainable Artificial Intelligence," *Expert Syst. Appl.*, vol. 167, p. 114104, Apr. 2021, doi: 10.1016/j.eswa.2020.114104.
- [17] S. Cheng, H. Yang, and P. Shafto, "Explainable Artificial Intelligence via Bayesian Teaching," Dec. 2017.
- [18] S. Elhag, A. Fernández, S. Alshomrani, and F. Herrera, "Evolutionary fuzzy systems: A case study for intrusion detection systems," in *Studies in Computational Intelligence*, vol. 779, Springer Verlag, 2019, pp. 169–190.
- [19] R. Pierrard, J. P. Poli, and C. Hudelot, "Learning fuzzy relations and properties for explainable artificial intelligence," in *IEEE International Conference on Fuzzy Systems*, Oct. 2018, vol. 2018-July, doi: 10.1109/Fuzz-leee.2018.8491538.
- [20] A. Barredo Arrieta *et al.*, "Explainable Explainable Artificial Intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI," *Inf. Fusion*, vol. 58, pp. 82–115, Jun. 2020, doi: 10.1016/j.inffus.2019.12.012.
- [21] D. Waterman, *A guide to expert systems*. Reading, MA: Addison-Wesley Pub. Co., 1986.
- [22] V. Zwass, "Expert system," *Britannica*, Feb. 10, 2016. https://www.britannica.com/technology/expert-system (accessed Feb. 24, 2021).
- [23] R. K. Lindsay, B. G. Buchanan, E. A. Feigenbaum, and J. Lederberg, "DENDRAL: A case study of the first expert system for scientific hypothesis formation," *Artif. Intell.*, vol. 61, no. 2, pp. 209–261, Jun. 1993, doi: 10.1016/0004-3702(93)90068-M.
- [24] J. M. McKinion and H. E. Lemmon, "Expert systems for agriculture," *Comput. Electron. Agric.*, vol. 1, no. 1, pp. 31–40, Oct. 1985, doi: 10.1016/0168-1699(85)90004-3.
- [25] M. Kuehn, J. Estad, J. Straub, T. Stokke, and S. Kerlin, "An expert system for the prediction of student performance in an initial computer science course," 2017, doi: 10.1109/EIT.2017.8053321.
- B. Abu-Nasser, "Medical Expert Systems Survey," Int. J. Eng. Inf. Syst., vol. 1, no. 7, pp. 218–224, Sep. 2017, Accessed: Jan. 17, 2021. [Online]. Available: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3082734.
- [27] L. A. Zadeh, "Fuzzy sets," *Inf. Control*, vol. 8, no. 3, pp. 338–353, Jun. 1965, doi: 10.1016/S0019-9958(65)90241-X.

- [28] S. Mitra and S. K. Pal, "Neuro-fuzzy expert systems: Relevance, features and methodologies," *IETE J. Res.*, vol. 42, no. 4–5, pp. 335–347, 1996, doi: 10.1080/03772063.1996.11415939.
- [29] J. Straub, "Automating the design and development of gradient descent trained expert system networks," *Knowledge-Based Syst.*, vol. 254, no. 77, Oct. 2022, doi: 10.1016/j.knosys.2022.109465.
- [30] J. Straub, "Machine learning performance validation and training using a 'perfect' expert system," *MethodsX*, vol. 8, p. 101477, Jan. 2021, doi: 10.1016/J.MEX.2021.101477.
- [31] X. S. Liang and J. Straub, "Deceptive Online Content Detection Using Only Message Characteristics and a Machine Learning Trained Expert System," Sensors 2021, Vol. 21, Page 7083, vol. 21, no. 21, p. 7083, Oct. 2021, doi: 10.3390/S21217083.
- [32] J. Maul and J. Straub, "Assessment of the Use of Patient Vital Sign Data for Preventing Misidentification and Medical Errors," *Healthc. 2022, Vol. 10, Page 2440*, vol. 10, no. 12, p. 2440, Dec. 2022, doi: 10.3390/HEALTHCARE10122440.
- [33] K. I. Roumeliotis and N. D. Tselikas, "ChatGPT and Open-AI Models: A Preliminary Review," *Futur. Internet 2023, Vol. 15, Page 192*, vol. 15, no. 6, p. 192, May 2023, doi: 10.3390/FI15060192.
- [34] G. Cooper, "Examining Science Education in ChatGPT: An Exploratory Study of Generative Artificial Intelligence," *J. Sci. Educ. Technol.*, vol. 32, no. 3, pp. 444–452, 2023, [Online]. Available: https://link.springer.com/article/10.1007/s10956-023-10039-y.
- [35] Y. Liu *et al.*, "Generative artificial intelligence and its applications in materials science: Current situation and future perspectives," *J. Mater.*, vol. 9, no. 4, pp. 798–816, Jul. 2023, doi: 10.1016/J.JMAT.2023.05.001.
- P. Budhwar *et al.*, "Human resource management in the age of generative artificial intelligence: Perspectives and research directions on ChatGPT," *Hum. Resour. Manag. J.*, vol. 33, no. 3, pp. 606–659, Jul. 2023, doi: 10.1111/1748-8583.12524.
- [37] J. V. Pavlik, "Collaborating With ChatGPT: Considering the Implications of Generative Artificial Intelligence for Journalism and Media Education," *https://doi.org/10.1177/10776958221149577*, vol. 78, no. 1, pp. 84–93, Jan. 2023, doi: 10.1177/10776958221149577.
- [38] R. M. Wachter and E. Brynjolfsson, "Will Generative Artificial Intelligence Deliver on Its Promise in Health Care?," *JAMA*, vol. 331, no. 1, pp. 65–69, Jan. 2024, doi: 10.1001/JAMA.2023.25054.
- [39] B. Mesko, "The ChatGPT (Generative Artificial Intelligence) Revolution Has Made Artificial Intelligence Approachable for Medical Professionals," *J. Med. Internet Res.*, vol. 25, no. 1, p. e48392, Jun. 2023, doi: 10.2196/48392.
- Y. Haber, I. Levkovich, D. Hadar-Shoval, and Z. Elyoseph, "The Artificial Third: A Broad View of the Effects of Introducing Generative Artificial Intelligence on Psychotherapy.," *JMIR Ment. Heal.*, vol. 11, no. 1, p. e54781, May 2024, doi: 10.2196/54781.
- [41] Z. Xiao, W. Li, H. Moon, G. W. Roell, Y. Chen, and Y. J. Tang, "Generative Artificial Intelligence GPT-4 Accelerates Knowledge Mining and Machine Learning for Synthetic Biology," ACS Synth. Biol., vol. 12, no. 10, pp. 2973–2982, Oct. 2023, doi: 10.1021/ACSSYNBIO.3C00310/SUPPL FILE/SB3C00310 SI 002.XLSX.
- [42] F. Grisoni *et al.*, "Combining generative artificial intelligence and on-chip synthesis for de novo drug design," *Sci. Adv.*, vol. 7, no. 24, pp. 3338–3349, Jun. 2021, doi: 10.1126/SCIADV.ABG3338/SUPPL_FILE/SCIADV.ABG3338_SM.PDF.
- [43] P. de Oliveira Santos *et al.*, "How Do Information Technology Professionals Use Generative Artificial Intelligence?," *Proc. 20th Brazilian Symp. Inf. Syst.*, pp. 1–9, May 2024, doi: 10.1145/3658321.3658367.
- [44] Y. K. Dwivedi, N. Pandey, W. Currie, and A. Micu, "Leveraging ChatGPT and other generative artificial intelligence (AI)-based applications in the hospitality and tourism industry: practices, challenges and research agenda," *Int. J. Contemp. Hosp. Manag.*, vol. 36, no. 1, pp. 1–12, Jan.

2024, doi: 10.1108/IJCHM-05-2023-0686/FULL/XML.

- [45] R. Peres, M. Schreier, D. Schweidel, and A. Sorescu, "On ChatGPT and beyond: How generative artificial intelligence may affect research, teaching, and practice," *Int. J. Res. Mark.*, vol. 40, no. 2, pp. 269–275, Jun. 2023, doi: 10.1016/J.IJRESMAR.2023.03.001.
- [46] D. K. Kanbach, L. Heiduk, G. Blueher, M. Schreiter, and A. Lahmann, "The GenAl is out of the bottle: generative artificial intelligence from a business model innovation perspective," *Rev. Manag. Sci.*, vol. 18, no. 4, pp. 1189–1220, Apr. 2024, doi: 10.1007/S11846-023-00696-Z/FIGURES/3.
- [47] A. R. Doshi and O. Hauser, "Generative artificial intelligence enhances creativity but reduces the diversity of novel content," *SSRN Electron. J.*, Aug. 2023, doi: 10.2139/SSRN.4535536.
- S. Noy and W. Zhang, "Experimental evidence on the productivity effects of generative artificial intelligence," *Science (80-.).*, vol. 381, no. 6654, pp. 187–192, Jul. 2023, doi: 10.1126/SCIENCE.ADH2586/SUPPL_FILE/SCIENCE.ADH2586_MDAR_REPRODUCIBILITY_CHECKLIS T.PDF.
- [49] N. R. Mannuru *et al.*, "Artificial intelligence in developing countries: The impact of generative artificial intelligence (AI) technologies for development," *https://doi.org/10.1177/02666669231200628*, Sep. 2023, doi: 10.1177/02666669231200628.
- [50] E. Zhou and D. Lee, "Generative artificial intelligence, human creativity, and art," *PNAS Nexus*, vol. 3, no. 3, Feb. 2024, doi: 10.1093/PNASNEXUS/PGAE052.
- [51] D. Schlagwein and L. Willcocks, "ChatGPT et al.': The ethics of using (generative) artificial intelligence in research and science," *https://doi.org/10.1177/02683962231200411*, vol. 38, no. 3, pp. 232–238, Sep. 2023, doi: 10.1177/02683962231200411.
- [52] A. Tang, K. K. Li, K. O. Kwok, L. Cao, S. Luong, and W. Tam, "The importance of transparency: Declaring the use of generative artificial intelligence (AI) in academic writing," J. Nurs. Scholarsh., vol. 56, no. 2, pp. 314–318, Mar. 2024, doi: 10.1111/JNU.12938.
- [53] J. Dien, "Editorial: Generative artificial intelligence as a plagiarism problem," *Biol. Psychol.*, vol. 181, p. 108621, Jul. 2023, doi: 10.1016/J.BIOPSYCHO.2023.108621.
- [54] L. Banh and G. Strobel, "Generative artificial intelligence," *Electron. Mark. 2023 331*, vol. 33, no. 1, pp. 1–17, Dec. 2023, doi: 10.1007/S12525-023-00680-1.
- [55] G. Martínez, L. Watson, P. Reviriego, J. A. Hernández, M. Juarez, and R. Sarkar, "Towards Understanding the Interplay of Generative Artificial Intelligence and the Internet," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 14523 LNAI, pp. 59–73, 2024, doi: 10.1007/978-3-031-57963-9_5.
- [56] M. Jovanovic and M. Campbell, "Generative Artificial Intelligence: Trends and Prospects," Computer (Long. Beach. Calif)., vol. 55, no. 10, pp. 107–112, 2022, [Online]. Available: https://www.computer.org/csdl/magazine/co/2022/10/09903869/1H0G6xvtREk.
- [57] P. Hofmann, T. Rückel, and N. Urbach, "Innovating with Artificial Intelligence: Capturing the Constructive Functional Capabilities of Deep Generative Learning," *Proc. Annu. Hawaii Int. Conf. Syst. Sci.*, vol. 2020-January, pp. 5505–5514, Jan. 2021, doi: 10.24251/HICSS.2021.669.
- [58] T. Wu *et al.*, "A Brief Overview of ChatGPT: The History, Status Quo and Potential Future Development," *IEEE/CAA J. Autom. Sin. 2023, Vol. 10, Issue 5, Pages 1122-1136*, vol. 10, no. 5, pp. 1122–1136, May 2023, doi: 10.1109/JAS.2023.123618.
- [59] H. Touvron *et al.*, "LLaMA: Open and Efficient Foundation Language Models," *arXiv Prepr.* 2302.13971, Feb. 2023, Accessed: Jun. 02, 2024. [Online]. Available: https://arxiv.org/abs/2302.13971v1.
- [60] H. Touvron *et al.*, "Llama 2: Open Foundation and Fine-Tuned Chat Models," *arXiv Prepr.* 2307.09288, Jul. 2023, Accessed: Jun. 03, 2024. [Online]. Available: https://arxiv.org/abs/2307.09288v2.

- [61] J. Straub, "Gradient descent training expert system," *Softw. Impacts*, p. 100121, Sep. 2021, doi: 10.1016/J.SIMPA.2021.100121.
- [62] J. Straub, "Another Voice: New York City's war on AI job screening could produce national harm," *The Buffalo News*, Buffalo, NY, UA, Oct. 09, 2023.
- [63] J. Straub, "AI Regulation Done Right," *Governing*, Jul. 17, 2023.
- [64] W. Samek, A. Binder, G. Montavon, S. Lapuschkin, and K. R. Müller, "Evaluating the visualization of what a deep neural network has learned," *IEEE Trans. Neural Networks Learn. Syst.*, vol. 28, no. 11, pp. 2660–2673, Nov. 2017, doi: 10.1109/TNNLS.2016.2599820.
- [65] R. K. Card and B. Bordoni, "Anatomy, Bony Pelvis and Lower Limb, Foot Muscles," National Library of Medicine Website, 2023. https://www.ncbi.nlm.nih.gov/books/NBK539705 (accessed Feb. 06, 2024).