

# Medical Spoken Named Entity Recognition

**Khai Le-Duc**<sup>\*1,3,4,5</sup>, **David Thulke**<sup>1,2</sup>, **Hung-Phong Tran**<sup>7</sup>, **Long Vo-Dang**<sup>8</sup>,  
**Khai-Nguyen Nguyen**<sup>9</sup>, **Truong-Son Hy**<sup>5,6</sup>, **Ralf Schlüter**<sup>1,2</sup>

<sup>1</sup>Lehrstuhl Informatik 6 - Machine Learning and Human Language Technology Group,  
Computer Science Department, RWTH Aachen University, 52074 Aachen, Germany

<sup>2</sup>AppTek GmbH, 52062 Aachen, Germany

<sup>3</sup>University of Toronto, Canada <sup>4</sup>University Health Network, Canada

<sup>5</sup>FPT Software AI Center, Vietnam <sup>6</sup>Indiana State University, United States

<sup>7</sup>Hanoi University of Science and Technology, Vietnam

<sup>8</sup>University of Cincinnati, United States <sup>9</sup>College of William and Mary, United States

duckhai.le@mail.utoronto.ca

TruongSon.Hy@indstate.edu, {thulke,schlueter}@hltpr.rwth-aachen.de

## Abstract

Spoken Named Entity Recognition (NER) aims to extracting named entities from speech and categorizing them into types like person, location, organization, etc. In this work, we present *VietMed-NER* - the first spoken NER dataset in the medical domain. To our best knowledge, our real-world dataset is the largest spoken NER dataset in the world in terms of the number of entity types, featuring 18 distinct types. Secondly, we present baseline results using various state-of-the-art pre-trained models: encoder-only and sequence-to-sequence. We found that pre-trained multilingual models XLM-R outperformed all monolingual models on both reference text and ASR output. Also in general, encoders perform better than sequence-to-sequence models for the NER task. By simply translating, the transcript is applicable not just to Vietnamese but to other languages as well. All code, data and models are made publicly available [here](#).

## 1 Introduction

Named Entity Recognition (NER) targets extracting named entities (NE) from text and categorizing them into types like person, location, organization, etc. Initially studied in written language, recent attention has turned to studying spoken NER (Cohn et al., 2019; Shon et al., 2022), which aims to extract semantic information from speech. However, spoken NER has limited literature compared to NER on written text data (Yadav et al., 2020).

Spoken NER is particularly challenging, firstly due to the impact of word segmentation on results.

<sup>(\*)</sup>Work partially done during the bachelor thesis at Lehrstuhl Informatik 6 - Machine Learning and Human Language Technology Group, Computer Science Department, RWTH Aachen University

The Vietnamese vocabulary poses difficulties with numerous confused monosyllabic and polysyllabic words. For instance, the word "đường" alone could denote "sugar" (chemical), "street" (location), or be part of a compound word like "đường tiêu hóa" - "gastrointestinal" (anatomy). This confusion has also been reported in Chinese spoken NER by Chen et al. (2022). Secondly, data quality control and annotation consistency have been problematic, with some entities tagged in one sentence but not in others, and full NEs inconsistently tagged as multiple sub-NEs (Huyen and Luong, 2016; Nguyen et al., 2018, 2020; Truong et al., 2021). Thirdly, obtaining accurate medical NER from natural speech is challenging due to the lack of punctuation, speech disfluency, context, and the complexity of medical terms.

As for the medical domain, to our best knowledge, there is no dataset available for medical spoken NER. The only related work we found, Cohn et al. (2019), published a NER evaluation benchmark using an English general-domain conversational dataset, Switchboard (Godfrey et al., 1992) and Fisher (Cieri et al., 2004), for the task of audio de-identification specifically targeting Personal Health Identifiers.

To address this gap, we introduce *VietMed-NER*, a medical spoken NER dataset built on the real-world medical Automatic Speech Recognition (ASR) dataset *VietMed* (Le-Duc, 2024), featuring 18 medically-defined entity types. The dataset has the potential to serve as a foundational task in various real-world applications, such as: error correction for medical ASR output (Mani et al., 2020), audio de-identification. By simply translating, the transcript is applicable not just to Vietnamese but to other languages as well, such as:

privacy-preserved machine learning (e.g. for model training and public dataset creation), and virtual assistant (e.g. search engine (Rüd et al., 2011), classifying content for news providers (Kumaran and Allan, 2004), and recommending content (Koperski et al., 2017)). Our contributions are as follows:

- We present *VietMed-NER* - the first publicly-available medical spoken NER dataset.
- We present our annotation scheme, called Recursive Greedy Mapping, intending to improve annotation speed and quality in the medical domain.
- We present baselines on several state-of-the-art pre-trained models and analyze the results.

All code, data (English-translated and Vietnamese) and models are published online<sup>1</sup>.

## 2 Data

### 2.1 Data Collection

We chose the *VietMed* dataset (Le-Duc, 2024), the world’s largest and most generalizable and publicly-available medical ASR dataset, for annotating NEs.

### 2.2 Annotation Process

Annotation of medical NEs from real-world speech is challenging because of the missing punctuation, special characters and capitalized words in ASR transcript, disfluencies and required medical knowledge. Entirely manual annotation of NEs like in VLSP dataset (Huyen and Luong, 2016; Nguyen et al., 2018, 2020) and PhoNER\_COVID19 (Truong et al., 2021) requires a large number of working hours, not to mention the difficulties in quality control and inconsistency as we found in their corpora. This inconsistency includes: i) Some entities tagged in a sentence are not also tagged in other sentences, and ii) Full NEs are inconsistently tagged as multiple sub-NEs.

To tackle these problems, we present a human-machine annotation approach, called Recursive Greedy Mapping. The method is described below:

1. Annotate and categorize some initial entities, then add them to a gazetteer list.
2. Sort entities by character length from highest to lowest, to distinguish between sub-NEs and full NEs, ensuring full NEs are mapped before

sub-NEs. Time complexity =  $O(k \cdot \log(k))$  where  $k$  is the number of NEs.

3. Automatically map entities from the gazetteer list to the transcript. Time complexity =  $O(m \cdot n)$ , where  $m$  is the number of NEs in gazeteer list,  $n$  is the number of sentences. Pseudo code:

```
for NE in gazetteer_list:
    for sen in sentences:
        if NE in sen:
            annotate(NE, sen)
```

4. Annotators review each sentence to include correctly labeled NEs and ignore mislabeled NEs
5. Annotators add new NEs not in the gazetteer list during manual annotation. Steps 2 and 3 generate pre-tagged labels in the next sentences. Annotators repeat Steps 4 and 5 until the entire corpus is annotated.

In short, Recursive Greedy Mapping speeds up annotation by allowing annotators to foresee possible NEs in upcoming utterances based on previously annotated ones. Annotators can accept or reject these suggestions, saving time with correct suggestions and easily ignoring incorrect ones. Unlike training a seed model with a gazetteer, which requires initial training time and may be unreliable for low-to-mid resource languages, our method avoids these issues and eliminates the need to correct incorrect NEs.

### 2.3 Data Quality Control

We created initial annotation guidelines (see Appendix) and began annotating the corpus. Two developers, one with a medical background, independently annotated the corpus. Then, we held a discussion session to resolve conflicts, address complex cases, and refine the guidelines. Two other developers perform quality control using the guidelines and the annotated corpus. We consistently revisited each sentence in the entire corpus multiple times.

### 2.4 Data Statistics

Table 1 shows the statistics of our dataset. Our *VietMed-NER* contains 18 entity types across 9000 sentences, split into train-dev-test as 8-2-6 hours. To the best of our knowledge, compared to all other public spoken NER datasets, ours has the largest number of entity types.

<sup>1</sup><https://github.com/leduckhai/MultiMed>

Entity Type and Definition	Train		Dev		Test		All	
	Total	Uni.	Total	Uni.	Total	Uni.	Total	Uni.
AGE Age of a person	447	43	108	25	611	83	1166	151
GENDER Gender of a person	202	30	46	15	451	33	699	78
OCCUPATION Job of a person	543	32	133	16	562	43	1238	91
LOCATION Locations and places	284	66	76	31	317	75	677	172
ORGANIZATION Organizations	19	14	2	2	58	23	79	39
DISEASESYMPTOM Diseases and symptoms	2699	518	683	209	1334	357	4716	1084
DRUGCHEMICAL Bio-chemical substances and drugs	1054	255	263	104	684	136	2001	495
FOODDRINK Food and beverage	243	77	48	26	247	43	538	146
ORGAN Anatomical features, e.g. organs, cells	1827	252	444	122	1190	172	3461	546
PERSONALCARE Personal care, e.g. hygiene routines, skin care	353	114	82	38	95	10	530	162
DIAGNOSTICS Diagnostic procedures, e.g. lab tests, imaging	371	53	91	25	292	36	754	114
TREATMENT Non-surgical treatment, e.g. rehab., injection	726	69	174	25	230	17	1130	111
SURGERY Surgical procedures, e.g. implants, neurosurgery	197	29	55	13	270	37	522	79
PREVENTIVEMED Preventive medicine	341	53	80	25	18	6	439	84
MEDDEVICETECHNIQUE Medical devices, instruments, and techniques	324	84	67	30	603	144	994	258
UNITCALIBRATOR Medical calibration, e.g. number of doses, calories	800	155	215	75	251	106	1266	336
TRANSPORTATION Means of transportation	5	2	3	3	27	10	35	15
DATETIME Date and time	674	155	159	65	657	133	1490	353
#Entities in total	11109	2001	2729	849	7897	1464	21735	4314
#Sentences	4620		1150		3500		9270	

Table 1: Entity definition and its statistics in our dataset. "Uni." means the number of unique entities, which equals to the length of gazetteer list.

Most NER datasets have a very small number of entities in test sets compared to train and dev set (Huyen and Luong, 2016; Truong et al., 2021; Chen et al., 2022). But we want to leverage the capabilities of large pre-trained models which were trained on vast amounts of unlabeled text data, resulting in good representations. Therefore, we leave the test set to be larger than train and dev sets. However, this split caused slight data imbalance.

### 3 Experimental Setups

We employ the 2-stage pipeline for spoken NER: A hybrid ASR model transcribes audio into text and then the transcribed text is fed into a NER model.

#### 3.1 F1 Score

We employed seqeval<sup>2</sup> framework commonly used as a default evaluation framework by HuggingFace. However, this framework only works for NER on reference text. Therefore, we also employed the F1 score calculation by Shon et al. (2023) by using the SLUE toolkit<sup>3</sup>. This F1 score evaluates an unordered list of named entity phrase and tag pairs predicted for each sentence. Our proposed modification of SLUE was also used and presented in the Appendix.

#### 3.2 ASR Models

We employed 2 best baseline models fine-tuned for ASR task on *VietMed* published by Le-Duc (2024): monolingual w2v2-Viet and cross-lingual XLSR-53-Viet. w2v2-Viet model was pre-trained on 1204h of Vietnamese data. XLSR-53-Viet model was pre-trained on 1204h of Vietnamese with XLSR-53 (Conneau et al., 2021) as initialization. Both of them have the same number of parameters (118M) and were fine-tuned on the same train set. Their WERs on test set were 29.0% and 28.8% respectively.

#### 3.3 NER Models

Table 2 shows the statistics of various pre-trained monolingual and multilingual models to fine-tune on our dataset. Monolingual: PhoBERT\_base, PhoBERT\_large, PhoBERT\_base-v2 (Nguyen and Nguyen, 2020); ViDeBERTa\_base (Tran et al., 2023), BARTpho (Tran et al., 2021), ViT5 (Phan et al., 2022), Multilingual: XML-R\_base, XML-R\_large (Conneau et al., 2020). To our best knowledge, these are the best pre-trained models that

<sup>2</sup><https://github.com/chakki-works/seqeval>

<sup>3</sup><https://github.com/asappresearch/slue-toolkit>

Model	#Params	#Data
PhoBERT_base	135M	20GB
PhoBERT_large	370M	
PhoBERT_base-v2	135M	140GB
ViDeBERTa_base	86M	298GB
XML-R_base	270M	2.5TB
XML-R_large	550M	2.5TB
mBART-50	611M	3.9TB
ViT5_base	310M	888GB
BARTpho	396M	20GB

Table 2: Statistics of state-of-the-art pre-trained language models which we used for NER task.

Model	Prec.	Recall	F1
BARTpho	0.64	0.73	0.68
mBART-50	0.64	0.66	0.65
PhoBERT_base	0.67	0.78	0.72
PhoBERT_base-v2	0.68	0.79	0.74
PhoBERT_large	0.69	0.77	0.73
ViDeBERTa_base	0.50	0.41	0.45
ViT5_base	0.64	0.74	0.69
XML-R_base	0.64	0.73	0.69
XML-R_large	0.71	0.77	0.74

Table 3: NER results (in percent) on reference text of test set using various pre-trained language models. Metrics shown are Precision, Recall, and overall micro F1 score. Results by entity types are shown in Appendix.

achieved state-of-the-art results on various downstream tasks in the Vietnamese language, including NER.

We used HuggingFace (Wolf et al., 2019) for fine-tuning pre-trained models on the NER task. All our NER experiments were done using the default hyperparameters from HuggingFace. Details of the hyperparameters are shown in the Appendix.

## 4 Experimental Results

Table 3 and 4 show results of NER using various pre-trained models. The pre-trained monolingual model PhoBERT\_base-v2 outperformed other monolingual models, at 61.99% of F1 score on reference text, and 51.29% on ASR output. Even though it has fewer parameters than PhoBERT\_large, it achieved equal performance probably due to the larger amount of pre-training data. All pre-trained multilingual models outperformed monolingual models. This gap can be explained by the larger amount of pre-training data (2.5TB of multilingual data for XML-R com-

NER	ASR	Prec	Rec.	F1
ViDeBERTa_base	XLSR-53-Viet	0.45	0.34	0.39
	w2v2-Viet	0.45	0.34	0.39
ViT5_base	XLSR-53-Viet	0.52	0.46	0.48
	w2v2-Viet	0.53	0.46	0.49
mBART-50	XLSR-53-Viet	0.35	0.05	0.09
	w2v2-Viet	0.35	0.05	0.09
BARTpho	XLSR-53-Viet	0.56	0.50	0.53
	w2v2-Viet	0.55	0.50	0.52
PhoBERT_base_v2	XLSR-53-Viet	0.57	0.57	0.57
	w2v2-Viet	0.58	0.56	0.57
PhoBERT_base	XLSR-53-Viet	0.56	0.56	0.56
	w2v2-Viet	0.56	0.56	0.56
PhoBERT_large	XLSR-53-Viet	0.57	0.55	0.56
	w2v2-Viet	0.58	0.55	0.56
XLM-R_base	XLSR-53-Viet	0.54	0.52	0.53
	w2v2-Viet	0.54	0.52	0.53
XLM-R_large	XLSR-53-Viet	0.60	0.56	0.58
	w2v2-Viet	0.60	0.56	0.58

Table 4: NER results (in percent) on ASR output of test set using various pre-trained language models. Metrics shown are Precision, Recall, and overall micro F1 score. Results by entity types are shown in Appendix.

pared to only 140GB of monolingual data for PhoBERT\_base-v2). Furthermore, encoder-based models perform, on average, better than seq2seq models, which could be due to the nature of seq2seq being generative, thus less suitable for NER. From the results from Table 3 and 4, we observe that there is a performance drop in all models when evaluated on ASR transcripts. This behavior is expected due to the noisy nature of ASR data.

## 5 Conclusion

In this work, we present *VietMed-NER* - the first spoken NER dataset in the medical domain. Our dataset contains 18 entity types, including both conventional and newly defined entity types for real-world medical conversations. Furthermore, we present an incremental annotation technique based on gazeteer list, called Recursive Greedy Mapping, to accelerate the annotation speed and remove inconsistency during annotating. Finally, we found that pre-trained multilingual models XLM-R\_base and XLM-R\_large outperformed all monolingual models on both reference text and ASR output, and in general, encoders perform better than seq2seqs for the NER task.

## 6 Limitations

**Our annotation approach:** Our annotation approach using the Recursive Greedy Mapping tech-

nique has some advantages over the fully manual approach. First, it allows annotators to not spend extra time tagging the entities that have been tagged in previous sentences. Second, it prevents that annotators miss entities that have been tagged in previous sentences, improving the consistency of the entire dataset. During our work, we experienced a faster annotation by using our approach compared to fully manual annotation. However, in the scope of this paper, we have not done extensive experiments to give a quantitative number of how much time has been saved and the method’s impact on annotation quality.

## References

- Boli Chen, Guangwei Xu, Xiaobin Wang, Pengjun Xie, Meishan Zhang, and Fei Huang. 2022. Aishellner: Named entity recognition from chinese speech. In *ICASSP 2022-2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*.
- Christopher Cieri, David Miller, and Kevin Walker. 2004. The fisher corpus: A resource for the next generations of speech-to-text. In *LREC*.
- Ido Cohn, Itay Laish, Genady Beryozkin, Gang Li, Izhak Shafraan, Idan Szpektor, Tzvika Hartman, Avinatan Hassidim, and Yossi Matias. 2019. Audio de-identification-a new entity recognition task. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 2 (Industry Papers)*.
- Alexis Conneau, Alexei Baevski, Ronan Collobert, Abdelrahman Mohamed, and Michael Auli. 2021. Unsupervised Cross-Lingual Representation Learning for Speech Recognition. In *Proc. Interspeech 2021*, pages 2426–2430.
- Alexis Conneau, Kartikay Khandelwal, Naman Goyal, Vishrav Chaudhary, Guillaume Wenzek, Francisco Guzmán, Édouard Grave, Myle Ott, Luke Zettlemoyer, and Veselin Stoyanov. 2020. Unsupervised cross-lingual representation learning at scale. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*.
- John J Godfrey, Edward C Holliman, and Jane McDaniel. 1992. Switchboard: Telephone speech corpus for research and development. In *Proceedings of the 1992 IEEE International Conference on Acoustics, Speech and Signal Processing*.
- Nguyen Thi Minh Huyen and Vu Xuan Luong. 2016. Vlsr 2016 shared task: Named entity recognition. *Proceedings of Vietnamese Speech and Language Processing (VLSP)*.



- Krzysztof Koperski, Jisheng Liang, and Neil Roseman. 2017. Content recommendation based on collections of entities. US Patent 9,710,556.
- Giridhar Kumaran and James Allan. 2004. Text classification and named entities for new event detection. In *Proceedings of the 27th annual international ACM SIGIR conference on Research and development in information retrieval*, pages 297–304.
- Khai Le-Duc. 2024. Vietmed: A dataset and benchmark for automatic speech recognition of vietnamese in the medical domain. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 17365–17370.
- Vladimir I Levenshtein et al. 1966. Binary codes capable of correcting deletions, insertions, and reversals. In *Soviet physics doklady*, volume 10, pages 707–710. Soviet Union.
- Ilya Loshchilov and Frank Hutter. 2019. Decoupled weight decay regularization. In *International Conference on Learning Representations*.
- Anirudh Mani, Shruti Palaskar, and Sandeep Konam. 2020. Towards understanding ASR error correction for medical conversations. In *Proceedings of the First Workshop on Natural Language Processing for Medical Conversations*.
- Dat Quoc Nguyen and Anh Tuan Nguyen. 2020. PhoBERT: Pre-trained language models for Vietnamese. In *Findings of the Association for Computational Linguistics: EMNLP 2020*.
- Huyen TM Nguyen, Quyen T Ngo, Luong X Vu, Vu M Tran, and Hien TT Nguyen. 2018. Vlsr shared task: Named entity recognition. *Journal of Computer Science and Cybernetics*.
- Thai Binh Nguyen, Quang Minh Nguyen, Thi Thu Hien Nguyen, Quoc Truong Do, and Chi Mai Luong. 2020. Improving vietnamese named entity recognition from speech using word capitalization and punctuation recovery models. *Interspeech*.
- Long Phan, Hieu Tran, Hieu Nguyen, and Trieu H Trinh. 2022. Vit5: Pretrained text-to-text transformer for vietnamese language generation. In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies: Student Research Workshop*, pages 136–142.
- Long N. Phan, James T. Anibal, Hieu Tran, Shaurya Chanana, Erol Bahadroglu, Alec Peltekian, and Grégoire Altan-Bonnet. 2021. [Scifive: a text-to-text transformer model for biomedical literature](#).
- Stefan Rüd, Massimiliano Ciaramita, Jens Müller, and Hinrich Schütze. 2011. Piggyback: using search engines for robust cross-domain named entity recognition. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume 1*.
- Suwon Shon, Siddhant Arora, Chyi-Jiunn Lin, Ankita Pasad, Felix Wu, Roshan S Sharma, Wei-Lun Wu, Hung-yi Lee, Karen Livescu, and Shinji Watanabe. 2023. [SLUE phase-2: A benchmark suite of diverse spoken language understanding tasks](#). In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8906–8937, Toronto, Canada. Association for Computational Linguistics.
- Suwon Shon, Ankita Pasad, Felix Wu, Pablo Brusco, Yoav Artzi, Karen Livescu, and Kyu J Han. 2022. Slue: New benchmark tasks for spoken language understanding evaluation on natural speech. In *ICASSP 2022-2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*.
- Cong Dao Tran, Nhut Huy Pham, Anh-Tuan Nguyen, Truong Son Hy, and Tu Vu. 2023. Videberta: A powerful pre-trained language model for vietnamese. In *Findings of the Association for Computational Linguistics: EACL 2023*.
- Nguyen Luong Tran, Duong Minh Le, and Dat Quoc Nguyen. 2021. Bartpho: pre-trained sequence-to-sequence models for vietnamese. *arXiv preprint arXiv:2109.09701*.
- Thinh Hung Truong, Mai Hoang Dao, and Dat Quoc Nguyen. 2021. COVID-19 Named Entity Recognition for Vietnamese. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*.
- Thomas Wolf, Lysandre Debut, Victor Sanh, Julien Chaumond, Clement Delangue, Anthony Moi, Pierric Cistac, Tim Rault, Rémi Louf, Morgan Funtowicz, et al. 2019. Huggingface’s transformers: State-of-the-art natural language processing. *arXiv preprint arXiv:1910.03771*.
- Hemant Yadav, Sreyan Ghosh, Yi Yu, and Rajiv Ratn Shah. 2020. End-to-end named entity recognition from english speech. *Interspeech*.

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Data</b>	<b>2</b>
2.1	Data Collection . . . . .	2
2.2	Annotation Process . . . . .	2
2.3	Data Quality Control . . . . .	2
2.4	Data Statistics . . . . .	2
<b>3</b>	<b>Experimental Setups</b>	<b>4</b>
3.1	F1 Score . . . . .	4
3.2	ASR Models . . . . .	4
3.3	NER Models . . . . .	4
<b>4</b>	<b>Experimental Results</b>	<b>4</b>
<b>5</b>	<b>Conclusion</b>	<b>5</b>
<b>6</b>	<b>Limitations</b>	<b>5</b>
<b>A</b>	<b>Annotation Guidelines</b>	<b>8</b>
<b>B</b>	<b>Discussion about NEER</b>	<b>11</b>
B.1	Motivation of NEER . . . . .	11
B.2	Definition of WER . . . . .	11
B.3	Definition of KER . . . . .	11
B.4	Definition of NEER . . . . .	12
B.5	Open questions on NEER . . . . .	12
<b>C</b>	<b>Modified evaluation of SLUE toolkit</b>	<b>12</b>
<b>D</b>	<b>Sequence-to-sequence Training for NER Task</b>	<b>12</b>
<b>E</b>	<b>Details of Training Hyperparameters</b>	<b>12</b>
<b>F</b>	<b>NER Results by Entity Types</b>	<b>13</b>

## A Annotation Guidelines

This section describes annotation guidelines for annotators to follow in an attempt to have a unified and consistent gold-standard NER transcript.

### General rules:

- If 2 or more entities overlap, label the resulting entity as the longest, including overlapping component entities. In other words, a full NE might contain 2 or more sub-NEs. A full NE should be tagged instead of multiple sub-NEs. For example: "bác sĩ xương khớp" (orthopedic doctor) should be tagged as a whole instead of 2 distinct NEs "bác sĩ" (doctor) and "xương khớp" (orthopedic).
- Do not assign spaces at the beginning and at the end of entities.
- All words in the ASR transcript are lowercase, without punctuations and special characters. Treat every word as lowercase or uppercase, with or without punctuations and special characters based on the context of each utterance.
- Each utterance should be treated as an independent utterance. The additional context given by other utterances should not influence the annotation of each utterance.

### AGE:

This entity type describes the age of a person.

- Label the word "tuổi" (age) if applicable. For example: "tuổi trưởng thành" (mature age), "hai bảy tuổi" (twenty-seven years old).
- List a range of ages if applicable. For example: "hai mươi đến ba lăm tuổi" (twenty to thirty-five years old), "dưới sáu tháng tuổi" (under six months old).
- Include adjectives and nouns that might describe how old a person is but don't explicitly describe gender or gender is neutral. For example: "chưa trưởng thành" (immature), "người già" (old person), "cụ" (sir, old).

### GENDER:

This entity type describes the gender of a person.

- Include typical entities that are widely understood to describe the gender of a person. For example: "nam" (male), "đàn ông" (gentleman), "phụ nữ" (woman).

- Include the titles and pronouns that explicitly describe a gender instead of age. For example: "ông" (grandfather), "bà" (grandmother), "cô" (aunt), "chú" (uncle).

### OCCUPATION:

This entity type describes the job of a person.

- Include all jobs that might be both in medical fields and non-medical fields. For example: "khán thính giả" (audience), "kẻ bắt cóc" (kidnapper), "bệnh nhân" (patient), "người dân" (citizen), "chuyên gia" (expert).
- Include academic titles and degrees. For example: "thạc sĩ" (master degree holder), "tiến sĩ" (doctorate), "trưởng khoa" (dean), "chủ tịch" (president).
- Include a cluster of words that might describe the specializations of doctors. For example: "bác sĩ chuyên về rối loạn vận động" (doctor who specializes in movement disorders) instead of two distinct entities "bác sĩ" (doctor) and "rối loạn vận động" (movement disorders), "bác sĩ về parkinson" (parkinson's doctor) instead of two distinct entities "bác sĩ" (doctor) and "parkinson", "bác sĩ chuyên khoa tim mạch" (cardiovascular specialist) instead of two distinct entities "bác sĩ" (doctor) and "chuyên khoa tim mạch" (cardiovascular).

### LOCATION:

This entity type describes a location.

- Include continents, countries, regions, cities, and geographical administrative units. For example: "châu âu" (europe), "hoa kỳ" (usa), "tây tạng" (tibet), "thành phố hồ chí minh" (ho chi minh city), "tỉnh vĩnh long" (vinh long province).
- Label words that mean geographical administrative units if applicable. For example: "huyện" (rural district), "quận" (urban district), "đường phố" (street), "thành phố" (city).
- Include words that might describe public and private sites. For example: "tại nhà" (at home), "đồng ruộng" (farm), "tiệm thuốc" (drugstore), "nhà máy" (factory), "cửa hiệu quần áo" (clothing store), "toilet" (toilet).
- Include words that might describe ambient environments. For example: "tại khu phố" (in



the neighborhood), "tại địa phương" (in local area), "nước ngoài" (in foreign countries), "địa bàn" (area), "ngoài trời" (outside).

- Include words that might describe medical facilities. For example: "chuyên khoa tiêu hóa" (gastrointestinal room), "icu" (intensive care unit), "trạm xá" (clinics), "phòng thí nghiệm" (laboratory).
- Each level of the administrative unit is a separate entity.
- Do not assign nationality as an entity.
- Locations might be misrecognized as organizations. Do not label places that are not clearly identified or controversial.

#### **DISEASESYMPTOM:**

This entity type describes a symptom or disease.

- Include the complements of the disease. For example: "biến chứng" (side-effect), "chấn thương" (damaged), "bẩm sinh" (congenital), "di chứng" (sequelae), "bị tổn thương" (damaged), "tái phát" (relapse), "dương tính" (positive), "bệnh lý mãn tính" (chronic disease), "hội chứng" (syndrome).
- Include a cluster of words that might describe the severity of a disease. For example: "phỏng cấp độ ba" (third-degree burn), "sức đề kháng kém" (poor immune system).
- Mental state might also describe mental diseases or their symptoms. For example: "tự ti" (self-deprecation), "tình trạng lo âu" (state of anxiety), "mệt mỏi về tinh thần" (mental fatigue).
- Skin conditions might describe dermatosis or its symptoms. For example: "nám" (melasma), "da đổ dầu" (oily skin), "da khô" (dry skin), "sạm da" (dark skin).
- Genital conditions might describe genital diseases or their symptoms. For example: "có kinh" (menstruation), "có thai" (pregnant), "dậy thì sớm" (early puberty).
- Healthy conditions might help doctors diagnose. For example: "kinh nguyệt đều" (regular menstruation).

- Words describing physical status might also speak of symptoms or diseases. For example: "buồn ngủ" (sleepy), "rụng tóc" (hair loss), "còi cọc" (stunted).
- Words describing children's activities might also speak of pediatric symptoms or diseases. For example: "quấy khóc" (fussy), "không thể giao tiếp" (unable to speak), "chậm đi" (delay walking).
- Medical techniques or devices might make symptoms and diseases happen. For example: "phẫu thuật thẩm mỹ" (cosmetic surgery).

#### **DRUGCHEMICAL:**

This entity type describes a bio-chemical substance or medicament.

- Extraction of human or animal bodies to serve medical treatment might be referred to as a biochemical substance. For example: "vắc xin" (vaccine), "huyết thanh" (blood serum)
- Cosmetics might be referred to as chemical substances. For example: "kem chống nắng" (sunscreen), "kem dưỡng ẩm" (moisturizer).
- Food or drink serving medical treatment purposes or as a part of a chemical compound might be referred to as chemical substances. For example: "nấm đông trùng hạ thảo" (cordyceps), "nhân sâm" (ginseng), "nhung hươu" (deer antler).
- Substances extracted from cells or bodies not serving medical purposes might be referred to as bio-chemical substances. For example: "dịch tiêu hóa" (digestive fluids), "chất nội sinh" (endogenous substances), "mồ hôi" (sweat), "bã nhờn" (sebum).
- Air might be referred to as chemical substances. For example: "dưỡng khí" (breath air), "oxy" (oxygen).

#### **FOODDRINK:**

This entity type describes food and beverage.

- Include food and drink that might serve nutrient purposes. For example: "sữa" (milk), "ngũ cốc" (cereal).
- Include food and drink that might be harmful to health. For example: "thuốc lá" (cigarette), "rượu bia" (alcohol).

- Include words that generally describe food and beverage. For example: "thực phẩm" (alimento), "thức ăn" (food).

#### **ORGAN:**

This entity type describes an anatomical feature, e.g. human organs, biological cells, etc. Annotators should follow general rules.

#### **PERSONALCARE:**

This entity type describes a personal care procedure, e.g. hygiene routines, skin care, daily habits, etc.

- Activities serving the improvement of physical, aesthetic and mental health instead of medical treatment purposes might be referred to as personal care procedures. For example: "ăn kiêng" (diet), "chăm sóc da" (skin care), "chăm sóc răng" (dental care).
- Methods serving self-improvement of speech ability in speech-language pathology might be referred to as personal care. For example: "tương tác ngôn ngữ" (language interaction), "huấn luyện ngôn ngữ" (language training).

#### **DIAGNOSTICS:**

This entity type describes a diagnostic procedure, e.g. lab tests, imaging, blood measurement, etc.

- General words describing diagnostic procedures without explicitly mentioning surgery might be referred to as diagnostic produces. For example: "chẩn đoán" (diagnosis), "xét nghiệm" (test).
- Imaging methods might be referred to as diagnostic procedures instead of medical devices or techniques. For example: "mri" (magnetic resonance imaging), "ct" (computed tomography).

#### **TREATMENT:**

This entity type describes a non-surgical treatment method for diseases, e.g. physical rehabilitation, injection, psychology, etc.

- Words describing methods of using biochemical substances as non-surgical treatment methods might be referred to as treatment methods. For example: "liệu pháp hormone" (hormone therapy), "điều trị hormone" (hormone treatment), "điều trị tế bào gốc" (stem cell treatment).

- Words describing methods of using invasive techniques as treatment methods might be referred to as treatment methods. For example: "hóa trị" (chemotherapy), "xạ trị" (radiotherapy).

- Words describing methods to improve skin conditions for treatment purposes rather than aesthetics might be referred to as treatment methods. For example: "phục hồi da" (skin recovery), "ức chế sự xuất sắc tố" (inhibit pigmentation).

#### **SURGERY:**

This entity type describes a surgical treatment method for diseases, e.g. implants, neurosurgery, invasion, etc.

- Include pre-surgery procedures that might be integral parts of surgeries. For example: "gây mê" (anesthesia), "gây tê" (anesthetize).
- Include intervention procedures that might be integral parts of dental care. For example: "nhổ răng" (tooth extraction), "implant" (dental implant).
- Include intervention procedures that might be integral parts of pregnancy or genitals. For example: "sinh mổ" (caesarean), "cấy tránh thai" (contraceptive implant).
- Include intervention procedures on arteries even though they might be not integral parts of surgery. For example: "truyền máu" (blood transfusion), "truyền nước biển" (seawater infusion).
- Include neurosurgical procedures that work with brain waves even though they might be minimally invasive. For example: "kích thích não sâu" (dbs or deep brain stimulation).

#### **MEDDEVICETECHNIQUE:**

This entity type describes a medical device, instrument, bio-material and technique.

- Medical devices and techniques might be confusing. Annotators are strongly recommended to fully annotate CHEM., FnB, ANAT., PC, DX, TX, and SX before engaging TECH.

#### **UNITCALIBRATOR:**

This entity type describes a medical calibration, e.g. number of doses, calories, length, volume, etc.

- Include a cluster of words that both describe the quantity and its unit. Measurements including length, distance, area, weight, heat, velocity, temperature, etc., should be explicitly tagged. For example: "năm milimet" (five millimeters) instead of "năm" (five) or "milimet" (millimeter).
- Complements to the actual quantity describing its approximation should be included. For example: "khoảng mười lăm phần trăm" (about fifteen percent) instead of "mười lăm phần trăm" (fifteen percent).
- Include words that generally describe the quantity. For example: "gần đủ" (close enough), "cao" (high), "rất là lớn" (very large).
- Include words that describe trends of quantity. For example: "giảm được ít nhất" (reduce at least), "mức độ gia tăng" (level increases).

#### **TRANSPORTATION:**

This entity type describes means of transportation or vehicles.

#### **DATETIME:**

This entity type describes the date and time.

- Include words describing day, week, month, certain named period, season, year, etc.
- Include words describing a time frame. For example: "bây giờ" (now), "về lâu về dài" (in the long run).
- Include words describing the approximate time. For example: "nhANH NHẤT CÓ THỂ" (as fast as possible), "càng sớm" (as soon as possible), "từ từ" (gradually).
- Include words describing repetitions. For example: "định kỳ" (periodically).
- Include a cluster of words that both describe time and its complements. For example: "từ tháng ba trở đi" (from march onwards) instead of 3 distinct entities "từ" (from), "tháng ba" (march), and "trở đi" (onwards).

## **B Discussion about NEER**

### **B.1 Motivation of NEER**

ASR system performance is typically assessed using WER, which represents the ratio of word insertion, substitution, and deletion errors in a transcript

to the total number of spoken words. However, various spoken language understanding tasks, such as spoken NER, depend on identifying keywords in transcripts. Moreover, it's essential to recognize that in medical ASR, medical terms carry much higher significance in doctor-patient conversations and should not be treated equally to regular words. KER is often used to evaluate on keywords but is not a directly comparable metric with WER.

The purpose to introduce NEER aims to bridge the gap between WER and KER. However, it is not intended to replace WER or KER as a standard metric for evaluating domain-specific ASR performance. Instead, NEER serves as a complementary metric, facilitating a more in-depth analysis of ASR errors in specific domains, such as the medical field.

### **B.2 Definition of WER**

WER is calculated based on the Levenshtein distance (Levenshtein et al., 1966), which represents the smallest count of individual edits (insertions, deletions, or substitutions) needed to transform one word into another.

$$WER = \frac{S + D + I}{N} = \frac{S + D + I}{S + D + C} \quad (1)$$

where S is the number of substitutions, D is the number of deletions, I is the number of insertions, C is the number of correct words, and N is the number of words in the reference data ( $N = S + D + C$ ).

In other words, S is the number of replaced words. D is the number of missed words that are not in ASR hypothesis but are in reference data. I is the number of added words that are in ASR hypothesis but are not in reference data. The alignment between ASR hypothesis and reference data goes from left to right.

### **B.3 Definition of KER**

Like WER, KER is computed using the Levenshtein distance. Each ASR hypothesis is aligned with its corresponding reference data and KER is calculated based on the keyword set.

$$KER = \frac{F + M}{N} \quad (2)$$

where N is the number of keywords in the reference data, F is the number of falsely recognized keywords, M is the number of missed keywords.

The ASR hypothesis often exceeds the length of all keywords in the reference data, and the insertion errors caused by non-keywords may lead to a skewed result in KER. Therefore, no insertion errors are considered while calculating KER.

#### B.4 Definition of NEER

In KER metric, N is the number of keywords in the reference data. KER could be characterized as the average number of errors per keyword. Nevertheless, the length of keywords may range from 1 to L (where L equals 5 in certain instances such as NER), making the average number of errors per keyword obscure.

In NEER metric, we want to evaluate on keyword-only like KER metric, while also analyzing errors per word like WER metric. Therefore, we change N into the length of keywords (entities), which characterizes the average number of errors per word of keywords.

#### B.5 Open questions on NEER

We still leave some questions open for future work. First, the analysis of how each type of word error (substitutions, insertions, deletions) influences NER on top of ASR has not been conducted yet. Second, the empirical relationship between WER, KER, NEER, and F1 score - meaning how KER, NEER, and F1 score are affected by a varying range of WERs — has not been analyzed either.

### C Modified evaluation of SLUE toolkit

Following pre-processing, we calculate the evaluation metrics for the ASR-NER SLUE task. This involves computing precision, recall, and F1-score, which provide insights into the model performance at both an individual label level (per entity) and across all labels (overall).

We introduce a "dummy" token strategy to replace the actual named entities. This approach upholds the focus on the classification of entities rather than the extraction of verbatim phrases, which is suitable for cases where ASR errors might skew the recognition of entities in spoken transcripts.

Let's take an example:

- Reference text: "I have a tooth pain"
- BIO encoding of reference text: [0, 0, 0, B-DISEASESYMPTOM, I-DISEASESYMPTOM]

- ASR output: "Has teeth pain"
- BIO encoding of ASR output: [0, B-DISEASESYMPTOM, I-DISEASESYMPTOM]

In the SLUE toolkit, the format (NE type, NE) is used to compare reference text and ASR output, e.g. (DISEASESYMPTOM, "tooth pain") and (DISEASESYMPTOM, "teeth pain"). This format gives an F1 score of 0.0 although entity type is correctly recognized. In our "dummy" token strategy, we modify the format as (NE type, "dummy"), turning reference text and ASR output to (DISEASESYMPTOM, "dummy") and (DISEASESYMPTOM, "dummy") respectively. The modified format gives a correct F1 score of 1.0.

We compute two types of overall metrics: micro and macro averages. The micro average metrics aggregate the contributions of all classes to compute the average metric, while the macro average computes per-entity type metrics and averages them, without considering the frequency of each entity type. The micro average is therefore influenced by the class distribution and will be dominated by the performance on more frequent entity types. In contrast, macro averages treat all entity types equally, providing a measure of the system's performance across different types of named entities, regardless of their frequency in the dataset.

### D Sequence-to-sequence Training for NER Task

Following the approach proposed by [Phan et al. \(2021\)](#) and later adopted by ViT5 ([Phan et al., 2022](#)), we formulated the token classification as a sequence-to-sequence task by training the models to generate tags of labels before and after an entity token. In cases where the models fail to follow the mentioned format for an entity token, we use an "exception" tag, which will be later ignored during metric calculation, as the label.

### E Details of Training Hyperparameters

We used HuggingFace ([Wolf et al., 2019](#)) for fine-tuning pre-trained models for the NER task. We only employed word-level settings for training NER models. All our NER experiments were done using the default hyperparameters by HuggingFace.

The default hyperparameters are as follows: Learning rate of 2e-5, linear learning rate scheduler, training batch size of 64, 50 training

epochs, weight decay of 0.01, AdamW optimizer (Loshchilov and Hutter, 2019), Beta1 of 0.9, Beta2 of 0.999, and epsilon of 1e-8.

## **F NER Results by Entity Types**

Table 5 shows the results of NER on reference text by entity types using various pre-trained language models. Table 6 shows the results of NER on ASR output by entity types using various pre-trained language models and ASR models.

Figure 1 shows the scatter plot of NER results on reference text by entity types using various pre-trained language models, created by Table 5. Figure 2 shows the scatter plot of NER results on ASR output by entity types using various pre-trained language models, created by Table 6.

Entity Type	NER	Eval. Toolkit	Prec.	Rec.	F1
AGE	BARTpho	Mod. SLUE	0,70	0,79	0,74
	BARTpho	seqeval	0,69	0,61	0,65
	BARTpho	SLUE	0,69	0,78	0,73
	mBART-50	Mod. SLUE	0,64	0,81	0,71
	mBART-50	seqeval	0,66	0,53	0,59
	mBART-50	SLUE	0,62	0,79	0,70
	PhoBERT_base	Mod. SLUE	0,75	0,81	0,78
	PhoBERT_base	seqeval	0,76	0,62	0,68
	PhoBERT_base	SLUE	0,74	0,80	0,77
	PhoBERT_base-v2	Mod. SLUE	0,78	0,78	0,78
	PhoBERT_base-v2	seqeval	0,76	0,66	0,71
	PhoBERT_base-v2	SLUE	0,77	0,77	0,77
	PhoBERT_large	Mod. SLUE	0,77	0,81	0,79
	PhoBERT_large	seqeval	0,77	0,66	0,71
	PhoBERT_large	SLUE	0,76	0,80	0,78
	ViDeBERTa_base	Mod. SLUE	0,59	0,05	0,09
	ViDeBERTa_base	seqeval	0,03	0,29	0,05
	ViDeBERTa_base	SLUE	0,50	0,04	0,07
	ViT5_base	Mod. SLUE	0,71	0,79	0,75
	ViT5_base	seqeval	0,73	0,63	0,68
	ViT5_base	SLUE	0,69	0,77	0,73
	XLM-R_base	Mod. SLUE	0,69	0,79	0,73
	XLM-R_base	seqeval	0,71	0,56	0,63
	XLM-R_base	SLUE	0,68	0,77	0,72
	XLM-R_large	Mod. SLUE	0,78	0,77	0,78
	XLM-R_large	seqeval	0,75	0,67	0,71
	XLM-R_large	SLUE	0,78	0,77	0,77
DATETIME	BARTpho	Mod. SLUE	0,76	0,76	0,76
	BARTpho	seqeval	0,62	0,66	0,64
	BARTpho	SLUE	0,74	0,75	0,75
	mBART-50	Mod. SLUE	0,83	0,74	0,78
	mBART-50	seqeval	0,67	0,75	0,71
	mBART-50	SLUE	0,82	0,73	0,77
	PhoBERT_base	Mod. SLUE	0,80	0,83	0,82
	PhoBERT_base	seqeval	0,77	0,70	0,74
	PhoBERT_base	SLUE	0,80	0,82	0,81
	PhoBERT_base-v2	Mod. SLUE	0,81	0,84	0,83
	PhoBERT_base-v2	seqeval	0,78	0,73	0,75
	PhoBERT_base-v2	SLUE	0,81	0,83	0,82
	PhoBERT_large	Mod. SLUE	0,83	0,82	0,83
	PhoBERT_large	seqeval	0,76	0,75	0,76
	PhoBERT_large	SLUE	0,83	0,81	0,82
	ViDeBERTa_base	Mod. SLUE	0,62	0,68	0,65
	ViDeBERTa_base	seqeval	0,58	0,43	0,50
	ViDeBERTa_base	SLUE	0,60	0,65	0,62
	ViT5_base	Mod. SLUE	0,74	0,77	0,75
	ViT5_base	seqeval	0,69	0,67	0,68
	ViT5_base	SLUE	0,72	0,75	0,74
	XLM-R_base	Mod. SLUE	0,81	0,78	0,80
	XLM-R_base	seqeval	0,72	0,70	0,71
	XLM-R_base	SLUE	0,80	0,77	0,78



**Table 5 continued from previous page**

	XLM-R_large	Mod. SLUE	0,85	0,82	0,83	
	XLM-R_large	seqeval	0,76	0,77	0,77	
	XLM-R_large	SLUE	0,84	0,81	0,82	
DIAGNOSTICS	BARTpho	Mod. SLUE	0,66	0,82	0,73	
	BARTpho	seqeval	0,72	0,65	0,68	
	BARTpho	SLUE	0,65	0,82	0,73	
	mBART-50	Mod. SLUE	0,58	0,81	0,68	
	mBART-50	seqeval	0,71	0,59	0,65	
	mBART-50	SLUE	0,57	0,80	0,66	
	PhoBERT_base	Mod. SLUE	0,66	0,81	0,73	
	PhoBERT_base	seqeval	0,75	0,64	0,69	
	PhoBERT_base	SLUE	0,66	0,80	0,72	
	PhoBERT_base-v2	Mod. SLUE	0,66	0,82	0,73	
	PhoBERT_base-v2	seqeval	0,77	0,65	0,70	
	PhoBERT_base-v2	SLUE	0,66	0,82	0,73	
	PhoBERT_large	Mod. SLUE	0,70	0,83	0,76	
	PhoBERT_large	seqeval	0,78	0,69	0,73	
	PhoBERT_large	SLUE	0,69	0,83	0,75	
	ViDeBERTa_base	Mod. SLUE	0,53	0,60	0,56	
	ViDeBERTa_base	seqeval	0,55	0,39	0,45	
	ViDeBERTa_base	SLUE	0,51	0,58	0,54	
	ViT5_base	Mod. SLUE	0,60	0,80	0,69	
	ViT5_base	seqeval	0,71	0,62	0,67	
	ViT5_base	SLUE	0,59	0,78	0,67	
	XLM-R_base	Mod. SLUE	0,61	0,82	0,70	
	XLM-R_base	seqeval	0,75	0,58	0,65	
	XLM-R_base	SLUE	0,60	0,82	0,69	
	XLM-R_large	Mod. SLUE	0,69	0,78	0,73	
	XLM-R_large	seqeval	0,78	0,69	0,73	
	XLM-R_large	SLUE	0,69	0,78	0,73	
	DISEASESYMTOM	BARTpho	Mod. SLUE	0,75	0,81	0,78
		BARTpho	seqeval	0,63	0,60	0,61
		BARTpho	SLUE	0,73	0,78	0,75
mBART-50		Mod. SLUE	0,71	0,73	0,72	
mBART-50		seqeval	0,57	0,56	0,57	
mBART-50		SLUE	0,68	0,69	0,69	
PhoBERT_base		Mod. SLUE	0,79	0,83	0,81	
PhoBERT_base		seqeval	0,70	0,60	0,65	
PhoBERT_base		SLUE	0,77	0,80	0,78	
PhoBERT_base-v2		Mod. SLUE	0,79	0,85	0,82	
PhoBERT_base-v2		seqeval	0,73	0,61	0,66	
PhoBERT_base-v2		SLUE	0,77	0,82	0,79	
PhoBERT_large		Mod. SLUE	0,82	0,81	0,82	
PhoBERT_large		seqeval	0,71	0,64	0,67	
PhoBERT_large		SLUE	0,79	0,79	0,79	
ViDeBERTa_base		Mod. SLUE	0,68	0,52	0,59	
ViDeBERTa_base		seqeval	0,35	0,38	0,37	
ViDeBERTa_base		SLUE	0,62	0,47	0,54	
ViT5_base		Mod. SLUE	0,78	0,84	0,81	
ViT5_base		seqeval	0,73	0,67	0,70	

**Table 5 continued from previous page**

	ViT5_base	SLUE	0,77	0,82	0,79	
	XLM-R_base	Mod. SLUE	0,75	0,83	0,79	
	XLM-R_base	seqeval	0,69	0,56	0,61	
	XLM-R_base	SLUE	0,72	0,79	0,75	
	XLM-R_large	Mod. SLUE	0,83	0,81	0,82	
	XLM-R_large	seqeval	0,70	0,66	0,68	
	XLM-R_large	SLUE	0,81	0,79	0,80	
DRUGCHEMICAL	BARTpho	Mod. SLUE	0,73	0,82	0,77	
	BARTpho	seqeval	0,75	0,70	0,73	
	BARTpho	SLUE	0,73	0,81	0,77	
	mBART-50	Mod. SLUE	0,79	0,69	0,74	
	mBART-50	seqeval	0,71	0,76	0,73	
	mBART-50	SLUE	0,79	0,69	0,74	
	PhoBERT_base	Mod. SLUE	0,80	0,93	0,86	
	PhoBERT_base	seqeval	0,91	0,77	0,83	
	PhoBERT_base	SLUE	0,79	0,93	0,86	
	PhoBERT_base-v2	Mod. SLUE	0,83	0,93	0,88	
	PhoBERT_base-v2	seqeval	0,91	0,80	0,85	
	PhoBERT_base-v2	SLUE	0,83	0,93	0,88	
	PhoBERT_large	Mod. SLUE	0,74	0,93	0,82	
	PhoBERT_large	seqeval	0,93	0,72	0,81	
	PhoBERT_large	SLUE	0,74	0,93	0,82	
	ViDeBERTa_base	Mod. SLUE	0,65	0,41	0,51	
	ViDeBERTa_base	seqeval	0,31	0,41	0,35	
	ViDeBERTa_base	SLUE	0,60	0,38	0,47	
	ViT5_base	Mod. SLUE	0,75	0,87	0,80	
	ViT5_base	seqeval	0,83	0,74	0,78	
	ViT5_base	SLUE	0,75	0,86	0,80	
	XLM-R_base	Mod. SLUE	0,81	0,74	0,77	
	XLM-R_base	seqeval	0,76	0,76	0,76	
	XLM-R_base	SLUE	0,80	0,74	0,77	
	XLM-R_large	Mod. SLUE	0,85	0,92	0,88	
	XLM-R_large	seqeval	0,91	0,79	0,85	
	XLM-R_large	SLUE	0,85	0,92	0,88	
	FOODDRINK	BARTpho	Mod. SLUE	0,67	0,83	0,74
		BARTpho	seqeval	0,69	0,59	0,64
		BARTpho	SLUE	0,67	0,83	0,74
mBART-50		Mod. SLUE	0,56	0,67	0,61	
mBART-50		seqeval	0,57	0,52	0,54	
mBART-50		SLUE	0,56	0,67	0,61	
PhoBERT_base		Mod. SLUE	0,78	0,84	0,81	
PhoBERT_base		seqeval	0,74	0,67	0,70	
PhoBERT_base		SLUE	0,78	0,84	0,81	
PhoBERT_base-v2		Mod. SLUE	0,82	0,89	0,85	
PhoBERT_base-v2		seqeval	0,83	0,76	0,79	
PhoBERT_base-v2		SLUE	0,82	0,89	0,85	
PhoBERT_large		Mod. SLUE	0,80	0,91	0,85	
PhoBERT_large		seqeval	0,85	0,75	0,80	
PhoBERT_large		SLUE	0,80	0,91	0,85	
ViDeBERTa_base		Mod. SLUE	0,22	0,38	0,28	

**Table 5 continued from previous page**

	ViDeBERTa_base	seqeval	0,24	0,12	0,16	
	ViDeBERTa_base	SLUE	0,19	0,32	0,23	
	ViT5_base	Mod. SLUE	0,70	0,86	0,77	
	ViT5_base	seqeval	0,75	0,66	0,70	
	ViT5_base	SLUE	0,70	0,86	0,77	
	XLM-R_base	Mod. SLUE	0,64	0,88	0,74	
	XLM-R_base	seqeval	0,82	0,58	0,68	
	XLM-R_base	SLUE	0,62	0,85	0,72	
	XLM-R_large	Mod. SLUE	0,88	0,81	0,84	
	XLM-R_large	seqeval	0,75	0,83	0,79	
	XLM-R_large	SLUE	0,88	0,81	0,84	
GENDER	BARTpho	Mod. SLUE	0,83	0,90	0,86	
	BARTpho	seqeval	0,85	0,78	0,81	
	BARTpho	SLUE	0,82	0,90	0,86	
	mBART-50	Mod. SLUE	0,83	0,87	0,85	
	mBART-50	seqeval	0,77	0,75	0,76	
	mBART-50	SLUE	0,82	0,86	0,84	
	PhoBERT_base	Mod. SLUE	0,83	0,90	0,86	
	PhoBERT_base	seqeval	0,76	0,74	0,75	
	PhoBERT_base	SLUE	0,83	0,90	0,86	
	PhoBERT_base-v2	Mod. SLUE	0,84	0,89	0,86	
	PhoBERT_base-v2	seqeval	0,83	0,77	0,80	
	PhoBERT_base-v2	SLUE	0,84	0,89	0,86	
	PhoBERT_large	Mod. SLUE	0,83	0,90	0,87	
	PhoBERT_large	seqeval	0,87	0,79	0,83	
	PhoBERT_large	SLUE	0,83	0,90	0,86	
	ViDeBERTa_base	Mod. SLUE	0,00	0,00	0,00	
	ViDeBERTa_base	seqeval	0,00	0,00	0,00	
	ViDeBERTa_base	SLUE	0,00	0,00	0,00	
	ViT5_base	Mod. SLUE	0,81	0,82	0,82	
	ViT5_base	seqeval	0,67	0,71	0,69	
	ViT5_base	SLUE	0,81	0,82	0,81	
	XLM-R_base	Mod. SLUE	0,79	0,72	0,75	
	XLM-R_base	seqeval	0,56	0,49	0,52	
	XLM-R_base	SLUE	0,78	0,71	0,75	
	XLM-R_large	Mod. SLUE	0,91	0,90	0,90	
	XLM-R_large	seqeval	0,82	0,79	0,80	
	XLM-R_large	SLUE	0,91	0,89	0,90	
		BARTpho	Mod. SLUE	0,77	0,88	0,82
		BARTpho	seqeval	0,75	0,68	0,71
		BARTpho	SLUE	0,76	0,87	0,81
mBART-50		Mod. SLUE	0,74	0,83	0,78	
mBART-50		seqeval	0,73	0,68	0,71	
mBART-50		SLUE	0,74	0,82	0,78	
PhoBERT_base		Mod. SLUE	0,75	0,92	0,82	
PhoBERT_base		seqeval	0,81	0,63	0,71	
PhoBERT_base		SLUE	0,74	0,91	0,81	
PhoBERT_base-v2		Mod. SLUE	0,78	0,95	0,86	
PhoBERT_base-v2		seqeval	0,86	0,69	0,77	
PhoBERT_base-v2		SLUE	0,78	0,94	0,86	

LOCATION

**Table 5 continued from previous page**

	PhoBERT_large	Mod. SLUE	0,80	0,91	0,85
	PhoBERT_large	seqeval	0,82	0,69	0,75
	PhoBERT_large	SLUE	0,80	0,90	0,84
	ViDeBERTa_base	Mod. SLUE	0,78	0,33	0,47
	ViDeBERTa_base	seqeval	0,32	0,60	0,42
	ViDeBERTa_base	SLUE	0,77	0,33	0,46
	ViT5_base	Mod. SLUE	0,74	0,92	0,82
	ViT5_base	seqeval	0,83	0,65	0,73
	ViT5_base	SLUE	0,73	0,92	0,81
	XLM-R_base	Mod. SLUE	0,75	0,84	0,79
	XLM-R_base	seqeval	0,75	0,59	0,66
	XLM-R_base	SLUE	0,74	0,82	0,78
	XLM-R_large	Mod. SLUE	0,85	0,93	0,89
	XLM-R_large	seqeval	0,87	0,75	0,81
	XLM-R_large	SLUE	0,85	0,93	0,88
	BARTpho	Mod. SLUE	0,54	0,21	0,30
	BARTpho	seqeval	0,16	0,39	0,23
	BARTpho	SLUE	0,48	0,18	0,26
	mBART-50	Mod. SLUE	0,45	0,09	0,15
	mBART-50	seqeval	0,08	0,35	0,13
	mBART-50	SLUE	0,36	0,07	0,12
	PhoBERT_base	Mod. SLUE	0,55	0,38	0,45
	PhoBERT_base	seqeval	0,24	0,27	0,26
	PhoBERT_base	SLUE	0,49	0,34	0,40
	PhoBERT_base-v2	Mod. SLUE	0,59	0,38	0,46
	PhoBERT_base-v2	seqeval	0,27	0,35	0,31
	PhoBERT_base-v2	SLUE	0,53	0,34	0,41
	PhoBERT_large	Mod. SLUE	0,61	0,30	0,40
	PhoBERT_large	seqeval	0,22	0,35	0,27
	PhoBERT_large	SLUE	0,55	0,27	0,36
	ViDeBERTa_base	Mod. SLUE	0,34	0,14	0,20
	ViDeBERTa_base	seqeval	0,06	0,09	0,07
	ViDeBERTa_base	SLUE	0,24	0,10	0,14
	ViT5_base	Mod. SLUE	0,52	0,21	0,30
	ViT5_base	seqeval	0,16	0,37	0,23
	ViT5_base	SLUE	0,47	0,19	0,27
	XLM-R_base	Mod. SLUE	0,48	0,27	0,34
	XLM-R_base	seqeval	0,12	0,18	0,14
	XLM-R_base	SLUE	0,41	0,23	0,29
	XLM-R_large	Mod. SLUE	0,58	0,28	0,38
	XLM-R_large	seqeval	0,20	0,32	0,25
	XLM-R_large	SLUE	0,51	0,25	0,33
	BARTpho	Mod. SLUE	0,91	0,93	0,92
	BARTpho	seqeval	0,87	0,87	0,87
	BARTpho	SLUE	0,91	0,92	0,92
	mBART-50	Mod. SLUE	0,97	0,93	0,95
	mBART-50	seqeval	0,91	0,95	0,93
	mBART-50	SLUE	0,97	0,93	0,95
	PhoBERT_base	Mod. SLUE	0,95	0,96	0,95
	PhoBERT_base	seqeval	0,94	0,92	0,93
MEDDEVICETECHNIQUE					

**Table 5 continued from previous page**

	PhoBERT_base	SLUE	0,95	0,96	0,95
	PhoBERT_base-v2	Mod. SLUE	0,96	0,96	0,96
	PhoBERT_base-v2	seqeval	0,95	0,93	0,94
	PhoBERT_base-v2	SLUE	0,96	0,96	0,96
	PhoBERT_large	Mod. SLUE	0,97	0,95	0,96
	PhoBERT_large	seqeval	0,93	0,94	0,94
	PhoBERT_large	SLUE	0,97	0,95	0,96
	ViDeBERTa_base	Mod. SLUE	0,96	0,82	0,89
	ViDeBERTa_base	seqeval	0,81	0,91	0,86
	ViDeBERTa_base	SLUE	0,96	0,81	0,88
	ViT5_base	Mod. SLUE	0,95	0,93	0,94
	ViT5_base	seqeval	0,92	0,94	0,93
	ViT5_base	SLUE	0,95	0,93	0,94
	XLM-R_base	Mod. SLUE	0,88	0,96	0,92
	XLM-R_base	seqeval	0,93	0,83	0,88
	XLM-R_base	SLUE	0,88	0,96	0,92
	XLM-R_large	Mod. SLUE	0,97	0,97	0,97
	XLM-R_large	seqeval	0,95	0,95	0,95
	XLM-R_large	SLUE	0,97	0,97	0,97
ORGAN	BARTpho	Mod. SLUE	0,72	0,80	0,76
	BARTpho	seqeval	0,63	0,56	0,60
	BARTpho	SLUE	0,70	0,77	0,73
	mBART-50	Mod. SLUE	0,67	0,74	0,70
	mBART-50	seqeval	0,61	0,51	0,56
	mBART-50	SLUE	0,64	0,71	0,67
	PhoBERT_base	Mod. SLUE	0,74	0,86	0,79
	PhoBERT_base	seqeval	0,69	0,55	0,61
	PhoBERT_base	SLUE	0,71	0,83	0,77
	PhoBERT_base-v2	Mod. SLUE	0,74	0,88	0,80
	PhoBERT_base-v2	seqeval	0,70	0,55	0,62
	PhoBERT_base-v2	SLUE	0,72	0,86	0,78
	PhoBERT_large	Mod. SLUE	0,73	0,87	0,80
	PhoBERT_large	seqeval	0,71	0,55	0,62
	PhoBERT_large	SLUE	0,71	0,85	0,77
	ViDeBERTa_base	Mod. SLUE	0,53	0,51	0,52
	ViDeBERTa_base	seqeval	0,32	0,27	0,30
	ViDeBERTa_base	SLUE	0,45	0,44	0,44
	ViT5_base	Mod. SLUE	0,71	0,85	0,78
	ViT5_base	seqeval	0,70	0,58	0,64
	ViT5_base	SLUE	0,70	0,84	0,76
	XLM-R_base	Mod. SLUE	0,71	0,87	0,78
	XLM-R_base	seqeval	0,70	0,55	0,61
	XLM-R_base	SLUE	0,69	0,85	0,76
	XLM-R_large	Mod. SLUE	0,77	0,87	0,82
	XLM-R_large	seqeval	0,75	0,60	0,66
	XLM-R_large	SLUE	0,75	0,85	0,80
	BARTpho	Mod. SLUE	0,73	0,54	0,62
	BARTpho	seqeval	0,47	0,68	0,56
	BARTpho	SLUE	0,71	0,53	0,61
	mBART-50	Mod. SLUE	0,77	0,31	0,44

**Table 5 continued from previous page**

	mBART-50	seqeval	0,28	0,70	0,40
	mBART-50	SLUE	0,77	0,31	0,44
	PhoBERT_base	Mod. SLUE	0,71	0,57	0,63
	PhoBERT_base	seqeval	0,51	0,56	0,53
	PhoBERT_base	SLUE	0,70	0,56	0,62
	PhoBERT_base-v2	Mod. SLUE	0,76	0,71	0,73
	PhoBERT_base-v2	seqeval	0,59	0,60	0,60
	PhoBERT_base-v2	SLUE	0,74	0,70	0,72
	PhoBERT_large	Mod. SLUE	0,71	0,65	0,68
	PhoBERT_large	seqeval	0,59	0,50	0,54
	PhoBERT_large	SLUE	0,71	0,65	0,68
	ViDeBERTa_base	Mod. SLUE	0,00	0,00	0,00
	ViDeBERTa_base	seqeval	0,00	0,00	0,00
	ViDeBERTa_base	SLUE	0,00	0,00	0,00
	ViT5_base	Mod. SLUE	0,94	0,36	0,52
	ViT5_base	seqeval	0,34	0,91	0,50
	ViT5_base	SLUE	0,94	0,36	0,52
	XLM-R_base	Mod. SLUE	0,59	0,31	0,41
	XLM-R_base	seqeval	0,08	0,12	0,10
	XLM-R_base	SLUE	0,56	0,29	0,39
	XLM-R_large	Mod. SLUE	0,82	0,66	0,73
	XLM-R_large	seqeval	0,61	0,70	0,65
	XLM-R_large	SLUE	0,80	0,64	0,71
PERSONALCARE	BARTpho	Mod. SLUE	0,17	0,77	0,28
	BARTpho	seqeval	0,75	0,21	0,32
	BARTpho	SLUE	0,17	0,77	0,28
	mBART-50	Mod. SLUE	0,23	0,80	0,36
	mBART-50	seqeval	0,76	0,26	0,39
	mBART-50	SLUE	0,23	0,80	0,36
	PhoBERT_base	Mod. SLUE	0,18	0,87	0,30
	PhoBERT_base	seqeval	0,85	0,20	0,33
	PhoBERT_base	SLUE	0,18	0,85	0,30
	PhoBERT_base-v2	Mod. SLUE	0,16	0,85	0,27
	PhoBERT_base-v2	seqeval	0,85	0,18	0,30
	PhoBERT_base-v2	SLUE	0,16	0,84	0,27
	PhoBERT_large	Mod. SLUE	0,19	0,83	0,31
	PhoBERT_large	seqeval	0,80	0,21	0,33
	PhoBERT_large	SLUE	0,19	0,82	0,31
	ViDeBERTa_base	Mod. SLUE	0,17	0,76	0,28
	ViDeBERTa_base	seqeval	0,68	0,14	0,23
	ViDeBERTa_base	SLUE	0,17	0,75	0,28
	ViT5_base	Mod. SLUE	0,17	0,79	0,28
	ViT5_base	seqeval	0,75	0,18	0,29
	ViT5_base	SLUE	0,17	0,78	0,27
	XLM-R_base	Mod. SLUE	0,21	0,83	0,33
	XLM-R_base	seqeval	0,77	0,21	0,33
	XLM-R_base	SLUE	0,20	0,81	0,32
	XLM-R_large	Mod. SLUE	0,22	0,87	0,36
	XLM-R_large	seqeval	0,84	0,24	0,38
	XLM-R_large	SLUE	0,22	0,86	0,35



**Table 5 continued from previous page**

PREVENTIVEMED	BARTpho	Mod. SLUE	0,01	0,15	0,01	
	BARTpho	seqeval	0,21	0,01	0,02	
	BARTpho	SLUE	0,01	0,15	0,01	
	mBART-50	Mod. SLUE	0,02	0,45	0,04	
	mBART-50	seqeval	0,42	0,02	0,04	
	mBART-50	SLUE	0,02	0,45	0,04	
	PhoBERT_base	Mod. SLUE	0,03	0,75	0,06	
	PhoBERT_base	seqeval	0,56	0,02	0,05	
	PhoBERT_base	SLUE	0,03	0,69	0,06	
	PhoBERT_base-v2	Mod. SLUE	0,02	0,44	0,04	
	PhoBERT_base-v2	seqeval	0,33	0,02	0,03	
	PhoBERT_base-v2	SLUE	0,02	0,39	0,03	
	PhoBERT_large	Mod. SLUE	0,03	0,78	0,06	
	PhoBERT_large	seqeval	0,72	0,03	0,06	
	PhoBERT_large	SLUE	0,03	0,75	0,06	
	ViDeBERTa_base	Mod. SLUE	0,00	0,06	0,01	
	ViDeBERTa_base	seqeval	0,00	0,00	0,00	
	ViDeBERTa_base	SLUE	0,00	0,00	0,00	
	ViT5_base	Mod. SLUE	0,02	0,39	0,04	
	ViT5_base	seqeval	0,39	0,03	0,05	
	ViT5_base	SLUE	0,02	0,35	0,04	
	XLM-R_base	Mod. SLUE	0,01	0,14	0,02	
	XLM-R_base	seqeval	0,00	0,00	0,00	
	XLM-R_base	SLUE	0,01	0,08	0,01	
	XLM-R_large	Mod. SLUE	0,03	0,78	0,06	
	XLM-R_large	seqeval	0,72	0,03	0,05	
	XLM-R_large	SLUE	0,03	0,78	0,06	
	SURGERY	BARTpho	Mod. SLUE	0,57	0,57	0,57
		BARTpho	seqeval	0,48	0,55	0,51
		BARTpho	SLUE	0,57	0,56	0,57
mBART-50		Mod. SLUE	0,67	0,38	0,48	
mBART-50		seqeval	0,29	0,55	0,38	
mBART-50		SLUE	0,64	0,37	0,47	
PhoBERT_base		Mod. SLUE	0,70	0,48	0,56	
PhoBERT_base		seqeval	0,36	0,50	0,42	
PhoBERT_base		SLUE	0,68	0,46	0,55	
PhoBERT_base-v2		Mod. SLUE	0,79	0,66	0,72	
PhoBERT_base-v2		seqeval	0,62	0,59	0,61	
PhoBERT_base-v2		SLUE	0,78	0,65	0,71	
PhoBERT_large		Mod. SLUE	0,85	0,46	0,59	
PhoBERT_large		seqeval	0,38	0,66	0,49	
PhoBERT_large		SLUE	0,85	0,45	0,59	
ViDeBERTa_base		Mod. SLUE	0,78	0,32	0,46	
ViDeBERTa_base		seqeval	0,24	0,45	0,32	
ViDeBERTa_base		SLUE	0,76	0,31	0,44	
ViT5_base		Mod. SLUE	0,61	0,69	0,65	
ViT5_base		seqeval	0,55	0,51	0,52	
ViT5_base	SLUE	0,60	0,69	0,64		
XLM-R_base	Mod. SLUE	0,66	0,67	0,66		

**Table 5 continued from previous page**  
**Table 5 continued from previous page**

	XLM-R_base	sequeval	0,59	0,46	0,52	
	XLM-R_base	SLUE	0,66	0,66	0,66	
	XLM-R_large	Mod. SLUE	0,80	0,46	0,59	
	XLM-R_large	sequeval	0,39	0,65	0,49	
	XLM-R_large	SLUE	0,80	0,46	0,58	
TRANSPORTATION	BARTpho	Mod. SLUE	0,98	0,96	0,97	
	BARTpho	sequeval	0,93	0,93	0,93	
	BARTpho	SLUE	0,98	0,96	0,97	
	mBART-50	Mod. SLUE	1,00	0,70	0,82	
	mBART-50	sequeval	0,67	0,95	0,78	
	mBART-50	SLUE	1,00	0,70	0,82	
	PhoBERT_base	Mod. SLUE	1,00	0,90	0,95	
	PhoBERT_base	sequeval	0,85	0,92	0,88	
	PhoBERT_base	SLUE	1,00	0,90	0,95	
	PhoBERT_base-v2	Mod. SLUE	1,00	0,69	0,82	
	PhoBERT_base-v2	sequeval	0,59	0,80	0,68	
	PhoBERT_base-v2	SLUE	1,00	0,69	0,82	
	PhoBERT_large	Mod. SLUE	0,95	0,91	0,93	
	PhoBERT_large	sequeval	0,89	0,92	0,91	
	PhoBERT_large	SLUE	0,95	0,91	0,93	
	ViDeBERTa_base	Mod. SLUE	0,00	0,00	0,00	
	ViDeBERTa_base	sequeval	0,00	0,00	0,00	
	ViDeBERTa_base	SLUE	0,00	0,00	0,00	
	ViT5_base	Mod. SLUE	0,00	0,00	0,00	
	ViT5_base	sequeval	0,00	0,00	0,00	
	ViT5_base	SLUE	0,00	0,00	0,00	
	XLM-R_base	Mod. SLUE	0,00	0,00	0,00	
	XLM-R_base	sequeval	0,00	0,00	0,00	
	XLM-R_base	SLUE	0,00	0,00	0,00	
	XLM-R_large	Mod. SLUE	1,00	0,72	0,84	
	XLM-R_large	sequeval	0,63	0,81	0,71	
	XLM-R_large	SLUE	1,00	0,72	0,84	
	TREATMENT	BARTpho	Mod. SLUE	0,63	0,82	0,71
		BARTpho	sequeval	0,75	0,57	0,65
		BARTpho	SLUE	0,63	0,82	0,71
mBART-50		Mod. SLUE	0,66	0,83	0,74	
mBART-50		sequeval	0,81	0,61	0,70	
mBART-50		SLUE	0,66	0,83	0,74	
PhoBERT_base		Mod. SLUE	0,66	0,88	0,75	
PhoBERT_base		sequeval	0,86	0,60	0,71	
PhoBERT_base		SLUE	0,66	0,88	0,75	
PhoBERT_base-v2		Mod. SLUE	0,62	0,88	0,73	
PhoBERT_base-v2		sequeval	0,87	0,56	0,68	
PhoBERT_base-v2		SLUE	0,62	0,88	0,72	
PhoBERT_large		Mod. SLUE	0,59	0,87	0,70	
PhoBERT_large		sequeval	0,86	0,53	0,65	
PhoBERT_large		SLUE	0,59	0,87	0,70	
ViDeBERTa_base		Mod. SLUE	0,62	0,86	0,72	
ViDeBERTa_base		sequeval	0,84	0,52	0,64	

**Table 5 continued from previous page**

	ViDeBERTa_base	SLUE	0,62	0,86	0,72	
	ViT5_base	Mod. SLUE	0,46	0,84	0,60	
	ViT5_base	seqeval	0,81	0,41	0,55	
	ViT5_base	SLUE	0,46	0,84	0,60	
	XLM-R_base	Mod. SLUE	0,48	0,86	0,62	
	XLM-R_base	seqeval	0,84	0,40	0,54	
	XLM-R_base	SLUE	0,48	0,86	0,62	
	XLM-R_large	Mod. SLUE	0,59	0,89	0,71	
	XLM-R_large	seqeval	0,89	0,54	0,67	
	XLM-R_large	SLUE	0,59	0,89	0,71	
UNITCALIBRATOR	BARTpho	Mod. SLUE	0,42	0,65	0,51	
	BARTpho	seqeval	0,52	0,31	0,39	
	BARTpho	SLUE	0,41	0,63	0,50	
	mBART-50	Mod. SLUE	0,38	0,58	0,46	
	mBART-50	seqeval	0,45	0,26	0,33	
	mBART-50	SLUE	0,37	0,56	0,44	
	PhoBERT_base	Mod. SLUE	0,44	0,73	0,55	
	PhoBERT_base	seqeval	0,61	0,30	0,41	
	PhoBERT_base	SLUE	0,43	0,71	0,53	
	PhoBERT_base-v2	Mod. SLUE	0,46	0,74	0,57	
	PhoBERT_base-v2	seqeval	0,61	0,33	0,43	
	PhoBERT_base-v2	SLUE	0,45	0,72	0,55	
	PhoBERT_large	Mod. SLUE	0,48	0,73	0,58	
	PhoBERT_large	seqeval	0,60	0,34	0,43	
	PhoBERT_large	SLUE	0,47	0,71	0,56	
	ViDeBERTa_base	Mod. SLUE	0,32	0,44	0,37	
	ViDeBERTa_base	seqeval	0,20	0,10	0,14	
	ViDeBERTa_base	SLUE	0,28	0,39	0,33	
	ViT5_base	Mod. SLUE	0,34	0,63	0,44	
	ViT5_base	seqeval	0,50	0,24	0,32	
	ViT5_base	SLUE	0,33	0,62	0,43	
	XLM-R_base	Mod. SLUE	0,44	0,72	0,54	
	XLM-R_base	seqeval	0,54	0,27	0,36	
	XLM-R_base	SLUE	0,42	0,69	0,52	
	XLM-R_large	Mod. SLUE	0,50	0,75	0,60	
	XLM-R_large	seqeval	0,65	0,37	0,47	
	XLM-R_large	SLUE	0,49	0,74	0,59	
	Overall Macro	BARTpho	Mod. SLUE	0,64	0,72	0,66
		BARTpho	seqeval	0,64	0,58	0,59
		BARTpho	SLUE	0,63	0,71	0,65
mBART-50		Mod. SLUE	0,64	0,66	0,61	
mBART-50		seqeval	0,59	0,57	0,55	
mBART-50		SLUE	0,63	0,65	0,60	
PhoBERT_base		Mod. SLUE	0,67	0,79	0,69	
PhoBERT_base		seqeval	0,70	0,57	0,60	
PhoBERT_base		SLUE	0,66	0,78	0,68	
PhoBERT_base-v2		Mod. SLUE	0,69	0,79	0,71	
PhoBERT_base-v2		seqeval	0,71	0,59	0,62	
PhoBERT_base-v2		SLUE	0,68	0,77	0,70	
PhoBERT_large	Mod. SLUE	0,69	0,79	0,70		

**Table 5 continued from previous page**

	PhoBERT_large	seqeval	0,73	0,60	0,63
	PhoBERT_large	SLUE	0,68	0,78	0,69
	ViDeBERTa_base	Mod. SLUE	0,43	0,38	0,37
	ViDeBERTa_base	seqeval	0,31	0,28	0,27
	ViDeBERTa_base	SLUE	0,40	0,36	0,34
	ViT5_base	Mod. SLUE	0,59	0,69	0,60
	ViT5_base	seqeval	0,61	0,53	0,54
	ViT5_base	SLUE	0,58	0,68	0,59
	XLM-R_base	Mod. SLUE	0,57	0,67	0,59
	XLM-R_base	seqeval	0,57	0,44	0,48
	XLM-R_base	SLUE	0,56	0,65	0,58
	XLM-R_large	Mod. SLUE	0,72	0,78	0,71
	XLM-R_large	seqeval	0,72	0,62	0,63
	XLM-R_large	SLUE	0,71	0,77	0,70
Overall Micro	BARTpho	Mod. SLUE	0,66	0,74	0,70
	BARTpho	seqeval	0,64	0,58	0,61
	BARTpho	SLUE	0,64	0,73	0,68
	mBART-50	Mod. SLUE	0,65	0,68	0,67
	mBART-50	seqeval	0,60	0,57	0,59
	mBART-50	SLUE	0,64	0,66	0,65
	PhoBERT_base	Mod. SLUE	0,69	0,79	0,74
	PhoBERT_base	seqeval	0,71	0,57	0,63
	PhoBERT_base	SLUE	0,67	0,78	0,72
	PhoBERT_base-v2	Mod. SLUE	0,70	0,81	0,75
	PhoBERT_base-v2	seqeval	0,74	0,59	0,66
	PhoBERT_base-v2	SLUE	0,68	0,79	0,74
	PhoBERT_large	Mod. SLUE	0,70	0,79	0,74
	PhoBERT_large	seqeval	0,73	0,60	0,66
	PhoBERT_large	SLUE	0,69	0,77	0,73
	ViDeBERTa_base	Mod. SLUE	0,55	0,45	0,49
	ViDeBERTa_base	seqeval	0,33	0,34	0,34
	ViDeBERTa_base	SLUE	0,50	0,41	0,45
	ViT5_base	Mod. SLUE	0,65	0,76	0,70
	ViT5_base	seqeval	0,68	0,59	0,63
	ViT5_base	SLUE	0,64	0,74	0,69
	XLM-R_base	Mod. SLUE	0,66	0,75	0,70
	XLM-R_base	seqeval	0,66	0,53	0,59
	XLM-R_base	SLUE	0,64	0,73	0,69
	XLM-R_large	Mod. SLUE	0,72	0,78	0,75
	XLM-R_large	seqeval	0,72	0,63	0,67
	XLM-R_large	SLUE	0,71	0,77	0,74

Table 5: NER results by entity types (in percent) on reference text of test set using various pre-trained language models. Metrics shown are Precision, Recall, and overall micro/macro F1 score. Evaluation toolkits used are: seqeval, SLUE and our modified SLUE.

Entity Type	NER	ASR	Eval toolkit	Prec.	Rec.	F1
AGE	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,24	0,03	0,05
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,32	0,04	0,07
	ViDeBERTa_base	w2v2-Viet	SLUE	0,24	0,03	0,05
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,33	0,04	0,07
	ViT5_base	XLSR-53-Viet	SLUE	0,63	0,49	0,55
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,68	0,53	0,59
	ViT5_base	w2v2-Viet	SLUE	0,63	0,52	0,57
	ViT5_base	w2v2-Viet	Mod. SLUE	0,68	0,56	0,61
	mBART-50	XLSR-53-Viet	SLUE	0,44	0,06	0,11
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,55	0,08	0,14
	mBART-50	w2v2-Viet	SLUE	0,44	0,08	0,13
	mBART-50	w2v2-Viet	Mod. SLUE	0,58	0,10	0,17
	BARTpho	XLSR-53-Viet	SLUE	0,62	0,57	0,59
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,68	0,62	0,65
	BARTpho	w2v2-Viet	SLUE	0,59	0,58	0,58
	BARTpho	w2v2-Viet	Mod. SLUE	0,64	0,63	0,63
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,72	0,58	0,64
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,75	0,61	0,67
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,70	0,58	0,64
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,74	0,61	0,67
	PhoBERT_base	XLSR-53-Viet	SLUE	0,69	0,60	0,64
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,74	0,64	0,68
	PhoBERT_base	w2v2-Viet	SLUE	0,67	0,61	0,64
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,70	0,64	0,67
	PhoBERT_large	XLSR-53-Viet	SLUE	0,71	0,59	0,65
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,75	0,62	0,68
	PhoBERT_large	w2v2-Viet	SLUE	0,69	0,60	0,64
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,72	0,63	0,67
	XLM-R_base	XLSR-53-Viet	SLUE	0,61	0,58	0,60
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,65	0,62	0,63
	XLM-R_base	w2v2-Viet	SLUE	0,59	0,59	0,59
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,63	0,63	0,63
	XLM-R_large	XLSR-53-Viet	SLUE	0,72	0,61	0,66
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,76	0,64	0,69
	XLM-R_large	w2v2-Viet	SLUE	0,70	0,62	0,66
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,73	0,65	0,69
ViDeBERTa_base	XLSR-53-Viet	SLUE	0,52	0,56	0,54	
ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,56	0,60	0,58	
ViDeBERTa_base	w2v2-Viet	SLUE	0,53	0,57	0,55	
ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,57	0,60	0,59	
ViT5_base	XLSR-53-Viet	SLUE	0,57	0,57	0,57	
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,63	0,62	0,62	
ViT5_base	w2v2-Viet	SLUE	0,60	0,56	0,58	
ViT5_base	w2v2-Viet	Mod. SLUE	0,63	0,59	0,61	
mBART-50	XLSR-53-Viet	SLUE	0,42	0,06	0,11	
mBART-50	XLSR-53-Viet	Mod. SLUE	0,57	0,09	0,15	
mBART-50	w2v2-Viet	SLUE	0,40	0,06	0,10	
mBART-50	w2v2-Viet	Mod. SLUE	0,61	0,09	0,15	
BARTpho	XLSR-53-Viet	SLUE	0,64	0,62	0,63	

**Table 6 continued from previous page**

	BARTpho	XLSR-53-Viet	Mod. SLUE	0,68	0,66	0,67
	BARTpho	w2v2-Viet	SLUE	0,65	0,60	0,62
	BARTpho	w2v2-Viet	Mod. SLUE	0,69	0,64	0,66
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,67	0,69	0,68
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,70	0,72	0,71
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,69	0,69	0,69
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,71	0,71	0,71
	PhoBERT_base	XLSR-53-Viet	SLUE	0,66	0,68	0,67
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,69	0,72	0,70
	PhoBERT_base	w2v2-Viet	SLUE	0,68	0,67	0,68
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,71	0,70	0,70
	PhoBERT_large	XLSR-53-Viet	SLUE	0,67	0,68	0,68
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,70	0,71	0,71
	PhoBERT_large	w2v2-Viet	SLUE	0,70	0,66	0,68
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,72	0,69	0,70
	XLM-R_base	XLSR-53-Viet	SLUE	0,64	0,65	0,64
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,67	0,68	0,68
	XLM-R_base	w2v2-Viet	SLUE	0,66	0,64	0,65
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,69	0,66	0,67
	XLM-R_large	XLSR-53-Viet	SLUE	0,69	0,67	0,68
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,72	0,70	0,71
	XLM-R_large	w2v2-Viet	SLUE	0,72	0,66	0,69
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,74	0,69	0,71
DIAGNOSTICS	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,53	0,47	0,50
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,55	0,49	0,52
	ViDeBERTa_base	w2v2-Viet	SLUE	0,51	0,44	0,47
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,53	0,46	0,49
	ViT5_base	XLSR-53-Viet	SLUE	0,52	0,47	0,50
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,54	0,49	0,51
	ViT5_base	w2v2-Viet	SLUE	0,53	0,46	0,49
	ViT5_base	w2v2-Viet	Mod. SLUE	0,56	0,49	0,52
	mBART-50	XLSR-53-Viet	SLUE	0,30	0,08	0,13
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,34	0,10	0,15
	mBART-50	w2v2-Viet	SLUE	0,41	0,06	0,11
	mBART-50	w2v2-Viet	Mod. SLUE	0,48	0,08	0,13
	BARTpho	XLSR-53-Viet	SLUE	0,59	0,56	0,58
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,62	0,59	0,60
	BARTpho	w2v2-Viet	SLUE	0,60	0,53	0,56
	BARTpho	w2v2-Viet	Mod. SLUE	0,63	0,56	0,59
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,56	0,57	0,57
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,58	0,59	0,58
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,56	0,56	0,56
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,59	0,59	0,59
	PhoBERT_base	XLSR-53-Viet	SLUE	0,57	0,57	0,57
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,59	0,59	0,59
	PhoBERT_base	w2v2-Viet	SLUE	0,55	0,56	0,55
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,57	0,58	0,57
	PhoBERT_large	XLSR-53-Viet	SLUE	0,61	0,58	0,59
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,62	0,59	0,61



**Table 6 continued from previous page**

	PhoBERT_large	w2v2-Viet	SLUE	0,58	0,57	0,57
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,61	0,59	0,60
	XLM-R_base	XLSR-53-Viet	SLUE	0,51	0,58	0,54
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,52	0,59	0,55
	XLM-R_base	w2v2-Viet	SLUE	0,50	0,57	0,53
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,52	0,59	0,55
	XLM-R_large	XLSR-53-Viet	SLUE	0,59	0,58	0,59
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,61	0,59	0,60
	XLM-R_large	w2v2-Viet	SLUE	0,58	0,57	0,57
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,60	0,59	0,60
DISEASESYM TOM	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,53	0,39	0,45
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,65	0,48	0,55
	ViDeBERTa_base	w2v2-Viet	SLUE	0,53	0,39	0,45
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,64	0,48	0,55
	ViT5_base	XLSR-53-Viet	SLUE	0,59	0,49	0,54
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,69	0,58	0,63
	ViT5_base	w2v2-Viet	SLUE	0,59	0,49	0,54
	ViT5_base	w2v2-Viet	Mod. SLUE	0,70	0,58	0,64
	mBART-50	XLSR-53-Viet	SLUE	0,51	0,09	0,15
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,64	0,11	0,19
	mBART-50	w2v2-Viet	SLUE	0,48	0,07	0,12
	mBART-50	w2v2-Viet	Mod. SLUE	0,65	0,09	0,16
	BARTpho	XLSR-53-Viet	SLUE	0,61	0,53	0,57
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,71	0,62	0,66
	BARTpho	w2v2-Viet	SLUE	0,58	0,53	0,55
	BARTpho	w2v2-Viet	Mod. SLUE	0,69	0,62	0,65
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,63	0,57	0,60
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,71	0,65	0,68
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,61	0,57	0,59
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,71	0,66	0,68
	PhoBERT_base	XLSR-53-Viet	SLUE	0,62	0,56	0,59
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,71	0,64	0,67
	PhoBERT_base	w2v2-Viet	SLUE	0,61	0,55	0,58
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,71	0,64	0,67
	PhoBERT_large	XLSR-53-Viet	SLUE	0,63	0,56	0,59
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,71	0,63	0,67
	PhoBERT_large	w2v2-Viet	SLUE	0,62	0,54	0,58
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,71	0,62	0,66
	XLM-R_base	XLSR-53-Viet	SLUE	0,58	0,55	0,57
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,67	0,64	0,65
	XLM-R_base	w2v2-Viet	SLUE	0,57	0,54	0,56
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,67	0,64	0,65
	XLM-R_large	XLSR-53-Viet	SLUE	0,64	0,57	0,60
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,72	0,64	0,68
	XLM-R_large	w2v2-Viet	SLUE	0,64	0,56	0,60
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,72	0,63	0,67
	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,51	0,34	0,41
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,59	0,40	0,47
	ViDeBERTa_base	w2v2-Viet	SLUE	0,49	0,34	0,40

**Table 6 continued from previous page**

ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,56	0,39	0,46
ViT5_base	XLSR-53-Viet	SLUE	0,58	0,52	0,55
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,66	0,59	0,62
ViT5_base	w2v2-Viet	SLUE	0,60	0,51	0,55
ViT5_base	w2v2-Viet	Mod. SLUE	0,68	0,58	0,62
mBART-50	XLSR-53-Viet	SLUE	0,32	0,06	0,11
mBART-50	XLSR-53-Viet	Mod. SLUE	0,46	0,09	0,15
mBART-50	w2v2-Viet	SLUE	0,35	0,07	0,11
mBART-50	w2v2-Viet	Mod. SLUE	0,54	0,10	0,17
BARTpho	XLSR-53-Viet	SLUE	0,60	0,55	0,57
BARTpho	XLSR-53-Viet	Mod. SLUE	0,67	0,62	0,64
BARTpho	w2v2-Viet	SLUE	0,60	0,55	0,57
BARTpho	w2v2-Viet	Mod. SLUE	0,66	0,61	0,64
PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,67	0,66	0,67
PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,73	0,72	0,72
PhoBERT_base-v2	w2v2-Viet	SLUE	0,66	0,66	0,66
PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,72	0,72	0,72
PhoBERT_base	XLSR-53-Viet	SLUE	0,66	0,66	0,66
PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,72	0,72	0,72
PhoBERT_base	w2v2-Viet	SLUE	0,64	0,66	0,65
PhoBERT_base	w2v2-Viet	Mod. SLUE	0,71	0,72	0,72
PhoBERT_large	XLSR-53-Viet	SLUE	0,63	0,67	0,65
PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,69	0,72	0,71
PhoBERT_large	w2v2-Viet	SLUE	0,64	0,66	0,65
PhoBERT_large	w2v2-Viet	Mod. SLUE	0,70	0,71	0,70
XLM-R_base	XLSR-53-Viet	SLUE	0,63	0,52	0,57
XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,71	0,57	0,63
XLM-R_base	w2v2-Viet	SLUE	0,64	0,52	0,57
XLM-R_base	w2v2-Viet	Mod. SLUE	0,71	0,57	0,64
XLM-R_large	XLSR-53-Viet	SLUE	0,70	0,68	0,69
XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,76	0,73	0,74
XLM-R_large	w2v2-Viet	SLUE	0,69	0,66	0,67
XLM-R_large	w2v2-Viet	Mod. SLUE	0,75	0,71	0,73
ViDeBERTa_base	XLSR-53-Viet	SLUE	0,25	0,29	0,27
ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,28	0,33	0,30
ViDeBERTa_base	w2v2-Viet	SLUE	0,22	0,27	0,24
ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,25	0,31	0,28
ViT5_base	XLSR-53-Viet	SLUE	0,54	0,53	0,54
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,58	0,56	0,57
ViT5_base	w2v2-Viet	SLUE	0,55	0,53	0,54
ViT5_base	w2v2-Viet	Mod. SLUE	0,59	0,58	0,59
mBART-50	XLSR-53-Viet	SLUE	0,59	0,06	0,12
mBART-50	XLSR-53-Viet	Mod. SLUE	0,61	0,07	0,12
mBART-50	w2v2-Viet	SLUE	0,54	0,05	0,09
mBART-50	w2v2-Viet	Mod. SLUE	0,63	0,06	0,11
BARTpho	XLSR-53-Viet	SLUE	0,65	0,49	0,56
BARTpho	XLSR-53-Viet	Mod. SLUE	0,68	0,51	0,58
BARTpho	w2v2-Viet	SLUE	0,68	0,52	0,59
BARTpho	w2v2-Viet	Mod. SLUE	0,71	0,54	0,61

**Table 6 continued from previous page**

	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,68	0,68	0,68
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,69	0,68	0,68
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,69	0,66	0,67
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,69	0,67	0,68
	PhoBERT_base	XLSR-53-Viet	SLUE	0,63	0,65	0,64
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,64	0,66	0,65
	PhoBERT_base	w2v2-Viet	SLUE	0,64	0,62	0,63
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,66	0,64	0,65
	PhoBERT_large	XLSR-53-Viet	SLUE	0,68	0,69	0,68
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,69	0,70	0,69
	PhoBERT_large	w2v2-Viet	SLUE	0,67	0,67	0,67
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,68	0,68	0,68
	XLM-R_base	XLSR-53-Viet	SLUE	0,52	0,63	0,57
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,55	0,67	0,61
	XLM-R_base	w2v2-Viet	SLUE	0,53	0,63	0,57
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,56	0,67	0,61
	XLM-R_large	XLSR-53-Viet	SLUE	0,75	0,69	0,72
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,76	0,70	0,73
	XLM-R_large	w2v2-Viet	SLUE	0,76	0,68	0,72
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,77	0,69	0,73
GENDER	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	SLUE	1,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	1,00	0,00	0,00
	ViT5_base	XLSR-53-Viet	SLUE	0,74	0,51	0,60
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,79	0,54	0,65
	ViT5_base	w2v2-Viet	SLUE	0,74	0,51	0,60
	ViT5_base	w2v2-Viet	Mod. SLUE	0,76	0,53	0,62
	mBART-50	XLSR-53-Viet	SLUE	0,39	0,03	0,06
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,50	0,04	0,08
	mBART-50	w2v2-Viet	SLUE	0,40	0,05	0,09
	mBART-50	w2v2-Viet	Mod. SLUE	0,53	0,07	0,12
	BARTpho	XLSR-53-Viet	SLUE	0,78	0,59	0,67
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,82	0,61	0,70
	BARTpho	w2v2-Viet	SLUE	0,78	0,58	0,66
	BARTpho	w2v2-Viet	Mod. SLUE	0,80	0,59	0,68
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,78	0,60	0,68
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,82	0,63	0,71
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,78	0,60	0,68
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,80	0,62	0,70
	PhoBERT_base	XLSR-53-Viet	SLUE	0,78	0,61	0,68
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,81	0,63	0,71
	PhoBERT_base	w2v2-Viet	SLUE	0,77	0,61	0,68
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,80	0,62	0,70
	PhoBERT_large	XLSR-53-Viet	SLUE	0,75	0,60	0,67
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,78	0,63	0,70
	PhoBERT_large	w2v2-Viet	SLUE	0,76	0,60	0,67
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,78	0,62	0,69
	XLM-R_base	XLSR-53-Viet	SLUE	0,72	0,42	0,53

**Table 6 continued from previous page**

	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,78	0,45	0,57
	XLM-R_base	w2v2-Viet	SLUE	0,70	0,44	0,54
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,74	0,47	0,57
	XLM-R_large	XLSR-53-Viet	SLUE	0,79	0,63	0,70
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,82	0,66	0,73
	XLM-R_large	w2v2-Viet	SLUE	0,79	0,64	0,71
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,81	0,65	0,72
LOCATION	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,63	0,28	0,39
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,67	0,29	0,41
	ViDeBERTa_base	w2v2-Viet	SLUE	0,59	0,26	0,36
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,60	0,26	0,37
	ViT5_base	XLSR-53-Viet	SLUE	0,62	0,57	0,59
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,65	0,60	0,63
	ViT5_base	w2v2-Viet	SLUE	0,61	0,53	0,57
	ViT5_base	w2v2-Viet	Mod. SLUE	0,64	0,56	0,60
	mBART-50	XLSR-53-Viet	SLUE	0,18	0,01	0,02
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,41	0,02	0,04
	mBART-50	w2v2-Viet	SLUE	0,26	0,01	0,03
	mBART-50	w2v2-Viet	Mod. SLUE	0,33	0,02	0,04
	BARTpho	XLSR-53-Viet	SLUE	0,65	0,66	0,65
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,68	0,69	0,69
	BARTpho	w2v2-Viet	SLUE	0,65	0,65	0,65
	BARTpho	w2v2-Viet	Mod. SLUE	0,69	0,68	0,68
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,66	0,71	0,69
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,69	0,74	0,71
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,67	0,69	0,68
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,70	0,72	0,71
	PhoBERT_base	XLSR-53-Viet	SLUE	0,62	0,68	0,65
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,66	0,72	0,69
	PhoBERT_base	w2v2-Viet	SLUE	0,64	0,67	0,65
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,67	0,71	0,69
	PhoBERT_large	XLSR-53-Viet	SLUE	0,67	0,68	0,67
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,69	0,70	0,70
	PhoBERT_large	w2v2-Viet	SLUE	0,70	0,66	0,68
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,72	0,68	0,70
	XLM-R_base	XLSR-53-Viet	SLUE	0,64	0,61	0,62
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,67	0,64	0,65
	XLM-R_base	w2v2-Viet	SLUE	0,65	0,59	0,62
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,68	0,62	0,65
	XLM-R_large	XLSR-53-Viet	SLUE	0,71	0,69	0,70
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,74	0,72	0,73
	XLM-R_large	w2v2-Viet	SLUE	0,72	0,67	0,69
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,74	0,70	0,72
	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,22	0,07	0,10
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,33	0,10	0,16
	ViDeBERTa_base	w2v2-Viet	SLUE	0,20	0,06	0,10
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,33	0,11	0,16
ViT5_base	XLSR-53-Viet	SLUE	0,39	0,09	0,14	
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,48	0,11	0,18	

**Table 6 continued from previous page**

	ViT5_base	w2v2-Viet	SLUE	0,44	0,11	0,17
	ViT5_base	w2v2-Viet	Mod. SLUE	0,53	0,13	0,21
	mBART-50	XLSR-53-Viet	SLUE	0,31	0,01	0,01
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,38	0,01	0,01
	mBART-50	w2v2-Viet	SLUE	0,26	0,01	0,01
	mBART-50	w2v2-Viet	Mod. SLUE	0,32	0,01	0,01
	BARTpho	XLSR-53-Viet	SLUE	0,42	0,09	0,15
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,51	0,11	0,18
	BARTpho	w2v2-Viet	SLUE	0,38	0,09	0,14
	BARTpho	w2v2-Viet	Mod. SLUE	0,49	0,11	0,18
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,46	0,20	0,28
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,56	0,24	0,33
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,43	0,18	0,25
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,52	0,22	0,30
	PhoBERT_base	XLSR-53-Viet	SLUE	0,48	0,22	0,30
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,56	0,26	0,35
	PhoBERT_base	w2v2-Viet	SLUE	0,44	0,20	0,28
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,52	0,24	0,33
	PhoBERT_large	XLSR-53-Viet	SLUE	0,46	0,15	0,23
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,55	0,18	0,27
	PhoBERT_large	w2v2-Viet	SLUE	0,45	0,15	0,22
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,55	0,18	0,27
	XLM-R_base	XLSR-53-Viet	SLUE	0,38	0,13	0,19
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,47	0,16	0,24
	XLM-R_base	w2v2-Viet	SLUE	0,34	0,12	0,17
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,44	0,15	0,22
	XLM-R_large	XLSR-53-Viet	SLUE	0,47	0,15	0,23
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,55	0,18	0,27
	XLM-R_large	w2v2-Viet	SLUE	0,43	0,13	0,20
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,53	0,16	0,25
OCCUPATION	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,76	0,75	0,76
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,78	0,76	0,77
	ViDeBERTa_base	w2v2-Viet	SLUE	0,77	0,74	0,76
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,79	0,75	0,77
	ViT5_base	XLSR-53-Viet	SLUE	0,78	0,68	0,73
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,79	0,70	0,74
	ViT5_base	w2v2-Viet	SLUE	0,79	0,69	0,74
	ViT5_base	w2v2-Viet	Mod. SLUE	0,80	0,70	0,75
	mBART-50	XLSR-53-Viet	SLUE	0,52	0,02	0,04
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,54	0,02	0,05
	mBART-50	w2v2-Viet	SLUE	0,57	0,03	0,05
	mBART-50	w2v2-Viet	Mod. SLUE	0,60	0,03	0,06
	BARTpho	XLSR-53-Viet	SLUE	0,79	0,78	0,79
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,80	0,79	0,80
	BARTpho	w2v2-Viet	SLUE	0,79	0,77	0,78
	BARTpho	w2v2-Viet	Mod. SLUE	0,81	0,79	0,80
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,79	0,84	0,81
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,80	0,85	0,82
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,81	0,84	0,82



**Table 6 continued from previous page**

	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,82	0,84	0,83
	PhoBERT_base	XLSR-53-Viet	SLUE	0,79	0,84	0,81
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,79	0,85	0,82
	PhoBERT_base	w2v2-Viet	SLUE	0,80	0,84	0,82
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,81	0,85	0,83
	PhoBERT_large	XLSR-53-Viet	SLUE	0,80	0,84	0,82
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,81	0,85	0,83
	PhoBERT_large	w2v2-Viet	SLUE	0,82	0,84	0,83
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,82	0,85	0,83
	XLM-R_base	XLSR-53-Viet	SLUE	0,74	0,83	0,79
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,75	0,85	0,80
	XLM-R_base	w2v2-Viet	SLUE	0,76	0,83	0,79
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,77	0,83	0,80
	XLM-R_large	XLSR-53-Viet	SLUE	0,81	0,84	0,82
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,81	0,85	0,83
	XLM-R_large	w2v2-Viet	SLUE	0,82	0,84	0,83
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,82	0,84	0,83
ORGAN	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,36	0,31	0,33
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,49	0,41	0,45
	ViDeBERTa_base	w2v2-Viet	SLUE	0,37	0,31	0,34
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,50	0,42	0,46
	ViT5_base	XLSR-53-Viet	SLUE	0,50	0,39	0,44
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,59	0,46	0,52
	ViT5_base	w2v2-Viet	SLUE	0,53	0,40	0,46
	ViT5_base	w2v2-Viet	Mod. SLUE	0,64	0,48	0,55
	mBART-50	XLSR-53-Viet	SLUE	0,29	0,06	0,09
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,46	0,09	0,15
	mBART-50	w2v2-Viet	SLUE	0,30	0,06	0,10
	mBART-50	w2v2-Viet	Mod. SLUE	0,42	0,08	0,14
	BARTpho	XLSR-53-Viet	SLUE	0,52	0,42	0,46
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,62	0,50	0,55
	BARTpho	w2v2-Viet	SLUE	0,53	0,42	0,47
	BARTpho	w2v2-Viet	Mod. SLUE	0,63	0,50	0,56
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,53	0,48	0,50
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,62	0,56	0,59
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,55	0,49	0,52
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,64	0,57	0,60
	PhoBERT_base	XLSR-53-Viet	SLUE	0,53	0,47	0,50
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,63	0,56	0,59
	PhoBERT_base	w2v2-Viet	SLUE	0,54	0,48	0,51
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,63	0,56	0,59
	PhoBERT_large	XLSR-53-Viet	SLUE	0,52	0,46	0,49
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,62	0,55	0,58
	PhoBERT_large	w2v2-Viet	SLUE	0,53	0,48	0,50
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,63	0,57	0,59
	XLM-R_base	XLSR-53-Viet	SLUE	0,52	0,48	0,50
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,61	0,56	0,59
	XLM-R_base	w2v2-Viet	SLUE	0,53	0,50	0,51
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,62	0,58	0,60

**Table 6 continued from previous page**

	XLM-R_large	XLSR-53-Viet	SLUE	0,55	0,47	0,50
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,64	0,55	0,59
	XLM-R_large	w2v2-Viet	SLUE	0,56	0,48	0,52
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,65	0,56	0,60
ORGANIZATION	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	ViT5_base	XLSR-53-Viet	SLUE	0,88	0,30	0,45
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,88	0,30	0,45
	ViT5_base	w2v2-Viet	SLUE	0,81	0,27	0,41
	ViT5_base	w2v2-Viet	Mod. SLUE	0,81	0,27	0,41
	mBART-50	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	mBART-50	w2v2-Viet	SLUE	0,00	0,00	0,00
	mBART-50	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	BARTpho	XLSR-53-Viet	SLUE	0,78	0,34	0,47
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,82	0,36	0,50
	BARTpho	w2v2-Viet	SLUE	0,76	0,36	0,48
	BARTpho	w2v2-Viet	Mod. SLUE	0,82	0,39	0,53
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,75	0,56	0,64
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,78	0,59	0,67
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,76	0,55	0,64
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,79	0,57	0,66
	PhoBERT_base	XLSR-53-Viet	SLUE	0,65	0,49	0,56
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,66	0,49	0,56
	PhoBERT_base	w2v2-Viet	SLUE	0,62	0,45	0,52
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,63	0,46	0,53
	PhoBERT_large	XLSR-53-Viet	SLUE	0,73	0,50	0,59
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,73	0,50	0,60
	PhoBERT_large	w2v2-Viet	SLUE	0,69	0,49	0,57
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,71	0,50	0,59
	XLM-R_base	XLSR-53-Viet	SLUE	0,62	0,26	0,37
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,64	0,27	0,38
	XLM-R_base	w2v2-Viet	SLUE	0,57	0,26	0,35
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,59	0,27	0,37
	XLM-R_large	XLSR-53-Viet	SLUE	0,66	0,56	0,61
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,68	0,58	0,63
	XLM-R_large	w2v2-Viet	SLUE	0,65	0,55	0,60
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,69	0,58	0,63
	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,20	0,67	0,30
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,20	0,70	0,32
	ViDeBERTa_base	w2v2-Viet	SLUE	0,20	0,67	0,31
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,20	0,69	0,31
ViT5_base	XLSR-53-Viet	SLUE	0,17	0,54	0,26	
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,17	0,57	0,27	
ViT5_base	w2v2-Viet	SLUE	0,17	0,53	0,26	
ViT5_base	w2v2-Viet	Mod. SLUE	0,18	0,57	0,27	
mBART-50	XLSR-53-Viet	SLUE	0,03	0,02	0,02	



**Table 6 continued from previous page**

	mBART-50	XLSR-53-Viet	Mod. SLUE	0,06	0,05	0,06
	mBART-50	w2v2-Viet	SLUE	0,05	0,04	0,04
	mBART-50	w2v2-Viet	Mod. SLUE	0,05	0,05	0,05
	BARTpho	XLSR-53-Viet	SLUE	0,19	0,63	0,29
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,19	0,65	0,30
	BARTpho	w2v2-Viet	SLUE	0,18	0,63	0,28
	BARTpho	w2v2-Viet	Mod. SLUE	0,19	0,64	0,29
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,18	0,71	0,29
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,19	0,73	0,30
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,18	0,70	0,29
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,18	0,71	0,29
	PhoBERT_base	XLSR-53-Viet	SLUE	0,19	0,69	0,30
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,20	0,71	0,31
	PhoBERT_base	w2v2-Viet	SLUE	0,20	0,69	0,31
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,20	0,70	0,32
	PhoBERT_large	XLSR-53-Viet	SLUE	0,20	0,70	0,32
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,21	0,71	0,32
	PhoBERT_large	w2v2-Viet	SLUE	0,20	0,68	0,31
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,21	0,69	0,32
	XLM-R_base	XLSR-53-Viet	SLUE	0,22	0,70	0,34
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,23	0,73	0,35
	XLM-R_base	w2v2-Viet	SLUE	0,23	0,70	0,34
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,23	0,72	0,35
	XLM-R_large	XLSR-53-Viet	SLUE	0,24	0,70	0,36
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,25	0,71	0,37
	XLM-R_large	w2v2-Viet	SLUE	0,25	0,69	0,37
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,26	0,70	0,38
PREVENTIVEMED	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,00	0,06	0,01
	ViDeBERTa_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,00	0,06	0,01
	ViT5_base	XLSR-53-Viet	SLUE	0,01	0,11	0,01
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,01	0,14	0,02
	ViT5_base	w2v2-Viet	SLUE	0,01	0,19	0,03
	ViT5_base	w2v2-Viet	Mod. SLUE	0,02	0,22	0,03
	mBART-50	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	mBART-50	w2v2-Viet	SLUE	0,00	0,00	0,00
	mBART-50	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	BARTpho	XLSR-53-Viet	SLUE	0,00	0,06	0,01
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,01	0,19	0,02
	BARTpho	w2v2-Viet	SLUE	0,00	0,06	0,01
	BARTpho	w2v2-Viet	Mod. SLUE	0,01	0,19	0,02
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,01	0,14	0,01
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,01	0,22	0,02
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,01	0,19	0,02
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,01	0,28	0,03
	PhoBERT_base	XLSR-53-Viet	SLUE	0,01	0,22	0,02
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,01	0,31	0,03

**Table 6 continued from previous page**

	PhoBERT_base	w2v2-Viet	SLUE	0,01	0,28	0,03
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,02	0,39	0,04
	PhoBERT_large	XLSR-53-Viet	SLUE	0,01	0,22	0,02
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,02	0,31	0,03
	PhoBERT_large	w2v2-Viet	SLUE	0,01	0,28	0,03
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,02	0,36	0,04
	XLM-R_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,00	0,06	0,01
	XLM-R_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,00	0,06	0,01
	XLM-R_large	XLSR-53-Viet	SLUE	0,01	0,11	0,01
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,01	0,19	0,02
	XLM-R_large	w2v2-Viet	SLUE	0,01	0,14	0,01
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,01	0,22	0,02
SURGERY	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,56	0,24	0,33
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,61	0,26	0,36
	ViDeBERTa_base	w2v2-Viet	SLUE	0,57	0,24	0,34
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,62	0,26	0,36
	ViT5_base	XLSR-53-Viet	SLUE	0,46	0,29	0,36
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,51	0,32	0,39
	ViT5_base	w2v2-Viet	SLUE	0,51	0,28	0,36
	ViT5_base	w2v2-Viet	Mod. SLUE	0,57	0,32	0,41
	mBART-50	XLSR-53-Viet	SLUE	0,22	0,05	0,08
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,32	0,07	0,11
	mBART-50	w2v2-Viet	SLUE	0,22	0,06	0,09
	mBART-50	w2v2-Viet	Mod. SLUE	0,31	0,08	0,13
	BARTpho	XLSR-53-Viet	SLUE	0,52	0,29	0,37
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,59	0,33	0,42
	BARTpho	w2v2-Viet	SLUE	0,54	0,29	0,38
	BARTpho	w2v2-Viet	Mod. SLUE	0,61	0,33	0,43
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,57	0,29	0,39
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,62	0,32	0,42
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,60	0,32	0,42
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,65	0,35	0,46
	PhoBERT_base	XLSR-53-Viet	SLUE	0,53	0,26	0,35
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,56	0,27	0,37
	PhoBERT_base	w2v2-Viet	SLUE	0,56	0,27	0,37
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,61	0,30	0,40
	PhoBERT_large	XLSR-53-Viet	SLUE	0,57	0,28	0,38
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,61	0,31	0,41
	PhoBERT_large	w2v2-Viet	SLUE	0,61	0,28	0,39
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,66	0,31	0,42
	XLM-R_base	XLSR-53-Viet	SLUE	0,50	0,32	0,39
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,54	0,35	0,42
	XLM-R_base	w2v2-Viet	SLUE	0,54	0,33	0,41
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,58	0,35	0,44
	XLM-R_large	XLSR-53-Viet	SLUE	0,58	0,28	0,38
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,62	0,30	0,41
	XLM-R_large	w2v2-Viet	SLUE	0,62	0,30	0,40

**Table 6 continued from previous page**

	XLm-R_large	w2v2-Viet	Mod. SLUE	0,65	0,32	0,43
TRANSPORTATION	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	ViT5_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	ViT5_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	ViT5_base	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	mBART-50	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	mBART-50	w2v2-Viet	SLUE	0,00	0,00	0,00
	mBART-50	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	BARTpho	XLSR-53-Viet	SLUE	0,17	0,50	0,25
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,17	0,50	0,25
	BARTpho	w2v2-Viet	SLUE	0,00	0,00	0,00
	BARTpho	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,50	1,00	0,67
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,50	1,00	0,67
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,00	0,00	0,00
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	PhoBERT_base	XLSR-53-Viet	SLUE	0,40	1,00	0,57
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,40	1,00	0,57
	PhoBERT_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	PhoBERT_large	XLSR-53-Viet	SLUE	0,50	1,00	0,67
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,50	1,00	0,67
	PhoBERT_large	w2v2-Viet	SLUE	0,00	0,00	0,00
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	XLm-R_base	XLSR-53-Viet	SLUE	0,00	0,00	0,00
	XLm-R_base	XLSR-53-Viet	Mod. SLUE	0,00	0,00	0,00
	XLm-R_base	w2v2-Viet	SLUE	0,00	0,00	0,00
	XLm-R_base	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	XLm-R_large	XLSR-53-Viet	SLUE	0,50	1,00	0,67
	XLm-R_large	XLSR-53-Viet	Mod. SLUE	0,50	1,00	0,67
	XLm-R_large	w2v2-Viet	SLUE	0,00	0,00	0,00
	XLm-R_large	w2v2-Viet	Mod. SLUE	0,00	0,00	0,00
	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,56	0,77	0,65
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,57	0,78	0,66
	ViDeBERTa_base	w2v2-Viet	SLUE	0,58	0,75	0,65
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,58	0,76	0,66
ViT5_base	XLSR-53-Viet	SLUE	0,45	0,62	0,52	
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,46	0,63	0,53	
ViT5_base	w2v2-Viet	SLUE	0,44	0,62	0,52	
ViT5_base	w2v2-Viet	Mod. SLUE	0,45	0,64	0,53	
mBART-50	XLSR-53-Viet	SLUE	0,19	0,08	0,11	
mBART-50	XLSR-53-Viet	Mod. SLUE	0,23	0,09	0,13	
mBART-50	w2v2-Viet	SLUE	0,30	0,12	0,17	
mBART-50	w2v2-Viet	Mod. SLUE	0,34	0,13	0,19	

**Table 6 continued from previous page**

BARTpho	XLSR-53-Viet	SLUE	0,56	0,71	0,62
BARTpho	XLSR-53-Viet	Mod. SLUE	0,57	0,72	0,64
BARTpho	w2v2-Viet	SLUE	0,58	0,71	0,64
BARTpho	w2v2-Viet	Mod. SLUE	0,60	0,73	0,66
PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,54	0,77	0,64
PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,55	0,78	0,65
PhoBERT_base-v2	w2v2-Viet	SLUE	0,55	0,76	0,64
PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,56	0,77	0,65
PhoBERT_base	XLSR-53-Viet	SLUE	0,56	0,77	0,65
PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,58	0,79	0,67
PhoBERT_base	w2v2-Viet	SLUE	0,57	0,77	0,65
PhoBERT_base	w2v2-Viet	Mod. SLUE	0,58	0,78	0,66

**Table 6 continued from previous page**

PhoBERT_large	XLSR-53-Viet	SLUE	0,54	0,77	0,64
PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,55	0,79	0,65
PhoBERT_large	w2v2-Viet	SLUE	0,54	0,76	0,63
PhoBERT_large	w2v2-Viet	Mod. SLUE	0,55	0,77	0,64
XLM-R_base	XLSR-53-Viet	SLUE	0,46	0,76	0,57
XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,47	0,78	0,58
XLM-R_base	w2v2-Viet	SLUE	0,45	0,76	0,56
XLM-R_base	w2v2-Viet	Mod. SLUE	0,46	0,77	0,57
XLM-R_large	XLSR-53-Viet	SLUE	0,60	0,77	0,68
XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,61	0,78	0,69
XLM-R_large	w2v2-Viet	SLUE	0,60	0,76	0,67
XLM-R_large	w2v2-Viet	Mod. SLUE	0,61	0,77	0,68
ViDeBERTa_base	XLSR-53-Viet	SLUE	0,24	0,34	0,28
ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,29	0,42	0,34
ViDeBERTa_base	w2v2-Viet	SLUE	0,25	0,34	0,29
ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,29	0,40	0,34
ViT5_base	XLSR-53-Viet	SLUE	0,25	0,38	0,30
ViT5_base	XLSR-53-Viet	Mod. SLUE	0,28	0,42	0,33
ViT5_base	w2v2-Viet	SLUE	0,26	0,38	0,31
ViT5_base	w2v2-Viet	Mod. SLUE	0,28	0,42	0,34
mBART-50	XLSR-53-Viet	SLUE	0,26	0,05	0,09
mBART-50	XLSR-53-Viet	Mod. SLUE	0,41	0,08	0,14
mBART-50	w2v2-Viet	SLUE	0,28	0,06	0,10
mBART-50	w2v2-Viet	Mod. SLUE	0,36	0,08	0,13
BARTpho	XLSR-53-Viet	SLUE	0,34	0,41	0,37
BARTpho	XLSR-53-Viet	Mod. SLUE	0,37	0,44	0,40
BARTpho	w2v2-Viet	SLUE	0,35	0,42	0,39
BARTpho	w2v2-Viet	Mod. SLUE	0,38	0,45	0,41
PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,35	0,55	0,43
PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,40	0,63	0,49
PhoBERT_base-v2	w2v2-Viet	SLUE	0,39	0,55	0,45
PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,42	0,60	0,50
PhoBERT_base	XLSR-53-Viet	SLUE	0,34	0,52	0,41
PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,39	0,59	0,47
PhoBERT_base	w2v2-Viet	SLUE	0,36	0,53	0,43

UNITCALIBRATOR

**Table 6 continued from previous page**

	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,40	0,59	0,47
	PhoBERT_large	XLSR-53-Viet	SLUE	0,36	0,54	0,43
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,40	0,60	0,48
	PhoBERT_large	w2v2-Viet	SLUE	0,38	0,55	0,45
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,41	0,59	0,49
	XLM-R_base	XLSR-53-Viet	SLUE	0,32	0,51	0,40
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,36	0,57	0,44
	XLM-R_base	w2v2-Viet	SLUE	0,34	0,51	0,41
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,37	0,55	0,44
	XLM-R_large	XLSR-53-Viet	SLUE	0,36	0,52	0,42
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,40	0,58	0,47
	XLM-R_large	w2v2-Viet	SLUE	0,40	0,55	0,46
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,42	0,58	0,49
Overall Macro	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,34	0,31	0,30
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,38	0,34	0,33
	ViDeBERTa_base	w2v2-Viet	SLUE	0,39	0,30	0,29
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,43	0,33	0,33
	ViT5_base	XLSR-53-Viet	SLUE	0,48	0,42	0,42
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,52	0,45	0,46
	ViT5_base	w2v2-Viet	SLUE	0,49	0,42	0,43
	ViT5_base	w2v2-Viet	Mod. SLUE	0,53	0,46	0,46
	mBART-50	XLSR-53-Viet	SLUE	0,28	0,04	0,07
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,36	0,06	0,09
	mBART-50	w2v2-Viet	SLUE	0,29	0,05	0,08
	mBART-50	w2v2-Viet	Mod. SLUE	0,38	0,06	0,10
	BARTpho	XLSR-53-Viet	SLUE	0,52	0,49	0,48
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,57	0,53	0,51
	BARTpho	w2v2-Viet	SLUE	0,51	0,46	0,47
	BARTpho	w2v2-Viet	Mod. SLUE	0,56	0,50	0,50
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,56	0,59	0,55
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,59	0,63	0,58
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,54	0,53	0,51
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,57	0,57	0,54
	PhoBERT_base	XLSR-53-Viet	SLUE	0,54	0,58	0,53
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,57	0,62	0,56
	PhoBERT_base	w2v2-Viet	SLUE	0,52	0,52	0,50
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,55	0,56	0,53
	PhoBERT_large	XLSR-53-Viet	SLUE	0,56	0,58	0,54
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,59	0,62	0,57
	PhoBERT_large	w2v2-Viet	SLUE	0,53	0,53	0,50
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,57	0,56	0,53
	XLM-R_base	XLSR-53-Viet	SLUE	0,48	0,47	0,45
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,52	0,51	0,49
	XLM-R_base	w2v2-Viet	SLUE	0,48	0,47	0,45
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,51	0,51	0,49
	XLM-R_large	XLSR-53-Viet	SLUE	0,58	0,59	0,56
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,61	0,62	0,59
	XLM-R_large	w2v2-Viet	SLUE	0,55	0,53	0,52
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,58	0,56	0,55



**Table 6 continued from previous page**

Overall Micro	ViDeBERTa_base	XLSR-53-Viet	SLUE	0,45	0,34	0,39
	ViDeBERTa_base	XLSR-53-Viet	Mod. SLUE	0,51	0,39	0,45
	ViDeBERTa_base	w2v2-Viet	SLUE	0,45	0,34	0,39
	ViDeBERTa_base	w2v2-Viet	Mod. SLUE	0,51	0,39	0,44
	ViT5_base	XLSR-53-Viet	SLUE	0,52	0,46	0,48
	ViT5_base	XLSR-53-Viet	Mod. SLUE	0,58	0,50	0,54
	ViT5_base	w2v2-Viet	SLUE	0,53	0,46	0,49
	ViT5_base	w2v2-Viet	Mod. SLUE	0,59	0,51	0,54
	mBART-50	XLSR-53-Viet	SLUE	0,35	0,05	0,09
	mBART-50	XLSR-53-Viet	Mod. SLUE	0,46	0,07	0,12
	mBART-50	w2v2-Viet	SLUE	0,35	0,05	0,09
	mBART-50	w2v2-Viet	Mod. SLUE	0,47	0,07	0,12
	BARTpho	XLSR-53-Viet	SLUE	0,56	0,50	0,53
	BARTpho	XLSR-53-Viet	Mod. SLUE	0,61	0,55	0,58
	BARTpho	w2v2-Viet	SLUE	0,55	0,50	0,52
	BARTpho	w2v2-Viet	Mod. SLUE	0,61	0,55	0,58
	PhoBERT_base-v2	XLSR-53-Viet	SLUE	0,57	0,57	0,57
	PhoBERT_base-v2	XLSR-53-Viet	Mod. SLUE	0,62	0,61	0,62
	PhoBERT_base-v2	w2v2-Viet	SLUE	0,58	0,56	0,57
	PhoBERT_base-v2	w2v2-Viet	Mod. SLUE	0,62	0,61	0,62
	PhoBERT_base	XLSR-53-Viet	SLUE	0,56	0,56	0,56
	PhoBERT_base	XLSR-53-Viet	Mod. SLUE	0,61	0,61	0,61
	PhoBERT_base	w2v2-Viet	SLUE	0,56	0,56	0,56
	PhoBERT_base	w2v2-Viet	Mod. SLUE	0,61	0,60	0,61
	PhoBERT_large	XLSR-53-Viet	SLUE	0,57	0,55	0,56
	PhoBERT_large	XLSR-53-Viet	Mod. SLUE	0,62	0,60	0,61
	PhoBERT_large	w2v2-Viet	SLUE	0,58	0,55	0,56
	PhoBERT_large	w2v2-Viet	Mod. SLUE	0,62	0,59	0,61
	XLM-R_base	XLSR-53-Viet	SLUE	0,54	0,52	0,53
	XLM-R_base	XLSR-53-Viet	Mod. SLUE	0,59	0,57	0,58
	XLM-R_base	w2v2-Viet	SLUE	0,54	0,52	0,53
	XLM-R_base	w2v2-Viet	Mod. SLUE	0,59	0,57	0,58
	XLM-R_large	XLSR-53-Viet	SLUE	0,60	0,56	0,58
	XLM-R_large	XLSR-53-Viet	Mod. SLUE	0,64	0,60	0,62
	XLM-R_large	w2v2-Viet	SLUE	0,60	0,56	0,58
	XLM-R_large	w2v2-Viet	Mod. SLUE	0,64	0,60	0,62

Table 6: NER results by entity types (in percent) on ASR output of test set using various pre-trained language models and ASR models. Metrics shown are Precision, Recall, and overall micro/macro F1 score.




Figure 1: Scatter plot of NER results on reference text by entity types using various pre-trained language models, created by Table 5.





Figure 2: Scatter plot of NER results on ASR output by entity types using various pre-trained language models, created by Table 6.