Bundling in Oligopoly: Revenue Maximization with Single-Item Competitors

Moshe Babaioff * Hebrew University of Jerusalem Linda Cai[†] Princeton University Brendan Lucier[‡] Microsoft Research

Abstract

We consider a principal seller with m heterogeneous products to sell to an additive buyer over independent items. The principal can offer an arbitrary menu of product bundles, but faces competition from smaller and more agile single-item sellers. The single-item sellers choose their prices after the principal commits to a menu, potentially under-cutting the principal's offerings. We explore to what extent the principal can leverage the ability to bundle product together to extract revenue.

Any choice of menu by the principal induces an oligopoly pricing game between the singleitem sellers, which may have multiple equilibria. When there is only a single item this model reduces to Bertrand competition, for which the principal's revenue is 0 at any equilibrium, so we assume that no single item's value is too dominant. We establish an upper bound on the principal's optimal revenue at every equilibrium: the expected welfare after truncating each item's value to its revenue-maximizing price. Under a technical condition on the value distributions — that the monopolist's revenue is sufficiently sensitive to price — we show that the principal seller can simply price the grand-bundle and ensure (in any equilibrium) a constant approximation to this bound (and hence to the optimal revenue). We also show that for some value distributions violating our conditions, grand-bundle pricing does not yield a constant approximation to the optimal revenue in any equilibrium.

1 Introduction

True monopolies are rare. Even a large, dominant seller in a given market will almost certainly need to contend with small, agile competitors who attempt to offer similar products. For example, suppose that a large firm has many heterogeneous goods to sell to a buyer who values them additively and independently. This setting has been studied extensively in the algorithmic mechanism design literature when the seller is a monopolist, and it is known that the seller can often extract more revenue (sometimes close to the full social welfare) by bundling goods together and selling them as packages instead of selling each item separately [HN12, HN17, LY13, BILW14]. But this sort of aggressive bundling strategy carries risk: if a smaller competitor were able to replicate one of the products, they could sell it as a stand-alone offering and attract away customers who have an especially strong preference for it relative to the others. On the other hand, selling items à la carte leaves the firm vulnerable to being undercut on prices. Either way, the threat of competition even from smaller sellers of individual products can substantially impact the firm's sales strategy and revenue.

^{*}moshe.babaioff@mail.huji.ac.il. Moshe Babaioff's research is supported in part by a Golda Meir Fellowship.

[†]tcai@princeton.edu.

[‡]brlucier@microsoft.com.

Our goal in this paper is to understand the ability of a multi-product principal seller to extract revenue in settings where he faces competition from agile item sellers. In our model there is a single multi-good seller (the principal) who has m items to sell, plus a pool of item sellers who each has only a single one of the m item types to sell. For most of the paper we will assume that there is exactly one competing item seller per item type.¹ The principal, acting as a market leader, first selects and commits to an arbitrary menu of product bundles. Then, simultaneously, each item seller picks her own deterministic menu for selling her item (equivalently, picks a price for her item). The item sellers can randomize over different prices. The buyer, aiming to maximize her utility, then decides on a subset to buy from the principal seller, and on the set of items she buys from the item sellers.

The presence of the item sellers impedes the ability of the principal to extract revenue because of their ability to undercut the principal's prices. In the special case of only a single item, this is classic Bertrand competition. Indeed, if the principal chooses any price p > 0, a competing item seller would simply undercut p by some small amount and steal away all of the principal's sales. Thus, in the case of a single item type, it is impossible for the principal to generate any revenue. However, if there are two or more items, the principal has a power that the item sellers do not: the power to bundle items together and sell them as a package. We ask: What are the limits on the revenue of the principal due to the competition? Under which market conditions can the principal extract significant revenue even in the presence of such competition?

Any given choice of menu by the principal seller defines a downstream oligopolistic pricing game played by the item sellers. Our solution concept in that downstream game is mixed Nash equilibrium (NE): each item seller selects a distribution over price choices that maximizes her expected revenue given the menu of the principal and the distributions selected by the other item sellers. With a discrete pricing space a mixed NE is guaranteed to exist, but is not unique in general. We are able to prove an upper bound on the revenue attainable by the principal that is robust to the choice of equilibrium: it holds for any choice of menu and any equilibrium of play by the item sellers. We show that the principal's revenue cannot be greater than the expected sum of truncated item values, where each item's value is truncated to its (maximal) revenue-maximizing price.

Theorem 1.1. Suppose the buyer has independent item values $v_i \sim F_i$ and that $r_i \in \arg \max_r \{r(1 - F_i(r))\}$ is the maximal revenue-maximizing price for item *i*. Then for any menu of the principal seller and any mixed Nash equilibrium among the item sellers, the expected revenue of the principal seller is at most the buyer's expected truncated social welfare $\mathbb{E}_{\vec{v} \sim \times_i F_i}[\sum_i \min\{v_i, r_i\}]$.

We note that this upper bound may be substantially lower than the revenue obtainable by a monopolist. For example, suppose the item value distributions are i.i.d. draws from an equal revenue distribution supported on [1, H] for some large $H > m^2$, skewed slightly so that 1 is the unique revenue-maximizing price. In this instance it is known that a monopolist seller can obtain revenue $\Omega(m \log m)$ by appropriately pricing the grand bundle of all items. But the expected truncated welfare, our upper bound on the principal's revenue in our competitive setting, is much lower, just O(m).

What makes it harder for the principal to extract revenue than a monopolist? We recall that for a monopolist, it is possible to achieve a constant fraction of the optimal revenue with a simple menu that either prices the grand bundle of all items, or sets a separate price on each individual item and allows the buyer to purchase à la carte [BILW14]. In our competitive setting, however, the

¹Our results extend naturally to having an arbitrary and possibly different number of item sellers for each good (including none at all), as we discuss in our model extensions below.

²This is the distribution F over [1, H] such that 1 - F(z) = 1/z for all $1 \le z < H$.

latter is not an option: setting a separate price on each item reduces the problem to m independent instances of Bertrand competition, leading to each item's price being undercut by its item seller and no revenue being generated for the principal. On the other hand, by bundling items together, the principal might encourage item sellers to keep their prices high; however, as we show, an item seller will never choose a price higher than their maximal monopolist reserve price r_i . This ultimately prevents the principal from extracting revenue from higher values, leading to our upper bound on the principal's optimal revenue.

We show that, under certain assumptions on the value distributions, it is possible for the principal to guarantee a constant approximation to the expected truncated social welfare (which, by Theorem 1.1, upper bounds the optimal revenue). Moreover, this is achievable with a simple menu that offers only the grand bundle of all products at a carefully-selected price.

Theorem 1.2 (Informal). Suppose each item's value distribution is (λ, C) -price-sensitive (described below) and that the variance of the truncated social welfare is sufficiently high (as a function of λ , C, and $\max_i r_i$). Then there exists a price p at which the principal can sell the grand bundle of all items such that, at any mixed NE for the item sellers, the principal's revenue is at least 1/3 of the expected truncated social welfare.

The assumptions we impose on the value distributions are of two types. First, we require that the total variance of the sum of truncated values is high relative to each individual item's contribution. This implies that no individual item contributes too much to the expected truncated welfare, or has too high an influence on the likelihood of sale to the principal. This is an expansion of the requirement that there be more than one item for sale (which, recall, is necessary for the principal to obtain any revenue at all). For example, if we have multiple items but a single item contributes almost all of the value, then we are "essentially" in the single-item case and similar issues persist. To give another example of what can go wrong if individual item sellers have high influence, suppose each of the m items has value 1 for sure. Then for any price p that the principal sets on the grand bundle, there is a Nash equilibrium in which every item seller sets price p/m, precisely coordinating to undercut the grand bundle price and resulting in revenue 0 for the principal. In this case, even though no individual item dominates the welfare, each individual item seller still has substantial influence on the buyer's aggregate purchasing decisions at equilibrium. Our condition that the variance is sufficiently high excludes such a scenario, since no individual item price will be significantly predictive of the buyer's utility-maximizing behavior.

Second, we require that each item's value distribution is non-trivially "price sensitive", by which we mean that the revenue obtained decreases sufficiently (parameterized by λ) at prices sufficiently below the revenue-maximizing price (parameterized by C). This is a technical condition that essentially rules out point-mass distributions and equal-revenue distributions, requiring that the distributions are sufficiently far from these edge case distributions (and the bound we require on the number of items is parameterized by how far they are).

We leave a formal definition of the price sensitivity condition to later sections (see Section 4). Instead, we now note some simpler sufficient conditions that imply our approximation result:

- 1. In the i.i.d. case where all item values are drawn from a distribution G, if G has a unique revenue-maximizing price r^* that is greater than the minimum positive value in the support of G, our conditions will be satisfied for all sufficiently large m.
- 2. For every *i*, there exists a δ such that if the value distribution of item *i* has revenue-optimizing price $r_i \geq r_{min} > 0$, density at least $\delta/r_i > 0$ on $[0, r_i]$, and strictly concave revenue curves (in price space) with second derivatives at most $-\delta/r_i < 0$, our conditions will be satisfied for all sufficiently large *m*.

It is worth noting that while in Theorem 1.2 and its corollaries we describe our assumptions as though they must hold for all items, this is not strictly necessary. Our results degrade gracefully in that sense that if some subset S of the items satisfy the necessary conditions, then the principal's revenue can approximate the expected truncated welfare of the items in S. Indeed, the principal can always choose to ignore any items not in S, leaving the corresponding item sellers to act as monopolists (so in every equilibrium they price at their revenue-maximizing prices).

While the assumptions we impose are technical and we suspect they can be relaxed, we show that some form of assumption on the value distributions is necessary for the grand bundle to obtain a good revenue-approximation result. We construct a family of problem instances for which, unlike in Bertrand competition, the principal's optimal menu generates substantial revenue. For this family, the revenue of the best partition menu (in which the items are partitioned into disjoint bundles and each is assigned a price) is higher than the revenue of any grand-bundle pricing by an arbitrarily large factor ($\Theta(m)$). We leave open the question of how to construct an approximately optimal menu (which must necessarily be more complex than pricing the grand bundle) for general distributions. In particular, is there always an approximately revenue-optimal menu for the principal that is a partition menu? If so, is it possible to construct such an approximately-optimal menu in polynomial time?

Proof Techniques. We now briefly describe the proof of Theorem 1.2 and how it differs from corresponding results for a monopolist seller. For a monopolist, if the buyer's expected total value from all items is sufficiently concentrated around its mean, the principal can collect a constant fraction of this surplus by pricing the grand bundle at a price that is constant fraction of the mean. The idea behind Theorem 1.2 is similar, but the principal must additionally consider the impact of prices chosen by the item sellers in equilibrium. If the buyer's expected *truncated* welfare is sufficiently concentrated around its mean, the principal can attempt to extract a constant fraction of this welfare as revenue with a price that is constant fraction of the mean. This can potentially work if the competing item sellers set prices close to their optimal monopolist reserves r_i , but (unlike for a monopolist) this approach would certainly fail if the item sellers set prices so low that the buyer rarely buys from the principal. To show that this doesn't happen under the assumptions of Theorem 1.2, we use the Berry-Esseen theorem to argue that the expected truncated welfare is sufficiently *anti*-concentrated (in addition to our earlier requirement of being concentrated enough). This variability implies that either the principal seller sells the grand bundle with constant probability (in which case we are already done, since the price is a constant fraction of the benchmark). or each individual item seller has limited influence on whether or not the buyer purchases from the principal. In the latter case, item sellers behave like (approximate) monopolists, so as long as their revenue is non-trivially sensitive to their choice of price, they will choose prices close enough to their revenue-maximizing prices at equilibrium (at least $C \cdot r_i$ for every i where C > 0 is a constant that depends on the value distribution). But now, since the item sellers are setting high prices, the principal effectively acts as a monopolist with respect to the truncated value distributions and can capture a constant fraction of the truncated welfare by its choice of price on the grand bundle.

Model extensions. Our model focuses on the case that there is one item seller for each item the principal seller has. Our results can easily be extended to the case that there is any number of item sellers for each good (including none at all). In any case that there are several item sellers which all supply exactly the same item, the price of that item will drop to 0 in every equilibrium (standard Bertrand competition between these item sellers), so such items cannot contribute to the revenue of the principal at all.³ Let us now move to consider items that have no item seller at all. The principal seller is a monopolist on these items. Let X be the set of items or which the principal is

³The principal can extract the exact same revenue with or without these items, since it can be assumed the buyer

a monopolist, and Y be the set of items with exactly one item seller for each item. Similarly to the claim proved by Hart and Nisan[HN12], we observe that the revenue of principal in this model is bounded by the revenue obtainable from X plus the welfare of Y. By the result of [BILW14], either selling the items in X separately, or bundling all of them together, provides constant approximation to the optimal revenue of the monopolist. Combining the appropriate menu for X with our offer of Y as a bundle in the case that we are able to obtain a positive result (constant approximation to the expected truncated social welfare), we get constant approximation to the optimal menu over the set $X \cup Y$.

Organization. In Section 2 we formalize our model, including the market timing and equilibrium concept. In Section 3 we establish our upper bound on the principal's optimal revenue, by first analyzing the structure of the buyer's purchasing decisions (Section 3.1) and the best-responses prices of the item sellers (Section 3.2) then bounding the principal's revenue at equilibrium (Section 3.3). In Section 4 we prove our main result: a constant revenue approximation for the principal under a general set of conditions, followed by some market structures that satisfy these conditions. Finally, in Section 5 we show that the best achievable revenue from pricing the grand bundle can be an arbitrarily poor approximation to the principal's optimal revenue.

Additional Related Work

Auction Design for a Monopolist Seller. Revenue optimal auction design is known to be a hard problem, even when the designer has monopoly over the market. Specifically, when an auction involves multiple items, even when there is only one additive buyer, the revenue optimal auction of a monopolist may involve unrealistic features such as requiring randomization, lack of revenue monotonicity, and being computationally intractable [Tha04, MV07, Pav11, HN13, DDT14, HR15, DDT17]. On the other hand, simple auction formats have been shown to provide a constant approximation to the monopolist optimal revenue for an additive buyer [HN12, HN17, LY13, BILW14]. [CDW16] establishes a duality framework which gives a tractable benchmark that bounds the optimal revenue within constant factor. The benchmark has subsequently been heavily utilized in the design and analysis of simple and approximately optimal auctions [LP18, CZ17, EFF⁺17a, EFF⁺17b, BCWZ17, DW17, FLLT18, BW19, CS21]. Specifically, in the setting of one additive buyer, the better between selling separately and selling the grand bundle is a constant approximation to the optimal revenue. Relative to that literature, we initiate a study of revenue benchmarks for a non-monopolistic principal who acts as a market leader and can design a menu (possibly with bundling) to which other sellers might respond.

Oligopoly. Oligopoly has long been a topic studied in economics. Most literature studies price competition between two or several large firms who offer similar sets of products. See, for example, [Che97, AV10] for examples of duopoly analysis. Particularly related to this paper is a line of work that studies how much a firm who has obtained monopolist status in one product can use bundling to deter single product competitors in another product, and its legislative implications [Whi89, Nal04, Vic05, ADR13]. More recent work has considered competition between multiple firms who can each bundle their products, such as [KRK20] which considers the case of two firms each with two products.

In contrast, our work studies the strategies of a large firm that offers multiple products, given that small competitors already exist in the market for each product. Such situations is common for tech markets (e.g. security products, graphic products), where the fixed cost of maintaining a

would purchase those items from the item sellers at price 0 regardless, so would behave as though the items are not offered by the principal.

small business is relatively lower compared to other. [Man13] studies this setting, but under the restricted assumption that the principal seller sells two products. [SYZ22] also studies the two product setting, but where the principal seller is competing with several small businesses for each product. Our paper initiates a systematic study of oligopoly with single item competitors, where we allow any number of items to be offered by the principal seller, and we focus on the principal seller's problem of constructing an approximately revenue-optimal menu.

2 Model and Preliminaries

We consider a market for a set \mathcal{M} of m item types. Items are indivisible. There is a single buyer in the market, interested in buying at most one item from each item type, and having a private additive non-negative valuation over subsets of items. We denote the value of item $i \in \mathcal{M}$ by $v_i \ge 0$, and thus the value of a subset of items $B \subseteq \mathcal{M}$ is $\sum_{i \in B} v_i$.

We assume that the valuation of the buyer is drawn from a prior distribution F, which is common knowledge among all participants, with the value of each item i drawn independently from the distribution F_i with support in $[0, \infty)$, so $F = \times_{i=1}^m F_i$. We assume (wlog) that F_i is non-trivial ($F_i[v_i = 0] < 1$). Let $\operatorname{Rev}_{F_i}(\cdot)$ be the revenue function for F_i : the revenue by pricing at price x is $\operatorname{Rev}_{F_i}(x) = x \cdot (1 - F_i(x))$.⁴ When clear from the context we use $\operatorname{Rev}_i(\cdot)$ to denote $\operatorname{Rev}_{F_i}(\cdot)$. We assume that F_i has a maximal revenue-maximizing (Myerson) price. That is, there exist a price r_i such that $\operatorname{Rev}_{F_i}(r_i) \ge \operatorname{Rev}_{F_i}(x)$ for every price x, and $\operatorname{Rev}_{F_i}(r_i) > \operatorname{Rev}_{F_i}(y)$ for every price $y > r_i$. The realized value profile of the buyer $\vec{v} = (v_1, \cdots, v_m)$ is drawn from the prior product distribution $F = \times_{i=1}^m F_i$. Only the buyer knows the realized values.

In this market there are multiple sellers that supply the desired items, all with 0 cost of production. There is one seller that we call the *principal seller* who can supply any subset of the mitems. In addition to the principal seller, there are m item sellers, where item seller i can supply a copy of item $i \in \mathcal{M}$ only (that is, an item that is completely identical to the i'th item supplied by the principal seller). The sellers have no value for their items, only value for money received from the buyer. All agents are assumed to be risk neutral, with quasi-linear utility functions. Each seller aims to maximize their revenue obtained. The buyer aims to maximize their expected utility, defined as the difference between their valuation for the acquired items and the total price paid.

Market Timing Informally, our market operates as follows. First, the principal seller chooses a deterministic menu of offers, and commits to it. Then, each item seller simultaneously picks her own deterministic menu for selling her item (equivalently, picks a price for her item). Finally, the buyer selects a subset of items to buy from the principal seller and a subset of items to buy from the item sellers, either of which might be empty. More formally, the timing of our market is as follows:

1. The principal seller first chooses and commits to a deterministic menu of prices, one for each subset of items $T \subseteq \mathcal{M}$. We will write $p: 2^{\mathcal{M}} \to \mathbb{R}_{\geq 0}$ to denote the price menu selected by the principal seller, so that p(T) is the price assigned to subset $T \subseteq \mathcal{M}$.⁵ The principal has to offer the option of buying nothing and paying zero $(p(\emptyset) = 0)$. We denote by \mathcal{P} the space of all such deterministic price menus.

⁴Where we write $F_i(x) = \Pr_{v_i \sim F_i}[v_i < x].$

⁵As is standard, it will sometime be convenient to think about a partial menu that does not explicitly list all subsets as menu entries (e.g., only prices the grand bundle). In this case, we assume free disposal so that the price of a set T is the cheapest price of all S such that $T \subseteq S$ in the menu, and infinite if there is no such set S.

- 2. Next, knowing the menu p picked by the principal seller, the item sellers simultaneously select prices for their corresponding items. Each item seller i chooses a single non-negative price $q_i \ge 0$ at which to offer item i.
- 3. Finally, the buyer value profile $(v_1, \ldots, v_M) \sim \times_i F_i$ is realized, and the buyer purchases items from the principal and/or some item sellers. This involves choosing a single subset $T \subseteq \mathcal{M}$ of items from the menu offered by the principal and paying p(T) to the principal, as well as choosing a subset $U \subseteq \mathcal{M}$ of items from individual item sellers, paying q_i to each item seller $i \in U$. The buyer acts as a price-taker and will always make purchase decisions to maximize their own utility. In case of indifference, we assume that the buyer breaks ties in favor of minimizing the revenue of the principal seller,⁶ and then in favor of maximizing the number of items purchased from the item sellers.

Thus, for menu p and item sellers prices \vec{q} , the buyer's utility when her values for the items are \vec{v} is $\sum_{i \in T \cup U} v_i - p(T) - \sum_{i \in U} q_i$. The principal seller obtains revenue p(T), and each item seller i obtains either revenue q_i if $i \in U$, and 0 otherwise.

The Game and Equilibrium Concepts Given a value distribution F for the buyer, a menu $p \in \mathcal{P}$ picked by the principal seller together with the buyer behaviour as specified above, induce a simultaneous-move game $G_{p,F}$ among the item sellers. A mixed strategy s_i of item seller i is a distribution over prices q_i . We will assume for technical convenience that item prices are constrained to be multiples of some arbitrarily and sufficiently small increment $\epsilon > 0$ (and that $q_i \leq 1$ for each i, which is without loss of generality since $v_i \leq 1$). Note that item sellers pick strategies in the game $G_{p,F}$, thus the strategy may depend on p. The space of mixed strategies of item seller i is denoted by S_i . Given p and a profile of mixed strategies $\vec{s} = (s_1, s_2, \ldots, s_m)$, we denote the (expected) utility of item seller i in the game $G_{p,F}$ by $u_{i,F}(p, \vec{s})$ (where the expectation is over the distribution of values $\vec{v} \sim F$ and distribution of item seller prices, $q_i \sim s_i$ for every i). When F is clear from the context we sometimes use $u_i(p, \vec{s})$ to the utility $u_{i,F}(p, \vec{s})$.

We are now ready to define equilibria of the game $G_{p,F}$.

Definition 2.1. Consider a market with value distribution $F = \times_i F_i$. For any principal menu $p \in \mathcal{P}$, a (mixed) **Nash Equilibrium** of the induced game $G_{p,F}$ is a profile of strategies $(s_1^*, s_2^*, \ldots, s_m^*) \in \times_{i=1}^m S_i$ among item sellers such that for every item seller *i* and for all $s_i \in S_i$ we have:

$$u_{i,F}(p, (s_i^*, s_{-i}^*)) \ge u_{i,F}(p, (s_i, s_{-i}^*)),$$

where s_{-i}^* represents the strategy profile of all item sellers other than item seller *i*.

We first briefly comment on the existence of Nash equilibria in $G_{p,F}$. For any F and p, consider a game $G'_{p,F}$, which is identical to $G_{p,F}$, except that the pricing space for each item seller i is restricted to $[0, r_i]$. Since we assume prices are multiples of some arbitrarily small increment, the game $G'_{p,F}$ is finite and thus at least one mixed Nash equilibrium is guaranteed to exist. We will soon see in Section 3 (in particular Lemma 3.4) that for any item seller i, pricing above r_i is a weakly dominated strategy, so any deviation to a price above r_i is not beneficial. As a result, a mixed Nash equilibrium in $G'_{p,F}$ is also a mixed Nash equilibrium in $G_{p,F}$.

Given $F = \times_i F_i$, a menu p and a profile of mixed strategies $\vec{s} = (s_1, s_2, \ldots, s_m)$, the revenue (utility) of the principal seller from (p, \vec{s}) in the game $G_{p,F}$ is defined to be the expected payment

 $^{^{6}}$ As item sellers price their items after the principal seller, they can always slightly reduce their price to win any tie.

to the principal with menu p when $\vec{v} \sim F$, and $q_i \sim s_i$ for every item seller i (given the buyer behaviour). The revenue of the principal seller from menu p is defined to be the lowest revenue, over all Nash equilibrium profiles \vec{s} , of the principal seller from (p, \vec{s}) in the game $G_{p,F}$. The principal seeks to find p with high revenue from menu p.

3 An Upper Bound on the Principal's Revenue

In this section we analyze the behavior of the agents in our model. We will discuss both the buyer utility and the item sellers' utilities, and consequently, structures in their decision making processes. Using these observations, we will present a benchmark that upper bounds the revenue the principal obtains by any menu she picks, in any mixed Nash equilibrium of the induced game between the item sellers. Missing proofs in this section can be found in Appendix B.

3.1 Understanding the Buyer's Optimal Decision

We begin by considering the purchase decision of a buyer with value profile \vec{v} for the items, given the pricing decisions (p, \vec{q}) of all sellers. In our analysis, we will represent the buyer's utility with different purchase options using the following notation:

Utility from the Principal: We use $ub_{P,\vec{v}}(T,p)$ to denote the maximum utility the buyer can attain by purchasing any subset $S \subseteq T$ of items from the principal seller, when the buyer's realized values are \vec{v} and the principal's price menu p. That is:

$$\mathsf{ub}_{P,\vec{v}}(T,p) = \max_{S \subseteq T} \left(\sum_{i \in S} v_i - p(S) \right).$$

Utility from Item Sellers: We use $ub_{I,\vec{v}}(T,\vec{q})$ to denote the maximum utility the buyer can attain by purchasing any subset $S \subseteq T$ of items from the item sellers, when the buyer's realized values are \vec{v} and the item sellers price vector is \vec{q} . That is:

$$\mathsf{ub}_{I,\vec{v}}(T,\vec{q}) = \max_{S \subseteq T} \sum_{i \in S} (v_i - q_i)$$

Clearly, items that are priced higher than their value will not be acquired.

Utility of Best Response Considering Seller Strategies: Fix some realized values \vec{v} of the buyer, a price menu p of the principal seller, and a vector of (possibly randomized) strategies (s_1, \dots, s_n) of the item sellers. The buyer's expected utility from their utility-maximizing purchasing decision will be denoted by $\mathsf{ub}_{\vec{v}}(p, s_1, \dots, s_n)$ and is computed as follows:

$$\mathsf{ub}_{\vec{v}}(p, s_1, \cdots, s_n) = \mathbb{E}_{\vec{q} \sim \vec{s}} \left[\max_{T \subseteq \mathcal{M}} \left\{ \mathsf{ub}_{P, \vec{v}}(T, p) + \mathsf{ub}_{I, \vec{v}}(\mathcal{M} \setminus T, \vec{q}) \right\} \right].$$
(1)

It will also be useful to introduce notation for the difference in utility from choosing between the principal and the item sellers for the same set of items. Namely, we define

$$\operatorname{diff}_{\vec{v}}(T, p, \vec{q}) = \operatorname{ub}_{P, \vec{v}}(T, p) - \operatorname{ub}_{I, \vec{v}}(T, \vec{q}).$$

$$\tag{2}$$

An immediate implication of (1) is that given \vec{v} , p, and \vec{q} , the set T of items that the buyer purchases from the principal is a maximizer of diff_{\vec{v}} (T, p, \vec{q}) . The following lemma uses this observation to characterize how a change in the valuation profile \vec{v} can influence the set of items purchased from the principal; this will be useful later when analyzing the principal's optimal revenue. **Claim 3.1.** Fix any p and any \vec{q} . Suppose that \vec{v} and \vec{v}' differ only on a subset $S \subseteq M$ of items, and let T and T' denote the items purchased from the principal under valuations \vec{v} and \vec{v}' respectively. Then if $T \cap S = T' \cap S$ then T = T'.

3.2 Item Seller Best-Responses

We next turn to the pricing problem faced by an item seller in the game defined by the principal's chosen menu p. We first consider the best response of an item seller i given a deterministic profile of prices q_{-i} selected by the other item sellers. We will show (in Lemma 3.4) that the best response problem for i can be viewed as a monopolist's pricing problem, but with revenue reduced by a factor that depends on the selected price, with higher prices leading to steeper reductions.

We begin by characterizing the ways in which a change in one item seller's price can influence the set of items purchased from the principal seller.

Claim 3.2. Fix some principal menu p, item seller i, the prices of the other item sellers q_{-i} , and the realized buyer valuation \vec{v} . Then there exist sets $T_i \ni i$ and $T_{\neg i} \not\ni i$ and a threshold $\theta_i \ge 0$ such that, if q_i is the price chosen by agent i, then the set that the buyer purchases from the principal is T_i if $q_i \le \theta_i$, and is $T_{\neg i}$ if $q_i > \theta_i$.

An immediate corollary of Claim 3.2 is that the probability of sale for an item seller is weakly decreasing in the choice of price q_i . This is true even if we fix the buyer's realized values \vec{v} , and in particular even if we condition on the buyer's value for item *i* being higher than the chosen price q_i . This is because a higher price from item seller *i* will increase the attractiveness of purchasing a set that includes item *i* from the principal. To state this formally, we will write $\mathbb{1}_{i,\vec{v}}(p,\vec{q})$ for the indicator variable of sale for item seller *i*, given valuations \vec{v} , principal menu *p*, and item seller prices \vec{q} .

Proposition 3.3. Fix any item seller *i* and prices $q'_i > q_i$ for seller *i*. Then for any principal menu *p*, other item sellers' prices q_{-i} , and buyer values \vec{v} , it holds that $\mathbb{1}_{i,\vec{v}}(p,(q_i,q_{-i})) \ge \mathbb{1}_{i,\vec{v}}(p,(q'_i,q_{-i}))$.

Our goal now is to analyze the revenue maximization problem for item seller *i*. For an item seller *i*, their expected revenue from choosing a price q_i is simply q_i times the probability of sale. We will use $us_{i,F}(p, \vec{s})$ to denote the utility of item seller *i*, given the price menu *p* of the principal, the value distribution $F = \times_i F_i$ for the buyer, and the (possibly mixed) strategies \vec{s} of all item sellers. When *F* is clear from the context we sometimes use $us_i(p, \vec{s})$ to denote $us_{i,F}(p, \vec{s})$. Then, recalling that $\mathbb{1}_{i,\vec{v}}(p, \vec{q})$ is the indicator variable for sale by item seller *i*, the following lemma relates the item seller's utility to the revenue of a monopolist seller.

Lemma 3.4. For any menu p and any profile of mixed strategies \vec{s} it holds that:

$$\mathsf{us}_i(p,\vec{s}) = \mathbb{E}_{q_i \sim s_i} \left[\mathsf{Rev}_{F_i}(q_i) \cdot \mathbb{E}_{v_{-i} \sim F_{-i}, q_{-i} \sim s_{-i}} [\mathbb{1}_{i,(\infty,v_{-i})}(p,\vec{q})] \right]$$
(3)

Proof. From the definition of $\mathbb{1}_{i,\vec{v}}(p,\vec{q})$, we have

$$\mathsf{us}_i(p,\vec{s}) = \underset{\vec{q}\sim\vec{s},\vec{v}\sim F}{\mathbb{E}} \left[q_i \cdot \mathbb{1}_{i,\vec{v}}(p,\vec{q}) \right] = \underset{\vec{q}\sim\vec{s},v_{-i}\sim F_{-i}}{\mathbb{E}} \left[q_i \cdot \mathbb{P}_{v_i\sim F_i} [v_i \ge q_i] \cdot \underset{v_i\sim F_i | v_i \ge q_i}{\mathbb{E}} [\mathbb{1}_{i,\vec{v}}(p,\vec{q})] \right]$$
(4)

We next notice that, taking T_i and $T_{\neg i}$ as in the statement of Claim 3.2, for any $v_i \ge q_i$ we have that $\mathbb{1}_{i,\vec{v}}(p,\vec{q}) = 1$ if and only if the buyer does not choose option T_i at price q_i , which recall occurs if and only if $\operatorname{diff}_{\vec{v}}(T_i, p, \vec{q}) \ge \operatorname{diff}_{\vec{v}}(T_{\neg i}, p, \vec{q})$ (from equation (2) and the discussion immediately following.) But we notice that, as we change v_i , the value of $\mathsf{diff}_{(v_i,v_{-i})}(T_i, p, \vec{q})$ remains the same for any $v_i \ge q_i$. This is because

$$\begin{aligned} \mathsf{diff}_{(v_i,v_{-i})}(T_i, p, \vec{q}) &= \mathsf{ub}_{P, \vec{v}}(T_i, p) - \mathsf{ub}_{I, \vec{v}}(T_i, \vec{q}) \\ &= \left(\sum_{j \in T_i} v_j - p(T_i)\right) - \left(\sum_{j \in T_i} v_j - \sum_{j \in T_i} \min(v_j, q_j)\right) \\ &= \sum_{j \in T_i} \min(v_j, q_j) - p(T_i). \end{aligned}$$

We therefore conclude that $\mathbb{1}_{i,\vec{v}}(p,\vec{q})$ is a constant for all $v_i \geq q_i$. In particular, $\mathbb{E}_{v_i \sim F_i | v_i \geq q_i}[\mathbb{1}_{i,\vec{v}}(p,\vec{q})] = \mathbb{1}_{i,(\infty,v_{-i})}(p,\vec{q})$. Plugging this into (4), we conclude that

$$\begin{aligned} \mathsf{us}_i(p,\vec{s}) &= \mathop{\mathbb{E}}_{\vec{q}\sim\vec{s},v_{-i}\sim F_{-i}} \Big[q_i \cdot \mathbb{P}_{v_i\sim F_i} [v_i \geq q_i] \cdot \mathbbm{1}_{i,(\infty,v_{-i})}(p,\vec{q}) \Big] \\ &= \mathop{\mathbb{E}}_{q_i\sim s_i} \bigg[\mathsf{Rev}_{F_i}(q_i) \cdot \mathop{\mathbb{E}}_{v_{-i}\sim F_{-i},q_{-i}\sim s_{-i}} \big[\mathbbm{1}_{i,(\infty,v_{-i})}(p,\vec{q}) \big] \bigg] \end{aligned}$$

as required.

An interpretation of Lemma 3.4 is that the item seller's revenue when pricing using strategy s_i is equal to the expectation (over $q_i \sim s_i$) of the product of the item seller's monopolist Myerson revenue when pricing at q_i , reduced by the expectation of $\mathbb{1}_{i,(\infty,v_{-i})}(p,\vec{q})$ (over v_{-i} and q_{-i}) which depends on q_i but not on v_i , and is monotone non-increasing in q_i .

3.3 An Upper Bound on the Principal's Revenue

In this section we present an upper bound on the principal revenue for any menu and in any Nash equilibrium. The upper bound is the expected welfare when each item value distribution is truncated at the highest Myerson price for that distribution.

Definition 3.5 (Expected Truncated Social Welfare). For any $i \in \mathcal{M}$, let F_i be a value distribution for item i and let r_i be the maximal Myerson price for F_i . The buyer's expected truncated social welfare when her item value vector (v_1, \ldots, v_n) is sampled from $\times_i F_i$ is defined to be $\sum_i \mathbb{E}_{v_i \sim F_i}[\min(r_i, v_i)].$

We prove that the expected truncated welfare upper bounds the revenue of the principal seller:

Theorem 3.6. Consider a market with value distribution $F = \times_i F_i$. For any menu p of the principal seller, and for any mixed Nash equilibrium \vec{s} in the game $G_{p,F}$, the expected revenue of principal seller under (p, \vec{s}) is at most the buyer's expected truncated social welfare $\sum_i \mathbb{E}_{v_i \sim F_i}[\min(r_i, v_i)]$.

To prove Theorem 3.6, we first argue that the claimed bound holds under the assumption that each s_i is supported on $[0, r_i]$. We actually prove something stronger: if each s_i is supported on some arbitrary range $[0, \bar{s}_i]$, then the principal's revenue is at most the welfare when the value of item *i* is truncated at \bar{s}_i . This is true even if the strategies s_i are not in equilibrium, and even if the principal can choose menu *p* after the item sellers commit to their strategies.

Proposition 3.7. Consider a market with value distribution $F = \times_i F_i$. Fix any menu p of the principal seller and any strategies \vec{s} (which may not be a NE) in the game $G_{p,F}$. Denote the supremum of the support of s_i by \bar{s}_i . Then the expected revenue of principal seller under (p, \vec{s}) is at most $\sum_i \mathbb{E}_{v_i \sim F_i}[\min(\bar{s}_i, v_i)]$.

Proof. Fix any \vec{q} and p. Recall that for all i and all \vec{v} in the support of F, $\mathbb{1}_{i,\vec{v}}(p,\vec{q})$ is constant for all $v_i > q_i$. By Claim 3.1, this means that the set of items purchased from the principal is constant for all $v_i > q_i$ as well. Let F'_i denote the distribution over $\min\{v_i, q_i\}$ where $v_i \sim F_i$. Then we conclude that the distribution over the set of items purchased from the principal is not affected if we replace F_i with F'_i . Applying this argument to each i in sequence, we conclude that the distribution over the set of items purchased from the principal is identical under $\times_i F_i$ and $\times_i F'_i$. This implies that the principal's expected revenue is likewise the same under $\times_i F_i$ and $\times_i F'_i$.

Since, for any p and \vec{q} , the expected revenue achieved by the principal is at most the expected welfare, we conclude that the principal's revenue is at most the expected welfare under $\times_i F'_i$, which is $\sum_i \mathbb{E}_{v_i \sim F'_i}[\min(q_i, v_i)] = \sum_i \mathbb{E}_{v_i \sim F_i}[\min(q_i, v_i)].$

Taking an expectation over $\vec{q} \sim \vec{s}$ and noting that $q_i \leq \bar{s}_i$ for all such realizations, the principal's expected revenue is at most $\sum_i \mathbb{E}_{v_i \sim F_i}[\min(\bar{s}_i, v_i)]$, as claimed.

Our next step is to consider items i for which the item seller's strategy s_i is not supported on $[0, r_i]$. We observe that any such seller must be generating revenue 0 at equilibrium.

Lemma 3.8. Consider a market with value distribution $F = \times_i F_i$. Fix any menu p of the principal seller, and any strategy profile \vec{s} in the game $G_{p,F}$, such that s_i is a best response of item seller i to s_{-i} . If the probability that s_i assigns to prices strictly greater than r_i is positive, then the expected revenue of item seller i under (p, \vec{s}) in $G_{p,F}$ is 0.

Proof. For any $z_i > r_i$ we have $r_i \times \mathbb{P}[v_i \ge r_i] > z_i \times \mathbb{P}[v_i \ge z_i]$ (from the definition of r_i). Since we also have $\mathbb{E}_{q_{-i} \sim s_{-i}, v_{-i} \sim F_{-i}} [\mathbb{1}_{i,(\infty,v_{-i})}(p,(z_i,q_{-i}))] \le \mathbb{E}_{q_{-i} \sim s_{-i}, v_{-i} \sim F_{-i}} [\mathbb{1}_{i,(\infty,v_{-i})}(p,(r_i,q_{-i}))]$ by Proposition 3.3, Equation (3) implies that $\mathsf{us}_i(p,(z_i,s_{-i})) < \mathsf{us}_i(p,(r_i,s_{-i}))$ unless $\mathsf{us}_i(p,(z_i,s_{-i})) = \mathsf{us}_i(p,(r_i,s_{-i})) = 0$. Therefore, if any $z_i > r_i$ is in the support of s_i , we must have $\mathsf{us}_i(p,(z_i,s_{-i})) = 0$ and hence $\mathsf{us}_i(p,(s_i,s_{-i})) = 0$.

We are now ready to complete the proof of Theorem 3.6. Roughly speaking, we will show that the principal cannot extract high revenue from any item *i* for which the item seller's strategy s_i is not supported on $[0, r_i]$. This follows because, since any such item seller must be obtaining 0 revenue at equilibrium, the principal must be selling item *i* whenever $v_i > 0$.

Proof of Theorem 3.6. Observe that, for each i, we have $r_i > 0$, r_i is in the support of F_i , and that $E_{v_i \sim F_i}[\min(v_i, r_i)] > 0$. Let Z be the set of indexes of item sellers that price strictly above r_i with positive probability according to s_i . By Lemma 3.8, each $i \in Z$ has expected revenue 0 at equilibrium. So for any $i \in Z$ and any $q_i > 0$, the probability that item seller i sells item i at price q_i must be 0 (as otherwise there is a beneficial deviation for item seller i). By Claim 3.2, the threshold θ_i for i must be 0, and thus there is a set $T_{\neg i}$ that is bought for any \vec{v} (in the support of F) with $v_i > 0$. In particular, for every \vec{v} with $v_i > 0$ the probability (over $\vec{q} \sim \vec{s}$) of the principal selling item i must be 1 (since otherwise item seller i could obtain positive revenue by pricing at some $\varepsilon_i > 0$).

Let us now introduce some notation. Fixing p and \vec{q} , let $T(\vec{v})$ be the set of items purchased from the principal when the valuation profile is \vec{v} . And for any \vec{v} , let $\psi(\vec{v})$ be the vector with *i*th coordinate min $\{v_i, r_i\}$ for all $i \in \mathbb{Z}$. That is, $\psi(\vec{v})$ is the vector \vec{v} with each coordinate $i \in \mathbb{Z}$ capped at r_i .

We now claim that for any realization of $\vec{q} \sim \vec{s}$ and any \vec{v} in the support of F, $T(\vec{v}) = T(\psi(\vec{v}))$. This is because \vec{v} and $\psi(\vec{v})$ differ only on items $i \in Z$ for which $v_i > 0$, and we have argued that $T(\vec{v})$ and $T(\psi(\vec{v}))$ must both contain all such items. Claim 3.1 therefore implies that $T(\vec{v}) = T(\psi(\vec{v}))$.

Write $F' = \times_i F'_i$ for the distribution over $\psi(\vec{v})$ for $\vec{v} \sim F$. Since $T(\vec{v}) = T(\psi(\vec{v}))$ for all $\vec{q} \sim \vec{s}$ and $\vec{v} \sim F$, the principal generates the same expected revenue under value distribution F and value distribution F'. It therefore suffices to show that the principal's expected revenue under (p, \vec{s}) with value distribution F' is at most the buyer's expected truncated social welfare.

Define $Y = M \setminus Z$ for notational convenience, so that Z and Y form a partition of M. Write Rev(Y) for the expected revenue of the principal's revenue-optimal menu that sells only items in Y, over $\vec{v} \sim F'$ and $\vec{q} \sim \vec{s}$. Write Wel(Z) for the expected welfare of items in Z, again over $\vec{v} \sim F'$. We then claim that the principal's expected revenue under (p, \vec{s}) is at most Rev(Y) + Wel(Z).

Claim 3.9. Consider a market with value distribution $F' = \times_i F'_i$ and a partition of the items to sets $Y, Z \subset \mathcal{M}$ $(Y \cup Z = \mathcal{M})$. For any menu p of the principal seller, and for any mixed Nash equilibrium \vec{s} in the game $G_{p,F}$, the expected revenue of principal seller under (p, \vec{s}) is at most Rev(Y) + Wel(Z).

We note that such a bound on the seller's revenue is already known for the case of a monopolist (see [HN17]), and the proof for the principal seller is very similar; we include the proof of Claim 3.9 in Appendix B for completeness. Now, by Proposition 3.7, the definition of Y, and the fact that $F'_i = F_i$ for all $i \in Y$, we have $Rev(Y) \leq \sum_{i \in Y} \mathbb{E}_{v_i \sim F_i}[\min(r_i, v_i)]$. From the definition of F'_i for $i \in Z$, $Wel(Z) = \sum_{i \in Z} \mathbb{E}_{v_i \sim F_i}[\min(r_i, v_i)]$. Our claim then implies that the principal's expected revenue under (p, \vec{s}) is at most $\sum_i \mathbb{E}_{v_i \sim F_i}[\min(r_i, v_i)]$, as required.

We note that there are markets in which the principal cannot obtain revenue that is any constant approximation to the upper bound: a trivial example illustrating this is a market with only one item, in which the principal cannot obtain positive revenue, yet the expected truncated social welfare is positive. Yet, when the principal is able to find a menu with revenue that is constant approximation to the upper bound, it is clearly a constant approximation to the optimal revenue of the principal. In the next section we move to present sufficient conditions for such revenue extraction.

4 Approximating Optimal Revenue via Bundle Pricing

In this section we show that under certain conditions on the value distributions, the principal seller can guarantee expected revenue that is a constant approximation to the expected truncated social welfare. Moreover, this can be achieved by a menu that prices only the grand bundle of all items. As the expected truncated social welfare is an upper bound on the principal's revenue (by Theorem 3.6), that simple menu is a constant approximation to the revenue-maximizing menu for the principal.

We begin by building up some intuition for the conditions we will impose on the value distributions. Intuitively, selling the items as a single grand bundle can potentially be a good strategy for the principal when the buyer's value for the grand bundle is concentrated (e.g., close to a Gaussian distribution), and no single item affects the buyer's value for the bundle to a significant degree. Such a concentration plays an important role even in the simpler setting of Monopolist pricing [BILW14], and is guaranteed to occur when the variance of the buyer's value for the grand bundle is much larger than the buyer's value for any individual item.

However, in our setting, the principal seller faces extra complexity due to the competing item sellers. Our goal is a revenue guarantee that holds over all equilibria (similar to the price of anarchy), so we must bound the principal's revenue over all outcomes that can occur in item seller equilibria. Ideally (from the principal's perspective), each item seller would set a price that is not too much lower than their highest Myerson price. To this end, we further analyze item seller best-response strategies by examining the revenue curve faced by an item seller. Recall from Lemma 3.4 that, given the principal's pricing menu p, item seller *i*'s revenue under strategy profile (s_1, \dots, s_n) is equal to

$$\begin{aligned} \mathsf{us}_i(p,\vec{s}) &= \mathop{\mathbb{E}}_{q_i \sim s_i} \left[\mathsf{Rev}_{F_i}(q_i) \cdot \mathop{\mathbb{E}}_{v_{-i} \sim F_{-i}, q_{-i} \sim s_{-i}} \left[\mathbbm{1}_{i,(\infty,v_{-i})}(p,\vec{q}) \right] \right] \\ &= \mathop{\mathbb{E}}_{q_i \sim s_i} \left[\mathsf{Rev}_{F_i}(q_i) \cdot \mathop{\mathbb{P}}_{v_{-i} \sim F_{-i}, q_{-i} \sim s_{-i}} \left[\mathop{\max}_{T \ni i} \left\{ p(T) - \sum_{j \in T, j \neq i} \min(v_j, q_j) \right\} \ge q_i \right] \right], \end{aligned}$$

where we recall that $\operatorname{Rev}_{F_i}(\cdot)$ is the monopolist revenue function for item *i* with value distribution F_i . If we restrict our attention to a principal who is using a grand bundling strategy, where $p(T) = p(\mathcal{M})$ for all non-empty sets *T*, the above formula can be simplified to

$$\mathsf{us}_i(p,\vec{s}) = \underset{q_i \sim s_i}{\mathbb{E}} \left[\mathsf{Rev}_{F_i}(q_i) \cdot \mathbb{P}_{v_{-i} \sim F_{-i}, q_{-i} \sim s_{-i}} \left[p(\mathcal{M}) - q_i \ge \sum_{j \in \mathcal{M}, j \neq i} \min(v_j, q_j) \right] \right].$$
(5)

Observe that the first term inside the expectation is just the monopolist revenue of item seller i when pricing at q_i , and the second term can be interpreted as the probability that the buyer does not purchase the grand bundle from the principal, conditioned on the buyer having value for item i that is at least q_i . As long as the aggregate variance in the truncated social welfare is high, the second term will be relatively insensitive to changes in q_i . If we additionally assume that item seller i's monopolist revenue is non-trivially sensitive to large price reductions (i.e., well below the highest Myerson price), item seller i's best response price must be close to their highest Myerson price, which is what we want. This motivates the following property of value distributions, which we call "price sensitivity."

Definition 4.1 ((Monopolist) Price Sensitivity). Let F_i be the value distribution of item i and r_i be the highest Myerson price for item i. F_i is (λ, C) -price sensitive for parameters $C \in (0, 1)$ and $\lambda > 0$ if for all $\alpha \in [0, C]$ it holds that $\frac{\mathsf{Rev}_{F_i}(r_i) - \mathsf{Rev}_{F_i}(\alpha \cdot r_i)}{(1-\alpha) \cdot r_i} \ge \lambda$.

Intuitively, the price sensitivity property requires that the revenue curve $\operatorname{Rev}_{F_i}(\cdot)$ decays steeply enough for prices substantially lower than the highest Myerson price r_i . A geometric interpretation of (λ, C) -price sensitivity is that, over the range $q \in [0, C \cdot r_i]$, the revenue curve $\operatorname{Rev}_{F_i}(\cdot)$ lies below a line of slope λ passing through the point $(r_i, \operatorname{Rev}_{F_i}(r_i))$. See Figure 1.

In our main theorem (Theorem 4.2) we formally show that large variance and price sensitivity are sufficient conditions for selling the grand bundle to be constant revenue-approximating for the principal seller. In this section we will provide intuitions and discuss the proof outline for Theorem 4.2. All missing proofs in this section can be found in Appendix C.

We define some notations. For $v_i \sim F_i$ we use $V_i(r_i)$ to denote the random variable $\min(v_i, r_i)$: the value of item *i* truncated at r_i . Note that the truncated social welfare is the random variable $V(\vec{r}) = \sum_i V_i(r_i) = \sum_i \min(v_i, r_i)$ where $v_i \sim F_i$ for every *i* and $\vec{r} = (r_1, ..., r_m)$. The expected truncated social welfare is simply the mean of $V(\vec{r})$, and we write $\sigma(V(\vec{r}))$ to denote the standard deviation of $V(\vec{r})$. We use $\mu_i(r_i) = \mu(V_i(r_i))$ to denote the mean of $V_i(r_i)$, and $\sigma_i(r_i) = \sigma(V_i(r_i))$ to denote the standard deviation of $V_i(r_i)$. For distributions F_1, \ldots, F_m we define $K(F_1, \ldots, F_m) = \frac{\max_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}{\min_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}$ to be the ratio between the largest and smallest value of $\{r_i - \mu_i(r_i)\}$. Also, for notational convenience, we will sometimes use *p* to denote the principal's price of the grand bundle, instead of $p(\mathcal{M})$. We are now ready to state our main result. **Theorem 4.2.** Consider a market with value distribution $F = \times_i F_i$. Assume that there exists constant $\lambda > 0$ and $C = 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1}$ where $K = K(F_1, \ldots, F_m)$ such that the value distribution of every item $i \in \mathcal{M}$ is (λ, C) -price sensitive. In addition, assume $\sigma(V(\vec{r})) \geq \frac{12}{(\lambda(1-C))^{3/2}} \cdot \max_{j \in \mathcal{M}} \{r_j\}$. When the principal offers the grand bundle at price $p = \sum_i \mathbb{E}[\min(v_i, C \cdot r_i)] + \frac{\sigma(V(\vec{r}))}{4}$, the revenue of the principal in every Nash equilibrium of the game $G_{p,F}$ is at least $\frac{1}{3}$ of the expected truncated social welfare $\sum_i \mathbb{E}[\min(v_i, r_i)]$.

We note that as $K = K(F_1, \ldots, F_m)$ grows large, C approaches 1 and the requirement on the variance $\sigma(V(\vec{r}))$ becomes more demanding. Thus, conditions that imply that K is not too large are desirable. For example, when items are i.i.d. we get K = 1, the best we can hope for. For non-i.i.d., it will sometimes be beneficial for the principal not to bundle items that significantly increase K, when their removal does not decrease the expected truncated welfare too much (such pre-processing is simple, and we do not discuss it further).

4.1 Implications

Since the statement of Theorem 4.2 is a bit technical, we here discuss two corollaries of Theorem 4.2 that provide simpler sufficient conditions for our approximation result. In both cases we show that selling the grand bundle gives a constant approximation to the principal's optimal revenue when the number of items is sufficiently large. In the first case, items values are sampled i.i.d. from a distribution for which the Myerson price is not the minimal value in the support. In the second case, each (not necessarily identical) distribution is δ -smooth and δ -revenue-concave (formally defined in Definition 4.6 and Definition 4.7).

4.1.1 I.I.D. Valuations

We start with the i.i.d. case, first looking at a single distribution.

Lemma 4.3 (One Item Distribution, price sensitivity). Consider some value distribution G, and assume it has a highest Myerson price r_G . Then G is (λ, C) -price sensitive for $C = 1 - \frac{G(r_G)^4}{9}$ and $\lambda = \lambda(G) = \min_{C' \leq C} \frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C' \cdot r_G)}{(1 - C') \cdot r_G}$.

Let $\sigma_G(r_G)$ denote the standard deviation of $\min(v, r_G)$, where $v \sim G$. We next show that for a distribution G that is (λ, C) -price sensitive and has a highest Myerson price r_G , the sum of mi.i.d. samples from distribution G will reach a target minimal variance threshold $\frac{12}{(\lambda(1-C))^{3/2}} \cdot r_G$ if we take m that is large enough.

Lemma 4.4 (Independent and Identical Items, variance). Consider markets with m i.i.d items, each with value distribution $F_i = G$ that is (λ, C) -price sensitive and has a highest Myerson price r_G . If $m \geq \frac{144}{\lambda^3(1-C)^3} \cdot \left(\frac{r_G}{\sigma_G(r_G)}\right)^2$ then $\sigma(V(\vec{r})) \geq \frac{12}{(\lambda(1-C))^{3/2}} \cdot r_G$.

Combining Lemma 4.3, Lemma 4.4 and Theorem 4.2 we derive the following corollary.

Corollary 4.5 (Independent and Identical Items, revenue). Let G be a distribution that has a unique Myerson price $r_G > inf(G)$. Then for all sufficiently large m (polynomial in parameters of G) and valuation distribution $F = \times_{i=1}^m G = G^m$, the principal can find a price for the grand bundle such that she obtains revenue at least a $\frac{1}{3}$ fraction of the expected truncated social welfare $\sum_i \mathbb{E}[\min(v_i, r_i)]$ in every equilibrium of $G_{p,F}$.

4.1.2 Non-I.I.D. Smooth and Revenue-Concave Valuations

For non-i.i.d. distributions, a similar result can be obtained when all item distributions satisfy the following extra conditions. The following notion captures a function with negative second derivative bounded away from 0.

Definition 4.6 (δ -revenue-concave). For $\delta > 0$, we say that a distribution G is δ -revenue-concave if G is twice differentiable, and for revenue function $h(x) := \operatorname{Rev}_G(x) = x \cdot (1 - G(x))$, it holds that $h''(x) \leq -\delta/r_G$ for all $x \in (0, r_G)$, where r_G is the highest Myerson price of G.⁷

The following notion captures a smooth distribution, where the probability density function is bounded away from 0 from below.

Definition 4.7 (δ -smooth). For $\delta > 0$, we say that a distribution G is δ -smooth if G is differentiable and $G'(x) \ge \delta/r_G$ for every $x \in (0, r_G)$, where r_G is the highest Myerson price of G.

We now show that when a distribution is δ -revenue-concave and δ -smooth, we can lower bound the price sensitivity of the distribution and the variance of truncated welfare, using δ as a parameter.

Lemma 4.8 (Revenue Concave Distributions, price sensitivity). Consider some value distribution G that for some $\delta > 0$ is δ -revenue-concave. Let r_G be the unique Myerson price of G. Then G is (λ, C) -price sensitive for $\lambda \leq \frac{\delta}{2} \cdot (1 - C)$.

Lemma 4.9 (Smooth Distributions, variance). Consider some value distribution G supported on [0,1] that is δ -smooth with a highest Myerson price r_G . Then the variance of $\min(v, r_G)$, where $v \sim G$, is $\Omega(\delta) \cdot (r_G)^2$. Moreover, $r_G - \mathbb{E}_{v \sim G}[\min(v, r_G)] = \Omega(\delta) \cdot r_G$.

Lemma 4.9 shows that the standard deviation of individual items whose distribution is δ -smooth is bounded by $\Omega(\delta)$. Meanwhile, a more detailed reasoning about Lemma 4.8 (see a full discussion in Appendix C.1) shows that in order to apply Theorem 4.2, it is sufficient for the standard deviation for the buyer's value of all items to be $\Theta\left(\operatorname{poly}\left(\frac{1}{\delta}, \frac{r_{max}}{r_{min}}\right)\right)$, where $0 < r_{min} \leq r_{max}$ are values such that the interval $[r_{min}, r_{max}]$ contains each item's highest Myerson price. Taking the number of items *m* to be sufficiently large $(m = \operatorname{poly}\left(\frac{1}{\delta}, \frac{r_{max}}{r_{min}}\right))$ ensures the standard deviation constraint in Theorem 4.2 is satisfied, and yields the following corollary.

Corollary 4.10 (Revenue Concave Smooth Distributions, revenue). Fix any r_{max} , $r_{min} > 0$. Consider a market with m items, where each item i has a value distribution F_i that is δ -smooth and δ -revenue-concave, with highest Myerson price $r_i \in [r_{min}, r_{max}]$. When $m = \Omega(\operatorname{poly}(\frac{1}{\delta}, \frac{r_{max}}{r_{min}}))$, the principal can sell the grand bundle and obtain revenue at least a $\frac{1}{3}$ fraction of the expected truncated social welfare $\sum_i \mathbb{E}[\min(v_i, r_i)]$ in every equilibrium of $G_{p,F}$.

4.2 Outline of the Proof of Theorem 4.2

Additional Notations. Expanding on the notation of $V_i(r_i)$ that we defined earlier in the section, we will use $V_i(s_i)$ to denote the random variable $\min(v_i, q_i)$, where $v_i \sim F_i$ and q_i is a random pricing strategy that is drawn from the item seller *i*'s mixed strategy s_i . We will denote $\mu_i(s_i) = \mu(V_i(s_i))$ and $\sigma_i(s_i) = \sigma(V_i(s_i))$ as the mean and standard deviation of $V_i(s_i)$, respectively. Similarly, we will use $\mu(\vec{s})$ and $\sigma(\vec{s})$. to represent the mean and standard deviation of $\sum_{j \in \mathcal{M}} V_j(s_j)$, respectively. We also use $\mu_{-i}(s_{-i})$ and $\sigma_{-i}(s_{-i})$ to represent the mean and standard deviation of

⁷Note that δ -revenue-concavity implies that the Myerson price is unique.

 $\sum_{j \neq i} V_j(s_j)$, respectively. For the sake of simplicity in notation, when item seller *i*'s strategy s_i is pure and pricing at q_i , we would just use q_i to represent s_i . For example, $V_i(C \cdot r_i)$ denote the random variable of $\min(v_i, C \cdot r_i)$ when $v_i \sim F_i$.

Preliminary: The Berry-Esseen Theorem In our proof of the main theorem, we will need to obtain a tight bound on the following probability term in Equation (5), which can be viewed as the c.d.f of the sum of m-1 independent random variables $V_i(s_i)$.

$$\mathbb{P}_{v_{-i}\sim F_{-i}, q_{-i}\sim s_{-i}}\left[p(\mathcal{M}) - q_i \ge \sum_{j\in\mathcal{M}, j\neq i} \min(v_j, q_j)\right] = \mathbb{P}_{v_{-i}\sim F_{-i}}\left[p(\mathcal{M}) - q_i \ge \sum_{j\in\mathcal{M}, j\neq i} V_j(s_j)\right].$$
 (6)

To bound the difference between the distribution of $\sum_{j \in \mathcal{M}, j \neq i} V_j(s_j)$ and that of a Gaussian, we will make extensive use of the Berry-Esseen Theorem, which is stated below.

Theorem 4.11 (Berry-Esseen Theorem [Ber41, Ess42]). Given independent random variables Y_1, \dots, Y_m with mean 0, for any index $j \in [m]$, let σ_i be the standard deviation of Y_i , and let $\rho_i = \mathbb{E}[|Y_i|^3]$. Let σ be the standard deviation of $\sum_{i=1}^m Y_i$ ($\sigma^2 = \sum_{i=1}^m \sigma_i^2$). Then the Kolmogorov-Smirnov distance between $\frac{\sum_i Y_i}{\sigma}$ and the standard normal distribution $\mathcal{N}(0,1)$ is at most $0.5606 \cdot \frac{1}{\sigma} \cdot \max_{i=1}^m \frac{\rho_i}{\sigma^2}$.

Note that since the Berry-Esseen Theorem requires the random variables of mean 0, the theorem will be applied on random variables $Y_j = V_j(s_j) - \mu_j(s_j)$. The probability term in Equation (6) remain unchanged when $\sum_{j \neq i} \mu_j(s_j)$ is subtracted from both sides of the inequality " $p(\mathcal{M}) - q_i \geq \sum_{j \in \mathcal{M}, j \neq i} V_j(s_j)$ ".

Preserving Variance Between $\min(v_i, r_i)$ and $V_i(s_i)$. When proving our main theorem, we will assume that the buyer's value for the bundle has a much higher variance than the highest Myerson price for any item seller *i*. However, this does not immediately translate into an understanding of the variance of $\sum_{j \in \mathcal{M}, j \neq i} V_j(s_j)$, which is the quantity that we actually need to study. Here we present sufficient conditions for the mean and variance of $\sum_{j \in \mathcal{M}} V_j(s_j)$ to be within a constant factor of the mean and variance of the random variable $\sum_{j \in \mathcal{M}} \min(v_j, r_j)$. This will enable us to lower bound the mean and variance of $\sum_{j \in \mathcal{M}, j \neq i} V_j(s_j)$ (which is sufficiently close to that of $\sum_{j \in \mathcal{M}} V_j(s_j)$). As a result we obtain tight bounds on probability distribution of the random variable $\sum_{i \in \mathcal{M}, i \neq i} V_j(s_j)$ using the Berry-Esseen Theorem.

Firstly, when s_j is lower bounded by $C \cdot r_i$ for sufficiently large C (as specified below), Lemma 4.12 implies that the variance of $V_j(s_j)$ will be a constant fraction of the variance of $\min(v_j, r_j)$.

Lemma 4.12. For any $K \ge 1$ and C such that $C \ge 1 - \frac{F_i(r_i)^4}{2K+1}$, it holds that $\sigma_i^2(C \cdot r_i) \ge (1 - \frac{1}{K}) \cdot \sigma_i^2(r_i)$.

Even if Lemma 4.12 is not satisfied for some items, as long as the mean of $\sum_{j \in \mathcal{M}} V_j(s_j)$ is high enough, the variance of $\sum_{j \in \mathcal{M}} V_j(s_j)$ will also constant approximate the variance of the buyer's truncated welfare.

Lemma 4.13. For any $C \ge 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1}$, where $K = K(F_1, \ldots, F_m)$ and any item seller strategy profile such that $\mu(\vec{s}) = \sum_i \mu_i(s_i) \ge \sum_i \mu_i(C \cdot r_i)$, it holds that $\sigma^2(\vec{s}) = \sum_i \sigma_i^2(s_i) \ge \frac{1}{2} \sum_i \sigma_i^2(r_i) = \sigma^2(\vec{r})$.

Now, we are ready to discuss the proof outline of our main theorem.

Proof Outline of Theorem 4.2. When the principal prices the grand bundle at price $p = \sum_i \mathbb{E}[\min(v_i, C \cdot r_i)] + \frac{\sigma(V(\vec{r}))}{4}$, consider any mixed Nash equilibrium (s_1, \dots, s_n) between the item sellers in $G_{p,F}$. Note that the principal's revenue is just equal to p times the probability that the buyer purchases the grand bundle from the principal. Fix any vector of values \vec{v} . The buyer purchases the grand bundle from the principal if and only if 1) their value for the bundle $\sum_i v_i$ is at least p and 2) the buyer gains more utility from purchasing all items from the principal seller rather than buying any subset of items from the item sellers. Letting $q_i \sim s_i$ be the realized price set by each item seller i, we show that 2) is satisfied when $p < \sum_i \min(v_i, q_i)$. (Essentially, this inequality implies that the buyer gains higher utility from purchasing the principal's grand bundle than purchasing any subset of items from the item sellers.) This automatically implies that condition 1) is satisfied as well. Hence the principal's revenue is just equal to $p \cdot \mathbb{P}_{\vec{v} \sim F, \vec{q} \sim \vec{s}} [p < \sum_i \min(v_i, q_i)]$.

To show that this revenue is high, note that since $K \ge 1$ (by definition), it holds that $C = 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1} \ge 1 - \frac{1}{8+1} = \frac{8}{9}$. Hence $p \ge C \cdot \sum_i \mathbb{E}[\min(v_i, r_i)] \ge \frac{8}{9} \cdot \sum_i \mathbb{E}[\min(v_i, r_i)]$. So if it were the case that $\mathbb{P}_{\vec{v} \sim F, \vec{q} \sim \vec{s}}[p < \sum_i \min(v_i, q_i)] \ge 1/2$, then the principal seller achieves a revenue of $\frac{1}{2} \cdot \frac{8}{9} \cdot \sum_i \mathbb{E}[\min(v_i, r_i)]$, which is at least $\frac{4}{9}$ of our revenue benchmark, as required. It remains to consider the case $\mathbb{P}[p < \sum_i \min(v_i, q_i)] < 1/2$. Our goal is to show we can still achieve a high approximation ratio to our revenue benchmark in this case. We show this by proving the following lemma, which shows that each item seller *i* would never want to price below $C \cdot r_i$.

Lemma 4.14. Consider a market with value distribution $F = \times_i F_i$. Assume that there exists constant $\lambda > 0$ such that for $C = 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1}$ where $K = K(F_1, \ldots, F_m)$, all items $i \in \mathcal{M}$ have value distributions that are (λ, C) -price sensitive. In addition, assume the variance of the buyer's value for the bundle $\sigma(V(\vec{r})) \geq \frac{12}{(\lambda(1-C))^{3/2}} \cdot \max_{j \in \mathcal{M}} \{r_j\}$. Given principal grand bundle price $p = \sum_i \mathbb{E}[\min(v_i, C \cdot r_i)] + \frac{\sigma(V(\vec{r}))}{4}$ and item seller equilibrium (s_1, \cdots, s_n) in $G_{p,F}$, if the buyer not purchases the grand bundle with probability $\geq 1/2$, then the support of each s_i is contained in $[C \cdot r_i, r_i]$.

Lemma 4.14 is quite technical, so here we summarize the flow of the argument. First, we show that when the probability of the buyer not purchasing the grand bundle from the principal is at least 1/2, then this probability would still remain relatively large even if one of the sellers (say seller *i*) changes their pricing strategy arbitrarily. Moreover, we show that unless the probability of the buyer not purchasing the grand bundle is close to 1, the mean of $\sum_{j\neq i} V_j(s_j)$ is high enough to apply Lemma 4.13, and hence the variance of $\sum_{j\neq i} V_j(s_j)$ is large enough for the error term to be sufficiently small when applying the Berry-Esseen Theorem. Given this limited competitive pressure from the principal and sufficiently large variance, we apply Berry-Esseen to show that it is strictly suboptimal for an item seller *i* to price below $C \cdot r_i$. Hence, in the equilibrium (s_1, \dots, s_n) , the support of each item seller *i*'s strategy s_i is contained in $[C \cdot r_i, r_i]$.

Finally, we apply Lemma 4.12 to argue that $\sum_{j \neq i} V_j(s_j)$ has high variance, then use the Berry-Esseen Theorem again (plus the fact that item sellers' equilibrium prices lie in $[C \cdot r_i, r_i]$ from Lemma 4.14) to prove that the value of $\mathbb{P}[p < \sum_i \min(v_i, q_i)]$ must be at least 0.38. Since $C \geq 8/9$, we conclude that the principal's revenue is at least $(0.38)C \geq 1/3$ of the expected truncated welfare.

5 Bundling is Not Always Revenue Constant Competitive.

Theorem 4.2 provides conditions under which selling the grand bundle approximates not only the optimal principal's revenue, but our relaxed benchmark of the expected truncated social welfare. Are such these conditions necessary? Of course, we cannot hope to approximate the expected truncated social welfare in all settings: for example, if there is only a single good, the logic of Bertrand

competition shows that the principal cannot generate positive revenue with any menu. But even in this case, selling only the grand bundle trivially achieves the principal's optimal revenue (which is 0). This leads us to ask: does selling the grand bundle always yield a constant approximation to the principal's optimal revenue? We show in this section that the answer is *no*: there are markets in which the principal seller cannot extract high revenue by pricing the grand bundle, yet some other deterministic menu is able to extract much higher revenue. Thus, it is not always the case that by simply pricing the grand bundle the principal can approximate the optimal revenue. Specifically, the market constructed does not have high enough variance to match the condition on the variance of Theorem 4.2, and indeed we show that pricing the grand bundle does no provide high revenue in any NE. On the other hand, the fact that in that market there is no single item that dominates all other items is shown to be enough for some other menu to obtain much higher revenue in every equilibrium (by bundling similar items and pricing those bundles).

Theorem 5.1. There exist m-item markets with the following properties: For value distribution $F = \times_{j=1}^{m} F_j$ of that market, there is a principal menu p such that in any equilibrium strategies \vec{s} for the item sellers in $G_{p,F}$, the principal revenue is $\Theta(m)$, while for any grand pricing menu p' and any equilibrium strategies for the item sellers in $G_{p',F}$, the revenue of the principal seller is O(1).

To provide some intuition behind Theorem 5.1, recall that in the monopolist setting the revenueoptimal menu can always be constant-approximated by either selling the grand bundle only or selling all items separately [BILW14]. In that result, the ability to sell all items separately is important to capture revenue in cases where a single item has unexpectedly high realized value. In contrast, the principal in our setting cannot capture this revenue in the same way: selling items separately generates no revenue, since this results in Bertrand competition for each item. This doesn't immediately imply Theorem 5.1, however, because our upper bound on revenue truncates very high values, so the scenario with just a single high value is not problematic for approximating the optimal revenue (i.e., because it is anyway hopeless for the principal to extract substantial revenue from any one item). However, as it turns out, there can still be situations where the optimal revenue is driven by a few high-valued items (more than one, but at most a constant) that dominate the total welfare. These cases are necessarily rare, and would be handled by selling items separately in the monopolist setting. But in our setting, these rare events might be the most important to revenue. By designing the high-item-value events to occur at different orders of magnitude for different items, one can construct scenarios where the principal cannot obtain high revenue by bundling all items together, but could generate high revenue by bundling together items whose values are at similar scales, essentially simulating the sell-items-separately solution that would be employed by a monopolist.

We now describe our construction for Theorem 5.1 that implements the intuition above. Fix any constant K > 2; we will prove the claim for $m \gg K^2$ that is even. Let n = m/2. In the market we construct there are n pairs of items: T_1, \dots, T_n . For each $i \in [n]$, set T_i contains two items, sampled i.i.d from the following binary distribution F_i . The value is $H_i = K^{2\cdot 3^{(i-1)}}$ with probability $x_i = K^{-3^{(i-1)}}$, and zero otherwise. There are m = 2n items: for $i \in [n]$, both item 2i - 1 and item 2i are distributed according to F_i (so $F = \times_{i=1}^m (F_i \times F_i)$). Observe that for clarity of exposition the construction uses integer values instead of values in [0, 1] (the construction can of course be rescaled to [0, 1]).

In Section 5.1 we will construct a menu for the principal with revenue $\Omega(m)$; this will be a partition menu that sets a price on each pair of items T_i . Then in Section 5.2 we will show that every grand bundle menu for the principal generates revenue O(1), competing the proof of Theorem 5.1.

5.1 Principal Revenue from Partition Bundles.

Consider a principal pricing strategy that bundle items in each set T_i together at price $H_i + \varepsilon = K^{2\cdot 3^{(i-1)}} + \varepsilon$. We will prove that in any item seller equilibrium, the revenue of the principal is $\Theta(m)$. Intuitively, for each set T_i , the principal seller is selling the bundle with probability at most x_i^2 . Hence the item sellers cannot improve their probability of sale by too much by reducing their price from H_i (which is the unique Myerson price for item *i*). Consequently, each item seller's price in equilibrium will price at exactly H_i . This ensures that when the principal is pricing at $H_i + \varepsilon$, the buyer would purchase the bundle T_i from the principal if they have a high value for both items in T_i . By our construction of the example, the principal gets revenue at least $H_i \cdot x_i^2 = 1$ for each set T_i . Adding the revenue over all *n* sets, the principal gets revenue at least n = m/2. We formalize this in the next claims.

Claim 5.2. Fix $x < \frac{1}{2}$. Let D be the following binary distribution supported on $\{0, H = \frac{1}{x^2}\}$: the value is H with probability x, and 0 otherwise. Consider a market with buyer value sampled from $F = D \times D$. Then when the principal sells the bundle of the two items at $p = H + \varepsilon$ for some sufficiently small ε , there is a unique NE (in which each item seller prices at H), and the revenue of the principal in this NE is at least 1.

Claim 5.3. Consider a market with buyer value distribution $F = \times_{i=1}^{m} (F_i \times F_i)$. Assume the principal seller is using a partition bundle pricing p over item set \mathcal{M} , where the partitioned disjoint sets are T_1, \dots, T_n . Then (s_1, \dots, s_m) is an equilibrium in $G_{p,F}$ if and only if for each $i \in [n]$, $\{s_j\}_{j \in T_i}$ is an equilibrium for the sub-game $G_{p(T_i),F_i \times F_i}$ over item set T_i , where the principal is posting a bundle price $p(T_i)$.

We note that the claim above holds more generally: every partition menu essentially breaks the game between the items sellers to sub-games, one for each part of the partition, with correspondence between NE in the large game and in the sub-games. Combining the two claims we conclude:

Lemma 5.4. There exists a principal pricing strategy p that sells partitioned bundles T_1, \dots, T_n , such that when each pair T_j is priced at $H_j + \varepsilon$ there is a unique NE in the game $G_{p,F}$ and the principal's revenue of this NE is $\Theta(m)$.

5.2 Principal Revenue from Selling the Grand Bundle.

We saw that the principal can obtain revenue of $\Theta(m)$ by a partition menu. We next show that the revenue by selling the grand bundle is much lower. Specifically, for any menu of the principal in which the only set offered is the grand bundle at price p, it holds that the revenue of the principal is O(1) in every equilibrium of $G_{p,F}$. We separate the price range of the principal seller into three categories: when $p < 3 \cdot H_1$, when $p \ge 3 \cdot H_n$, and when there exists some $i \in [n-1]$, where $3 \cdot H_i \le p < 3 \cdot H_{i+1}$. We will show that in the first case, the principal is selling at a constant price, resulting in O(1) revenue. In the second case, the principal's price is too high and will never sell. The third case (where the grand bundle price p falls between the high support of set T_i and T_{i+1} for index i) is the most interesting. Observe that simple arguing that the revenue is bounded by p times the probability that the value is at least p is not enough (e.g., for $p = H_j$ that product is at least $H_j \cdot V_j = K^{2\cdot 3^{(j-1)}} \cdot K^{-3^{(j-1)}} = K^{3^{(j-1)}}$, which might be much larger than m for large j). We will show that in this case, the higher value item sellers are incentivized to reduce their price to a point where the buyer purchases the grand bundle only if they have positive value for at least two items in $\bigcup_{j=i+1}^n T_j$. Thus the principal is in a similar situation as if they are merely selling the set T_{i+1} , and obtains only O(1) revenue.

We will start by considering the expected revenue of a particular item seller $j \in \bigcup_{k=i+1}^{n} T_k$.

Proposition 5.5. Assume that $3 \cdot H_i \leq p < 3 \cdot H_{i+1}$ for some $i \in [n-1]$. For any item j in $\bigcup_{k=i+1}^n T_k$ and any q_j in the support of s_j , it holds that $\mathbb{P}[p-q_j \geq \sum_{k \neq i} V_k(s_k)] > \left(1 - 3\left(x_{i+1} + \frac{1}{p \cdot x_i^2}\right)\right)$.

The above claim can be viewed as saying conditioned on $s_j = q_j$ and $v_j \ge q_j$, the probability of the buyer not purchasing from the principal must be at least $1 - 3(x_{i+1} + \frac{3x_i^2}{p})$. Notice that given $p \ge 3 \cdot H_i$, in order for the buyer to be interested in the bundle, their value for *some* item in $\bigcup_{k=i+1}^{n} T_k$ must be high. We can now apply a union bound to bound the probability of the buyer purchasing the grand bundle, and as a result, the principal seller's revenue.

Lemma 5.6. For any grand-bundle menu p such that $3 \cdot H_n > p \ge 3 \cdot K^2$, the revenue of the principal in any NE of the game $G_{p,F}$ is at most 36.

Using the above two claims we bound the revenue of any grand-bundle pricing in any equilibrium by a constant.

Lemma 5.7. For any grand-bundle menu p, the revenue of the principal in any Nash equilibrium of the game $G_{p,F}$ is O(1).

6 Conclusion and Future Work

Our work explores revenue guarantee of the principal seller in a oligopoly setting, particularly when facing agile item competitors who set the prices of their items in response to the principal seller's pricing strategy. We study the ability of the principal to extract revenue by using her unique power to price bundles of items.

Our work is by no means comprehensive in this space and we hope we can inspire future work on auction pricing with competitors. First, on a technical level, we expect there is ample room to generalize or extend our approximation result. This could involve establishing other approximation results under different sufficient conditions on the value distributions, developing additional upper bounds on the principal seller's revenue, and/or exploring the power of more complex bundling strategies.

Another direction for follow-up work is to expand the set of allowable buyer and/or seller preferences. For example, one could investigate the impact of non-additive buyer valuations, such as submodular or subadditive valuations. One could also introduce production costs for the sellers, which might impact pricing and/or entry decisions by the potential competitors.

Yet another direction is to relax our assumptions on the nature of the competition faced by the principal seller. For example, in our model the item sellers set prices independently at equilibrium. However, it is also natural to consider item sellers who collude with each other in the way they set prices, either explicitly or via algorithmic collusion due to using similar off-the-shelf pricing algorithms. One could consider separately the cases where colluding sellers can transfer utility between each other or not. Taking this one step further, one could also consider competitors who own multiple items and can offer bundles for the items available to them; this can be thought of as a form of advanced collusion with both transfers and the ability to bundle goods.

Finally, our work focuses on revenue maximization from the principal seller's perspective. Another related angle of inspection is the buyer's surplus: namely, how much does the buyer's surplus improve, relative to the monopolist case, if the principal seller has item competitors for some or all items? This could have implications for policy considerations such as antitrust concerns, where one might seek to understand the extent to which item sellers serve as effective competition for a dominant principal seller.

References

- [ADR13] Alessandro Avenali, Anna D'Annunzio, and Pierfrancesco Reverberi. Bundling, competition and quality investment: a welfare analysis. *Review of Industrial Organization*, 43:221–241, 2013. 5
- [AV10] Mark Armstrong and John Vickers. Competitive non-linear pricing and bundling. *The Review of Economic Studies*, 77(1):30–60, 2010. 5
- [BCWZ17] Johannes Brustle, Yang Cai, Fa Wu, and Mingfei Zhao. Approximating gains from trade in two-sided markets via simple mechanisms. In Proceedings of the 2017 ACM Conference on Economics and Computation, EC '17, Cambridge, MA, USA, June 26-30, 2017, pages 589–590, 2017. 5
- [Ber41] Andrew C Berry. The accuracy of the gaussian approximation to the sum of independent variates. *Transactions of the american mathematical society*, 49(1):122–136, 1941. 16
- [BILW14] Moshe Babaioff, Nicole Immorlica, Brendan Lucier, and S. Matthew Weinberg. A simple and approximately optimal mechanism for an additive buyer. In 55th IEEE Annual Symposium on Foundations of Computer Science, FOCS 2014, Philadelphia, PA, USA, October 18-21, 2014, pages 21–30, 2014. 1, 2, 5, 12, 18
- [BW19] Hedyeh Beyhaghi and S. Matthew Weinberg. Optimal (and benchmark-optimal) competition complexity for additive buyers over independent items. In *Proceedings of the* 51st ACM Symposium on Theory of Computing Conference (STOC), 2019. 5
- [CDW16] Yang Cai, Nikhil Devanur, and S. Matthew Weinberg. A duality based unified approach to bayesian mechanism design. In Proceedings of the 48th ACM Conference on Theory of Computation(STOC), 2016. 5
- [Che97] Yongmin Chen. Equilibrium product bundling. Journal of business, pages 85–103, 1997. 5
- [CS21] Linda Cai and Raghuvansh R. Saxena. 99% revenue with constant enhanced competition. In Péter Biró, Shuchi Chawla, and Federico Echenique, editors, EC '21: The 22nd ACM Conference on Economics and Computation, Budapest, Hungary, July 18-23, 2021, pages 224–241. ACM, 2021. 5
- [CZ17] Yang Cai and Mingfei Zhao. Simple mechanisms for subadditive buyers via duality. In Proceedings of the 49th Annual ACM SIGACT Symposium on Theory of Computing, STOC 2017, Montreal, QC, Canada, June 19-23, 2017, pages 170–183, 2017. 5
- [DDT14] Constantinos Daskalakis, Alan Deckelbaum, and Christos Tzamos. The Complexity of Optimal Mechanism Design. In the 25th ACM-SIAM Symposium on Discrete Algorithms (SODA), 2014. 5
- [DDT17] Constantinos Daskalakis, Alan Deckelbaum, and Christos Tzamos. Strong duality for a multiple-good monopolist. *Econometrica*, 85(3):735–767, 2017. 5
- [DW17] Nikhil R. Devanur and S. Matthew Weinberg. The optimal mechanism for selling to a budget constrained buyer: The general case. In *Proceedings of the 2017 ACM*

Conference on Economics and Computation, EC '17, Cambridge, MA, USA, June 26-30, 2017, pages 39–40, 2017. 5

- [EFF⁺17a] Alon Eden, Michal Feldman, Ophir Friedler, Inbal Talgam-Cohen, and S. Matthew Weinberg. The competition complexity of auctions: A bulow-klemperer result for multidimensional bidders. In Proceedings of the 2017 ACM Conference on Economics and Computation, EC '17, Cambridge, MA, USA, June 26-30, 2017, page 343, 2017. 5
- [EFF⁺17b] Alon Eden, Michal Feldman, Ophir Friedler, Inbal Talgam-Cohen, and S. Matthew Weinberg. A simple and approximately optimal mechanism for a buyer with complements: Abstract. In Proceedings of the 2017 ACM Conference on Economics and Computation, EC '17, Cambridge, MA, USA, June 26-30, 2017, page 323, 2017. 5
- [Ess42] Carl-Gustav Esseen. On the liapunov limit error in the theory of probability. Ark. Mat. Astr. Fys., 28:1–19, 1942. 16
- [FLLT18] Hu Fu, Christopher Liaw, Pinyan Lu, and Zhihao Gavin Tang. The value of information concealment. In Proceedings of the Twenty-Ninth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2018, New Orleans, LA, USA, January 7-10, 2018, pages 2533–2544, 2018. 5
- [HN12] Sergiu Hart and Noam Nisan. Approximate Revenue Maximization with Multiple Items. In the 13th ACM Conference on Electronic Commerce (EC), 2012. 1, 5
- [HN13] Sergiu Hart and Noam Nisan. The menu-size complexity of auctions. In the 14th ACM Conference on Electronic Commerce (EC), 2013. 5
- [HN17] Sergiu Hart and Noam Nisan. Approximate revenue maximization with multiple items. J. Economic Theory, 172:313–347, 2017. 1, 5, 12
- [HR15] Sergiu Hart and Philip J. Reny. Maximizing Revenue with Multiple Goods: Nonmonotonicity and Other Observations. *Theoretical Economics*, 10(3):893–922, 2015. 5
- [KRK20] Araz Khodabakhshian, Guillaume Roels, and Uday S Karmarkar. Competitive bundling in a bertrand duopoly. *Working Paper*, 2020. 5
- [LP18] Siqi Liu and Christos-Alexandros Psomas. On the competition complexity of dynamic mechanism design. In Proceedings of the Twenty-Ninth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2018, New Orleans, LA, USA, January 7-10, 2018, pages 2008–2025, 2018. 5
- [LY13] Xinye Li and Andrew Chi-Chih Yao. On revenue maximization for selling multiple independently distributed items. *Proceedings of the National Academy of Sciences*, 110(28):11232–11237, 2013. 1, 5
- [Man13] Andrea Mantovani. The strategic effect of bundling: A new perspective. *Review of Industrial Organization*, 42:25–43, 2013. 6
- [MV07] A. M. Manelli and D. R. Vincent. Multidimensional Mechanism Design: Revenue Maximization and the Multiple-Good Monopoly. *Journal of Economic Theory*, 137(1):153– 185, 2007. 5

[Nal04]	Barry Nalebuff. Bundling as an entry barrier. The Quarterly Journal of Economics, 119(1):159–187, 2004. 5
[Pav11]	Gregory Pavlov. Optimal mechanism for selling two goods. The B.E. Journal of Theoretical Economics, $11(3)$, 2011. 5
[SYZ22]	Jie Shuai, Huanxing Yang, and Lan Zhang. Dominant firm and competitive bundling in oligopoly markets. <i>Games and Economic Behavior</i> , 132:421–447, 2022. 6
[Tha04]	John Thanassoulis. Haggling over substitutes. Journal of Economic Theory, 117:217–245, 2004. 5
[Vic05]	John Vickers. Abuse of market power. <i>The Economic Journal</i> , 115(504):F244–F261, 2005. 5
[Whi89]	Michael D Whinston. Tying, foreclosure, and exclusion, 1989. 5

A Illustration for Price Sensitivity.



Figure 1: (λ, C) -Price Sensitive Revenue Curve. For distribution F_i , the revenue function $\text{Rev}(q_i) = q_i \cdot (1 - F_i(q_i))$, must be below the line with slope λ that passes through $(r_i, \text{Rev}(r_i))$ for every price below $C \cdot r_i$, where r_i is the maximal Myerson price for F_i .

B Omitted Proofs in Section 3

Claim 3.1. Fix any p and any \vec{q} . Suppose that \vec{v} and \vec{v}' differ only on a subset $S \subseteq M$ of items, and let T and T' denote the items purchased from the principal under valuations \vec{v} and \vec{v}' respectively. Then if $T \cap S = T' \cap S$ then T = T'.

Proof. The set T maximizes diff_{\vec{v}} (T, p, \vec{q}) and the set T' maximizes diff_{$\vec{v'}$} (T', p, \vec{q}) . If $T \neq T'$ then we must have diff_{$\vec{v'}$} $(T, p, \vec{q}) \geq \text{diff}_{\vec{v'}}(T', p, \vec{q}) \geq \text{diff}_{\vec{v'}}(T, p, \vec{q})$, with at least one of them strict (since we break ties consistently). So in particular we must have

$$\operatorname{diff}_{\vec{v}}(T, p, \vec{q}) + \operatorname{diff}_{\vec{v}'}(T', p, \vec{q}) > \operatorname{diff}_{\vec{v}}(T', p, \vec{q}) + \operatorname{diff}_{\vec{v}'}(T, p, \vec{q}).$$
(7)

On the other hand, for any T and T' with $T \cap S = T' \cap S$, we must have $\operatorname{diff}_{\vec{v}}(T, p, \vec{q}) - \operatorname{diff}_{\vec{v}'}(T, p, \vec{q}) = \sum_{i \in T \cap S} (v_i - v'_i) = \sum_{i \in T' \cap S} (v_i - v'_i) = \operatorname{diff}_{\vec{v}}(T', p, \vec{q}) - \operatorname{diff}_{\vec{v}'}(T', p, \vec{q})$. As this is inconsistent with (7), we conclude that T = T' as required.

Claim 3.2. Fix some principal menu p, item seller i, the prices of the other item sellers q_{-i} , and the realized buyer valuation \vec{v} . Then there exist sets $T_i \ni i$ and $T_{\neg i} \not\ni i$ and a threshold $\theta_i \ge 0$ such that, if q_i is the price chosen by agent i, then the set that the buyer purchases from the principal is T_i if $q_i \le \theta_i$, and is $T_{\neg i}$ if $q_i > \theta_i$.

Proof. Fix q_{-i} , given $q_i < q'_i$, then for any T_i such that $i \in T_i$, the utility difference for the buyer for purchasing from the item seller side items in T_i is just the difference of utility for the particular item. That is,⁸

$$\mathsf{ub}_{I,\vec{v}}(T_i,(q_i,q_{-i})) - \mathsf{ub}_{I,\vec{v}}(T_i,(q_i',q_{-i})) = (v_i - q_i)_+ - (v_i - q_i')_+ = (\min(v_i,q_i') - q_i)_+.$$

On the other hand, for any $T_{\neg i}$ such that $i \notin T_{\neg i}$, there is no utility difference, namely

$$\mathsf{ub}_{I,ec v}(T_{\neg i},(q_i,q_{-i})) - \mathsf{ub}_{I,ec v}(T_{\neg i},(q_i',q_{-i})) = 0.$$

As diff $_{\vec{v}}(T, p, \vec{q}) = \mathsf{ub}_{P,\vec{v}}(T, p) - \mathsf{ub}_{I,\vec{v}}(T, \vec{q})$ and diff $_{\vec{v}}(T, p, (q'_i, q_{-i})) = \mathsf{ub}_{P,\vec{v}}(T, p) - \mathsf{ub}_{I,\vec{v}}(T, (q'_i, q_{-i}))$, we conclude that

$$\mathsf{diff}_{\vec{v}}(T, p, (q'_i, q_{-i})) = \mathsf{diff}_{\vec{v}}(T, p, (q_i, q_{-i})) + (\min(v_i, q'_i) - q_i)_+ \quad \text{for any } T \ni i$$
(8)

and

$$\operatorname{diff}_{\vec{v}}(T_{\neg i}, p, (q_i, q_{-i})) = \operatorname{diff}_{\vec{v}}(T_{\neg i}, p, (q'_i, q_{-i})) \quad \text{for any } T_{\neg i} \not\supseteq i.$$

$$\tag{9}$$

Write $T(q_i)$ for the set that the buyer purchases from the principal given q_i . Note that $T(q_i) \in \arg \max_T \{ \operatorname{diff}_{\vec{v}}(T, p, (q_i, q_{-i})) \}$, with ties broken as per our tie-breaking rule for the buyer. Note also that, due to our tie-breaking in favor of purchasing more items from item sellers, we must have $i \in T(0)$ (since if $q_i = 0$ it is never utility-decreasing for the buyer to acquire item *i* from item seller *i*, regardless of what was purchased from the principal). Define $T_i = T(0)$, so that $\operatorname{diff}_{\vec{v}}(S, p, (0, q_{-i})) \leq \operatorname{diff}_{\vec{v}}(T_i, p, (0, q_{-i}))$ for all sets *S*. Then for any $S \ni i$ and any q_i , equation (8) implies

$$diff_{\vec{v}}(S, p, (q_i, q_{-i})) = diff_{\vec{v}}(S, p, (0, q_{-i})) + v_i - q_i$$

$$\leq diff_{\vec{v}}(T_i, p, (0, q_{-i})) + v_i - q_i$$

$$= diff_{\vec{v}}(T_i, p, (q_i, q_{-i}))$$

and hence (by consistent tie-breaking) if $S = T(q_i)$ then we must have $S = T_i$. By the same argument, if there exists some $q_i > q'_i > 0$ and sets $S, T \not\ni i$ such that $T = T(q_i)$ and $S = T(q'_i)$, then we must have S = T. We can therefore write $T_{\neg i}$ for the unique set $T_{\neg i} \not\ni i$ purchased at any choice of q_i . Finally, since diff_{\vec{v}} $(T_{\neg i}, p, (q_i, q_{-i}))$ is independent of q_i whereas diff_{\vec{v}} $(T_i, p, (q_i, q_{-i}))$ is decreasing, there exists a threshold θ_i such that T_i is chosen for $q_i \leq \theta_i$ and $T_{\neg i}$ is chosen for $q_i > \theta_i$.

⁸Here and elsewhere, we will use $(x)_+$ to mean max $\{x, 0\}$.

Proposition 3.3. Fix any item seller *i* and prices $q'_i > q_i$ for seller *i*. Then for any principal menu *p*, other item sellers' prices q_{-i} , and buyer values \vec{v} , it holds that $\mathbb{1}_{i,\vec{v}}(p,(q_i,q_{-i})) \ge \mathbb{1}_{i,\vec{v}}(p,(q'_i,q_{-i}))$.

Proof. By Claim 3.2 there exist sets $T_i \ni i$ and $T_{\neg i} \not\ni i$ and a threshold $\theta_i \ge 0$ such that the set that the buyer purchases from the principal is T_i if $q_i \le \theta_i$, and is $T_{\neg i}$ if $q_i > \theta_i$. For any $q_i > 0$, it is utility-maximizing for the buyer to purchase item *i* from item seller *i* precisely if (a) item *i* is not purchased from the principal and (b) $v_i \ge q_i$. We conclude that $\mathbb{1}_{i,\vec{v}}(p,\vec{q}) = 0$ for all $q_i > \max\{v_i, \theta_i\}$, and $\mathbb{1}_{i,\vec{v}}(p,\vec{q}) = 1$ for all $0 < q_i < \max\{v_i, \theta_i\}$. For the remaining case that $q_i = 0$, we note that the buyer will always purchase from the item seller regardless of what was purchased from the principal. We conclude that $\mathbb{1}_{i,\vec{v}}(p,(q_i,q_{-i}))$ is monotone non-decreasing in q_i , as claimed.

Claim 3.9. Consider a market with value distribution $F' = \times_i F'_i$ and a partition of the items to sets $Y, Z \subset \mathcal{M}$ $(Y \cup Z = \mathcal{M})$. For any menu p of the principal seller, and for any mixed Nash equilibrium \vec{s} in the game $G_{p,F}$, the expected revenue of principal seller under (p, \vec{s}) is at most Rev(Y) + Wel(Z).

Proof. Write Rev(p) for the expected revenue under (p, \vec{s}) . What we will show is that $Rev(Y) \geq Rev(p) - Wel(Z)$. Indeed, consider the following (direct revelation) mechanism for the principal to sell the items in Y only. The principal solicits reported values $v_i \sim F_i$ for $i \in Y$, then draws $\tilde{v}_i \sim F'_i$ for $i \in Z$, then executes the mechanism for M described by price menu p. If any item $i \in Z$ is to be allocated under this mechanism, we instead transfer the simulated value \tilde{v}_i to the buyer. This randomized mechanism has expected revenue at least Rev(p) - Wel(Z), as Wel(Z) is the maximum expected transfer to the buyer. Furthermore, as the only randomization is in the simulation of \tilde{v}_i , we can derandomize by choosing the revenue-maximizing choice of \tilde{v} (since the mechanism is dominant strategy incentive compatible, as there is only a single buyer). The resulting deterministic mechanism can be described as a deterministic menu, so its expected revenue must be at most Rev(Y). We conclude that $Rev(Y) \geq Rev(p) - Wel(Z)$, as claimed.

C Omitted Proofs in Section 4

C.1 Omitted Proofs in Section 4.1

Lemma 4.3 (One Item Distribution, price sensitivity). Consider some value distribution G, and assume it has a highest Myerson price r_G . Then G is (λ, C) -price sensitive for $C = 1 - \frac{G(r_G)^4}{9}$ and $\lambda = \lambda(G) = \min_{C' \leq C} \frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C' \cdot r_G)}{(1 - C') \cdot r_G}$.

Proof. By the definition of (λ, C) -price sensitivity, G is (λ, C) -price sensitive if and only if for C it holds that $\forall C' \in [0, C], \lambda \leq \frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C' \cdot r_G)}{(1 - C') \cdot r_G}$. Clearly $\lambda = \min_{C' \leq C} \frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C' \cdot r_G)}{(1 - C') \cdot r_G}$ satisfies this condition.

Lemma 4.4 (Independent and Identical Items, variance). Consider markets with m i.i.d items, each with value distribution $F_i = G$ that is (λ, C) -price sensitive and has a highest Myerson price r_G . If $m \geq \frac{144}{\lambda^3(1-C)^3} \cdot \left(\frac{r_G}{\sigma_G(r_G)}\right)^2$ then $\sigma(V(\vec{r})) \geq \frac{12}{(\lambda(1-C))^{3/2}} \cdot r_G$.

Proof. Since the items are i.i.d, we know that the standard deviation of the buyer's truncated value for m items is \sqrt{m} times the standard deviation of the buyer's truncated value for one item. Hence $\sigma(V(\vec{r})) = \sqrt{m} \cdot \sigma_G(r_G)$. When $m \ge \frac{144}{\lambda^3(1-C)^3} \cdot \left(\frac{r_G}{\sigma_G(r_G)}\right)^2$, $\sqrt{m} \ge \frac{12}{(\lambda(1-C))^{3/2}} \cdot \frac{r_G}{\sigma_G(r_G)}$, and hence $\sigma(V(\vec{r})) = \sqrt{m} \cdot \sigma_G(r_G) \ge \frac{12}{(\lambda(1-C))^{3/2}} \cdot r_G$.

Corollary 4.5 (Independent and Identical Items, revenue). Let G be a distribution that has a unique Myerson price $r_G > inf(G)$. Then for all sufficiently large m (polynomial in parameters of G) and valuation distribution $F = \times_{i=1}^m G = G^m$, the principal can find a price for the grand bundle such that she obtains revenue at least a $\frac{1}{3}$ fraction of the expected truncated social welfare $\sum_i \mathbb{E}[\min(v_i, r_i)]$ in every equilibrium of $G_{p,F}$.

Proof. Since r_G is a unique Myerson price, by Lemma 4.3, G is (λ, C) -price sensitive for $C = 1 - \frac{G(r_G)^4}{9}$ and some $\lambda(G) > 0$ (otherwise by the definition of $\lambda(G)$, there must exists a point on the revenue curve which has the same value as $\operatorname{Rev}_G(r_G)$, violating the uniqueness assumption). Since $r_G > \inf(G)$, then $1 - C = \frac{G(r_G)^4}{9} > 0$. Additionally, $r_G > \inf(G)$ ensures that $\sigma_G(r_G) > 0$, since there is some variation in the values. By Lemma 4.4, for m that is polynomial in $1/G(r_G)$, $1/\lambda(G)$ and $\sigma_G(r_G)$, the standard deviation requirement in Theorem 4.2 is satisfied, and hence the theorem result applies.

Lemma 4.8 (Revenue Concave Distributions, price sensitivity). Consider some value distribution G that for some $\delta > 0$ is δ -revenue-concave. Let r_G be the unique Myerson price of G. Then G is (λ, C) -price sensitive for $\lambda \leq \frac{\delta}{2} \cdot (1 - C)$.

Proof. Since G is δ -revenue-concave, we know that for the revenue function $h(x) = x \cdot (1 - G(x))$, $h''(x) \leq -\delta/r_G$ by definition. By the definition of r_G , $h'(r_G) = 0$. Hence for any $q < r_G$,

$$h'(q) \ge h'(q) - h'(r_G) = -\int_q^{r_G} h''(x) \, dx \ge (r_G - q) \cdot \frac{\delta}{r_G},$$

and thus

$$h(r_G) - h(C \cdot r_G) = \int_{C \cdot r_G}^{r_G} h'(x) \ge \int_{C \cdot r_G}^{r_G} (r_G - x) \cdot \frac{\delta}{r_G} \, dx = \frac{\delta}{r_G} \cdot \left(r_G \cdot x - \frac{1}{2} x^2 \right) \Big|_{C \cdot r_G}^{r_G} = \frac{1}{2} \delta (1 - C)^2 r_G.$$

Now, by Lemma 4.3, $\lambda = \min_{C' \leq C} \frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C' \cdot r_G)}{(1 - C') \cdot r_G}$. Since G is δ -revenue-concave, $\frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C' \cdot r_G)}{(1 - C') \cdot r_G}$ is minimized when C' = C. Hence

$$\lambda = \frac{\operatorname{Rev}_G(r_G) - \operatorname{Rev}_G(C \cdot r_G)}{(1 - C) \cdot r_G} = \frac{\frac{1}{2}\delta(1 - C)^2 r_G}{(1 - C) \cdot r_G} = \frac{\delta}{2} \cdot (1 - C).$$

Lemma 4.9 (Smooth Distributions, variance). Consider some value distribution G supported on [0,1] that is δ -smooth with a highest Myerson price r_G . Then the variance of $\min(v, r_G)$, where $v \sim G$, is $\Omega(\delta) \cdot (r_G)^2$. Moreover, $r_G - \mathbb{E}_{v \sim G}[\min(v, r_G)] = \Omega(\delta) \cdot r_G$.

Proof. Since G is δ -smooth, for any $x \in (0,1)$, $G'(x) \geq \frac{\delta}{r_G}$. Hence for any $x \in (0,1)$, $G(x) = \int_0^x G'(x) dx \geq x \cdot \frac{\delta}{r_G}$, hence

$$r_G - \mathop{\mathbb{E}}_{v \in G}[\min(v, r_G)] = r_G - \mu_G(r_G) = \int_0^{r_G} G(x) \, dx \ge \int_0^{r_G} x \cdot \frac{\delta}{r_G} \, dx \ge \frac{\delta \cdot r_G}{2}$$

Now, we will bound the variance of $V_G(r_G) = \min(v, r_G)$.

$$var(V_G(r_G)) = \mathbb{E}[(V_G(r_G) - \mu_G(r_G))^2] \ge \int_0^{r_G} G'(x) \cdot (x - \mu_G(r_G))^2 dx$$
$$\ge \int_0^{r_G} \frac{\delta}{r_G} \cdot (x - \mu_G(r_G))^2 dx = \frac{\delta}{r_G} \cdot \frac{1}{3} (x - \mu_G(r_G))^3 \Big|_0^{r_G}$$
$$= \frac{\delta}{3r_G} \left(\cdot (r_G - \mu_G(r_G))^3 + \mu_G(r_G)^3 \right)$$
$$\ge \frac{\delta}{3r_G} \cdot \frac{(r_G)^3}{4} = \frac{\delta \cdot (r_G)^2}{12}.$$

The first to second line is by the bound on G'(x), the second to third line is just by evaluating the integral, and the third to forth line is by minimizing the convex function $(r_G - x)^3 + x^3$.

Corollary 4.10 (Revenue Concave Smooth Distributions, revenue). Fix any r_{max} , $r_{min} > 0$. Consider a market with m items, where each item i has a value distribution F_i that is δ -smooth and δ -revenue-concave, with highest Myerson price $r_i \in [r_{min}, r_{max}]$. When $m = \Omega(\operatorname{poly}(\frac{1}{\delta}, \frac{r_{max}}{r_{min}}))$, the principal can sell the grand bundle and obtain revenue at least a $\frac{1}{3}$ fraction of the expected truncated social welfare $\sum_i \mathbb{E}[\min(v_i, r_i)]$ in every equilibrium of $G_{p,F}$.

Proof. Observe that $r_G - \mathbb{E}_{v \sim G}[\min(v, r_G)] = \Omega(\delta) \cdot r_G$ and that $r_{max} \geq r_G \geq r_{min}$. This imply that for any δ -smooth distributions F_1, F_2, \ldots, F_m , for all i, it holds that $K = K(F_1, F_2, \ldots, F_m) \leq \frac{r_{max}}{\Omega(\delta) \cdot r_{min}}$. Note that by δ -smoothness, $F_i(r_i) \geq \delta$. Thus for the choice of C in Theorem 4.2, $1 - C = \min_{i \in \mathcal{M}} \frac{F_i^4(r_i)}{8K+1} = \Omega(\delta^5 \cdot \frac{r_{min}}{r_{max}})$. Hence by Lemma 4.8, every distribution F_i is (λ, C) -price sensitive for $\lambda = \frac{\delta}{2}(1 - C) = \Omega(\delta^6 \cdot \frac{r_{min}}{r_{max}})$.

By Lemma 4.9, the variance of each distribution F_i is $\Omega(\delta \cdot r_{min}^2)$. In order to satisfy the standard deviation requirement in Theorem 4.2, the variance for *m* items must be at least

$$\frac{144 \cdot r_{max}^2}{\lambda^3 (1-C)^3} = \frac{144 \cdot r_{max}^2}{\Omega(\delta^6 \cdot \frac{r_{min}}{r_{max}})^3 \cdot \Omega(\delta^5 \cdot \frac{r_{min}}{r_{max}})} = O\left(\left(\frac{1}{\delta}\right)^{23} \cdot \left(\frac{r_{max}}{r_{min}}\right)^4 \cdot r_{max}^2\right)$$

Hence for some $m = \Omega\left(\left(\frac{1}{\delta}\right)^{24} \cdot \left(\frac{r_{max}}{r_{min}}\right)^6\right) = \operatorname{poly}\left(\frac{1}{\delta}, \frac{r_{max}}{r_{min}}\right)$, the variance of m items satisfy the requirements in Theorem 4.2. We can now apply Theorem 4.2 to get the bound on principal revenue.

C.2 Omitted Proofs in Section 4.2

For the reader's convenience, we reiterate the notations used in this section.

For $v_i \sim F_i$ we use $V_i(r_i)$ to denote the random variable $\min(v_i, r_i)$: the value of item *i* truncated at r_i . Note that the truncated social welfare is the random variable $V(\vec{r}) = \sum_i V_i(r_i) = \sum_i \min(v_i, r_i)$ where $v_i \sim F_i$ for every *i* and $\vec{r} = (r_1, ..., r_m)$. The expected truncated social welfare is simple the mean on $V(\vec{r})$, and we write $\sigma(V(\vec{r}))$ to denote the standard deviation of the truncated social welfare $V(\vec{r})$. We use $\mu_i(r_i) = \mu(V_i(r_i))$ to denote the mean of $V_i(r_i)$, and $\sigma_i(r_i) = \sigma(V_i(r_i))$ to denote the standard deviation of $V_i(r_i)$.

Expanding on the notation of $V_i(r_i)$ that we defined earlier in the section, we will use $V_i(s_i)$ to denote the random variable $\min(v_i, q_i)$, where q_i is a random pricing strategy that is drawn from the item seller *i*'s mixed strategy s_i . We will denote $\mu_i(s_i) = \mu(V_i(s_i))$ and $\sigma_i(s_i) = \sigma(V_i(s_i))$ as the mean and standard deviation of $V_i(s_i)$, respectively. Similarly, we will use $\mu(\vec{s})$ and $\sigma(\vec{s})$. to represent the mean and standard deviation of $\sum_{j \in \mathcal{M}} V_j(s_j)$, respectively. We also use $\mu_{-i}(s_{-i})$ and $\sigma_{-i}(s_{-i})$ to represent the mean and standard deviation of $\sum_{j \neq i} V_j(s_j)$, respectively. For the sake of simplicity in notation, when item seller *i*'s strategy s_i is pure and pricing at q_i , we would just use q_i to represent s_i . For example, $V_i(C \cdot r_i)$ denote the random variable of $\min(v_i, C \cdot r_i)$ when $v_i \sim F_i$.

For distributions F_1, \ldots, F_m we define $K(F_1, \ldots, F_m) = \frac{\max_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}{\min_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}$ to be the ratio between the largest and smallest value of $\{r_i - \mu_i(r_i)\}$. Also, for notational convenience, we will sometimes use p to denote the principal's price of the grand bundle, instead of $p(\mathcal{M})$.

Claim C.1. For any $1 \ge C > 0$ and item seller i's strategy s_i such that $\inf(s_i) \ge C \cdot r_i$, it holds that $\sigma_i^2(s_i) \ge \left(1 - \frac{2(1-C)}{C \cdot F_i(r_i)^4}\right) \cdot \sigma_i^2(r_i).$

Proof. By the definition of variance, $\sigma_i(r_i)^2 = \mathbb{E}[V_i(r_i)^2] - \mu_i(r_i)^2$ and $\sigma_i(s_i)^2 = \mathbb{E}[V_i(s_i)^2] - \mu_i(s_i)^2$. We can assume WLOG that s_i is supported on $[0, r_i]$, because if it is support on values that are larger than r_i , then truncating these values at r_i will only make the variance the $V_i(s_i)$ smaller.

Since all support of s_i is at most r_i , $\mathbb{E}[V_i(s_i)] \leq \mathbb{E}[V_i(r_i)]$ and thus $\mathbb{E}[V_i(s_i)]^2 \leq \mathbb{E}[V_i(r_i)]^2$. Therefore

$$\sigma_i^2(r_i) - \sigma_i^2(s_i) = (\mathbb{E}[V_i(r_i)^2] - \mathbb{E}[V_i(r_i)]^2) - (\mathbb{E}[V_i(s_i)^2] - \mathbb{E}[V_i(s_i)]^2)$$

$$\leq \mathbb{E}[V_i(r_i)^2] - \mathbb{E}[V_i(s_i)^2] \leq (\mathbb{P}[q_i \leq v_i < r_i] + \mathbb{P}[r_i \leq v_i]) \cdot (r_i^2 - q_i^2).$$

The rest of our proof will bound $\mathbb{E}[V_i(r_i)^2] - \mathbb{E}[V_i(s_i)^2]$ from above, as well as $\sigma_i^2(r_i)$ from below. This will help us establish a relationship between $\sigma_i^2(s_i)$ and $\sigma_i^2(r_i)$.

Let $q_i = \inf(s_i)$. We can write out $\mathbb{E}[V_i(r_i)^2]$ as the weighted sum over conditional probabilities using the law of total probability over events $0 \le V_i(r_i) \le q_i$, $q_i \le V_i(r_i) \le r_i$ and $r_i \le V_i(r_i)$. Note that when $V_i(r_i) < r_i$, $V_i(r_i) = \min(v_i, r_i)$ is really just equal to v_i . Meanwhile, when $V_i(r_i) \ge r_i$, $V_i(r_i) = r_i$. Hence we have

$$\mathbb{E}[V_i(r_i)^2] = \mathbb{P}[0 \le v_i < q_i] \cdot \mathbb{E}[v_i^2 | v_i \le q_i] + \mathbb{P}[q_i \le v_i < r_i] \cdot \mathbb{E}[v_i^2 | q_i \le v_i \le r_i] + \mathbb{P}[r_i \le v_i] \cdot r_i^2$$

$$\le \mathbb{P}[0 \le v_i < q_i] \cdot \mathbb{E}[v_i^2 | v_i \le q_i] + \mathbb{P}[q_i \le v_i] \cdot r_i^2$$
(10)

Since $q_i = \inf(s_i)$, we know that $\mathbb{E}[V_i(s_i)^2] \ge \mathbb{E}[V_i(q_i)^2]$. Using the law of total probability again, we get

$$\mathbb{E}[V_i(s_i)^2] \ge \mathbb{E}[V_i(q_i)^2] = \mathbb{P}[0 \le v_i < q_i] \cdot \mathbb{E}[v_i^2|v_i \le q_i] + \mathbb{P}[q_i \le v_i] \cdot q_i^2 \tag{11}$$

By subtracting Equation (11) from Equation (10), we get:

$$\Rightarrow \mathbb{E}[V_i(r_i)^2] - \mathbb{E}[V_i(s_i)^2] \le \mathbb{P}[q_i \le v_i] \cdot (r_i^2 - q_i^2).$$

Since r_i is a Myerson price, it maximizes the function $x \cdot \mathbb{P}[x \leq v_i]$. Hence for any w, $\mathbb{P}[v_i \geq w] \leq \frac{r_i \cdot \mathbb{P}[r_i \leq v_i]}{w}$. Since $q_i \geq C \cdot r_i$, it must be the case that

$$\mathbb{P}[q_i \le v_i] \le \frac{r_i \cdot \mathbb{P}[r_i \le v_i]}{C \cdot r_i} = \frac{1}{C} \cdot \mathbb{P}[r_i \le v_i].$$

Therefore

$$\sigma_i^2(r_i) - \sigma_i^2(s_i) \le \frac{1}{C} \cdot \mathbb{P}[r_i \le v_i] \cdot (r_i^2 - q_i^2) \le \frac{1}{C} \cdot \mathbb{P}[r_i \le v_i] \cdot (r_i^2 - (C \cdot r_i)^2) = \frac{1}{C} \cdot \mathbb{P}[r_i \le v_i] \cdot (1 - C) \cdot (1 + C) \cdot r_i^2 \le \frac{1}{C} \cdot \mathbb{P}[r_i \le v_i] \cdot 2(1 - C) \cdot r_i^2.$$

The last line is by $C \leq 1$.

Finally, we also bound $\sigma_i^2(r_i)$. The variance $\sigma_i^2(r_i)$ can be written as the expectation of $(V_i(r_i) - \mu_i(r_i))^2$. By the law of total expectation,

$$\sigma_i^2(r_i) \ge \mathbb{P}[r_i \le v_i] \cdot (r_i - \mu_i(r_i))^2,$$

where

$$\begin{split} \mu_i(r_i) &= \int_0^{r_i} \mathbb{P}[v_i \ge v] \, dv \\ &\leq \int_0^{r_i} \min\left(\frac{\mathbb{P}[r_i \le v_i] \cdot r_i}{v}, 1\right) \, dv \\ &\leq \int_0^{\mathbb{P}[r_i \le v_i] \cdot r_i} 1 \cdot dv + \int_{\mathbb{P}[r_i \le v_i] \cdot r_i}^{r_i} \frac{\mathbb{P}[r_i \le v_i] \cdot r_i}{v} \, dv \\ &\leq \mathbb{P}[r_i \le v_i] \cdot r_i \cdot \left(1 + \log\left(\frac{1}{\mathbb{P}[r_i \le v_i]}\right)\right). \end{split}$$

For the above equation, the first to second line is by the fact that r_i is the myerson price, a monopolist pricing at v will get $\mathbb{P}[v \leq v_i] \cdot v \leq \mathbb{P}[r_i \leq v_i] \cdot r_i$, the second to fourth line are by expanding the terms and calculating the integral. Thus

$$r_i - \mu_i(r_i) \ge r_i - \mathbb{P}[r_i \le v_i] \cdot r_i \cdot \left(1 + \log\left(\frac{1}{\mathbb{P}[r_i \le v_i]}\right)\right) \ge \left(1 - \mathbb{P}[r_i \le v_i] \cdot \left(1 + \log\left(\frac{1}{\mathbb{P}[r_i \le v_i]}\right)\right)\right) \cdot r_i$$

By examining the Taylor expansion of $1 - \mathbb{P}[r_i \leq v_i] \cdot \left(1 + \log\left(\frac{1}{\mathbb{P}[r_i \leq v_i]}\right)\right)$ at $\mathbb{P}[r_i \leq v_i] = 1$, we get that for any $\mathbb{P}[r_i \leq v_i] \in (0, 1]$,

$$1 - \mathbb{P}[r_i \le v_i] \cdot \left(1 + \log\left(\frac{1}{\mathbb{P}[r_i \le v_i]}\right)\right) \ge (1 - \mathbb{P}[r_i \le v_i])^2/2.$$
(12)

Thus

$$\sigma_i^2(r_i) \ge \mathbb{P}[r_i \le v_i] \cdot (r_i - \mu_i(r_i))^2 \ge \mathbb{P}[r_i \le v_i] \cdot r_i^2 \cdot (1 - \mathbb{P}[r_i \le v_i])^4 / 4 = \mathbb{P}[r_i \le v_i] \cdot r_i^2 \cdot F_i(r_i)^4 / 4.$$

From both bounds on $\sigma_i^2(r_i) - \sigma_i^2(s_i)$ and σ_i^2 itself, we conclude that

$$\frac{\sigma_i(r_i)^2 - \sigma_i^2(s_i)}{\sigma_i(r_i)^2} \le \frac{\mathbb{P}[r_i \le v_i] \cdot r_i^2 \cdot \frac{2(1-C)}{C}}{\mathbb{P}[r_i \le v_i] \cdot r_i^2 \cdot F_i(r_i)^4} = \frac{2(1-C)}{C \cdot F_i(r_i)^4},$$
$$i) > \left(1 - \frac{2(1-C)}{C \cdot F_i(r_i)^4}\right) \cdot \sigma_i^2(r_i).$$

and thus $\sigma_i^2(s_i) \ge \left(1 - \frac{2(1-C)}{C \cdot F_i(r_i)^4}\right) \cdot \sigma_i^2(r_i)$.

Lemma 4.12. For any $K \ge 1$ and C such that $C \ge 1 - \frac{F_i(r_i)^4}{2K+1}$, it holds that $\sigma_i^2(C \cdot r_i) \ge (1 - \frac{1}{K}) \cdot \sigma_i^2(r_i)$.

Proof. Since $C \ge 1 - \frac{F_i(r_i)^4}{2K+1}$, then $2(1-C) \le 2 \cdot \frac{F_i(r_i)^4}{2K+1}$. Meanwhile, $C \ge 1 - \frac{F_i(r_i)^4}{2K+1} \ge 1 - \frac{1}{2K+1} = \frac{2K}{2K+1}$. Hence

$$\frac{2(1-C)}{C \cdot (1-\mathbb{P}[r_i \le v_i])^4} \le \frac{2 \cdot \frac{F_i(r_i)^4}{2K+1}}{\frac{2K}{2K+1} \cdot F_i(r_i)^4} = \frac{1}{K},$$

and thus $1 - \frac{2(1-C)}{C \cdot F_i(r_i)^4} \ge 1 - \frac{1}{K}$. Plugging above inequality into Claim C.1 yields our corollary. \Box

Lemma C.2. Let $inf(s_i)$ be the infinum of the support of s_i , then

$$\frac{\mathbb{E}_{q_i \sim s_i}[\sigma_i^2(r_i) - \sigma_i^2(q_i)]}{2(\inf(s_i) - \mu_i(\inf(s_i))} \ge \mu_i(r_i) - \mu_i(s_i) \ge \frac{\sigma_i^2(r_i) - \sigma_i^2(s_i)}{2(r_i - \mu_i(r_i))}$$

Proof. Firstly, consider the case where s_i is a pure strategy at q_i . Then,

$$\mu_i(q_i) = \mathbb{E}[V_i(q_i)] = \int_0^{q_i} 1 - F_i(x) \, dx$$

and

$$\sigma_i^2(q_i) = \mathbb{E}[V_i^2(q_i)] - \mu_i^2(q_i) = \int_0^{q_i^2} 1 - F_i(\sqrt{x})dx - \mu_i^2(q_i)$$
$$= \int_0^{q_i} (1 - F_i(x)) \cdot 2x \, dx - \mu_i^2(q_i)$$

Note that although the action space of the item sellers are confined to multiples of ε , for the purpose of this lemma we will consider the derivative of $\mu_i(q_i)$ and $\sigma^2(q_i)$ over the domain [0,1]. Our derivative computation is purely a technical tool for our proof.

Now, we can compute the derivatives of both $\mu_i(q_i)$ and $\sigma^2(q_i)$ to see the rate of change of these quantities when a price reduction at q_i occurs.

$$\frac{\mathrm{d}\mu_i(q_i)}{\mathrm{d}q_i} = 1 - F_i(q_i)$$

and

$$\frac{\mathrm{d}\sigma_i^2(q_i)}{\mathrm{d}q_i} = (1 - F_i(q_i)) \cdot 2q_i - 2\mu_i(q_i) \cdot (1 - F_i(q_i))$$
$$= (1 - F_i(q_i)) \cdot (2q_i - 2\mu_i(q_i)).$$

Let $\operatorname{rem}(q_i) = q_i - u_i(q_i)$, then

$$\operatorname{rem}(q_i) = \int_0^{q_i} 1 \, dx - \int_0^{q_i} 1 - F_i(x) \, dx = \int_0^{q_i} F_i(x) \, dx$$

Clearly, $\operatorname{rem}(q_i)$ is monotonically non-decreasing in q_i . Moreover, from our computation, $\frac{\mathrm{d}\sigma_i^2(q_i)}{\mathrm{d}q_i} = \operatorname{rem}(q_i) \cdot \frac{\mathrm{d}\mu_i(q_i)}{\mathrm{d}q_i}$. Now we can use this formula to rewrite the difference between variance of $V_i(q_i)$ and $V_i(r_i)$, and bound this difference using the difference in mean.

$$\sigma^2(r_i) - \sigma^2(q_i) = \int_{q_i}^{r_i} \frac{\mathrm{d}\sigma_i^2(x)}{\mathrm{d}q_i} \, dx = \int_{q_i}^{r_i} 2 \cdot \operatorname{rem}(x) \cdot \frac{\mathrm{d}\mu_i(x)}{\mathrm{d}x} \, dx.$$

By the fact that $\operatorname{rem}(x)$ is monotonically non-decreasing, $\operatorname{rem}(x)$ is at most $\operatorname{rem}(r_i)$ and at least $\operatorname{rem}(q_i)$. Hence

$$\int_{q_i}^{r_i} 2 \cdot \operatorname{rem}(x) \cdot \frac{\mathrm{d}\mu_i(x)}{\mathrm{d}x} \, dx \ge 2\operatorname{rem}(r_i) \int_{q_i}^{r_i} \frac{\mathrm{d}\mu_i(x)}{\mathrm{d}x} \, dx = 2\operatorname{rem}(r_i) \cdot (\mu(r_i) - \mu(q_i)).$$

Similarly,

$$\int_{q_i}^{r_i} 2 \cdot \operatorname{rem}(x) \cdot \frac{\mathrm{d}\mu_i(x)}{\mathrm{d}x} \, dx \le \operatorname{rem}(q_i) \cdot (\mu(r_i) - \mu(q_i))$$

Hence for a pure strategy q_i , our theorem statement holds

$$\frac{\sigma^2(r_i) - \sigma^2(q_i)}{\operatorname{rem}(q_i)} \ge \mu(r_i) - \mu(q_i) \ge \frac{\sigma^2(r_i) - \sigma^2(q_i)}{\operatorname{rem}(r_i)}.$$

For randomized strategy s_i , the left part of the equation holds by taking expectation over $q_i \sim s_i$:

$$\mu_i(r_i) - \mu_i(s_i) = \mathop{\mathbb{E}}_{q_i \sim s_i}[\mu_i(r_i) - \mu_i(s_i)] \le \frac{\mathop{\mathbb{E}}_{q_i \sim s_i}[\sigma_i^2(r_i) - \sigma_i^2(q_i)]}{2(\inf(s_i) - \mu_i(\inf(s_i)))}.$$

For the right part of the equation, we simply use the fact that

$$\sigma_i^2(s_i) = \mathbb{E}[V_i^2(s_i)] - \mu_i^2(s_i) = \underset{q_i \sim s_i}{\mathbb{E}}[\mathbb{E}[V_i^2(q_i)]] - (\underset{q_i \sim s_i}{\mathbb{E}}[\mu_i(q_i)])^2 \\ \ge \underset{q_i \sim s_i}{\mathbb{E}}[\mathbb{E}[V_i^2(q_i)]] - \underset{q_i \sim s_i}{\mathbb{E}}[\mu_i(q_i)^2] = \underset{q_i \sim s_i}{\mathbb{E}}[\sigma_i^2(q_i)]$$

Hence

$$\mu_i(r_i) - \mu_i(s_i) \ge \frac{\mathbb{E}_{q_i \sim s_i}[\sigma^2(r_i) - \sigma^2(q_i)]}{\mathsf{rem}(r_i)} \ge \frac{\sigma^2(r_i) - \sigma_i^2(s_i)}{r_i - \mu_i(r_i)}.$$

 $\begin{array}{l} \textbf{Claim C.3. For any } C \geq 1 - \frac{F_i(r_i)^4}{8K+1} \text{ where } K \geq 1, \text{ it holds that } C \cdot r_i - \mu_i(C \cdot r_i) \geq \frac{4}{5} \cdot (r_i - \mu_i(r_i)). \\ Proof. \text{ Again, let } \texttt{rem}(C \cdot r_i) = C \cdot r_i - \mu_i(C \cdot r_i) \text{ and } \texttt{rem}(r_i) = r_i - \mu_i(r_i). \text{ Let } \texttt{Rev}_i(r_i) = r_i \cdot (1 - F_i(r_i)). \\ \texttt{Since } r_i \text{ is the Myerson price, for any } x \in [0, 1], x(1 - F_i(x)) \leq \texttt{Rev}_i(r_i), \text{ hence } F_i(x) \geq 1 - \frac{\texttt{Rev}_i(r_i)}{x}. \end{array}$

As we have discussed in Lemma C.2

$$\begin{aligned} \operatorname{rem}(C \cdot r_i) &= \int_0^{C \cdot r_i} F_i(x) \, dx \geq \int_0^{C \cdot r_i} \max\left(0, 1 - \frac{\operatorname{Rev}_i(r_i)}{x}\right) \, dx \\ &\geq \int_{\operatorname{Rev}_i(r_i)}^{C \cdot r_i} 1 - \frac{\operatorname{Rev}_i(r_i)}{x} \, dx \end{aligned}$$

When $x \ge r_i \cdot (1 - F_i(r_i)^4)$,

$$1 - \frac{\mathsf{Rev}_i(r_i)}{x} \ge 1 - \frac{r_i \cdot (1 - F_i(r_i))}{r_i \cdot (1 - F_i(r_i)^4)} \ge 1 - \frac{1}{1 + F_i(r_i)} \ge \frac{F_i(r_i)}{2}.$$

Given that $C \ge 1 - \frac{F_i(r_i)^4}{2K+1}$,

$$\begin{split} \int_{\mathsf{Rev}_i(r_i)}^{C \cdot r_i} 1 - \frac{\mathsf{Rev}_i(r_i)}{x} \ge \int_{r_i \cdot (1 - F_i(r_i)^4)}^{C \cdot r_i} \frac{F_i(r_i)}{2} \ge \left(r_i \cdot \left(1 - \frac{F_i(r_i)^4}{2K + 1} \right) - r_i \cdot \left(1 - F_i(r_i)^4 \right) \right) \cdot \frac{F_i(r_i)}{2} \\ = r_i \cdot \left(1 - \frac{1}{2K + 1} \right) \cdot \frac{F_i(r_i)^5}{2}. \end{split}$$

Meanwhile, $\operatorname{rem}(r_i) - \operatorname{rem}(C \cdot r_i) = \int_{C \cdot r_i}^{r_i} F_i(x) dx$. Since it's always true that $F_i(x) \leq F_i(r_i)$,

$$\operatorname{rem}(r_i) - \operatorname{rem}(C \cdot r_i) \le (1 - C)r_i \cdot F_i(r_i) \le \frac{F_i(r_i)^5}{2K + 1}.$$

Since $K \ge 4$, we conclude that

$$\frac{\operatorname{rem}(r_i)}{\operatorname{rem}(C \cdot r_i)} = 1 + \frac{\operatorname{rem}(r_i) - \operatorname{rem}(C \cdot r_i)}{\operatorname{rem}(C \cdot r_i)} \le 1 + \frac{\frac{F_i(r_i)^5}{2K+1}}{\left(1 - \frac{1}{2K+1}\right) \cdot \frac{F_i(r_i)^5}{2}} \le 1 + \frac{1/9}{\left(1 - 1/9\right) \cdot 1/2} = 1 + 1/4 = 5/4.$$

This yields our claim.

Lemma 4.13. For any $C \geq 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1}$, where $K = K(F_1, \ldots, F_m)$ and any item seller strategy profile such that $\mu(\vec{s}) = \sum_i \mu_i(s_i) \geq \sum_i \mu_i(C \cdot r_i)$, it holds that $\sigma^2(\vec{s}) = \sum_i \sigma_i^2(s_i) \geq \frac{1}{2} \sum_i \sigma_i^2(r_i) = \sigma^2(\vec{r})$.

Proof. By Lemma C.2, we know that

$$\begin{aligned} \sigma^2(\vec{r}) - \sigma^2(\vec{s}) &= \sum_{i \in \mathcal{M}} \left(\sigma_i^2(r_i) - \sigma_i^2(s_i) \right) \le \sum_{i \in \mathcal{M}} 2(r_i - \mu_i(r_i)) \cdot \left(\mu_i(r_i) - \mu_i(s_i) \right) \\ &\le 2 \max_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\} \cdot \left(\sum_{i \in \mathcal{M}} \mu_i(r_i) - \sum_{i \in \mathcal{M}} \mu_i(s_i) \right). \end{aligned}$$

By our assumption in the lemma, $\sum_{i \in \mathcal{M}} \mu_i(s_i) \geq \sum_i \mu_i(C \cdot r_i)$. Hence

$$\sum_{i \in \mathcal{M}} \mu_i(r_i) - \sum_{i \in \mathcal{M}} \mu_i(s_i) \le \sum_{i \in \mathcal{M}} \mu_i(r_i) - \sum_{i \in \mathcal{M}} \mu_i(C \cdot r_i) = \sum_{i \in \mathcal{M}} (\mu_i(r_i) - \mu_i(C \cdot r_i)).$$

Now, again by Lemma C.2,

$$\sum_{i \in \mathcal{M}} (\mu_i(r_i) - \mu_i(C \cdot r_i)) \leq \sum_{i \in \mathcal{M}} \frac{\sigma_i^2(r_i) - \sigma_i^2(C \cdot r_i)}{2(C \cdot r_i - \mu_i(C \cdot r_i))}$$
$$\leq \frac{1}{2(\min_{i \in \mathcal{M}} \{C \cdot r_i - \mu_i(C \cdot r_i)\})} \cdot \left(\sum_{i \in \mathcal{M}} \sigma_i^2(r_i) - \sum_{i \in \mathcal{M}} \sigma_i^2(C \cdot r_i)\right).$$

Note that our choice of C satisfies the conditions in Claim C.3, hence for all $i \in \mathcal{M}, C \cdot r_i - \mu_i(C \cdot r_i) \geq 1$ $\frac{4}{5} \cdot (r_i - \mu_i(r_i))$, and hence

$$\sum_{i \in \mathcal{M}} (\mu_i(r_i) - \mu_i(C \cdot r_i)) \le \frac{5}{8(\min_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\})} \cdot \left(\sum_{i \in \mathcal{M}} \sigma_i^2(r_i) - \sum_{i \in \mathcal{M}} \sigma_i^2(C \cdot r_i)\right).$$

Plugging our choice of C into Lemma 4.12, we get

$$\sum_{i \in \mathcal{M}} \sigma_i^2(C \cdot r_i) \ge \left(1 - \frac{1}{K}\right) \cdot \sigma_i^2(r_i),$$

hence

$$\sum_{i \in \mathcal{M}} \sigma_i^2(r_i) - \sum_{i \in \mathcal{M}} \sigma_i^2(C \cdot r_i) \le \frac{1}{K} \cdot \sigma_i^2(r_i).$$
(13)

We conclude that

$$\begin{split} \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) &- \sum_{i \in \mathcal{M}} \sigma_i^2(s_i) \le \frac{2 \max_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}{8/5 \cdot \min_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}} \cdot \frac{1}{K} \cdot \sigma_i^2(r_i) \\ &\le \frac{2 \max_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}{8/5 \cdot \min_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}} \cdot \frac{1}{4 \cdot \frac{\max_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}{\min_{i \in \mathcal{M}} \{r_i - \mu_i(r_i)\}}} \cdot \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) \le \frac{1}{2} \cdot \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) \end{split}$$

and hence

$$\sigma^2(\vec{s}) = \sum_{i \in \mathcal{M}} \sigma_i^2(s_i) \ge \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) - \frac{1}{2} \cdot \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) = \frac{1}{2} \cdot \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) = \sigma^2(\vec{r}).$$

Lemma 4.14. Consider a market with value distribution $F = \times_i F_i$. Assume that there exists constant $\lambda > 0$ such that for $C = 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1}$ where $K = K(F_1, \ldots, F_m)$, all items $i \in \mathcal{M}$ have value distributions that are (λ, C) -price sensitive. In addition, assume the variance of the buyer's value for the bundle $\sigma(V(\vec{r})) \geq \frac{12}{(\lambda(1-C))^{3/2}} \cdot \max_{j \in \mathcal{M}} \{r_j\}$. Given principal grand bundle price $p = \sum_i \mathbb{E}[\min(v_i, C \cdot r_i)] + \frac{\sigma(V(\vec{r}))}{4}$ and item seller equilibrium (s_1, \cdots, s_n) in $G_{p,F}$, if the buyer not purchases the grand bundle with probability $\geq 1/2$, then the support of each s_i is contained in $[C \cdot r_i, r_i]$.

Proof. Recall from our discussion in Section 3 (in particular, Equation (4)), given the principal is selling the grand bundle at price p and other item sellers j are using strategies s_j , item seller j gets the following expected revenue for pricing at q_i :

$$\mathsf{us}_i(p,(q_i,s_{-i})) = q_i \cdot \mathbb{P}[V_i(r_i) \ge q_i] \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot \mathbb{P}[p-q_i \ge \sum_{j \ne i} V_j(s_j)] = \mathsf{Rev}_i(q_i) \cdot$$

Assume the buyer chooses to buy the grand bundle with probability < 1/2 when item seller *i* uses strategy s_i . Then

$$\mathbb{P}[p \ge \sum_{j \neq i} V_j(s_j)] \ge \mathbb{P}[p \ge \sum_j V_j(s_j)] \ge 1/2.$$

We will show that in this case, pricing below $C \cdot r_i$ is a strictly dominated strategy for item seller *i*. In particular, we will prove that for any $\alpha \in [0, C)$,

$$\mathsf{us}_i(p, (\alpha \cdot r_i, s_{-i})) < \mathsf{us}_i(p, (r_i, s_{-i})).$$
(14)

Pluggin in the formula for $us_i(\cdot)$, Equation (14) is equivalent to

$$\frac{\mathbb{P}[p - r_i \ge \sum_{j \ne i} V_j(s_j)]}{\mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)]} \ge \frac{\mathsf{Rev}_i(\alpha \cdot r_i)}{\mathsf{Rev}_i(r_i)}$$

We know by all value distribution being (λ, C) -price sensitive that for any $\alpha < C$, $\operatorname{Rev}_i(r_i) - \operatorname{Rev}_i(\alpha \cdot r_i) \geq \lambda(1-\alpha) \cdot r_i$, and hence $\frac{\operatorname{Rev}_i(\alpha \cdot r_i)}{\operatorname{Rev}_i(r_i)} \leq 1 - \lambda(1-\alpha)$. Thus for our lemma, it is sufficient to prove that

$$\frac{\mathbb{P}[p - r_i \ge \sum_{j \ne i} V_j(s_j)]}{\mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)]} \ge 1 - \lambda(1 - \alpha).$$
(15)

When $\mathbb{P}[p - r_i \geq \sum_{j \neq i} V_j(s_j)] \geq 1 - \lambda(1 - \alpha)$, above equation is automatically satisfied. Now we will mainly focus on the case where $\mathbb{P}[p - r_i \geq \sum_{j \neq i} V_j(s_j)] < 1 - \lambda(1 - \alpha)$. In this case, we will prove that the standard deviation of the random variables $\sum_{j \neq i} V_j(s_j)$ s are large, specifically, $\sigma_{-i}(s_{-i}) = \sqrt{\sum_{j \neq i} \sigma_j^2(s_j)} \geq 2 \cdot (\frac{1}{\lambda(1-c)} + 2) \cdot \max_i r_i$. We will soon see that this large standard deviation enables us to argue that item seller *i*'s ability to affect the probability that the buyer purchases the grand bundle from the principal is limited.

Let $A = 2 \cdot (\frac{1}{\lambda(1-c)} + 2)$. Assume for contradiction that $\sigma_{-i}(s_{-i}) < A \cdot \max_i r_i$. We are considering the case that $\mathbb{P}[p - r_i \ge \sum_{j \ne i} V_j(s_j)] < 1 - \lambda(1-\alpha)$, hence $\mathbb{P}[p - r_i < \sum_{j \ne i} V_j(s_j)] \ge \lambda(1-\alpha)$. Let $\Delta_i = p - r_i - \mathbb{E}[\sum_{j \ne i} V_j(s_j)]$. By chebyshev's inequality, when $\Delta_i \ge 0$,

$$\lambda(1-\alpha) \leq \mathbb{P}\left[\sum_{j\neq i} V_j(s_j) > p - r_i\right]$$

= $\mathbb{P}\left[\sum_{j\neq i} V_j(s_j) \geq \mathbb{E}\left[\sum_{j\neq i} V_j(s_j)\right] + \frac{(p - r_i - \mathbb{E}\left[\sum_{j\neq i} V_j(s_j)\right])}{\sigma_{-i}(s_{-i})} \cdot \sigma_{-i}(s_{-i})\right]$
 $\leq \frac{\sigma_{-i}^2(s_{-i})}{\Delta_i^2}.$

Hence

$$\Delta_i \le \frac{\sigma_{-i}(s_i)}{\sqrt{\lambda(1-\alpha)}} < \frac{A \cdot \max_{j \in \mathcal{M}} \{r_j\}}{\sqrt{\lambda(1-\alpha)}}$$

This means that the difference between the mean of $\sum_{j\neq i} V_j(s_j)$ and $p-r_i$ is small. Specifically,

$$\mathbb{E}\left[\sum_{j\neq i} V_j(s_j)\right] \ge p - r_i - \frac{A \cdot \max_{j\in\mathcal{M}}\{r_j\}}{\sqrt{\lambda(1-\alpha)}} \ge p - \left(1 + \frac{A}{\sqrt{\lambda(1-\alpha)}}\right) \cdot \max_{j\in\mathcal{M}}\{r_j\}$$
$$\ge \sum_{i\in\mathcal{M}} \mathbb{E}[\min(v_i, C \cdot r_i)] + \frac{\frac{12}{(\lambda(1-C))^{3/2}} \cdot \max_{j\in\mathcal{M}}\{r_j\}}{4} - \left(1 + \frac{A}{\sqrt{\lambda(1-\alpha)}}\right) \cdot \max_{j\in\mathcal{M}}\{r_j\}$$
$$\ge \sum_{i\in\mathcal{M}} \mathbb{E}[\min(v_i, C \cdot r_i)].$$

Now, this means that $\mathbb{E}\left[\sum_{j\in\mathcal{M}}V_j(s_j)\right] = \mathbb{E}\left[\sum_{j\neq i}V_j(s_j)\right] + V_i(s_i) \geq \sum_{i\in\mathcal{M}}\mathbb{E}[\min(v_i, C \cdot r_i)]$. By Lemma 4.13, we can bound the variance of random variable $\sum_{j\neq i}V_j(s_j)$:

$$\begin{aligned} \sigma_{-i}^2(s_{-i}) &= \sum_{j \neq i} \sigma_j^2(s_j) = \sum_{j \in \mathcal{M}} \sigma_j^2(s_j) - \sigma_i^2(s_i) \ge \frac{1}{2} \sum_{j \in \mathcal{M}} \sigma_j^2(r_j) - r_i^2 \\ &\ge \frac{36}{(\lambda(1-C))^3} \cdot (\max_{j \in \mathcal{M}} \{r_j\})^2 - r_i^2 \ge \frac{35}{(\lambda(1-C))^3} \cdot (\max_{j \in \mathcal{M}} \{r_j\})^2 \end{aligned}$$

Hence $\sigma_{-i}(s_{-i}) \geq \frac{5}{(\lambda(1-C))^{3/2}} \cdot \max_{j \in \mathcal{M}} \{r_j\}$, which is a contradiction to our assumption that $\sigma_{-i}(s_{-i}) < A \cdot \max_{j \in \mathcal{M}} \{r_j\}$.

Now that we have proven $\sigma_{-i}(s_{-i}) > A \cdot \max_{j \in \mathcal{M}} \{r_j\}$, we will proceed to prove that this implies Equation (15).

Let $\delta_i = 0.5606 \cdot \frac{1}{\sigma_{-i}(s_{-i})} \cdot \max_{j \neq i} \frac{\mathbb{E}[|V_j(s_j) - E[V_j(s_j)]|^3]}{\mathbb{E}[|V_j(s_j) - E[V_j(s_j)]|^2]}$. Since $V_j(s_j)$ is always at most r_j , $\frac{\mathbb{E}[|V_j(s_j) - E[V_j(s_j)]|^3]}{\mathbb{E}[|V_j(s_j) - E[V_j(s_j)]|^2]} \leq r_j$. Hence $\delta_i \leq 0.5606 \cdot \frac{\max_{j \in \mathcal{M}} \{r_j\}}{A \cdot \max_{j \in \mathcal{M}} \{r_j\}} \leq \frac{0.5606}{A}$. Recall that Φ denotes the CDF of the standard normal distribution $\mathcal{N}(0, 1)$. By the two bounds on normal distribution from the Berry-Esseen Theorem (Theorem 4.11), we know that for

$$\mathbb{P}\left[p - \alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)\right] = \mathbb{P}\left[\sum_{j \ne i} V_j(s_j) \le \mu_{-i}(s_{-i}) + \left(\frac{p - \alpha \cdot r_i - \mu_{-i}(s_{-i})}{\sigma_{-i}(s_{-i})}\right) \cdot \sigma_{-i}(s_{-i})\right]$$
$$\le \Phi\left(\frac{p - \alpha \cdot r_i - \mu_{-i}(s_{-i})}{\sigma_{-i}(s_{-i})}\right) + \delta_i$$

and

$$\mathbb{P}\left[p-r_i \ge \sum_{j \ne i} V_j(s_j)\right] = \mathbb{P}\left[\sum_{j \ne i} V_j(s_j) \le \mu_{-i}(s_{-i}) + \left(\frac{p-r_i - \mu_{-i}(s_{-i})}{\sigma_{-i}(s_{-i})}\right) \cdot \sigma_{-i}(s_{-i})\right]$$
$$\ge \Phi\left(\frac{p-r_i - \mu_{-i}(s_{-i})}{\sigma_{-i}(s_{-i})}\right) - \delta_i.$$

Note that the probability density of $\mathcal{N}(0,1)$ is at most $\frac{1}{\sqrt{2\pi}}$ at any point. Therefore

$$\Phi\left(\frac{p-\alpha\cdot r_i-\mu_{-i}(s_{-i})}{\sigma_{-i}(s_{-i})}\right) - \Phi\left(\frac{p-r_i-\mu_{-i}(s_{-i})}{\sigma_{-i}(s_{-i})}\right) \le \frac{1}{\sqrt{2\pi}} \cdot (1-\alpha) \cdot \frac{r_i}{\sigma_{-i}(s_{-i})} \le \frac{1-\alpha}{\sqrt{2\pi}\cdot A}$$

We conclude that

$$\mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)] - \mathbb{P}[p - r_i \ge \sum_{j \ne i} V_j(s_j)] \le \frac{1 - \alpha}{\sqrt{2\pi} \cdot A} + 2\delta_i \le \left(\frac{1 - \alpha}{\sqrt{2\pi}} + 1.1212\right) \cdot \frac{1}{A}$$

Similarly, we know that

$$\mathbb{P}[p \ge \sum_{j \ne i} V_j(s_j)] - \mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)] \le \frac{\alpha}{\sqrt{2\pi} \cdot A} + 2\delta_i \le \left(\frac{\alpha}{\sqrt{2\pi}} + 1.1212\right) \cdot \frac{1}{A}$$

Since we know from our assumption in the lemma that $\mathbb{P}[p \ge \sum_{j \neq i} V_j(s_j)] \ge 1/2$, then $\mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \neq i} V_j(s_j)] \ge 1/2 - \left(\frac{\alpha}{\sqrt{2\pi}} + 1.1212\right) \cdot \frac{1}{A}$. Note that proving Equation (15) is equivalent to proving $\frac{\mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \neq i} V_j(s_j)] - \mathbb{P}[p - r_i \ge \sum_{j \neq i} V_j(s_j)]}{(1 - \alpha) \cdot \mathbb{P}[p - \alpha \cdot r_i \ge \sum_{j \neq i} V_j(s_j)]} \le \lambda.$

We can now plug in the quantities in the left hand side of the above equation:

$$\frac{\mathbb{P}[p-\alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)] - \mathbb{P}[p-r_i \ge \sum_{j \ne i} V_j(s_j)]}{(1-\alpha) \cdot \mathbb{P}[p-\alpha \cdot r_i \ge \sum_{j \ne i} V_j(s_j)]} \le \frac{\left(\frac{1-\alpha}{\sqrt{2\pi}} + 1.1212\right) \cdot \frac{1}{A}}{(1-\alpha) \cdot \left(1/2 - \left(\frac{\alpha}{\sqrt{2\pi}} + 1.1212\right) \cdot \frac{1}{A}\right)} \le \frac{\left(\frac{1}{\sqrt{2\pi}} + \frac{1.1212}{1-\alpha}\right)}{A/2 - \left(\frac{\alpha}{\sqrt{2\pi}} + 1.1212\right)}$$

Since $\alpha \leq C$, and the above ratio is monotonically increasing in α ,

$$\frac{\left(\frac{1}{\sqrt{2\pi}} + \frac{1.1212}{1-\alpha}\right)}{A/2 - \left(\frac{\alpha}{\sqrt{2\pi}} + 1.1212\right)} \le \frac{\left(\frac{1}{\sqrt{2\pi}} + \frac{1.1212}{1-C}\right)}{A/2 - \left(\frac{C}{\sqrt{2\pi}} + 1.1212\right)}.$$

For $A \ge 2 \cdot (\frac{1}{\lambda(1-c)} + 2)$, one can verify that the above quantity is at most λ . This proves our lemma.

Theorem 4.2. Consider a market with value distribution $F = \times_i F_i$. Assume that there exists constant $\lambda > 0$ and $C = 1 - \frac{\min_{i \in \mathcal{M}} F_i(r_i)^4}{8K+1}$ where $K = K(F_1, \dots, F_m)$ such that the value distribution of every item $i \in \mathcal{M}$ is (λ, C) -price sensitive. In addition, assume $\sigma(V(\vec{r})) \ge \frac{12}{(\lambda(1-C))^{3/2}} \cdot \max_{j \in \mathcal{M}} \{r_j\}.$ When the principal offers the grand bundle at price $p = \sum_i \mathbb{E}[\min(v_i, C \cdot r_i)] + \frac{\sigma(V(\vec{r}))}{4}$, the revenue of the principal in every Nash equilibrium of the game $\overline{G_{p,F}}$ is at least $\frac{1}{3}$ of the expected truncated social welfare $\sum_{i} \mathbb{E}[\min(v_i, r_i)].$

Proof. (of Theorem 4.2) Consider an arbitrary equilibrium (s_1, \dots, s_n) in $G_{p,F}$, where $p = \sum_j \mathbb{E}[V_j(C \cdots S_{n-1})]$ $[r_j] + \frac{\sigma(V(\vec{r}))}{2}$. Note that as discussed in Section 3.1, when the buyer's value for the items is \vec{v} , the buyer's utility for the principal seller selling the grand bundle is $\mathsf{ub}_{P,\vec{v}}(T,p) = \sum_{i \in \mathcal{M}} v_i - p$. Meanwhile, the buyer's maximum utility from purchasing any subset of items from item sellers who are pricing at \vec{q} is $\mathsf{ub}_{I,\vec{v}}(\mathcal{M},\vec{q}) = \max_{S \subseteq \mathcal{M}} \sum_{i \in S} (v_i - q_i) = \sum_{i \in \mathcal{M}} (v_i - q_i)_+$. Hence the buyer only purchases from the principal when their utility from the principal is larger than that of item sellers, i.e. $\sum_{i \in \mathcal{M}} v_i - p > \sum_{i \in \mathcal{M}} (v_i - q_i)_+$. Equivalently, $p < \sum_{i \in \mathcal{M}} \min(v_i, q_i)$. This happens with probability $\mathbb{P}[p < \sum_j V_j(s_j)]$.

If $\mathbb{P}[p < \sum_j V_j(s_j)] \ge 1/2$, then the principal's revenue is at least $\mathbb{P}[p < \sum_j V_j(s_j)] \cdot p$. We know that

$$p \ge \sum_{j} \mathbb{E}[V_j(C \cdot r_j)] = \sum_{j} \mathbb{E}[\min(v_j, C \cdot r_j)] \ge \sum_{j} \mathbb{E}[\min(C \cdot v_j, C \cdot r_j)]$$
$$= C \cdot \sum_{j} \mathbb{E}[\min(v_j, r_j)] = C \cdot \sum_{j} \mathbb{E}[V_j(r_j)].$$

Since $C \geq 1 - \frac{1}{9} = \frac{8}{9}, \frac{1}{2} \cdot C \geq \frac{1}{2} \cdot \frac{8}{9} = \frac{4}{9} > \frac{1}{3}$. Hence the principal's revenue is at least $\frac{1}{2} \cdot (C \cdot \sum_j \mathbb{E}[V_j(r_j)]) > \frac{1}{3} \cdot \sum_j \mathbb{E}[V_j(r_j)]$. Now, if $\mathbb{P}[p < \sum_j V_j(s_j)] < 1/2$, then by Lemma 4.14, each item seller *i*'s strategy s_i is supported

on $[C \cdot r_i, r_i]$. By Lemma 4.12,

$$\sigma^2(\vec{s}) = \sum_{i \in \mathcal{M}} \sigma_i^2(s_i) \ge \sum_{i \in \mathcal{M}} \mathbb{E}_{q_i \sim s_i}[\sigma_i^2(q_i)] \ge \left(1 - \frac{1}{K}\right) \cdot \sum_{i \in \mathcal{M}} \sigma_i^2(r_i) = \left(1 - \frac{1}{K}\right) \sigma^2(\vec{r}) \ge \frac{3}{4} \cdot \sigma^2(\vec{r}).$$

Moreover, it is clear that $\mu(\vec{s}) = \mathbb{E}[\sum_{i} V_i(s_i)] \ge \mathbb{E}[\sum_{i} V_i(C \cdot r_i)] = p - \sigma(V(\vec{r}))/4 \ge p - \sqrt{\frac{4}{3}} \cdot \sigma(\vec{s})/4.$ Now, the error term in the Berry-Esseen Theorem (Theorem 4.11):

$$\delta = 0.5606 \cdot \frac{1}{\sigma(\vec{s})} \cdot \max_{j \in \mathcal{M}} \frac{\mathbb{E}[|V_j(s_j) - E[V_j(s_j)]|^3]}{\mathbb{E}[|V_j(s_j) - E[V_j(s_j)]|^2]} \\ \le 0.5606 \cdot \frac{1}{\sqrt{3/4} \cdot \frac{12}{(\lambda(1-C))^{3/2}} \cdot \max_{j \in \mathcal{M}} \{r_j\}} \cdot \max_{j \in \mathcal{M}} \{r_j\} \le \frac{(\lambda(1-C))^{3/2}}{10}$$

Hence by the Berry-Esseen Theorem (Theorem 4.11),

$$\mathbb{P}\left[p < \sum_{j \in \mathcal{M}} V_j(s_j)\right] = \mathbb{P}\left[\sum_{j \in \mathcal{M}} V_j(s_j) \ge \mu(\vec{s}) + \left(\frac{p - \mu(\vec{s})}{\sigma(\vec{s})}\right) \cdot \sigma(\vec{s})\right]$$
$$\ge \Phi\left(\frac{\mu(\vec{s}) - p}{\sigma(\vec{s})}\right) - \delta \ge \Phi\left(-\frac{1}{2\sqrt{3}}\right) - \frac{(\lambda(1 - C))^{3/2}}{10} \ge 0.38,$$

Where Φ denotes the CDF of the standard normal distribution $\mathcal{N}(0,1)$.

Consequently, the principal seller's revenue is at least $0.38 \cdot C \cdot \mathbb{E}[\sum_{i \in \mathcal{M}} V_i(r_i)]$. By construction, C is at least $1 - \frac{1}{9} = \frac{8}{9}$, hence $0.38 \cdot C \ge 0.38 \cdot \frac{8}{9} > \frac{1}{3}$.

D Omitted Proofs in Section 5

Claim 5.2. Fix $x < \frac{1}{2}$. Let D be the following binary distribution supported on $\{0, H = \frac{1}{x^2}\}$: the value is H with probability x, and 0 otherwise. Consider a market with buyer value sampled from $F = D \times D$. Then when the principal sells the bundle of the two items at $p = H + \varepsilon$ for some sufficiently small ε , there is a unique NE (in which each item seller prices at H), and the revenue of the principal in this NE is at least 1.

Proof. We first claim that in any equilibrium (s_1, s_2) of $G_{p,F}$, the probability that $q_1 + q_2 > p$ for q_1, q_2 sampled from s_1, s_2 must be 1. Consider any item seller equilibrium (s_1, s_2) in $G_{p,F}$. Assume that there exists q_1, q_2 in the support of s_1, s_2 such that $q_1 + q_2 \leq p$. Since $p = H + \varepsilon$,

$$\min\{q_1, q_2\} \le \frac{q_1 + q_2}{2} \le \frac{p}{2} = \frac{H}{2} + \frac{\varepsilon}{2}.$$

Let's assume without loss of generality that item seller one has a lower price for the item $(q_1 = \min\{q_1, q_2\})$. Then, consider item seller one's revenue when pricing at H. Since this price is lower than the principal's price p, when the buyer has value H for item one but value 0 for item two, the buyer will always purchase from item seller one. This event happens with probability $x \cdot (1 - x)$ Hence

$$\mathsf{us}_1(p, \{H, s_2\}) \ge H \cdot x \cdot (1-x) = \frac{1}{x^2} \cdot x \cdot (1-x) = \frac{1-x}{x}.$$

On the other hand, when seller one price at q_1 , their probability of sale is at most the probability that the buyer has a non zero value for the item, which is x. Hence

$$\mathsf{us}_1(p, \{q_1, s_2\}) \le q_1 \cdot x \le \left(\frac{H}{2} + \frac{\varepsilon}{2}\right) \cdot x \le \frac{1}{2x} + \frac{\varepsilon \cdot x}{2}$$

Since $x < \frac{1}{2}$, for sufficiently small ε , $\frac{1}{2x} + \frac{\varepsilon \cdot x}{2} < \frac{1-x}{x}$. Thus, if $q_1 + q_2 \leq p$ with positive probability (over sampling $q_1 \sim s_1$ and $q_2 \sim s_2$) then item seller one strictly prefers deviating and pricing at H over pricing at q_1 , so (s_1, s_2) cannot be an equilibrium.

We conclude that for any $q_1 \sim s_1$, $q_2 \sim s_2$, it must be the case that $q_1+q_2 > p$ with probability 1. Hence when the buyer has high value for both items (happens with probability x^2), the buyer would purchase from the principal. As a result, the principal revenue is at least $p \cdot x^2 \ge 1$. Additionally, each seller is getting positive revenue only in the case that her item is the unique item realized to H. In such a case, the revenue is maximized at the Myerson price H, as p > H (the buyer never buys from the principal in that case). We thus conclude there is a unique NE: one in which each item seller is pricing at H. **Claim 5.3.** Consider a market with buyer value distribution $F = \times_{i=1}^{m} (F_i \times F_i)$. Assume the principal seller is using a partition bundle pricing p over item set \mathcal{M} , where the partitioned disjoint sets are T_1, \dots, T_n . Then (s_1, \dots, s_m) is an equilibrium in $G_{p,F}$ if and only if for each $i \in [n]$, $\{s_j\}_{j \in T_i}$ is an equilibrium for the sub-game $G_{p(T_i),F_i \times F_i}$ over item set T_i , where the principal is posting a bundle price $p(T_i)$.

Proof. Notice that when the principal seller is using partition bundling menu with the partition T_1, \dots, T_n , the buyer's decision of purchase for items in each set T_a is independent of information (either the buyer's value, the principal price, or item seller price) of set T_b where $b \neq a$. We can use this to show that when the item sellers in T_i are using identical strategies, the utility of the item sellers in T_i are exactly the same between games $G_{p,F}$ over \mathcal{M} and $G_{p(T_i),F_i\times F_i}$ over T_i .

Formally, observe that the only set T which contains item j and where $p(T) < \infty$ is T_i . Thus

$$\begin{aligned} \mathsf{us}_{j}(p, \{s_{j}, s_{-j}\}) &= \mathop{\mathbb{E}}_{q_{j} \sim s_{j}} \left[q_{j} \cdot \mathop{\mathbb{P}}_{v_{j} \sim F_{j}}[v_{j} \ge q_{j}] \cdot \mathop{\mathbb{P}}_{q_{-j} \sim s_{-j}, v_{-j} \sim F_{-j}} \left[\forall T \ni j, p(T) - q_{j} \ge \sum_{l \in T, l \neq j} \min(v_{l}, q_{l})] \right] \right] \\ &= \mathop{\mathbb{E}}_{q_{j} \sim s_{j}} \left[q_{j} \cdot \mathop{\mathbb{P}}_{v_{j} \sim F_{j}}[v_{j} \ge q_{j}] \cdot \mathop{\mathbb{P}}_{q_{-j} \sim s_{-j}, v_{-j} \sim F_{-j}} \left[p(T_{i}) - q_{j} \ge \sum_{l \in T_{i}, l \neq j} \min(v_{l}, q_{l})] \right] \right] \\ &= \mathop{\mathbb{E}}_{q_{j} \sim s_{j}} \left[q_{j} \cdot \mathop{\mathbb{P}}_{v_{j} \sim F_{j}}[v_{j} \ge q_{j}] \cdot \mathop{\mathbb{P}}_{q_{l} \sim s_{l}, v_{l} \sim F_{l}: l \in T_{i}, l \neq j} \left[p(T_{i}) - q_{j} \ge \sum_{l \in T, l \neq i} \min(v_{l}, q_{l})] \right] \right] \\ &= \mathop{\mathrm{us}}_{j}(p(T_{i}), \{s_{l}\}_{l \in T_{i}}). \end{aligned}$$

Since the game $G_{p,F}$ and $G_{p(T_i),F_i \times F_i}$ are exactly the same for item sellers in T_i , they share the same equilibrium.

Lemma 5.4. There exists a principal pricing strategy p that sells partitioned bundles T_1, \dots, T_n , such that when each pair T_j is priced at $H_j + \varepsilon$ there is a unique NE in the game $G_{p,F}$ and the principal's revenue of this NE is $\Theta(m)$.

Proof. Let the principal's pricing strategy be selling the bundle of each set T_i at price $p(T_i) = H_i + \varepsilon = K^{2 \cdot 3^{(i-1)}} + \varepsilon$ for some small enough ε . Consider an equilibrium (s_1, \dots, s_n) in $G_{p,F}$. By Claim 5.3, for each $i \in [n]$, $\{s_j\}_{j \in T_i}$ are in equilibrium in the game $g_{p(T_i)}$. Since $H_i = \frac{1}{x_i^2}$ and each $x_i < \frac{1}{2}$, by Claim 5.2, the principal's revenue from $g_{p(T_i)}$ is at least 1. The principal's total revenue is then the sum over the revenue the principal gains over each set T_i , which must be at least n = m/2.

Proposition 5.5. Assume that $3 \cdot H_i \leq p < 3 \cdot H_{i+1}$ for some $i \in [n-1]$. For any item j in $\bigcup_{k=i+1}^n T_k$ and any q_j in the support of s_j , it holds that $\mathbb{P}[p-q_j \geq \sum_{k \neq i} V_k(s_k)] > \left(1 - 3\left(x_{i+1} + \frac{1}{p \cdot x_i^2}\right)\right)$.

Proof. As we have discussed in Section 4, when the principal is selling the grand bundle at price p, and when other item sellers are using pricing strategies s_{-j} , item seller j's expected revenue when pricing at q_j is equal to:

$$\mathsf{us}_i(p,(q_j,s_{-j})) = \mathbb{P}\left[p - q_j \ge \sum_{k \neq j} V_k(s_k)\right] \cdot q_j \cdot \mathbb{P}[v_j \ge q_j].$$

Consider the case where the item seller price at $q_j = p - 2 \cdot \sum_{l \leq i} H_l$. Thus the item seller obtains expected revenue:

$$\begin{aligned} \mathsf{us}_i(p, (p-2 \cdot \sum_{l \le i} H_l, s_{-j})) &= \mathbb{P}\left[p - (p-2 \cdot \sum_{l \le i} H_l) \ge \sum_{k \ne j} V_k(s_k) \right] \cdot \left(p - 2 \cdot \sum_{l \le i} H_l \right) \cdot \mathbb{P}[v_j \ge q_j] \\ &\ge \mathbb{P}\left[2 \cdot \sum_{l \le i} H_l \ge \sum_{k \ne j} v_k \right] \cdot \left(p - 2 \cdot \sum_{l \le i} H_l \right) \cdot \mathbb{P}[v_j \ge q_j]. \end{aligned}$$

(First line to second line is due to $V_k(s_k) = \min(v_k, s_k)$, and is dominated by v_k .)

In our construction, for any $q_j > 0$, $\mathbb{P}[v_j \ge q_j]$ has the same value (since the buyer either has value 0, or the high value for the item). Since $p \ge 3 \cdot H_i$, and each H_l where l < i is a vanishing fraction of H_i , $q_j = p - (2 + o(1)) \cdot H_i > 0$. As a result, $\mathbb{P}[v_j \ge q_j] = \mathbb{P}[v_j > 0]$.

When all items in set $\bigcup_{k=i+1}^{n} T_i$ other than item j have value 0, then the value of $\sum_{k\neq j} v_k$ is at most $2 \cdot \sum_{l\leq i} v_l$ (the inequality is tight when the buyer's value for all items in set $\bigcup_{k=1}^{i} T_i$ is high). Hence

$$\mathbb{P}\left[2 \cdot \sum_{l \le i} H_l \ge \sum_{k \ne j} v_k\right] \ge \prod_{l=i+1}^n (1-x_l)^2,$$

and

$$\mathsf{us}_i\left(p, \left(p-2 \cdot \sum_{l \le i} H_l, s_{-j}\right)\right) \ge \prod_{l=i+1}^n (1-x_l)^2 \cdot \left(p-2 \cdot \sum_{l \le i} H_l\right) \cdot \mathbb{P}[v_j \ge 0] > 0.$$

Since item seller j clearly can make a positive profit by setting their price at $p - 2 \cdot \sum_{l \leq i} H_l$, their strategy s_i would not include either pricing at 0 or pricing at $\geq p$, either would guarantee that item seller j gets 0 revenue. Moreover, for any q_j in the support of s_j , the item seller j must get at least as much expected revenue from q_j , compared to pricing at $p - 2 \cdot \sum_{l < i} H_l$, namely,

$$\mathsf{us}_i(p,(q_j,s_{-j})) = \mathbb{P}\left[p - q_j \ge \sum_{k \neq j} V_k(s_k)\right] \cdot q_j \cdot \mathbb{P}[v_j \ge q_j] \ge \prod_{l=i+1}^n (1 - x_l)^2 \cdot \left(p - 2 \cdot \sum_{l \le i} H_l\right) \cdot \mathbb{P}[v_j \ge 0]$$

Since we have reasoned that $q_j > 0$, $\mathbb{P}[v_j \ge q_j] = \mathbb{P}[v_j > 0]$, and the above inequality, dividing $\mathbb{P}[v_j > 0]$ on both sides, is equivalent to

$$\mathbb{P}\left[p-q_j \ge \sum_{k \ne j} V_k(s_k)\right] \cdot q_j \ge \prod_{l=i+1}^n (1-x_l)^2 \cdot \left(p-2 \cdot \sum_{l \le i} H_l\right).$$

Since $q_j \leq p$ as we have reasoned, then

$$\mathbb{P}\left[p-q_j \ge \sum_{k \ne j} V_k(s_k)\right] \ge \prod_{l=i+1}^n (1-x_l)^2 \cdot \frac{p-2 \cdot \sum_{l \le i} H_l}{p}$$
$$\ge \left(1 - \sum_{l=i+1}^n x_l\right) \cdot \left(1 - \frac{\sum_{l \le i} 2H_l}{p}\right)$$
$$\ge 1 - 3x_{i+1} - \frac{3H_i}{p}$$
$$= 1 - 3\left(x_{i+1} + \frac{3}{p \cdot x_i^2}\right).$$

The first line to second line is due to union bound, the second to third line is due to H_i and x_i being the dominant term in a geometric series, and the third to fourth line is because by our construction of the example, $H_i = x_i^2$. This proofs our claim.

Lemma 5.6. For any grand-bundle menu p such that $3 \cdot H_n > p \ge 3 \cdot K^2$, the revenue of the principal in any NE of the game $G_{p,F}$ is at most 36.

Proof. Fix $i \in [n-1]$ such that $3 \cdot K^{2 \cdot 3^{(i-1)}} = 3 \cdot H_i \le p < 3 \cdot H_{i+1} = 3 \cdot K^{2 \cdot 3^i}$.

The probability that the buyer purchases the grand bundle from the principal is $\mathbb{P}\left[p < \sum_{k \in \bigcup_{l=1}^{n} T_l} V_k(s_k)\right]$ We know that when the buyer's value for all items in sets $\bigcup_{l=i+1}^{n} T_l$ are 0, then

$$\sum_{k \in \bigcup_{l=1}^{n} T_{l}} V_{k}(s_{k}) = \sum_{k \in \bigcup_{l=1}^{i} T_{l}} V_{k}(s_{k}) \le \sum_{k \in \bigcup_{l=1}^{i} T_{l}} v_{k} = 2 \cdot \sum_{l=1}^{i} H_{i} < 3 \cdot H_{i} \le p,$$

and hence the buyer would never purchase the grand bundle from the principal in this case. This means that

$$\begin{split} \mathbb{P}\left[p < \sum_{k \in \cup_{l=1}^{n} T_{l}} V_{k}(s_{k})\right] &= \mathbb{P}\left[p < \sum_{j \in \cup_{l=i+1}^{n} T_{l}} V_{k}(s_{k}) \left|\sum_{k \in \bigcup_{l=i+1}^{n} T_{l}} v_{j} > 0\right] \right] \\ &\leq \sum_{j \in \cup_{l=i+1}^{n} T_{l}} \mathbb{P}\left[p < \sum_{k \in \bigcup_{l=1}^{n} T_{l}} V_{k}(s_{k}) \left|v_{j} > 0\right] \cdot \mathbb{P}[v_{j} > 0] \\ &= \sum_{j \in \bigcup_{l=i+1}^{n} T_{l}} \mathbb{P}_{q_{j} \sim s_{j}}\left[p - q_{j} < \sum_{k \in \bigcup_{l=1}^{n} T_{l}, k \neq j} V_{k}(s_{k}) \left|v_{j} > 0\right] \cdot \mathbb{P}[v_{j} > 0] \\ &\leq \sum_{j \in \bigcup_{l=i+1}^{n} T_{l}} \Im\left(x_{i+1} + \frac{1}{p \cdot x_{i}^{2}}\right) \cdot \mathbb{P}[v_{j} > 0] \\ &= \left(\sum_{j \in \bigcup_{l=i+1}^{n} T_{l}} \mathbb{P}[v_{j} > 0]\right) \cdot \Im\left(x_{i+1} + \frac{1}{p \cdot x_{i}^{2}}\right) \\ &= \left(2 \cdot \sum_{l=i+1}^{n} x_{l}\right) \cdot \Im\left(x_{i+1} + \frac{1}{p \cdot x_{i}^{2}}\right) \\ &\leq 3 \cdot x_{i+1} \cdot \Im\left(x_{i+1} + \frac{1}{p \cdot x_{i}^{2}}\right) = 9 \cdot x_{i+1} \cdot \left(x_{i+1} + \frac{1}{p \cdot x_{i}^{2}}\right). \end{split}$$

The first to second line is due to union bound; the second to third line is due to $V_j(s_j) = \min(v_j, q_j), q_j \sim s_j$ is equal to q_j when $v_j \geq q_j$; the third line to fourth line is by Proposition 5.5. The subsequent lines are simply due to exchange of terms and that the value of x_l exponentially decreases with l.

Now, from our assumption in the lemma, we know that $p < 3 \cdot H_{i+1} = 3 \cdot \frac{1}{x_{i+1}^2}$. Moreover, by our construction, $x_{i+1} = x_i^3$. We now conclude that the principal seller's revenue is at most

$$p \cdot \mathbb{P}\left[p < \sum_{k \in \bigcup_{l=1}^{n} T_{l}} V_{k}(s_{k})\right] \le p \cdot 9 \cdot x_{i+1} \cdot \left(x_{i+1} + \frac{1}{p \cdot x_{i}^{2}}\right)$$
$$\le 3 \cdot \frac{1}{x_{i+1}^{2}} \cdot 9 \cdot x_{i+1}^{2} + \frac{9x_{i+1}}{x_{i}^{2}} \le 27 + 9x_{i} \le 36.$$

Lemma 5.7. For any grand-bundle menu p, the revenue of the principal in any Nash equilibrium of the game $G_{p,F}$ is O(1).

Proof. When $p < 3 \cdot H_1 < 3 \cdot K^2$ the revenue of the principal is bounded by $3 \cdot K^2$ and thus is O(1). When the principal is pricing at or above three times the highest value the buyer can have for an item, namely, $p \ge 3 \cdot H_n$, then the principal is pricing above the highest value of the buyer for the grand bundle, since even if the buyer has a high value for every item, their value for the grand bundle is $2\sum_i H_i = 2\sum_i K^{2\cdot 3^{(i-1)}} \le 2\sum_i H_n/4^{i-1} < 3 \cdot H_n$. As a result, the principal sells with probability 0 and obtains 0 revenue.

In the remaining cases, there must be some $i \in [n-1]$ such that $3 \cdot K^{2 \cdot 3^{(i-1)}} = 3 \cdot H_i \leq p < 3 \cdot H_{i+1} = 3 \cdot K^{2 \cdot 3^i}$. We can then apply Lemma 5.6 which shows that the revenue of the principal is at most 36. This completes our proof.