

MINIMAL GRID DIAGRAMS OF THE PRIME ALTERNATING KNOTS WITH 13 CROSSINGS

HWA JEONG LEE, ALEXANDER STOIMENOW, AND GYO TAEK JIN

ABSTRACT. A *knot* is a closed loop in space without self-intersection. Two knots are equivalent if there is a self homeomorphism of space bringing one onto the other. An *arc presentation* is an embedding of a knot in the union of finitely many half planes with a common boundary line such that each half plane contains a simple arc of the knot. The minimal number of such half planes among all arc presentations of a given knot is called the *arc index* of the knot. A knot is usually presented as a planar diagram with finitely many crossings of two strands where one of the strands goes over the other. A *grid diagram* is a planar diagram which is a non-simple rectilinear polygon such that vertical edges always cross over horizontal edges at all crossings. It is easily seen that an arc presentation gives rise to a grid diagram and vice versa. It is known that the arc index of an alternating knot is two plus its minimal crossing number. There are 4878 prime alternating knots with minimal crossing number 13. We obtained minimal arc presentations of them in the form of grid diagrams having 15 vertical segments. This is a continuation of the works on prime alternating knots of 11 crossings and 12 crossings.

1. INTRODUCTION

A *grid diagram* is a diagram of a knot or a link with finitely many vertical segments and the same number of horizontal segments in which the vertical segments cross over the horizontal segments at all crossings. Given a grid diagram of a knot, consider pulling middle points of the horizontal segments back to the diagram so that they touch a vertical axis. Then each half plane determined by the axis and a vertical segment contains an arc of the knot. Such a position of a knot is called an *arc presentation*. The *arc index* of a knot K , denoted $\alpha(K)$, is the minimum number of half planes among all arc presentations of K , or equivalently, the minimum number of vertical segments among all grid diagrams of K [2].

Date: June 25, 2024.

2020 Mathematics Subject Classification. 57K10.

Key words and phrases. knot, arc index, arc presentation, grid diagram.




FIGURE 1. A minimal grid diagram of the knot $13a1$

There are 4878 prime alternating knots with 13 crossings [6]. We wrote a series of programs on Maple to find their minimal grid diagrams. According to Theorem 1, the minimal grid diagrams of the 13 crossing knots have 15 vertical segments.

Theorem 1 (Bae-Park [1]). *If K is an alternating knot, then the arc index of K is the minimal crossing number plus two.*

For each of the mentioned 4878 knots, we pursued the following steps:

- (1) Using the DT notation from Knotscape [8], the regions divided by the knot diagram are described.
- (2) Considering the knot diagram as a planar graph, a spanning tree is generated whose contraction leads to an arc presentation of the knot.
- (3) The arc presentation is converted to a grid diagram in various forms such as 2d and 3d graphics, latex picture commands and a sequence of 3d coordinates of vertices as a polygonal knot.
- (4) Using Knotplot [7], a DT notation for the grid diagram is obtained.
- (5) Using Knotscape [8], the grid diagram is confirmed to be the same as the original knot up to taking mirror images.

2. AN EXAMPLE

We give a detailed description of the steps (1)–(3) using the knot $13a1$. The diagram in Figure 2 shows a minimal diagram of the knot $13a1$ obtained from [6] with the edge labels compatible with the DT notation $[4, 8, 10, 14, 2, 16, 20, 6, 22, 24, 12, 26, 18]^1$ in the following sense. At a crossing incident to the four edges with labels $i, i + 1, j, j + 1$, modulo 26, we may assume that i and $j + 1$ are odd and $i + 1$ and j are even. Then $i + 1$ appears in the $(j/2 + 1)$ -st (modulo 13) place in the DT notation. We orient the knot in the direction as the labels

¹from Knotscape [8]




FIGURE 2. 13a1




FIGURE 3. A spanning tree on a diagram of 13a1 and its corresponding spokes

increase. The diagram divides the plane into 15 regions, namely,

$$\begin{aligned}
 & [2, 8], [6, 14], [12, 20], [18, 24], [-1, 4, -9], [1, -8, 3], [-5, 10, -15], \\
 & [-11, 16, -21], [-17, 22, -25], [-18, 25, 23], [-4, -26, -22, -16, -10], \\
 & [-6, 15, 11, -20, 13], [-12, 21, 17, -24, 19], [-2, 9, 5, -14, 7], \\
 & [-3, -7, -13, -19, -23, 26]
 \end{aligned}$$

where each sequence describes the oriented edges on the boundary. The numbers with minus sign indicate that the corresponding edges are oriented in the opposite of the orientation of the knot. All regions except the only unbounded region $[-3, -7, -13, -19, -23, 26]$ are oriented counterclockwise.

The thickened edges of Figure 3(a) form a spanning tree of the diagram. This tree is rooted at the crossing between the edges 25 and 26. From the root, it grows as the following sequence $e_i, i = 1, \dots, 12$, of oriented edges indicates.

$$-25, -22, 18, -21, -16, 12, -15, -10, 6, -9, -4, 2.$$

For each $i = 1, \dots, 12$, edge e_i of the tree is labeled \mathbf{i} in Figure 3(a). Let c denote the crossing number. The edges of the spanning tree are chosen to satisfy the following conditions:

- For each $j = 1, \dots, c - 1$, $e_1 \cup \dots \cup e_j$ is a tree.
- For each $j = 1, \dots, c - 1$, $e_1 \cup \dots \cup e_j$ does not separate untouched crossings into two parts.
- For each $j = 1, \dots, c - 2$, $e_1 \cup \dots \cup e_j \cup e$ has no loop where e is the one-step extension of the oriented edge e_j .

The proof of Theorem 1 shows that for any prime link diagram a spanning tree can be chosen to satisfy the above three conditions [1, 3].

The knot diagram in Figure 3(b) is obtained from that of Figure 3(a) by a plane isotopy, where the circle is the boundary of a tubular neighborhood of the spanning tree. There are 14 edges outside a tubular neighborhood in (a). The edge in (a) labeled \star is broken in the middle so that there are 15 arcs outside the circle in (b).

Inside the circle in (b), there are 14 arcs numbered 2 to 15. We may put each of these arcs in a horizontal plane at the height given by its number. These heights are chosen in the following order:

- At the root, we give 7 to e_1 and 6 to e_2 .
- At the end of e_1 , we give 8 to e_3 .
- At the end of e_2 , we give 5 to e_5 .
- At the end of e_3 , we give 9 to the overcrossing arc.
- e_4 inherits 6 from e_2 .
- At the end of e_4 , we give 10 to e_6 .
- At the end of e_5 , we give 4 to e_8 .
- At the end of e_6 , we give 11 to the overcrossing arc.
- e_7 inherits 5 from e_5 .
- At the end of e_7 , we give 12 to e_9 .
- At the end of e_8 , we give 3 to e_{11} .
- At the end of e_9 , we give 13 to the overcrossing arc.
- e_{10} inherits 4 from e_8 .
- At the end of e_{10} , we give 14 to e_{12} .
- At the end of e_{11} , we give 2 to the undercrossing arc.
- At the end of e_{12} , we give 15 to the overcrossing arc.
- Finally, the middle point of the the extension of e_{12} is given the height 1.

Now we need to put the 15 arcs outside the circle into vertical half planes. The vertical positions of their endpoints are already determined by the heights of the arcs inside the circle. As the part inside the circle

is shrunk to points on an axis, the eleven innermost arcs can be easily tilted to lie in vertical half planes on one of their ends. The remaining four arcs have one of their ends interleaved in the ends of their inner arcs. In order not to make crossing changes, their non-interleaved ends must be tilted toward the interleaved ones. The spokes in Figure 3(b) were thus created. We read the vertical intervals of their endpoints as the broken arrow directs:

$$\begin{aligned}
 & [2, 7], [1, 3], [2, 14], [4, 15], [1, 14], [3, 12], [5, 13], [12, 15], [4, 10], \\
 & [6, 11], [10, 13], [5, 8], [7, 9], [8, 11], [6, 9]
 \end{aligned}$$

This is the sequence of intervals of the vertical segments in the grid diagram in Figure 1.

The idea behind this construction is originally due to Bae and Park [1], modified by two authors using the spanning tree [3]. Interested readers are encouraged to read these articles.

3. SHAPING THE GRID DIAGRAMS

In order for the 4878 grid diagrams to look less random, we modify them using the following moves:

- (1) A set of consecutive parallel segments on one end is moved to the other end.
- (2) Rotation about the diagonal or antidiagonal axis.
- (3) Reflection about a horizontal or vertical line.









FIGURE 4. Shaping a grid diagram of $13a1$


4. MINIMAL GRID DIAGRAMS OF 13 CROSSING PRIME
ALTERNATING KNOTS











































































































































































ACKNOWLEDGMENTS

This work was supported by the National Research Foundation of Korea(NRF) grant funded by the Korea government(MSIT) (No. 2023 R1A2C1003749).

REFERENCES

- [1] Yongju Bae and Chan-Young Park, An upper bound of arc index of links, *Math. Proc. Camb. Phil. Soc.* **129** (2000) 491–500.
- [2] Peter R. Cromwell, Embedding knots and links in an open book I: Basic properties, *Topology Appl.* **64** (1995) 37–58.
- [3] Gyo Taek Jin and Hwa Jeong Lee, Prime knots whose arc index is smaller than the crossing number, *J. Knot Theory Ramifications*, **21**(2012), no. 10, 1250103, 33 pp.
- [4] Gyo Taek Jin and Hwa Jeong Lee, Minimal grid diagrams of 11 crossing prime alternating knots, *J. Knot Theory Ramifications*, **29**(2020), no. 11, 2050076, 14 pp.
- [5] Gyo Taek Jin and Hwa Jeong Lee, Minimal grid diagrams of the prime alternating knots with 12 crossings, *J. Knot Theory Ramifications*, **31**(2022), no. 1, 2250004, 28 pp.
- [6] Charles Livingston and Allison H. Moore, KnotInfo: Table of Knot Invariants, <https://knotinfo.math.indiana.edu>, November 20, 2020.
- [7] Knotplot, <http://knotplot.com/>
- [8] Knotscape, <http://www.math.utk.edu/~morwen/knotscape.html>

HWA JEONG LEE, DONGGUK UNIVERSITY WISE, 123, DONGDAE-RO, GYEONGJU-SI, GYEONGSANGBUK-DO 38066, REPUBLIC OF KOREA

Email address: `hjwith@dongguk.ac.kr`

ALEXANDER STOIMENOW, DONGGUK UNIVERSITY WISE, 123, DONGDAE-RO, GYEONGJU-SI, GYEONGSANGBUK-DO 38066, REPUBLIC OF KOREA

Email address: `stoimeno@stoimenov.net`

GYO TAEK JIN, KOREA ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY, 291 DAEHAK-RO, YUSEONG-GU, DAEJEON 34141, REPUBLIC OF KOREA

Email address: `trefoil@kaist.ac.kr`