

On a variant of Schu's lemma

C. Zălinescu*

Abstract

In this note we show that a false statement obtained by replacing a “lim” by “limsup” for a sequence in Lemma 1.3 of the paper [J. Schu: Weak and strong convergence to fixed points of asymptotically nonexpansive mappings, Bull. Austral. Math. Soc. 43 (1991), 153–159] is used in many papers. We do not know which is the first paper that used that false assertion, but the first one that we identified is from 2005 and the last one is from 2024.

In J. Schu's paper [1], the following result is stated without proof, where [8] is our reference [2]:

“LEMMA 1.3. (compare [8, p.484]) *Let $(E, \|\cdot\|)$ be a uniformly convex Banach space, $0 < b < c < 1$, $a \geq 0$, $(t_n) \subset [b, c]^{\mathbb{N}}$ and $(x_n), (y_n) \in E^{\mathbb{N}}$ such that $\limsup \|x_n\| \leq a$, $\limsup \|y_n\| \leq a$ and $\lim \|t_n x_n + (1 - t_n)y_n\| = a$. Then $\lim \|x_n - y_n\| = 0$.”*

Taking $t_n := t \in (0, 1)$ for $n \in \mathbb{N}^*$ ($:= \{1, 2, \dots, n, \dots\}$), [1, Lemma 1.3] reduces to Problem 1.10(c) from [2, p. 484]. Observe also that the version of [1, Lemma 1.3] for $[b, c]$ replaced by $[\varepsilon, 1 - \varepsilon]$ with $\varepsilon \in (0, 1)$ is attributed to “(Zeidler (1986))” in [3, Lemma 2.1]. Moreover, the following text can be found in [4]:

“In 1991, Sahu [21] established an important property of UCBS, which can be stated as follows.

Lemma 2.2. [21] *Assume that Ω is a UCBS and $\{z_\ell\}$ be a sequence in $(0, 1)$ for all $\ell \geq 1$. If $\{a_\ell\}$ and $\{b_\ell\}$ are in Ω such that $\limsup_{\ell \rightarrow \infty} \|a_\ell\| \leq m$, $\limsup_{\ell \rightarrow \infty} \|b_\ell\| \leq m$ and $\lim_{\ell \rightarrow \infty} \|(1 - z_\ell)a_\ell + z_\ell b_\ell\| = m$ for some $m \geq 0$. Then $\lim_{\ell \rightarrow \infty} \|a_\ell - b_\ell\| = 0$.”*

In fact the reference [21] from the preceding quoted text is nothing else than [1]. Observe that the previous version of [1, Lemma 1.3] is **false** as the next example shows.

Example 1 *Let $(X, \|\cdot\|)$ be a non trivial normed vector space, $x \in X \setminus \{0\}$, $x_n := x$ and $y_n := -x$ for $n \in \mathbb{N}^*$; moreover, consider $\{s_n\} \subset (0, 1)$ with $s_n \rightarrow 0$, $t_n := s_n$ for n odd and $t_n := 1 - s_n$ for n even. Then $\|x_n\| = \|y_n\| = \|x\|$, and so $\limsup_{n \rightarrow \infty} \|x_n\| = \limsup_{n \rightarrow \infty} \|y_n\| = \|x\| > 0$; moreover, $t_n x_n + (1 - t_n)y_n = (2s_n - 1)x$ for n odd, $t_n x_n + (1 - t_n)y_n = (1 - 2s_n)x$ for n even, and so $\lim_{n \rightarrow \infty} \|t_n x_n + (1 - t_n)y_n\| = \lim_{n \rightarrow \infty} |1 - 2s_n| \cdot \|x\| = \|x\|$. It is obvious that $\lim_{n \rightarrow \infty} \|x_n - y_n\| = 2\|x\| \neq 0$.*

Notice that [4, Lemma 2.2] is used in the proofs of [4, Lemmas 3.3 & 3.4] which, at their turn, are used in the proofs of [4, Lemma 3.5 & Theorem 5.1] and [4, Lemma 3.5 & Theorems 3.9, 5.1], respectively; [4, Lemma 3.5] is used in the proof of [4, Theorem 3.9].

*Octav Mayer Institute of Mathematics, Iași Branch of Romanian Academy, Iași, Romania, email: zalinesc@uaic.ro.

In the paper [5] by W. Laowang and B. Panyanak one finds the text:

“The following result is a characterization of uniformly convex hyperbolic spaces which is an analog of Lemma 1.3 of Schu [25]. It can be applied to a CAT(0) space as well.

Lemma 2.9. *Let (X, d, W) be a uniformly convex hyperbolic space with modulus of convexity η , and let $x \in X$. Suppose that η increases with r (for a fixed ε) and suppose that $\{t_n\}$ is a sequence in $[b, c]$ for some $b, c \in (0, 1)$, and $\{x_n\}, \{y_n\}$ are sequences in X such that $\limsup_{n \rightarrow \infty} d(x_n, x) \leq r$, $\limsup_{n \rightarrow \infty} d(y_n, x) \leq r$, and $\lim_{n \rightarrow \infty} d((1 - t_n)x_n) \oplus t_n y_n, x) = r$ for some $r \geq 0$. Then $\lim_{n \rightarrow \infty} d(x_n, y_n) = 0$. (2.17)”*

Observe that [5, Lemma 2.9] is announced in [6, Lemma 2.7].

Changing few words in the above text one obtains [7, Lemma 4.5] and its preamble; the same remark is valid for the proofs of [5, Lemma 2.9] and [7, Lemma 4.5].

Lemma 2.9 from [5] is stated (and proved) for X a CAT(0) space in Lemma 3.2 of [8] under the supplementary condition $0 < b(1 - c) \leq \frac{1}{2}$; observe that this condition is superfluous. First notice that $b, c \in (0, 1)$ implies that $0 < b(1 - c)$, while the fact that (there exists) $t_n \in [b, c]$ implies that $b \leq c$; hence $0 < b \leq c < 1$. Because $(0 <) b^2 + (b - 1)^2 = 2b^2 - 2b + 1$ and $(c \geq) b > 0$, one gets $(c \geq) b > 1 - 1/(2b)$, whence $1/(2b) > 1 - c$, and so $b(1 - c) < \frac{1}{2}$. The supplementary condition $0 < b(1 - c) \leq \frac{1}{2}$ is present in quite many papers from our bibliography. Notice that the version for CAT(0) spaces of [5, Lemma 2.9] (with the same conditions on $b, c \in (0, 1)$ as above) is stated and proved in [9, Lemma 3.2].

Taking $t_n := 1/2$ for $n \in \mathbb{N}^*$, [5, Lemma 2.9] reduces to [10, Lemma 2.2].

Note that the formulation of [11, Lemma 2.5] is (practically) the same as that of [5, Lemma 2.9] but one provides *another proof*; in that proof one finds the next *false assertion*: “Since $\limsup_{n \rightarrow \infty} d(x_n, x) \leq r$ and $\limsup_{n \rightarrow \infty} d(y_n, x) \leq r$ we have: (i) $d(x_n, x) \leq r + \frac{1}{n}$; (ii) $d(y_n, x) \leq r + \frac{1}{n}$ for each $n \geq 1$ ”.

Lemma 2.9 from [5] is reobtained as Lemma 2.5 in [12] using [12, Lemma 2.3].

The proof of [5, Lemma 2.9] seems to be an adaptation to this context of that for Problem 10.1 (c) in [2]; possibly, J. Schu did a similar adaptation of the proof of [2, Problem 10.1 (c)] for his Lemma 1.3.

The next version of [1, Lemma 1.3] for modular function spaces is from [13] (see also [14, Lemma 4.2]):

“Lemma 3.2. *Let $\rho \in \mathfrak{R}$ be (UUC1) and let $\{t_k\} \subset (0, 1)$ be bounded away from 0 and 1. If there exists $R > 0$ such that $\limsup_{n \rightarrow \infty} \rho(f_n) \leq R$, $\limsup_{n \rightarrow \infty} \rho(g_n) \leq R$, $\lim_{n \rightarrow \infty} \rho(t f_n + (1 - t_n)g_n) = R$, then $\lim_{n \rightarrow \infty} \rho(f_n - g_n) = 0$.”*

An *alternative proof* for [1, Lemma 1.3] is the following:

Because $\limsup \|x_n\| \leq a$ and $\limsup \|y_n\| \leq a$, there exists $R > 0$ such that $\|x_n\|, \|y_n\| \leq R$ for every $n \in \mathbb{N}^*$. Because $(E, \|\cdot\|)$ is uniformly convex, $\|\cdot\|^2$ is uniformly convex on $B := \{x \in E \mid \|x\| \leq R\}$ by [15, Theorem 4.1 (ii)], and so there exists a strictly increasing function $\rho : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ with $\rho(0) = 0$ such that

$$\|\lambda x + (1 - \lambda)y\|^2 \leq \lambda \|x\|^2 + (1 - \lambda) \|y\|^2 - \lambda(1 - \lambda)\rho(\|x - y\|) \quad \forall x, y \in B, \lambda \in [0, 1].$$

Setting $\gamma := \min\{b, 1 - c\}$ (> 0) one has that $\lambda(1 - \lambda) \geq \gamma^2$, and so

$$\gamma^2 \rho(\|x_n - y_n\|) \leq t_n \|x_n\|^2 + (1 - t_n) \|y_n\|^2 - \|t_n x_n + (1 - t_n)y_n\|^2 \quad \forall n \in \mathbb{N}. \quad (1)$$

Assume that the conclusion does not hold. Then there exist a strictly increasing sequence $(n_k) \subset \mathbb{N}^*$ and $\varepsilon > 0$ such that $t_{n_k} \rightarrow t \in [b, c]$ and $\|x_{n_k} - y_{n_k}\| \geq \varepsilon$ for $k \in \mathbb{N}^*$; replacing,

if necessary, n by n_k in (1) we assume that $n_k = k$ for every $k \in \mathbb{N}^*$, and so (1) holds. Because $\rho(\|x_n - y_n\|) \geq \rho(\varepsilon)$, passing to \limsup in (1), one gets the contradiction $\gamma^2 \rho(\varepsilon) \leq t a^2 + (1-t)a^2 - a^2 = 0$. \square

In [16], one states a version of [1, Lemma 1.3] with a **weaker hypothesis**:

“Lemma 2.1 (Schu [12]). *Let E be a uniformly convex Banach space and $\{\alpha_n\}$ a sequence in $[\varepsilon, 1 - \varepsilon]$ for some $\varepsilon \in (0, 1)$. Suppose $\{x_n\}$ and $\{y_n\}$ are sequences in E such that $\limsup_{n \rightarrow \infty} \|x_n\| \leq r$, $\limsup_{n \rightarrow \infty} \|y_n\| \leq r$ and $\limsup_{n \rightarrow \infty} \|t_n x_n + (1 - t_n) y_n\| = r$ hold for some $r \geq 0$. Then $\lim \|x_n - y_n\| = 0$.”*

Notice that no proof is provided for [16, Lemma 2.1]. However, in the book [17] one finds the following result for which one provides a proof:

“Theorem 2.3.13 *Let X be a uniformly convex Banach space and let $\{t_n\}$ be a sequence of real numbers in $(0, 1)$ bounded away from 0 and 1. Let $\{x_n\}$ and $\{y_n\}$ be two sequences in X such that*

$$\limsup_{n \rightarrow \infty} \|x_n\| \leq a, \quad \limsup_{n \rightarrow \infty} \|y_n\| \leq a \quad \text{and} \quad \limsup_{n \rightarrow \infty} \|t_n x_n + (1 - t_n) y_n\| = a$$

for some $a \geq 0$. Then $\lim \|x_n - y_n\| = 0$.”

In fact [16, Lemma 2.1] (as well as [17, Theorem 2.3.13]) is **false** as the next example shows.

Example 2 *Let $(X, \|\cdot\|)$ be a non trivial normed vector space, $x \in X$ with $\|x\| = 1$ ($=: r$), $x_n := x$, $y_{2n} := 0$, $y_{2n+1} := x$, $t_n := \lambda \in (0, 1)$ for $n \in \mathbb{N}^*$. Then $\limsup_{n \rightarrow \infty} \|x_n\| = 1$, $\limsup_{n \rightarrow \infty} \|y_n\| = 1$, $t_n x_n + (1 - t_n) y_n = \lambda x$ for even n , $t_n x_n + (1 - t_n) y_n = x$ for odd n , and so $\limsup_{n \rightarrow \infty} \|t_n x_n + (1 - t_n) y_n\| = \limsup_{n \rightarrow \infty} 1 = 1$. It is obvious that $\lim_{n \rightarrow \infty} \|x_n - y_n\|$ does not exist, and so it is different from 0.*

Observe that [16, Lemma 2.1] is used in the proof of [16, Theorem 3.3], which, at its turn, is used in the proof of [16, Theorem 3.5] (which “extends some known results”), and so these results could be false.

In what concerns [17, Theorem 2.3.13], this is used in the proofs of Proposition 2.4.5(i) (used, at its turn in the proofs of Proposition 3.1.13 \rightarrow 3.1.14 \rightarrow 3.1.15, Theorem 6.4.7 \rightarrow Theorem 6.4.13 \rightarrow Corollary 6.4.14, Theorem 6.4.16 \rightarrow Theorem 6.7.4 and Theorem 6.5.2).

The assertion from [16, Lemma 2.1] (with E replaced by X) in which “[$\varepsilon, 1 - \varepsilon$] for some $\varepsilon \in (0, 1)$ ” is often replaced by $[b, c]$ with $b, c \in (0, 1)$, possibly with the supplementary condition(s) $b < c$ (and $0 < b(1 - c) \leq \frac{1}{2}$), is used in the references mentioned later on.

Observe that the following assertions are equivalent to [16, Lemma 2.1], and generally one gives as reference [1, Lemma 1.3]; the exceptions will be mentioned explicitly. Of course, no proofs are provided, but they are used in the proofs of other results:

[18, Lemma 2.3], [19, Lemma 2.4], [20, Lemma 2.1], [21, Lemma 5], [22, Lemma 2.1], [23, Lemma 2.1] (attributed to [24]), [25, Lemma 2.1], [26, Lemma 2.2], [27, Lemma 2.2], [28, Lemma 2.3], [29, Lemma 2.2] (attributed to [30]), [31, Lemma 2.6], [32, Lemma 2.1], [33, Lemma 2], [34, Lemma 1.3], [35, Lemma 2.9], [36, Lemma 3.2], [37, Lemma 1.4], [38, Lemma 2.2], [39, Lemma 12], [40, Lemma 4.2], [41, Lemma 2.4], [42, Lemma 2.4], [43, Lemma 2.1], [44, Lemma 2.10], [45, Lemma 2.2] (attributed to [2]), [46, Lemma 2.3], [47, Lemma 2.2], [48, Lemma 2.1], [49, Lemma 2], [50, Lemma 2.4], [51, Lemma 2.4], [52, Lemma 2.6], [53, Lemma

3], [54, Lemma 1.4], [55, Lemma 2.5], [56, Lemma 2.1], [57, Lemma 1.4], [58, Lemma 1], [59, Lemma 2.6], [60, Lemma 5], [61, Lemma 3], [62, Lemma 2.1], [63, Lemma 2.1], [64, Lemma 2.2], [65, Lemma 3], [66, Lemma 2.2], [67, Lemma 2.2], [68, Lemma 2.2], [69, Lemma 3], [70, Lemma 2], [71, Lemma 2], [72, Lemma 4], [73, Lemma 2.2], [74, Lemma 3], [75, Lemma 2.16], [76, Lemma 2.14], [77, Lemma 3], [78, Lemma 2.10], [79, Lemma 5], [80, Lemma 4], [81, Lemma 2.4], [82, Lemma 2.3], [83, Lemma 1] (with $\rho_n \in (0, 1)$), [84, Lemma 3], [85, Lemma 2.3], [86, Lemma 2] (attributed to [41]), [87, Lemma 6], [88, Lemma 12], [89, Lemma 2], [90, Lemma 1], [91, Lemma 2.6], [92, Lemma 2.6], [93, Lemma 2.2], [94, Lemma 2.10], [95, Lemma 1.4] (with $t_n \in [0, 1]$, and attributed to [17]), [96, Lemma 2.1], [97, Lemma 2.2], [98, Lemma 3], [99, Lemma 1], [100, Lemma 1], [101, Lemma 2.3], [102, Theorem 2.6] (attributed to [2]), [103, Lemma 2.3], [104, Lemma 2], [105, Lemma 5], [106, Lemma 5], [107, Lemma 4], [108, Lemma 2.12], [109, Lemma 2.1], [110, Lemma 1.3], [111, Lemma 1], [112, Lemma 2.4], [113, Lemma 2.3], [114, Lemma 2.3], [115, Lemma 1], [116, Lemma 3],

It is worth observing that for [43, Lemma 2.1], [94, Lemma 2.10], [108, Lemma 2.12] and [109, Lemma 2.1] one cites [1] even if among the co-authors of these papers there is one of the co-authors of the book [17].

Related to [5, Lemma 2.9] (recalled on the first page), one finds the next statement in [117] (Received 6 November 2014):

“Lemma 2.2 ([6, Lemma 2.9]). *Let (M, d) be a CAT(0) space and let $x \in M$. Suppose $\{t_n\}$ is a sequence in $[b, c]$ for some $b, c \in (0, 1)$ and $\{x_n\}, \{y_n\}$ are sequences in M such that $\limsup_{n \rightarrow \infty} d(x_n, x) \leq r$, $\limsup_{n \rightarrow \infty} d(y_n, x) \leq r$ and $\limsup_{n \rightarrow \infty} d((1 - t_n)x_n \oplus t_n y_n, x) = r$ for some $r \geq 0$. Then $\lim_{n \rightarrow \infty} d(x_n, y_n) = 0$.”*

Of course, there is not a proof for this “stronger” version of [5, Lemma 2.9] in [117].

Because any Hilbert space is CAT(0), Example 2 shows that [117, Lemma 2.2] is **false**, and so [117, Lemmas 4.4, 4.9 & Theorem 4.10] could be false, too.

Observe that the following “results” are equivalent to [117, Lemma 2.2] and they are used in the proofs of other results; for each paper we add the version of [5, Lemma 2.9] which is cited:

[118, Lemma 2.3] ([7, Lemma 4.5]), [119, Lemma 2.2] ([11, Lemma 2.5]), [120, Lemma 2.5] ([10, Lemma 2.2]), [121, Lemma 1.12] ([7, Lemma 4.5]), [122, Lemma 1.11] ([11, Lemma 2.5] via [9, Lemma 1.3]), [123, Lemma 2] ([7, Lemma 4.5]), [124, Lemma 2.11] ([5, Lemma 2.9]), [125, Lemma 2.5] ([7, Lemma 4.5]), [126, Lemma 2.2] ([7, Lemma 4.5]), [127, Lemma 2.7] ([5, Lemma 2.9]), [128, Lemma 2.6] ([11, Lemma 2.5] via [122, Lemma 1.11]), [129, Lemma 2.11] ([11, Lemma 2.5]), [130, Lemma 2.5] ([6, Lemma 2.7]), [131, Lemma 5] ([5, Lemma 2.9]), [132, Lemma 2.2] ([7, Lemma 4.5]), [133, Lemma 2.1] ([11, Lemma 2.5]), [134, Lemma 3] ([5, Lemma 2.9]), [135, Lemma 2.10] ([5, Lemma 2.9]), [136, Lemma 12] ([1, Lemma 1.3]), [137, Lemma 2.10] ([6, Lemma 2.7]), [138, Lemma 2.8] ([11, Lemma 2.5]), [139, Lemma 5] ([1, Lemma 1.3]).

Related to [13, Lemma 3.2] (recalled before the alternative proof of [1, Lemma 1.3]), one finds the next statement in [140]:

“Lemma 1. *Suppose that ρ satisfies property (UUC1) and let $\{\alpha_l\} \subset [a, b]$, where $0 < a < b < 1$. If there exists a positive real number r such that $\limsup_{l \rightarrow \infty} \rho(\alpha_l x_l + (1 - \alpha_l)y_l) = r$, $\limsup_{l \rightarrow \infty} \rho(x_l) \leq r$ and $\limsup_{l \rightarrow \infty} \rho(y_l) \leq r$, then $\lim_{l \rightarrow \infty} \rho(x_l - y_l) = 0$ ([8], cf. [5]).”*

In [140, Lemma 1], [8] and [5] are our references [141] and [13], respectively; notice that [141, Lemma 2.7] is nothing else than [13, Lemma 3.2]; of course, there is no proof for the

above “stronger” version of [13, Lemma 3.2] in [140]. Moreover, [140, Lemma 1] is used in the proof of [140, Theorem 1], which, at its turn, is used in the proof of [140, Corollary 1].

Observe that the following “results” are equivalent to [140, Lemma 1] and they are used in the proofs of other results; for each paper we add the versions of [13, Lemma 3.2] which are cited:

[142, Lemma 2.6] is attributed to [14] & [13] via [143] (even if in [143] there is not a result equivalent to [140, Lemma 1]), while [144, Lemma 1] is attributed to [14].

A last remark: We did not check the correctness of the results from the works mentioned in the bibliography; moreover, the list of those works using equivalent versions of [16, Lemma 2.1], [117, Lemma 2.2] or [140, Lemma 1] is far of being complete.

References

- [1] Schu J. Weak and strong convergence to fixed points of asymptotically nonexpansive mappings. *Bull Austral Math Soc.* 1991;43(1):153–159.
- [2] Zeidler E. *Nonlinear functional analysis and its applications. I.* Springer-Verlag, New York; 1986. Fixed-point theorems, Translated from the German by Peter R. Wadsack.
- [3] Takele MH, Krishna Reddy B. Convergence theorems for common fixed point of the family of nonself nonexpansive mappings in real Banach spaces. *Appl Appl Math.* 2019; :176–195.
- [4] Khan SH, Ahmad K, Abbas M. Approximation of fixed points for a pair of certain nonexpansive type mappings with applications. *Punjab Univ J Math (Lahore).* 2023; 55(11-12):427–449. Available from: <https://doi.org/10.1112/blms.12736>.
- [5] Laowang W, Panyanak B. Approximating fixed points of nonexpansive nonself mappings in CAT(0) spaces. *Fixed Point Theory Appl.* 2010;2010:11. Id/No 367274.
- [6] Laokul T, Panyanak B. Approximating fixed points of nonexpansive mappings in CAT(0) spaces. *Int J Math Anal, Ruse.* 2009;3(25-28):1305–1315.
- [7] Nanjaras B, Panyanak B. Demiclosed principle for asymptotically nonexpansive mappings in CAT(0) spaces. *Fixed Point Theory Appl.* 2010;2010:14. Id/No 268780.
- [8] Chang S, Wang L, Joseph Lee H, et al. Demiclosed principle and Δ -convergence theorems for total asymptotically nonexpansive mappings in CAT(0) spaces. *Appl Math Comput.* 2012;219(5):2611–2617.
- [9] Chang S, Wang G, Wang L, et al. Δ -convergence theorems for multi-valued nonexpansive mappings in hyperbolic spaces. *Appl Math Comput.* 2014;249:535–540.
- [10] Khamsi MA, Khan AR. Inequalities in metric spaces with applications. *Nonlinear Anal, Theory Methods Appl, Ser A, Theory Methods.* 2011;74(12):4036–4045.
- [11] Khan AR, Fukhar-ud din H, Khan MAA. An implicit algorithm for two finite families of nonexpansive maps in hyperbolic spaces. *Fixed Point Theory Appl.* 2012;2012:12. Id/No 54.

- [12] Fukhar-Ud-din H, Khamisi MA. Approximating common fixed points in hyperbolic spaces. *Fixed Point Theory Appl.* 2014;2014:15. Id/No 113.
- [13] Dehaish BAB, Kozłowski WM. Fixed point iteration processes for asymptotic pointwise nonexpansive mapping in modular function spaces. *Fixed Point Theory Appl.* 2012; 2012:23. Id/No 118.
- [14] Khamisi MA, Kozłowski WM. *Fixed point theory in modular function spaces.* Cham: Birkhäuser/Springer; 2015.
- [15] Zălinescu C. *Convex analysis in general vector spaces.* River Edge, NJ: World Scientific Publishing Co. Inc.; 2002.
- [16] Shahzad N. Approximating fixed points of non-self nonexpansive mappings in Banach spaces. *Nonlinear Anal, Theory Methods Appl, Ser A, Theory Methods.* 2005; 61(6):1031–1039.
- [17] Agarwal RP, O'Regan D, Sahu DR. *Fixed point theory for Lipschitzian-type mappings with applications.* (Topol. Fixed Point Theory Appl.; Vol. 6). New York, NY: Springer; 2009.
- [18] Jeong JU, Kim SH. Weak and strong convergence of the Ishikawa iteration process with errors for two asymptotically nonexpansive mappings. *Appl Math Comput.* 2006; 181(2):1394–1401.
- [19] Shahzad N, Al-Dubiban R. Approximating common fixed points of nonexpansive mappings in Banach spaces. *Georgian Math J.* 2006;13(3):529–537.
- [20] Shahzad N, Udomene A. Approximating common fixed points of two asymptotically quasi-nonexpansive mappings in Banach spaces. *Fixed Point Theory Appl.* 2006; 2006(1):10. Id/No 18909.
- [21] Chidume CE, Ofoedu EU. Approximation of common fixed points for finite families of total asymptotically nonexpansive mappings. *J Math Anal Appl.* 2007;333(1):128–141.
- [22] Kiziltunç H, Özdemir M, Akbulut S. On common fixed points of two non-self nonexpansive mappings in Banach spaces. *Chiang Mai J Sci.* 2007;34(3):281–288.
- [23] Deng L, Liu Q. Iterative scheme for nonself generalized asymptotically quasi-nonexpansive mappings. *Appl Math Comput.* 2008;205(1):317–324.
- [24] Xu HK. Inequalities in Banach spaces with applications. *Nonlinear Anal, Theory Methods Appl.* 1991;16(12):1127–1138.
- [25] Moudafi A. Weak convergence theorems for nonexpansive mappings and equilibrium problems. *J Nonlinear Convex Anal.* 2008;9(1):37–43.
- [26] Yao SS, Wang L. Strong convergence theorems for nonself I -asymptotically quasi-nonexpansive mappings. *Appl Math Sci, Ruse.* 2008;2(17-20):919–928. Available from: www.m-hikari.com/ams/ams-password-2008/ams-password17-20-2008/wanglinAMS17-20-2008.pdf.

- [27] Peng JW, Yao JC. Two extragradient methods for generalized mixed equilibrium problems, nonexpansive mappings and monotone mappings. *Comput Math Appl.* 2009; 58(7):1287–1301.
- [28] Peng JW, Yao JC. Weak convergence of an iterative scheme for generalized equilibrium problems. *Bull Aust Math Soc.* 2009;79(3):437–453.
- [29] Yao SS, Yang Yj. Convergence theorems for common fixed point of a finite family of non-self I_i -asymptotically quasi-nonexpansive mappings. *Int Math Forum.* 2009;4(33):1641–1648.
- [30] Schu J. Iterative construction of fixed points of asymptotically nonexpansive mappings. *J Math Anal Appl.* 1991;158(2):407–413.
- [31] Peng JW, Yao JC. Some new extragradient-like methods for generalized equilibrium problems, fixed point problems and variational inequality problems. *Optim Methods Softw.* 2010;25(5):677–698.
- [32] Manaka H, Takahashi W. Weak convergence theorems for maximal monotone operators with nonspreading mappings in a Hilbert space. *Cubo.* 2011;13(1):11–24.
- [33] Karahan I, Ozdemir M. A general iterative method for approximation of fixed points and their applications. *Adv Fixed Point Theory.* 2013;3(3):510–526.
- [34] Hou X, Du H. Convergence theorems of a new iteration for two nonexpansive mappings. *J Inequal Appl.* 2014;:2014:82, 8.
- [35] Jhade PK, Saluja AS. On weak and strong convergence theorems for two nonexpansive mappings in Banach spaces. *Mat Vesn.* 2014;66(1):1–8.
- [36] Thakur D, Thakur BS, Postolache M. New iteration scheme for numerical reckoning fixed points of nonexpansive mappings. *J Inequal Appl.* 2014;:2014:328, 15.
- [37] Razani A, Moradi R. On the iterates of asymptotically k -strict pseudocontractive mappings in Hilbert spaces with convergence analysis. *Fixed Point Theory Appl.* 2015; 2015:17. Id/No 21.
- [38] Temir S. Convergence theorems of a scheme for I-asymptotically quasi-nonexpansive type mapping in Banach space. *Publ Inst Math, Nouv Sér.* 2015;97:239–251.
- [39] Abdelhakim AA. A strong convergence result for systems of nonlinear operator equations involving total asymptotically nonexpansive mappings in uniformly convex Banach spaces. *Silesian J Pure Appl Math.* 2016;6(1):27–48.
- [40] Asaduzzaman M, Khatun MS, Ali MZ. On new three-step iterative scheme for approximating the fixed points of non-expansive mappings. *JP Journal of Fixed Point Theory and Applications.* 2016;11(1):23–53.
- [41] Thakur BS, Thakur D, Postolache M. A new iterative scheme for numerical reckoning fixed points of Suzuki’s generalized nonexpansive mappings. *Appl Math Comput.* 2016; 275:147–155.

- [42] Thakur BS, Thakur D, Postolache M. A new iteration scheme for approximating fixed points of nonexpansive mappings. *Filomat*. 2016;30(10):2711–2720.
- [43] Sahu VK, Pathak HK, Tiwari R. Convergence theorems for new iteration scheme and comparison results. *Aligarh Bull Math*. 2016;35(1-2):19–42.
- [44] Tripak O. Common fixed points of G -nonexpansive mappings on Banach spaces with a graph. *Fixed Point Theory Appl*. 2016;2016:8. Id/No 87.
- [45] Woldeamanuel ST, Goa Sangago M, Hailu HZ. Approximating a common fixed point of finite family of asymptotically quasi-nonexpansive mappings in Banach spaces. *Afr Mat*. 2016;27(5-6):949–961.
- [46] Ullah K, Arshad M. New iteration process and numerical reckoning fixed points in Banach spaces. *Sci Bull, Ser A, Appl Math Phys, Politeh Univ Buchar*. 2017;79(4):113–122.
- [47] Abdelhakim AA, Rashwan RA. Strong convergence of an explicit iteration method in uniformly convex Banach spaces. *Konuralp J Math*. 2018;6(1):178–187.
- [48] Sridarat P, Suparaturatorn R, Suantai S, et al. Convergence analysis of SP-iteration for G -nonexpansive mappings with directed graphs. *Bull Malays Math Sci Soc (2)*. 2019; 42(5):2361–2380.
- [49] Suparatulatorn R, Cholamjiak W, Suantai S. A modified S-iteration process for G -nonexpansive mappings in Banach spaces with graphs. *Numer Algorithms*. 2018; 77(2):479–490.
- [50] Ullah K, Arshad M. New three-step iteration process and fixed point approximation in Banach spaces. *J Linear Topol Algebra*. 2018;7(2):87–100.
- [51] Ullah K, Arshad M. Numerical reckoning fixed points for Suzuki’s generalized nonexpansive mappings via new iteration process. *Filomat*. 2018;32(1):187–196.
- [52] Ali J, Ali F. Approximation of common fixed points and the solution of image recovery problem. *Result Math*. 2019;74(4):22. Id/No 130.
- [53] Ali J, Ali F, Kumar P. Approximation of fixed points for Suzuki’s generalized nonexpansive mappings. *Mathematics*. 2019;7(6):11. Id/No 522.
- [54] Bhutia JD, Tiwary K. New iteration process for approximating fixed points in Banach spaces. *J Linear Topol Algebra*. 2019;8(4):237–250.
- [55] Feng M, Shi L, Chen R. A new three-step iterative algorithm for solving the split feasibility problem. *Sci Bull, Ser A, Appl Math Phys, Politeh Univ Buchar*. 2019;81(1):93–102.
- [56] Sridarat P, Suparaturatorn R, Suantai S, et al. Convergence analysis of SP-iteration for G -nonexpansive mappings with directed graphs. *Bull Malays Math Sci Soc (2)*. 2019; 42(5):2361–2380.
- [57] Thianwan T, Yambangwai D. Convergence analysis for a new two-step iteration process for G -nonexpansive mappings with directed graphs. *J Fixed Point Theory Appl*. 2019; 21(2):Paper No. 44, 16.

- [58] Usurelu GI, Postolache M. Convergence analysis for a three-step Thakur iteration for Suzuki-type nonexpansive mappings with visualization. *Symmetry*. 2019;11(12):18. Id/No 1441.
- [59] Ali F, Ali J, Nieto JJ. Some observations on generalized non-expansive mappings with an application. *Comput Appl Math*. 2020;39(2):20. Id/No 74.
- [60] Bejenaru A, Postolache M. Partially projective algorithm for the split feasibility problem with visualization of the solution set. *Symmetry*. 2020;12(4):13. Id/No 608.
- [61] Ciobanescu C, Turcanu RT. On iteration S_n for operators with condition (D). *Symmetry*. 2020;12(10):16. Id/No 1676.
- [62] Garodia C, Uddin I. A new fixed point algorithm for finding the solution of a delay differential equation. *AIMS Math*. 2020;5(4):3182–3200.
- [63] Garodia C, Uddin I. A new iterative method for solving split feasibility problem. *J Appl Anal Comput*. 2020;10(3):986–1004.
- [64] Garodi C, Uddin I, Khan SH. Approximating common fixed points by a new faster iteration process. *Filomat*. 2020;34(6):2047–2060.
- [65] Hassan S, De la Sen M, Agarwal P, et al. A new faster iterative scheme for numerical fixed points estimation of Suzuki’s generalized nonexpansive mappings. *Math Probl Eng*. 2020;:Art. ID 3863819, 9.
- [66] Khatoon S, Uddin I. Convergence analysis of modified Abbas iteration process for two G -nonexpansive mappings. *Rend Circ Mat Palermo (2)*. 2021;70(1):31–44.
- [67] Maniu G. On a three-step iteration process for Suzuki mappings with qualitative study. *Numer Funct Anal Optim*. 2020;41(8):929–949.
- [68] Usurelu GI, Bejenaru A, Postolache M. Operators with property (E) as concerns numerical analysis and visualization. *Numer Funct Anal Optim*. 2020;41(11):1398–1419.
- [69] Yambangwai D, Aunruean S, Thianwan T. A new modified three-step iteration method for G -nonexpansive mappings in Banach spaces with a graph. *Numer Algorithms*. 2020; 84(2):537–565.
- [70] Ali J, Ali F, Khan FA. Estimation of fixed points of Hardy and Rogers generalized non-expansive mappings. *Azerb J Math*. 2021;:49–63.
- [71] Garodia C, Abdou AAN, Uddin I. A new modified fixed-point iteration process. *Mathematics*. 2021;9(23):10. Id/No 3109.
- [72] Hussain A, Hussain N, Ali D. Estimation of newly established iterative scheme for generalized nonexpansive mappings. *J Funct Spaces*. 2021;2021:9. Id/No 6675979.
- [73] Khatoon S, Uddin I. Convergence analysis of modified Abbas iteration process for two G -nonexpansive mappings. *Rend Circ Mat Palermo (2)*. 2021;70(1):31–44.
- [74] Khatoon S, Uddin I, Ali J, et al. Common fixed points of two G -nonexpansive mappings via a faster iteration procedure. *J Funct Spaces*. 2021;2021:8. Id/No 9913540.

- [75] Ofem A, Igbokwe D. New faster four step iterative algorithm for Suzuki generalized nonexpansive mappings with an application. *Adv Theory Nonlinear Anal Appl.* 2021; 5(4):482–506.
- [76] Ofem AE, Udofia UE, Igbokwe DI. New iterative algorithm for solving constrained convex minimization problem and split feasibility problem. *Eur J Math Anal.* 2021; 1:106–132.
- [77] Ofem AE, Udofia UE, Igbokwe DI. A robust iterative approach for solving nonlinear Volterra delay integro-differential equations. *Ural Math J.* 2021;7(2):59–85.
- [78] Rawat S, Dimri R, Bartwal A. A new iterative scheme for approximation of fixed points of Suzuki’s generalized nonexpansive mappings. *Preprints.* 2021;:12.
- [79] Thongpaen P, Kaewkhao A, Phudolsitthiphath N, et al. Weak and strong convergence theorems for common attractive points of widely more generalized hybrid mappings in Hilbert spaces. *Mathematics.* 2021;9(19):12. Id/No 2491.
- [80] Ali D, Hussain A, Karapinar E, et al. Efficient fixed-point iteration for generalized nonexpansive mappings and its stability in Banach spaces. *Open Math.* 2022;20(1):1753–1769.
- [81] Ali J, Jubair M, Ali F. Stability and convergence of f iterative scheme with an application to the fractional differential equation. *Eng Comput (Lond).* 2022;38(Suppl 1):693–702.
- [82] Alqudah MA, Garodia C, Uddin I, et al. Computation of solution of integral equations via fixed point results. *Demonstr Math.* 2022;55:772–785.
- [83] Beg I, Abbas M, Asghar MW. Convergence of AA-iterative algorithm for generalized α -nonexpansive mappings with an application. *Mathematics.* 2022;10(22):16. Id/No 4375.
- [84] Bejenaru A, Postolache M. New approach to split variational inclusion issues through a three-step iterative process. *Mathematics.* 2022;10(19):16. Id/No 3617.
- [85] Garodia C, Uddin I, Baleanu D. On constrained minimization, variational inequality and split feasibility problem via new iteration scheme in Banach spaces. *Bull Iranian Math Soc.* 2022;48(4):1493–1512.
- [86] Gopi R, Pragadeeswarar V, De La Sen M. Thakur’s iterative scheme for approximating common fixed points to a pair of relatively nonexpansive mappings. *J Math.* 2022; 2022:16. Id/No 5537768.
- [87] Jia J, Shabbir K, Ahmad K, et al. Strong convergence of a new hybrid iterative scheme for nonexpensive mappings and applications. *J Funct Spaces.* 2022;:Art. ID 4855173, 11.
- [88] Jubair M, Ali J, Kumar S. Estimating fixed points via new iterative scheme with an application. *J Funct Spaces.* 2022;:Art. ID 3740809, 11.
- [89] Maldar S, Gürsoy F, Atalan Y, et al. On a three-step iteration process for multivalued Reich-Suzuki type α -nonexpansive and contractive mappings. *J Appl Math Comput.* 2022;68(2):863–883.

- [90] Ofem AE, Hussain A, Joseph O, et al. Solving fractional Volterra-Fredholm integro-differential equations via A^{**} iteration method. *Axioms*. 2022;11(9):18. Id/No 470.
- [91] Ofem AE, Işık H, Ali F, et al. A new iterative approximation scheme for Reich-Suzuki-type nonexpansive operators with an application. *J Inequal Appl*. 2022;:26.
- [92] Okeke GA, Ofem AE, Işık H. A faster iterative method for solving nonlinear third-order BVPs based on Green's function. *Bound Value Probl*. 2022;:Paper No. 103, 26.
- [93] Panja S, Roy K, Paunović MV, et al. Fixed points of weakly K -nonexpansive mappings and a stability result for fixed point iterative process with an application. *J Inequal Appl*. 2022;:Paper No. 90, 18.
- [94] Sahu OS, Banerjee A, Gurudwan N. A new iteration method for fixed point of nonexpansive mapping in uniformly convex Banach space. *Korean J Math*. 2022;30(4):665–678.
- [95] Salem NN, Maibed ZH. On the convergence of new algorithms procedures in Banach spaces. *Int J Nonlinear Anal Appl*. 2022;13(2):1033–1040.
- [96] Uddin I, Garodia C, Abdeljawad T, et al. Convergence analysis of a novel iteration process with application to a fractional differential equation. *Adv Contin Discrete Models*. 2022;:Paper No. 16, 20.
- [97] Usurelu GI, Postolache M. Algorithm for generalized hybrid operators with numerical analysis and applications. *J Nonlinear Var Anal*. 2022;6(3):255–277.
- [98] Usurelu GI, Turcanu T, Postolache M. Algorithm for two generalized nonexpansive mappings in uniformly convex spaces. *Mathematics*. 2022;10(3):16. Id/No 318.
- [99] Ali D, Ali S, Darab PC, et al. A quicker iteration method for approximating the fixed point of generalized α -Reich-Suzuki nonexpansive mappings with applications. *Fractal Fract*. 2023;7(11):19. Id/No 790.
- [100] Ali J, Jubair M. Existence and estimation of the fixed points of enriched Berinde non-expansive mappings. *Miskolc Math Notes*. 2023;24(2):541–552.
- [101] Chairatsiripong C, Yambangwai D, Thianwan T. Convergence analysis of M-iteration for \mathcal{G} -nonexpansive mappings with directed graphs applicable in image deblurring and signal recovering problems. *Demonstr Math*. 2023;56:21. Id/No 20220234.
- [102] Deshmukh A, Gopal D, Rakocević V. Two new iterative schemes to approximate the fixed points for mappings. *Int J Nonlinear Sci Numer Simul*. 2023;24(4):1265–1309.
- [103] Ekinci A, Temir S. Convergence theorems for Suzuki generalized nonexpansive mapping in Banach spaces. *Tamkang J Math*. 2023;54(1):57–67.
- [104] Gautam P, Kaur C. A novel iterative scheme to approximate the fixed points of Zamfirescu operator and generalized non-expansive map with an application. *Lobachevskii J Math*. 2023;44(4):1316–1331.
- [105] Hammad HA, Kattan DA. Fixed-point estimation by iterative strategies and stability analysis with applications. *Symmetry*. 2023;15(7):22. Id/No 1400.

- [106] Hammad HA, Kattan DA. Stability results and reckoning fixed point approaches by a faster iterative method with an application. *Axioms*. 2023;12(7):21. Id/No 715.
- [107] Kittiratanawasin L, Yambangwai D, Chairatsiripong C, et al. An efficient iterative algorithm for solving the split feasibility problem in Hilbert spaces applicable in image deblurring, signal recovering, and polynomiography. *J Math*. 2023;:2023:4934575, 15.
- [108] Sahu O, Banerjee A. Approximation results of a three step iteration method in Banach space. *Korean J Math*. 2023;31(3):269–294.
- [109] Sahu O, Banerjee A, Gurudwan N. Convergence results for mean nonexpansive mappings in uniformly convex banach space. *Creat Math Inform*. 2023;32(2):219–227.
- [110] Temir S. Convergence theorems for a general class of nonexpansive mappings in Banach spaces. *Int J Nonlinear Anal Appl*. 2023;14(6):371–386.
- [111] Temir S. Approximating of fixed points for multi-valued generalized α -nonexpansive mappings in Banach spaces. *Ann Acad Rom Sci, Math Appl*. 2023;15(1-2):554–574.
- [112] Temir S, Zincir O. Approximating of fixed points for Garsia-Falset generalized nonexpansive mappings. *J New Result Sci*. 2023;12(1):55–64.
- [113] Ullah K, Saleem N, Bilal H, et al. On the convergence, stability and data dependence results of the JK iteration process in Banach spaces. *Open Math*. 2023;21(1):Paper No. 20230101, 14.
- [114] Gautam P, Kaur C. Approximating the fixed points of Suzuki’s generalized nonexpansive map via an efficient iterative scheme with an application. *Tamkang J Math*. 2024;55.
- [115] Ugboh JA, Oboyi J, Udo MO, et al. On a faster iterative method for solving fractional delay differential equations in Banach spaces. *Fractal Fract*. 2024;8(3):19. Id/No 166.
- [116] Yambangwai D, Thianwan T. Convergence point of G-nonexpansive mappings in Banach spaces endowed with graphs applicable in image deblurring and signal recovering problems. *Ric Mat*. 2024;73(1):633–660.
- [117] Zhou J, Cui Y. Fixed point theorems for mean nonexpansive mappings in $CAT(0)$ spaces. *Numer Funct Anal Optim*. 2015;36(9):1224–1238.
- [118] Thakur BS, Thakur D, Postolache M. Modified Picard-Mann hybrid iteration process for total asymptotically nonexpansive mappings. *Fixed Point Theory Appl*. 2015;2015:11. Id/No 140.
- [119] Zhang L. Convergence theorems for common fixed points of a finite family of total asymptotically nonexpansive nonself mappings in hyperbolic spaces. *Adv Fixed Point Theory*. 2015;5(4):433–447.
- [120] Ali B. Convergence theorems for finite families of total asymptotically nonexpansive mappings in hyperbolic spaces. *Fixed Point Theory Appl*. 2016;2016:13. Id/No 24.

- [121] Pansuwan A, Sintunavarat W. A new iterative scheme for numerical reckoning fixed points of total asymptotically nonexpansive mappings. *Fixed Point Theory Appl.* 2016; 2016:13. Id/No 83.
- [122] Suanoom C, Klin-eam C. Remark on fundamentally non-expansive mappings in hyperbolic spaces. *J Nonlinear Sci Appl.* 2016;9(5):1952–1956.
- [123] Abkar A, Shekarbaigi M. A novel iterative algorithm applied to totally asymptotically nonexpansive mappings in $CAT(0)$ spaces. *Mathematics.* 2017;5(1):13. Id/No 14.
- [124] Qian S, Deng WQ. Convergence theorems fro common fixed points of a sequence of nonexpansive nonself mappings in $CAT(0)$ sapces. *Stud Sci Math Hung.* 2017;54(1):1–12.
- [125] Rastgoo M, Abkar A. A new iteration process for approximation of fixed points of mean nonexpansive mappings in $CAT(0)$ spaces. *Cogent Math.* 2017;4:11. Id/No 1396642.
- [126] Abkar A, Rastgoo M. On approximation of fixed points of mean nonexpansive mappings in $CAT(0)$ spaces. *Facta Univ, Ser Math Inf.* 2018;33(3):481–496.
- [127] Ullah K, Iqbal K, Arshad M. Some convergence results using K iteration process in $CAT(0)$ spaces. *Fixed Point Theory Appl.* 2018;2018:10. Id/No 11.
- [128] Bantaojai T, Suanoom C, Khuangsatung W. The convergence theorem for a square α -nonexpansive mapping in a hyperbolic space. *Thai J Math.* 2020;18(3):1597–1609.
- [129] Dasputre S, Padmavati, Sakure K. Strong and Δ -convergence results for generalized nonexpansive mapping in hyperbolic space. *Commun Math Appl.* 2020;11(3):389–401.
- [130] Kumam W, Pakkaranang N, Kumam P, et al. Convergence analysis of modified Picard- S hybrid iterative algorithms for total asymptotically nonexpansive mappings in Hadamard spaces. *Int J Comput Math.* 2020;97(1-2):175–188.
- [131] Abbas M, Iqbal H, De la Sen M, et al. Approximation of fixed points of multivalued generalized (α, β) -nonexpansive mappings in an ordered $CAT(0)$ space. *Mathematics.* 2021;9(16):21. Id/No 1945.
- [132] Abkar A, Rastgoo M, Guran L. A new iteration process for approximation of fixed points of α - ψ -contractive type mappings in $CAT(0)$ spaces. *Filomat.* 2021;35(4):1369–1381.
- [133] Haokip N. Convergence of an iteration scheme in convex metric spaces. *Proyecciones.* 2022;41(3):777–790.
- [134] Tufa AR, Zegeye H. Approximating common fixed points of a family of non-self mappings in $CAT(0)$ spaces. *Bol Soc Mat Mex, III Ser.* 2022;28(1):15. Id/No 3.
- [135] Abbas M, Ahmad K, Shabbir K. Approximation of fixed point of multivalued mean nonexpansive mappings in $CAT(0)$ spaces. *J Prime Res Math.* 2023;19(2):1–16.
- [136] Rahman LU, Arshad M, Thabet STM, et al. An efficient iterative algorithm for solving the split feasibility problem in Hilbert spaces applicable in image deblurring, signal recovering, and polynomiography. *J Math.* 2023;:2023:6677650, 9.

- [137] Dashputre S, Tiwari R, Shrivias J. Approximating fixed points for generalized α -nonexpansive mapping in CAT(0) space via new iterative algorithm. *Nonlinear Funct Anal Appl.* 2024;29(1):69–81.
- [138] Shrivias J, Chandraker P. A new iterative algorithm for Suzuki generalized nonexpansive mapping in hyperbolic space. *Eng Math Lett.* 2024;2024((2024)):17. ID2.
- [139] Tassaddiq A, Ahmed W, Zaman S, et al. A modified iterative approach for fixed point problem in Hadamard spaces. *J Funct Spaces.* 2024;:Art. ID 5583824, 10.
- [140] Bejenaru A, Postolache M. On Suzuki mappings in modular spaces. *Symmetry.* 2019; 11(3):11. Id/No 319.
- [141] Khan SH. Approximating fixed points of λ, ρ -firmly nonexpansive mappings in modular function spaces. *Arab J Math.* 2018;7(4):281–287.
- [142] Bejenaru A, Postolache M. Generalized Suzuki-type mappings in modular vector spaces. *Optimization.* 2020;69(9):2177–2198.
- [143] Abdou AAN, Khamsi MA. Fixed point theorems in modular vector spaces. *J Nonlinear Sci Appl.* 2017;10(8):4046–4057.
- [144] Bejenaru A, Postolache M. A unifying approach for some nonexpansiveness conditions on modular vector spaces. *Nonlinear Anal, Model Control.* 2020;25(5):827–845.