

# Proof of Lovász conjecture for odd order

Misa Nakanishi \*

## Abstract

Lovász conjectured that every connected vertex-transitive graph contains a hamilton path in 1970. First we reveal the structure of connected vertex-transitive graphs with an odd number of vertices. Then we prove that every connected vertex-transitive graph with an odd number of vertices is hamiltonian.

keywords : hamilton cycle, vertex-transitive graph, odd order  
MSC : 05C45

## 1 Introduction

In this paper, we reveal the structure of connected vertex-transitive graphs with an odd number of vertices from a graph theoretic view and prove that the Lovász conjecture for odd order is true.

Regarding a vertex-transitive graph, its structure has been the focus of many previous studies. In 1977, Leighton extended the notion of a circulant to vertex-transitive graphs [7]. In 1982, Alspach and Parsons showed how to construct a vertex-transitive graph from transitive permutation groups [1]. In 1994 and 1996, McKay and Praeger investigated vertex-transitive graphs that are not Cayley graphs [9, 10]. In 2022, Georgakopoulos and Wendland showed how to generalize the construction of Cayley graphs to represent vertex-transitive graphs [4].

On the other hand, in 1970, Lovász conjectured that every connected vertex-transitive graph contains a hamilton path. This is called the Lovász conjecture and has been studied by many authors, but remains open. In particular, research and surveys on hamilton paths have been published so far with respect to Cayley graphs [11, 6]. In addition, in 2011, Christofides, Hladký, and Máthé proved that every sufficiently large dense connected vertex-transitive graph is hamiltonian [2]. In 2012, Kutnar, Marušič, and

---

\*E-mail address : nakanishi@mx-keio.net

Zhang showed that every connected vertex-transitive graph of order  $10p$  ( $p \neq 7$ , a prime) has a hamilton path [5].

From the definition of a vertex-transitive graph, we focus on its structure and show that a connected vertex-transitive graph with an odd number of vertices has a 2-factor which consists of an odd number of odd cycles with the same length. By this structure, we prove that a connected vertex-transitive graph with an odd number of vertices is hamiltonian.

## 2 Notation and property

In this paper, a graph  $G := (V, E)$  is finite, undirected, and simple with the vertex set  $V$  and edge set  $E$ . We follow the notations presented in [3]. A vertex-transitive graph is a graph  $G$  in which, given any two vertices  $v_1$  and  $v_2$  in  $G$ , there is some automorphism

$$f: G \rightarrow G$$

such that

$$f(v_1) = v_2.$$

A graph is vertex-transitive if and only if its graph complement is.

**Conjecture A** ([8]). *Every connected vertex-transitive graph contains a hamilton path.*

## 3 Proof of Lovász conjecture for odd order

**Lemma 3.1.** *A connected vertex-transitive graph with an odd number of vertices has a 2-factor which consists of an odd number of odd cycles with the same length.*

*Proof.* Let  $G$  be a connected vertex-transitive graph with an odd number of vertices. If  $G$  is a complete graph, this statement obviously holds. Suppose otherwise. Since  $G$  is vertex-transitive, for  $v_1, v_2, \dots, v_k \in V(G)$  ( $k \geq 2$ ), there is some automorphism  $f: G \rightarrow G$  such that  $f(v_i) = v_{i+1}$  for  $1 \leq i \leq k-1$  and  $f(v_k) = v_1$ . Let  $A: G \rightarrow G$  be an automorphism of  $G$  as follows: (a) for some  $x \in V(G)$ ,  $A(x) \neq x$ , and (b) for any two vertices  $v_1, v_2 \in V(G)$  such that  $A(v_1) = v_2$ ,  $A$  takes minimum  $k$  ( $k \geq 2$ ) such that  $A(v_i) = v_{i+1}$  for  $1 \leq i \leq k-1$  and  $A(v_k) = v_1$ . Let  $\mathcal{A}$  be the set of all  $A$ . Let  $\mathcal{Q}(A)$  be the family of all minimal sets of vertices that map one to the other in some  $A \in \mathcal{A}$ . Let  $\mathcal{R}(A)$  be the family of all minimal sets of odd vertices

that map one to the other in some  $A \in \mathcal{A}$ . Now,  $\mathcal{R}(A) \subseteq \mathcal{Q}(A)$ . Since  $|G|$  is odd,  $\mathcal{R}(A) \neq \emptyset$  and  $|\mathcal{R}(A)|$  is odd. For some  $Q_1, Q_2 \in \mathcal{Q}(A)$ , suppose  $|Q_1| \neq |Q_2|$  and two vertices taken one from each  $Q_1$  and  $Q_2$  map one to the other in some  $A^* \in \mathcal{A}$ . For  $Q \in \mathcal{Q}(A^*)$  that contains these two vertices, by its minimality, each vertex in  $Q$  is taken from a different set in  $\mathcal{Q}(A)$ , which contradicts that  $G$  is regular. Thus, for all  $Q_1, Q_2 \in \mathcal{Q}(A)$ ,  $|Q_1| = |Q_2|$ , and  $\mathcal{R}(A) = \mathcal{Q}(A)$ . Now, for all  $R \in \mathcal{R}(A)$ ,  $|R| \neq 1$ . Since the complement of  $G$  is also vertex-transitive, for any  $R \in \mathcal{R}(A)$ ,  $G[R]$  or the complement of  $G[R]$  has a 2-factor which consists of an odd number of prime cycles. Hence, we can take  $\mathcal{R}(A')$  as the family of all minimal sets of prime vertices that map one to the other in some  $A' \in \mathcal{A}$ . Since  $|\mathcal{R}(A')|$  is odd, from its symmetry, (a) for all  $S \in \mathcal{R}(A')$ ,  $G[S]$  has a prime cycle with the length  $|S|$ , or (b) for all  $S \in \mathcal{R}(A')$ ,  $G[S]$  has no edges. For the case (b), by equally dividing  $\mathcal{R}(A')$  into  $i$  sets ( $i \geq 3$ , odd), we can easily take  $i$  odd cycles with the same length. The proof is completed.  $\square$

**Theorem 3.1.** *A connected vertex-transitive graph with an odd number of vertices is hamiltonian.*

*Proof.* Let  $G$  be a connected vertex-transitive graph with an odd number of vertices. Let  $H_0 = G$ . If  $H_0$  is 2-regular then  $G$  is hamiltonian. Suppose that  $H_0$  is not 2-regular.  $|H_0|$  is odd and  $H_0$  is a connected vertex-transitive graph, thus  $H_0$  has a 2-factor which consists of an odd number of odd cycles with the same length by Lemma 3.1. Note that if  $H_0$  has one spanning cycle, then  $G$  is hamiltonian. Suppose otherwise. Contract each of these cycles into a triangle (see Figure 1). Let  $H_1$  be the resulting graph.  $|H_1|$  is odd and  $H_1$  is a connected vertex-transitive graph, thus  $H_1$  has a 2-factor which consists of an odd number of odd cycles with the same length by Lemma 3.1. Also contract each of these cycles into a vertex. Let  $H_2$  be the resulting graph. Now,  $H_2$  has a hamilton cycle. By reversing these operations from  $H_2$ , we find a hamilton cycle in  $G$ .  $\square$




Figure 1: Contract each of cycles into a triangle.

## References

- [1] B. Alspach and T. D. Parsons: A construction for vertex-transitive graphs. *Can. J. Math.*, Vol. XXXIV, No. 2 (1982) 307-318
- [2] D. Christofides, J. Hladký, and A. Máthé: A proof of the dense version of Lovász conjecture. *Electronic Notes in Discrete Mathematics* 38 (2011) 285-290
- [3] R. Diestel: *Graph Theory Fourth Edition*. Springer (2010)
- [4] A. Georgakopoulos and A. Wendland: Presentations for vertex-transitive graphs. *Journal of Algebraic Combinatorics* 55 (2022) 795–826
- [5] K. Kutnar, D. Marušič, and C. Zhang: Hamilton paths in vertex-transitive graphs of order  $10p$ . *European Journal of Combinatorics* 33 (2012) 1043–1077
- [6] G. H. J. Lanel, H. K. Pallage, J. K. Ratnayake, S. Thevasha, and B. A. K. Welihinda: A survey on Hamiltonicity in Cayley graphs and digraphs on different groups. *Discrete Mathematics, Algorithms and Applications* 11:5 (2019) 1930002
- [7] F. T. Leighton: Circulants and the characterization of vertex-transitive graphs. *J Res Natl Bur Stand* (1977). 1983 Nov-Dec; 88(6): 395–402
- [8] L. Lovász: Combinatorial structures and their applications *Proc. Calgary Internat. Conf. Calgary, Alberta, 1969*, Gordon and Breach, New York (1970) 243-246 Problem 11
- [9] B. D. McKay and C. E. Praeger: Vertex-transitive graphs which are not Cayley graphs, I. *J. Austral. Math. Soc. (Series A)* 56 (1994) 53-63
- [10] B. D. McKay and C. E. Praeger: Vertex-transitive graphs that are not Cayley graphs, II. *Journal of Graph Theory* 22:4 (1996) 321-334
- [11] I. Pak and R. Radoičić: Hamiltonian paths in Cayley graphs. *Discrete Mathematics* 309 (2009) 5501–5508